

60p

YOUR COMPUTER

DECEMBER 1982

BRITAIN'S BIGGEST-SELLING HOME COMPUTER MAGAZINE

Vol.2 No.12

Free ZX-81,
Spectrum
and Vic
flexidisc
games



Inside:
top-flight
Atari, Atom,
BBC, Dragon,
MZ-80K, Vic,
Spectrum and
ZX-81 games


Win an Atari

PROGRAM POWER MICRO POWER

NEW-DEVASTATING MODEL B (or 32K MODEL A) GAME FROM BRITAIN'S LEADING SOFTWARE HOUSE!

BBC

ALIEN DESTROYERS



Sensational, high speed program incorporating brilliant use of colour graphics and sound. 48 strong alien fleet of 3 different types plus Mothership scoring mystery bonus. Choice of 6 alien speeds and 3 bomb speeds. Vertical, angled and exploding missiles. Options to replace defences and suppress new fleet advances. Bonus bases awarded each new sheet. Scoring according to overall difficulty level plus end of game ranking of top scores.

This program also has many unique extras including "Battle Analysis" showing numbers of aliens shot down, how many Motherships destroyed, number of sheets cleared, shots fired percentage hits and bases lost.

If you needed a reason to upgrade to 32K, now you have it!!!

ONLY £6.95

OTHER BBC PROGRAMS

MODEL A or B

CHESS (32K). Our excellent machine code program—now with superb MODE 1 graphics. Six skill levels, play back or white, illegal moves rejected, 'en passant', castling, 'take-back' of moves, and display of player's cumulative move time. Options include Blitz Chess, where you must move in 10 seconds, set-up of positions for analysis, replay of a game just played and saving of part completed game on tape. On loading a 1972 Spassky/Fisher game can be replayed. £6.95. Model A version still only £4.95. Graphics Upgrade exchange. £2.50.

ADVENTURE. All the excitement, intrigue and frustration of a main-frame adventure. Explore the tortuous forests, dark caverns and castle dungeons. Beware the maze of twisting tunnels and the desert wastelands. Outwit the predators. Rescue the Princess and carry off the treasures. Great skill and imagination are required to play this excellent game. You may never exhaust the possibilities. YES—this is our highly acclaimed ADVENTURE for the Atom!

Other NEW 16K Titles: £8.95 FILER (Database). £5.95 each—ASTEROID BELT, SEEK (Adventure), Junior Maths Pack, Where (UK Geography). £4.95 Reversi I, £3.95 Mastermind (2-way).

MODEL B (or 32K Model A)

GALACTIC COMMANDER (Aptitude Test). Nine phase test for aspiring Space Vehicle Commanders. Begin by separating your craft from the command module and landing under acceptable gravity conditions. Then GRADUATE through combinations of lower gravities, circulating command modules, defended planets (some with homing missiles), and eventually to underground landing sites in cave systems with unfriendly inhabitants. The program presents a real challenge. The use of machine code and high-res. graphics give beautifully smooth action. Very good sound £6.95.

FOOTER. Exciting Advance in Computer Games. This is a TWO PLAYER football match, masterfully presented in HIGH-RES graphics. Out-run and out-dribble your opponent and finally blast the ball into the net. You will be amazed at the realism of this program! Newly designed graphics handling routines give a totally smooth movement to both player and ball. (See the players' legs in running action!) £6.95.

Other NEW 32K Titles: £6.95 each—METEOR BATTLE, LASER COMMAND. £5.95 each—MARTIANS, CONSTELLATION. £4.95 each—REVERSI II, MAZE INVADERS, ROULETTE. New Prices—TIMETREK £6.95, ELDORADO GOLD £5.95.

PLEASE NOTE!

We now offer over 30 BBC and 60 Atom programs of the highest quality and at highly competitive prices. Order NOW or send for our full catalogue.



Please add 55p order P & P + VAT at 15%



MICRO POWER LTD.
8/8A REGENT STREET
CHAPEL ALLERTON
LEEDS LS7 4PE.
Tel. [0532] 683186

All programs now available from good dealers. We pay 20% Royalties on BBC, Spectrum, Dragon and Atom programs.

AUTHORISED BBC, ACORN AND DRAGON DEALERS

Special Offer—Deduct £1 per cassette when ordering two or more.

PROGRAM POWER MICRO POWER

YOUR COMPUTER

YOUR LETTERS	19	GAMES SPECIAL			
Waiting for Sinclair; BBC control keys; disabled computer library; bug-free Spectrums.		Spectrum Flight Simulator	38	BBC MUSIC	74
NEWS	20	This month's cover game puts you at the controls of a modern high-performance jet.		Chris Melville on keyboards.	78
Sharp's new micros; <i>Your Computer</i> software top 10; Lynx and Oric updates.		Atari Chicken	42	ZX-81 GAMES WRITING	81
COMPUTER CLUB	23	Why did the chicken cross the road? Find out with this Atari game.		Stuart Nicholls makes it look easy.	
Finding out what mainframes and micros have in common at the Thames Valley club.		Dragon Nightmare Holiday	44	BASIC DICTIONARY	84
FLEXIDISC	25	Brave the hazards of a holiday drive in the comfort of your own home.		Tony Edwards' Basic lexicon.	88
Bill Bennett shows you how to make the most of this month's free flexidisc games.		Sharp Coup d'État	48	ZX-81 FORTH	
SORD M-5	26	You are in charge of a desperate band fighting to free a banana republic.		Simulating Forth on a ZX-81.	
		ZX-81 Probe	52	CONTROL	
		Match the right key to the right lock in the minimum time and become a cracksman.			
		Vic Breakout	56	John Dawson reviews Multitech's multi-purpose controller, the MPF-I.	91
		John Cullen skilfully mixes Basic and machine code to produce a top-class Breakout game for the Vic.		RESPONSE FRAME	93
		BBC Maze Muncher	58	Your technical enquiries answered.	
		Your chance to use those expensively acquired arcade skills on your BBC.		FINGERTIPS	97
		Atom Quest	62	Our pocket computer and calculator column.	
		A goblin is behind you, a pit fiend threatens; your mission — to recover the magic chalice.		SOFTWARE FILE	111
		ZX-81 CHESS	68	Nine pages packed with programs for the ZX-81, Vic, BBC, Atom and Spectrum.	
		Part 1 of David Horne's series on building a working chess game in just 1,000 bytes.		COMPETITION CORNER	
		ATOM ACCOUNTS	70	The result of October's Enigma Code and a new £15 Christmas Box. Atari competition falls between pages 18 and 19.	
		Check your solvency at the touch of a button.		<i>Cover photograph by Stephen Oliver.</i>	



Exclusive review of the £100 colour micro which the Japanese think will storm the British market.

VIC SOFTWARE **30**
The many faces of Vic software reviewed by Neville Ash.

Editor
TOBY WOLPE

Assistant Editor
MEIRION JONES

Staff Writer
SIMON BEESLEY

Sub-editor
PAUL BOND



Editorial Secretary
LYNN COWLING
Editorial: 01-661 3144

Advertisement Manager
PHILIP KIRBY 01-661 3127

Advertisement Executives
BILL ARDLEY 01-661 8484
PETER RICE 01-661 8441

Midlands Office
KEITH SALT 021-356 4838

Northern Office
RON SOUTHALL 061-872 8861

Advertisement Secretary
JEANETTE MACKRELL

Publishing Director
CHRIS HIPWELL

Your Computer, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.
Subscriptions: U.K. £8 for 12 issues.

©IPC Business Press Ltd 1982

Typesetting by In-Step Ltd, London EC1.
Printed by Riverside Press Ltd, Whitstable, Kent.
Published by IPC Electrical-Electronic Press Ltd, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. Tel: 01-661 3500 Telex/grams: 892084 BIPRESG. ISSN 0263-0885

EDITORIAL

THE FAIRY LIGHTS are going out all over Europe this Christmas as computing's over-zealous yuletide recruits find that such seasonal fripperies as Christmas trees take up too much valuable socket space. This year home computers will shatter the traditional Noel idyll. Families will no longer cluster around roaring hearths opening presents and arguing about which of the four channels to watch — from now on it will be channel 36 or thereabouts. For the first time, this Christmas, people have a real choice of machines for less than £200 and an even wider selection if they can afford to go as high as £350.

But those who have decided to treat themselves or a member of their family to a micro will know that choosing a computer involves a selection process which makes the rest of the Christmas shopping almost look like fun. Few of those who emerge from this ordeal clutching a gift-wrapped micro will have given any real thought to what they want it for — most will be only too pleased to have found one at all in time for Christmas. The first discovery the would-be buyer makes is that only half of the dozen or so most attractive machines advertised are readily available. Having swallowed this unpalatable fact the next question must be: "Do I really need a micro for Christmas? Would a machine like the Lynx or the Oric — both unlikely to be seen in volume this side of the Feast of Stephen — better suit my needs and my budget?"

Waiting a few months for a machine which has already been launched can be a wise decision — but only if you are sure that it really fits your bill. What you should never do is put off buying a micro because you are convinced a wonder-machine is just round the corner. At the rate that microcomputer technology is accelerating, you will just defer your entry into computing indefinitely. Talk to someone who already has a machine and decide which features you most want to have on your micro. When you have shortlisted some candidates with the power, flexibility and software you require and which are available when you want them, your next major consideration must be price. Minimum outlay can mean minimal computing but on the other hand there is no point spending hundreds if you are not sure how long your interest in micros will last.

The final word must, regrettably, be a word of warning. If you want a micro by Christmas Day, make sure that the machine can be supplied on time and get it in writing. After all, children believe in Santa Claus; adults believe in delivery dates. ■

THE HOBBIT



Step into the future: VISIT MIDDLE EARTH WITH YOUR SPECTRUM.

Melbourne House Publishers, in association with the Tolkien Estate, are very proud to announce the release of THE HOBBIT, a super-program like no other before, for the 48K Spectrum.

THE HOBBIT is totally unique, with features never before seen on any computer, let alone on the Spectrum.

Based on the fantasy land described in J. R. R. Tolkien's brilliant novel, in this program you take on the role of Bilbo, the hobbit: danger, adventure, and excitement are all part of it, presented to you in words and graphics, but it is you who must confront and solve the problems this time.

You instruct the computer in completely ordinary English sentences!

THE HOBBIT program is capable of very sophisticated communications, including features not previously thought possible on a microcomputer: adjectives, adverbs, multiple sentences, are just a part of the power of this program.

You will meet all your favourite characters from J. R. R. Tolkien's book, and amazing as it sounds, they will all have an independent life of their own. They can make decisions and act on them! They react not only to what you do, but also to every other character in THE HOBBIT!

Because of this unique feature, you will find that each time you play THE HOBBIT, events will proceed in a slightly different way, and the further you get into Tolkien's world, the more different each visit may be.

THE HOBBIT also allows you to talk to the other characters! At last you can answer the questions they may put to you, or more importantly, you can suggest to them what you would like them to do!

THE HOBBIT program follows closely the plot of the book, and so a copy of the book is included as part of THE HOBBIT package at no extra charge.

THE HOBBIT brings to you the future of microcomputers in an exciting and challenging fantasy. A super-program that is a milestone in computer software.

Other cassette software includes PENETRATOR, a 48K state-of-the-art arcade game - £6.95 including VAT.

Spectrum books include: Over The Spectrum - £6.95.

Spectrum Machine Language - £6.95.

Understanding Your Spectrum - £7.95.

Melbourne House Publishers

YC12

Orders to: 131 Trafalgar Road, Greenwich, London SE10.

Correspondence to: Glebe Cottage, Station Road, Cheddington, Leighton Buzzard, BEDS LU7 7NA.

Please send me:

The Hobbit package - 48K Spectrum cassette, four colour instruction manual and Hobbit book - £14.95

Other

I enclose cheque/money order £

(Please add 80p for post and pack)

Spectrum Catalogue

Name

Address

Postcode

Dealer enquiries welcomed. Phone 01.6921475 and ask for a Melbourne House operator.

MELBOURNE HOUSE PUBLISHERS



TAKE THE DRAG OUT OF BUYING A DRAGON!

We give the best service

Why drag yourself from shop to shop or spend hours trying to find the best deal on a DRAGON 32? It's easy... our way.

COMPUTERS FOR ALL are DRAGON specialists

Not only do we give you best value for money, we also give you a complete back-up after-sales service if, and when, required.

We know the computer inside out

Our knowledge of DRAGON 32 is probably the most complete in the country. We don't just sell them. We use them, play with them, analyse them, program them... enthuse about them!

We can show you how to use it professionally

Unlike some computers, DRAGON 32 is not just a toy! It's fun, but it's also very professional. Whatever you want to do with it, COMPUTERS FOR ALL can advise you at every stage, and as your knowledge of programming grows, you can always turn to us for the latest peripherals.

We have a wide range of hardware / software

It doesn't do to stand still in the computer market. That's why COMPUTERS FOR ALL are always looking for and stocking the newest hardware and software for the DRAGON 32. Printers, Joysticks, ROM Cartridges, Cassette Software, Monitors... practically everything you will need now or in the future is available under one roof... our roof!

We look after our customers

Some dealers are content to take your money and forget all about you. We're different. We want you to have the very best service. You needn't worry about contacting us if you need information or advice. That's what we're here for... and we'll help whenever we can.

We don't quibble

Needless to say, if you buy a DRAGON 32 from COMPUTERS FOR ALL it comes complete with a year's warranty. But we go further than that: our service is completely "quibble-free" if, in the unlikely event of a complaint, you contact us, we will settle the matter immediately. In short, COMPUTERS FOR ALL can take the DRAG out of buying a DRAGON. You can call us with confidence... anytime.

HOW TO GET YOUR DRAGON IN TIME FOR CHRISTMAS

You don't have to go to the North Pole. All you have to do is visit North Street ROMFORD or post the coupon!

As soon as we receive your order, it will be straight back in the post to you... but a word of warning - please allow enough time for the rush! Do it now. WE'LL DELIVER THE GOODS!



ONLY
£199.50
PLUS £3 CARRIAGE
TV NOT INCLUDED
IN PRICE



STOP PRESS
New wide range of software
now available. Send
S.A.E for details.

SEND TODAY OR CALL AT OUR SHOP

For fast, efficient mail order post to COMPUTERS FOR ALL, 72 North Street, ROMFORD, Essex, or phone: (0708) 752862

NAME

ADDRESS

Please send me the following items:

..... DRAGON 32 Microcomputers @ £199.50 + £3.00 Carriage

..... DRAGON Joysticks @ £19.95 pr

DRAGON CARTRIDGES

Ghost Attack @ £24.95 ea
Berserk @ £19.95 ea
Meteoroids @ £19.95 ea
Cosmic Invaders @ £19.95 ea
Cave Hunter @ £19.95 ea
Tube Frenzy @ £19.95 ea
Starship Chameleon @ £19.95 ea
Personal Finance @ £19.95 ea

DRAGON CASSETTES

Compendium of Games @ £7.95 ea
Comp of applications @ £7.95 ea
Quest @ £7.95 ea
Madness & the Minotaur @ £7.95 ea
Computavoice @ £7.95 ea
Graphic Animator @ £7.95 ea
Mazerace @ £7.95 ea

I enclose cheque/P.O. to the value of

£..... made payable to

COMPUTERS FOR ALL

Please bill my Access/Barclaycard/Visa/

Mastercharge/Amex

No:.....

**COMPUTERS
FOR ALL**

**"THE SHOP WHERE
PEOPLE MATTER"**



PROGRAM DIRECT

IS DELIGHTED TO ANNOUNCE A NEW RANGE OF STUNNING, HIGH QUALITY SOFTWARE, FOR:—



SPECTRUM BBC & DRAGON

BBC

SPACE TREK (32K) Model B **£5.99**
Probably the most sophisticated STARTREK game ever! All the standard features plus BLACKHOLES, RED GIANT STARS, SUPERNOVA & machine coded ASTEROID STORM. **With:** INVADERS, BLITZ, PINBALL.

ADVENTURE (32K) Model B **£5.99**
One of the biggest adventures on cassette! Nearly 200 locations, 50 monsters etc. (uses nearly all available memory space). Explore, discover treasure, avoid monsters & trade with merchants. You'll have to be clever. **With:** INVADERS, PONTOON, LUNAR LANDER.

SCRAMBLE (16K) Model A & B **£5.99**
Written in superfast machine code. Latest action game requires total concentration. Superb sound effects. **With:** INVADERS, BREAKOUT, BATTLESHIP.

ALL PROGRAMS
RECORDED ON
TOP QUALITY
TDK CASSETTES

SPECTRUM

PACKMAN GAMES PACK (16K) **£4.99**
Latest arcade crunchie! Full colour plus sound effects. Eat the power fruits & destroy the ghosts before they pollute the crazy maze. **With:** BREAKOUT, PONTOON.

LUNAR LANDER GAMES PACK (16K) **£4.99**
Probably the most sophisticated lunar lander ever! Pilot the command module into lunar orbit and then start the descent. You'll never do it!! (super sound effects). **With:** BOMBER, ROBOT NIM.

STARTREK ADVENTURE (48K) **£5.99**
Ultra-sophisticated program (almost all memory used up). Too complex to describe! Grons, Tribbles, Black Holes, Klingons. Totally compulsive. (Full sound & colour).

DRAGON

DRAGON GAMES PACK **£5.99**
BREAKOUT — LUNAR LANDER — BOMBER. Maximim addictiveness, total concentration required.

PROGRAM DIRECT GUARANTEE! —

SHOULD YOU FOR ANY REASON NOT BE ABSOLUTELY DELIGHTED WITH THE QUALITY OF CASSETTE SUPPLIED, SIMPLY RETURN IT WITHIN 14 DAYS & WE WILL DISPATCH ANY ALTERNATIVE CASSETTE ABSOLUTELY FREE!

PROGRAM DIRECT
37B NEW CAVENDISH STREET,
LONDON W1M 8JR

All prices include V.A.T. & P&P

PLEASE SEND ME THE FOLLOWING IMMEDIATELY.

_____ £ _____

_____ £ _____

I ENCLOSE A CHEQUE/P.O. FOR THE TOTAL

NAME _____

ADDRESS _____

_____ POSTCODE _____

100 FREE PROGRAMS

FROM SILICA SHOP — WITH EVERY PURCHASE OF AN

ATARI 400

800




ATARI PRICES REDUCED

We at Silica Shop are pleased to announce some fantastic reductions in the prices of the Atari 400/800 personal computers. We believe that the Atari at its new price will become the U.K.'s most popular personal computer and have therefore set up the Silica Atari Users Club. This club already has a library of over 500 programs and with your purchase of a 400 or 800 computer we will give you the first 100 free of charge. There are also over 350 professionally written games and utility programs, some are listed below. Complete the reply coupon and we'll send you full details. Alternatively give us a ring on 01-301 1111 or 01-309 1111.

ATARI 400 with 16K	£199
ATARI 400 with 32K	£248
ATARI 800 with 16K	£449

400/800 SOFTWARE & PERIPHERALS

Don't buy a T.V. game! Buy an Atari 400 personal computer and a game cartridge and that's all you'll need. Later on you can buy the Basic Programming cartridge (£35) and try your hand at programming using the easy to learn BASIC language. Or if you are interested in business applications, you can buy the Atari 800 + Disk Drive + Printer together with a selection of business packages.

Silica Shop have put together a full catalogue and price list giving details of all the peripherals as well as the extensive range of software that is now available for the Atari 400/800. The Atari is now one of the best supported personal computers. Send NOW for Silica Shop's catalogue and price list as well as details on our users club.

THE FOLLOWING IS JUST A SMALL SELECTION FROM THE RANGE OF ITEMS AVAILABLE:


ACCESSORIES Cables Cassettes Diskettes Joysticks Le Stick - Joystick Misc Supplies Paddles ADVENTURE INT Scott Adams Adv No 1 Adventureland No 2 Pirate Adv No 3 Mission Imp No 4 Voodoo Cast No 5 The Count No 6 Strange Ody No 7 Mystery Fun No 8 Pyramid of D No 9 Ghost Town No 10 Sav Island 1 No 11 Sav Island 2 No 12 Golden Voy Angle Worms Deflections Galactic Empire Galactic Trader Lunar Lander	Mountain Shoot Rearguard Star Flite Sunday Golf AUTOMATED SIMULATIONS Crush Crumble Cmp Datesones of Ryn Dragons Eye Invasion Orion Rescue at Rigel Ricochet Star Warrior Temple of Aphai Upper Reaches Aps BOOKS Basic Ref Manual Compute Atari DOS Compute Bk Atari Compute Magazine De Re Atari DOS Utilities List DOS2 Manual Misc Atari Books Op System Listing Wiley Manual	BUSINESS Calculator Database Managemt Decision Maker Graph-It Invoicing Librarian Mort & Loan Anal Nominal Ledger Payroll Personal Finl Mgmt Purchase Ledger Sales Ledger Statistics 1 Stock Control Tefelink 1 Visicalc Weekly Planner Word Processor CRYSTALWARE Beneath The Pyram Fantasyland 2041 Galactic Quest House Of Usher Sands Of Mars Waterloo World War III	DYNACOMP Alpha Fighter Chompelo Crystals Forest Fire Intruder Alert Monarch Moonprobe Moving Maze Nominos Jigsaw Rings of The Emp Space Tilt Space Trap Stud Poker Triple Blockade EDUCATION from APX Algicalc Atlas of Canada Cubbyholes Elementary Biology Frogmaster Hickory Dickory Inst Comptg Dem Lemonade Letterman Mapware	Maths-Tac-Toe Metric & Prob Solv Mugwump Music Terms/Notatn Musical Computer My First Alphabet Number Blast Polycalc Presidents Of U.S. Quiz Master Stereo 3D Graphics Three R Math Sys Video Math Flash Wordmaker EDUCATION from ATARI Conv French Conv German Conv Italian Conv Spanish Energy Czar European C & Caps Hangman Invt To Prog 1/2/3 Kingdom Music Composer	Scram States & Capitals Touch Typing EMUSOFTWARE British Heritage Cribbage/Dominos Darts European Scene Jig Hickory Dickory Humpty Dumpty Jumbo Jet Lander Snooker & Billiards Submarine Commdr Super Cubes & Tilt Tournament Pool ENTERTAINMENT from APX Alien Egg Anthill Attank Avalanche Babel Blackjack Casino Block Buster Block 'Em Bumper Pool	Castle Centurion Checker King Chinese Puzzle Codcracker Comedy Diskette Dice Poker Dog Dare Domination Downhill Eastern Front Galahad & Holy Gr Graphics/Sound Jax-O Jukebox Lookahead Memory Match Midas Touch Minotaur Outlaw/Howitzer Preschool Games Pro Bowling Pushover Rabbotz Reversi II Salmon Run 747 Landing Simul Seven Card Stud	Sleazy Adventure Solitaire Space Chase Space Trek Sultans Palace Tact Trek Terry Wizards Gold Wizards Revenge ENTERTAINMENT from ATARI Asteroids Basketball Blackjack Centipede Chess Entertainment Kit Missile Command Pac Man Space Invaders Star Raiders Super Breakout Video Easel ON LINE SYSTEMS Crossfire Frogger	Jawbreaker Mission Asteroid Mouskattack Threshold Ulysses/Golden Fl Wizard & Princess PERIPHERALS Centronics Printers Disk Drive Epson Printers Program Recorder RS232 Interface Thermal Printer 16K Memory RAM 32K Memory RAM PERSONAL INT from APX Adv Music System Banner Generator Blackjack Tutor Going To The Dogs Keyboard Organ Morse Code Tutor Personal Fitness Prg Player Piano Sketchpad	PROGRAMMING AIDS from Atari Assembler Editor Dsembler (APX) Microsoft Basic Pascal (APX) Pilot (Consumer) Pilot (Educator) Programming Kit SANTA CRUZ Basics of Animation Bobs Business Display Lists Graphics Machine Kids 1 & 2 Horizontal Scrolling Master Memory Map Mini Word Processor Page Flipping Player Missile Gr Player Piano Sounds Vertical Scrolling SILICA CLUB Over 500 programs write for details
--	---	--	---	--	--	--	--	--	--

FOR FREE BROCHURES - TEL: 01-301 1111

For free brochures and reviews on our range of electronic products, please telephone 01-301 1111. To order by telephone, just quote your name, address, credit card number, and order requirements and leave the rest to us. Post and packing is FREE OF CHARGE in the UK. Express 24 hour delivery available at an additional charge.

- **SHOP DEMONSTRATION FACILITIES** — we provide full facilities at our shop in Sidcup, Monday to Saturday 9am to 5.30pm (closing Thursday 1pm Friday 5pm).
- **MAIL ORDER** — we are a specialist mail order company and are able to supply goods direct to your door.
- **MONEY BACK UNDERTAKING** — if you are totally unsatisfied with your purchase, you may return it to us within 15 days. On receipt of the goods in satisfactory condition we will give you a full refund.
- **PART EXCHANGE SECOND HAND MACHINES** — we offer a part exchange scheme to trade in many makes of T.V. games for personal computers.
- **COMPETITIVE PRICES** — our prices, offers and service are very competitive. We are never knowingly undersold, and will normally match any lower price quoted by our competitors.
- **HELPFUL ADVICE** — available on the suitability of various computers.
- **AFTER SALES SERVICE** — available on all computers out of guarantee.
- **VAT** — all prices quoted above include VAT at 15%.
- **CREDIT FACILITIES** — we offer credit over 12, 24 or 36 months, please ask for details.

SILICA SHOP LIMITED
 Dept. YC1282, 1-4 The Mews, Hatherley Road, Sidcup,
 Kent DA14 4DX, Telephone 01-301 1111 or 01-309 1111.



FREE LITERATURE

I am interested in purchasing an Atari 400/800 computer and would like to receive copies of your brochures and test reports as well as your price list covering all of the available Hardware and Software:

Name


Address

.....

Postcode

YC1282 — Your Computer — December 1982

Jupiter ACE



The Jupiter Ace personal computer runs in FORTH, an easily understood language, typically four times as compact and ten times as fast as BASIC. Before the Ace all personal computers used BASIC and FORTH was only available to a privileged few.

The Jupiter Ace also features a full-size moving-key keyboard, high-resolution graphics, sound, floating point arithmetic, a fast and reliable cassette interface and 3K of RAM.

If you own a personal computer you will be aware of the limitations of BASIC. You know how slowly your programs run and how quickly your computer's memory gets filled. The Jupiter Ace is your answer.

If you already know FORTH, the Jupiter Ace closely follows the FORTH 79 standard with extensions for floating point, sound and cassette. It has a unique and remarkable editor that allows you to list and alter words that have been previously compiled into the dictionary. This avoids the need to store screens of source, allowing the dictionary itself to be saved on cassette. Comprehensive error checking removes the worry of accidentally crashing your programs.

All inclusive price

For **£89.95** you receive your Jupiter Ace, a mains adaptor, all the leads needed to connect to most cassette recorders and T.V.s (colour or black and white), a software catalogue and a manual.

The manual is a complete introduction to the world of personal computing and a course in FORTH programming on the Ace.

Even if you are a complete newcomer to computers, the manual will guide you step by step from first principles to confident programming.

The price includes postage, packing and V.A.T.

The Jupiter Ace is backed by a full 12 month warranty.

"The Ace is
an excellent way
of using
FORTH"

Popular Computing Weekly

"FORTH is
an easy
language"

Byte

Available soon

Plug-on parallel printer interface.

For around £20.00 this will connect your Jupiter Ace to anything from high-speed dot matrix to letter-quality daisy wheel printers.

Plug-on 16K Memory Expansion

For around £30.00 you will increase the memory of your Jupiter Ace to 19K giving you instant access to enormous amounts of information.

Software

A catalogue will be sent with every machine, and includes, initially, programs for education and entertainment.

FORTH Finishes First!

Speed Comparison Chart showing times in seconds to perform one thousand operations.

Type of Operation	Jupiter Ace	BBC Micro	Vic 20	Spectrum	ZX81
Empty loop	0.12	0.67	1.3	4.2	17.7
Print a number	7.5	13.5	26	19	430
Print a character	0.62	1.3	3.1	7.5	24
Add two numbers	0.45	1.4	5.5	7.5	28
Multiply two numbers	0.9	1.6	6.5	7.5	32

Because of the difficulty in devising exactly equivalent programs, these measurements should only be taken as a guide.

only £89.95

Designed by Jupiter Cantab

Computer Designers Steven Vickers and Richard Altwasser played a major role in creating the ZX Spectrum and then formed Jupiter Cantab to develop advanced ideas in personal computing. The Ace is the result, another all-British computer to lead the world.

Technical Information

Hardware

Z80A running at 3.25 MHz.
8K bytes ROM
3K bytes RAM

Keyboard

40 Moving-key keyboard with auto repeat on every key and Caps Lock.

Screen

Memory mapped 32 column x 24 line flicker-free display with upper and lower case ascii character set.

Graphics

Chunky graphics (64 x 46 pixels) may be plotted, un-plotted or over-plotted (XOR operation). Also, the entire character set (128 characters and their video inverses) may be redefined allowing intricate shapes to be drawn with a resolution equivalent to 256 x 192 pixels.

Control Structures

IF-ELSE-THEN, DO-LOOP DO-+LOOP, BEGIN-WHILE-REPEAT, BEGIN-UNTIL, all may be mixed and nested to any depth.

Cassette

Programs and data in the compact dictionary format may be saved, verified, loaded and merged. Blocks of memory can be saved, verified, loaded and relocated. All tape files are named. Running at 1500 baud, the Ace will connect to most portable tape recorders.

Expansion Port


Contains D.C. power rails and full Z80 Address, data and control signals. May be used to connect extra memory and other peripherals. IN and OUT words allow port-based peripherals to be addressed.

Data Structures


Integer, Floating point and String data may be held as constants, variables or arrays with multiple dimensions and mixed data types. There are no restrictions on names.

Sound

Internal loudspeaker may be programmed to operate over the entire audio spectrum.




In Schools Teachers already know how quickly children take to computing, and the Jupiter Ace is an ideal introduction. FORTH is an easy and important language to learn and by making learning fun, the Ace can help to teach science, music and many other subjects.



In Laboratories For monitoring and controlling experiments, the Jupiter Ace has many advantages. The language is perfect, even the Jodrell Bank Radio Telescope is controlled in FORTH. The Ace expansion port enables it to be interfaced to almost anything, and the built in quartz timer allows experiments to run all weekend.



At Home The Jupiter Ace is powerful enough to play games as complex as Chess and with sound and high resolution graphics, action games written in FORTH will stretch your reaction speeds to their limits.



In the Office Stock control, Accounts and Financial forecasts are all possible on the Jupiter Ace. With a printer and extra memory attached you can do word processing as well.

Programming in FORTH

Programming in FORTH

FORTH programs are constructed without line-numbers, as words which are defined in terms of other words that already exist. Consider the following definition of the word **STARS**. Comments are in parenthesis and have no action.

```
: STARS      (: starts word definition)
  " *** "    (print 3 asterisks)
  200 100 BEEP (play a note for
              100 mSecs)
;
```

The semi colon at the end finishes the word definition. Now, whenever you say **STARS** the computer will print out 3 asterisks and sound a short tone. (Notice how the word **BEEP** comes after the numbers it uses, 200 and 100. This characteristic occurs throughout FORTH so that you write, for instance, 28 76 + instead of 28 + 76.)

The Jupiter Ace already has 140 FORTH words defined in ROM.

The **Jupiter Ace** is available only by mail order. Please allow up to 28 days for delivery.

Send cheque or postal order with the form to:—
JUPITER CANTAB, 22 FOXHOLLOW, BAR HILL,
CAMBRIDGE CB3 8EP


"FORTH is very flexible"

"FORTH is compact"

Electronics and computing

"FORTH is in general very much faster than BASIC"

Computing Today



ORDER NOW!

Please send me:—

JUPITER ACE MICROCOMPUTER(S) @ £89.95.

Name. Mr/ _____
Mrs/Miss _____
Address _____

_____ F

**sinclair
ZX Spectrum**

for the
16k or 48k
ZX Spectrum

**NOT THE FIRST...
JUST THE BEST!**

GROUND FORCE

ZERO

The Ground Forces have been destroyed
so the air attack must begin and
you're in control!

A Superb Arcade Game for the 16k or 48k Spectrum

Just
£5
inclusive

TITAN



PROGRAMS

TITAN HOUSE, 83 ASHWOOD ROAD, RUDLOE,
CORSHAM, WILTSHIRE SN13 0LG

IMMEDIATE DELIVERY

Please send me
I enclose cheque/P.O. for
OR Please debit my Access No.
Barclaycard No. Expiry date
Name
Address
Post Code

Dealers Discount Available
ACCESS, BARCLAYCARD ORDERS WELCOME ON 24hr
ANSAPHONE 0225-810132, or mail to: YC12
TITAN PROGRAMS, TITAN HOUSE,
83 ASHWOOD RD., RUDLOE, CORSHAM,
WILTSHIRE. SN13 0LG





ORIC-1TM

TIMELESS TECHNOLOGY FROM ORIC PRODUCTS INTERNATIONAL

The Computer Challenge

**16 colours
professional keyboard
full graphics
real sound**

- Superb styling
- Choice of 16K RAM or massive 48K RAM
- Ergonomic keyboard with 57 moving keys
- 28 rows x 40 characters high resolution
- Teletext/viewdata compatible graphics
- 6 octaves of real sound plus Hi-Fi output
- Centronics printer interface and cassette port
- Comprehensive user manual

OPTIONAL MODEM OFFERS COMPUTER PHONE LINK FOR:
● ELECTRONIC MAIL ● TELESOFTWARE ● PRESTEL

COMING SOON, TO COMPLETE YOUR SYSTEM: ORIC MICRO-DRIVE DISCS & SPEED PRINTER

THE REAL
COMPUTER SYSTEM
FOR
£ 99.95
incl VAT

FOR HOME: The ORIC-1 is the professional alternative for home computing. Superbly styled, the 57 key layout is based upon computers costing many times more than the ORIC, and will help the whole family to learn and understand computing, right from day one. The ORIC incorporates an improved version of Microsoft Basic for ease of programming and use. For the enthusiasts the computer has laser zaps, explosions, etc. pre-programmed for games use, with Hi-Fi output for incredible effect. The communications Modem will allow 'Telesoftware', message sending, and Prestel use.

FOR BUSINESS: The ORIC-1 is the answer to many day to day problems. Software is becoming available for payroll, accounts, stock-control, and many more systems to help your day to day business organising and control. In addition, the ORIC COMMUNICATIONS MODEM will allow you to access up to 200,000 pages of Prestel information, to send and receive 'electronic mail', to book hotels, and flights (and pay for them) and to look at the latest stock-market and share indexes.

In short the ORIC-1 is a must for all businesses large or small.

HOW TO ORDER YOUR ORIC-1: By phone: Just ring our telesales number Ascot (0990) 27641.

By post: You can pay by cheque, postal order ACCESS - BARCLAYCARD - AMEX - DINERS. (Please allow 28 days for delivery).

Money back if not satisfied.

© Copyright ORIC PRODUCTS INTERNATIONAL 1982.

ORIC-1

The Real Computer System

ORIC PRODUCTS INTERNATIONAL LTD
Coworth Park Mansion, Coworth Park, London Road, Sunninghill, Ascot, Berks SL5 7SE

Item	Qty	Price Inc VAT	Total
ORIC-1 16K RAM		£ 99.95	
ORIC-1 48K RAM		£ 169.95	
Postage and Packing		£ 7.95	
TOTAL		£	5.95

Please charge my Access, Barclaycard
Amex, Diners Club account no.

Name _____
Address _____

If you require a brochure please tick CT

*Please delete/complete as applicable.
*I enclose a cheque/P.O. payable to:
ORIC PRODUCTS INTERNATIONAL LIMITED for £.



TI's Home Computer. Unbeatable value. Unrivalled software.

When you choose a TI Home Computer you're choosing a "real" computer. A computer that can grow with you and your family. A computer that lets you play, invent, discover... that lets your imagination soar.

What makes this possible is our wide range of software. You'll find subjects as simple as "Early Reading" and as complex as "TMS 9900 Assembler Editor." Many of our programs are packaged in our unique Solid State Software™ Command Modules. Some have sound. Others have superb colour graphics. Simply plug them in and begin.

When you want to learn to

program for yourself, the TI 99/4A is ready too. TI BASIC is built in. The programming manual is easy to understand, easy to follow every step of the way. You will be amazed

to discover how much fun programming can be.

And when you're ready to expand your system, we're ready too. Our unique Peripheral Expansion System can house up to seven peripherals without extra cables or clutter. There is even a speech synthesiser that gives your computer a voice.

Sound impressive? Try the TI Home Computer for yourself at your nearest dealer. At around £200 you'll look no further.



WHAT THE PROFESSIONALS LOOK FOR IN A HOME COMPUTER

Feature	Texas Instruments TI 99/4A
Microprocessor	TMS 9900 16 BIT
Graphics	16 colour, high resolution
Languages	TI-BASIC (built-in), extended BASIC, UCSD-PASCAL, TI-LOGO, Assembler
Memory	16K RAM standard—expandable to max ROM/RAM of 110K
Keyboard	Full size, standard typewriter style
Software	1000 programs to choose from worldwide
Solid State	Yes
Speech Capability	Yes

TEXAS INSTRUMENTS



ZX Spectrum

BLUE EDIT	RED CAPS LOCK	MAGENTA TRUE VIDEO	GREEN INV. VIDEO	CYAN	YELLOW	WHITE	BLACK DELETE
1 [] !	2 [] @	3 [] #	4 [] \$	5 [] %	6 [] &	7 [] ' /	0 [] - _
DEF FN	FN	LINE	OPEN #	CLOSE #	MOVE	ERASE	FORMAT
SIN	COS	TAN	INT	RND	STR\$	CHRS	CODE
Q [] ←	W [] ↔	E [] >=	R [] <	T [] >	Y [] AND	U [] OR	I [] INPUT
ASN	ACS	ATN	VERIFY	MERGE	ABS	SQR	OUT
READ	RESTORE	DATA	SGN	ABS	VAL	LEN	USR
A [] STOP NEW	S [] NOT SAVE	D [] STEP DIM	F [] TO FOR	G [] THEN GOTO	H [] ↑ GOSUB	J [] - LOAD	L [] = LET
LN	EXP	LPRINT	LLIST	BIN	CIRCLE	VAL\$	SCREEN\$
Z [] : COPY	X [] & CLEAR	C [] ? CONT	V [] / CLS	B [] * BORDER	N [] NEXT	M [] PAUSE	ENTER
BEEP	INK	PAPER	FLASH	BRIGHT	OVER	INVERSE	BREAK SPACE



Sinclair ZX Spectrum

**16K or 48K RAM...
full-size moving-
key keyboard...
colour and sound...
high-resolution
graphics...**

**From only
£125!**



First, there was the world-beating Sinclair ZX80. The first personal computer for under £100.

Then, the ZX81. With up to 16K RAM available, and the ZX Printer. Giving more power and more flexibility. Together, they've sold over 500,000 so far, to make Sinclair world leaders in personal computing. And the ZX81 remains the ideal low-cost introduction to computing.

Now there's the ZX Spectrum! With up to 48K of RAM. A full-size moving-key keyboard. Vivid colour and sound. High-resolution graphics. And a low price that's unrivalled.

Professional power – personal computer price!

The ZX Spectrum incorporates all the proven features of the ZX81. But its new 16K BASIC ROM dramatically increases your computing power.

You have access to a range of 8 colours for foreground, background and border, together with a sound generator and high-resolution graphics.

You have the facility to support separate data files.

You have a choice of storage capacities (governed by the amount of RAM). 16K of RAM (which you can uprate later to 48K of RAM) or a massive 48K of RAM.

Yet the price of the Spectrum 16K is an amazing £125! Even the popular 48K version costs only £175!

You may decide to begin with the 16K version. If so, you can still return it later for an upgrade. The cost? Around £60.

Ready to use today, easy to expand tomorrow

Your ZX Spectrum comes with a mains adaptor and all the necessary leads to connect to most cassette recorders and TVs (colour or black and white).

Employing Sinclair BASIC (now used in over 500,000 computers worldwide) the ZX Spectrum comes complete with two manuals which together represent a detailed course in BASIC programming. Whether you're a beginner or a competent programmer, you'll find them both of immense help. Depending on your computer experience, you'll quickly be moving into the colourful world of ZX Spectrum professional-level computing.


There's no need to stop there. The ZX Printer – available now – is fully compatible with the ZX Spectrum. And later this year there will be Microdrives for massive amounts of extra on-line storage, plus an RS232 / network interface board.



Key features of the Sinclair ZX Spectrum

- Full colour – 8 colours each for foreground, background and border, plus flashing and brightness-intensity control.
- Sound – BEEP command with variable pitch and duration.
- Massive RAM – 16K or 48K.
- Full-size moving-key keyboard – all keys at normal typewriter pitch, with repeat facility on each key.
- High-resolution – 256 dots horizontally x 192 vertically, each individually addressable for true high-resolution graphics.
- ASCII character set – with upper- and lower-case characters.
- Teletext-compatible – user software can generate 40 characters per line or other settings.
- High speed LOAD & SAVE – 16K in 100 seconds via cassette, with VERIFY & MERGE for programs and separate data files.
- Sinclair 16K extended BASIC – incorporating unique 'one-touch' keyword entry, syntax check, and report codes.

um




The ZX Printer – available now

Designed exclusively for use with the Sinclair ZX range of computers, the printer offers ZX Spectrum owners the full ASCII character set – including lower-case characters and high-resolution graphics.

A special feature is COPY which prints out exactly what is on the whole TV screen without the need for further instructions. Printing speed is 50 characters per second, with 32 characters per line and 9 lines per vertical inch.

The ZX Printer connects to the rear of your ZX Spectrum. A roll of paper (65ft long and 4in wide) is supplied, along with full instructions. Further supplies of paper are available in packs of five rolls.



The ZX Microdrive – coming soon

The new Microdrives, designed especially for the ZX Spectrum, are set to change the face of personal computing.

Each Microdrive is capable of holding up to 100K bytes using a single interchangeable microfloppy.

The transfer rate is 16K bytes per second, with average access time of 3.5 seconds. And you'll be able to connect up to 8 ZX Microdrives to your ZX Spectrum.

All the BASIC commands required for the Microdrives are included on the Spectrum.

A remarkable breakthrough at a remarkable price. The Microdrives are available later this year, for around £50.



ZX Spectrum software on cassettes – available now

The first 21 software cassettes are now available directly from Sinclair. Produced by ICL and Psion, subjects include games, education, and business/household management. Galactic Invasion... Flight Simulation... Chess... History... Inventions... VU-CALC... VU-3D... 47 programs in all. There's something for everyone, and they all make full use of the Spectrum's colour, sound and graphics capabilities. You'll receive a detailed catalogue with your Spectrum.

RS232/network interface board

This interface, available later this year, will enable you to connect your ZX Spectrum to a whole host of printers, terminals and other computers.

The potential is enormous. And the astonishingly low price of only £20 is possible only because the operating systems are already designed into the ROM.

sinclair

Sinclair Research Ltd, Stanhope Road, Camberley, Surrey GU15 3PS.
Tel: Camberley (0276) 685311.

How to order your ZX Spectrum

BY PHONE – Access, Barclaycard or Trustcard holders can call 01-200 0200 for personal attention 24 hours a day, every day. BY FREEPOST – use the no-stamp needed coupon below. You can pay by cheque, postal order, Barclaycard,

Access or Trustcard.

EITHER WAY – please allow up to 28 days for delivery. And there's a 14-day money-back option, of course. We want you to be satisfied beyond doubt – and we have no doubt that you will be.

To: Sinclair Research, FREEPOST, Camberley, Surrey, GU15 3BR. Order

Qty	Item	Code	Item Price £	Total £
	Sinclair ZX Spectrum – 16K RAM version	100	125.00	
	Sinclair ZX Spectrum – 48K RAM version	101	175.00	
	Sinclair ZX Printer	27	59.95	
	Printer paper (pack of 5 rolls)	16	11.95	
	Postage and packing: orders under £100	28	2.95	
	orders over £100	29	4.95	
			Total £	

Please tick if you require a VAT receipt

*I enclose a cheque/postal order payable to Sinclair Research Ltd for £ _____

*Please charge to my Access/Barclaycard/Trustcard account no. _____

*Please delete/complete as applicable

Signature _____

PLEASE PRINT

Name: Mr/Mrs/Miss _____

Address _____

YOC812

FREEPOST – no stamp needed. Prices apply to UK only. Export prices on application.

Sinclair ZX Spectrum—technical data.

Dimensions

Width	233 mm
Depth	144 mm
Height	30 mm

CPU/memory

Z80A microprocessor running at 3.5 MHz.
16K-byte ROM containing BASIC interpreter and operating system.
16K-byte RAM (plus optional 32K-byte RAM on internal expansion board) or 48K-byte RAM.

Keyboard

40-moving-key keyboard with full upper and lower case with capitals lock feature. All BASIC words obtained by single keys, plus 16 graphics characters, 22 colour control codes, and 21 user-definable graphics characters. All keys have auto repeat.

Display

Memory-mapped display of 256 pixels x 192 pixels; plus one attribute byte per character square, defining one of eight foreground colours, one of eight background colours, normal or extra brightness and flashing or steady. Screen border colour also settable to one of eight colours. Will drive a PAL UHF colour TV set, or black and white set (which will give a scale of grey), on channel 36.

Sound

Internal loudspeaker can be operated over more than 10 octaves (actually 130 semitones) via basic BEEP command. Jack sockets at the rear of computer allow connections to external amplifier/speaker.

Graphics

Point, line, circle and arc drawing commands in high-resolution graphics.
16 pre-defined graphics characters plus 21 user-definable graphics characters. Also functions to yield character at a given position, attribute at a given position (colours, brightness and flash) and whether a given pixel is set. Text may be written on the screen on 24 lines of 32 characters. Text and graphics may be freely mixed.

Colours

Foreground and background colours, brightness and flashing are set by BASIC INK, PAPER, BRIGHT and FLASH commands. OVER may also be set, which performs an exclusive-or operation to overwrite any printing or plotting that is already on the screen. INVERSE will give inverse video printing. These six commands may be set globally to cover all further PRINT, PLOT, DRAW or CIRCLE commands, or locally within these commands to cover only the results of that command. They may also be set locally to cover text printed by an INPUT statement. Colour-control codes, which may be accessed from the keyboard, may be inserted into text or program listing, and when displayed will override the globally set colours until another control code is encountered. Brightness and flashing codes may be inserted into program or text, similarly. Colour-control codes in a program listing have no effect on its execution. Border colour is set by a BORDER command. The eight colours available are black, blue, red,

magenta, green, cyan, yellow and white. All eight colours may be present on the screen at once, with some areas flashing and others steady, and any area may be highlighted extra bright.

Screen

The screen is divided into two sections. The top section – normally the first 22 lines – displays the program listing or the results of program or command execution. The bottom section – normally the last 2 lines – shows the command or program line currently being entered, or the program line currently being edited. It also shows the report messages. Full editing facilities of cursor left, cursor right, insert and delete (with auto-repeat facility) are available over this line. The bottom section will expand to accept a current line of up to 22 lines.

Mathematical operations and functions

Arithmetic operations of +, -, X, +, and raise to a power. Mathematical functions of sine, cosine, tangent and their inverses; natural logs and exponentials; sign function, absolute value function, and integer function; square root function, random number generator, and pi.

Numbers are stored as five bytes of floating point binary – giving a range of $+3 \times 10^{-39}$ to $+7 \times 10^{38}$ accurate to $9\frac{1}{2}$ decimal digits.

Binary numbers may be entered directly with the BIN function. =, >, <, >=, <= and <> may be used to compare string or arithmetic values or variables to yield 0 (false) or 1 (true). Logical operators AND, OR and NOT yield boolean results but will accept 0 (false) and any number (true).

User-definable functions are defined using DEF FN, and called using FN. They may take up to 26 numeric and 26 string arguments, and may yield string or numeric results.

There is a full DATA mechanism, using the commands READ, DATA and RESTORE.

A real-time clock is obtainable.

String operations and functions

Strings can be concatenated with +. String variables or values may be compared with =, >, <, >=, <=, <> to give boolean results. String functions are VAL, VAL\$, STR\$ and LEN. CHR\$ and CODE convert numbers to characters and vice versa, using the ASCII code.

A very powerful string slicing mechanism exists, using the form a\$(x TO y).

Variable names

Numeric – any string starting with a letter (upper and lower case are not distinguished between, and spaces are ignored).
String – A\$ to Z\$.

FOR-NEXT loops – A-Z.

Numeric arrays – A-Z.

String arrays – A\$ to Z\$.

Simple variables and arrays with the same name are allowed and distinguished between.

Arrays

Arrays may be multi-dimensional, with subscripts starting at 1. String arrays, technically character arrays, may have their last subscript omitted, yielding a string.

Expression evaluator

A full expression evaluator is called during program execution whenever an expression, constant or variable is encountered. This allows the use of expressions as arguments to GOTO, GOSUB, etc.

It also operates on commands allowing the ZX Spectrum to operate as a calculator.

Cassette interface

The ZX Spectrum incorporates an advanced cassette interface. A tone leader is recorded before the information to overcome the automatic recording level fluctuations of some tape recorders, and a Schmitt trigger is used to remove noise on playback.

All saved information is started with a header containing information as to its type, title, length and address information. Program, screens, blocks of memory, string and character arrays may all be saved separately.

Programs, blocks of memory and arrays may be verified after saving to confirm successful saving.

Programs and arrays may be merged from tape to combine them with the existing contents of memory. Where two line numbers or variables names coincide, the old one is overwritten.

Programs may be saved with a line number, where execution will start immediately on loading.

The cassette interface runs at 1500 baud, through two 3.5 mm jack plugs.

Expansion port

This has the full data, address and control busses from the Z80A, and is used to interface to the ZX Printer, the RS232 and NET interfaces and the ZX Microdrives.

IN and OUT commands give the I/O port equivalents of PEEK and POKE.

ZX81 compatibility

ZX81 BASIC is essentially a subset of ZX Spectrum BASIC. The differences are as follows.

FAST and SLOW: the ZX Spectrum operates at the speed of the ZX81 in FAST mode with the steady display of SLOW mode, and does not include these commands.

SCROLL: the ZX Spectrum scrolls automatically, asking the operator "scroll?" every time a screen is filled.

UNPLOT: the ZX Spectrum can unplot a pixel using PLOT OVER, and thus achieves unplot.

Character set: the ZX Spectrum uses the ASCII character set, as opposed to the ZX81 non-standard set.

ZX81 programs may be typed into the ZX Spectrum with very little change, but may of course now be considerably improved. The ZX Spectrum is fully compatible with the ZX Printer, which can now print out a full upper and lower case character set, and the high resolution graphics; using LLIST, LPRINT and COPY. ZX81 software cassettes and the ZX 16K RAM pack will not operate with the ZX Spectrum.

sinclair ZX Spectrum



NOT A BUG

Concerning the "Spectrum Bugs" in the October *Your Computer* letter from Mr Dixon. He says that
CLS: PRINT CHR\$ 8; "X"

produces two black squares. If he reads his manual the instruction CHR\$ 8 means back space. Back spacing at the beginning of a line means moving into the address held for Newline. This corrupts the display file.

Secondly, when asked by the program Scroll?, normally one is expected to reply Yes or No, not with a Caps Shift. It is like saying my motor car has a bug, because although the road turns to the left I turn the wheel to the right and I do not make it round the corner!

I have found the Spectrum to be a good machine for its price.

B G Cornhill,
Aylesbury,
Buckinghamshire.

LOSS OF FAITH

It seems simple enough:—"Number on waiting list/weekly production = time in week of despatch". How, then, is it possible that the pioneer of the electronic calculator is unable to provide sensible delivery dates for the Spectrum?

My own order, after more than 16 weeks, is now cancelled. A telephone query after 14 weeks elicited "Any time now". After 15 weeks, I was back to "About another three weeks". After nearly 17 weeks, I was still at "2 to 3 weeks".

Like Mr Bloxham — *Your Computer*, October — I elected to order the Spectrum because of the expected Microdrive; also the wish to retain the use of my ZX Printer. Unlike Mr Bloxham, I do not believe in Sinclair any more, and the thought of going through the same hassle when the Microdrive is launched is too much.

Your leader postulating the possible decline of the British computer industry — in the same issue — is unfortunately both accurate and timely.

E R Keevy,
Pulborough,
West Sussex.

HANDICAP AID

We are a Cheshire Home for the physically handicapped and are building a library of programs for disabled computer users. We already have a number of Apple, Pet and TRS-80 programs. All of these programs will become available to anyone sending a stamped addressed envelope to the address below.

Most of the programs we have are operated using a two-switch system. For example: with the Apple we use the two switches on the games paddles. These switches can be used to mean anything from Yes/No to selecting from a menu where a

flashing cursor scans from item to item and you press one button when the cursor is over the item you have selected. The other button can be used to correct errors or Escape.

If a scanning system is used the speed of scanning must be selectable.

Where possible one button should be available to Gosub to a scanning Help menu.

Any program you write must be easy for you to operate. Try it out on one or two friends first.

We would like to see any programs from adventure to chess, from databases to educational. The scope is unlimited, but please bear in mind that many handicapped operators have restricted vision and the display needs to be extremely clear.

If you have any programs to add to our Library or want a catalogue of the programs we have to date, or would like some further guidelines on how to write programs for the handicapped, please write, enclosing a stamped addressed envelope, to:

Robin Nixon,
Seven Springs Cheshire Home,
Pembury Road,
Tunbridge Wells,
Kent TN2 4NB.

WORD PUZZLES

I particularly liked the Word Puzzles program by Chris Callender on page 94 of your October issue. It has many educational applications. However there were a few errors in the program.

The following lines should be inserted to get it to run correctly:

```
43 SCROLL
45 PRINT T
75 SCROLL
```

it is also enhanced if line 530 reads

```
PRINT T$, "FIND THE FOLLOWING
HIDDEN WORDS"
```

Missing from line 620 is -1 which should appear as shown here:
620 IF S\$(A)>" THEN PRINT AT INT
(A/16), A - 16 * INT (A - 16) - 1;
CHR\$(CODE S\$(A) + 128)

The program also takes an interminable time to produce its letter grid. This can be speeded up considerably by adding the following lines.

```
185 FAST
585 SLOW
```

J Bourne,
Bexhill on Sea,
Sussex.

THE REAL STORY

I think it's about time you got the record straight. Contrary to popular belief, the BBC Model A can have eight colours on the screen at once. This is proved by the following program:

```
1 MODE 7: FOR I = 129 TO 135
10 PRINT CHR$(I); "Your Computer":
Next
```

In the new almost-legendary Sinclair pamphlet, there is a table showing a list of computers and their specifications. This has to be the

most biased and untrue table of all time. It states that the BBC can only have up to 32K RAM. This is not true. It can have 96K RAM via a second processor.

It states that the Vic and BBC do not have user-definable graphics; they do. The Vic can also have high-res graphics via a software routine. The BBC does have merge and verify facilities, which are under different names to the Spectrum.

The pamphlet does not state that the BBC has a built-in assembler, ROM expandable to 256K, a Plot command with 43 different functions, high-res graphics with 163,840 different points, a Pling command, and a microprocessor running up to five times the speed of the Spectrum.

J V Price,
Chorley,
Lancashire.

ZX-81 START

I have a 16K RAM ZX-81 and I have found the starting and finishing addresses for the screen. They are:

```
START 49340
FINISH 50066
```

Poke 49340, 38 would be the same as
PRINT AT 0, 0; "A"

Patrick Couser,
Berkhamstead,
Hertfordshire.

BBC FACTS

In Tim Langdell's article concerning the use of control keys on the BBC computer he says that where a VDU statement takes several bytes after it, the control version does not produce readily predictable results. It is not as bad as his article suggests. Consider his example, VDU19,1,4,0,0,0 which changes logical colour 1 to show blue. First the CTRL solution, then the understanding.

Get something on the screen using logical colour 1. For example:

```
MODE4:COLOUR1 return
PRINT "This is logical colour 1" return
```

Now holding CTRL down while all of the next six keys are pressed, type SAD@@@. Nothing will appear on the screen, but as soon as the third @ is pressed the colour change takes place.

To know what to press after the first letter, use the left-hand two columns of figure 1 in the article: CTRL A has generated the 1, CTRL D the 4, the CTRL@, the 0.

Now the understanding. It will be helpful to find the diagram for keyboard codes on page 497 of the new manual and to type each of the following statements:

```
PRINT "01AB"
PRINT CHR$(48);CHR$(49);CHR$(65);
CHR$(66)
VDU 48,49,65,66
PRINT CHR$(830);CHR$(831);
CHR$(841);CHR$(842)
VDU 830,831,841,842
```

Compare these hexadecimal codes with those in the keyboard code diagram. All these have the same

screen effect as typing 01AB — without return — on the keyboard.

The reason is that whatever code is produced by the keyboard, it is sent to the VDU drivers. Codes 32(&20) to 126(&7E) cause the ASCII characters to be displayed. Codes 0(&0) to 31(&1F) are interpreted as control codes. However, if a control code needing extra bytes has just been received then the next keyboard codes received will be treated as the data bytes rather than their usual meaning.

CTRL S, 1, 2, of the article, then, is equivalent to VDU 19,44,49,44,50,44 — that is VDU &13,&2C,&31,&2C,&32,&2C. No wonder the VDU driver is confused and not producing readily predictable results! Notice the commas — code 44 — are treated as data, and those dummy zeros for later expansions are now far from 0.

What we needed was to create data of 1,2,0,0 and 0. Looking at the keyboard codes shows CTRL A creates 1, CTRL B creates 2 and CTRL @ creates 0. Because CTRL S always has five data bytes, the VDU driver knows to treat the CTRL A etc. as data — rather than the usual printer meanings.

For VDU statements with no data, Tim is correct, the CTRL equivalent is quick and easy; for VDU statements where data is always below 31, the left-hand two columns of figure 1 of the article enables predictable results with little effort; where data can go beyond 31, the keyboard code diagram — or the ASCII tables before it — and a knowledge of hexadecimal is needed: for data larger than 127, life can be even more difficult, though later operating systems allow Shift-Function, CTRL-Function, and Shift-CTRL-Function combinations to create whatever codes you like — see *FX225 to *FX229; page 439.

The principal advantage of these is for getting teletext control codes — ASCII 128 to 159 — input directly from the keyboard without wasting *Key definitions, rather than Print and Copy required by OS 0.1 users.

Finally, a couple of other points. Remember when defining a function key, the split vertical line preceding a capital letter indicates a CTRL code, so |B is "enable the printer". To get a teletext code use the fact that |! adds 128 to the next code so |!B is code 128+2=130, that is, "use green letters".

Codes 0 to 31 cannot generate user-defined graphics characters, but Acorn has used the syntax for re-defining character 0 to give the user access to the registers in the CRTIC — typical Acorn design philosophy — permitting custom-built modes, paged screens and more — see *BBC Micro Revealed* by Jeremy Ruston for more details.

P K Chilvers,
Milton Keynes,
Buckinghamshire. ■

Christmas tidings cheer those micro Scrooges

PLUMMETING HARDWARE prices are a phenomenon of the micro market. *Your Computer* checked out just how cheaply you could buy a home computer this Christmas. All prices include VAT.

The Texas TI-99/4 is an extreme example. In 1980 it cost £750 — today it can be obtained for £150 under a cash-back scheme. Apart from its 16-bit processor and typewriter keyboard, the Texas has much in common with the Atari 400: both have 16K, three-tone sound, 16 colours, sprite graphics and plug-in software. The 400 is now £200. By shopping around you could find a 3.5K Vic-20 for less than £140 rather than £200 earlier in the year. Even Mettoy's 32K, 9-colour Dragon 32 costs £180 from some



stores, instead of the £200 official price. The 16K Colour Genie is still £200.

Multitech's MPF II Apple-impersonator costs £270 for 64K. Also chiming in at 64K is the £350 Commodore 64 although delivery before Christmas could not be guaranteed. Computers' £225 Lynx which has 48K and will be capable of running CP/M will also be available in numbers in the new year as will the £100 16K Oric, one of the first machines to break the £100 colour and sound barrier. Sanyo's PHC-25 20K Spectrum basher is unlikely to be in the stores until February, while the Spectrum itself is still good value at £125 for 16K or £175 for 48K.

If you still see the world in black and white, Jupiter's monochrome Ace runs fast as a purpose-built Forth machine for £90, and of course the ZX-81 now costs £50 made-up or £40 as a kit for a truly basic approach to programming.

Love on a hot ZX-81

LOVE ON A ZX-81 sounds quite uncomfortable, but this Love is an adventure game with a difference for machines with the 16K RAM pack. It is written by women for women. Remsoft, the distributors, maintain it will take men a while to get the hang of it.


The scene is set at a country house in Devon where you encounter Tom, your lifelong heart-throb. The game proceeds on the basis of your emotional response to people and situations. The authors say they have written Love for people who are more interested in playing than winning. It is available at £5.95 post paid from Remsoft, 18 George St, Brighton BN2 1RH. Telephone 0273 602354.

Wait for it — here comes the Microdrive

THE GOOD NEWS is that Spectrum delays are shrinking to reasonable limits, the bad news is that now you will have to wait even longer for the Microdrive. Despite repeated announcements that the Microdrive and RS-232 board for the Spectrum would be available by the end of this year, they are now unlikely to be launched before February 1983. The arrival of the first Spectrum Prestel adaptor of Spring is now not expected until the middle of 1983.

This news may confirm the view of some people that Sinclair Research operate on a different time scale from the rest of us. In Sinclair Time 28 days can embrace a period stretching from one to three or even four months.

Sinclair has recently been rapped on the knuckles by the Advertising



Standards Authority for consistently failing to deliver Spectrums within the advertised 28-day limit. The ASA was inundated with an unprecedented number of letters complaining about delays.

Cunning Lynx avoids mail-order snares

YOU WILL NOT have to wait much longer for the Lynx. Sales Director Riva Gould is confident that at least 1,000 computer enthusiasts will wake up on Christmas morning to find Computers' new £225 machine in their stockings. This is just as well because Dick Greenwood, Computers' General Director describes the Lynx as "a modern-day train set plus the Encyclopaedia Britannica." Just the thing for Christmas.

So far Computers has resisted the temptation to sell the machine by mail order, partly because of the bad reputation that computer mail order has for late deliveries. The Lynx will go on sale in selected High Street stores later this month. In the spring Computers will make available disc drives and CP/M for owners who want to upgrade their machines so that they can run packages like VisiCalc. Greenwood envisages owners building up to a complete system of computer, printer, disc drive, light pen, modem, and software for around £1,000 all told.

Rather than using a Microsoft Basic, Computers used a custom-built language by Davis Jansons. Jansons modestly describes his creation as "maybe not the best in the world" and points out its shortcomings. "It does not scroll and



it has no string arrays." On the other hand Davis Jansons is confident that the ease with which his language can be adapted to the needs of particular users, the machine-code monitor, and what he describes as "maths overkill" makes the Basic more useful than on any comparable machine. He is also working on an extended Basic and a Forth, which will be available for the Lynx from the Spring.

Now Forth speakers will be able to consult the Oric in their own tongue

ORIC EXPECTS to break the £100 colour and sound barrier this month by delivering 1,000 16K machines before Santa gets his boots on.

Demand has greatly exceeded Oric Products' expectations.

Plans to sell 50,000 units in the first year have been redrafted after receiving orders for 30,000 in the first two months.

Cynics might expect this to produce Sinclair-style delivery delays but Steven Mountford, Oric's U.K. sales manager says "We are going to be very careful not to oversell".

Prospective buyers will be encouraged by Oric's latest language packages, Forth and Extended Basic. Forth will be offered free on cassette with every 48K Oric. It loads into RAM and takes up around 10K.

The Extended Basic comes in a ROM chip which will replace the existing Basic. It will be launched in January together with the modem and the free telesoftware service and will cost £34.50.

Peter Halford who has written the new Basic says that it is at least as powerful as BBC Basic. Like David Simons who has written Simons Basic for the Commodore 64, he has included all the commands found in other Basics plus some extra features such as a built-in assembler and

disassembler. Full information from Oric Products International, Cosworth Park, London Road, Ascot. Telephone 0990 27641.

YOUR COMPUTER TOP 10

Game	Machine	Company
■ Flight Simulation	ZX-81	Psion
■ 3D Defender	ZX-81	JK Greye
■ Gulp 2	ZX-81	Campbell Systems
■ Orbiter	Spectrum	Silversoft
■ Meteor Storm	Spectrum	Quicksilva
■ Vic Panic	Vic-20	Bug-Byte
■ Amok	Vic-20	Audiogenic
■ Planetoids	BBC	Acornsoft
■ Defender	Atari	Atari
■ Ghost Attack	Dragon	Dragon

Artic has cracked it

RICHARD TURNER of Artic gives a wry smile if you try to make him give away the secret of Krakit — the Toronto based £10,000 competition which has caught the imagination of Sinclair computer riddlers in Britain and America.

The puzzle consists of 12 riddles, each of which contains the name of a country, a date, and a city. Richard Turner gives an example of how the riddles work.

"Look up 'Tour'. When was it first seen? No rhyme for hour but a rhyme for dance." The rhyme for dance is France, the 'Tour' is the Eiffel Tower in Paris and it was first seen when it was constructed — in 1889.

At £10.00 a copy, whoever wins, Richard Turner of Artic — which is distributing Krakit — is not going to lose.

Sharp sends PC-1251 to front line but keeps MZ-700 in reserve

SHARP PLANS to sell 250,000 a year of the new MZ-700 home computer launched this month in Japan. Sharp intends selling the MZ-700 worldwide but no date has been set for the 64K RAM colour computer's British launch yet. The price is unlikely to be as low as the £180 quoted in Japan where an optional colour plotter/printer costs £100.

Meanwhile in Britain Sharp is launching a new range of pocket computers distinguished by an optional integrated printer and microcassette recorder. The PC-1251 features an 8-bit CMOS CPU, 4K RAM and extended Basic for around £80. What makes the PC-1251 more interesting than most pocket computers though is the CE-125 printer and microcassette recorder which transforms it into an



low-power lost-cost rival to the Epson portable computer. The

whole unit is only 8in. wide, 6in. deep and 1in. high.

First glimpse of Acorn's Electron — the 32K £150 Spectrum rival

ACORN'S EAGERLY AWAITED Electron has joined the select band of micro-computers which are already late before they are even officially launched.

Until last month Acorn was still confident that the 32K Spectrum basher with full BBC graphics capabilities would be on sale before Christmas. Now the familiar ULA problems which have haunted Acorn in the past are again holding up production of the £150 Electron.

Acorn hopes to launch the machine early in the new year but if it becomes necessary to update the specification — for instance the single-channel sound capability or



the relatively slow processor, further delays cannot be ruled out. The cream-coloured machine has a real typewriter keyboard and measures 13in. wide, 6in. deep, and 2in. high.

Chart-topping software makes games hit parade

AS THE SOFTWARE industry becomes more like the music business — complete with album covers for cassettes, *Your Computer* publishes its first Top 10, in no particular order based on sales from shops and manufacturers all over Britain.

Top of the list for the ZX-81 are Psion's Flight Simulation, JK Greye's 3D Defender and Monster Maze, Trader from Pixel, and Campbell System's Gulp 2. Adventure games are steady sellers, in particular those from Artic and Phipps. Former high-flier Mazogs from Bugbyte is said to be slipping down while DJL's Frogger is tipped for a place in next month's top five.

In the Spectrum range chart leaders are Bug-Byte's Spectral Invaders, Silversoft's Orbiter and the Quicksilva games, Meteor Storm

and Space Invader. New entry, Escape from New Generation Software looks promising. Also selling well are Chromasoft's Adventure 1 and Startrek from Abersoft.


Top of the Vic-20 stakes were Vic Panic, Cosmiads and Another Vic in the Wall from Bug-Byte, and Bonzo and Amok from Audiogenic. Also selling well was Commodore's Blitz.

Dragon software is thin on the ground at the moment although Dragon's own programs, Ghost Attack and Beserk are moving up the charts. On the BBC front Acorn's programs are still the most popular especially Snapper, Planetoids and Monsters. Defender is taking over from Pac-Man as Atari's topper seller.

Stay with us next month for a new top 20 survey.

New ROMs for old is a common cry in computing. This Aszmic chip replaces the ZX-81/80's Basic ROM inside the case. Comprosys claims it turns the ZX-81 into an Assembly Language Program Station. As well as a Z-80 assembler it supplies many other features, including an extensive screen editor, file handling system, and 255 by 144 graphics resolution.

Capital Computers, Comprosys agent in this country, is developing a board which will take both the Aszmic and Basic ROMs and allow switching with a comprehensive manual from Capital Computers, 1 Branch Road, Park St, St. Albans AL1 4RJ. Telephone 0727 72917.



COBRA TECHNOLOGY LTD.



THE CHEAPEST INTERFACES ON THE MARKET RS232C INTERFACE

At last a high quality 232C interface to allow you to connect your ZX81 to any 232C printer.

Look at these features:

- * Baud rate variable by software control
- * Upper and lower case printout
- * Up to 120 characters per line
- * Small and compact — fits on to the back of your ZX like a RAM pack
- * Uses the ZXJ power supply
- * Output via a small 3 pin jack.

CENTRONICS INTERFACE

Connects your ZX to any Centronics printer. Has similar features to the 232C interface — one exception is that output is via a 24 way socket. Both these interfaces offered at only **£29.90** each (inclusive of VAT)



MOTHER BOARDS

At last, inexpensive high quality mother boards at a price everyone can afford.

	ZX81	Spectrum
2 socket	£10.50	£12.00
3 socket	£12.00	£14.00
4 socket	£14.00	£16.00
5 socket	£16.00	£18.00

FLEXIBLE RIBBONS AND LEADS

Flexible Ribbon Connector	£8.75
Printer to Cobra 232 Interface lead	£8.75

Unit/Code	No	Price	Total

(P&P free on orders over £3) £

Please send SAE for brochure

COBRA TECHNOLOGY LIMITED
378 Caledonian Road, Islington,
London N1 1DY.

COBRA 1000

THE COMPLETE BUSINESS SYSTEM FOR THE ZX81

High quality computer system which allows you to expand your Sinclair ZX81 into a powerful and efficient computer for the small business.

- * Accommodates a full range of business hardware
- * Capacity for up to 9-12 boards
- * PCB slide guide systems ensure total stability
- * All add-on hardware comes complete with leads and sockets — no soldering or drilling necessary
- * Durable, lightweight metal case
- * Fully professional keyboard — with space bar
- * Mother board provided free


£71.30 inclusive of VAT

MICRO E.

SMALLER BROTHER OF THE COBRA 1000

Up to 6 boards may be connected inside this case. Same high quality keyboard fitted in smart plastic case. Connects to your ZX printed circuit board in minutes — no drilling or soldering necessary.

£36.50 inclusive of VAT



COBRA POWER SUPPLY BUFFER

Ever had hours of programming work lost in a moment owing to fluctuations in power or accidental switching of the wrong mains plug?

The Cobra Power Supply Buffer prevents such occurrences.

It is fitted between the Sinclair power supply and the ZX81. During any loss of power to the ZX the buffer will continue to supply 9 volts to the computer for up to half an hour (with a fully charged battery). The unit will recharge itself during normal power conditions. When a mains loss situation occurs, a red light emitting diode will warn the user of loss of electricity supply.

£12.50 inclusive of VAT

COMING SOON!

Watch this space for details of the Spectrum Microdrive interface for the 2x81 and others




COMPUTER CLUB

Computer Club is here to encourage you to start your own local computer club or, if one already exists, to join it and become involved. We would like to hear of anything which has made your club a success, or of any projects or programs you are developing.

THE READING CONNECTION

Simon Beesley finds the missing link between simple Sinclairs and the mighty Cray 1, at the Thames Valley Computer Club.



CAMBRIDGE MAY BE the hub of the micro-computer world but the Thames Valley has claim to be England's Silicon and Software Valley for mainframe and minicomputers. Scattered around Reading and Bracknell are many of the leading computer manufacturers.

This concentration is reflected in the membership of the Thames Valley Computer Club. Tim Moore, club chairman, estimated that almost 85 percent of the members work in the computer industry.

The club meets upstairs at the Griffin,

Caversham, just a few yards from the Thames itself.

As the members powered upstairs at 7.30pm, pints in hand, *Your Computer's* representative was impressed by a turnout of at least 50 people. The club can be said to be in the heavy-weight division of computer clubs. Meetings are very well organised.

They start with RAM time — a random access session in which anyone can offer or request information or advice. On the evening *Your Computer* visited the club a newcomer

asked if there were any other Sharp owners — there were — while someone else mentioned that he had been offered a job lot of "really rather sexy" Pericom terminals, going cheap.

Following RAM time Dr Ron Mount gave an entertaining talk entitled "WB-1 to Cray 2½". The WB-1 — the Weeny Bitter One — was a home-brewed computer Dr Mount built with the ACC way back in 1975. His theme was that improvements in computing power were largely a matter of clever technique rather than new technology. From the WB-1 via the PDP-11 to array processors, he showed their hardware architecture to be recognisably similar and the technology almost the same. Yet while the WB-1 could perform 100,000 operations per second and the latest PDP-11s a million instructions a second — matched by some micros — array processors can handle up to 12 million a second.

Dr Mount finished by describing the Cray-1 which performs 167 million operations a second.

As many people attend the club's Special Interest Groups as their main meeting. These meet elsewhere on other days and include groups for the Z-80 and the 6502 processors. The Z-80 group has been working on a cassette interface to enable programs to be passed between different machines like the Nascom and TRS-80.

There is also a basic Basic group for beginners. Details from Phil Warn on Reading 594874 or Roger Bird on Newbury 43855. ■

Local society news

ZX-Aid Walsall

ZX-81 AND Spectrum owners are invited to attend the meetings of ZX-Aid, a Sinclair users' club which meets on the first and third Thursdays of the month in a local church hall. Plans are afoot to for competitions, machine-code courses and hardware projects. Telephone Conrad Roe on Walsall 25465 after 6pm for details.

Bangor and District

BANGOR and District Microcomputer Users' Group meets fortnightly at the Bangor Community Centre, High Street, Bangor. Details from Dilwyn Jones, Fodol Farm, Hafod Lane, Bangor.

Micros in Perth

THE PERTH and District Amateur Computer Society has been formed recently and meets on the third Tuesday of each month at Hunters' Lodge Motel, Bankfoot. Meetings start at 7.30pm and include a talk or demonstration. Contact Alastair MacPherson on 0738-29633 for more information.

West Midlands group


THE WEST Midlands Computer Group was set up in August this year and has already produced two issues of their magazine, *Databus*. They will be holding monthly meetings in Birmingham. Details from Steve Walker on 021-422 7405.

HOW TO GROW UP TO A REAL COMPUTER



If you're enthusiastic about microcomputing, sooner or later you'll ask yourself the question... "where do I go from here?"

How BASICARE build into a complete computing package.



This is particularly true if you own a micro with limited expansion and hardware peripheral options... like the ZX81.

Now your question can be answered in three short words:

BASICARE MICRO SYSTEMS

BASICARE are the inventors, developers and manufacturers of a totally unique microcomputing upgrade system.

It's the sort of system others have dreamed about... a series of separate modules that

perform a whole range of microcomputing functions that simply (and firmly) stack together.

If you're confused... don't be... you only have to think of it in terms of the way Hi-Fi equipment has evolved.

You buy the hardware you want and add to the system! Each module may have a separate function or integrate functions. And when you want more... you add more!

In short you can develop a whole range of hardware options that fit together to form a complete package... "Computing" in the real sense of the word!

And what a package!

Apart from its good looks and stability under working conditions, BASICARE MICRO SYSTEMS offers a fantastic range of micro options for ZX81 users.

Of course, such a system needs a starting point from which to expand. The heart of BASICARE'S system is a unique computer interface which we call PERSONA.

This one unit simply plugs into your ZX81 without modification and acts as the "brains" of the whole operation.

Thereafter you choose how you want to expand your micro by simply plugging-in more modules.

Look at the choice you have:

PERSONA - An interface module to enable an ORGANIC MICRO to grow on the ZX81.

MINIMAP - A memory mapping device to extend the address space of the ZX81 from 64K bytes to 1 M bytes.

RAM 08 - A low cost, low power memory expandable from 2K to 8K.

RAM 16 - 16K Add on memory at remarkably low cost.

RAM 64 - A TRUE 64K Add on memory.

DROM - Ultra low power memory backed by rechargeable battery for non-volatile storage of programs and data.

TOOLKIT - A module fully socketed to take up to 8K bytes of utilities in EPROM/ROM.

PERICON a - A general purpose, user programmable device providing 24 lines of input/output.

PERICON b - 24 lines of heavy duty output to access and control the outside world.

PERICON c - A module to drive 80 column printer with Centronics type parallel interface.

USERFONT option - User definable characters available for RAM 08, DROM and TOOLKIT.

Of course, there's lots more BASICARE Modules under development including joysticks, EPROM Programmer, Floppy Disc Controller and much more.

BASICARE is the sort of system that GROWS when you grow... and remember, when you change your micro, you will be able to change to a PERSONA unit to suit your new equipment!

In short, BASICARE will serve you forever... no matter how big you want to grow!

"As space is limited to describe BASICARE products, we have produced a fully documented brochure... send for it today (enclosing stamp please)."



BASICARE MICRO SYSTEMS are available by mail simply by sending today together with cheque/PO/Access or Barclaycard No. Please indicate clearly your exact requirements.

Name: _____

Address: _____

PERSONA @ £30.25	DROM(2K) @ £39.50
MINIMAP @ £35.95	TOOLKIT @ £22.20
RAMB(2K) @ £24.50	PERICON A @ £27.90
RAM16 @ £26.75	PERICON B @ £33.75
RAM64 @ £76.25	PERICON C @ £41.75

Options: USERFONT @ £8.00
Add 2K for RAMB @ £6.50, Add 2K for DROM @ £7.50

All prices include VAT, postage and packing in the U.K. (Overseas allow at least 15% for surface mail).
Post today to: BASICARE MICROSYSTEMS LTD., Dept Y2
5 Dryden Court, London SE11 4NH or Phone: 01-735 6408.



FLEXIDISC



Three games are included on this month's *Your Computer* flexidisc, one for the ZX-81, one for the Spectrum and one for the Vic-20. Bill Bennett keeps you on the right tracks.

THE FEEDBACK we received after the first *Your Computer* flexidiscs revealed two facts. First, we discovered that you wanted us to provide software for a wider variety of microcomputer. We regret that it is just not possible to provide a disc for every machine on the market, but our latest disc does cater for three of the most popular home computers, the ZX-81, Spectrum and Vic-20.

The second revelation concerned people who could not get the first flexidisc to load: often they had not read the instructions. Some

had even played the record upside down. This, then, is the first point to check. The software is recorded on the other side of the disc to the writing — so turn the disc over.

Make sure you select the right track for your computer. The first, and longest track is the ZX-81 game. To load it, you must have a 16K RAM pack. The program lasts over six minutes and is an adventure game based on *The Hitch-hiker's Guide to the Galaxy*.

At the end of the first two tracks is a special lock-groove. This is a groove which traps the

stylus, and stops it from moving any further in towards the centre of the disc. The reason for this lock-groove is that it stops the accidental loading of the next track on the disc, which could have chaotic consequences.

To load either the second or third track, you must first position the stylus before letting the turntable move. On modern equipment, the best technique is to raise the recording arm, start the turntable and gently lower the arm into place. On older equipment try locating the stylus while holding the turntable still with your other hand.

If you decide to record to tape from the record player, rather than loading directly — the first option is the wiser — the best method is to turn the tape recorder on early. After you have recorded the software on to tape, wind it back and then listen to it. Make a note of where the actual program starts, rewind a fraction and load from there.

Having successfully loaded the program into your computer, you should once again copy it, to provide a back-up version.

The second two programs both last less than one minute. It is important that the instructions regarding locating the grooves are followed correctly, otherwise the program will not load. The Spectrum program loads in two halves, and is called *Night Racer*, the Vic program is called *Antispace 2*.

To load the Vic program, you must have the Commodore cassette unit.

Be prepared to spend some time loading the tapes; it is doubtful that you will get everything right first go. ■

Sleeve notes

- The disc has been cut in mono. If you can, transfer it to a mono tape recorder. If this is not possible, record on one track only of a stereo recorder by turning one channel right down.
- Ensuring that the level is right is perhaps the most difficult stage. If your equipment has VU meters, set one channel right down, and the other to a point less than zero dB.
- Remember the speed is 33 rpm.
- If you can use a mono stylus then do.
- Record the software from the disc with the same tape recorder you intend to use for loading the computer with. Sometimes recording heads on different cassette records do not actually line up, and so many

sounds do not play back exactly as recorded.

- Look at the patterns on the screen when loading to Sinclair computers. You should be able to judge if the level is too high or too low.
- It is easier to type LOAD "" on the Spectrum and ZX-81, and just LOAD on the Vic-20.
- Finally, remember that the Spectrum program runs directly from Load. Also, expect the ZX-81 screen to go blank for a while as soon as it is run. If nothing happens after a minute, Break and look at the listing. Sometimes individual bits of the program can be corrupted on loading, but these are easily debugged once the program has been loaded.

REVIEW



SORD M-5

Made in Japan, but can Sord's £100 colour and sound micro make it over here. Tim Langdell tests its mettle.

HARD ON THE HEELS of the Sanyo PHC range we reviewed in October comes this new micro from Sord — Japan's fastest growing computer manufacturer. The M-5 is a Z-80A based micro with 8K of internal ROM, 4K of user RAM, and 16K of video RAM. It can produce up to 32 different colours on the screen at once, with a variety of resolutions from 32 by 24 up to 256 by 196. All this for £100 sounds almost too good to be true.

Externally the M-5 is beautifully designed and made to the high standards expected of Japanese electronics. It measures 10.5in. wide, 7.25in. deep, and 1.5in. high, which makes it slightly bigger all round than the Spectrum. The two-tone grey plastic casing opens to reveal a bright yellow back, which houses the ROM cartridge slot.

Stable and portable

The M-5 is heavier than it looks which makes it extremely stable whilst still being very portable. The keyboard is similar to the rubber matting of the Spectrum, but feels better. The keys are dark-grey with the letters and numbers sharply contrasted in white. Graphic characters are in bright yellow on each key, and have been designed to be easily visible without making the keyboard seem too cluttered.

There are two shift keys — one on each side — and these, along with a space and return key, are all larger than the other keys on the board.

The keyboard also boasts a control key, a function key and a reset key. Looking more

closely it becomes apparent that most keys have a Basic keyword on them in small light-grey letters. These are difficult to see, which might be a problem for the first-time user but the keyboard is easy to use once learnt.

On the negative side, the keys are not placed at typewriter pitch as the Spectrum's are — but are about three-quarters typewriter size. This undoubtedly makes typing harder — although considerably easier than on the calculator-style keyboards of pocket computers. The keys also do not have very much travel, making key presses a little less positive than they might be. An automatic keyboard beep partly makes up for this, but does nothing to remedy the lack of a full-size spacebar.

The Sord M-5 has single-key entry like the Sinclair. However, this is not its usual mode of operation, and far from all the keywords it recognises are on the keys. The M-5 responds like most micros, putting the letter or number on the key on to the screen rather than a keyword with the first key press. But single-key entry is quite easy by holding down the function key as the other key is pressed. The M-5 thus offers the best of both worlds.

What is puzzling, though, is why Sord has failed to put some keywords on the keyboard. For is there but To is not. Little-used keywords such as Auto, Renumber and Call are there, but If and Then have to be typed in.


The M-5 has 32 graphics symbols in ROM which speeds up games programming particularly.

The Sord's Basic is reasonably powerful



supporting all the major keywords, as well as Read, Data and Restore, Renumber, Auto line numbering, Joy to read the joysticks, and Hex\$ which converts decimal numbers to Hex. The Basic is supplied on a ROM cartridge rather than being resident inside the machine. This has the advantage that future enhancements can be sold in the form of a new Basic cartridge, but has the disadvantage that the unit is useless without a cartridge plugged in.

The Basic is more fussy than in Sinclair or



Microsoft-based computers such as the Dragon. Syntax checking is not done until the program is Run, and the error reports are very brief and hard to understand at first. They are of the form

ERROR 2 IN LINE 1

The keywords usually need a space after them, when Sord could have made the Basic automatically put them there. Let is understood but not necessary. However, it is added when a List is pulled. If you omit a space in a crucial spot the M-5 may assume it

is dealing with a Let statement and insert Let in the program. This could be rather confusing for a beginner.

Minor criticisms aside, the Sord performed very well, being one of the fastest Z-80A-based micros I have seen in anything like this price range. The screen handling seems considerably faster than the Spectrum's for instance, and the demonstration ROM's fast-moving graphics confirmed this impression. One program showed an entire screen, full of information being smoothly scrolled at a fair

rate, and large spacecraft being moved fast and smoothly across the screen which is not easy on many computers — even in machine code.

The Sord has at least two screens which can be written to independently. Up to 32 graphic shapes or sprites can also be defined and called at will to create cartoon effects and very smooth graphic movement. The M-5 has four modes of operation in addition to the sprite mode. The sprite mode allows the super-

(continued on next page)

(continued from previous page)

imposition of screens so that one is seen through another. In this manner the demonstration program showed a constant background of Mount Fuji with the letters comprising Sord moving smoothly around the screen.

The other four modes are:

- Text-only mode with no colours and a 40 by 24 screen display, each character made up of eight by eight character squares. This mode appears to be teletext-compatible in its format but not in its availability of colour.
- Graphics 1 mode in which the screen is mapped in eight by eight pixel character squares on a 32 by 24 grid with a possible 32 colours available.
- Resolution of 64 by 48 with 16 colours available. Each character square is a four by four dot matrix.
- Graphics 2 mode in which one has full graphics with a resolution of 256 by 192 and up to 32 colours. However, only two colours are available in any given character square.

There is only 4K of internal RAM, while the memory map is labelled in the Japanese manual with most of the remaining area as extra external RAM/ROM — which implies that Sord has extension RAM cartridges in mind. Certainly other languages such as Pips, Sord's equivalent of VisiCalc, are available on ROM.

The M-5 seems well equipped for the games player with joysticks and plug-in ROM games, but also well suited to the more serious user if the memory can be expanded. It has both a television output at the rear and a video and sound output. The joysticks simply plug into tiny DIN sockets, and there is a port for a Centronics printer. The power supply is external and rather cumbersome.


The M-5's sound capabilities are better than those on, say, the Dragon or the Spectrum. The Sord has three independent sound channels which can produce a variety of music and synthesised sounds. Again the demonstration cartridge showed off by depicting three animals on screen playing tunes in three voices complete with the striking of piano keys and bowing of a violin. The sound benefits from being sent via the TV or video system rather than from an internal speaker.

The M-5 supports Inp and Out in Basic to control Z-80A ports, but has no obvious connector to the external world other than the ROM cartridge slot into which the Basic must be inserted. This makes it unlikely that it could support a disc-drive or control equipment via I/O ports unless a custom-made unit will be made available to sit in the ROM socket.



CONCLUSIONS

- For £99.99 the Sord M-5 will be a strong contender in the home computer market when it becomes available next month.
- Stylish appearance and compact design could make it look attractive on the High Street.
- Games players will be attracted by plug-in software, joysticks, and definable sprites.
- The more serious user may be attracted by a fast Basic which has many useful characteristics such as Renumber and Auto, and by the presence of a Centronics interface and video outputs.
- 4K of internal RAM is inadequate. Sord would be well advised to consider a RAM upgrade cartridge to compete with the bigger memories of the Spectrum, Oric and the other colour micros in the £100 range. ■



CHROMASONIC PERSONAL COMPUTERS

01-263 9493/5

48 JUNCTION RD, ARCHWAY, LONDON N19 5RD Telex 22568


*The Home
Computer
Specialists*



DRAGON 32

- * 9 Colours
- * 32K RAM memory as standard, expandable to 64K
- * Extended Microsoft colour basic as standard
- * Typewriter Keyboard
- * 6809E CPU
- * Advance sound feature
- * 32 Columns x 16 Lines

FREE 'Basic' training manual supplied
OUR PRICE **£165**




VIC 20 COMPUTER

NEW
LOW
PRICE
£129.00



VIC PRINTER £185.00

80 Characters per line,
30 Characters per sec.,
Tractor Feed Dot matrix
printer.



VIC SINGLE FLOPPY DISK

OUR PRICE **£249.00**
174K Byte Storage Direct
Interface to VIC Direct
Compatibility with
printer.

VIC CASSETTE DECK £34.00

Free
cassette
with
6 programs
supplied

ACCESSORIES FOR YOUR VIC 20

- Super Expander High Resolution Cartridge **£27.50**
- Programmers Aid Cartridge **£27.50**
- Machine code Monitor Cartridge **£25.00**
- 8K RAM Cartridge **£34.00**
- 16K RAM Cartridge **£59.00**

TONS OF SOFTWARE

For a copy of our
VIC list containing
everything
you need for the
VIC computer,
send us
your coupon
NOW!


COLOUR GENIE

EG 2000 PAL VERSION

- * 8 colours
- * 16K RAM standard, expandable to 32K
- * Extended Microsoft colour basic standard
- * Typewriter Keyboard
- * CPU: Z80A/2.2 MHz
- * 3 Sound Channels
- * 40 Columns x 24 Lines

* Serial and Parallel I/O Ports

OUR PRICE **£173**



SPECIAL OFFER GENIE I OR II £249.00

Sinclair ZX81 available ex-stock **£49.95** inc. VAT.

Post to CHROMASONIC Personal Computers,
48 Junction Road, Archway,
LONDON N19 5RD

TERMS OF BUSINESS: Please add 15% VAT to all prices.
Delivery charged at Cost. Prices valid for cover date of this mag.
Access and Barclaycard orders welcome.

I am interested in a home computer.

Please send me further details

- VIC 20 DRAGON 32 COLOUR GENIE
 ADD-ONS SOFTWARE

NAME:

ADDRESS:

SURVEY VIC SOFTWARE

Neville Ash provides a yuletide round-up of all that is best in Vic-20 software

PROGRAMS FOR THE Vic come in two main types: cassettes which range in price from £5 to £10 and have the slight drawback of slower loading, or cartridges which give almost-instant loading — but can cost up to four times more than a cassette.

What about floppy discs for the Vic? They

are available at just a couple of pounds more than cassettes, so they appear the perfect choice. The only problem is the price of a Vic disc drive — around twice the price of the computer.

However, once 3in. and 3.5in. discs arrive on the market, companies like Commodore

may be forced to reduce the price of their disc drives in order to compete.

Audiogenic's games are supplied in both cartridge and cassette form and we had samples of games in each form. Three cartridges were supplied — one would not fit until pushed very hard into the slot at the back of the Vic; in fact it started to come apart. Even so its performance was not affected.

The three games supplied were Renaissance, a joystick version of the popular game Othello; Satellite, a game similar to Asteroids with excellent graphics; and Meteorite, similar to Defender but a well-implemented example of this type of game.

Audiogenic also supplied four games in cassette form. Cosmic Kamikaze, a game similar to Invader 4 — Space Invaders with mountains — is available in two versions, one for an extra 3K and the other for an extra 8K. This is a slow game that records the number of shots as you fire.

Amok is similar to Super Robots: you have to clear the space station of dangerous robots. You appear coloured purple and all the robots are green. It starts very simply, but once you reach the fourth level it is really difficult to win. Star Wars involved moving your space ship to the centre, then firing — not very challenging — and the last game — Alien — took longer to load than almost any other game and was still merely average.

Bug-Byte provided five different games in cassette form. Backgammon has three levels, with a realistic throwing of the dice, and could prove quite compulsive: good value.

Vic Panic is as good as the arcade game, going up and down ladders at high speed and digging holes. It is very effective, a real fast-moving game. Bug-Byte's Cosmiads is really another version of that tried and tested game Galaxians and as these types of game go, it is slow.


Another Vic in the Wall is yet another version of Breakout, starting with a blue wall, then a yellow/green wall, it has left and right keyboard operation and paddles. Initially it seems far too slow, but as you progress it really speeds up. Asteroids is another old friend and is a good example.

Commodore itself had recently started promoting a wide range of packages for the Vic and we obtained a wide range, including three in cassette form and five in cartridges.

All the cartridges were Adventure games: Adventureland, Pirate Cove, Mission Impossible, Voodoo Castle and the Count. Each one gives you full instructions for saving a game, as you are unlikely to finish one the first time.

More important, you are given details of mapping — a logical approach to checking your progress by producing a flow chart. Mapping saves time and lets you complete a game in a shorter amount of time.

Company	Program	Cassette	Cartridge	Extra memory	Price
Applied Systems Knowledge London House, 42 Upper Richmond Road, London SW14 8DD.	Facemaker	Yes	No	16K	£8.95
	Number Chaser	Yes	No	16K	£8.95
	Number Gulper	Yes	No	16K	£8.95
	We Want to Count	Yes	No	16K	£8.95
	Twister	Yes	No	16K	£8.95
	Rainbow Towers	Yes	No	16K	£8.95
Audiogenic Ltd, PO Box 88, Reading, Berkshire.	The Alien	Yes	No	3K	£7.99
	Amok	Yes	No	None	£6.99
	Kosmic Kamikaze	Yes	No	3K	£7.99
	Star Wars	Yes	No	None	£6.99
	Renaissance	No	Yes	None	£24.99
	Meteor Run	No	Yes	None	£24.99
	Satellite and Meteorite	No	Yes	None	£24.99
Bug-Byte, 98-100 The Albany, Old Hall Street, Liverpool L3 9EP	Asteroids	Yes	No	None	£7.00
	Another Vic in the Wall	Yes	No	None	£7.00
	Backgammon	Yes	No	3K	£7.00
	Cosmiads	Yes	No	None	£7.00
	Panic	Yes	No	None	£7.00
Commodore, 675 Ajax Avenue, Slough Trading Estate, Slough, Berkshire SL1 4BG.	English Language	Yes	No	8 or 16K	£9.99
	Mastermind	Yes	No	8 or 16K	£9.99
	— plus subject tapes	Yes			£1.99
	Quizmaster	Yes	No	8 or 16K	£8.00
	Adventureland	No	Yes	None	£24.95
	The Count	No	Yes	None	£24.95
	Mission Impossible	No	Yes	None	£24.95
	Pirate Cove	No	Yes	None	£24.95
Voodoo Castle	No	Yes	None	£24.95	
Llamasoft, 49 Mount Pleasant, Tadley, Hampshire RG26 6BN.	Grid Runner	Yes	No	None	£5.00
Postern, PO Box 2, Andovers Ford, Cheltenham, Gloucestershire GL54 5SW.	Siege	Yes	No	None	£6.99
	Shadowfax	Yes	No	None	£6.99
Rabbit Software, 380 Station Road, Harrow, Middlesex HA1 2DE.	Hopper	Yes	No	None	£9.99
	Myriad	Yes	No	3K	£9.99
	Nightcrawler	Yes	No	None	£9.99
	Space Phreeks	Yes	No	None	£9.99
	Space Storm	Yes	No	None	£6.99
Romik Software, 24 Church Street, Slough SL1 1PT.	Mind Twisters	Yes	No	None	£9.99
	Multisound				
	Synthesiser	Yes	No	None	£9.99
	Sea Invasion	Yes	No	None	£9.99
	Shark Attack	Yes	No	None	£9.99
	Martina Raider	Yes	No	None	£9.99



Commodore Mastermind is almost the same as the program, without Magnus Magnusson. Especially as extra cassettes are available for other specialised subjects. We were supplied with General Knowledge 4 and three specialised subjects: Sport and Games; Film and TV; Wine, Food and Music. Up to four people can play.


You first load the operating tape and start. You are asked how many players are involved, and their names and occupations — just like on TV. When they state their specialised subject, you must load the appropriate tape. After this part you repeat the process for each contestant.

The game comes complete with two cassettes, one for the operating system and the second for general knowledge questions. So if you want to play with four people, it is best to buy the extra specialised subjects cassettes which are only £1.99 each. An ideal family Christmas present.

Vic Quizmaster lets you create your own quizzes for teaching or your own entertainment. It comes complete with a data cassette demonstration and gives you a number of choices. A question with matched answer, true/false, multiple choice or if you want to create your own type of quiz just enter the last option. By creating your own quizzes this program could let you produce your own versions of Mastermind. Very good value.

English Language for the Vic, is squarely

aimed at people who are facing GCE O-Level and CSE examinations. It does its job well. There is a choice of composition, spelling, grammar, general, summary and comprehension. Further options available are a timed test, questions and answers, or answers left until the end. You are supplied with two



cassettes, the program and a data cassette. When you need to rewind the data cassette an instruction appears on the screen.

ASK stands for Applied Systems Knowledge, and this company produces a range of six tapes for learning and fun at home. Each one needs a 16K RAM pack and the loading time is clearly stated on each cassette.

Facemaker is an interactive program with three levels of difficulty. It is intended to improve spelling and vocabulary, plus sharpening up observation. You actually draw the faces on the screen and the graphics are of an

extremely high standard. Intended for 5-12 year olds, we showed it to some 10 and 12 year olds and they found it fun; they learnt too.

Number Chaser, as the name implies, improves skills that could have lapsed through the use of calculators — and micros. There are four levels. This one was also liked by the 10 and 12 year olds.

We Want to Count is aimed at the youngest audience — three-year-olds upwards and has excellent graphics with a four-part program that the children can use on their own.

Twister is a problem-solving program where a geometric puzzle must be rearranged so that no column or row contains a repeated colour. You can have from three to 10 columns and if you get stuck, there is a help facility. Once you have mastered Twister, then you can try Super Twister on the same tape.

Last of the six programs from ASK, Rainbow Towers, is a game concerning six towers, three of them with discs to be moved to the other ones. The discs are of different sizes and as they move the colours change. You must end up with each tower having a disc of a single colour arranged in a specific order.

It can be considered to be another version of the classic Towers of Hanoi, a puzzle which appears very simple in theory, but not in practice. Designed for eight-year-olds upwards; however, this game is one which would appeal to older people too.

(continued on page 33)

* NEW FROM LLAMASOFT *

2 100% MACHINE CODE ARCADE GAMES
FOR UNEXPANDED VIC-20

ONLY
£6
EACH

FROM THE AUTHOR OF 'DEFENDA' AND 'TRAXX'

GRID RUNNER

FINALLY: TRUE ARCADE QUALITY ON THE
UNEXPANDED VIC! SHOOT DOWN THE SEGMENTED
DROIDS INVADING THE GRID. BEWARE OF THE
PODS AND ZAPPERS! THE AWESOME
SPEED, SOUND AND GRAPHICS
GIVES YOU THE BEST BLAST
AVAILABLE FOR UNEXPANDED
YOU'LL GET VIC.

NEEDS
JOYSTICK

AN EXTRA STAGE ON YOUR SPACESHIP WITH DOUBLE
FIREPOWER! AWESOME 3.5K ACTION GUARANTEED!

A
CLASSIC NEW
SPACE GAME! ZAP

THE SWIRLING ALIEN HORDES
BEFORE THEY RAM YOU - AND
ABDUCT YOUR HUMANOIDS! SURVIVE
THE ASSAULT FOR LONG ENOUGH AND

ABDUCTOR

ARCADE QUALITY SOFTWARE FROM LLAMASOFT!!

by Jeff Minter

Spectrum ATARI 400/800

VIC-20

ZX81

SPECTRUM

GRAPHICS CREATOR (16K)

NOT just another character editor! This one allows you to define not only the 21 user definable characters, but also allows you to change the entire 96 character ASCII set. Creates BYTES files ready for you to load into your own programs. Includes advanced Reflect, Invert, Field commands etc. Complete with full documentation. If you are at all serious about SPECTRUM graphics, then bin the BIN statement and use Graphics Creator with its easy on-screen cursor editing. £2.95 + 50p P&P.

BOMBER (16K)

Yes, a full feature version of the popular game 'Blitz', supplied for the 16K or 48K Spectrum. For only £2.95 + 50p P&P.

ROX III (16K)

Blast the falling meteors as they invade your planet, cruise missiles are your only defence in this world of disaster. If they break through the crust of your planet then your life support systems will fail. A very addictive game with fast action and great graphics. 16K or 48K Spectrum only £2.95 + 50p P&P.

SUPERDEFLEX (48K)

The idea of this new game is to bounce "Sid", the space invader, around the screen into the power pods, keeping away of course from the devil who chases you around the screen. Steer with your Deflex shields, but beware the mines or you may be buried alive! Superb graphics and fantastic sound on the 48K Spectrum only. Only £4.95 on cassette + 50p P&P.

VIC-20

ANDES ATTACK

Fly your ramjet fighter over the Andes mountain range and protect your llamas from kidnap by hostile UFOs. Features 5 kinds of UFO, controls include up, down, reverse, fire, thrust and smart bomb. Entirely machine code. Requires 8K expansion and joystick. £8 + 50p p&p.

TRAXX M/C 8K+ EXPANSION

This is the VIC 20 version of the brand new arcade game 'Amidar', a cross breed between the now famed 'Pacman' and the game 'Quix'. All in machine code, fast and fun with joystick controls, uses Hi-Res colour graphics. 8K or larger memory expansion needed. Only £8.00 + 50p P&P complete with instructions.

RATMAN!

Another amazing game from Llamasoft!! You are the man under attack by the deadly rats as they fall from the sky. You must dodge the arrows to get to the rats and then squash them with your hammer before they dig under the platform on which you stand, and mutate into devils. Fast action with really fun graphics to make an extremely addictive game. 8K or larger memory expansion needed. Uses Hi-Res colour graphics, in machine code. Only £5.00 + 50p P&P complete with instructions.

BREAKOUT/DEFLEX

Unexpanded package a full feature version of the popular arcade Breakout plus a new concept in computer games, Deflex!! Both programs on one cassette only £3.95.

BLITZKRIEG (3.5K)

As seen at the Commodore show and reviewed by the Daily Telegraph. Fly your Vulcan Bomber over the enemy city and destroy the buildings. 25 levels of play, uses Hi-Res colour graphics and plays Rule Britannia between waves. Only £4.95 complete with instructions.

GAME GRAPHICS EDITOR

Create your very own custom characters for the unexpanded VIC 20, up to 64 characters with facilities such as reflect and save on cassette etc.

SOFTKEY 24

This program, designed to run on the VIC 20 with any memory size gives you the facility of 24 key words on your function keys. Key words include peek, poke, run, save, list, for next etc. Both programs on one cassette only £6.00 + 50p P&P with full documentation.

ATARI 400-800

TURBOFLEX

Superb ultra-fast and totally new ball game unlike any you have seen before. Uses ATARI's unique features to the full. Incorporates superb colour/sound effects and uses Player/Missile graphics. Tables top 10 scores along with Scorer's name. £6.00 + 50p P&P.

GRAPHICS/CHARACTER CREATOR

Now you can define your very own custom character sets, or edit the existing sets. Results are fully displayed on screen in modes 0, 1, 2. Special features include reflect, invert, save character sets etc. Supplied on cassette with data sheet only £8.00 + 50p P&P.

ZX81

CENTIPEDE (16K ZX 81)

The ORIGINAL game from the ORIGINAL author. This is the identical program to that being sold by other companies for three times our price. The game has received ecstatic reviews in the computing press. Program has 30 speed levels and ever increasing Centipede hordes. Tables top 10 scores and their names. Why wait to pay more? Only £1.95 + 50p P&P.

LLAMASOFT SOFTWARE



Dept. YC4
49 Mount Pleasant
Tadley, Hants
RG26 6BN.
Tel: 07356-4478
Trade enquiries
welcome.

Please add 50p P&P with all orders

(continued from page 31)

Llamasoft provided just the one game — Gridrunner — in cassette form. The lowest-priced of all the software in this feature, Gridrunner is one of the most interesting games, being a version of Caterpillar with a red grid. You have to try to chop the caterpillar into tiny pieces until it is destroyed. A very fast game and really effective use of graphics.

Postern Software provided two games in cassette form, Siege and Shadowfax. Siege is another popular game available in similar versions on other brands of micro. The idea is to try to stop the hordes of infidels climbing up the wall of your stronghold and taking over. In this version you throw blue objects down at the increasing numbers of infidels and when you think you are winning, they increase and move faster. A good value game.


The second game from Postern, Shadowfax, is completely different from any of the games in this feature. You have two sets of horses and riders — one white, the other black — riding towards each other on a green background. A nice change from the versions of Space Invaders and Galaxians.

Rabbit Software of Harrow supplied five games on cassette and one of them stood out as being far better than most of the other games reviewed. Called Myriad, it needs an extra 3K and is one of the fastest-operating space games available. While lots of games have four, six or even ten levels, Myriad has almost 200 and a fantastic range of hazards — from ordinary bricks dropped by a builder to lethal bombs.

You can be attacked by a virus, but it takes three attacks to kill you. Dangerous reflectors send your beam back towards you, so you can wipe yourself out by mistake. On your side are shields, which last for just four and a half seconds and you get three of them for every 10,000 points — a compulsive keyboard or joystick-operated game.

Space Phrecks from Rabbit has 15 different phases before it repeats. You need to shoot down different types of alien and as you progress through the phases it becomes far more difficult.

Rabbit's Nightcrawler is a game like Centipede — a version of the one with the worm. Here you have 39 levels and you have to chop



up this night crawler and destroy it. A version of Pac-Man goes across the screen at the same time to destroy it. This is a very fast game.

Hopper gives you the problem of crossing a busy motorway, then over a river full of logs running along it. You must dodge through the traffic, avoid being knocked down, then use the logs to cross the river. Another fast game.

Rabbit's Space Storm is really intended for young children. You are in space and must destroy the incoming aliens. You are given a long range view to see what will be coming towards you and if you are hit, a damage report in percentage terms is shown at the bottom of the screen. As you destroy the aliens the speed rapidly increases and you are given three lives.

Romik Software supplied five programs all designed to be used with the unexpanded Vic. Shark Attack sets you the objective of trapping the sharks before they can cause any damage. You control the net and the entire screen can be filled with nets. Your primary task is to separate each shark into its own space. The simplest way is to produce a lattice framework over the screen. Quite different from any of

the other games, but quite simple.


Sea Invasion from Romik frankly looked just like Space Invaders apart from the description on the cover of the cassette. A good example of this type of game, but nothing really different.

Martian Raiders would not load with the tape recorder and Vic I was using, so I gave it to someone else to use on their machine. Still no joy. The screen showed error 17184 plus run out of memory, but I could not see any indication of any extra memory being needed.

Mind Twisters shared the same problem as Martian Raiders. This one was also checked on another Vic, but still no luck.

Out of all the Romik tapes the best one of all must be the Music Synthesiser. Using the controls from Q to * and A to = it is possible to make music very quickly. You will be surprised how fast you can produce music for yourself.

Both Shark Attack and Martian Raiders have "Be Champion of the World" written across the packaging, so you have free entry to an exciting competition. It is a pity two of the programs would not run; however when lots of tapes are being copied you can find the odd ones that just do not copy properly. ■



CONCLUSIONS

- Owners of the Commodore Vic-20 have one of the most popular micros in this country. Out of literally hundreds of games available we have looked at a cross-section of 39 — these span the range from Space Invaders derivatives to the thinking man's Adventure games, not forgetting the educational packages.
- Cassettes have the edge in price over cartridges: discs are almost as cheap, but it may be wise to see if the prices of disc drives fall radically as the market alters.
- Price is no indication of quality: cassettes costing £5 stood up very well against far more expensive programs.
- Beware of super graphics on the packaging, it is rare for them to look the same on the screen of your Vic.

ROMIK SOFTWARE

24 Church Street, Slough SL1 1PT. Telephone: Slough (STD 0753) 71535



**ROMIK PROMISE
A MINIMUM OF
ONE NEW GAME
EVERY MONTH**


Britain's leading games software house are proud to announce our new range of exciting games and other software for the Vic20. (Games for BBC, Dragon, Spectrum and Atari available soon.)

**ALL ACTION GAMES CARRY A FREE ENTRY TO NATIONWIDE COMPETITIONS WITH FANTASTIC PRIZES
ALL PROGRAMS ARE £9.99**

MARTIAN RAIDER

For unexpanded Vic20

Skim as close as you dare to the surface of the planet, devastating the Martian cities, destroying ammunition dumps (gaining more time), shooting down the ground-to-air missiles and UFOs, dodging or blasting the meteorites.




"A real action shot of the game"

AIR-SEA ATTACK

For expanded Vic20

You can use 3K or 16K RAM


Can you plot a modern jet fighter? Take off from your aircraft carrier and engage enemy aircraft in battle. Shoot them down and then drop your bombs on the enemy aircraft carrier. Watch out — the enemy fighter is trying to do the same! If he gets past your air defence you are left to defend your own carrier with sea-air missiles. You each have three jets.



SHARK ATTACK

For unexpanded Vic20

You are in shark-infested waters after being thrown overboard from a pirate ship. Your only protection being an atomic net which you trail behind you, trying to cover all the visible ocean and ensnare the sharks at the same time. Beware of stopping or covering your tracks for too long, if you do, then the sharks will escape and come after you. Watch out for the ever increasing deadly octopi (sometimes the sharks will eat part or all of one!)



"A real action shot of the game"

MIND TWISTERS

For unexpanded Vic20

Four games to stretch your brain

Blackjack, Decipher, Four Thought and Teaser are our computerised versions of very popular home games and will test your mental agility and skill for many a long hour.

BLACKJACK

You start with £1,000, the objective being to break the bank, to do this you have to win (including your starting money) £20,000.

Instructions. You have to score nearer (but not over) 21, than the computer does. The computer deals your first card, you then place your bet and hit the return key, the computer then deals your second card. If you want another card hit the "C" key, if not hit the "S" key.

Points. Ace 1 or 11, Jack, Queen, King 10.

Scoring 21 points with 2 cards — you automatically win.

Scoring 21 points or less with 5 cards — you automatically win.

Draw — the computer wins.

Your kitty is automatically adjusted win or lose. If you lose all your kitty — game over.

DECIPHER

You have to guess what combination of colours the computer has selected — to enter a colour just hit the colour button on the computer, when you have entered your five choices of colour, the computer will display (a) Nothing at all — none right; (b) Black or white squares or both — for every black square you will have a correct colour in the correction position, for every white square you will have a correct colour in the wrong position. If you cannot find the complete combination, it will be displayed when you have had twelve attempts.

FOUR THOUGHT

You have to make a line of four squares — horizontally, vertically or diagonally BEFORE the computer does, taking turns to take a square (squares can only be placed at the bottom of the grid or on top of another square). **Keys.** Hit the number key of the column you want your square dropped in, then hit the return key.

TEASER

The aim of the game is to score "15" BEFORE the computer does, using any combination of three boxes. If you cannot score "15" then you must try and stop the computer from doing so and force a draw. **Keys.** Hit the number key of the box that you want (you can only select an empty box).

MULTISOUND SYNTHESIZER

For the unexpanded Vic20

The Vic Multisound Synthesiser is very flexible and can be played in more ways than can ever be explained here, to create music and special effects. For example, create any tune, up to 255 notes (after following appropriate instructions), then press "F1" or "F3", then key "9" and enjoy the added effect. Now hit "+", listen to the difference. For a surprise — hit "-". Now add a melody over the top — hit key "8" then "7" — now play a melody, or experiment. *Have fun!*

NEW NEW NEW

MOONS OF JUPITER

For expanded Vic20, 3K, 8K or 16K

For the unexpanded Vic20

SEA INVASION

Fight off the attacking sea creatures for as long as you can. Shoot the whale for a surprise score, watch out for the crabs, starfish and octopi.

You are a commander of a fleet of destroyers. Looking on from the safety of Mother Ship, you send in one destroyer at a time to blast a passage through the

MOONS OF JUPITER.

Your destroyers have to dodge and blast the UFOs...

Watch out for the Gologs, they can smash your destroyers, but you cannot harm them.

MACHINE CODE

ARCADE QUALITY GAME

SPACE ATTACK is a game of skill. You as the pilot of an intergalactic battleship have to fight your way through wave after wave of various alien spaceships.

MACHINE CODE

ARCADE QUALITY GAME

NEW NEW NEW

SPACE ATTACK

For the unexpanded Vic20

OUR GAMES ARE AVAILABLE FROM ALL GOOD HOME COMPUTER SHOPS, INCLUDING:

Metyclean, 92 Victoria Street, London SW1. 01-828 2511 . . . Metyclean, 137 The Strand, London WC2. 01-240 2321 . . . Metyclean, 177 London Road, Croydon. 01-686 8626 . . . All branches of Laskeys, Vic Centre, 154 Victoria Road, Acton W3. 01-992 9904 . . . A. C. Systems, Exeter . . . Microtrading, Birmingham . . . Supersoft, Harrow . . . Anirog Computers, Horley, Surrey. 346083 . . . Ozwise Computers, Harrow. 429 1060 . . . Cavendish Data Systems, South Norwood. 656 8941 . . . Software Master, 30 Lincoln Road, Birmingham . . . Tomorrow's World, Dublin . . . Algray Software, Barnsley. 83199 . . . Computer & Business Systems, Nelson, Lancs. 0282 601191 . . . Dyad Developments, Oxon. 08446 729 . . . Lelsurionics/Blackpool Computer Stores. 0253 27091 . . . Carlow Radio Ltd., Bedford. 60447 . . . Byte Shop Computerland, Glasgow. 221 7409; Nottingham 40576; Manchester 236 4737 . . . First Byte Computers, Main Centre, Derby. 365280 . . . Simmons Magee Computers Ltd., Twickenham. 891 4477 . . . Capital Computer Systems, Ilford 553 3026 . . . A.O.M. Business Systems, L.V.E. Building, Leicester 548923 . . . Jutea Ltd., Bridge, Near Canterbury, Kent. 0227 830083 . . . Twickenham Computer Centre. 01-892 7896 . . . Kent Microcomputers, Maidstone 0622 52784 . . . J. S. Simnett Computers Ltd., The Computer Shop, Kingston. 01-546 3793 . . . Chris Denning Ltd., Poole. 0202 761859 . . . Yorkshire Micro Computers, Scarborough, Yorks. 0723 78136. Taylor Wilson Systems, Oakfield House, Station Road, Dorridge.

ONE FULL-TIME FULLY EXPERIENCED MACHINE CODE PROGRAMMER WANTED URGENTLY

SOFTEK



3D MAZENTURE


An exciting new 3D Maze game and Adventure all in one — with more than a hint of Dungeons and Dragons. Amazing machine code animation. Only £5.95.

NEW!

COMPILER


FOR 48K SPECTRUMS WITH MANUAL

Ever wished you could wave a magic wand and turn your BASIC programs into machine code ones? Now you can (well almost!). You type in your program in SPECTRUM BASIC, then in seconds "SUPER-C" turns your program into a machine code version! Compiled versions run at least 10 times faster than BASIC, and much faster than other languages such as PASCAL, FORTH etc. Amazing value for £9.95 (including a manual written by Tim Langdell)



£4.95

Just out from CENTURY PERSONAL COMPUTER WORLD and written by Tim Langdell — writer for Your Computer, ZX Computing, Practical Computing and Popular Computing Weekly. Whether you're a beginner or experienced in computing, if you're a Spectrum owner then this is the book to buy. The Spectrum Handbook is the most complete guide to the machine on the market — taking you from first principles in programming through graphic art, education, business and games writing to an introduction to machine code and hardware modifications. Packed with over 80 exciting programs and routines — including 3D plotting, a filing system and a maze game and offering a host of hints and tips.



METEOROIDS

Many hundreds of buyers have acclaimed this the fastest and smoothest version of the popular arcade game for the Spectrum — the only version with full colour, three meteoroid sizes, hyperspace, thrust, shield, mothership, freeze-frame, high score, bonus ship at 10,000, etc. Even if you have another version, this one is a must for your collection. With machine code synthesised sound effects which left other software houses wondering how we did it, this has to be the best value around for only £4.95 (for 16K or 48K Spectrums) STOP PRESS: NOW WORKS WITH KEMPSTON ELECTRONICS' JOYSTICK! Available from us for only £19.50 inc.

SEE US ON STAND V37
AT THE
**Northern
Computer
Fair**
Personal computers
Home computing
Small business systems

SEE US AT
5th
ZX MICROFAIR
DECEMBER 18th
NEW HORTICULTURAL HALL, LONDON SW1.

WRITERS

Softek, now one of the leading software houses are looking for good programmers to join our team of experts. If you are interested in making typically several hundred pounds a month in your spare time and can write for ANY popular micro computer, then we'd like to hear from you. We offer the best royalties, have many retail outlets here and abroad, can offer assistance with programming (we have most machines), and, of course, can allow programs to be developed with our COMPILER (and we alone retain the right to sell programs created with it).

SOFTIME

This amazing program uses several machine code tricks to give you a real time clock continuously on the screen, even when you're developing or running another program! has alarm facility, and option of disabling the NEW and/or BREAK keys. Special offer £3.95

SEND A S.A.E. for our free catalogue detailing such new products as CALC-U-VU, BIZICALC, SCREEN KIT 1, TOOLKIT 1, and more. Also ask about our software for the BBC machines and DRAGON 32.

THE SPECTRUM ROM DISASSEMBLED:

A reference guide for the serious user. In 3 volumes, with a full disassembly in HEX and mnemonics with guides to using ROM routines. Vol 1 (0000-1000H) £5.00

Please rush me in time for Christmas

I enclose a Cheque/Postal Order for £.....

DEALER DISCOUNTS AVAILABLE

SOFTEK, 329 Croxted Rd.,
LONDON SE24.
24 hour Ansaphone: 01-674 4572

SPECTRUM

Introducing... new from

YOUR COMPUTER CLASSIFIED ADVERTISING

From the February issue, Your Computer — Britain's largest selling home computer magazine is to introduce a classified advertisement section.

The introduction of this section opens up a new and exciting opportunity for advertisers to regularly, effectively and economically sell their products and services to the largest audience of potential customers offered by any home computer magazine.

It also provides an excellent "shop window" for private advertisers who wish to buy, sell or exchange equipment with other enthusiast readers of Your Computer.

To place a classified advertisement in Your Computer, simply complete and return the order form below.

**SELL IT WITH
YOUR
COMPUTER**

**CLASSIFIED
ORDER FORM**

Classified Rates

Linage: 30p per word (Min 15 words) — prepayable

Linage advertisers should complete the form provided in BLOCK CAPITALS. Phone number counts as 2 words. Name and address to be paid for if used in advertisement. Box Number if required is £3.00 extra.

Display — rates per scc (Min 2scc)

One insertion : £7.00
Three insertions : £6.70
Six insertions : £6.50
Twelve insertions : £6.00


Display advertisers should provide separate copy and preferably reserve space by phone (01) 661 3036.

Method of Payment

Cheques etc. should be made payable to Your Computer and crossed "& Co"
I enclose herewith cheque/PO for

£.....

Please debit my Access/Visa Barclay Card/American Express/Diners Club Int'l as below



.....

SIGNATURE

Post to:

Cut out the order form and return together with your remittance to:
Classified Department, Your Computer,
Room H211, Quadrant House, The
Quadrant, Sutton, Surrey SM2 5AS.
(01) 611 3036

Please insert the following advertisement in Your Computer Classified Section

				LINAGE
				£4.50
				£6.00
				£7.50
				£9.00
				£10.50
				£12.00
				£13.50
				£15.00

No. of insertions required Box No. required YES/NO

NAME

ADDRESS


.....

Payment by credit card please state address card is registered

Daytime tel. no

THIS FORM SHOULD BE RETURNED BY JANUARY 10. FOR FEBRUARY ISSUE PUBLICATION

Big game thrills for Dragon owners!



DRAGON 32

#lipper

Inscrutable oriental electronic strategy!

MICRODEAL

Inscrutable oriental electronic strategy!

Find your way through the endless maze – but do it right or you're doomed!

ESCAPE

DRAGON 32

MICRODEAL

Find your way through the endless maze – but do it right or you're doomed!

SPACE MONOPOLY

Monopolise the Milky Way – become a galactic megabillionaire!

DRAGON 32

MICRODEAL

Monopolise the Milky Way – become a galactic megabillionaire!

The clues are there; so is the treasure ... but can you find it? For one player.

MANSION ADVENTURE 1

DRAGON 32

MICRODEAL

The clues are there; so is the treasure ... but can you find it?

Bust out and beat the Minotaur ...

ALCATRAZ II

DRAGON 32

MICRODEAL

Bust out and beat the Minotaur ...

If you own a Dragon 32 Family Computer this is especially for you. Microdeal have on offer another 5 great games, games to get you guessing with ruthless opponents to test your every reflex, fortunes to be won and lost. These games are also available for the TANDY COLOR computer.

Cassette price £8.00 including VAT and postage.


You'll find them in dealers nationwide; or order direct from:
Microdeal, Deal House, Bridges, Bodmin, Cornwall PL30 5EF.
Tel: 0726 850821. TANDY & VIDEO GENIE owners send for our software lists.

M I C R O D E A L

NOW AVAILABLE IN SELECTED
Boots
STORES



GAMES SPECIAL



Rod Hopkins applies his knowledge of multi-million pound pilot trainers to produce the most realistic simulator ever published for a home computer.

THIS FLIGHT simulator is a fairly elaborate program leaving little memory to spare in a 16K Spectrum. In consequence, a methodical approach to some resolute typing is demanded of the would-be pilot.

Firstly, type in the main program, listed in figure 1, Saving it in auto-run mode:

```
SAVE "BA 111"LINE 1
```

Having verified the recording, turn to the machine-code dump in figure 2. Enter this code by way of a short routine such as the following:

```
9990 FOR N=1 TO 236:PRINT 23295+n,:INPUT
"Enter byte",i:POKE 23295+n,i:
PRINT i:NEXT n
```

This procedure allows checking of each byte as entered. Once complete, the code should be saved immediately following the main program on tape:

```
SAVE "CODE 23296,236"
```

Again, verify the recording. Leave the tape set at the end of the code and type in the screen-plotting routine listed in figure 3.

Now type Run, switch the recorder to record, press Enter, and the display will be saved. In future, the screen will be loaded directly from tape by the main program; but to be on the safe side, save the plotting routine elsewhere.

Next, a little guidance on using the program. In the first place, do not expect flying an aircraft to be too easy. Figure 4 enumerates the controls used — familiarise yourself with them before running. Note that the method of keyboard decoding used means that a single, brief key-press will be read. Notice also that some controls operate as on/off switches.

Shortage of RAM precludes any attempt at making the program completely bombproof, though most of the silly possibilities which delight bug-hunters have been foreseen. For example, the undercarriage cannot be raised on the ground, and the brakes will not work in the air! Figure 5 gives a concise chart of the area around Edinburgh Airport, the arena of



ZX SPECTRUM FL

Figure 6. Program breakdown.

From	To	Function
5	240	Main flying loop
2000	2070	Flap
2100	2108	Power
2110	2116	Roll
2120	2129	Attitude
2500	2515	Gear
2520	2546	Map
2580	2595	Update variables
8500	8810	Landing routine
9000	9020	Brakes
9500	9502	Head-up
9510	9511	Beacon
9520	9522	Out of control
9530	9545	Artificial horizon
9550	9560	Take-off set-up
9640	9644	Fuel
9650	9665	Initialising subroutine
9680	9682	Exit/messages
USR	23296	Clear monitor during landing
USR	23391	Update instruments
USR	23483	Print plane

the simulation, showing beacons and two runways. This chart is available on a CRT monitor in the cockpit during run time. Navigation is by means of the beacons, which provide two types of information. First, radial: this is your bearing from the beacon in use; and secondly, DME: distance from the beacon — Distance Measuring Equipment.

Beacons EDN and UWB must be used to approach the runways. Radial and DME are displayed on the central panel of the cockpit, to the right of which a head-up display indicates the direction of the beacon by a flashing cursor in relation to the plane's heading.

The CRT monitor mentioned serves three purposes: it defaults to an artificial horizon display, the plane being viewed from the rear over a horizon which swings in proportion to roll, attitude, lift. Secondly, map: this gives beacon positions, and that of the plane if within the boundaries of the display — a dot within a flashing square. The latter is not updated

Figure 4. Keyboard decoding.


Keypress	Function
B	Brakes on/off
C	Change beacon
D/U	Down/up
R/L	Right/left
J(-)/K(+)	Less/more flap
P	Power increase, stop decrease
O	Power decrease, stop increase
M	Map on/off
G	Gear up/down

while the map is accessed. Third, a view of the runway while landing.

Some final points about the cockpit. Warning lights are provided for brakes on, gear up when landing, emergency fuel, plane descending — Rate of Climb becomes Rate of Descent — and plane approaching out-of-control condition.

In connection with the last mentioned, remember to increase power/speed/flap, to

(continued on page 41)



IGHT SIMULATOR

Figure 3. Screen construction.

```

1  REM BA 111 SCREENS
5  BORDER 0: PAPER 0: INK 9: CLS
10 PLOT 0,120: DRAW 70,25: DRAW 114,0: DRAW 71,-25: DRAW 0,23: DRAW -
127,32,.3: DRAW -128,-32,.3: DRAW 0,-23: PLOT 2,125: DRAW 0,16: DRAW
56,19,-.2: DRAW 8,-13: DRAW -66,-24
12 PLOT 70,145: DRAW -10,18: PLOT 184,145: DRAW 10,18: PLOT 80,150: D
RAW 6,6: PLOT 84,150: DRAW 5,5: PLOT 75,155: DRAW 3,3
14 FOR n=5 TO 7: PRINT AT n,10: INVERSE 1:"": NEXT n: PRIN
7 TAB 11: INVERSE 1:""
16 CIRCLE 20,60,16: CIRCLE 18,102,16: CIRCLE 58,62,16: CIRCLE 58,107,
16: CIRCLE 182,122,16
17 DATA 14,1,9,1,8,6,14,6,12,11,14,11,10,26,8,26,12,15,14,15
20 RESTORE 17: FOR n=1 TO 10: READ a,b: PRINT AT a,b: INVERSE 1:""
": NEXT n
22 DATA "0",19,18,"0",18,18,"GAS",20,4,"",19,4,"BR",18,1,
"PR",12,1,"KNT",7,1,"HGB",6,6,"FLP",12,6,"GEAR",17,4,"RDC",10,11,"R
OLL",10,21,"ATT",7,26,"BCN",6,11,"CNTRL",17,14,"ALT",10,15
24 FOR N=1 TO 14: READ A$,A,B: PRINT AT A,B:A$: LET X= LEN A$*8+4: P
LOT (8-1)*8+6,(22-A)*8+1: DRAW X,0: DRAW 0,-10: DRAW -X,0: DRAW 0,10
: NEXT N
26 PLOT 85,81: GO SUB 100: PLOT 116,81: GO SUB 100
28 PLOT 158,4: DRAW 4,-4: DRAW 84,0: DRAW 4,4: DRAW 0,72: DRAW -4,4:
DRAW -84,0: DRAW -4,-4: DRAW 0,-72: FOR N=13 TO 20: PRINT AT N,21:
PAPER 3:"": NEXT N
30 PRINT INVERSE 1: AT 8,12:"DME": AT 5,18:"0": AT 17,9:""
32 PLOT 86,101: DRAW 67,0: DRAW 0,8: DRAW 9,0: DRAW 0,30: DRAW -84,0:
DRAW 0,-30: DRAW 8,0: DRAW 0,-8
36 DATA 1,1,255,1,1,1,7,1,0,0,254,0,0,0,192,0
38 RESTORE 36: FOR N=0 TO 7: READ A: POKE USR "K"+N,A: NEXT N: FOR N
=0 TO 7: READ A: POKE USR "L"+N,A: NEXT N: PRINT AT 6,22:"KL"
40 PLOT 78,103: DRAW 3,0: DRAW 0,-42: DRAW -14,-17,-1.2: PLOT 200,130
: DRAW -18,-29,-1.95: DRAW -24,0: DRAW 0,-8: DRAW -6,0: DRAW 0,-44
99 SAVE "BA111 SCREENS ": STOP
100 DRAW 29,0: DRAW 0,-28: DRAW -28,0: DRAW 0,28: RETURN

```

Figure 2. Machine code dump.

23296	175	33	129	92	54	1	33	20	79	6
23306	7	197	229	6	8	14	11	36	229	119
23316	35	13	32	251	225	16	244	225	17	32
23326	0	25	193	16	232	33	129	92	190	200
23336	119	6	3	39	180	71	24	219	32	33
23346	34	193	72	32	10	207	64	18	18	33
23356	72	32	15	139	72	22	12	203	72	22
23366	10	6	72	27	16	90	72	7	14	198
23376	72	27	10	143	72	18	12	207	72	18
23386	10	16	72	17	16	62	12	50	145	92
23396	6	11	42	75	92	17	8	0	25	221
23406	33	51	91	197	229	33	131	92	6	2
23416	221	126	0	221	35	35	119	221	126	0
23426	221	35	35	119	35	35	16	238	225	6
23436	3	126	221	229	229	197	215	193	225	221
23446	225	35	16	243	193	16	212	175	50	145
23456	92	201	0	0	0	0	0	0	0	1
23466	255	16	124	16	16	124	198	69	255	0
23476	0	0	0	0	0	0	254	0	253	203
23486	2	134	33	163	90	34	54	92	33	24
23496	80	34	132	92	33	9	8	34	136	92
23506	1	3	0	17	48	91	205	60	32	33
23516	24	90	6	3	54	31	35	16	251	33
23526	0	60	34	54	92	201	0	0	0	0

THE REAL INVESTMENT

**NEW:
THE X-ROMCARD
FOR YOUR ZX81**



**WHAT IS SO
SPECIAL ABOUT
THE
SPECIAL RAMPACK?**

WHAT IS SO SPECIAL ABOUT AUDIO'S 16K SPECIAL RAM PACK?

THE SPECIAL RAM PACK (16K) is the latest design of its kind, following at least a dozen similar products. It has many of the good points of its predecessors, including packs manufactured by Sinclair Research, Memotech, Bygbyte and Econotech to cite a few of the best known.

With the experience we have gained with memories both for the ZX 81 and a wide range of other Micros, we are also able to offer some **exclusive new features**:

THE CASE: The SPECIAL RAM PACK has been designed to overcome the infamous 'wobbling' problem associated with many other packs, and does not resort to temporary solutions such as Velcro, Blotak, adhesive strip or a huge, unsightly case. It clamps positively to the ZX 81 by means of a special built in ridge aided by a resilient spring effect in the connection socket (see figure 1).

EXPANSIBILITY: The SPECIAL RAM PACK is not only compatible with all software and hardware produced for the ZX 81, such as the ZX printer, but it also has the edge over other packs with its **expansibility**. You will find it interesting that the keyboard sounder option is already included in the SPECIAL RAM PACK. It also has expansion pins, ready to receive — in the same case — the most advanced add-on ever designed for the ZX 81 — the X ROM CARD (see figure 2).

WHAT DOES THE X-ROM CARD OFFER?

1. The X-ROM CARD has a built in autostart ROM. Programs can be run automatically every time the ZX 81 is switched on. This will result in a huge increase factor for ROM based software, since all software houses are currently very aware of copyright piracy problems.
2. The X-ROM CARD has a built in printer interface, necessary if you wish to use a printer other than the XZ printer. This is invaluable for any serious applications, including word processing, where careful presentation is of the utmost importance.
3. The X-ROM CARD has a built in EPROM burner. This means that you can save Basic or Machine code programs onto silicon chips and play them back at any time.
4. You may of course buy the X-ROM CARD to use with other Ram Packs such as the Sinclair Ram Pack. However, when you purchase the X-ROM CARD with the SPECIAL RAM PACK, you will have the advantage of lower cost, greater reliability and neatness, since the whole system is nicely housed within a single case.

IN CONCLUSION, The SPECIAL RAM PACK, is the **best immediate investment** for your ZX 81. The availability of the X-ROM CARD opens the way to new software development such as languages programming and is the guarantee that your system will never be obsolete.

**THE BEST GUARANTEE
THAT YOUR ZX81 WON'T BE
OBSOLETE FOR ONLY:**

£ **19** .95

including VAT



fig. 1




fig. 2

TECHNICAL SPECIFICATIONS:

- **SPECIAL RAMPACK:**
 - Memory capacity: 16K bytes.
 - Maximum speed: 200 ns access time.
 - Power requirement: Use exclusively Sinclair PSU.
- **X-ROMCARD:**
 - **Autostart ROM:** 4K byte, exchange for 8K bytes and software switch possible. Displays memory size, checks for byte "00" (identifies ZX basic) @ 2000H. Loads program if found, checks for byte "C3" and jumps (2000H) if found. Checks for presence of ROM in socket n.3 and ROM catalog, displays catalog if found. Contains also machine code monitor and printer utility.
 - **Preprogrammed ROM:** Catalog available on request. Use only 2732 or 2764 ROM/EPROM.
 - **Blank EPROM:** Use only 2764 — 8K bytes per device — in socket n.3. 3 x 9V, PP3 size batteries are needed to burn EPROM.
 - **Printer connection:** 16 pin DIL output, use standard IDC ribbon cable. Outputs include DO to D7, Strobe, Reset, Inputs include No-fault and Busy.
 - **Documentation:** Schematic diagram included, full listings of Autostart ROM extra (only for X-ROMCARD user, £1.50 + large SAE)

AUDIO-COMPUTERS

87 BOURNEMOUTH PARK ROAD,
SOUTHEND ON SEA — ESSEX SS5 2JJ

THE REAL INVESTMENT
SOLIDISK TECHNOLOGY LIMITED
87 Bournemouth Park Road,
Southend-on-Sea, Essex. SS5 2JJ

Item	Qty	Price Inc VAT	Total
SPECIAL RAMPACK 16K		£19.95	
X-ROMCARD		free	
Preprogrammed ROM CATALOG		£ 9.95	
BLANK EPROM 2764		£ 1.00	
Postage and packing			£ 1.00
Please charge my Access, Barclay account:			TOTAL £

*Please delete complete as applicable
*I enclose a cheque/ P.O. payable to: SOLIDISK TECHNOLOGY LTD for: £

NAME _____
ADDRESS _____

(continued from page 38)

increase lift. Both ROC and ALT meters show thousands of feet in the top window, feet in the lower.

Take-off will not be achieved at speeds less than 100 knots, or with an altitude less than 10. For Landing, bearings are given on the chart. Try to approach on a glide path — insurance against engine trouble — losing height at around 6-800 feet a minute. The CRT will not

indicate permission to land, that is when the runway is shown, unless your angular approach is viable $\pm 10^\circ$ of ideal. Once committed to landing, the attempt must be seen through. To practise landing, define your location at the prompts with:

Beacon?="EDN"; Radial?= 70; Heading?= 250; DME?= 2. Increase flap angle to maintain lift as speed falls, and do not forget to brake fairly quickly after touchdown, when

the altimeter shows 10 feet, as the runway is not indefinitely long.

Figure 6 gives a breakdown of the components of the program.


For the interested who do not have the stamina or the time to type in the simulator themselves, a cassette of the complete program is available for £3 from the author, Rod Hopkins, at 116 Pilmuir Street, Dunfermline, Fife, Scotland.

Figure 1. The main program.

```
5 LOAD ** CODE * 800000 0: PAPER 0: INK 7: CLEAR : LOAD ** SCREENS :
DIR S(11:3); GO SUB 8050
6 INPUT "TAKE-OFF? (Y/N) " : X: IF X="Y" THEN GO TO 9550
8 INPUT "OK...STARTING ALTITUDE? " : AL: LET AL=AL/P: INPUT "WIND DIR
ECTION? " : WD: LET WD=WD/RAD: INPUT "WINDSPEED? " : WS: LET WS=WS/2E3:
INPUT "DEFINE LOCATION?(Y/N) " : X: IF X="Y" THEN GO TO D*P
25 INPUT "BEACON? " : X: FOR B=T TO 7: IF X="M(S)G) THEN GO TO 28
26 NEXT G: GO TO 25
28 LET B=G-T: LET B=B+7*(B=0): GO SUB 9510: INPUT "RADIAL? " : RD: LET
RD=RD/RAD
30 INPUT "HEADING? " : HD: LET HD=HD/RAD: INPUT "DME? " : DM: LET S=DM*
COS RD: LET W=DM* SIN RD
40 LET S=S/SF+ COS HD+M* COS WD: LET W=W/SF+ SIN HD+M* SIN WD: LET
DM= SQR (S+S+M*M): LET RD= ACS (S/DM): IF W<0 THEN LET RD=-Y PI -RD
50 LET HD=HD+RL/(SF+1.5E4): IF HD>DEG/360 THEN LET HD=HD-Y PI
55 IF HD<0 THEN LET HD=HD+Y PI
60 IF C AND DM<6 THEN LET B=T: GO TO EX
65 LET G=G-(PR+20)/M1: IF G<500 THEN GO SUB 9644-M1
70 LET G=M*1 TO G/1E3
80 IF C THEN LET AL=0: LET RC=0: LET E=PR: LET KN=KN+E: GO TO 105
90 LET I=2E4/KN: IF J <> I AND NOT M THEN GO SUB 9530: LET J=I
102 LET RC=AT+KN/GO-ST*20: LET E=PR-(FL*KN/4E3)-(GR*KN/400)-RC/P: LET
KN=KN+E*2E3/KN*(KN<4E3 OR SGN E=-1): IF KN<1.5E3-FL*P) THEN GO SUB
9520: GO TO 108
103 LET ST=0: POKE 23054,7: GO TO 109
105 IF AT>8 THEN LET C=0: GO TO 102
111 LET SF=KN/25E3: PRINT AT 19,D: PAPER Y:G: LET A1=0: LET AL=AL+RC
*3/Y: LET FS=KN/2E4: GO SUB 2580
146 RANDOMIZE USR 23391: GO SUB 9500: IF TH THEN GO SUB 2095+TH*5
200 IF PEEK 23560<85 THEN GO TO 216
210 LET S1= PEEK 23560-84: IF S1>0 AND S1<22 THEN GO SUB S(S1)
215 POKE 23560,0
218 IF C THEN GO TO 40
228 IF AL<5 THEN LET B=Y: GO TO EX
230 IF B>Y OR ABS S>.4 OR ABS W>.4 THEN GO TO 40
236 IF B=T AND (HD<4.19 OR HD>4.54) THEN GO TO 40
238 IF B=Y AND (HD<1.05 OR HD>1.4) THEN GO TO 40
240 GO TO 8500
2000 IF FL<30 THEN LET FL=FL+5
2005 GO TO 2015
2010 IF FL>0 THEN LET FL=FL-5
2015 LET S(8)= STR# FL: RETURN
2070 RETURN
2100 IF TH=Y THEN LET TH=0: RETURN
2102 IF PR<42 THEN LET PR=PR-D: LET TH=T: RETURN
2105 IF TH=T THEN LET TH=0: RETURN
2107 IF PR>-20 THEN LET PR=PR-D: LET TH=Y: RETURN
2108 RETURN
2110 IF LA THEN LET C=C+Y: GO TO 2117
2111 IF NOT C THEN LET RL=RL+P*(RL<60)
2112 GO TO 2116
2113 IF LA THEN LET C=C-Y: GO TO 2117
2115 IF NOT C THEN LET RL=RL-P*(RL>-60)
2116 GO SUB 9530: RETURN
2117 LET HD=HD+C/S5
2120 IF C*Y OR AT<-D THEN RETURN
2122 LET AT=AT-T: GO TO 2127
2125 IF (KN<1E3 AND NOT LA) OR AT>10 THEN RETURN
2126 LET AT=AT+T
2127 PRINT AT 8,28: INVERSE T:AT+T" " : IF M OR LA THEN RETURN
2129 GO SUB 9530: RETURN
2500 IF OR AND NOT C THEN PRINT AT 17,P-T: INVERSE T:UP " : LET GR=
0: RETURN
2510 IF NOT OR AND (NOT C OR M=400) THEN PRINT AT 17,9: INVERSE T:"
DOWN": POKE 23076,7: LET GR=T: RETURN
2515 RETURN
2520 IF M THEN GO TO 2545
2521 LET M=T: POKE 23560,0: RESTORE 8680: FOR A=0 TO 7: PRINT AT 13+A,
21: PAPER T:" " : NEXT A
2525 PRINT PAPER 1: AT 20,25:"11a": AT 18,22:"FKK": AT 16,21:"UWB": AT
16,25:"edn": AT 18,27:"sab": AT 13,25:"pth": AT 15,23:"dbr"
2530 LET G1=198: LET G2=40
2535 FOR A=0 TO 6: PLOT G1,G2
2537 IF B=T=0 THEN LET P1=A1: LET P2=A2: LET P1=P1+W/1.2: LET P2=P2+S/
1.2: IF P1<256 AND P2<78 AND P2>-T AND P1>160 THEN PLOT FLASH T:P1
,P2: LET P3=T
2540 READ M(S(G+T)),J,I: LET G1=G1-I/1.2: LET G2=G2-J/1.2: NEXT A: RETURN
2545 IF P3=T THEN LET P3=0: PLOT OVER T: FLASH O:P1,P2
2546 LET A=0: FOR A=0 TO 7: PRINT AT 13+G,21: PAPER 3: FLASH O:"
": NEXT A: GO TO 9535
2580 LET AL=AL/P: LET AL1= INT (AL/1E3)+T*( SGN AL=-T): LET S(8)= STR#
AL1: LET AL1= INT (AL-AL1*1E3): LET S(P)= STR# AL1: LET AL=AL*P
2583 LET S(3)= STR# (KN/P)
2584 LET S(Y)= STR# (DEG*RD)
2585 LET S(6)= STR# (DEG*HD)
2586 LET S(7)= STR# RL
2587 LET S(11)= STR# DM
2588 LET S(T)= STR# (PR+110)
2590 LET S(D)= STR# ( INT (RC/100)+T*( SGN RC=-T)): LET S(5)= STR# (
INT (PARC-VAL S(D)+1E3))
2592 IF SGN RC=T THEN LET S(5)=S(5)+Y TO 3)*"0": PRINT FLASH T: AT
P,13:"D": FLASH O: RETURN
2594 PRINT AT P,13:"C"
2595 RETURN
8500 LET G=-T: PRINT AT P,15:"HGT": LET S(D)=" " : LET S(5)=" " :
LET LA=T: LET E1=E
8505 LET S(Y)=9E3: LET S(3)=2070
8560 LET M=P*P: LET S=-N: LET e=22E3: LET w=13E3: LET a=50: LET AL=AL/F
-RND *A
8570 LET C=(HD+DEG-250+180*(B=Y))*5
8610 LET Z=0: LET X=204: LET X=35: LET J=D*P: LET M=J*P: FOR G=0 TO 7:
PRINT AT 13+G,21:" " : NEXT G: IF NOT OR THEN POKE 23076,7
8640 LET F=KN/35+A: LET E=E-F: LET W=W-F: LET S=-C/P: LET M=S+200: IF
AL>8 THEN LET AL=AL+D*AT: GO TO 8645
8643 LET AL=0: PRINT AT P,13:"C": LET S(D)=" " : LET S(5)=" "
8645 IF KN<100 THEN LET KN=0
8650 LET R=M*W/c+x: LET L=M*S/w-c+x: LET v=M*S/e-c+x: LET I=M*S/e-c+x
: LET U=-M*AL/W-Y*AT+K: LET T1=-M*AL/E-Y*AT+K
8665 IF ABS (R-X)>J THEN LET R= SGN R*J+X
8670 IF ABS (U-X)>J THEN LET U= SGN U*J+X
8675 IF L<X-J THEN LET L=X-J
8676 IF L>X+J THEN LET L=X+J
8680 IF ABS (I-X)>J THEN LET I= SGN I*J+X
8685 IF ABS (T1-K)>X THEN LET T1= SGN T1*K+K
8690 IF ABS (U-K)>X THEN LET U= SGN U*K+K
8695 IF U >= 35 AND W<M THEN LET U=3: LET T1=35
8710 RANDOMIZE USR 23296: PLOT 15B,D: DRAW D,-D: DRAW 86,0: DRAW D,D
8715 PLOT R,U: DRAW L,-R,D: PLOT L,U: DRAW I,-L,T1-U: PLOT I,T1: DRAW V-I
: PLOT U,T1: DRAW R-V,U-T1
8721 IF E1>2E3 THEN GO TO 8723
8722 IF NOT AL AND C*Y THEN PRINT AT 16,21:"Runway" (nine characters)
```

```
8724 IF NOT AL THEN LET RC=AL: GO TO 8730
8725 LET RC=Y*AT+KN*120: LET E1=PR-FL*KN/4E3-GR*KN/500-RC/P: LET KN=KN+
E1*2E3/KN
8730 IF AL>8 THEN LET AL=AL*P: GO SUB 2580: LET AL=AL/P: GO TO 8734
8732 GO SUB 2583
8734 LET S(Y)=" " : LET S(11)=" "
8735 RANDOMIZE USR 23391
8736 IF G=T THEN GO SUB 9010
8737 IF TH THEN GO SUB 2095+TH*5
8741 IF AL<20 THEN GO TO 8750
8742 IF KN<(1.5E3-FL*P) THEN GO SUB 9520: GO TO 8747
8745 POKE 23054,7: LET ST=0
8750 IF PEEK 23560<85 THEN GO TO 8780
8760 LET S1= PEEK 23560-84: IF S1>0 AND S1<22 THEN GO SUB S(S1)
8770 POKE 23560,0
8780 IF W<X THEN LET W=X: IF e<2E3 THEN GO TO 8830
8800 IF AL<20 AND NOT Z THEN GO TO 9570
8810 GO TO 8640
8830 IF AL>P OR KN THEN LET B=T: GO TO EX
8840 LET B=D: GO TO EX
9000 LET G=-G: POKE 23105,7+177*(G+T)
9010 IF AL>P THEN RETURN
9018 IF KN>100 THEN LET KN=KN-100: RETURN
9020 LET KN=0: RETURN
9500 LET P=RD+PI : LET A1=HD-T: PLOT OVER T: X3,Y1: DRAW OVER T:T,0
9502 LET X3=182-12* SIN A1: LET Y1=122+12* COS A1: PLOT X3,Y1: DRAW T,0
: RETURN
9510 LET S=S+A(B): LET W=W+B(B): LET B=B+T: IF B=B THEN LET B=T
9511 PRINT AT 6,11:M(S): RETURN
9520 IF C OR AL<50 THEN RETURN
9521 LET ST=ST+T: POKE 23054,184: IF ST<20 THEN RETURN
9522 LET B=D+T: GO TO EX
9525 DATA "OUT OF RWNY...","NOSE DIVE...","NICE WORK CAP'N!","OUT OF C
ONTROL...","IMPACT BEFORE RWNY","CRASH R OF RWNY","IMPACT L OF RWNY",
"UNDERCARRIAGE?","LANDING TOO STEEP","OUT OF FUEL..."
9530 IF M THEN RETURN
```

Figure 5.



```
9531 PLOT OVER T:180,AM: DRAW OVER T:46,AY
9535 LET AH=2B+1-AT-RL/2: LET AY=RL
9540 RANDOMIZE USR 23483
9542 IF AH<8 THEN LET AH=8
9545 PLOT 180,AM: DRAW 46,AY: RETURN
9550 GO SUB 9651: LET M=-B: LET S=0: LET FL=P: LET C=T: LET KN=T/P: LET
T I=D: LET GR=T: LET AT=0: LET RL=AT
9551 PRINT AT 17,P-T: INVERSE T: AT 14,T:" "
9552 LET PR=0: PRINT INVERSE T: AT 14,T:" "
9553 LET WS=0: LET WD=0: LET B=T: GO SUB S(3)
9554 LET HD=250+RAD: LET SF=1E-10
9560 GO TO D*P
9570 IF E>9E3 THEN LET B=D+Y: GO TO EX
9575 IF N<20 THEN LET B=7: GO TO EX
9580 IF N>180 THEN LET B=D+D: GO TO EX
9585 IF NOT GR THEN LET B=9: GO TO EX
9590 IF AT<-3 THEN LET B=P: GO TO EX
9625 LET Z=T: LET A=120: GO TO 8640
9640 LET G=12490: LET M1=Y: PRINT AT 21,D: FLASH T:"F": RETURN
9644 LET B=P+T: GO TO EX
9650 LET P=10: DIM G(12): LET EX=8680: LET C=0: LET D=C: LET AT=C: LET
P3=C
9651 LET LA=D: LET FL=0: LET TH=0: LET M=0: LET ST=0: LET X3=0: LET Y1=
0: LET RC=0: LET PR=0: LET AL=0: LET AT=0: LET D=4: LET E=1: LET Y+E
+E: LET J=Y*D: LET I=J: LET M1=0: LET GR=E: LET DEG=180/ PI : LET RA
D=1/DEG: LET G=12490: LET A="": POKE 23658,D+D: LET B=
INT ( RND *E)+E
9652 LET T=E: LET SF=.05: LET KN=2500: LET S= RND *P: LET W=- RND *P: L
ET HD=RAD+ RND *360)
9654 RESTORE 8660: DIM A(7): DIM B(7): DIM M(7,3): FOR G=T TO 7: READ
M(G),A(G),B(G): NEXT G
9655 DIM S(21): FOR G=T TO 21: LET S(G)=2070: NEXT G: LET S(3)=8510: LE
T S(6)=2120: LET S(7)=2500: LET S(P)=2010: LET S(P+T)=2E3: LET S(P+Y
)=2113: LET S(13)=2520: LET S(15)=2105
9656 LET S(18)=2100: LET S(18)=2110: LET S(21)=2125
9657 FOR G=0 TO D+D: PRINT AT 13+G,P+P:" " : NEXT G: PLOT 15B
,D: DRAW D,-D: DRAW 86,0: DRAW D,D: FOR G=0 TO D+D-T: PRINT AT 13+G
,P+P+T: PAPER Y+T:" " : NEXT G: PRINT AT P+P+T,0:" "
9660 DATA "EDN",4.8,8.4,"UWB",-1,-50.2,"SAB",27.6,44.38,"TLA",-83.1,.8
,"PTH",48.30,8,"FKK",-22.4,-32.3,"DBR",5.1,-1.9
9661 GO SUB 9535: GO SUB S(3): GO SUB 2500
9662 PRINT AT 8,28: INVERSE T:" " : IF NOT AT THEN RETURN
9665 LET RT=0: GO TO D+Y
9680 RESTORE 9525: FOR G=T TO 8: READ X: NEXT G: PRINT AT P,15:"ALT":
AT 21,0: FLASH T:X: INPUT "ANOTHER GO? " : X: IF X="Y" THEN LET R
T:T: LET C=0: PLOT OVER T: X3,Y1: DRAW OVER T:T,0: POKE 23105,D+D-T
: POKE 23054,7: POKE 23076,7
9681 IF X="Y" THEN LET P3=Y: GO TO 9651
9682 PRINT AT 21,0: INVERSE T:" " ROGER AND OUT " : STOP
```

```

2 REM *****
4 REM ** CHICKEN **
6 REM ** S.O. 12-81 **
8 REM *****
10 OPEN #1,4,0,"K":DIM L$(20),S$(20),C$(20)
15 ? "INITIALIZING ..."
20 REM ** PAGE 6 ROUTINES AND DATA **
40 FOR I=1536 TO 1587:READ A:POKE I,A:NEXT I
41 REM ** VERTICAL BLANK ROUTINE **
42 DIM VB$(210):FOR I=1 TO 210:READ A:VB$(I)=CHR$(A):NEXT I
43 REM ** LOAD PLAYER ROUTINE **
45 DIM LD$(73):FOR I=1 TO 73:READ A:LD$(I)=CHR$(A):NEXT I
47 REM ** INSERT ADDRESS OF ROUT. IN PAGE 6 **
48 A=ADR(VB$):B=INT(A/256):POKE 1540,B:POKE 1538,A-256*B
50 DATA 104,160,52,162,6,169,7,76,92,228,104,160,98,162,228,169,7,76,92,228
52 DATA 120,120,120,120,30,57,81,105,15,15,15,15,0,0,0,0,52,53,54,55,2,2,3,4,12,15,15,15,11,1
1,11
54 REM ** LINE 56 - CHANGE 24 TO 56 TO SKIP ORTHO. **
55 REM ** LINE 56 - CHANGE 28 TO 34 FOR CONT. MOV. **
56 DATA 72,138,72,152,72,162,0,189,120,2,29,44,6,160,15,24,176,32,201,15,240,28,201,14,208,2,160
,13,201,13
57 DATA 208,2,160,14,201,11,208,2,160,7,201,7,208,2,160,11,192,15,240,6,61,48,6,157,28,6,152,61
,44,6,157,44,6
58 DATA 232,224,4,144,195
60 DATA 162,0,189,32,6,133,203,189,36,6,133,204,189,40,6,133,209,198,209,16,7,232,224,4
65 DATA 144,232,176,91,189,28,6,133,207
70 DATA 70,207,176,26,188,24,6,192,1,240,19,208,1,200,177
75 DATA 203,240,6,136,145,203,200,208,245,136,145,203,222,24,6,70,207,176,29,188,24,6,200,192,25
4,176,21
80 DATA 177,203,208,247,136,177,203,240,6,200,145,203,136,208,245,200,145,203,254,24,6,70,207,17
6,3,222,20
85 DATA 6,70,207,176,3,254,20,6,189,20,6,157,0,208
90 DATA 24,144,154,162,4,189,11,208,240,5,169,0,157,39,6,202,208,243,104,168,104,170,104,76,98,2
28
100 DATA 234,234,234,104,104,104,170,189,32,6,133,186,189,36,6,133,187,104,133,213,104,133,212
110 DATA 189,24,6,133,195,169,0,168,192,255,176,35,196,195,240,5,145,186,200,208,243,162,0,161,2
12,240,11
120 DATA 145,186,230,212,200,192,255,176,11,208,241,169,0,145,186,200,192,255,144,249,96,234,234
150 REM ** CAR COLOR DATA **
160 FOR I=1 TO 20:READ A:C$(I)=CHR$(A):NEXT I
170 DATA 24,60,218,68,90,186,70,150,54,232,74,168,88,154,21,252,200,76,228,28
190 REM ** DEFINE PM AREA - SINGLE LINE RESOL. **
200 A=PEEK(106)-16:POKE 54279,A:PM=256*A
205 REM ** PLAYER MISSILE POINTERS **
210 FOR I=4 TO 7:POKE 1568+I,A+1:NEXT I
212 FOR I=1568 TO 1571:POKE I,0:NEXT I
218 REM ** DATA FOR PLAYER IMAGES **
220 FOR I=PM TO PM+121:READ A:POKE I,A:NEXT I
230 DATA 16,56,16,56,40,16,16,16,146,254,254,124,56,56,40,40,40,40,108,0
232 DATA 126,195,219,219,91,219,219,219,219,91,219,219,195,126,0
234 DATA 126,195,219,219,219,219,219,219,219,219,219,219,195,126,0
236 DATA 33,34,150,84,57,30,60,123,159,30,52,86,151,36,194,193,0
238 DATA 16,56,16,56,40,16,16,56,124,254,186,56,56,40,40,40,44,32,96,0
240 DATA 16,56,16,56,40,16,16,146,214,124,56,56,40,40,40,104,8,12,0
242 DATA 126,255,173,173,239,199,199,199,239,173,173,255,126,0
270 REM ** INIT. HORIZ. AND VERT. POS. **
280 RESTORE 282:FOR I=1556 TO 1563:READ A:POKE I,A:NEXT I
282 DATA 120,120,120,120,30,57,81,105

```

ONE OF THE objects in developing this game is to be able to control player missiles from Basic simply, without writing a lot of code. This approach offers quite a bit of flexibility.

The routines are put in two strings, LD\$ and VB\$. LD\$ is used in loading players into PM areas and is used as

A=USR(LD,X,ADDR)

where

LD=ADDR(LD\$)

X is the player number, 0-3, and ADDR is the address where player data is located. Data must end with a 0. VB\$ is a routine inserted in the vertical blank routine. It is quite complicated and uses a number of locations in page 6. I will try to describe the approach used.

Each joystick is associated with one player. If you do not want to use the joystick to move a certain player, that player can be masked out. Individual directions of movement can also be masked. For example, a player can be made to respond only horizontally or only vertically to a joystick. Orthogonal movement — only vertical or horizontal — is also an option.

The orthogonal movement can be such that a player moves only when the joystick is pushed or the joystick can be used only to change directions of moving objects. Beyond movement by joystick, a continuous movement in a certain direction can be forced with or without joystick control on top of this background movement. Finally, the speed of the object can be controlled by Poking a single byte.

Here is a list of page 6 reserved locations and their purpose:

(ALL FOR PLAYERS 0 TO 3 IN ORDER)
1556 (0614)-1559 (0617) HORIZONTAL POSITIONS
1560 (0618)-1563 (061B) VERTICAL POSITIONS
1564 (061C)-1567 (061F) DIRECTION BYTES
1568 (0620)-1571 (0623) LOW-BYTE PLAYER AREA POINTER
1572 (0624)-1575 (0627) HIGH-BYTE PLAYER AREA POINTER
1576 (0628)-1579 (062B) REPETITIONS (SPEED)
1580 (062C)-1583 (062F) MASKS FOR JOYSTICKS
1584 (0630)-1587 (0633) FORCED DIRECTIONS

Direction bytes are like those produced by the joysticks. They could be Poked directly into locations 1564-1567. Values other than 15 give motion in the direction indicated. Position is updated every vertical blank period so at the slowest speed a player will cross the screen in about three seconds. To move faster Poke increasing numbers in the speed bytes. Motion can also be stopped by Poking zero in the speed byte.

Masks are Ored with bytes from the joysticks. Since a 1 bit represents a No for a particular direction, a 15 — hexadecimal 0F — will cut out all directions, that is, eliminate that joystick. Other useful masks are:

12 — ONLY VERTICAL MOTION
3 — ONLY HORIZONTAL MOTION
0 — NO RESTRICTIONS ON MOTION

CHIO



GAMES

Directions are also Anded with forced-direction bytes. Zeros represent Yes directions, so a 15 has no effect, and other directions are as those produced by the joystick.

Orthogonal movement cannot be handled by masks alone so a routine is included for this option. Line 54 tells the change necessary to skip this option. Also, when in the orthogonal mode, you can choose continuous motion with the joystick used only to change directions. Line 55 has the change required.

Working with interrupts is tricky. To ensure no conflicts, our VBI routine should be taken out before doing machine language routines other than single Pokes. A routine to do this is located in page 6

A=USR(1546)

A=USR(1536) inserts our VBI routine again. For sake of speed, the load player routine contains these other two routines at the beginning and end. This means loading the player routine automatically inserts our VBI routine.

I found out the hard way that a Load of players has to follow initialization of PM graphics. In PM, graphics (line 370) has to follow any graphics mode change.

When getting out of the program to Basic, use the Reset key to take out the VBI routine. If you use the break key and do anything else before hitting Reset the system will crash.

Necessary page 6 data — masks, speeds, pointers, etc — could be read in as in lines 45-55 but some of this will depend on size of

KEN RUN

Why did the chicken cross the road? Play this game for the Atari written by Stan Ockers and you will find out. Be among the first to break into Atari Basic games-writing.



SPECIAL

memory and should be initialised separately as in lines 210-212. The pertinent sections — roughly lines 10-290 and 370-390 — can be Listed to cassette and Entered when starting a new program. If no player is required, it is still a good idea to clear the player area with

```
A=USR(LD,X,ADDR)
```

where ADDR points to a zero data byte.

Collision routines are meant to be placed at the end of our VBI routine. As it stands only a very simple routine is provided. More complex routines are in the works. The routine provided simply stops both players that collide by setting their speed to zero. Detection of collision — line 510 — and resetting of the collision register and speed bytes is done in Basic.

Enough of this heavy stuff — what about the game?


Why does a chicken cross the road? To score points of course! Just move him with joystick 0, watching out for passing cars. The car speed goes roughly with difficulty — DIF — and DIF will increase each time you get across. DIF will decrease each time you are hit.

You start with 50 points and that score is increased by 10 times the DIF value each time you cross the road. Each time you are hit your score decreases by 20 points. You have about two minutes to start — each count is about four seconds — and 40 seconds will be added for each 300 points you score. Be the first in your clique of Atari gamers to reach 10,000 chicken points!

```
288 REM ** INIT COLORS **
290 DIF=3:BONUS=300:POKE 704,40:CP=0:FOR I=1 TO 3:POKE 704+I,ASC(C$(CP+1)):NEXT I:CP=3:BPOS=5
295 REM ** DRAW ROADS - SET PRIORITY **
300 GRAPHICS 17:FOR I=1 TO 20:L$(I)="_":NEXT I
305 FOR I=2 TO 20 STEP 2:S$(I)="-":S$(I-1)="" :NEXT I
310 POSITION 0,2:? #6:L$:POSITION 0,11:? #6:L$:POSITION 0,13:? #6:L$:POSITION 0,22:? #6:L$
312 POSITION 0,5:? #6:S$:POSITION 0,8:? #6:S$:POSITION 0,16:? #6:S$:POSITION 0,19:? #6:S$:POKE 7
10,90
340 REM ** INIT. AND PRINT INFO. - RESET TIMER **
350 SCORE=50:POSITION 3,1:? #6;"score      time ":POSITION 3,23:? #6;"dif      high ";
360 POSITION 3,0:? #6;SCORE:POSITION 15,22:? #6;HIGH:POKE 77,0:POKE 19,0:POKE 20,0
365 REM ** INIT. PM GR. - FLAGS **
370 POKE 559,62:POKE 53277,3:I1=68:I2=88:FL=11
375 REM ** LOAD PLAYERS - SET COLORS - PLAYER SIZES **
380 LD=ADR(LD$):A=USR(LD,0,PM):A=USR(LD,1,PM+21):A=USR(LD,2,PM+21):A=USR(LD,3,PM+21)
385 A=USR(1536):REM ** INSERT VBI ROUTINE **
390 POKE 53257,1:POKE 53258,1:POKE 53259,1:POKE 623,1
395 REM ** INIT. SPEEDS **
395 POKE 1576,2:FOR I=1577 TO 1579:POKE I,RND(0)*DIF+1:NEXT I
398 POSITION 4,22:? #6:DIF
400 REM ** IF CARS OFF SCREEN, CHANGE LANES **
410 IF PEEK(1557)<15 AND PEEK(1561)=57 THEN POKE 1561,193:A=USR(LD,1,PM+36):POKE 1585,7:GOSUB 10
00:POKE 705,C
420 IF PEEK(1557)>240 AND PEEK(1561)=193 THEN POKE 1561,57:A=USR(LD,1,PM+21):POKE 1585,11:GOSUB
1000:POKE 705,C
430 IF PEEK(1558)<15 AND PEEK(1562)=81 THEN POKE 1562,169:A=USR(LD,2,PM+36):POKE 1586,7:GOSUB 10
00:POKE 706,C
440 IF PEEK(1558)>240 AND PEEK(1562)=169 THEN POKE 1562,81:A=USR(LD,2,PM+21):POKE 1586,11:GOSUB
1000:POKE 706,C
450 IF PEEK(1559)<15 AND PEEK(1563)=105 THEN POKE 1563,145:A=USR(LD,3,PM+36):POKE 1587,7:GOSUB 1
000:POKE 707,C
460 IF PEEK(1559)>240 AND PEEK(1563)=145 THEN POKE 1563,105:A=USR(LD,3,PM+21):POKE 1587,11:GOSUB
1000:POKE 707,C
465 REM ** PRINT TIME - CK. FOR TIME UP **
470 TIME=30-PEEK(19):POSITION 15,0:? #6;TIME;" ":IF TIME<=0 THEN 910
472 REM ** RESET SOUND - HORN ROUTINE **
473 SOUND 0,0,0,0
475 IF RND(0)>0.5 THEN SOUND 1,0,0,0
480 IF RND(0)<0.05 THEN SOUND 1,7,12,10
482 REM ** CHICKEN STOMP **
485 P=PEEK(1564):IF P>15 OR P<13 THEN 500
490 IF P=15 THEN A=USR(LD,0,PM):GOTO 500
492 IF FL=11 THEN FL=I2:SOUND 0,16,6,8:GOTO 496
494 IF FL=12 THEN FL=I1:SOUND 0,22,6,8
495 REM ** CK. FOR REACHING BOTTOM **
496 A=USR(LD,0,PM+FL)
500 IF PEEK(1560)>230 THEN 810
505 REM ** CK. FOR COLLISION **
510 IF PEEK(53260)=0 THEN 410
515 REM ** SPLAT **
520 A=USR(LD,0,PM+51):FOR J=1 TO 3:SOUND 0,RND(0)*255,8,8:SOUND 1,RND(0)*255,8,8
525 POKE 704,PEEK(704)+8:FOR I=1 TO 30:NEXT I:POKE 0,0,0,0:SOUND 1,0,0,0:POKE 704,40
527 REM ** DECREASE SCORE - CK FOR 0 **
530 SCORE=SCORE-20:POSITION 3,0:? #6;SCORE;" ":IF SCORE<=0 THEN 702
533 REM ** MOVE UP - RELOAD BIRD - RESET COLL. **
535 POKE 1560,PEEK(1560)-24:A=USR(LD,0,PM):IF DIF>1 THEN DIF=DIF-1
590 POKE 53278,0:GOTO 395
700 REM ** SCORE = ZERO **
701 REM TYPE IN INVERSE VIDEO
702 POSITION 3,2:? #6;"CHICKEN'S DEAD"
704 REM ** AMBULANCE **
705 C=1
706 IF PEEK(1576+C)=0 THEN C=C+1:GOTO 706
707 IF C>3 THEN C=1
713 POKE 1576+C,1:POKE 1560+C,PEEK(1560):POKE 1556+C,220:A=USR(LD,C,PM+107)
715 FOR J=1 TO 6:FOR P=60 TO 40 STEP -2:SOUND 0,P,10,8:FOR I=1 TO 6:NEXT I
716 NEXT P:FOR P=40 TO 60 STEP 2:SOUND 0,P,10,8:FOR I=1 TO 6:NEXT I:NEXT P:NEXT J:SOUND 0,0,0,0
718 REM ** NEW HIGH SCORE? **
720 A=USR(1546):IF SCORE>HIGH THEN HIGH=SCORE:POSITION 15,22:? #6;HIGH
730 POSITION 2,6:? #6;"press FIRE button":POSITION 4,7:? #6;"to play again"
732 FOR I=53248 TO 53251:POKE I,0:NEXT I:SOUND 0,0,0,0:SOUND 1,0,0,0
735 REM ** WAIT FOR BUTTON **
740 IF STRIG(0)=1 THEN 740
745 REM ** PM GRAPHICS OFF **
750 POKE 53278,0:POKE 53277,0:A=USR(1546):GOTO 280
800 REM ** BK TO TOP - STOP MOVEMENT OF BIRD **
810 POKE 1560,30:A=USR(LD,0,PM):POKE 1576,0
815 REM ** SIGNAL AND INCREMENT SCORE **
820 FOR I=1 TO 5:FOR J=10 TO 5 STEP -1:SOUND 0,J,14,8:SOUND 1,J,2,8:NEXT J:SOUND 0,0,0,0:SOUND 1
,0,0,0
825 A=USR(LD,0,PM+68):FOR J=1 TO RND(0)*30:NEXT J:A=USR(LD,0,PM+88)
830 SCORE=SCORE+DIF*2:POSITION 3,0:? #6;SCORE;" ":NEXT I
840 IF DIF<9 THEN DIF=DIF+1
841 REM ** CK FOR BONUS **
842 IF SCORE<BONUS THEN 850
844 SOUND 0,25,10,10:BONUS=BONUS+300:P=PEEK(19):IF P<11 THEN POKE 19,0:GOTO 848
846 POKE 19,P-10
848 POSITION BPOS,13:? #6;"":BPOS=BPOS+1
850 GOTO 390
900 REM ** TIME'S UP ROUTINE **
910 POSITION 5,2:? #6;"TIME'S UP"
920 GOTO 720
990 REM ** CHANGE CAR COLOR SUB.**
1000 CP=CP+1:IF CP=20 THEN CP=1
1010 C=ASC(C$(CP)):RETURN
```




**Your hands will sweat. Your heart
Your oxygen might run out. And you're still**



At seventy fathoms the only light comes from your Sonar, steadily tracking the advancing enemy fleet.

Suddenly they're above, dropping depth charges. You could dive. But how close is the sea bed? You could attack. But how many torpedos are left? And your oxygen. Isn't it dangerously low?



Submarine Commander, 12 K ROM. Cartridge, 3 screen modes: map, sonar and periscope. 9 skill levels. Controls: Fuel, Damage Indicators, Speed, Compass Bearing, Depth Gauge, Battery Charge, Oxygen, Hydrophone/Engine Noise, Attitude, Clock, Depth below keel, Torpedos, Tonnage Sunk.

'Submarine Commander' is one of 21 challenging new home computer games from THORN EMI, for use with Atari 400/800 or Commodore VIC 20. Like our 'Jumbo Jet Pilot' it's more a real-life simulator than a game.

But our programs aren't all work and no play. 'River Rescue', 'Kickback' and 'Soccer' are all-action games. 'Pool' and 'Darts' will suit armchair sportsmen.

And whilst budding Beethovens play the 'VIC Music Composer', would-be Chancellors can work on their budgets with 'Home Financial Management'. We also have educational puzzles for children that will puzzle adults at higher skill levels.

But there's one simple idea behind all our titles. They're designed for players who expect more of a challenge from a video



game than creatures from outer-space can provide. Now, are you sitting comfortably?

The world's greatest TV games.



PROGRAMS FOR ATARI 400/800 (Trademark of Atari Inc. except where indicated).
*PROGRAMS FOR COMMODORE VIC 20 (Trademark of Commodore International).

Available from all branches of Lasky (Nationwide), Micro C at Currys, and all other leading Computer software outlets.

**will beat faster.
only sitting in an armchair**

Seize power in your own banana republic with Boylen and Harvey's game of subversion for the Sharp.

EL SHAPIRO is an independent country situated somewhere in the Caribbean. The capital, Diaz, is the only city.

The country is run by an evil dictator, Dr Emmanuel Jesus Ratok who runs the country for his own benefit. Ratok grows richer and the country grows even poorer.

He rules with a fist of iron in a glove of steel; all opposition is crushed by his sadistic army and police.

As leader of the newly-formed El Shapiro Liberation Organisation — ELO — you have vowed to rid your homeland of this evil dictator and hold free elections for the first time ever.

As Dr Ratok has made himself president for life the only way to get rid of him is to stage a coup and depose him. To do this you must capture the army barracks and get a bazooka to knock out the only tank that guards his palace. To capture the barracks you must have automatic weapons and enough men to use them. The only place with the number of weapons you need is the police station. You must liberate the freedom fighters languishing in the state jail to get the number of men you need.

You can also capture the TV station and the bank. Until you capture the bank the president can use its funds to hire mercenaries. All these buildings are ringed by guard towers and it is very risky to attack the building without destroying its guard tower first.

To destroy the guard towers you need to buy some dynamite from your friendly, rich dealer in death and destruction, Adam Khagosshi.


The towers are randomly numbered and, with luck, you may just get a quick look at a secret map with locations on it. It may help you get some of your men out of prison if you have a boat. You can also free some of your captured lieutenants who are held in the top-security wing by buying a helicopter if you can afford it. If you attempt an escape by sea a rope may come in handy.

Kidnapping is another way to free your friends and increases the fighting fund. If your popularity, U.S. backing, ELO membership or number of lieutenants fall below one your coup d'état has failed.

The opposition consists of: Dr Ratok — the president; General Jung — the chief of staff; Lt Lapidus — chief interrogator; and Sgt Sadoul — the executioner. There may be other characters that may become involved — they may help you or they may help the enemy.

ELO membership is restricted to a maximum of 300 until you liberate your men from prison. You may not have more than 20 lieutenants. The maximum number of safe houses is 30. You may purchase hand-guns and rifles, but the minimum order is 300 — in order to get your discount. These will increase your attacking power. You may not visit the same location twice in a row — bad for security.


You and your men face a powerful and ever-vigilant enemy, the fight will be long and hard with little chance of success. We, the people, wish you luck.



The main variables.

BZ	Bazooka	PR	Prison
BA	Bank	PS	Popular support
BT	Boat	MP	Map
DT	Dynamite	MO	Input move
DY	RND. Price of dynamite	MY	ELO fighting fund
EL	ELO membership	MV	Number of moves taken
ES	Enemy strength	NL	Number of lieutenants
FA	Failure flag	NS	Number of safe houses
FO	Food	NX	Saves number of last move
GA	Prision guards	RI	RND. Price of rifles
GB	Gold bars	RD	Radio station
HA	RND. Price of hand-guns	RP	Number of ropes
HD	Helicopter damage	RS	Ransom
HE	Helicopter	TK	Tank
HS	Hostages	TV	TV station
JP	Jeep	UF	United States friendship
LO	Location	VR	Video recorders
PH	Police station	Y	Poke to screen
PL	Police numbers	Z	Tabset then variable used to Poke screen address — introduction

AMES SPECIAL COUP D'ÉTAT



```

61 PRINT:PRINT" No. of Lieutenants: ";NL
62 PRINT:PRINT" Fighting Fund: ";MY;" Dollars"
63 PRINT:PRINT" No. of Safe Houses: ";NS
64 PRINT:PRINT" Type of Weapons: ";TW$(W)
65 FORA=0TO7000:NEXT
66 IF(NL<1)+(EL<1)+(PS<1)+(UF<1)THEN747
67 IF(BT=0)*(EL<300)THENEL=300
68 IFES<0THENES=0
69 IFUF<100THENUF=100
70 IFPL<0THENPL=0
71 IFPS<100THENPS=100
72 IFNL>20THENNL=20
73 PRINT"##### "
74 PRINT"##### "
75 PRINT"##### MOVE ##### "
76 PRINT"##### "
77 PRINT"##### "
78 PRINT"#####(1) Status (2) Ghetto"
79 PRINT"#####(3) Bank (4) Harbour"
80 PRINT"#####(5) Square (6) T.V. Station"
81 PRINT"#####(7) Police Station (8) Hotel"
82 PRINT"#####(9) Prison (10) Church"
83 PRINT"#####(11) Barracks (12) Palace":GOSUB471
84 INPUT MD:IF(MD=NX)*(MD>1)THENPRINTM:"has just been there":GOTO84
85 IFMD=0THEN472
86 IFMD=1THEN51
87 NX=MD:MV=MD+1:IFMD=2THEN99
88 IFMD=3THEN117
89 IFMD=4THEN134
90 IFMD=5THEN157
91 IFMD=6THEN175
92 IFMD=7THEN216
93 IFMD=8THEN253
94 IFMD=9THEN280
95 IFMD=10THEN324
96 IFMD=11THEN338
97 IFMD=12THEN378
98 PRINT"Press the right Button EL'DUMB0!":GOTO84
99 GOSUB636:A=FNA(6):ONAGOTO102,104,107,111,112
100 IFTV=0THENGOSUB424:PS=PS-FNA(8)+2:GOTO396
101 GOTO111
102 S=INT((FNA(3)*PS)/10):PRINTS:"New Recruits ask to Join the E.L.D."
103 EL=EL+S:GOTO396
104 S=FNA(40):GOSUB900:PRINTM:"been Ambushed by the Area":EL=EL-S
105 GOTO396
106 S=FNA(10)
107 IFFD>0THENPRINT"Your People give Food to the Poor":PS=PS+S:GOTO110
108 PRINT"The People are not too chuffed that You Haven't BROUGHT any FOOD"
109 PS=PS-S:GOTO396
110 FD=FD-1:GOTO396
111 S=FNA(14):PRINT" One of Your Men Robs A U.S. Reporter":UF=UF-S:GOTO396
112 IFTV(13)=0THEN99
113 PRINT"Your Truck is Searched on the Bridge":Y=FNA(2)
114 IFY=1THENPRINT"Thou Couldn't Find an ELEPHANT":GOTO396
115 IFFD>0THENPRINT"Thou Confiscate Your Food":FD=0:GOTO396
116 PRINT"Thou Arrest the Drivers":EL=EL-S:GOTO396
117 GOSUB680:A=FNA(3):ONAGOTO122,123
118 K=FNA(7):IF(BA=0)*(K<3)*(ES=BA)THENPRINT"The Bank has Been RECAPTURED":K=9
119 IFK=9THENEL=EL-BA:BA=0:GOTO396
120 IFK>5THENPRINT"you've Been Given Some Cash":MY=MY+FNA(4)*PS:GOTO396
121 PRINTM:"Still can't get a loan":GOTO396
122 GOTO797
123 S=INT(ES/6):EN=S:" Soldiers":GOSUB466
124 IFA=S:"N" THEN396
125 LD=BA:N=4:LT=S:" Bank":RS=0:MS=FNA(1200):M=FNA(5):T=10
126 GOSUB398:IFFA=1THENFA=0:GOTO396
127 IFAC=2THENES=ES-S:GOTO396
128 IFAC=1THENBA=Z:MY=MY+MS:GOTO396
129 IFAC=3THENES=ES-S:GOTO396
130 IFAC=4THEN396
131 IFAC=5THENM=MS
132 PRINT"Thou Take":M:" Dollars, You Get":MS
133 MY=MY+MS-M:GOTO396
134 GOSUB556
135 A=FNA(6):ONAGOTO151,145,143,152,154
136 K=FNA(7)
137 IF(K<4)*(ES>10)*(TR(13)=1)+(TR(12)=1)THEN139
138 GOTO140
139 GOSUB800:PRINTM:"DIDN'T Get Past The Tower":NL=NL-1:GOTO396
140 IFK>5THENPRINT"you've got A Contribution":MY=MY+FNA(4)*PS:GOTO396
141 IF(K=1)*(RD=0)THENPRINT"Your Mans Found A Crate of Radics":RD=1:GOTO396
142 PRINT"Water Looks Dirty":GOTO396
143 IFTV=0THENGOSUB424:GOTO396
144 GOTO135
145 IFFD=1THEN135
146 PRINTM:"Sees A Motor Boat At The Duav"
147 PRINT" Would You like to BORROW it?":GOSUB468
148 IFA=S:"N" THEN396
149 S=FNA(6):IFS>2THENPRINT"Nice Boat You've got there":BO=1:GOTO396
150 PRINT"Unfortunately ";M:"forgot he CAN'T SWIM":NL=NL-1:GOTO396
151 GOTO434
152 IFTV(12)=1THENGOTO797
153 PRINT"Not Much Doing":GOTO396
154 PRINTM:"is Shot at":GOSUB800:A=FNA(2)
155 IFA=1THENPRINT" THEY MISSED":GOTO396
156 IFA=2THENPRINT" GOOD SHOT Unfortunately":NL=NL-1:GOTO396
157 GOSUB700
158 A=FNA(5):ONAGOTO171,159,160,168,172
159 HD=FNA(PS/4):IF(SH(HD)=0)*(PS>55)THENS(HD)=1:GOTO167
160 LQ="The Square"
161 PRINTLQ:" has been SURROUNDED by Troops":GOSUB801
162 PRINTM:"Must Go to A Safe House"
163 PRINT"Choose From 1-30":GOSUB471:INPUTHD
164 IF(HD=0)+(HD>30)THENPRINT"I realise illiteracy is common here BUT":GOTO163
165 IFSH(HD)=0THENPRINT"The House as been BETRAYED":NL=NL-1:GOTO396
166 PRINT" PHEW That was Close":GOTO396
167 PRINT"you have GAINED A Safe House":NS=NS+1:GOTO396
168 IF(HE=1)*(HD=1)THENPRINT"A Box of Helicopter Spares have Fallen":GOTO170
169 GOTO158
170 PRINT"off the Back of A Lorry.NUDGE!NUDGE!":HD=0:GOTO396
171 GOTO434
172 PRINTM:"Meets A Shady Looking Trader"
173 IF(FD>0)+(RD=1)+(VR=1)+(GB=1)+(JP=1)THEN455
174 PRINT"Who sells him some DIRTY Postcards":GOTO396
175 GOSUB519:A=FNA(5):ONAGOTO182,191,194,197
176 K=FNA(7)
177 IF(TV>0)*(K<3)*(PL>TV)THENPRINT"The T.V.Station as been RECAPTURED":K=9
178 IFK=9THENEL=EL-TV:TV=0:GOTO396
179 IFK>5THENPRINT"you've Been given A Contribution":MY=MY+FNA(4)*PS:GOTO396
180 IF(K=1)*(VR=0)THENPRINTM:"Finds Some VIDED RECORDERS":VR=1:GOTO396
181 PRINTM:"gets a part inERATOK STREET":GOTO396
182 S=INT(PL/4):EN=S:" Police":GOSUB466
183 IFA=S:"N" THENGOTO396
184 LD=TV:N=4:LT=S:" T.V. Station":RS=0:P=FNA(5)+1:M=FNA(5):T=4
185 GOSUB398:IFFA=1THENFA=0:GOTO396
186 IFAC=2THENPL=PL-S:GOTO396
187 IFAC=1THENTV=Z:PS=100:GOTO396
188 IFAC=3THENPL=PL-S:GOTO396
189 IFAC=5THENPRINT"The Police Take":M:" Each and you Broadcast":PS=PS+P
190 MY=MY+M-S:GOTO396
191 Y=FNA(2):PRINTM:"has been SHOT by Guards":GOSUB800
192 IF(Y=1)*(TR(3)=1)+(TR(4)=1)THENPRINT"Stone DEAD!":NL=NL-1:GOTO396
193 PRINT"Only winged him":GOTO396
194 S=FNA(2):PRINTM:"is Shot at by Soldiers":GOSUB900
195 IFS=1THENPRINT"Thou Couldn't Hit A BUS":GOTO396

```

```

1 X=53248:Z=7:PRINT"#####":TAB(Z);"##### "
2 PRINTTAB(Z);"##### "
3 PRINTTAB(Z);"##### "
4 PRINTTAB(Z);"##### "
5 PRINTTAB(Z);"##### "
6 PRINTTAB(Z);"##### "
7 PRINTTAB(Z);"##### "
8 FORW=1TO3000:NEXT:Z=0:Y=386:GOSUB19
9 Y=370:GOSUB19:Z=67:Y=371:GOSUB19
10 Z=0:Y=385:GOSUB19:Y=384:GOSUB19
11 Y=371:GOSUB19:Y=383:GOSUB19
12 Y=382:GOSUB19:Z=67:Y=376:GOSUB19
13 Z=0:Y=381:GOSUB19:Z=67:Y=375:GOSUB19
14 Z=0:Y=380:GOSUB19:Z=67:Y=374:GOSUB19
15 Z=0:Y=379:GOSUB19:Z=67:Y=373:GOSUB19:Y=372:GOSUB19
16 Z=74:Y=378:GOSUB19:Z=67:Y=379:GOSUB19
17 Z=74:Y=377:GOSUB19:Z=67:Y=378:GOSUB19
18 Z=74:Y=376:GOSUB19:Z=67:Y=377:GOSUB19:GOTO20
19 POKE(X+Y),Z:RETURN
20 FORZ=1TO1000:NEXT:PRINT"##### "
21 Z=71:Y=290:GOSUB34:Y=249:GOSUB34:Y=248:GOSUB34:GOSUB34
22 Y=248:GOSUB34:GOSUB34:Y=247:GOSUB34:Y=286:GOSUB34
23 Y=326:GOSUB34:Y=366:GOSUB34:Y=406:GOSUB34:Y=446:GOSUB34
24 Y=487:GOSUB34:Y=488:GOSUB34:Y=489:GOSUB34:Y=450:GOSUB34
25 Y=495:GOSUB34:Y=496:GOSUB34:Y=497:GOSUB34:Y=458:GOSUB34
26 Y=418:GOSUB34:Y=378:GOSUB34:Y=337:GOSUB34:Y=336:GOSUB34
27 Y=335:GOSUB34:Y=374:GOSUB34:Y=374:GOSUB34:Y=414:GOSUB34
28 Y=454:GOSUB34:Y=342:GOSUB34:Y=382:GOSUB34:Y=422:GOSUB34
29 Y=462:GOSUB34:Y=503:GOSUB34:Y=504:GOSUB34:Y=504:GOSUB34
30 Y=505:GOSUB34:Y=466:GOSUB34:Y=426:GOSUB34:Y=386:GOSUB34
31 Y=346:GOSUB34:Y=510:GOSUB34:Y=470:GOSUB34:Y=430:GOSUB34
32 Y=390:GOSUB34:Y=350:GOSUB34:Y=351:GOSUB34:Y=352:GOSUB34
33 Y=393:GOSUB34:Y=432:GOSUB34:Y=431:GOSUB34:GOTO35
34 POKE(X+Y),Z:TEMP07:MUSIC"CR1":RETURN
35 PRINT"##### "
36 PRINT"##### "
37 PRINT"##### "
38 PRINT"##### "
39 DEF FNA(X)=1+INT(RND(4)*X)
40 DIMC$(2),D$(2):FORA=1TO2:READC$(A):READD$(A):NEXT
41 DIMH$(4):FORA=1TO4:READH$(A):NEXT
42 DIMI$(4),TW$(4):FORA=1TO4:READI$(A):READTW$(A):NEXT
43 DIMTR(13),PT(13),I(13):FORA=1TO13:TR(A)=1:NEXT:FORA=1TO13
44 B=FNA(13):IFPT(B)>0THEN44
45 PT(B)=A:NEXT
46 DIMSH(30):FORZ=1TO10:NS=10
47 HD=FNA(30):IFSH(HD)=1THEN47
48 SH(HD)=1:NEXTZ:DIMTN(13)
49 DIMAM$(5):FORE=1TO5:READAM$(E):NEXTE=M$:"Your Man ":MES$:"Your Men have "
50 W=1:PS=50:EL=100:NL=15:MY=1000:UF=40:ES=2000:PL=1000:MV=0:TK=1:GA=300
51 PRINT"#####":FORA=0TO2
52 PRINT"##### "
53 PRINT"##### "
54 PRINT"##### "
55 PRINT"##### "
56 PRINT"##### "
57 PRINT"#####STATUS":FORC=0TO100:NEXTC:NEXTA:PRINT"##### "
58 PRINT"U.S. Friendship: ";UF;"%"
59 PRINT:PRINT"E.L.D. Forces: ";EL
60 PRINT:PRINT" Popular Support: ";PS;"%"

```

(continued on next page)

(continued from previous page)

COUP D'ÉTAT

```

196 PRINT "That's One Less For Dinner":NL=NL-1:GOTO395
197 PRINTM$:"Meets A Government Contact":IFHS=OTHEN199
198 PRINT "Who Says Some RUDE Things About YOU":GOTO396
199 PRINT "Do You Wish To Exchange Hostages"
200 GOSUB468
201 IFAS="N" THEN396
202 M=FNA(200)+200
203 IFLL>OTHENNS=" LT.Lapidus":S=1:GOSUB210
204 IFY=1THENLL=0:MY=MY+M:HS=HS-1:NL=NL+SS:GOTO396
205 IFCL>OTHENNS=" Capt.Le Shan":S=2:M=M+2:GOSUB210
206 IFY=1THENCL=0:MY=MY+M:HS=HS-1:NL=NL+SS:GOTO396
207 IFGJ>OTHENNS=" Gen.Jung":S=3:M=M+3:GOSUB210
208 IFY=1THENNG=0:MY=MY+M:HS=HS-1:NL=NL+SS:GOTO396
209 GOTO396
210 SS=FNA(5)+1:PRINT "The Government Offers to Release":SS
211 PRINT "Lieutenants and Donate ";M;" Dollars for ";N$
212 PRINT "Do You Except"
213 GOSUB468
214 IFAS="Y" THENY=1:RETURN
215 Y=0:RETURN
216 GOSUB661: A=FNA(6):ONAGOTO224,239,241,251,252
217 K=FNA(7)
218 IF (PH>0)*(K<3)*(ES>PH) THENPRINT "The Police Station as Been RETAKEN":K=9
219 IFK>9THENEL=EL-PH:PH=0:GOTO396
220 IFK>5THENPRINT "You've Been Given A Contribution":MY=MY+FNA(4):PS:GOTO396
221 IF (K=2)+(K=3) THEN377
222 IF (K=1)*(GB=0) THENPRINT "You've Acquired A GOLD BAR":GB=1:GOTO396
223 PRINTM$:"Is Given A Signed Photo of the Football Team":GOTO396
224 S=PL:EN$=" Police":GOSUB466
225 IFAS="N" THEN396
226 LD=PH:N=4:LT$=" Police Station":RS=1:T=9:M=FNA(500)
227 GOSUB398: IFFA=1 THENFA=0:GOTO396
228 IFAC=2 THENPL=PL-S:GOTO396
229 IFAC=1 THENPH=Z:PL=0:PRINT "You NOW have Automatic Weapons":W=4:GOTO396
230 IFAC=3 THENPL=PL-S:GOTO396
231 IF (AC=4)*(CL=0) THENB=FNA(3):GOTO236
232 IFAC=4 THEN323
233 IFAC=5 THENY=FNA(2)
234 IFY=1 THENPRINT "The Reply is Not Printable":GOTO396
235 PRINT "I'll leave a cell door open for ";M;"dollars":MY=MY-NL:NL=2:GOTO396
236 C=FNA(2):IFB=1 THENPRINT "Your Attempt FAILED and You Lost ";C;"Men"
237 IFB=1 THENEL=EL-C:GOTO396
238 PRINT "You Have CAPTURED Capt Le Shan":CL=2:HS=HS+1:GOTO396
239 PRINT "You've LIBERATED Some Food Supplies":PRINT "From the Kitchens"
240 FO=FO+1:GOTO396
241 J=FNA(6):IF (J=5)*(W=1) THENPRINT "Your Arms Store is FOUND":W=1:GOTO396
242 IF (J=1)*(J=6) THEN250
243 IF (J=1)*(DT=0) THENPRINT "Your Dynaamite Has Been Discovered":DT=0:GOTO396
244 IF (J=2)*(HD=0) THENPRINT "Your Given Some Chopper Spares":HD=0:GOTO396
245 PRINTM$:"Is Recognised and Runs for A Safe House":GOSUB901
246 PRINT "Which One ? (1-30)":GOSUB471
247 INPUTA:IF (A<0)*(A>30) THENPRINT "Try again STUPID!"
248 IFSH(A)=1 THENPRINT "NO SWEAT":GOTO396
249 PRINT "IT WASN'T VERY SAFE":NL=NL-1:GOTO396
250 PRINT "The Bridge Tower Has Been Abandoned":TR(13)=0:TN(13)=MV:GOTO396
251 IFTR(10)=1 THENGOTO797
252 GOTO377
253 GOSUB505: A=FNA(5):B=FNA(10):KUF)+100
254 ONAGOTO258,274,276,277
255 PRINT:PRINTM$:"Is Contacted by ";IC$(FNA(2))
256 PRINT " (The Well Known C.I.A Agent)"
257 PRINT "Who Gives Him ";B;" Dollars in A ";H$(FNA(4)):MY=MY+B:GOTO396
258 PRINT:PRINTM$:"Is Contacted by ";D$(FNA(2)): " Who ";M=FNA(300)+50
259 PRINT "Offers to Sell Information for ";M;" Dollars Will You BUY ?"
260 IFM>MY THENPRINT "He wont take I.O.U.s":GOTO396
261 GOSUB468: IFA$="N" THEN396
262 MY=MY-M:N=FNA(4):PRINTM$(N):IF (N=1)+(N=2) THEN264
263 PRINT "Not A Lot of People Know That":GOTO396
264 PRINT "Would You like to Try A Kidnap"
265 GOSUB468
266 IFA$="N" THEN396
267 IF (N=1)*(GJ=0) THEN273
268 IF (N=2)*(CL=0) THEN273
269 Y=FNA(2):IFY=1 THENPRINT "You've Got Him":GOTO271
270 PRINT "Good Try.BAD RESULT":NL=NL-1:GOTO396
271 IFN=1 THENGJ=1:HS=HS+1:GOTO396
272 IFN=2 THENCL=1:HS=HS+1:GOTO396
273 PRINT "It seems someone beat you to it":GOTO396
274 IFTR(13)=1 THENGOTO797
275 PRINT "Nice Hotel This":GOTO396
276 GOSUB800:PRINTM$:"Is SHOT by POLICE ":NL=NL-1:GOTO396
277 IF (BA=0)*(ES<2000) THEN279
278 GOTO275
279 PRINT "Dr.Ratok just hired some mercenaries":ES=ES+FNA(2000-ES):GOTO396
280 GOSUB597: A=FNA(3):ONAGOTO287,154,306
281 K=FNA(7)
282 IF (PR>0)*(K<3)*(ES>PR) THENPRINT "The Prison has Been RECAPTURED":K=9
283 IFK>9THENEL=EL-PR:PR=0:GOTO396
284 IFK>5THENPRINT "You've Seagled in Some Food":PS=PS+FNA(15):GOTO396
285 IFK>6THENPRINTM$:"has Got Evidence of Torture":UF=UF+FNA(12):GOTO396
286 PRINT "I like these Neo-Gothic Buildings":GOTO396
287 PRINT "Do You Wish to Attempt A Rescue:"
288 PRINT " (1) By Sea:PRINT " (2) By Air:PRINT " (3) No Way"
289 BETA:IF (A<1)+(A>3) THEN289
290 S=FNA(4):IFA=3 THEN66
291 IF (A=2)*(HE=0)+(HD=1) THENPRINT "Are Flapping is Tiring Work":GOTO396
292 IF (A=1)*(BO=0) THENPRINT "The SHARKS Enjoyed the Meal":NL=NL-1:GOTO396
293 IF (A=1)*(RP=0)*(S>2) THENNL=NL-1:GOTO305
294 IF (A=1)*(S>2) THENPRINTM$:"Scaled the Cliffs and Rescued":GOTO302
295 SS=FNA(15)+5:IF (A=1)*(S=1) THENPRINTM$:"has Rescued":SS;" Comrades"
296 IF (A=1)*(S=1) THENEL=EL+SS:GOTO396
297 IF (A=1)*(S=1) THENPRINTM$:"Was Caught On The Beach ":GOTO301
298 SS=FNA(2)+1:IFA=2 THENPRINTSS;" Lieutenants have Been Rescued":NL=NL+SS
299 S=FNA(7):IFS=5 THENPRINT "Your Helicopter was Damaged":HD=1
300 GOTO396
301 PRINT "Making Sand Castles":NL=NL-1:GOTO396
302 SS=FNA(15)+5:PRINT "Comrades":EL=EL+SS:M=FNA(2)
303 IFM=1 THENPRINT "But the FOOL Left the KOPE Behind":RP=RP-1
304 GOTO396
305 PRINTM$:"Fell Scaling the Cliffs":GOTO396
306 S=GA:EN$=" Guards":GOSUB466
307 IFA$="N" THEN396
308 LD=PR:N=4:LT$=" Prison":RS=1:M=1:IFTR(2)=1 THENT=2
309 IFTR(4)=1 THENT=4
310 IFTR(6)=1 THENT=6
311 R=FNA(400)+900:GOSUB398: IFFA=1 THENFA=0:GOTO396
312 IFAC=2 THENGA=GA-S:GOTO396
313 IFAC=1 THENPR=Z:EL=EL+R:GOTO396
314 IFAC=3 THENGA=GA-S:GOTO396
315 IFAC=4 THENY=FNA(3):GOTO320
316 IFAC=5 THENY=FNA(2):M=M+S
317 IFY=1 THENPRINT "He Don't Take Bribes from Plebs":NL=NL-1:GOTO396
318 IFY=2 THENPRINT "O.K.I'll Deliver the Cake(with File) For ";M;" Dollars"
319 IFY=3 THENMY=MY-NL:NL=NL+J:GOTO396
320 IF (Y=1)*(LL=0) THENPRINT "Lt.Lapidus is Now Your Guest":LL=1:HS=HS+1:Y=5
321 IFY=5 THEN396
322 IFY=2 THENPRINTM$:"BUNGLED it":NL=NL-1:GOTO396
323 PRINT "There was No One Worth Kidnapping":GOTO396
324 GOSUB575: A=FNA(5):ONAGOTO325,326,337,336:GOTO197
325 LD$="The Church":GOTO161
326 PRINTD$(FNA(2)): " Tells You that an Ambassador is COMING."
327 PRINT "How about Kidnapping Him?"
328 GOSUB468
329 IFA$="N" THEN396
330 S=FNA(5):PRINT "You've Grabbed the ";AM$(S); " Ambassador"
331 IFS=5 THENPRINT "This was NOT A Smart Move":UF=UF-18:GOTO396
332 IFS=3 THENPRINT "What Are You Trying for EXCOMMUNICATION":PS=PS-18:GOTO396
333 PRINT "How Many Dollars will You Ask For":GOSUB471:INPUTM
334 J=FNA(500)+500:IFM>S:J THENPRINT "It Seems You Can KEEP HIM":GOTO396
335 PRINT "Its A DEAL":MY=MY+M:GOTO396
336 PRINT "Alright who Stole The Poor Box":PS=PS-FNA(14):GOTO396
337 PRINTM$:" gets a rundown of assets":GOTO784
338 GOSUB722: A=FNA(5):ONAGOTO345,356,361,377

```

```

339 K=FNA(7)
340 IF (BT>0)*(K<3)*(PL>BT) THENPRINT "THE BARRACKS HAVE BEEN RECAPTURED":K=9
341 IFK>9THENEL=EL-BT:BT=0:GOTO396
342 IFK>5THENPRINT "You've Liberated some Money":MY=MY+FNA(100):GOTO396
343 IF (K=1)*(JP=0) THENPRINTM$:"has Found An Army Jeep":JP=1:GOTO396
344 PRINTM$:"Is Asked if He'd like to JOIN SUP":GOTO396
345 S=FNA(13):IFTR(G)=1 THEN348
346 IFMV-TN(G)<2 THEN345
347 PRINT "No.":PT(G): " Guard Tower has Been Rebuilt":TR(G)=1:GOTO396
348 GOSUB613:PRINT "No.":PT(G): " Guard Tower is without Ground"
349 PRINT "Cover.Do You Fancy Blowing it up"
350 GOSUB468
351 IFA$="N" THEN396
352 IFDT=1 THENPRINT "What with ? A BIKE PUMP!":GOTO396
353 S=FNA(2):Z=FNA(20)+8:IFS=1 THENPRINT "The Butterfingered IDIOTS have BLOWN"
354 IFS=1 THENPRINT "THEMSELVES UP":EL=EL-FNA(10)+10:BT=BT-1:GOTO396
355 PRINT "That's what I call A BANG":TR(G)=0:TN(G)=MV:DT=DT-1:PL=PL-Z:GOTO396
356 PRINTM$:"has Been Captured and is being INTERROGATED"
357 PRINT "He has given the Address of A House":S=FNA(30):IFSH(S)=1 THEN359
358 PRINT "It belongs to the PRESIDENTS MISTRESS":EL=EL-1:GOTO396
359 J=FNA(20)+2:PRINTJ;" of your Men are CAUGHT There":EL=EL-(J+1)
360 SH(S)=0:N$=NS-1:GOTO396
361 IFS<200 THENES=200
362 S=ES:EN$=" Soldiers":GOSUB466
363 IFA$="N" THEN396
364 B=2:FORA=1 TO4: IFTR(A)=1 THENB=A
365 NEXT
366 LD=BR:N=4:LT$=" Barracks":RS=1:M=FNA(1000):T=B
367 GOSUB398: IF (AC=1)*(W<4)*(PR=0) THENFA=1
368 IFFA=1 THENPRINT "BAD LUCK":FA=0:GOTO396
369 IFAC=1 THENBT=Z:BT=1:PRINT "You Now Have a BAZOOKA":GOTO396
370 IFAC=2 THENES=ES-S:GOTO396
371 IFAC=3 THENES=ES-S:GOTO396
372 IFAC=4 THENY=FNA(3):GOTO374
373 PRINT "You Can't Match the DDCS Pay":GOTO396
374 IF (Y=3)*(GJ=0) THENPRINT "Gen.Jung is now Your Guest":GJ=1:HS=HS+1:GOTO396
375 IFY=3 THENPRINTM$:"BUNGLED it":NL=NL-1:GOTO396
376 PRINTM$:"Captured A Crate of Beer":GOTO396
377 PRINTM$:"Sees A MAP":MP=1:FORA=0 TO900:NEXT:GOTO472
378 GOSUB539: S=FNA(2):ONSGOTO379,383
379 PRINTM$:"sees A Cuban Advisor.":S=FNA(4)
380 IF (S=1)+(S=2) THENPRINTM$:"CAPTURED Him":UF=UF+FNA(14):GOTO396
381 IFS=3 THENPRINTM$:"Is Captured":NL=NL-1:GOTO396
382 PRINT "How EMBARRASSING he's A Cigar Salesman":GOTO396
383 S=400:EN$=" Soldiers":GOSUB466
384 IFTR(5)=1 THENT=5
385 IFTR(3)=1 THENT=3
386 IFA$="N" THEN396
387 N=B:LT$=" Palace":RS=1
388 GOSUB398: IFFA=1 THEN392
389 IF (AC=1)*(BZ=0) THENPRINT "*****":ME$:"been WIPED OUT":GOTO392
390 IFA=1 THEN744
391 GOTO393
392 EL=EL-Z:GOTO396
393 IF (AC=2)+(AC=3) THENES=ES-S:GOTO396
394 IFAC=4 THENPRINT "You must be JOKING":GOTO396
395 IFAC=5 THENPRINT "you couldn't Pav Our Bar Bill":GOTO396
396 IFA$="N" THENA$="0":GOTO66
397 FORA=0 TO600:NEXT:GOTO66
398 IFLO>OTHENPRINT "IDIOT You've already Liberated the ";LT$:GOTO396
399 PRINT "*****":L=0
400 PRINT "*****"
401 PRINT "***** ACTION *****"
402 PRINT "*****"
403 PRINT "*****"
404 PRINT " (1) Capture (2) Raid"
405 PRINT " (3) Assassinate (4) Kidnap"
406 PRINT " (5) Offer Bribes":PRINT:GOSUB471
407 INPUTAC:FA=0
408 IF (AC=1)+(AC=2) THEN410
409 GOTO418
410 INPUT "How Many Men Will You Send":Z:Y=Z*M
411 U=S:FNA(2)+2:IFZ>EL THENPRINT "Your not that popular":GOTO408
412 IF (AC=1)+(AC=2)*(Y/U) THEN415
413 K=FNA(6):IF (AC=1)+(AC=2)*(TR(T)=1)*(K>2) THEN415
414 GOTO416
415 PRINT "Your Attempt FAILED":EL=EL-Z:W:NL=NL-1:FA=1:RETURN
416 IFAC=2 THENS=FNA(5):PRINT "You Have Killed ";S;EN$:RETURN
417 IFAC=1 THENPRINT "You Have TAKEN the ";LT$:RETURN
418 IFAC=3 THENZ=INT (FNA(30)/W):S=INT (FNA(20)/W):PRINTM$:"Killed";S;
419 IFAC=5 THENPRINTM$:" and Lost":Z:EL=EL-Z:RETURN
420 IF (AC=4)*(RS=0) THENPRINT "NO RANSOM is Paid for ";EN$:RETURN
421 IFA=4 THENRETURN
422 IF (AC=5)*(MY>M$) THENRETURN
423 IFA=5 THENPRINT "YOU HAVEN'T GOT MONEY FOR BRIBES":GOTO396
424 PRINT "DR.Ratok is broadcasting one of is 6 hour speeches about YOU.":
425 PRINT "The people blame YOU for having to put up with it":RETURN
426 DATA " John Kisinski", " Lopez", " Raoul Smith", " Gomez"
427 DATA " Stuffed Owl", "n Old Sock"
428 DATA " Copy of the Diaz Taxes", " Truss"
429 DATA "Gen.Jung is about to Visit the Hotel", " Knives"
430 DATA "Capt.Le Shan is about to Visit the Hotel", " Hand Guns"
431 DATA " Lt.Lapidus WEARS TIGHTS", " Rifles"
432 DATA " Sgt.Sadoul HATES NICE", " Automatic Weapons"
433 DATA "CUBAN", "RUSSIAN", "PAPAL", "SYRIAN", "AMERICAN"
434 PRINTM$:"Meets an Arms Dealer with*****Catalogue":FORA=0 TO2000:NEXT
435 PRINT "*****KAGOSHII GLOBAL ARMS SALES***** Discount for 300+Guns"
436 HA=FNA(5)+5:RI=FNA(10)+10:DY=FNA(100)+100:RD=FNA(50)+50:PRINT
437 PRINT " (1) ";TW(2);HA;" each";PRINT " (2) Rifles:R1;" each"
438 PRINT " (3) Dynaamite:DY;" ";PRINT " (4) Rope:RO;"
439 SA$="*****SOLD":N$="YOU CAN'T AFFORD IT":IF (HE>0)+(MY<3500) THEN442
440 PRINT " (5) SPECIAL OFFER Ex-U.S.Army"
441 PRINT "*****Helicopter (low Mileage)"
442 PRINT " (6) Nothing":PRINT " Which Item Would You Like to Buy":GOSUB471
443 INPUTAB
444 IF (AB=1)*(MY>HA*300) THENPRINTSA$;W=2:MY=MY-HA*300:GOTO396
445 IFA=1 THENPRINTM$:GOTO396
446 IF (AB=2)*(MY>RI*300) THENPRINTSA$;W=3:MY=MY-RI*300:GOTO396
447 IFA=2 THENPRINTM$:GOTO396
448 IF (AB=3)*(MY>DY) THENPRINTSA$;MY=MY-DY:DT=DT+1:GOTO396
449 IFA=3 THENPRINTM$:GOTO396
450 IF (AB=4)*(MY>RD) THENPRINTSA$;MY=MY-RD:RP=RP+1:GOTO396
451 IFA=4 THENPRINTM$:GOTO396
452 IF (AB=5)*(MY>3500) THENPRINTSA$;MY=MY-3500:HE=1:GOTO396
453 IFA=5 THENPRINTM$:GOTO396
454 GOTO66
455 PRINT "*****The Black Marketeer Offers"
456 IFFO=OTHENM=FNA(500):SP$="Some Food":GOSUB462: IFA$="Y" THENFO=FO-1
457 IFRD=1 THENM=FNA(1000):SP$="Your Radios":GOSUB462: IFA$="Y" THENRD=2
458 IFVR=1 THENM=FNA(1500):SP$="Your Videos":GOSUB462: IFA$="Y" THENVR=2
459 IFJP=1 THENM=FNA(700):SP$="Your Jeep":GOSUB462: IFA$="Y" THENJP=2
460 IFGB=1 THENM=FNA(2500):SP$="Your Gold Bar":GOSUB462: IFA$="Y" THENGB=2
461 GOTO396
462 PRINT "*****M"; " Dollars for ";SP$
463 PRINT "*****What About It":GOSUB468
464 IFA$="Y" THENMY=MY-M:RETURN
465 RETURN
466 PRINTM$:"is Told That There Are";S
467 PRINTM$:" in the Area. Will You Take ACTION"
468 GETAS:IFA$="*****" THEN468
469 IF (AS="Y")+(AS="N") THENRETURN
470 PRINT "You Could Become BORING! PRESS YorN":GOTO468
471 PRINT "***** * SELECT NUMBER THEN PRESS CR#":RETURN

```


GAMES SPECIAL FIND

```

00000 REM "PROBE"
00001 PRINT AT 10,10;"PROBE"
00002 PRINT AT 13,10;"BY B. R. LAM."
00003 PRINT AT 14,10;"22/1/82"
00004 PRINT AT 19,0;"DO YOU WANT
00005 TO PLAY THIS GAME Y/N?"
00006 INPUT I$
00007 IF I$="Y" THEN GOTO 100
00008 IF I$="N" THEN GOTO 200
00009 DIM H(7,3)
00010 DIM F(7)
00011 DIM K(7)
00012 DIM C(7)
00013 DIM L(7)
00014 DIM H(7,3)
00015 DIM P(7,3)
00016 DIM M(7,4)
00017 FOR H=1 TO 7
00018   FOR L=1 TO 3
00019     LET H(H,L)=RND*(3)
00020   NEXT L
00021 NEXT H
00022 FOR K=1 TO 7
00023   FOR P=1 TO 3
00024     LET K(K,P)=RND*(3)
00025   NEXT P
00026 NEXT K
00027 FOR H=1 TO 7
00028   FOR L=1 TO 3
00029     LET F(H)=RND*(3)
00030   NEXT L
00031 NEXT H
00032 FOR H=1 TO 7
00033   FOR L=1 TO 3
00034     LET M(H,L)=RND*(3)
00035   NEXT L
00036 NEXT H
00037 PRINT AT 20,0;"H=1 TO 7"
00038 PRINT AT 20,0;"H(H)=H"
00039 PRINT AT 20,0;"NEXT H"
00040 FOR H=1 TO 7
00041   PRINT AT 20,0;"H(H)=H"
00042   FOR L=1 TO 3
00043     PRINT AT 20,0;"H(H)=H"
00044   NEXT L
00045 NEXT H
00046 PRINT AT 20,0;"NEXT H"
00047 PRINT AT 20,0;"COLOUR LOCKS"
00048 FOR H=1 TO 7
00049   R=INT(RND*(7+1))
00050   X=H(R)
00051   LET H(R)=H(H)
00052   LET H(H)=X
00053 NEXT H
00054 PRINT AT 20,0;"NEXT H"
00055 PRINT AT 20,0;"COLOUR KEYS"
00056 FOR K=1 TO 7
00057   FOR P=1 TO 3
00058     LET K(K,P)=RND*(3)
00059   NEXT P
00060 NEXT K
00061 PRINT AT 21,0;"K?"
00062 INPUT P
00063 PRINT AT 21,0;"L?"
00064 INPUT L
00065 REM "CHECK KEY"
00066 IF P(H)<>0 THEN GOTO 500
00067 IF H(H)=1 AND P=1 THEN GOTO 62
00068 IF H(H)=2 AND P=2 THEN GOTO 62

```




Figure 1. Top line shows two of the keys, bottom line shows two of the locks.

PROBE IS A game program for the ZX-81 with 16K RAM that requires equal measures of luck and skill for it to be completed in the minimum number of moves. The essence of the game is to fit seven keys, which are all different, into the correct locks in the minimum number of moves.

The game is original, and was first developed as a board game to rival the popular game of Mastermind. In its original form the keys consisted of a combination of pins mounted on a shaft, which were tried at various positions on the board to penetrate the locks which consisted of plates with holes in designed to fit specific keys. Its advantage over Mastermind is its self-scoring ability, that is, a passive opponent is not required to report the success or failure of each move.

A second version of the board game was also devised so that a second player could actively participate. This version had locks on the opponent's side of the board that were the reciprocal of the player's own locks. Unfortunately the screen size on the ZX-81 is too small for this second version of the game.

The basis of ZX-81 Probe is that a key with up to three pins on it, can have a possible seven combinations.

If we have seven keys we only need seven locks to complete the elements of a board game.

If it is imagined that the keys are pins and that the locks are holes, it will be seen that most keys will fit into more than one lock, as

- C(H) A counter used to locate the printing of copies of the key above the lock when it has fitted.
 - K(H) A counter used to locate the printing of copies of the key below the lock when it was tried and failed to fit.
 - F(P) Flag to indicate whether a particular key P has been placed on the board.
 - H(H) The number of the lock in position H.
 - P(H) The number of the key in position H.
 - L(P) The last location of key P.
 - H The lock position.
 - P The key position.
- Variables used.

The object of this game is to fit seven keys in seven locks in as few goes as possible. How good a cracksman are you?

shown in figure 2. However, if all the keys are to be fitted, the correct key must be found for each lock.

The object of the game, therefore, is to fit each key into its correct lock. The game is initially set up on the screen like this. First, the keys are set out in sequence along the bottom of the screen and each one is numbered from 1 to 7. Next, the locks are shuffled by the computer, layed out across the centre of the screen, and then covered by a grid or shield so that the player cannot see the sequence. The beginner's game leaves the shield off.

A prompt — K? — appears at the bottom left-hand corner of the screen, asking for the number of the key to be played.

This is followed by a prompt asking which




Figure 2. As you can see, some keys would fit more than one lock.

lock the key is to be tried in — L?. If the key fits — and remember it need not necessarily be the correct fit — the display will change as shown in figure 3.

If a key does not fit, the key stays put.

Several moves later you may conceivably get to the stage where, say, key 2 has been fitted into lock 1 and key 3 into lock 6. Key 4 has failed to fit in any of the remaining unoccupied locks.

To find a home for key 4 it is necessary to move one of the other keys which must be occupying key 4's proper lock. The best chance of fitting key 4 is to try locks 1 or 6. Let us therefore try it in lock 1. To do this we must first move key 2 somewhere else, say lock 7. Therefore input:

K? 2 L? 7

This fits and therefore leaves lock 1 free to try key 4 in it. Therefore input:

K? 4 L? 1

The game continues in this manner until all seven keys have been housed. When this point

THE KEY TO ZX PROBE

is reached your score is printed at the top of screen; the lower score the better.

You cannot place a key into a lock that is already occupied. Keys always retain the number they are given at the start of the game, they do not adopt the number of the lock they are fitted into.

A key must always have a home either at the bottom of the board or in the board, it cannot be pulled out of a lock and left out, it must find a new lock to fit into before vacating its current position.

As for the program itself, lines 20 to 160 put the key, mask and lock shapes into their respective strings. Lines 170 to 190 allocate a position to each of the locks before they are shuffled by lines 200 to 250 into a random sequence. After shuffling they are sent off for the printing of the board, and all the keys, locks and key numbers.

Line 253 jumps the printing of the screen over the locks if the beginner's game is being played. Lines 500 to 520 ask you to enter the number of the key to be moved and the number of the lock it is to be tried in. Line 525 stops you trying to fit a key into a lock that is already occupied.

Lines 530 to 590 are a logic gate and judge the compatibility of key and lock. If they are compatible then you jump to line 620. Lines 600 and 610 are used, if the key and lock are not compatible in which case a counter K(H) is incremented by two so that the not-fit marker is printed in the correct position.

Line 620 increments the fit marker for printing. Line 630 checks the flag F(P) to see if the key P has previously been fitted. If it has, a different print routine has to be used. Line





Figure 3. Key 1 is shown above lock 2 which is blanked off to show that a key has been fitted.



640 sets the variable L(P) equal to the board position for key P.

Line 650 sets the flag F(P) equal to 1 for key P showing that from now on that key is in play. Lines 1010 to 1050 print the locks, keys and key numbers. Lines 1100 to 1125 are used when a key has been fitted. Line 1105 prints a solid blank over the lock to show that it is now occupied.

Line 1110 prints the key over the lock using counter C(H). Lines 1120 and 1125 print a mask in place of the key that was at the bottom of the board. Line 1130 sends off for checking to see if all the keys have been fitted.

Lines 1200 to 1220 are used when a key was tried and failed to fit, in this case line 1210 prints a copy of the key below the locks to show that it was tried and failed. Lines 1300 to 1337 are used when a key is moved and fits into another lock on the board. Line 1310 prints a screen over the vacated lock to show that it is now empty.

Line 1320 prints the key above the new lock. Line 1330 prints a solid blank over the new lock to show that it is occupied. Line 1335 sets the variable P(L(P)) to 0 indicating that no key is fitted in that location.

Line 1337 sets the variable L(P) to the value of key P. Line 1500 to 1515 tests to see if all the locks are occupied. Line 1502 is used to update P(H) with its new key. Lines 1505 to 1515 checks each lock in turn.

Lines 1517 onwards count the number of goes taken by adding up the counters C() and K() and dividing by two. Remember the counters are increased by two each time.


```

0550 IF H(H)=3 AND P=3 THEN GOTO 620
0560 IF H(H)=4 AND P=2 OR H(H)=4
AND P=3 OR H(H)=4 AND P=4 THEN
GOTO 620
0570 IF H(H)=5 AND P=1 OR H(H)=5
AND P=2 OR H(H)=5 AND P=5 THEN
GOTO 620
0580 IF H(H)=6 AND P=1 OR H(H)=6
AND P=3 OR H(H)=6 AND P=6 THEN
GOTO 620
0590 IF H(H)=7 THEN GOTO 620
REM XXXXXXXXXXXX
LET K(H)=K(H)+2
GOTO 1200
REM XXXXXXXXXXXX
LET C(H)=C(H)+2
IF F(P)=1 THEN GOTO 1300
LET L(P)=H
LET F(P)=1
GOTO 1100
REM XXXXXXXXXXXX
FOR X=1 TO 7
PRINT AT 9,(X*4)-2;H$(H(X))
PRINT AT 19,(X*4)-2;P$(X)
PRINT AT 21,(X*4)-1;X
NEXT X
RETURN
REM XXXXXXXXXXXX
PRINT AT 9,(H*4)-2; " "
PRINT AT 9-C(H),(H*4)-2;P$(P)
PRINT AT 19,-2+(P*4);M$(P)
PRINT AT 20,-2+(P*4); " "
GOTO 1500
REM XXXXXXXXXXXX
PRINT AT 9+K(H),(H*4)-2;P$(P)
GOTO 500
PRINT AT 9,(L(P)*4)-2; "███"
PRINT AT 9-C(H),(H*4)-2;P$(P)
PRINT AT 9,(H*4)-2; "███"
LET P(L(P))=0
LET L(P)=H
GOTO 1500
REM XXXXXXXXXXXX
REM XXXXXXXXXXXX
REM XXXXXXXXXXXX
LET P(H)=P
FOR H=1 TO 7
IF P(H)<>H(H) THEN GOTO 500
NEXT H
REM XXXXXXXXXXXX
LET S=0
FOR X=1 TO 7
LET S=S+C(X)/2+K(X)/2
NEXT X
PRINT AT 0,0;"Score ";S;" ANOTH
ER GO Y/N?"
INPUT G$
LET I$="N"
IF G$="Y" THEN GOTO Z
STOP
SAVE "PROBE"
GOTO 1
    
```

Why not spend Christmas with the Genie Family!



Our ingenious range of small computers, accessories and software make ideal gifts for 1st time buyers or committed hobbyists!



Genie I

Tried and trusted! - The Genie I is still one of Britain's best-selling small computers, with over 14,000 sold, and it's easy to see why! Software compatibility with Level 2 BASIC means there are literally 1000's of programs on the market ready to run on the Genie, including educational, leisure and small business applications. It's easy to expand, with a vast range of accessories to perform many functions - you only have to read this ad!

Genie I is the ideal computer for the first time buyer, to use at home, at school or at work. The simple BASIC language enables you to write your own programs with ease, and the Microsoft Extended BASIC offers many powerful extra features.

So, if you are not lucky enough to own a Genie I, or if you have a less powerful small computer and want to upgrade, go along to your local Genie dealer, or phone us for advice. It could be your first step into the enthralling world of microcomputers.




Genie II

Equally popular and totally reliable! - The Genie II is a breakthrough for small business computers. Harnessing all the advantages of the Genie I, including its low price, Genie II adapts perfectly to commercial functions with the addition of the following features:

★Numeric Keyboard ★Specific Business Commands ★Four User-Definable Function Keys ★Expandable via the same Genie peripherals ★Extension to BASIC.


Genie II is an ideal, first-entry, computer for the small business. Corner shops, professional practices and small manufacturers can all benefit from a Genie II business system. For further advice, see your local dealer, or contact us direct!



PRINTERS

The EG 3085 is quiet, fast and efficient. Printspeed is 100 characters per second and printing is bi-directional at 80 or 136 characters per line. Suitable for use with other systems, it has three typestyles, adjustable pin or friction feed and single sheet or roll paper facilities. **£425 plus VAT.**

If you don't want to pay that much for a printer, consider the EG 603. It doesn't match the EG 3085 in certain areas, but you will still get 100 c.p.s. bi-directional, a range of character styles, forward and reverse feed and pin/friction feed, with 96 characters and 64 graphic patterns. **£235 plus VAT**



BROTHER HR-1 Daisywheel Printer

You can now buy a superior daisywheel printer for a price only previously associated with dot matrix models.

The Brother HR is an enticing addition to your system. It has a print speed of 16 cps, range of 8 typefaces, and a choice of two models with either parallel or RS232 interfaces.

Reliability, durability and attractive appearance make the Brother HR-1 probably the best printer buy this Christmas!

£650 - VAT


EQUIPMENT COVERS

Beat the dirt, coffee spills and sticky fingers when your computer and monitor are not in use with these top quality black leather covers.

Genie CV1 **£5 plus VAT.**

12" monitors CV6 **£6.20 plus VAT.**

9" monitors CV3 **£4.20 plus VAT.**




GENIE MONITORS

Two good performance, low priced 12" monitors, either to match your Genie or compatible with a wide range of other systems. Good resolution and band width and, of course, they free your television set for the other type of programmes you like to watch!

The EG 100 12" in black & white costs **£69 plus VAT.**

The EG 101 12" with green phosphor is **£79 plus VAT.**



A.V.T. MONITORS

Available in 9" and 12" sizes, with white, green or amber display, Lowe A.V.T. monitors are sturdy, attractive, easy to operate and feature an easy view screen with smoked anti-glare display filter. Compatible with most popular micros on the market. From **£75 plus VAT.**

HIGH RESOLUTION GRAPHICS

Increase graphic resolution capabilities on your Genie seventy-three fold with the LE18 HI-RES unit. It offers bit image graphics of 73,728 points, a resolution of 384 x 192, and uses a separate 16K of video memory to achieve its resolution. Graphics are intermixable with text or existing pixel graphics, and animation, reverse video displays and use of programmable graphic characters are possible. **£86 plus VAT.**

TECHNICAL MANUALS


Full technical details of Genie Hardware (all you ever wanted to know about Genie).

Genie I/II Technical Manual

£10 - No VAT.

Expander and accessories (EG3014)


£10 - No VAT.



EXPANDER BOX

The updated EG 3014 expander box allows for up to four disk drives with optional double density. It connects to a printer, or RS 232 interface, or S100 cards. Not bad value at **£190 plus VAT (16K version)** or **£200 plus VAT (32K version)**

*The EG 3014 will work with TRS 80 by using the EG 3023 Tandy Adaptor.



DISK DRIVES

If you want fast, reliable program storage, true random access file handling and access to many computer languages, we can meet your needs. The EG 400T provides storage of up to 184320 bytes per floppy disk and comes complete and tested, in a stylish colour matched cabinet. **£220 plus VAT.**

The EG 401 AT offers dual disk drive with 368640 bytes of useable storage and comes complete with a power supply ready to connect to an expander box. **£365 plus VAT.**

DOUBLE DENSITY ADAPTOR

Allows the use of standard minidisk drives in double density, with virtually double the storage capacity. The EG 3021 is equally at home in the Genie or TRS-80 expander boxes.

A double density disk operating system will be needed, such as smallDOS provides. **£72 plus VAT.**

smallDOS

Powerful, yet reasonably priced, the Genie smallDOS contains 21 library commands, 7 utilities, LBASIC, disk basic and bags of information, including a reference manual and 40 page beginners guide to disk usage. **£35 plus VAT.**

BUSINESS SOFTWARE

Specifically written for the Genie II computer, with disks and a suite of packages from the renowned house TRIDATA. The suite includes SALES LEDGER, PURCHASE LEDGER, PAYROLL and STOCK CONTROL. Each package is a very reasonable **£175 plus VAT.** Full details on request.

EG 3203 TANDY-BASHER

If you are a TANDY user, read on! The EG 3203 is bus converted to allow Genie peripherals to be used with Tandy Model I computers. **£18.40 plus VAT.** (Just in case there might be a few strange souls who want to convert in the opposite direction, there is the 50/40 converter which generates a Tandy compatible 40 way bus from a Genie.) **£34 plus VAT.**

FRED MUSIC SYNTHESISER

Beethoven might well roll over at this stereo music synthesiser, it can produce six simultaneous notes over the whole audio range and provide sound effects. FRED comes complete with a software compiler, full instructions and a demo tune. It is simply plugged onto the Genie 50 way bus and has two outputs for an audio amplifier. **£51 plus VAT.**

EG 3016 PARALLEL PRINTER INTERFACE

The EG 3016 is a simpler interface allowing a Centronics parallel compatible printer (EG 603, EG 3085) to be connected directly to the Genie keyboard without the need for an expander box. **£38 plus VAT.**

BUS EXTENDER

A most useful accessory, allows two bus using devices to be connected simultaneously to the Genie - when using the Hi Res and expander for instance. **£21 plus VAT.**

EP1, EP3

Genie I and Genie II have ROMS offering 13.5K BASIC are custom written extensions contained in EPROMs. You can change these as follows:

EP1 Adds all Genie I software facilities to other Genies, lower case driver, machine language monitor, renumber facility, keyboard repeat and screen print.

EP3 Has HI-RES driver software with 10 extra HI-RES commands which prevent need to load HI-RES software from tape. All at **£12 plus VAT.**

For Video Genie Systems, the LE-19 connects direct to the Genie bus and allows one of these EPROMs to be fitted externally. **£26.50 plus VAT.**

SYSTEMS DESK


Even a compact modular computer system like the Genie benefits from being used on a custom designed system desk. The SD1 system desk is designed to accommodate a complete Genie System and has a special upper shelf to support the display monitor at the best level. The desk is flat packed for easy delivery and finished in attractive teak and charcoal colours. **£81.40 plus VAT.**



SPECIAL TECHNICAL GENIE
HOT - LINE ON 0629 4995
for all your technical advice and service back-up on any aspect of the Genie system direct from the experts!



ONLY **£199** inc. VAT



Colour Genie is the latest piece of personal computer magic from Lowe Electronics. Remarkably compact in design, Colour Genie is a powerful piece of new technology which combines all the best features of the popular Genie I; 16K RAM, 16K BASIC ROM, and full size typewriter keyboard, with the addition of vivid colour, high resolution graphics, 3 channel sound and 40 x 24 screen format - a new dimension in home computing!

Put one in your living room, connect it to a standard colour TV, and you will be amazed at the worlds that open up for you and your family!

For children and adults, Colour Genie provides an ideal introduction to computer programming. If you fancy a spot of intergalactic travel, or a battle for the planets, Genie will lay on the transport. When you get tired of the kids beating you at Space Invaders, you can always turn their attention to schoolwork. Genie makes that fun too! You can learn typing, a foreign language, or simply keep your household accounts in order.

Of course, Colour Genie is only one of a number of home computers you could consider buying; however, the £199 price tag gets rid of some of the opposition, as do the 64 present and 128 programmable graphic characters! 8 exciting colours leave a few more standing, and four function keys with a built in power supply put Colour Genie way out in front!

ACCESSORIES

Colour Genie can be supplemented by a large range of optional extras. There is an attractive matching cassette recorder on which to store your own programs, or play pre-recorded software. Joysticks are available for popular video games, and a position-detecting light pen to heighten your colour-graphic creations. If you want to put your machine to work in your business, it can be expanded by a 16K RAM card, and connected to a quality matrix printer via the printer interface and cable.

SOFTWARE

Colour Genie uses a Z80 central processing unit, and is fully programmable in Microsoft colour BASIC, the most popular home computer language in the Western World!

MUSIC

Colour Genie contains a FULL MUSIC SYNTHESISER, which will generate a remarkable range of musical sounds through your T.V. speaker, in a variety of pre-settable tempos.



Chesterfield Rd., Matlock,
Derbyshire DE4 5LE.
Tel: 0629 4995 Telex: 377482 Lowlec G

Please send me details of my nearest Genie dealer OR The following items: _____
Name _____
Address _____
Tel: _____
 I enclose 30p p & p for Genie Colour Brochure



YC.12.82

IN THIS VERSION of Breakout, a machine-code subroutine has been used to move the bat. The mnemonics for the machine code are included so that if anybody wants to convert the game, they should be able to. Peeks and Pokes are all explained in this program.

The screen starts at location 7680 and finishes at 8185. The top right corner is 7701, and the bottom left corner is 8164. The colour memory map starts at 38400 and goes on to 38906. The top right location is 38421 and the bottom left location is 38884.

If any other Vic owners have memory expansion above the 3K RAM from Commodore, then they will know that the screen relocates to 4096. This means that using the character generator is not possible. To overcome this you must type the following:

```
POKE 648,30:POKE 642,32:POKE 36869,240:
POKE 36866,150:POKE 0,108:POKE 1,0:
POKE 2,192:SYS(0)
```

This relocates the screen to 7680, and Basic starts above it. This leaves the space from 4096 to 7679 free for the character generator. SYS58276 resets all variables including the memory pointers without altering the program.

In line 1, Gosub 4200 initialises the machine code: 0 and 1, the free locations in the zero page, contain the value of the key pressed. Location 673 contains a routine which checks for all the bricks gone. At 674 is the last position of the bat. The 675, 676 Pokes indicate the key pressed — 675 for Z key, 676 for C key. Peek (197) returns value of key pressed.

In line 2, R1 to R4 are screen control registers. The S3 designates voice number 3, V is for volume. In line 5, V + 1 sets screen and border colour to orange and red. The sixth line's T(I) colours the layers of bricks: it can be altered for random colours. Goto 2000: this is the start of instructions.

In line 10, Y gives the vertical position of the ball; DY gives direction, that is, -1 is up, 1 is down, SC is score and HI is high score. In line 11, SC is reset. The level prompt indicates the number of bats; level 1 is one bat and level 4 is four bats. A null input sets the level to 4. At line 12, C is the counter for the number of bats used. The top left-hand corner of the screen is 7680. Character 224 is a reversed space, that is 96 + 128. The border around the screen is dealt with in 13. A reverse graphic is indicated by 208. A% is used for random colour. Location 38400 is the first colour location on the screen. Graphic 207 is a reverse space.


In line 15, 8164 is the bottom left-hand location of the screen. The corresponding colour memory map is given by 38884. In line 19, the loop I determines how many layers of bricks and their position; in this case five layers starting four lines down from the top of the screen. The loop J determines how many bricks in each line, in this case 20. At line 30, the graphic character 204 is a reversed space. In line 75, X is the horizontal position of the ball — graphic 81 — and Y is the vertical position. The Y value is multiplied by 22, because the screen is 22 characters wide.

In line 110, SYS 680 calls the machine-code subroutine to check which key, if any, has been pressed, and if so, move the bat. Line 180 rubs out the ball. The lines from 190 to 220

GAMES SPECIAL

BR

You have to stay on the ball if you want to break through to higher scores in John Cullen's Vic-20 version of the famous arcade game.



work out the new position of the ball; line 200 checks if the ball is at either side of the screen, and if so, reverses direction. Line 220 checks whether or not you have missed the ball. Line 230 checks new position to see if it is occupied by a brick. Line 240 checks if the ball has hit the bat or got to the top of the screen. Line 250 turns off the sound. Line 255 checks to see if

all the bricks have gone with SYS 736, the second machine-code routine. If all the bricks have gone, then location 673 will contain 1, otherwise a 0. Line 260 calls machine code to move the bat. The speed of the bat is controlled by the number of SYS 680 commands between lines 75 and 260. Line 300 controls sound effects if the ball is missed.

```
LDY# $02A2
LDA# 32
STA($1FCD),Y
STA($1FCE),Y
STA($1FCF),Y
LDX# 00
LDA(I),X
CMP#0A3
BNE A
CPY# 02
BEQ A
```


```
DEY
LDA(I),X
CMP#02A4
BNE B
CPY# 19
BEQ B
INY
LDA# 224
STA($1FCD),Y
STA($1FCE),Y
STA($1FCF),Y
```

```
STY#02A2
RTS
```

```
LDX# 00
LDA($1E00),X
CMP# 204
BEQ A
INX
CPX# 255
BNE B
LDA# 01
STA#02A1
RTS
```

NB: Numbers after the hash are decimal
Mnemonics for the machine code.

BREAKOUT



Line 310 takes one off the counter and if you still have a bat, Resets direction counters Y and DY, X and DX. Line 320 gives control to line 465, when all the bats are gone. Lines 400 to 418 control the display if you get all the bricks. The registers R1 to R4 are used here, to give a display. P% is the extra bonus you get, depending on level and final score. Line 470 clears the input buffer — 198 — and lines 471 and 472 check your answer to the prompt.

Line 1000 generates random X and DX values. If DX equals -1, ball goes left, if DX equals 1, the ball goes right. The instructions are at lines 2000 to 2085. Line 3000 calculates the score per brick and can be altered to give different values as wanted. Data containing machine-code routines in hexadecimal are contained in lines 4000 to 4015. Lines 4200 to 4265 are the Basic loader for machine code. Machine code is stored in free memory locations from 680 to 755. Locations 673 to 767 can be used to hold short machine-code routines.

```

1 GOSUB4200:POKE0,197:POKE1,0:POKE673,0:POKE674,10:POKE675,33:POKE676,34
2 XX$="XXXXXXXXXXXX":R1=36864:R2=R1+1:R3=R2+1:R4=R3+1:S3=36876:V=S3+2:S2=S3-1
5 PRINT"J":POKEV+1,138
6 FORI=3T07:T(I)=I:NEXT:GOTO2000
10 POKEV+1,138:POKEV,15:Y=20:DY=-1:GOSUB1000:PRINT"J":IFSC>HITHEHNI=SC
11 SC=0:INPUT"LEVEL":L:IFL<10RL>4THENL=4
12 C=L:PRINT"J":FORI=7680+22*I+J,204:POKE7680+22*I+J,T(I):NEXTJ,I
13 FORI=3T022:POKE7680+22*I,208:R%=RND(1)*7+1:POKE38400+22*I,R%:POKE7701+22*I,2
07
14 POKE38421+I*22,R%:NEXT
15 FORI=0T021:POKE8164+I,207:R%=RND(1)*7+1:POKE38884+I,R%:NEXT
19 FORI=3T07:FORJ=1T020
30 POKE7680+22*I+J,204:POKE38400+22*I+J,T(I):NEXTJ,I
75 POKE7680+X+22*Y,81
80 PRINT"SCORE:"SC:PRINT"#####HI:"HI"#####CHANCES"C
110 SYS680
180 POKE7680+X+22*Y,32
190 X=X+DX
200 IFX<20RX>19THENDX=-DX:POKES3,220
210 Y=Y+DY
220 IFY=22THEN300
230 IFPEEK(7658+X+22*Y)=204THENDY=1:POKES3,230:POKE7658+X+22*Y,32:GOSUB3000
240 IFPEEK(7702+X+22*Y)=224ORPEEK(7658+X+22*Y)=224THENDY=-DY:POKES3,240
250 POKES3,0
255 IFSC>190THENSYS736:IFPEEK(673)=1THEN400
260 SYS680:GOTO75
300 POKEV,15:FORI=230T0160STEP-.15:POKES2-1,I:NEXT:POKES2-1,0
310 C=C-1:IFC>0THENY=20:DY=-1:GOSUB1000:GOTO75
320 GOTO465
400 PRINT"J":POKEV+1,27:FORI=160T0240STEP.5:POKES3,I:R%=RND(1)*505+1
405 POKE7680+R%,160:POKE38400+R%,INT(RND(1)*7)+1
410 NEXT:POKES3,0:P%=(SC/(L*3)+.5):I=0:J=0
412 J=J+1:FORI=0T022:POKER1,12+I:POKER2,38+I:POKER3,150-I:POKER4,174-I*2:POKES3
,220+I
413 NEXT
414 FORI=22T00STEP-1:POKER1,12+I:POKER2,38+I:POKER3,150-I:POKER4,174-I*2:POKES3
,220+I
415 NEXT:IFJ<5THEN412
417 POKES3,0:PRINT"#####YOU GET A BONUS OF"P%:"SO YOUR SCORE IS"SC+P%:SC=SC+P%
418 FORI=0T04000:NEXT
450 PRINT"#####CONGRATULATIONS YOU'VE MADE IT.YOUR SCORE WAS"SC.
452 IFSC>HITHEHNI:PRINT"YOUR SCORE IS THE BEST SO FAR.WELL DONE!!!"
455 GOTO470
465 PRINT"#####CHANCES"C:POKES3,0:POKES2,0
470 POKE198,0:PRINT"##### ANOTHER GO(Y/N)?"
471 INPUTA$:IFLEFT$(A$,1)<>"Y"ANDLEFT$(A$,1)<>"N"THEN500
472 IFLEFT$(A$,1)="Y"THEN10
474 PRINT"#####BYE FOR NOW THEN!!!!!!":END
500 PRINT" I SAID Y OR N..... OR ARE YOU BLIND??!"
505 FORTT=1T04000:NEXT
507 GOTO471
1000 X=INT(RND(1)*20)+1:IFX<20RX>19THEN1000
1010 DX=INT(RND(1)*3)-1:IFDX=0THEN1010
1030 RETURN
2000 PRINT" THIS IS BREAKOUT BY JOHN CULLEN.TO PLAY YOU MUST ";
2010 PRINT"KNOCK ALL THE BRICKS FROM THE WALL.EACH LAYER OF BRICKS "
2020 PRINT"SCORES MORE POINTS THAN THE LAST."
2030 PRINT"##### HIT ANY KEY#####"
2031 GETA$:IFA$=""THEN2031
2032 PRINT"##### THE SCORING SYSTEM IS AS FOLLOWS:- "
2035 PRINT"##### EACH LAYER OF BRICKS SCORES POINTS "
2036 PRINT"##### LAYER 1:- 2 POINTS - LAYER 3:- 4 POINTS LAYER 5:- 6 POINTS"
2038 PRINT"##### USE KEYS:- M Z - LEFT##### C - RIGHT"
2058 PRINT"##### HIT ANY KEY#####"
2060 GETA$:IFA$=""THEN2060
2070 PRINT"##### BEFORE YOU START, YOU WILL BE ASKED WHICH LEVEL YOU WANT."
2071 PRINT"##### THE LEVEL INDICATES THE NUMBER OF BATS YOU GET:-"
2072 PRINT"##### LEVEL 1- ONE BAT..... LEVEL 2- TWO BATS.... ETC."
2075 PRINT"##### HIT ANY KEY TO START#####"
2080 GETA$:IFA$=""THEN2080
2085 GOTO10
3000 SC=SC+(10-Y):RETURN
4000 DATA C,A2,02,A9,20,99,CD,1F,99,CE,1F,99,CF,1F,A2,00,A1,00,CD,A3,02,D0,07
4005 DATA C0,02,F0,03,88,A1,00,CD,A4,02,D0,05,C0,13,F0,01,C8,A9,E0,99,CD,1F,99
4010 DATA CE,1F,99,CF,1F,8C,A2,02,60,YY,A2,00,ED,00,1E,C9,CC,F0,0A,E8,E0,FF,D0,F
4,A9,01
4015 DATA D,A1,02,60,YY
4200 I=I+1:READA$:IFA$="YY"THENI=0:GOTO4250
4205 A=ASC(A$)-48:B=ASC(RIGHT$(A$,1))-48:IFA>16THENA=A-7
4210 IFB>16THENB=B-7
4215 POKE679+I,A*16+B:GOTO4200
4250 I=I+1:READA$:A=ASC(A$)-48:B=ASC(RIGHT$(A$,1))-48:IFA>16THENA=A-7
4255 IFB>16THENB=B-7
4260 IFA$="YY"THENRETURN
4265 POKE735+I,A*16+B:GOTO4250

```

GAMES SPECIAL

```

9 DIMGX(6),GY(6),DG(6),SC(20,32):HSC=0:H#="NOBODY"
10 ENVELOPE1,1,1,1,-1,5,5,25,127,-4,0,-2,127,60:ENVELOPE2,1,10,20,-30,10,5,1
5,127,-2,0,-1,127,100:MODE 7:PROCMAN:MODE 2:VDU 23:B202:0:0:0:SC1%=0:L%=1:SC
%=0:MAN%=0:SHEET%=1
11 LIFE%=3:NG%=1:DGX%=0:DBGY%=0:PROCMAZE:PROCSETUP
12 PROCMEN
13 COLOUR2:PRINTTAB(0,0):"SHEET ";SHEET%:COLOUR7:PRINTTAB(0,1):"SCORE ";SC%;
14 *FX 11 8
15 *FX 12 1
16 FORV%=0TONG%:FORN%=1T012-SHEET%:PROCMAZ:IFMAN%=1PROCSPUT
17 NEXT:PROCGHOST:NEXT:IFLIFE%=0G0T082
18 G0T016
19 DEFPROCSETUP
20 FLAZ=0:GH%=254:DX%=0:DY%=0:FOR V%=0 TO NG%:GX(V%)=12-V%:GY(V%)=12:DG(V
%)=247:NEXT:GX(NG%+1)=12:GY(NG%+1)=12
21 VDU 23,254,60,126,15,7,15,126,60,23,253,60,126,240,224,224,240,126,60,2
3,252,0,66,195,195,231,255,126,60,23,251,60,126,255,231,195,195,66,0,23,245,56,
124,254,146,218,254,254,146
22 X%=2:Y%=3
23 ENDPROC
24 DEFPROCMAZ:IFLIFE%=0ENDPROC
25 SC$(X%,Y%)=" ":A$=INKEY$(0)
26 *FX 15 0
27 IFA$="N"DX%=-1:GH%=254
28 IFA$="M"DX%=1:GH%=253
29 IFA$="A"DY%=-1:GH%=252
30 IFA$="Z"DY%=1:GH%=251
31 IFDX%+X%<0THEN39
32 TT%=ASC(SC$(X%+DX%),(Y%+DY%))
33 IFTT%=246THEN45
34 IFTT%=245THENPROCEND:ENDPROC
35 IFTT%=247SOUND1,1,ASC(A$),1
36 IFTT%=ASC("M")MAN%=1:SOUND3,2,10,100:VDU19,4,7,0,0,0:FORDEL%=1T0100:NEXT:
VDU19,4,COLOR%,0,0,0:IFSHEET%DIV5=SHEET%/5FLAZ=1:TIME=0:VDU19,4,4,0,0,0
37 IFFLAZ=1ANDTIME>500FLAZ=0:VDU19,4,0,0,0,0
38 IFTT%=247ORTT%=ASC("M")ND%=ND%-1:IFND%=0THENPROCSHEET:ENDPROC
39 IFDX%<>0ORDY%<>0PRINTTAB(X%,Y%):" "
40 X%=X%+DX%:Y%=Y%+DY%
41 IFY%<2Y%=29
42 IFY%>29Y%=2
43 IFX%<0X%=19
44 IFX%>19X%=0
45 DX%=0:DY%=0:COLOUR3
46 PRINTTAB(X%,Y%):CHR$(GH%):S%=(10*(TT%=247))-(100*(TT%=ASC("M"))):SC%=SC%
+S%:SC1%=SC1%+S%:COLOURRND(7):PRINTTAB(6,1):SC%;
47 ENDPROC
48 DEFPROCGHOST
49 IFLIFE%=0ENDPROC
50 SOUND2,1,10,1
51 IFV%>NG%ENDPROC
52 SC$(GX(V%),GY(V%))=CHR$(DG(V%)):PROCMOVE:COLOUR1:IFDG(V%)=246COLOUR4
53 PRINTTAB(GX(V%),GY(V%)):CHR$(DG(V%)):IFGX(V%)+DGX%=X%ANDGY(V%)+DGY%=
Y%THENPROCEND:ENDPROC
54 GX(V%)=GX(V%)+DGX%:GY(V%)=GY(V%)+DGY%:DG(V%)=ASC(SC$(GX(V%),GY(V%
)):COLOURV%+9:PRINTTAB(GX(V%),GY(V%)):CHR$(245):SC$(GX(V%),GY(V%))=CHR$(245
):ENDPROC
55 DEFPROCMAZE
56 VDU23,247,0,0,0,24,24,0,0,0,23,246,255,255,255,255,255,255,255,255:COLOUR
2:FORYY%=2T029:FORXX%=0T019:SC$(XX%,YY%)=CHR$(247):NEXT:PRINTTAB(0,YY%):STRING#
(20,CHR$(247)):NEXT:COLOR%=4:IFSHEET%DIV5=SHEET%/5COLOR%=0
57 VDU19,4,COLOR%,0,0,0:COLOUR4:RESTORE:FORZ=1T066:READX%,Y%:GOSUB63:Y%=31-Y
%:GOSUB63:NEXT
58 DATA0,2,1,2,2,2,3,2,4,2,5,2,6,2,7,2,8,2,0,3,0,4,0,5,0,6,0,7,0,8,0,9,0,10,
0,11,0,12,0,13,0,14,2,4,3,4,4,4,6,4,8,3,8,4,8,5,2,5,3,5,4,5,6,5,1,14,2,14,2,7,3
,7,4,7,2,9,2,10,2,11,2,12,6,7,7,7,8,7,9,7,9,8,9,9,4,8,4,9,4,10,4,12,4,13,4,14
59 DATA4,15,5,10,7,9,7,15,9,13,7,11,6,12,8,14,8,15,9,14,9,15,7,14,8,11
60 ND%=291:COLOUR14:FORAB=1T04:READX%,Y%:PRINTTAB(X%,Y%):" *":TAB(0,0):SC$(X,Y)=""
*":NEXT
61 DATA1,4,18,4,1,27,18,27
62 ENDPROC
63 GOSUB64:X%=19-Y%
64 PRINTTAB(X%,Y%):CHR$(246):SC$(X%,Y%)=CHR$(246):RETURN
65 DEFPROCX:DGX%=(X%<GX(V%))-(X%>GX(V%)):ENDPROC
66 DEFPROCY:DGY%=(Y%<GY(V%))-(Y%>GY(V%)):ENDPROC
67 DEFPROCLOOK:TT%=ASC(SC$(GX(V%)+DGX%,GY(V%)+DGY%)):ENDPROC
68 DEFPROCMOVE:DGX%=0:DGY%=0
69 PROCX:PROCLOOK:IFTT%=245DGX%=0
70 PROCY:PROCLOOK:IFTT%=245DGY%=0
71 ENDPROC
72 DEFPROCEND:SOUND 0,-15,4,10:PROCCOL:CLS:IF SC1%>10000 LIFE%=LIFE%+1:SC1%=
SC1%-10000
73 V%=0:LIFE%=LIFE%-1:IFLIFE%=0ENDPROC
74 SHEET%=SHEET%+1:PROCMAZE:PROCSETUP:PROCMAZ:PROCMAZ:COLOUR2:PRINTTAB(0,0):
"SHEET ";SHEET%:COLOUR7:PRINTTAB(0,1):"SCORE ";SC%;:ENDPROC
75 DEFPROCSHEET:IFSC1%>10000LIFE%=LIFE%+1:SC1%=SC1%-10000
76 V%=0:CLS:SHEET%=SHEET%+1:SC%=SC%+(1000*(SHEET%-1)):SC1%=SC1%+(1000*(SHEET
%-1)):COLOUR8:PRINTTAB(7,10):"BONUS":COLOUR15:PRINTTAB(6,12):SHEET%-1:" X 1000"
:FORA=1T010000:NEXT
77 PROCMAZE:PROCSETUP:PROCMAZ:PROCMAZ:COLOUR2:PRINTTAB(0,0):"SHEET ";SHEET%:
COLOUR7:PRINTTAB(0,1):"SCORE ";SC%;:ENDPROC
78 DEFPROCMAZ:IFLIFE%=1ENDPROC
79 COLOUR3:FORAX=2T0LIFE%:PRINTTAB(AX,30):CHR$(254):TAB(0,0):NEXT:ENDPROC
80 DEFPROCCOL:FORC=0T015:FORN=1T0100:NEXT:VDU 19,4,C,0,0,0:NEXT:VDU 19,4,4,0

```




THE GAME in this article is a very enjoyable, and addictive, game for the 32K BBC Model B. It is slightly different from the arcade implementation in that there are only two ghosts who can go through walls and the function of the power pills is to stop the ghosts chasing the Muncher for a few seconds, giving him a chance to eat more dots and so get to the higher sheets. The player gets bonuses by totally clearing a sheet.

Every fifth maze is an invisible one, but the player must remember the pathways, in order to follow them. When playing such a sheet, the maze is made visible for about 10 seconds, when a power pill, or thunderbuster, is eaten. The following keys are used to move: A to go up, Z to go down, N to go left and M to go right. 10 points are given for the dots that it eats all the time and 100 points are given for *, which are thunderbusters.

A bonus of the value 1,000 multiplied by the number of sheets is given every time a sheet is totally eaten, thus 1,000 points are awarded for clearing the first maze and 13,000 points for clearing maze number 13.

An extra Muncher is given every time you score 10,000 points: you have three lives to begin with.

To begin with, you may think that the game is very easy, as the ghosts move very slowly, but they get faster every sheet, until they become half your speed on sheet 11, from then on their speed remains constant. Here are a



HERE COMES THE MAZE MUNCH

A deceptively easy game to start with, this BBC version of a well known arcade game written by David Griffin is definitely worth getting your teeth into.

few hints. It is a good idea to clear as much of the maze as you can without using the thunderbusters. On the lower sheets move straight to the middle of the maze, and clear that area first, as it is the most difficult.

When the ghosts are moving the fastest, clear the outer regions of the maze first, reserving the thunderbusters to help in clearing the centre. Try not to leave individual dots, but clear large areas of the maze at once. Don't hesitate or panic, it is quite easy to get out of most situations.

If you want to change the number of ghosts, change the value of NG% in line 11. I would advise against conversion to other computers because this program uses many special functions of the BBC. But in case anyone wants to try here is a list of some of the BBC peculiarities used in this implementation.

Envelope defines the envelope used in the Sound command — this can be ignored. Mode changes the display mode, Mode 7 is a teletext display 40x25, Mode 2 is a high-resolution display, with characters on a 20x32 grid.

VDU 23 defines characters on an eight-by-eight grid. The first parameter is the character number, the following eight define the shape row by row, with the decimal equivalent of the binary number representing the character row. The VDU in line 10 stops the cursor flashing.

Proc calls a procedure defined by DefProc; this should be replaced by a Gosub command on other computers.

Colour sets the current text colour. Print Tab (X,Y) positions the cursor at position X,Y on the screen. All the *FX commands can be ignored.

VDU 19 X1, C2, 0, 0, 0 sets colour C1 to colour C2; this is used in making the maze invisible.

RND gives a random integer between 1 and the number inside the brackets. Sound A, B, C, D plays a note on channel A, of volume B, of pitch C, for duration D. Div signifies integer division.

The command Get\$ waits for a key to be

pressed and puts the string value of that key in the suitable variable.

Inkey\$(n) waits for n cycles of the clock or until a key has been pressed, and puts the string value of that key in the suitable variable. The program puts the whole screen into array SC\$ and can use this array to see if the man is trying to go into a wall, or has eaten something.

The highest score so far attained is 10,154,250 — achieved after playing continuously for several hours, and reaching sheet 999.

```

,0,0:ENDPROC
81 DEFPROCSPURT:FORSP%=1TO(RND(100)+20):PROCMAN:NEXT:MAN%=0:ENDPROC
82 MODE7
83 *FX 15 0
84 *FX 11 0
85 PRINTTAB(10,5):CHR$(141):CHR$(136):"YOU'RE DEAD!!":TAB(10,6):CHR$(141):CHR
R$(136):"YOU'RE DEAD!!"
86 PRINTTAB(8,10):"YOU SCORED ":SC%
87 IFSC%>HSC%PRINTTAB(8,12):"THE HIGHEST SO FAR"ELSEPRINTTAB(4,12):"THE BEST
WAS ":HSC%:" BY ":H%
88 IFSC%>HSC%INPUT"" YOUR NAME "H%:HSC%=SC%
89 PRINTTAB(5,22):CHR$(129):CHR$(141):"ANOTHER GAME ?":TAB(5,23):CHR$(129):C
HR$(141):"ANOTHER GAME ?"
90 REPEAT$=GET$:UNTIL$="Y"ORA$="N"
91 IFA$="Y"THEN10
92 END
93 DEFPROCINSTR
94 PRINTTAB(2,0):"MUNCHER(C) David Griffin 26:6:82"
95 PRINT" In this game you must move a man around a maze, eating dots
as you do so.He is being pursued by two evil ghosts who can only be stopped b
y eating a flashing thunderbuster, and even then for a short while only!"
96 PRINT" After clearing the maze of dots and thunderbusters, a new one i
s given. Every fifth maze is invisible, just to add extra interest and dif
ficulty."
97 PRINT" An extra man is given every 10,000 points.","" To move use
the following keys: "-", "" 'A' to go UP", "" 'Z' (to go DOWN", ""
'N' to go LEFT", "" 'M' to go RIGHT"
98 PRINT"" PRESS ANY KEY TO PLAY... ":REPEAT$=GET$:UNTIL$<
99 ENDPROC

```

**IF THE CLOUDBOPPERS,
WASPS, SPIDERS, METEORS,
OR SATELLITES DON'T
BEAT YOU...**

**...RENAISSANCE
WILL**



CLOUDBURST
meteor run
Renaissance
SPIDERS OF MARS
Satellites
and meteorites

**5 More great
VIC Cartridge games from Audiogenic**

Available from all VIC dealers or direct from Audiogenic Ltd. PO Box 88, Reading, Berks. (0734 586334) Credit cards accepted. Meteor Run, Renaissance, Spiders of Mars, Satellites and Meteorites £24.99. Cloudburst: £19.99 (inclusive of VAT and p&p). All titles copyright UMI, INC represented in Europe by Audiogenic. Send for full catalogue.

SOFTWARE FOR ALL

SOFTWARE FOR ALL presents programs for the people! Our list of original programs for the BBC, DRAGON, and SPECTRUM is growing every day! Reasonably priced. Ingenious use of programming. Excellent entertainment. These are the hallmarks of SOFTWARE FOR ALL.

Order now for fast delivery or visit one of our dealers. There's big things happening for all computer users ... That's why we're called SOFTWARE FOR ALL!

BBC MICRO GALACTIC INTRUDER

Fast arcade-type action game with Hi-Res colour and sound. Machine Code. 32K

£6.95

J.R.

Two player game, features include exploration, drilling, employment and Price Wars. 32K

BBC MICRO £6.95

PAIRS

A computerised version of the original card game with Hi-Res graphics.

£6.45

DRAGON 32

AREA RADAR CONTROLLER

You're in the control tower at Heathrow and it's your job to control up to 79 aircraft, taking off, landing, or just passing through. VERY ADDICTIVE - HIGHLY FRUSTRATING!

DRAGON 32 £7.95

POLAR BEAR

Educational game for 8-12-year-olds incorp. simple maths tables.

BBC MICRO 32K £7.45

ROW OF FOUR

Try to outwit your computer opponent in this game of skill. Great graphics. BASIC and machine code. 32K

BBC MICRO £6.45

PHARAOH'S TOMB

3D Maze Game and Adventure rolled into one! 48K

ZXSPECTRUM £6.95

SPACE KINGDOM

Battle your way around the Planets to become ruler of the Galaxy! Excellent use of graphics and sound. 32K

BBC MICRO £7.95

TIME TRAVELLER

Travel through over 100 rooms in different times, and find the key back to your own time. 32K

BBC MICRO £6.95

Utility Pack 1

Envelope program, variable print-text scanner and memory dump. 32K

BBC MICRO £7.45

CAR WARS/ALIEN PLANET

Two addictive graphics games both BASIC and Machine Code.

BBC MICRO 32K £6.95

DANGER ISLAND

An adventure game in which you fight your way through many obstacles to escape.

DRAGON 32 £6.95

Utility Pack 2

Disassembler, program crunch and text editor. 32K

BBC MICRO £7.45

ZOMBIE ISLAND

Fight for survival on an island inhabited by hungry, dangerous cannibals. BASIC and machine code program.

BBC MICRO 32K £7.95

BEEBTREK

Real time advanced Startrek Game. Extra facilities include 'probe satellites', 'damage reports' & 'on-board computer'

BBC MICRO 16/32K £7.95

SEND TODAY! Post to SOFTWARE FOR ALL, Dept YC, 72 North Street, Romford, Essex or Phone: (0708) 60725.

Name:
Address:

Please send me:

..... £
..... £
..... £
..... £
..... £
..... £
..... £
Please add £1.00 P&P per order .. £ 1.00

Total:

Please bill my Access/Barclaycard/Amex No:

I enclose Cheque/P.O. made payable to SOFTWARE FOR ALL.

SOFTWARE FOR ALL

"Programs for the people"

```

2A=0
6dD=90;K=0;V=0;M=0;@=3;I=0;L=0;S=1;W=0;C=0;B=0
15J=£9500;H=£8400;!£23=£9100;P=£2800
20DIMCC(11),BB(105),DD(15)
25 P.$12
30718=£82;G.e
70hF.F=0T0760;J?(F)=0;N.;CC11=0
75F.F=1T010;CC(F)=0
80D=(F#4+(R.#3))#10;J?(D+8)=F
90C=(F#7+(R.#3))#10;J?(C+9)=F
95E=C;N.F;G.p
100oP.' ' "OPTIONS-" ; IFV>OP. "BRIBE,"
101IFI=10RW=10RX?8=30RX?8=10P. "TAKE,"
102IFW=1P. "CAST SPELL,"
104P.$BB101;Y=(10-X?9)#20
105JF=0;DOLI.DD0;WAIT;F=F+1;U.?£80<>320RF=Y
106Q=?£80;IFF=Y IFX?9<11 IFX?9>0 IFX?9#40>D.G.a
107IFF=Y G.j
110P.' ; IFQ=65P. "YOU ATTACK";G.a
120IFQ=66IFV>OP. "BRIBE ";G.b
125IFQ=67P. "SPELL";G.w
130IFQ=76P.#12"LOOK";R=0;G.f
140IFQ=84IFW=10RI=10RX?8=3 DRX?8=10P.#12"TAKE";G.t
150IFQ=78P. "NORTH";N=2;G.c
160IFQ=83P. "SOUTH";N=3;G.c
170IFQ=87P. "WEST";N=5;G.c
180IFQ=69P. "EAST";N=4;G.c
190IFQ=85P. "UP";N=6;G.c
210IFQ=68P. "DOWN";N=7;G.c
220IFQ=77P.$BB102;G.j
230IP.' "OUCH!" ; $BB105;D=D-10;G.o
240cIFX?N=1 G.l
245IFK=10RB=16.m
250IFX?N>9IFK=OP.' "YOU CAN'T IT'S LOCKED";G.o
260mIFN=61FD<100P.' "YOU CAN'T YOU ARE TOO WEAK";G.o
270IFN=2L=L-50;G.p
280IFN=3L=L+50;G.p
290IFN=4L=L+10;G.p
300IFN=5L=L-10;G.p
310IFN=6L=L-250;G.p
320IFN=7L=L+250;G.p
500wIFW=1B=1;P. "SPELLED";IFD<200D=200
510IFX?9<100IFX?9>0G.s
520G.o
1000pF.F=1T099;WAIT;N.;@=3;?£E1=0;CLEAR0;P.$30
1004iX=J+L
1005P=L-250;; IFD<200D=D+10
1006IFL<250X?6=1;P=L
1007IFL>490X?7=1;P=L-500
1010IFP<50X?2=1
1030IFP>190X?3=1
1040IFP?50=40X?4=1
1050IFP?50=0X?5=1
1080Z=1000;?X=L/10;F=1
1085kN=X?F;IFF>7G.q
1090IFN=ON=S;S=S+1;IFS>12S=1
1100IFF>SIFN>7N=1
1110qX?F=N;Z=Z+200
1120IFN<>0G.(Z)
1125rF=F+1;IFF<10G.k
1130IFX?9=10IFW=0G.s
1135IFCC11=11IFD>80D=D-50;IFL=0G.7400
1140B=0;G.o
1200IFL=OP.' $BB95,$BB(N+2) IF "$BB80'$BB54;G.r
1210P.' $BB2,$BB(N+2)';G.r
1400IF(L-50)>0IFX?-47=0X?-47=N
1405P.' $BB15,$BB(15+N);G.r
1600IF(L+50)<750IFX?52=0X?52=N
1605P.' $BB28,$BB(N+15);G.r
1800IF(L+10)<750IFX?15=0X?15=N
1805P.' $BB29,$BB(15+N);G.r
2000IF(L-10)>0IFX?-6=0X?-6=N
2005P.' $BB30,$BB(15+N);G.r
2200IF(L-250)>0IFX?-243=0X?-243=N
2205IFN>6N=1
2210IFN>1P.' $BB(29+N)
2220G.r
2400IF(L+250)<750IFX?256=0X?256=N
2405IFN=7G.x
2410IFN>1P.' $BB(34+N)
2420G.r
2470xIFL>4900RI=10RW=16G.r
2475LI.DD1
2480P.' $BB41;L=L+250;D=D-50;J?(L+6)=1;J?(L+7)=1;S=1;G.i
2600IFI=10RW=10RX?8=30RX?8=100RX?8=16G.u
2601G.r
2605uR=(A.R.#7+1)#10;P.' $BB42
2610IFX?8=16G.v
2620IFX?8=6P.R
2630P.$BB(43+N);G.r
2690vP.$BB43;S=1;IFW=16G.r
2695P.' $BB44;L=((A.R.#70)+5)#10;LI.DD5;G.p
2800P.' $BB55
2802IFN>100P. "DEAD ";P.$BB(N-45);G.o
2805P.$BB(55+N);IFN#20>D;IFN<>10 G.a
2810IFW=0IFN=10G.s
2820G.r
3610sR=(L+(R.#5*10));IFJ?(R+9)<>00RR>7400RR<0G.s
3612LI.DD5
3615P.' "THE "$BB(55+X?9),$BB66
3620IFV=0IFJ?(R+8)=0J?(R+8)=5
3622IFJ?(R+8)=0J?(R+8)=6
3625IFX?9=10;E=R;J?(R+8)=6
3630J?(R+9)=X?9;X?9=0;G.o
4000aIFN=0 P. "WHAT";G.o
4001G=((A.R.#10+1)-(D/50)+N+(M/3))#10;IFG>100G=100

```

(listing continued on page 65)



GAMES SPECIAL

ATOM QUEST

Beyond the drooling ghouls you'll find economy and complexity in Colin Comber's Atom labyrinth as you seek the chalice.

QUEST IS AN Adventure/Labyrinth game. The object of the game is to become strong enough to find and overcome an evil sorcerer, recover the magic chalice and return to the starting position. There are items scattered through the cells which may help in the Quest. Moves are made by typing the initial letter of the selected option. With luck the number of options will increase.

A magic wand is visible, but a lamp must be found before the other items can be seen. The keyboard scan is associated with a countdown which permits you to move, providing your reaction is faster than the reaction of the monster in that cell.

Using an article in *Your Computer* by Derek Haslam — Software File October 1981 — on storing strings in a string array enabled me to fit the game into the Atom's memory.

Strings can be stored in the upper text space using line numbers. To access the upper text space type

?18 = # 82

The string start locations are read into array BB, which is also stored in the upper text space. !21 = # 9100 — line 15 — moves all arrays from Top where arrays are normally stored to where you decide to store them.

In this case it is # 9100, a safe distance above the last string.

Routine 950-995 reads the first character of string \$?H into array BB. To identify the strings take the line number, divide by 10

and take way 100. Here are two examples:
\$BB1 = line 1010

and

\$BB105 = line 2050

The data for the cells in the Labyrinth is arranged in a 75 by 10 matrix. A conventional word array would consume too much memory, but it is possible to store the data in a byte vector since all the values are smaller than 255 and can be stored in single bytes. This matrix is represented using a one-dimensional array, and the position of an array variable is then calculated by $J?n$.

The Labyrinth array $J?0$ to $J?749$ is also stored in the upper text space $J = # 9500$ — line 15.

A move north, east, west, south, up or down modifies variable L, $J?L=X$, and the nine features of a cell are stored thus:

X?0 = Cell number = L/10	
X?1 = Cell description	\$BB 3-14
X?2 = North exit	\$BB16-26
X?3 = South exit	\$BB16-26
X?4 = East exit	\$BB16-26
X?5 = West exit	\$BB16-26
X?6 = Up exit	\$BB31-35
X?7 = Down exit	\$BB36-41
X?8 = Object in cell	\$BB43-54
X?9 = Character in cell	\$BB56-65

Initially all the cell features are zeroed — line 70. As a cell is explored, routine 1005-1050 checks for external walls and inserts stone walls to prevent the Adventurer falling out of the Labyrinth and being struck down by a Space Invader.

The internal walls, exits and stairs are generated by the routine 1085-1110, which takes a number from the sequence 1-12. This means cell features are determined by the Adventurer's exploration so, although the Labyrinth remains stable and retraceable, each Quest can be unique.

The variables.

A	Adventurer count
B	Spell flag
C	Character seed
D	Defence factor
E	Sorcerer's location
F	For-Next counter
G	Pseudo On-Goto variable
H	String counter H = # 8400
I	Lamp flag
J	Start of byte vector J = # 9500
K	Key flag
L	Location variable
M	Monster counter
N	Dummy variable in p routine
O	Object seed
P	Dummy variable in p routine
Q	? # 80

R	Random number
S	Seed for pseudo-randomise in p routine
T	Take counter in t routine
U	
V	Gold pieces
W	Wand flag
X	X = J?L
Y	Keyboard scan counter
Z	1000+ in p pseudo On-Goto

Outline of the program.

2-95	Set variables zero array s J-J?749 and CC Seed objects Character seed
100 o	Options keyboard scan
105 j	If character present, countdown, Goto a — attack routines
1000 p	Describe cell Describe object
2820	Describe character
3600 s	Character magically disappears
4000 a	Attack routine
5000 t	Take object
5200 f	List objects, display strength
5300	Drop-object option
6000	Sorcerer defeated: find chalice
7000 b	Bribe option
7060	Bribe for sorcerer's location
7400	Chalice safe: quest successful
?18 = # 82	
890	Keyboard scan, assembler source code
910	Sound effects, assembler source code
940	If strings have been read once Goto 1.text p
950	Read string starts into array BB
1000	Goto 1.text p
1010	First string
2050	Last string

The memory map is as follows:

# 2800	Keyboard scan Sound effects
# 2900	Main program
# 3C00	Main program
# 8200	Assembler source program assembled to # 2800 String-reading routine String data
# 8E00	String data
# 9100	Arrays BB,CC,DD
# 9500	Byte array J?0
# 97EE to J?749	

To test the program without continually getting killed off, Run the program. When the first cell has been described, press Escape, and then type
 $K=1;W=1;D=1000;G.p;RETURN.ESCAPE,G.p$
which is quite a useful way of cheating. Until the program has been cleared of typing errors, Save the program as two separate files with different names.

When the program is running it can be saved as one complete file. It is possible to load this 8K program in one go using the *FLoad command.

*SAVE"QUEST"2900 3D00

When it has completed, rewind and *Cat until 3B00 is displayed; allow this entire memory block to pass the recording head of your cassette recorder, listening for the brief carrier tone between memory blocks and stop the recorder before the header of 3C00 is displayed. Now Break, Old and *Save"Quest" 8200 8E00 and record, erasing the dummy memory block and replacing it with the upper text data. This fools the Atom into loading similarly named files to separate loading addresses.

abacus
electronics

**ZX 81
Spectrum**

MONEY BACK GUARANTEE
CASSETTES DESPATCHED
WITHIN 48 HOURS

ABACUS CONTROLLER



Developed to eliminate tedious swapping of plugs when LOADING or SAVING programs on cassette.

ZX SPECTRUM CONTROLLER: Single switch selection of SAVE, LOAD & AMP modes. Built in amplifier and loud-speaker boosts Spectrum sound output. Price **£14.95**

ZX81 CONTROLLER: Single switch selection of TALK, SAVE, CUE & LOAD modes. Built in microphone/speaker for fast and reliable program naming and cueing. Price **£9.95**

All items in this advertisement can be viewed before buying at the Buffer Micro Shop, London, and Jay Dee Communications, Water Street, Port Talbot.

AVENGER



AVENGER: This all action arcade-style game written in MACHINE CODE for the ZX Spectrum is fantastic! You are flying over a mountainous planet terrain. Your mission is to attack, using lasers and bombs, launch pads, buildings and missile silos. Alien craft attack you with missiles; guided missiles launched from the ground hunt you out. But what ever you do don't hit the atomic power stations!! Continuous display of time, score, shields and laser temperature. Five levels of play and high scores.

Price **£4.95** inc. Also available for the ZX-81 (16K) at **£4.95** inc.

SPECTRUM GAMES PACK 1

DESTROYER: Listen to the beeps of the sonar to locate and destroy the submarines before they sink the merchant ships.



All four on one cassette at the incredible price of **£4.95** inc.

ICEBERG: Steer your icebreaker through thickening pack ice to pick up survivors.



BATTLE: Destroy missile sites while avoiding mines and the computerised enemy tanks that are out to get you.



ANDROID Rescue the miners before they are trapped in the flooding mines.

PIT RESUCE:



**186 St. Helens Ave,
Swansea, W. Glam.
Tel: (0792) 50282**

SPECIAL CHRISTMAS ZX MICROFAIR!

If you're interested in exhibiting please contact Mike Johnston



**Saturday 18th December at the
New Horticultural Hall,
Greycoat Street, London SW1.
One day - 10am to 6pm.**

Thinking of buying your Christmas computer?
Looking for ZX hardware or software?
Want to meet local user-groups and ZX enthusiasts?

Or just want an interesting day out?

Then call along on Saturday, 18th December for the **Christmas Special MICROFAIR!**

It's full of Christmas Cheer — everything for the ZX81, ZX80 and ZX SPECTRUM under one roof!

Meet a wide range of manufacturers of all types — talk to interesting people — get advice — buy that last minute present.

There's plenty of room, there's a Bar if you get thirsty and a Buffet if you're famished!

There's even a bring and buy sale so you'll be able to pick up a bargain, and of course a complete showguide available on the day.

Make a note of the date or write for advanced tickets to Mike Johnston, 71 Park Lane, London N17 0HG (enclosing a S.A.E.).

Admission charges are 75p for adults or 50p for kids (under 14). Please make cheque, P.O. payable to ZX Microfair.

Do it now and make sure of a very happy ZXMAS!

5th
ZX MICROFAIR
DECEMBER 18th
NEW HORTICULTURAL HALL, LONDON SW1.

(listing continued from page 62)

```
4002F.F=1T050;WAIT;N.;IFG<106=10
4004IFN>100P."CORPSE MUTILATOR";G.o
4005P."THE ",$BB(N+55)" "$BB67
4006P."$BB68
4007P."THE ",$BB(N+55)" ";G.(G+4000)
4010P.$BB69;D=D+20;M=M+1
4011IFN=10 G.6000
4012yR=(A.R.%70+2)*10;IFJ?(R+9)<>06.y
4013J?(R+9)=X?9
4015X?9=(X?9)+100;N=X?9;G.o
4020R=(A.R.%9+1)*10;P.$BB70,R,$BB49" AND ";CC6=6;V=V+R;G.s
4030IFV>0P.$BB71;D=D+50;V=0;CC6=0;CC5=0;G.s
4040P.$BB72;D=D+30;G.a
4050P.$BB73;D=D+20;G.a
4060P.$BB74;D=D-10;G.a
4070P.$BB75;D=D-20;G.a
4080P.$BB76;D=D-10;G.o
4090P.$BB77;D=D/2;G.o
4100IFD>10IFW=1IFN<>106.4090
4105F.F=1T099;WAIT;N.
4110P.$12"THE "$BB(N+55)" "$BB78";LI.DD5;G.7500
5000t=X?8;IFT<2 P."$BB79;G.o
5010@=2;CC(T)=T;X?8=0;G.(T*10+5000)
5020K=1;G.f
5030I=1;G.f
5040D=D-200;G.f
5050V=V+999;D=D-300;CC6=6;G.f
5060V=V+R;R=(A.R.%75+1)*10;J?(R+8)=6;G.f
5070G.f
5080D=D+200;G.f
5090D=D+300;G.f
5100W=1;G.f
5110IFCC10=10 CC10=0;W=0;B=1;LI.DD5;P."THE MAGIC WAND "$BB66
5200fP."$BB80;R=V;T=0
5210F.F=2T011
5220IFF=6IFF=CC(F)P.R" "
5230IFF=CC(F)P.$BB(43+F)" ";T=1
5235N.;IFT=0P." "$BB81
5240G=D/100;IFG>6G=6
5250IFG<1G=1
5255IFCC7=7P."$BB96,J?L
5260P."YOU ARE "$BB(82+G);IFT=0G.i
5300P."$BB99"ANYTHING"$BB100'
5310 DO LI.DD0;U.?E80<>32
5315 IF?E80<>89 G.i
5320F.F=2T011;IFCC(F)<>F G.n
5330P.$BB99*$BB(CC(F)+43)'$BB100'
5340 DO LI.DD0;U.?E80<>32
5345 IF?E80<>89 G.n
5350IFX?8=0G.5390
5360R=(A.R.%72+2)*10;IFJ?(R+8)<>0G.5360
5370J?(R+8)=X?8
5380P."THE "$BB(43+J?(R+8))$BB66
5390X?8=CC(F);CC(F)=0
5400IFF=2K=0
5410IFF=3I=0
5420IFF=4D=D+200
5430IFF=5V=0;CC6=0;D=D+200
5440IFF=6V=0;CC5=0;D=D+200
5450IFF=8D=D-200
5460IFF=9D=D-300
5470IFF=10W=0
5480nN.;G.i
6000X?9=0;X?8=11;P."$BB42'$BB54'$BB82;G.o
7000bIFX?9=0P."BRIBE WHO?";G.o
7005IFX?9>11 P."DEAD "$BB(X?9-45)"?";G.o
7010P."$BB80 V,$BB49
7020 P."FOR",X?9*10" "$BB49" THE "$BB(X?9+55)'$BB89'
7040P."AGREED? "$BB100
7041DOLI.DD0;Q=?E80;U.Q<>32
7042IFQ<>89ORV<(X?9*10)G.a
7045P."$BB90;V=V-(X?9*10)
7050IFX?9>40RCC?<>7G.7090
7060P."FOR",X?9*10" "$BB49" THE "$BB(X?9+55)
7070P."$BB103" THE "$BB65
7080P."AGREED? "$BB100
7081DOLI.DD0;Q=?E80;U.Q<>32
7082IFQ<>89ORV<(X?9*10)G.a
7085V=V-(X?9*10);P."THE "$BB65*$BB104,E/10
7090M=M+1
7100P."THE "$BB(X?9+55)'$BB66;X?9=0;G.o
7400 LI.DD1;LI.DD1;P.$12
7402P.$BB54" IS SAFE"
7405IFV>0P."AND YOU FOUND"V,$BB49
7410P."$BB97";IFV>0P.$BB98
7415G.7515
7500P."$BB91
7510A=A+1
7515P."$BB92,M'$BB93,A'$BB94";LI.FFFE3;G.d
7520 END
?18=E82
890eP.$21;F.F=1T02
895 F.F=1T02
900E:DD0 JSR EFE71;TYA;ADC @32;STA E80;RTS
910:DD1 LDA @1;STA E81
920:DD2 LDY @10;DD3 LDA E8002;EOR @4;STA E8002;LDX E81
930:DD4 INX;BNE DD4;DEY;BNE DD3;INC E81;BNE DD2;RTS
931:DD5 LDA @191;STA E82
932:DD6 LDY @64
933:DD7 LDX E82
934 LDA E8002;EOR @4;STA E8002
935:DD8 DEX;BNE DD8
936 DEY;BNE DD7;LDY E82
937:DD9 NOP;DEY;BNE DD9
938 LDA E82;SEC;SBC @E3;BCC DD10;STA E82;JMP DD6
939:DD10 RTS
940;N.;P.$6;IF?BB1=89 G.g
950 DOH=H+1;U.?H=13ANDH?3=100
960 F.F=1T0105
970DOH=H+1;U.H?-4=13
980BB(F)=H
990IFF=1LI.DD5;P.$BB1
995N.
1000g?18=E29;G.h
1010dYOU ARE BEING TRANSPORTED TO A MYSTERIOUS PLACE
1020 YOU ARE IN A
1030 COLD CELLAR
1040 DARK PANELLED ROOM
1050 MISTY CAVE
1060 DARK ECHOING SPACE
1070 SMALL CHAMBER
1080 CRAMPED ANTEROOM
1090 DARK VAULT
1100 LOW CHAMBER
1110 HIGH VAULTED HALL
1120 DUSTY ROOM
1130 COLD DAMP ROOM
1140 COLD MISTY CHAMBER
1150 NORTHWARDS IS A
1160 STONE WALL
1170 DARK CURTAIN
1180 NARROW DOORWAY
1190 DARK ENTRANCE
1200 DARK ARCHWAY
1210 DARK DOORWAY
1220 DOOR
1230 LOW ARCH
1240 GLOOMY PORTAL
1250 THICK DOOR
1260 WOODEN DOOR
1270 RUSTY IRON GATE
1280 SOUTHWARDS IS A
1290 TO THE EAST IS A
1300 WESTWARDS IS A
1310 A STAIRCASE LEADS UPWARDS
1320 A LADDER LEADS UPWARDS
1330 A ROPE IS HANGING FROM ABOVE
1340 STEPS LEAD UP
1350 SPIRAL STAIRS WIND UPWARDS
1360 A STAIRCASE LEADS DOWN
1370 A LADDER LEADS DOWN
1380 A ROPE HANGS DOWNWARDS
1390 STEPS LEAD DOWN
1400 SPIRAL STAIRS WIND DOWN
1410 OOF!!YOU HAVE FALLEN DOWN A HOLE
1420 ON THE FLOOR YOU CAN SEE
1430 YOU'VE TRODDEN IN THE MAGIC TURD
1440 WHICH TRANSPORTED YOU
1450 A BUNCH OF KEYS
1460 AN OLD BRASS LAMP
1470 A SMALL SCARLET FISH
1480 A HEAVY CASKET
1490 GOLD PIECES
1500 A SCRAP OF PAPER
1510 A MAGIC SHIELD
1520 A MAGIC SWORD
1530 A THIN IRON ROD
1540 THE$magic$chalice*
1550 BEHIND YOU IS A
1560 GOBLIN
1570 MALIGNANT DWARF
1580 WRAITH
1590 TROLL
1600 THRAGG
1610 DROOLING GHOUL
1620 KOBOLD
1630 GERYON
1640 PIT FIEND
1650 SORCERER WITH THE chalice YOU SEEK
1660 MAGICALLY DISAPPEARS
1670 SMITES YOU MIGHTILY
1680 YOU STRIKE BACK BRAVELY
1690 EXPIRES mESSILY
1700 SCREAMS,THROWS
9902 SNATCHES YOUR GOLD AND
1720 SMITES YOU LIGHTLY
1730 IS STUNNED
1740 INJURES YOU
1750 STUNS YOU , YOU FALL BACK
1760 INJURES YOU SEVERELY
1770 SMITES YOU MIGHTILY
1780 KILLS YOU
1790 PICK UP WHAT?
1800 YOU ARE CARRYING
1810 NOTHING
1820 TAKE THE chalice AND FLEE
1830 WEAK
1840 NOT VERY STRONG
1850 STRONG
1860 QUITE STRONG
1870 VERY STRONG
1880 ALMOST INVINCIBLE
1890 WILL LEAVE YOU IN PEACE
1900 THAT WILL DO NICELY
1910 YOU DIDN'T MAKE IT-TOUGH
1920 HUMANS
1930 MONSTERS AND THINGS
1940 IF YOU'D LIKE TO TRY AGAIN PRESSRETURN
1950 YOU CAN ONLY RETURN TO THE REAL WORLD THROUGH THIS
1960 THE MAP SHOWS YOU'RE IN ROOM
1970 WHAT A BRAVE ADVENTURER
1980 YOU WON YOU CAN KEEP THE GOLD
1990 DO YOU WANT TO DROP
2000 (YES/n0)
2010 LOOK,ATTACK OR mOVE ?
2020 DIRECTION-nORTH,sOUTH,wEST,eAST,uP OR dOWN ?
2030 WILL TELL YOU WHERE TO FIND THE
2040 IS IN ROOM
2050 NO EXIT IN THAT DIRECTION DUMMY!
```

ZX KEY

Our new cased keyboard has 52 keys, 12 of these are used for the numeric pad. The numeric pad offers some useful features; you can cursor with one hand and it will be a boon for anyone who enters a lot of numeric data. The case measures 15 x 9 x 2½. The computer (ZX81 or



spectrum) fits neatly inside. Also fitted inside the case is a mother board (81 model only) which allows 16K, 32K and 64K to be fitted in the case. All the connections are at the rear of the case i.e. Power Mic, Ear, T.V. and the expansion port. The power supply could also be fitted inside. This means you have a very smart self-contained unit.

NOTE

The keyboard is connected to your computer by a ribbon cable and this has connectors fitted which simply push into the Sinclair connectors. It is a simple two minute job and requires no electronic skills or any soldering.


ZX81 ARCADE SOFTWARE
THE FOLLOWING EXCITING MACHINE CODE
ARCADE ACTION GAMES ARE AVAILABLE
FOR THE 16K ZX81 ★ CENTIPEDE ★ METEOR
STORM @ £4.95 each

Fully cased with numeric pad £45
Uncased with numeric pad £30
Case £15

- ★ 16K Ram Massive Add On Memory Fully assembled and tested £19.95
- ★ 64K Memory Expansion £49.95
- ★ 4K Tool kit full of utilities to aid the programmer in constructing and de-bugging

dk'ronics

BOARD



4K GRAPHICS ROM £29.95

The DK Graphic module is our latest ZX81 accessory. This module unlike most other accessories fits neatly inside your computer under the keyboard.

The module comes ready built, fully tested and complete with a 4K graphic ROM. This will give you an unbelievable 448 extra pre-programmed graphics, your normal graphic set contains only 64. This means that you now have 512 graphics and with their inverse 1024. This now turns the 81 into a very powerful computer with a graphic set rarely found on larger more expensive machines. In the ROM are lower case letters, bombs, bullets, rockets, tanks, a complete set of invaders graphics and that only accounts for about 50 of them, there are still about 400 left (that may give you an idea as to the scope of the new ROM). However, the module does not finish there, it also has a spare holder on the board which will accept a further 4K of ROM/RAM. This holder can be fitted with a 1K/2K/RAM and can be used for user definable graphics so you can create your own custom character sets.

THE FOLLOWING SOFTWARE IS AVAILABLE FOR USE WITH THE GRAPHIC ROM @ £4.95 each
★ ASTEROIDS ★ CENTIPEDE ★ DEFENDER
★ SPACE INVADERS ★ METEOR STORM

E.Prom version for use with graphics Rom £9.96

Cassette Version £6.95

★ Flexible ribbon connector £10

★ Spectrum Memory Upgrade to 48K £35

SEND S.A.E. FOR INFORMATION
PACKED CATALOGUE

23 Sussex Road,
Gorleston,
Great Yarmouth,
Norfolk.
(0493) 602453

Send off the coupon today or telephone Gt. Yarmouth for our answering service (available 24 hrs. a day 7 days a week) quoting Barclaycard or Access number). Please add on £1.25 for P/P



WHY WAIT?

ORDER TODAY FOR FAST DELIVERY

Please state type of machine which ROM/memory size quantity and price when ordering

Please send me @£

Please send me @£

Please send me @£

Please send me @£

Please send me @£

Please add on £1.25 for P/P. I enclose £

Name

Address

Cheque/P.O. payable to DK Tronics

ACCOUNT

STATEMENT DATE 10/9			
DATE	CREDITS	DEBITS	BALNCE
31/8:501	0	3000	29524
2/9:502	0	2000	27524
4/9:503	0	1240	26284
4/9:S*CARD	0	1500	24784
8/9:504	0	2000	22784
10 S. D	0	24186	-1402
10/9:505	0	568	-1970
10/9:CDRR	2303	0	333

ENTRY?
REVIEW S.O'S END SESSION

Figure 3. Statement page.

STATEMENT DATE 10/9			
DATE	CREDITS	DEBITS	BALNCE
31/8:501	0	3000	29524
2/9:502	0	2000	27524
4/9:503	0	1240	26284
4/9:S*CARD	0	1500	24784
8/9:504	0	2000	22784
10 S. D	0	24186	-1402
10/9:505	0	568	-1970
10/9:CDRR	2303	0	333

ENTRY ?26/9 SUZY,5.1^D
REVIEW S.O'S END SESSION

Figure 4. Suzy's cheque.

the amount credited on the 10th of the month with £10.50, type

[10,10.5^N^C]

To increase the amount debited on the 23rd of the month by £15.25, type

[23,15.26^D]

To overcome an error, type <@> and re-do the entire entry. The erroneous entry will be ignored.

To review the table of standing orders and transfers at any time, type ^E, as figure 2. Type ^R again to resume entering SOs and transfers. When all standing orders and transfers have been entered to your satisfaction, type ^E repeatedly until the statement page is once again displayed on the screen.

Answer the initial prompt Play Tape by starting playback of the appropriate data tape and immediately pressing an alphanumeric key. After a few moments the statement page previously saved will be displayed as in figure 3. Note again that all amounts are displayed in pence. New entries may now be typed in — note that entries must be in chronological order as the month number is not significant, and no sorting of the day numbers is done. For example, if an entry for 20/3 is typed in after an entry for 21/3, the 20/3 will be taken to refer to the following month and any standing orders or transfers between the 21st and the following 20th will be inserted in the statement.

Entries are made in the formats.
{Day of month/Month number}{Note}{amount in pounds}[C or ^D]
or
[amount in pounds][^C or ^D]
No <return> is necessary.

If the optional date is omitted, the current statement date at the top RHS of the statement, which is also the date of the last entry made, will be adopted as the new date. This format should be used when a number of transactions are to be entered with the same date. The date and note together are truncated to 11 characters in total — allowing five or six characters for the note. If the optional date and note are both omitted, the second format should be used.

The terminating codes ^C or ^D signal whether the amount is a credit or a debit respectively.

For example, if you paid Suzy a cheque for £5.10 on July 26, type;

[26/7 SUZY,5.1^D]

as in figure 4. Or if you do not wish others to know about Suzy, type

[26/7,5.1^D]

If the previous entry was already dated the 26/7, type

[SUZY,5.1^D]

or

[5.1,^D]

respectively, instead.

Typing a <@> character signals that the entry typed so far contains an error and is to be ignored. A beep will sound and the entry will be erased — retype the entry from the beginning. If you complete an entry containing a syntactical error it will either be trapped and ignored — a beep will sound and the entry erased — or the entry will be entered on to the statement as a dummy zero amount with no effect on the balance.

Any standing orders or transfers encountered on the SO table between the previous and new entry dates will be inserted on the statement page before the entry just made.

You may review and revise the table of standing orders and transfers at your leisure by following the prompts at the bottom of the screen.

The screen window may be scrolled up the imaginary statement in blocks of eight entries at a time, by typing ^ . This is cyclic — that is, the window will be scrolled past the earliest entry on the statement back to the latest entry and then back to where you started from. A beep will sound to remind you that you are once again viewing the working page. If a new entry is made while an earlier portion of the statement is in the window, the screen will automatically revert to the working page before dealing with the new entry.

When the last entry has been made, type ^E to save the displayed statement and the table of standing orders and transfers on tape.

In answer to the prompt Record Tape, start the tape at the point where you wish to save the data and press an alphanumeric key. The values associated with the statement page and standing orders table will be recorded on tape and the message Statement Page Saved printed at the foot of the statement on the screen. ■

```

670 IF C<K;IF A;GOS.4
680 IF C=KSV=SU;SU=SD
690 !#DE=#8017;P.SDSB+3
700 SQ100=SU;SQ100+LX(Q100)=SW;SQ100+11=""
710 Y=V(L.V-1);ZV=100*V.V
720 IF Y=CH"C"Q100=0;Y100=ZV;H100=H196+Y100
730 IF Y=CH"D"Y100=0;G100=ZV;H100=H196+G100
740 F.X=4T096S.4;T=X+4;SQIX=SQIT;FIX=FIT;GIX=GIT;HIX=HIT;N.
760 !#90=#8080;!#92=#8160;!#96=#92;!#9A=11;!#80=6
770 WAIT;LI.LL2
780 !#DE=#8160;P.SQ196;!#E0=11;P.F196;G196;H196
790 R.
800C.P.$12;!#E1=0;P.$B+2"standing"$255"orders"
810 P.$L$L
820 DO
830 P."DATE,AMOUNT<G/c>?";!#80=#DE;GOS.u;!#DE=#80
840 !#96=#DE+17;!#9A=15;!#80=17;LI.RRO;IFSU="e";G.J
850 C=0;DO C=C+1;U.UTC=CH",OR C=L.U
860 IF C=L.U;U.0
870 SV=SU+C+1;SU=C=""
880 N=4*V.U;Y=L.V-1
890 IF VTY=CH"d"IN=IIN*(V(Y-1)>CH"n")+Z(100*V.V)
900 IF VTY=CH"c"JIN=JIN*(V(Y-1)>CH"n")+Z(100*V.V)
910J.U.SU="e"
920G.P.$12;!#E1=0;P.$B+2"STANDING ORDERS""$B+4"DATE:TRANS-
FERS:"
930 P." S.ORDERS""
940 P.$L$L
950 @=10;F.N=4T0124S.4;IF IIN OR JIN;P.'N/4,JIN,IIN
960 N.;P.'$L$L
970 GOS.x
980 LI.LL7
990 IFU=CH"e"G.c
1000 GOS.x
1010 R.
10204DO
1030 DO N=N+4;IF N/4>31 N=4
1040 U.IIN OR JIN OR (N=N);IF IIN=0 AND JIN=0 G.k
1050 F.X=4T096S.4;T=X+4;SQIX=SQIT;FIX=FIT;GIX=GIT;HIX=HIT;N.
1070 G196=IIN;F196=JIN;H196=H192-IIN+JIN
1080 STR N/4,Q196;SQ196+2"";IF N<10;SQ196+1=""
1090 IF JIN;SQ196+L.(Q196)=" TFR"
1100 IF IIN;SQ196+L.(Q196)=" S.O"
1110 !#90=#8080;!#92=#8160;1996=#92;!#9A=11
1120 WAIT;LI.LL2
1130 !#DE=#92;P.SQ196;!#E0=11;P.F196;G196;H196
1140K.U.N=N;SE=SD
1150 R.
1160GOS.z;!#DE=#80081A0
1170 S=FO.""
1180 SP.S.D;F.N=4T0124S.4;PUT S,IIN;PUT S,JIN;N.
1190 Z.N=4T096S.4;SP.S.QIN;PUT S,FIN;PUT S,GIN;PUT S,HIN;N.
1200 P.$11"statement"$255"page"$255"saved";R.
1210e!#DE=#80080AB;!#8036=#40
1230 S=F.""
1240 S.S.E;F.N=4T0124S.4;IIN=G.S;JIN=G.S;N.
1250 F.N=4T096S.4;S.S.QIN;FIN=G.S;GIN=G.S;HIN=G.S;N.
1260 IF V.E=0 DOSE=(E+1);U.V.E
1270 SD=SE
1280 R.
1290u!#DE=#81E0;P."REVIEW S.O'S"$55B+2;R.
1300w!#DE=#81E0;P."REVIEW S.O'S eND SESSION";R.
1310x!#DE=#81E0;P."REVISE S.O'S eND S.O'S";R.
1320z!#96=#81A0;!#9A=96;WAIT;LI.LL0;R.

1400i@=7;!#9A=11;!#96=#8080
1410 F.N=R TO R-28 S.-4
1420 !#DE=#8080;LI.LL4
1430 P.SQIN;!#E0=11;P.FIN;GIN;HIN
1440 N.
1450 R=N;R.

```

INTEREST FREE

On Atari, VIC20, Commodore 64 and

If your order contains over £120 worth of computer hardware apply now for interest free credit by telephoning: Mail-order: (0702) 552911. London Shop: 01-748 0926. Birmingham Shop: 021-356 7292. Southend Shop: 0702 554000 or write to P.O. Box 3, Rayleigh, Essex SS6 8LR.

You pay 10% down, then 10% per month for a further nine months (to nearest penny). Example: VIC20 Colour Computer. Cash Price £169.99. Credit terms: £16.99 down then £17 per month for nine months: Total £169.99. Credit quotations on request.

THE NEW COMMODORE 64

The incredible new computer from Commodore comes with 64K RAM fitted! Plus 16 colours, hi-res graphics, 320 x 200 pixels, 40 columns by 25 lines, Z80 micro processor can be added — that means you can run CP/M software, 8 independently movable Sprites with collision detection, and a sound generator with 3 voices, 4 waveforms, envelope and filter to rival some dedicated music synthesisers. And all this at the most incredible price ever.

(AF56L) Only £339.00

DRAGON 32



The amazing new British computer with a full-travel standard keyboard, a 16-bit microprocessor, 32K RAM fitted (expandable to 64K and later to 256K!), 9 colours, hi-res graphics and Microsoft extended colour BASIC (the very best BASIC to learn with). It can be used with virtually any ordinary cassette recorder, it has a printer interface (Centronics-type), joysticks are available and it's incredible value for money. (AF57M) Only £199.50

THE AMAZING ATARI COMPUTERS

4 Consoles Available:

- Atari 400 with 16K RAM (AF36P) £249.95
- Atari 400 with 48K RAM (AF37S) £319.00
- Atari 800 with 16K RAM (AF02C) £499.00
- Atari 800 with 48K RAM (AF55K) £590.00


★ All above with BASIC & handbooks

- Other hardware:
- Cassette Recorder (AF28F) £50.00
 - Disk Drive (AF06G) £299.95
 - Thermal Printer (AF04E) £265.00
 - Epson MX80T Mk III (AF38R) £399.95
 - Epson MX80F/T Mk III (AF40T) £447.35
 - Printer Interface for 400 (AF41U) £59.95
 - Printer Interface for 800 (AF42V) £59.95
 - Interface Module (AF29G) £135.00
 - Versawriter (AF43W) £199.95
 - 16K RAM Module (AF08J) £55.00
 - 48K RAM Module for 400 (AF44X) £125.35
 - 48K Upgrade for 400 (AF45Y) £75.00
 - Floppy Disk (YX87U) £2.50
 - Le Stick (AC45Y) £24.95
 - Joystick Controllers (Pair) (AC37S) £13.95
 - Paddle Controllers (Pair) (AC30H) £13.95

For full details ask for our hardware leaflet (XH54J) SAE appreciated

JOIN THE U.K. ATARI COMPUTER OWNERS' CLUB

An independent users' group. Four issues of the club magazine for only £3.00! Address your subscription to Ron. Issue 1 of the club magazine featured a tutorial on character set redefinition and contained a collection of demonstration and games programs and lots more. Issue 2 featured a tutorial on player/missile graphics, an article about graphics on computers, a selection of members' contributions to the program library and much more.





THE FINEST SELECTION OF ATARI SOFTWARE

Teach-Yourself Programs					
Conversational French	-5C-16K-YG44X	£39.95	Page Flipping	-1C-16K-BQ55K	£11.95
Conversational German	-5C-16K-YG45Y	£39.95	Page Flipping	-1D-24K-BQ56L	£11.95
Conversational Spanish	-5C-16K-YG46A	£39.95	Sounds & Music	-1C-16K-BG04E	£11.95
Conversational Italian	-5C-16K-YG47B	£39.95	Sounds & Music	-1D-24K-BG05F	£11.95
Touch Typing	-2C-16K-YG49D	£15.95	Tricky Tutorials	-3C-32K-BG06G	£59.95
States & Capitals	-1C-16K-YG56L	£9.95	Tricky Tutorials	-3D-32K-BG07H	£59.95
Euro. Countries & Capitals	-1C-16K-YG57M	£9.95			
Kids 1 (3 Programs)	-1C-16K-BG00A	£9.95	Business Programs		
Kids 1 (3 Programs)	-1D-24K-BG01B	£9.95	Visicalc	-1D-32K-YL39N	£119.95
Kids 2 (3 Programs)	-1C-16K-BG02C	£9.95	Atari Word Processor	-1C&3D-48K-YG42V	£99.95
Kids 2 (3 Programs)	-1D-24K-BG03D	£9.95	Text Wizard	-1D-32K-BQ99H	£69.95
			Mini Word Processor	-1D-32K-BG08J	£11.95
			Mini Word Processor	-1D-32K-BG09K	£11.95
Learn Programming			Calculator	-1D-24K-YG50E	£16.95
Invitation To Programming 1	-1C-8K-YG43W	£15.95	Graph-It	-2C-16K-YG51F	£13.95
Invitation To Programming 2	-2C-8K-BQ67X	£22.95	Statistics	-1C-16K-YG52G	£13.95
Invitation To Programming 3	-2C-8K-BQ68Y	£22.95	Personal Financial Management		
Basics Of Animation	-1C-16K-BQ57M	£11.95		-3D-32K-BQ65V	£49.00
Basics Of Animation	-1D-24K-BQ58N	£11.95	Mortgage & Loan Analysis	-1C-16K-BQ66W	£13.95
Player Missile Graphics	-1C-32K-BQ59P	£18.95	Bob's Business	-1C-32K-BG11M	£9.95
Player Missile Graphics	-1D-32K-BQ60Q	£18.95	Bob's Business	-1D-32K-BG12N	£9.95
Display Lists	-1C-16K-BQ51F	£11.95			
Display Lists	-1D-24K-BQ52G	£11.95	Adventure Games		
Horiz./Vert. Scrolling	-1C-16K-BQ53H	£11.95	Galactic Empire	-1C-32K-BQ14Q	£14.95
Horiz./Vert. Scrolling	-1D-24K-BQ54J	£11.95	Rescue At Rigel	-1C-32K-BQ21X	£22.45
			Rescue At Rigel	-1D-32K-BQ80B	£22.45
			Datestones Of Ryn	-1C-32K-BQ22Y	£14.95
			Datestones Of Ryn	-1D-32K-BQ82D	£14.95
			Star Warrior	-1C-32K-BQ24B	£28.95
			Star Warrior	-1D-32K-BQ79L	£28.95
			Invasion Orion	-1C-24K-BQ23A	£18.95
			Invasion Orion	-1D-32K-BQ81C	£18.95
			Star Trek 3.5	-1C-32K-BQ15R	£14.95
			Star Trek 3.5	-1D-40K-BG26D	£18.95
			Crush, Crumble & Chomp	-1C-32K-BQ83E	£22.45
			Crush, Crumble & Chomp	-1D-32K-BQ84F	£22.45
			Mission: Asteroid	-1D-40K-BQ91Y	£17.19
			Wizard & The Princess	-1D-40K-BQ25C	£21.79
			Ulysses & The Golden Fleece		
				-2D-40K-BQ92A	£20.64
			Zork I	-1D-32K-BQ94C	£29.95
			Zork II	-1D-32K-BQ95D	£29.95
			Ali Baba & The 40 Thieves	-1D-32K-BQ78K	£27.95
			Temple Of Apshai (Part 1)	-1C-32K-BQ85G	£28.95
			Temple Of Apshai (Part 1)	-1D-32K-BQ86T	£28.95
			Upper Reaches Of Apshai (Part 2)		
				-1C-32K-BQ87U	£14.95
			Upper Reaches Of Apshai (Part 2)		
				-1D-32K-BQ88V	£14.95
			Curse Of Ra (Part 3)	-1C-32K-BQ89W	£14.95
			Curse Of Ra (Part 3)	-1D-32K-BQ90X	£14.95
			Analog Adventure	-1D-32K-BQ33L	£16.95
			Adventure Land	-1C-24K-BQ00A	£14.95
			Pirates Adventure	-1C-24K-BQ01B	£14.95
			Mission Impossible	-1C-24K-BQ02C	£14.95
			Voodoo Castle	-1C-24K-BQ03D	£14.95
			The Count	-1C-24K-BQ04E	£14.95
			Strange Odyssey	-1C-24K-BQ05F	£14.95
			Mystery Fun House	-1C-24K-BQ06G	£14.95
			Pyramid Of Doom	-1C-24K-BQ07H	£14.95
			Ghost Town	-1C-24K-BQ08J	£14.95
			Savage Island I	-1C-24K-BQ09K	£14.95
			Savage Island II	-1C-24K-BQ10L	£14.95
			Golden Voyage	-1C-24K-BQ11M	£14.95
			Softporn Adventure	-1D-40K-BQ93B	£20.64
			Deadline	-2D-32K-BQ96E	£34.95
			The Shattered Alliance	-1D-48K-BQ98G	£29.95
			The Battle Of Shiloh	-1C-40K-BQ63T	£29.95
			The Battle Of Shiloh	-1D-40K-BQ97F	£29.95
			Energy Czar	-1C-16K-YG53H	£9.95
			Kingdom	-1C-8K-YG55K	£9.95
			Space Shuttle Module 1	-1D-32K-BG65V	£19.95
			Arcade Games		
			Star Raiders	-1E-8K-YG66W	£29.95

CREDIT

Dragon 32 computer hardware

(Subject to approval which can take up to 48 hours) (APR = 0%)



ATARI SOFTWARE continued

Asteroids	-1E-8K-YG60Q £29.95	Blackjack	-1C-8K-YG62S £9.95
Space Invaders	-1E-8K-YG70M £29.95	Hangman	-1C-8K-YG54J £9.95
Missile Command	-1E-8K-YG64U £29.95	Super Cubes & Tilt	-1C-16K-BQ48C £14.95
Caverns of Mars	-1D-16K-BQ69A £24.50	Humpty Dumpty & Jack & Jill	-1C-16K-BQ38R £19.95
K-Razy Shoot Out	-1E-8K-BQ63T £29.95	Hickory Dickory Dock & Baa Baa Black Sheep	-1C-16K-BQ39N £19.95
K-Razy Kritters	-1E-8K-BG51F £29.95	British Heritage Jigsaw Puzzles	-2C-16K-BQ40T £19.95
K-Star Patrol	-1E-8K-BG52G £29.95	European Scene Jigsaw Puzzles	-2C-16K-BQ41U £19.95
Pathfinder	-1D-32K-BG33L £27.95	Video Easel	-1E-8K-BQ72P £24.50
Crossfire	-1C-16K-BG22Y £20.64	Micro Painter	-1D-48K-BG56L £29.95
Crossfire	-1D-32K-BG23A £20.64		
Protector	-1C-32K-BG248 £21.80	Music Programs	
Protector	-1D-32K-BG25C £21.80	Music Composer	-1E-8K-YG48C £35.95
Threshold	-1D-40K-BG18U £27.54	Movie Composer	-1C-8K-BQ34M £9.95
Deluxe Invaders	-1D-16K-BG34M £29.95	Computer Languages	
Galactic Chase	-1C-16K-BQ62S £16.95	Assembler	-1C-16K-YL32K £19.95
Galactic Chase	-1D-16K-BQ61R £19.95	Assembler Editor	-1E-8K-YG68Y £39.95
Race In Space	-1C-16K-BQ35Q £14.95	Macro Assembler	-1D-32K-BQ73Q £59.95
Race In Space	-1D-16K-BG20W £16.95	Basic A+	-1D-48K-BQ31J £49.95
Space Chase	-1C-16K-BG42V £10.95	Basic A+ & Operating System A+	-1D-48K-BQ32K £99.50
Space Chase	-1D-24K-BG43W £12.95	Microsoft Basic	-1D-32K-BQ74R £59.95
Centipede	-1E-16K-BQ70M £29.95	Pilot (Educator)	-1E & 2C-16K-BQ75S £79.95
Angle Worms	-1C-8K-BG50E £10.95	Pilot (Consumer)	-1E-8K-YG69A £64.00
Lunar Lander	-1C-24K-BQ16S £10.95	OS Forth	-1D-24K-YL29G £49.95
Lunar Lander	-1D-24K-BG49D £14.95	Tiny-C	-1D-48K-BG62S £64.95
Jumbo Jet Lander	Available November	Inter-Lisp/65	-1D-48K-BG61R £67.00
Submarine Commander	Available November	Utilities	
Rasterblaster	-1D-32K-BG35Q £22.95	Programming Aids Package 1	-1C-16K-BG60Q £9.95
Shooting Gallery	-1C-16K-BQ36P £14.95	6502 Disassembler	-1C-8K-YL30H £9.95
Shooting Gallery	-1D-16K-BG19V £16.95	6502 Disassembler	-1D-8K-YL31J £12.95
Shooting Arcade	-1C-16K-BG15R £24.95	Atari World	-1D-40K-BQ27E £43.95
Shooting Arcade	-1D-16K-BG16S £24.95	3D Supergraphics	-1C-40K-BQ29G £29.95
Super Breakout	-1E-8K-YG67X £24.50	3D Supergraphics	-1D-40K-BQ28F £29.95
Dodge Racer	-1C-16K-BG29G £19.95	File-It 2	-1D-48K-BG10L £34.95
Dodge Racer	-1D-24K-BG30H £19.95	Filemanager 800	-1D-40K-BG59P £72.80
Matchracer	-1C-16K-BG31J £23.95	K-DOS	-1D-32K-BQ76H £49.95
Matchracer	-1D-16K-BG32K £23.95	Disk Manager	-1D-32K-BG58N £21.80
Mouskattack	-1D-32K-BQ77J £22.95	Disk Detective	-1D-16K-BG57M £24.95
Jawbreaker	-1C-16K-BG17T £20.64	Operating System A+	-1D-32K-BQ30H £49.95
Jawbreaker	-1D-32K-BQ26D £20.64	Teletink	-1E-8K-YG59P £21.50
Ghost Hunter	-1C-16K-BQ64U £19.95	The Next Step	-1D-32K-BG64U £27.54
Pac-Man	-1E-8K-BQ71N £29.95	Books	
Pacific Coast Highway	-1C-16K-BG13P £24.95	Master Memory Map	-XH57M £4.00
Pacific Coast Highway	-1D-16K-BG14Q £24.95	De Re Atari	-WG56L £16.95
Chicken	-1C-16K-BG27E £21.80	Operating System User's Manual & Hardware Manual	-WA46A £16.95
Chicken	-1D-16K-BG28F £21.80	Atari Basic-Learning By Using Games For The Atari	-WG55K £5.24
Tumble Bugs	-1D-24K-BG46A £24.95	Atari Basic	-WG05F £6.80
Bug Attack	-1C-24K-BG36P £23.95	Atari Sound & Graphics	-WA39N £8.25
Bug Attack	-1D-40K-BG37S £23.95	Your Atari Computer	-WA40T £13.45
Canyon Climber	-1C-16K-BG44X £24.95	6502 Assembly Language Subroutines	-WA05F £12.45
Canyon Climber	-1D-16K-BG45Y £24.95	Advanced 6502 Interfacing	-WA41U £11.45
Mountain Shoot	-1C-16K-BQ12N £10.95	Beyond Games (6502)	-WA47B £4.45
Haunted Hill	-1C-16K-BG38R £16.95	Computers For People	-WA00A £8.25
Haunted Hill	-1D-16K-BG39N £19.95	Analog: The Magazine For Atari (6 issues) Annual Subscription	-GG24B £9.00
Time Bomb	-1C-16K-BG40T £10.95	Send see now for our new software leaflet with details of all the above programs.	
Time Bomb	-1D-24K-BG41U £12.95	Order As XH52G - Issue 3.	
Tank Trap	-1C-16K-YL34M £9.95	Key: C = Cassette. D = Disk. E = Cartridge.	
Tank Trap	-1D-32K-YL35Q £12.95	2C = 2 Cassettes etc. 8K, 16K shows minimum memory requirement.	
Thunder Island	-1C-16K-BQ37S £10.95	Note: Order codes shown in brackets. Prices correct at time of going to press. (Errors excluded).	

VIC20 COLOUR COMPUTER

Hardware					
VIC20 Console	(AF47B)	£169.99	Simplicac Cassette (+16K)	(AC93B)	£19.95
C2N Cassette Unit	(AF48C)	£44.95	VIC Stock Control Cassette (+8K)	(AC94C)	£19.95
VIC Printer	(AF49D)	£230.00	VIC File Disk (+16K)	(AC95D)	£24.95
VIC Disk Drive	(AF50E)	£396.00	VIC Writer Disk (+8K)	(AC96E)	£24.95
3K RAM Cartridge	(AF51F)	£29.95	VIC Writer Cassette (+8K)	(AC97F)	£19.95
8K RAM Cartridge	(AF52G)	£44.95	Education (CSE & GCE 'O' Level Revision)		
16k RAM Cartridge	(AF53H)	£74.95	All cassette based and require at least 8K expansion memory.		
Joysticks and Paddles			English Language	(AC98G)	£9.99
Single Joystick	(AC53H)	£7.50	Mathematics 1	(AC99H)	£9.99
Pair of Joysticks	(AC37S)	£13.95	Mathematics 2	(BC00A)	£9.99
Le Stick	(AC45Y)	£24.95	Biology	(BC01B)	£9.99
Pair of Paddles	(AC30H)	£13.95	Chemistry	(BC02C)	£9.99
Programming Aid Cartridges			Physics	(BC03D)	£9.99
Super Expander. 3K RAM and Hi-res graphics	(AC54J)	£34.95	Computer Studies	(BC04E)	£9.99
Programming Aid. Additional commands, function key programming etc.	(AC55K)	£34.95	Geography	(BC05F)	£9.99
Machine Code Monitor	(AC56L)	£34.95	History	(BC06G)	£9.99
Software (all 3K unless stated)			Arithmetic for 9 to 11 year olds	(BC07H)	£9.99
Introduction to BASIC Cassettes			Reading for 9 to 11 year olds	(BC08J)	£9.99
Part 1	(AC57M)	£14.95	General Knowledge for 9 to 11 year olds	(BC09K)	£9.99
Part 2	(AC58N)	£14.95	Spelling for 9 to 11 year olds	(BC10L)	£9.99
Game Programs			Home Programs		
Avenger Cartridge	(AC59P)	£19.95	All cassette based and require at least 8K expansion memory.		
Star Battle Cartridge	(AC60Q)	£19.95	Quizmaster	(BC11M)	£9.99
Super Slot Cartridge	(AC61R)	£19.95	Know Your Own IQ	(BC12N)	£9.99
Jelly Monsters Cartridge	(AC62S)	£19.95	Junior IQ	(BC13P)	£9.99
Alien Cartridge	(AC63T)	£19.95	Know Your Own Personality	(BC14Q)	£9.99
Super Lander Cartridge	(AC64U)	£19.95	The Robert Carrier Family Menu Planner		
Road Race Cartridge	(AC65V)	£19.95			
Rat Race Cartridge	(AC66W)	£19.95	VIC Money Manager	(BC15R)	£9.99
Blitz Cassette	(AC67X)	£4.99	VIC Road User & Highway Code	(BC17T)	£9.99
Mole Attack Cartridge	(AC68Y)	£24.95	Garden Planner	(BC18U)	£9.99
Adventureland Cartridge	(AC68T)	£24.95	Interior Designer	(BC19V)	£9.99
Pirate Cove Cartridge	(AC68F)	£24.95	BBC "Ask The Family"	(BC20W)	£9.99
Mission Impossible Cartridge	(AC68U)	£24.95	BBC "Mastermind"	(BC21X)	£9.99
Voodoo Castle Cartridge	(AC68V)	£24.95	"Mastermind" additional General Knowledge		
The Count Cartridge	(AC68W)	£24.95	Data 1	(BC22Y)	£2.50
Sargon 2 Chess Cartridge	(AC67J)	£24.95	Data 2	(BC23A)	£2.50
Golf Cartridge	(AC67K)	£24.95	Data 3	(BC24B)	£2.50
Omega Race Cartridge	(AC67L)	£24.95	Data 4	(BC25C)	£2.50
Another VIC in The Wall Cassette	(AC78K)	£7.00	"Mastermind" additional Specialist Knowledge		
VIC Panic Cassette	(AC79L)	£7.00	Wine & Food	(BC26D)	£2.50
Cosmids Cassette	(AC80B)	£7.00	Music	(BC27E)	£2.50
Backgammon Cassette (+3K)	(AC81C)	£7.00	Sport & Games	(BC28F)	£2.50
VIC Men Cassette	(AC82D)	£7.00	Films & TV	(BC29G)	£2.50
VIC Asteroids Cassette	(AC83E)	£7.00	Books About VIC		
Business Programs			Learn Programming on the VIC	(WA31J)	£2.50
Simplicac Disk (+16K)	(AC92A)	£24.95	VIC Revealed	(WA32K)	£10.00
			VIC Programmers Reference Guide	(WA33L)	£9.95
			VIC Graphics	(WA48C)	£10.00

MAPPLIN

Maplin Electronic Supplies Ltd., P.O. Box 3, Rayleigh, Essex. Tel: Southend (0702) 552911/554155.
 Demonstrations at our shops NOW. See the computers in action at 159-161 King St., Hammersmith W6; Tel: 01-748 0926
 284 London Road, Westcliff-on-Sea, Essex. Tel: (0702) 554000
 Lynton Square, Perry Barr, Birmingham; Tel: (021) 356 7292.

```

1 ON ERROR GOTO149
2*TV255
3MODE7:PROCINITIALISE:PROCIINST:PROCPICTURE
4PROCCURSOR
5ON DX=48 GOTO 7,9,14,29,37,45,48,52,67,78
6REM ** ENTER KEY ROUTINE **
7SOUND0,-10,2,4:PROCSHADEKEY(CKEY%,146):NX=N%+1:N%(NX)=LOWCX+(OCTAVE%*12-13+K
EY%)*4:PROCIINST:PROCPWAIT(50):GOTO4
8REM ** DELETE KEY ROUTINE **
9IF NX=0 SOUND0,-10,1,4:PRINTTAB(0,21):VDU141,136:PRINT"NO key to delete":T
AB(0,22):VDU141,136:PRINT"NO key to delete":PROCPWAIT(400):PROCPWIPE:GOTO4
10SOUND0,-10,2,4:N%+1:FORIX=10 TO 18:PRINTTAB(30,IX):SPC9:NEXT:PROCIINST
11PRINTTAB(0,21):VDU141,136,131:PRINT"Last entered key has been deleted":TAB
(0,22):VDU141,136,131:PRINT"Last entered key has been deleted":X=INKEY(300)
12PROCPWIPE:GOTO4
13REM ** COPY A SECTION ROUTINE **
14IF NX=0 SOUND0,-10,1,4:PRINTTAB(0,21):VDU141,136:PRINT"NO notes to copy":T
AB(0,22):VDU141,136:PRINT"NO notes to copy":PROCPWAIT(400):PROCPWIPE:GOTO4
15SOUND0,-10,2,4:PRINTTAB(0,21):"You can now copy a section of previously ente
red notes onto your current position by specifying the nos. of the bounding note
s":X=INKEY(400)
16PROCPWIPE
17INPUTTAB(0,22)"NO. OF FIRST NOTE (INCLUSIVE) ?":DX:IFDX>NX OR DX<1 PROCPWIPE
:GOTO17
18INPUTTAB(0,22)"NO. OF SECOND NOTE (INCLUSIVE) ?":EX:IFEX>NX OR EX<1 OR EX<D
% PROCPWIPE:GOTO18
19 IF NX+EX-BX+1>MAXNOTES% PROCPWIPE:SOUND0,-10,1,4:PRINTTAB(0,21):VDU141,136
:PRINT"Out of storage range":TAB(0,22):VDU141,136:PRINT"Out of storage range":P
ROCPWAIT(400):PROCPWIPE:GOTO4
20PROCPWIPE:SOUND0,-10,2,4:PRINTTAB(0,21):VDU141,136:PRINT"COPYING":TAB(0,22)
:VDU141,136:PRINT"COPYING"
21FORIX=DX TO EX:CKEY%=(NX(IX)-LOWCX)MOD48DIV4+1:COCTAVE%=(NX(IX)-LOWCX)DIV48+1
22PROCSHADEOCTAVE(COCTAVE%,130,131):PROCSHADEKEY(CKEY%,146)
23SOUND1,-15,150,2:PROCPWAIT(30)
24IFCKEY%=2 ORCKEY%=4 ORCKEY%=7 ORCKEY%=9 ORCKEY%=11 PROCSHADEKEY(CKEY%,148)
ELSEPROCSHADEKEY(CKEY%,150)
25PROCSHADEOCTAVE(COCTAVE%,134,134)
26NX=N%+1:N%(NX)=N%(IX):PROCIINST:NEXTIX
27PROCPWIPE:GOTO4
28REM ** BLOCK DELETE ROUTINE **
29IF NX=0 SOUND1,-15,30,4:PRINTTAB(0,21):VDU141,136:PRINT"NO notes to delete
":TAB(0,22):VDU141,136:PRINT"NO notes to delete":PROCPWAIT(400):PROCPWIPE:GOTO4
30SOUND1,-15,100,4:PRINTTAB(0,21):"You can now delete a block of previously en
tered notes. Specify the two bounding notes by their numbers.":X=INKEY(500)
31PROCPWIPE
32INPUTTAB(0,22)"NO. OF FIRST NOTE (INCLUSIVE) ?":DX:IFDX>NX OR DX<1 PROCPWIPE
:GOTO31
33INPUTTAB(0,22)"NO. OF SECOND NOTE (INCLUSIVE) ?":EX:IFEX>NX OR EX<1 OR EX<D
% PROCPWIPE:GOTO33
34IF EX=N% NX=DX-1 ELSE FOR IX=EX+1 TO NX:N%(IX)=N%(IX):NEXT:NX=N%-EX+
DX-1
35FORIX=10 TO 18:PRINTTAB(30,IX):SPC9:NEXT:PROCPWIPE:PROCIINST:GOTO4
36REM ** SOUND LAST NOTE **
37IF NX=0 SOUND0,-10,1,4:PRINTTAB(0,21):VDU141,136:PRINT"NO last note to sou
nd":TAB(0,22):VDU141,136:PRINT"NO last note to sound":PROCPWAIT(400):PROCPWIPE:G
OTO4
38PRINTTAB(0,21):VDU141,136,131:PRINT"Sounding last note":TAB(0,22):VDU141,
136,131:PRINT"Sounding last note"
39CKEY%=(NX(NX)-LOWCX)MOD48DIV4+1:COCTAVE%=(NX(NX)-LOWCX)DIV48+1
40PROCSHADEOCTAVE(COCTAVE%,130,131):PROCSHADEKEY(CKEY%,146)
41SOUND1,-15,N%(NX),20:PROCPWAIT(200)
42IFCKEY%=2 ORCKEY%=4 ORCKEY%=7 ORCKEY%=9 ORCKEY%=11 PROCSHADEKEY(CKEY%,148)
ELSEPROCSHADEKEY(CKEY%,150):PROCSHADEOCTAVE(COCTAVE%,134,134)
43PROCPWIPE:GOTO4
44REM ** SOUND CURSOR NOTE **
45PRINTTAB(0,21):VDU141,136,131:PRINT"Sounding cursor":TAB(0,22):VDU141,136
,131:PRINT"Sounding cursor"
46SOUND1,-15,LOWCX+(OCTAVE%-1)*48+(KEY%-1)*4,20:PROCPWAIT(120):PRINTTAB(0,21):
SPC80:GOTO4
47 REM ** SELECT SOUND OPTION**
48PRINTTAB(0,21):"Hit C if you want the cursor to produce a beep every note-c
hange, or S to ensure its silence unless you use F5":
49REPEAT:F5=GET$:UNTIL F5="S" OR F5="C"
50PRINTTAB(0,21):SPC(120):GOTO4
51REM **REVIEW ROUTINE**
52IF NX=0 SOUND1,-15,30,4:PRINTTAB(0,21):VDU141,136:PRINT"NO notes to review
":TAB(0,22):VDU141,136:PRINT"NO notes to review":PROCPWAIT(400):PROCPWIPE:GOTO4
53SOUND1,-15,100,4:PRINTTAB(0,21):"REVIEW FUNCTION-hit one of the followingF,
M,S-Fast,Medium or Slow run through of notes,with accompanying sound R-
you tap the Rhytha on RETURN key":*FX15,0
54REPEATG5=GET$:UNTILG5="F" ORG5="M" ORG5="S" ORG5="R"
55IFG5="F" HX=0 ELSE IF G5="M" HX=50 ELSE IF G5="S" HX=100 ELSE HX=-74
56PROCPWIPE:PRINTTAB(0,21):"Hit V for visual only" S for sound only"
B for both"Note that V or B will be more sluggish":
57REPEAT:H5=GET$:UNTIL H5="V" ORH5="B" ORH5="S"
58PROCPWIPE:PRINTTAB(0,21):CHR#131:CHR#141:CHR#137:"Reviewing notes":TAB(0,22)
:CHR#131:CHR#141:CHR#137:"Reviewing notes"
59FORIX=10 TO NX:IFH5="S" GOTO61 ELSECKEY%=(NX(IX)-LOWCX)MOD48DIV4+1:COCTAVE%=(N
X(IX)-LOWCX)DIV48+1
60PROCSHADEOCTAVE(COCTAVE%,130,131):PROCSHADEKEY(CKEY%,146)
61PROCIINST:IF H5<>"V" SOUND%11,-15,N%(IX),10
62REPEAT:X%=INKEY(HX):UNTILX<>0
63IFH5="S" GOTO65 ELSEIFCKEY%=2 ORCKEY%=4 ORCKEY%=7 ORCKEY%=9 ORCKEY%=11 PROCS
HADEKEY(CKEY%,148) ELSEPROCSHADEKEY(CKEY%,150)
64PROCSHADEOCTAVE(COCTAVE%,134,134)
65NEXT:PRINTTAB(0,21):SPC80:PROCPWAIT(100):GOTO4
66 REM** INSERT ROUTINE **
67IF NX=0 SOUND0,-10,1,4:PRINTTAB(0,21):VDU141,136:PRINT"NOWHERE to insert":
TAB(0,22):VDU141,136:PRINT"NOWHERE to insert":PROCPWAIT(400):PROCPWIPE:GOTO4
68SOUND0,-10,2,4:PRINTTAB(0,21):"INSERT MODE :- you may now insert notes into
those already entered.":X=INKEY(300):NNX=N%
69PROCPWIPE:PRINTTAB(0,21):"Enter the note after which you want to insert mor
e notes (give its position in the sequence)":INPUTDX:IF DX>NX ORDX<0 GOTO69
70PROCIINST:INPUTTAB(0,21)"Enter position within octave of new note(1-12,or 0
to finish inserting)":NKEY%:IFNKEY%<0 OR NKEY%>12 GOTO70
71IFNKEY%=0 PROCPWIPE:PRINTTAB(0,20):SPC38:PROCIINST:GOTO4
72INPUTTAB(0,23)"Enter octave of new note ",NOCTAVE%:IFNOCTAVE%<0 OR NOCTAVE%
>5 GOTO72
73IFNOCTAVE%=0 PROCPWIPE:PRINTTAB(0,20):SPC38:PROCIINST:GOTO4
74FORIX=NXTODX+1 STEP-1:N%(IX+1)=N%(IX):NEXT:NX=N%+1:N%(DX+1)=LOWCX+(NOCTAVE%
-1)*48+(NKEY%-1)*4
75PRINTTAB(0,20):CHR#134:"Next one in at":CHR#131:DX+1:TAB(22,20):CHR#134:"N
o. inserted":CHR#131:NX-NNX:
76PROCIINST:DX=DX+1:GOTO70
77 REM ** TUNE-UP ROUTINE **
78SOUND0,-10,2,4:PRINTTAB(0,20):"TUNE-UP :":CHR#135:"You can tune the compute
r by changing the pitch produced by the left-most note,C (1). This is initially
set at 5 units (this produces middle-c at C (2)).(KEY TO GO ON...)":
79X=GET
80PRINTTAB(0,20):SPC198:TAB(0,20):"C (1) can be given an integer value of be
tween 0 and 17 (note that 4 units=one semitone).You can move the cursor and us
e F5 (Sound cursor) to compare a note to another instrument. (KEY....)":
81X=GET

```

MORE FROM BBC

Tired of composing symphonies on your pocket calculator? Last month Chris Melville defined some of the initial difficulties encountered in turning the BBC into a musical instrument. This month, his program takes the tedium out of tickling the keys.




NEARLY EVERYONE has seen a pocket calculator-cum-keyboard which allows the user to enter a tune and play it back at various speeds. Of course, to get the BBC Micro to play a tune the process would be much more laborious. First you have to define an envelope if required then each musical note must be changed to a corresponding integer for use in the pitch part of the sound statement. Next, each musical note must be given a duration parameter, as well as some number telling the computer when to sound it. All of these numbers need to be keyed-in by hand. The computer also needs a routine to sound the correct note at the correct time.

This is all very boring, repetitious and error-prone since the BBC Micro has no musical keyboard and all notes have to be entered as numerical data. To produce a tune-playing

MUSIC

THE



computer without all of these problems, I have written the program Keyboard included in this article. The instructions are again separate. The user can enter the notes comprising the tune by means of a cursor which can be moved up and down a musical keyboard drawn in colour on a Mode 7 screen.

Once all of the notes have been entered, the user taps out the rhythm of the tune on function key. One can change the speed if required. This is useful for entering fast bits which would be hard to tap out correctly at the right speed. The computer matches up the notes to the rhythm and, at the touch of a button, plays the whole tune at the correct spacings and speed.

Because Keyboard uses Mode 7, thus only 1K video RAM, it will run on a Mode 1A,

(continued on page 77)

```


B2PRINTTAB(0,20);SPC198;TAB(0,21);CHR#134"Current value of C (1):";CHR#131;I:O
WCX
B3INPUTTAB(0,23)" Choose new value " NLOWCX:IF NLOWCX>17 OR NLOWCX<0 GOTOB2 E
LSE NLOWCX=NLOWCX
B4PROCWAIT(50);PRINTTAB(0,20);SPC198;GOTO4
B5DEF PROCSHADEOCTAVE(OCTAVE%,AZ,BX):PRINTTAB((OCTAVE%-1)*7+1,1);VDUA%,157,B
X:PRINTTAB((OCTAVE%-1)*7+1,2);VDUA%,157,BX:ENDPROC
B6DEF PROCPICTURE:FDRIZ=1 TO2:PRINTTAB(0,1X);CHR#141
B7 FORJX=1 TO2 STEP7:PRINTTAB(JX,1X);
B8 VDU134,157,134,JXDIV7+49,JXDIV7+49,JXDIV7+49,158:NEXT:VDU158,156:NEXT
B9FORIZ=5 TO13:PRINTTAB(0,1X);
90VDU153,150,255,158,148,158,150,158,148,158,150,255,138,150,255,138,148,158,
150,158,148,158,150,158,148,158,150,255,255,159:NEXT
91FOR IZ=14 TO19:PRINTTAB(0,1X);CHR#153;CHR#150;
92FOR-JX=2 TO2-STEP4:VDU255,255,150,150:NEXT:PRINTTAB(29,1X);CHR#159:NEXT
93PRINTTAB(1,0);VDU130,157,136,135:PRINT"Present octave is:";SPC14;CHR#156
94PRINTTAB(2,4);CHR#(131);"C CED DE E F FEG GEA AE B"
95ENDPROC
96DEF PROCINITIALISE:LOCAL IZ
97*KEY0 1
98*KEY1 2
99*KEY2 3
100*KEY3 4
101*KEY4 5
102*KEY5 6
103*KEY6 7
104*KEY7 8
105*KEY8 9
106*FX4 1
107OCTAVE%=1;KEY%=1;LOWCX=5;NX=0;MAXNOTES%=200;F#="C";RESTORE:DIM COLPOS%(12),
WNTE%(12),NX(MAXNOTES%)
108FORIZ=1 TO12:READCOLPOS%(IZ),WNTE%(IZ):NEXT
109DATA101,"C ",400,CE,605,"D ",800,DE,1009,"E ",1313,"F ",1600,FE,1817,"G ",2
000,GE,2221,"A ",2400,AE,2625,"B "
110VDU23;8202;0;0;0:ENDPROC
111DEF PROCSHADEKEY(KEY%,SHADE%):LOCAL IZ
112FOR IZ=5 TO13:PRINTTAB(COLPOS%(KEY%)/DIV100,IZ);CHR%(SHADE%):NEXT
113FOR IZ=14 TO19:IF COLPOS%(KEY%)/MOD100 <>0 PRINTTAB(COLPOS%(KEY%)/MOD100,IZ);
CHR%(SHADE%)
114NEXT:ENDPROC
115DEF PROCCURSOR
116PROCSHADEOCTAVE(OCTAVE%,129,131)
117LASTKEY%=KEY%;LASTOCTAVE%=OCTAVE%
118IF F#="C" SOUND%11,-10,LOWCX+(OCTAVE%*12-13+KEY%)*4,5:PROCSHADEKEY(KEY%,149
) ELSEPROCSHADEKEY(KEY%,149)
119REPEAT:FX15,1
120OZ=GET:UNTIL OZ=137 OR OZ=136 OR (OZ>48 AND OZ<59)
121IF OZ<59 ENDPROC
122IF OZ=136 GOTO125
123IF KEY%>12 KEY%=KEY%+1 ELSE IF OCTAVE%=5 SOUND1,-15,30,3:GOTO119 ELSE KEY%
=1:OCTAVE%=OCTAVE%+1:SOUND1,-15,100,2:PROCSHADEOCTAVE(LASTOCTAVE%,134,134):PROCS
HADEOCTAVE(OCTAVE%,129,131)
124GOTO126
125IF KEY%<1 KEY%=KEY%-1 ELSE IF OCTAVE%=1 SOUND1,-15,30,3:GOTO119 ELSE KEY%
=12:OCTAVE%=OCTAVE%-1:SOUND1,-15,100,2:PROCSHADEOCTAVE(LASTOCTAVE%,134,134):PROCS
HADEOCTAVE(OCTAVE%,129,131)
126IF LASTKEY%=2 ORLASTKEY%=4 ORLASTKEY%=7 ORLASTKEY%=9 ORLASTKEY%=11 PROCSHAD
EKEY(LASTKEY%,148) ELSEPROCSHADEKEY(LASTKEY%,150)
127 GOTO117
128DEF PROCINFO:LOCAL IZ
129PRINTTAB(30,5);CHR#131;"NOTES NOW";TAB(30,6);CHR#131;"ENTERED: ";TAB(32,7);
CHR#134;NX;" "
130FOR IZ=NX TO NX-2 STEP-1
131 IF IZ=0 IZ=NX-2 ELSE PRINTTAB(30,10+(NX-IZ)*3);CHR#131;"NOTE ";IZ;" ";TAB(
32,11+(NX-IZ)*3);CHR#134;WNTE%((NX(IZ)-LOWCX)/MOD48DIV4+1);" (";(NX(IZ)-LOWCX)/DI
V48+1);" "
132 NEXT:ENDPROC
133DEF PROCWAIT(CX):TIME=0:REPEAT:UNTIL TIME>=CX:ENDPROC
134DEF PROCWIPE:PRINTTAB(0,21);SPC158:ENDPROC
135DEF PROCINST
136FRINT
137CLS:PRINT"PLAYMUSIC program by Chris Melville '82 *****
*****"
138PRINT"CHR#131:"This program is in 2 parts,this is the";CHR#131;"first part
-which deals with setting up";CHR#131;"of an array containing (in order) the";C
HR#131;"notes to be played.";CHR#134;
139 PRINT"CHR#131:"The next part,which deals with entering";CHR#131;"the rythma of the
tune and playing it";CHR#131;"back,should be recorded on tape after";CHR#131;"th
is one CHAINS it."
140PRINT"CHR#130:"Full instructions are in the article to";CHR#130;"save space
"
141PRINT"CHR#129:"Be sure you have finished entering all";CHR#129;"the notes
before going on to the next";CHR#129;"part (by pressing ESCAPE) since you ";CHR#
129;"cannot return to it intact."
142PRINT"CHR#133;CHR#136:" Hit a key to go on....";X=GET:CLS
143PRINT"CHR#131:"The functions available are:";CHR#131;"F0:-enters the note on which
the purple";CHR#131;" cursor is on as one to be played";CHR#134;"F1:-deletes
the last note entered";CHR#130;"F2:-repeats a section of notes";
144PRINTCHR#129;"F3:-deletes a block of notes";CHR#131;"F4:-sounds the last n
ote entered";CHR#132;"F5:-sounds the position of the cursor";CHR#131;"F6:-enab
les/disables the cursors beep";CHR#134;
145PRINT"CHR#129;"F7:-audio/visual review of notes so far";CHR#130;"F8:-can insert note
s into list";CHR#129;"F9:-used to 're-tune' computer";CHR#136;"Hit a key to st
art....";X=GET:CLS
146PRINTTAB(10,2);VDU129,141,136:PRINT"Remember:";TAB(10,3);VDU129,141,136:P
RINT"Remember:";TAB(0,10);CHR#131;"At the moment you are only entering the";CHR#
131;"notes,the rythma/tempo comes in part 2";
147PRINTTAB(0,17);CHR#134;"The purple key-cursor is moved by using";CHR#134;"t
he right + left cursor keys":PROCWAIT(800):CLS
148ENDPROC
149CLS:PRINTCHR#131;"Going on to next program";CHR#130;"Start your cas
sette player now";CHR#134;CHR#136;" "
150HIMEM=HIMEM-NX:FOR IZ=1 TO NX:?(HIMEM+IZ-1)=NX(IZ):NEXT:PROCWAIT(250)
151MX=MAXNOTES%:CHAIN"
>RUN
10 ON ERROR MODE7:END
11DIM NX(MX),TZ(MX),DX(MX),AZ(6),PX(8):FOR IZ=1 TO NX:NX(IZ)=?(HIMEM+IZ-1):NE
XT:RX=0
12RESTORE:FORIZ=1 TO8:READ PX(IZ):NEXT:FOR IZ=1 TO6:READ AZ(IZ):NEXT:IF PX(2)
=0 PX(1)=PX(1)+127
13DATA1,1,0,0,0,1,1,1,126,0,0,-20,126,126
14*KEY0 1 16*KEY2 3
15*KEY1 2 17*KEY3 4
18ENVELOPE1,PX(1),PX(3),PX(4),PX(5),PX(6),PX(7),PX(8),AZ(1),AZ(2),AZ(3),AZ(4)
,AZ(5),AZ(6)
19CLS:PRINT"CHR#136:" You can now use F0,F1,F2,F3....";CHR#131;"
F0) enter 'rhythm";CHR#133;" F1) auto playback";CHR#134;" F2)
choose voice for F1";CHR#129;" F3) change speed of F1"
20PROCWAIT(200):SOUND0,-12,2,4;FX15,1
21PRINT"CHR#136;CHR#130;CHR#141:" C H O O S E N O W .....";CHR#136;C
HR#130;CHR#141:" C H O O S E N O W .....";FX15,1
22REPEAT:OZ=GET-48:UNTIL OZ>0 ANDOZ<5:CLS:SOUND0,-15,2,4:ONDZ GOTO 23,32,36,6
(continued on page 77)

```

NEW

INSTANT IMAGE TRANSFER TO ZX SPECTRUM

RD DIGITAL TRACER £49.95



(unretouched printouts)

Please send me RD DIGITAL TRACER(S) at £49.95 each. I enclose payment of £

Name:

Address:

Send to: RD Laboratories, Dept. YCN, 5 Kennedy Road, Dane End, Ware, Herts. SG12 0LU

RD Laboratories' policy is to bring sophisticated computer techniques to low-cost computing. RD Laboratories therefore maintain the right to amend specifications at short notice. Please send stamp for further details of the RD DIGITAL TRACER, and the RD 8100 SYSTEM for automatic monitoring, test and control.

The high resolution colour graphics of The ZX Spectrum permit accurate presentation of complex or irregular images - maps, technical drawings, even personalities. But entering individual co-ordinates for unusual shapes can be tedious and time-consuming.

The new RD DIGITAL TRACER cuts out much tedious plotting. It provides instant transfer from original to display file - for screen display in colour, ZX printer printout, or retention on cassette.

The RD DIGITAL TRACER is of immense benefit in many fields - for geographers and weathermen, for engineers, architects and technicians, even for budding Leonardos! Designed for use with the ZX Spectrum, the RD DIGITAL TRACER as supplied is compatible with ZX 81, although high-resolution colour graphics cannot be obtained on this machine.


The RD DIGITAL TRACER is available only from RD Laboratories. The price of £49.95 includes P & P and VAT. Send your cheque now for delivery in 28 days. (Cheques payable to "RD Laboratories".)

The RD DIGITAL TRACER is supplied with tracing sheet, software cassette, and full instructions on use.



RD Laboratories

5 Kennedy Road, Dane End, Ware, Herts. SG12 0LU
(0920) 84380



FLOPPY DISC DRIVES

SINGLE AND DUAL DISC DRIVES
40 OR 80 TRACK FOR BBC MICRO

includes utility disc and Dos Manual Phone for prices:-

BBC MICRO

BBC COMPUTER MODEL 'A' £262.00 + VAT
BBC COMPUTER MODEL 'B' £349.00 + VAT
BBC COMPUTER WITH DISC £410.00 + VAT

MONITORS

High resolution 18 MHZ 12"
Green Phosphor Monitor

£99.00 + VAT

Includes Cable

OTHER ITEMS AVAILABLE FOR THE BBC MICRO

Books, Cables, Joy Sticks, Cassette Decks, Dust Covers, Teletext Adaptor, Speech Upgrade.

SEND FOR PRICE LIST

SEIKOSHA GP-100A



- ★ DOT MATRIX PRINTER
- ★ 80 CHARACTERS PER LINE
- ★ 30 CHARS/SEC
- ★ FREE HI-RESOLUTION 'DUMP OUT' LISTING

£179 + VAT. Carr £6 BBC Printer Cable £16 + VAT

BBC MICRO

WORD PROCESSOR	CHES	£11.50
ROM £46.00	ASTERIODS	£ 8.95
	GLAXIAN	£ 8.95
	BILLIARDS	£ 8.50
	FROGGER	£10.00
	GOLF	£ 8.00



BBC MICRO MICRO UPGRADES

RAM KITS: Upgrades the Model 'A' to 32K RAM
Supplied with full fitting instructions. £29.90 + VAT
ANALOGUE KITS: Suitable for adding joysticks, controllers etc. £15.00 + VAT
PRINTER INTERFACE & I/O PORT: Enables a Centronic Interface printer to be attached ... £16.00 + VAT

MODEL 'A' TO MODEL 'B' UPGRADE

£89.00 + VAT (fitted)

DISC EXPANSION £80.00 + VAT

DISC DRIVES from £179.00 + VAT

COLOUR MONITORS from £229.00 + VAT

Send for details on other items, cables, cassettes, plugs, software etc.

WHY NOT SEND YOUR MACHINE TO US FOR UPGRADING?

PRINTERS

EPSON MX80 F/T3 - The printer recommended for the BBC Microcomputer.

- ★ Dot Matrix Printer
- ★ 80 Cps
- ★ Hi-Resolution Graphics
- ★ Bi-directional Printing



SPECIAL PRICE
£329 plus VAT
Printer Cable
£16 + VAT



Telephone STD (0438) 65385
2 Daltry Close, Old Town, Stevenage.



(continued from page 75)

although it cannot store as many notes as a Mode 1B. Note that Keyboard is in two parts, the first of which Chains the second — they must thus be recorded consecutively on tape.

Although the BBC's Envelope and Sound statements allow it to produce a wide variety of sound, the tonal quality of these sounds is not rich. This is because the sound chip fitted, SN76489, produces only square waves. These are the fundamental working signals inside your computer.

I have used my micro to produce sawtooth, sine, triangular waves. This involves a little bit of electronics. Roughly speaking, the problem is to create a voltage, external to the computer, which varies in a wave-form the same as that which we want to hear and, since the user port gives eight-bit digital output, all that is needed is an eight-bit digital-to-analogue converter (DAC) connected to the eight PB lines of the user port.

The user port is memory-mapped at location &FE60 so if we place the correct numbers here, then the digital-to-analogue converter will produce the voltage wave-forms needed to drive a speaker circuit. So the overall method is as follows: first work out the values that are to be fed to the user port and use byte in direction to store them consecutively in a spare page of memory. This can be done in Basic since speed is not important and functions such as sine can be used. Next use a machine-code routine to cycle through the relevant page of memory byte by byte, outputting to &FE60 as it goes. Then, the eight-bit DAC and the odd OA will do the rest and the resultant wave-form will be heard.

Program Keyboard for 16 or 32K provides the BBC Micro with a facility which enables it to learn a tune as a series of notes with their correct rhythm, and then play it back at a selected speed — all at the touch of one key.

The program is in two parts. The first, which deals with entering the notes, should be typed in and then Saved on tape. The second part should then be Saved after it, since it calls the second part using a Chain command. Stop the tape machine after loading the first program, if it does not have computer control.

The program functions in three parts: first, enter all notes — this is a routine, with useful editing features, which sets up an array containing the codes of all of the notes to be sounded, and in the correct order. The method of entry is to move a cursor up and down a musical keyboard on the Mode 7 screen and use the function keys to perform miscellaneous operations to make the job easier. This is contained in the first listing.

Next, enter rhythm — the user now merely taps out the tune using key F0 and/or F1 and the computer matches up each note with its position and timing information in real time.

The third part, auto-sound, enables selection of a voice and the computer plays the tune in that voice.

The tune is restricted to one note at a time, no chords. The use of the function keys is as follows:

Program 1

- F0 Enter note Enters the note currently covered by the cursor on to the list of notes to be played.
- F1 Delete note Deletes the last note to be entered from the list.
- F2 Repeat over Enables a block of notes already in the list to be repeated again at the end of the list.
- F3 Block Delete Enables a block of notes already entered to be deleted.
- F4 Echo Echoes the last note to have been entered.
- F6 CSR Beep Enables/disables the cursor

F7 Review

F8 Insert

F9 Re-tune

Escape Key

Program 2

- F0 Enter Rhythm; F0 and F1 then become input keys.
- F1 Commence auto playback.
- F2 Select voice F3 — adjust duration of tune.

The maximum number of notes possible is set by the variable Maxnotes % in line 110. You can adjust this value in accordance with the amount of RAM you have.

(continued from page 75)

```

2
23RX=-1:PRINT"CHR#129;CHR#141:" Rhythm entering"CHR#129;CHR#141:"
Rhythm entering"CHR#148:" ;:STRING$(16,CHR#124)""
24 PRINTCHR#134:"You must now tap out the tune on F0/F1"CHR#134:"The compute
r will match the taps with"CHR#134:"the notes you have already entered.In"CHR#
134:"the interests of accurate timing,the"CHR#134:"computer will not pause to";
25PRINT" sound out"CHR#134:"the notes corresponding to your taps."CHR#134:"
You will have to hum them in your head"CHR#134:"as you go !!"CHR#136;CHR#1
33:" T A P A W A Y ! ! !....."
26IX=1:FX11,0
27 TX(1)=0:FX15,0
28REPEAT:UNTIL INKEY(-33) ORINKEY(-114):TIME=0:REPEAT:UNTIL NOTINKEY(-33) AND
NOTINKEY(-114):DX(1)=TIME
29REPEAT:IX=IX+1:REPEAT:UNTIL INKEY(-33) ORINKEY(-114):TX(IX)=TIME:REPEAT:UNT
ILNOTINKEY(-33) AND NOTINKEY(-114):DX(IX)=TIME-TX(IX):UNTIL IX=NX
30FORIX=1 TO NX:DX(IX)=INT(DX(IX)/5+.5):IFDX(IX)>254:DX(IX)=255:NEXT ELSEIFDX(
IX)=0:DX(IX)=1:NEXT ELSE NEXT
31PRINT"CHR#131;CHR#141:" NOTE LIST ENDED"CHR#131;CHR#141:" N
OTE LIST ENDED":SOUND1,-10,100,4:X=INKEY(400):GOTO19
32IF FNNDRHYTHM GOTO19 ELSEPRINTCHR#133;CHR#141:" Auto-playback"CHR#
133;CHR#141:" Auto-playback"CHR#145:" ;:STRING$(13,CHR#96)""C
HR#131:"Hit RETURN to start the auto-playing of:"CHR#131:"your tune."
33IX=0: REPEAT:UNTIL INKEY(-74):TIME=0
34REPEAT:IX=IX+1:REPEAT:UNTILTIME>=TX(IX):SOUND&12,1,NX(IX),DX(IX):UNTILIX=NX
35GOTO19
36PRINT"CHR#133;CHR#141:" Select voice"CHR#133;CHR#141:" Se
lect voice"CHR#145:" ;:STRING$(12,CHR#96)""CHR#131:"You may now choos
e (by number) either"CHR#131:"predefined pitch and amplitude sounds"CHR#131:
37 PRINT"or define your own."CHR#134:"The pitch section comes first,select
by"CHR#134:"typing the appropriate number""CHR#130:"HIT A KEY TO START....":X
=GET
38CLS:PRINT"CHR#133;CHR#141;CHR#136:" Amplitude selection....."CHR#133;C
HR#141;CHR#136:" Amplitude selection....."CHR#148;CHR#136:" ;:STRING$(20,C
HR#96)""CHR#134:"Select (by number) one of these :";
39PRINTCHR#130:"0) sharp attack / gentle decay"CHR#129:"1) sharp attack / sh
arp decay"CHR#132:"2) gentle attack / sharp decay"CHR#133:"3) gentle attack /
gentle decay"CHR#134:"4) gentle attack / no decay"
40PRINTCHR#131:"5) sharp attack / no decay"" 6) define own amplitude section
"CHR#130:"7) keep present amplitude section""CHR#136;" waiting.....
"
41REPEAT:XX=GET-47:UNTIL XX>0 AND XX<9:IF XX=8 GOTO48
42 IF XX<7 GOTO46 ELSE CLS:PRINT"CHR#131:"Enter the six amplitude paramete
rs in"CHR#131:"the order:""" 1) amp./step for attack (0-126)"" 2) amp./step f
or decay (-126 to 126)"" 3) amp./step for sustain (0 to -126)""
43PRINT" 4) amp./step for release (0 to -126)"" 5) target level for attack (
0-126)"" 6) target level for decay (0-126)""
44FOR IX=1 TO 6:REPEAT:PRINTTAB(0,10+IX*2);SPC38;TAB(0,10+IX*2);CHR$(128+IX):"
Enter parameter "IX;CHR$(135-IX*MOD7);:INPUTPX(IX)
45UNTIL ((IX=5 ORIX=6)AND(AZ(IX)>=0 AND AZ(IX)<127) OR (IX=4 OR IX=3)AND(AZ(IX)
<1 AND AZ(IX)>=127) OR (IX=2 AND AZ(IX)<127 AND AZ(IX)>=127) OR (IX=1 AND AZ(IX)
>=0 AND AZ(IX)<127)):NEXT:GOTO48
46RESTORE47:FORIX=1 TO XX:FOR JX=1 TO 4:READAX(JX):NEXT:NEXT
47DATA120,-1,-1,-2,120,119,120,-1,0,-126,120,119,2,2,0,-126,50,120,2,2,-1,-1,
50,120,2,2,0,0,50,120,20,20,0,0,60,120
48CLS:PRINT"CHR#133;CHR#141;CHR#136:" Pitch selection....."CHR#133;CHR#14
1;CHR#136:" Pitch selection....."CHR#148;CHR#136:" ;:STRING$(16,CHR#96)""C
HR#134:"Select (by letter) one of these :";
49PRINTCHR#130:" A) warble"CHR#129:" B) plain"CHR#132:" C) plain with fast,
heavy vibrato"CHR#133:" D) plain with slow,heavy vibrato"CHR#134:" E) plain wi
th medium vibrato"CHR#131:" F) slide effect"" G) sci-fi (1)""
50PRINTCHR#130:" H) sci-fi (2)"CHR#129:" I) sci-fi (3)"CHR#132:" J) sci-fi
(4)"CHR#133:" K) define own pitch envelope"CHR#134:" L) leave pitch envelope u
nchanged"
51REPEAT:XX=GET-64:UNTIL XX>0 AND XX<13:IF XX=11 GOTO55 ELSE IF XX=12 GOTO60
52RESTORE53:FORIX=1 TO XX:FOR JX=1 TO 8:READPX(JX):NEXT:NEXT
53DATA1,1,1,-1,1,1,2,1,1,1,0,0,0,0,0,3,1,2,-2,2,1,2,1,6,1,2,-2,2,1,2,1,4,1,
1,-1,1,1,2,1,1,0,0,1,-1,20,15,15,1,1,48,48,48,2,2,2,3,1,48,48,48,2,3,4,1,1,48,48
,48,2,3,4,1,1,49,-47,51,10,10,10
54GOTO60
55CLS:PRINT"CHR#131:"Enter the seven pitch parameters in"CHR#131:"the order
:""" 1) length of a 'step' (1

```

```

=on)"" 3) pitch/step for stage1 (-127 to 127)""
56PRINT" 4) pitch/step for stage2 (-127 to 127)"" 5) pitch/step for stage3 (
-127 to 127)"" 6) no. of steps in stage1 (0 to 255)"" 7) no. of steps in stage
2 (0 to 255)"" 8) no. of steps in stage3 (0 to 255)""
57FOR IX=1 TO 8:REPEAT:PRINTTAB(0,12+IX);SPC38;TAB(0,12+IX);CHR$(129+IX*MOD7):"
Enter parameter "IX;CHR$(135-IX*MOD7);:INPUTPX(IX)
58UNTIL (IX=1 AND PX(IX)>0 AND PX(IX)<128) OR (IX=2 AND (PX(IX)=0 OR PX(IX)=1
)) OR (IX>2 AND ABS(PX(IX))<127) OR (IX>5 AND IX<9 AND PX(IX)=0 AND PX
(IX)<256):NEXT
59IF PX(2)=0:PX(1)=PX(1)+127
60ENVELOPE1,PX(1),PX(3),PX(4),PX(5),PX(6),PX(7),PX(8),AZ(1),AZ(2),AZ(3),AZ(4)
,AZ(5),AZ(6):SOUND1,-10,100,4:PROCWAIT(100):GOTO19
61DEFPROCWAIT(GX):TIME=0:REPEAT:UNTIL TIME=GX:ENDPROC
62IF FNNDRHYTHM GOTO19 ELSE:PRINTCHR#134;CHR#136;CHR#141:" Alter timing
of tune...."CHR#134;CHR#136;CHR#141:" Alter timing of tune...."CHR#146;C
HR#136;SPC7;STRING$(20,CHR#96)
63PRINT"CHR#133:"You can alter the speed at which the"CHR#133:"tune is play

```

```

ed back by altering the"CHR#133:"time taken for it to be completely""CHR#133:"p
layed back.This time interval is"CHR#133:"given by you pressing RETURN twice"
64PRINTCHR#133:"the time in between your two presses"CHR#133:"being the new
length of the tune.So"CHR#133:"the first press of RETURN corresponds to"CHR#133:"
to the first note in the tune and the"CHR#133:"second press corresponds to the"
"
65PRINT"last."CHR#129:"SO PRESS RETURN TO START TIMING..":FX15,0
66REPEAT:UNTIL GET=13:TIME=0:PRINT"CHR#134;CHR#136:"NOW AWAITING SECOND RETUR
N:"FX15,0
67 REPEAT:UNTIL GET=13:LX=TIME
68 DELX/(TX(NX)-TX(1))
69FORIX=1 TO NX:TX(IX)=INT(TX(IX)*.5):DX(IX)=INT(DX(IX)*.5):IF DX(IX)=0:DX
(IX)=1
70IF DX(IX)>254:DX(IX)=255:NEXT:ELSE NEXT
71 GOTO19
72 DEF FNNDRHYTHM:IF RX=-1 THEN =0 ELSEPRINT"YOU HAVE NOT DONE THE RHYTHM":P
ROCDWAIT(200):=-1

```

Program 1.

16775	3E 80	LD A, 80	CHR \$ 128
	06 20	LD B, 20	Set up top row with 32 black squares
	D7	RST 10	
	10 FD	DJNZ -3	
	2A 0C 40	LD HL(D/F) 16396/7	Get start of D-File
	06 20	LD B, 20	Add 1 to D-F address
	23	INC HL	
	36 17	LD(HL), 17	Print CHR\$ 23
	36 80	LD(HL), 80	Erase it.
	10 F9	DJNZ -7	Move to next position and repeat until B = 0
	C9	RET	Return to Basic.

10 RAND USR 16775.

Program 3.

16775	3E 1C	LD A, 1C	Print top row of characters 0 to 9, A to V.
	06 20	LD B, 20	
	D7	RST 10	
	3C	INC A	
	10 FC	DJNZ -4	
	2A 0C 40	LD HL(D/F)	Get start of D-File add 1 to point to 0,0;
	23	INC HL	
	7E	LD A(HL)	Check for end of line character 118
	FE 76	CP 76	
	C8	RETZ	RET TO BASIC, end of line
	F5	PUSH AF	Store value
	36 80	LD(HL),80	Print square.
	11 00 10	LD DE 1000	Delay
	1B	DEC DE	
	7A	LD A, D	
	B3	OR E	
	20 FB	JRNZ -5	Retrieve value and print over black Chr.
	F1	POP AF	
	77	LD(HL),A	
	18 EC	JR -20	

10 RAND USR 16775

Program 4.

16775	3E 1C	LD A, 1C	Print top row 0 to V
	06 20	LD B, 20	
	D7	RST 10	
	3C	INC A	
	10 FC	DJNZ -4	
	0E 20	LD C, 20	Roll left 32 times
	2A 0C 40	LD HL(D/F)	Get start of D-F, move to position 0,0
	23	INC HL	
	7E	LD A,(HL)	Get first CHR and store it
	F5	PUSH AF	
	06 1F	LD B, 31	Get next character in line and put it into display file one place left
	23	INC HL	
	7E	LD A,(HL)	
	2B	DEC HL	
	77	LD(HL) A	
	23	INC HL	Move back to original position
	10 F9	DJNZ -7	Repeat 31 times
	F1	POP AF	Get stored CHR and put on end of line
	77	LD(HL) A	
	11 00 10	LD DE 10 00	Delay Loop
	1B	DEC DE	
	7A	LD A, D	
	B3	OR E	
	20 FB	JRNZ -5	Reduce C by 1 and if not zero then repeat Roll
	0D	DEC C	
	20 E4	JRNZ -28	
	C9	RET	Ret to Basic


10 RAND USR 16775

Program 5.

16775	AF	X or A	AF loads A with 0 and resets carry flag in 1 byte
	D7	RST 10	Print a space
	06 06	LD B, 06	Print six 9s

(listing continued opposite)

GAMES V HAPPY



Stuart Nicholls puts some bounce into ZX-81 games as he shows how to make your Happy Hopper move.

LAST MONTH'S article left you with the Frogger display on the screen but how do you make it move?

First of all, the simple problem of moving a character one square at a time along the top row of the display: program 1 shows how this can be done.

If you have saved on tape the program from last month's issue then reload and use it to Poke the program into the line 2 REM statement. To run each of the demonstration programs change line 10 to

RAND USR 16775

and delete lines 20 to 90.


If you now Run program 1 you will realise how fast machine code really is. Did you see the asterisk move along the top row? You will now see that we need something to slow the computer down. The easiest way to do this is to tell it to count down from a high number to zero, which will take a second or two. This is similar to a For/Next loop in Basic. A high

Program 2.

To vary the speed of movement the value held in DE is changed.

16775	3E 80	LD A, 80
	06 20	LD B, 20
	D7	RST 10
	10 FD	DJNZ -3
	2A 0C 40	LD HL,(D/F)
	06 20	LD B,20
	23	INC HL
	36 17	LD(HL), 17

WRITING HOPPING



number in a machine-code delay loop is around 4096/ 10 00 hex.

So program 1 can be rewritten as program 2 with the delay loop after print Chr\$ 23 to hold the character on the screen for a second before erasing it and moving to the next position.

Now on to the problem of moving a character along a row with a background of differing characters and so overprinting the background, and then reprinting the original contents of each square as it moves. This is achieved by storing the contents of the background character before it is overprinted, and then retrieving the character and using it to erase the moving character, and is demonstrated in program 3.

11 00 10	LD DE 10 00	} Delay loop counts 4096 to 0 before continuing with program
1B	DEC DE	
7A	LD A, D	
B3	OR E	
20 FB	JRNZ -5	
36 80	LD(HL),80	
10 F1	DJNZ -15	
C9	RET	

10 RAND USR 16775

Here the method used to store the original background character is to Push its value onto the Stack and, when required, to Pop it back into the A register. The stack only stores pairs of values, so the A register is made into a pair by combining with the flags register F. But remember that if a number is stored on the stack it must be removed before a return to Basic is made, otherwise the program will crash.

The next demonstration program shows how to Roll a line of characters left, that is, take the first character of the screen, move the line left and put the removed character at the right-hand end of the line.

(Program 5 continued)

3E 25	LD A, 25	
D7	RST 10	
10 FD	DJNZ -3	
2A 0C 40	LD HL D F	Get start of D-File and add 7 to find position of last 9
11 07 00	LD DE 00 07	
19	ADD HL, DE	
7E	LD A,(HL)	
A7	AND A	Check to see if D-File position is a space. If it is, then end of count-down, so print six 0s and RET
20 08	JRNZ +8	
06 06	LD B, 06	
23	INC HL	
36 1C	LD(HL), 1C	
10 FB	DJNZ -5	
C9	RET	
3D	DEC A	If not a space then decrease number and check for .
FE 1B	CP 1B	
20 05	JRNZ +5	
36 25	LD(HL),25	If . then print a 9 and move to next D-F position
2B	DEC HL	
18 EA	JR -22	
77	LD(HL),A	
18 E0	JR -32	If not . then print new number Repeat until zero

10 RAND USR 16775

And finally a program to demonstrate how to count on the screen — this is a useful routine for keeping scores or giving a time limit for a game. This is shown in program 5, where we ask the computer to count down — without delay loop — from 999999 to 0, again demonstrating the speed of machine language. The program takes 2.25 minutes.

Incidentally I find it good programming practice to use each of the registers for one purpose as much as possible. I use the HL register pair for screen address — D-File — and the DE register pair for adding to and subtracting from HL, to move the screen address up or down 1 row.

I use the B register for counting, For/Next loops and the C register for checking if sub-routines are necessary, by either holding value of 0 or 1. The A register is used for holding contents of display file position and comparing the contents.

In this way it is easier to keep track of the contents of each register and to know which registers are free to use again later in the program.

We now move on to finish the Frogger program. Reload the program so far and check that line 10 reads

LET X = 16775

Change to Fast mode and enter the remaining codes as listed. After the last byte 41 at address 17027 is listed then enter S to Stop the Basic program. Change to Slow mode; change line 10 to read Rand USR 16701 and line 20 to read 20 Print "space End"; delete lines 30 to 90 and Save the program.

Line 20 was put in as an afterthought but could easily be added in machine code. I found after writing the program that there was sufficient memory left in 1K to add this line.

If you have 2K or 3K of memory available then more Basic can be added giving instructions on how to play the game and maybe even a best score/time facility.

All that is needed now is to enter Run and off you go. Happy hopping.


DOWNSWAY

ELECTRONICS (UK) LTD.

MORE MEMORY FOR YOUR ZX81 OR SPECTRUM!

NEW!

32K RAM FOR SPECTRUM



A full 48K of memory for the 16K Spectrum — simple D.I.Y. installation by just undoing 5 screws and plugging in! "State of the art" technology — advanced design using fewer ICs for high performance, reliability and economy.

ONLY £42.50 plus p & p.



MEMORIES FOR THE ZX81

The Downsway 64K Memory* slots directly on to the computer, without needing an additional power supply, or adding any extra load to the internal 5v regulator. Trade in your old 16K RAM.Pack (any make, any age, any condition) for £12.50 against a Downsway 64K Memory to bring the price down to only **£47.45** plus p & p. Without trade-in, it costs just **£59.95** plus p & p — still incredible value!

If you only want 16K of memory for your ZX81, the Downsway 16K RAM Pack offers the same benefits of high quality and low price at only **£24.95** plus p & p.

Both memories measure only 2½ x 1½ x 1in. and are supplied with a foam cushion strip to provide added mechanical stability.

* Reviewed in ZX Computing Aug/Sept 1982 and Popular Computing Weekly 22/7/82.

Naturally Downsway add-on memories are fully tested and guaranteed, but should you be dissatisfied for any reason, just return the memory within 14 days for a full refund (and your old 16K RAM pack, where appropriate).

Please allow up to 28 days for delivery.

To: Downsway Electronics (UK) Ltd
Dept. M, Downsway House, Epsom Road,
Ashted, Surrey.

Please send me:

Qty.	Item	Price	Total
	32K RAM for Spectrum	£42.50	
	64K Memory for ZX81 at trade-in price (my old 16K RAM Pack is enclosed)	£47.45	
	64K Memory for ZX81 at normal price without trade-in	£59.95	
	16K RAM Pack for ZX81	£24.95	
	Post and Packing		£2.00
	Total		£

My cheque/P.O./Money Order is enclosed

NAME: _____

ADDRESS: _____

VC12

MAJOR FINANCIAL GAMES

for

SPECTRUM — BBC — ZX81

Remember those marvellous old board games you used to play? Hours of enjoyment are GUARANTEED with FINANCIAL GAMES

No. 1 INHERITANCE: A 2 Part game. Prove your financial acumen in PART 1 by investing wisely at the STOCK and METAL MARKETS; (If desperate you can try the CASINO or the HORSE RACES). If you are successful you will enter the world of BIG BUSINESS in PART 2. Find the SECRET FORMULA for PARADISE COLA; manufacture and market the drink; cope with STRIKES, FIRES, FRAUDS, CASH SHORTAGES, ETC. Your ultimate aim is to become a MILLIONAIRE!

A MAMMOTH GAME PACKED FULL OF FEATURES

No. 2 GREAT BRITAIN LIMITED: You are PM and Chancellor of "GREAT BRITAIN". You must select the Party you wish to represent and your AIM is to stay in office for as long as possible. You must control INFLATION and UNEMPLOYMENT, maintain the EXCHANGE RATE, introduce SOCIAL REFORMS and stay POPULAR. The game is split into SECTORS: COUNTRY PROFILE, SHOPPING BASKET, BUDGET DAY, REFORM OPPORTUNITIES, MANIFESTO, and most important ELECTION NIGHT (a telling time).

A COMPLEX GAME THAT YOU WILL NOT TIRE OF IN A HURRY

All Games are on quality cassettes with full instructions

-SPECTRUM 48K — BBC 32K — ZX81 16K-
— £5.95 ea. — £5.95 ea. — £4.95 ea. —

SPECIAL OFFER: Deduct £1.50 from total cost if you buy 2 games.

SIMON W. HESSEL (Dept. YO)

15, Lytham Court, Cardwell Crescent,
Sunninghill, Berks. Tel: Ascot 25179

All orders despatched
within 24 hours.

One year guarantee
Money-back if not satisfied.

VIC 20 £299.00
VIC 64 £127.50
VIC CASSETTE
PLAYER £34.00

DRAGON 32 £173.00

BBC MODEL A £299.00
BBC MODEL B £399.00

TEXAS TI99/4A £173.00
SPECIAL OFFER: GET £50 BACK
WHEN YOU BUY A TI99/4A AT OUR PRICE

ATARI 400 £198.95
ATARI 800 £499.10

SHARP MZ80A £477.39
SPECIAL OFFER: FREE SOFTWARE
WORTH £75 WITH EACH MZ80A

ZX81 £43.43
16K RAMPACK £26.04
PRINTER £52.13

P A S E

we also supply a huge range
of software, printers, add-ons,
expansion units etc.

order now for fast delivery
(usually within 14 days)

simply send a cheque (made
out to 'PASE' for the
appropriate amount + 15%
VAT + £5 post

phone CATH on:
061 366 5935
for details, advice, latest
prices and availability

P A S E

SHOP OPEN MON-SAT 9AM-5PM

213/ 215 Market Street, Hyde, Cheshire SK14 1HF.

BASIC DICTIONARY

This dictionary, compiled by Tony Edwards, will explain the function of common Basic words as used in popular machines, enabling you to work out your own machine's equivalent. A useful complement to our recent series on Basic dialect translation.

BASIC DICTIONARY

ENDPROC A BBC statement denoting the end of a procedure, see PROC. It causes all local variables to be restored and returns control to the line after the calling statement.

ENVELOPE A BBC Basic statement from the extended set. It has 14 parameters which are used as individual machine-code bytes by the operating system to control the sound generator.

EOF A function to test for the end of a file. The argument is the file channel-number and the function returns logical true, -, if the file has ended, otherwise 0.

EOR A logical operator producing the bit-wise integer logical exclusive OR between two 32-bit integers. It appears in BBC Basic's extensions.

EQ An equivalent of the = sign.

ERL A function which returns the line number in which an error occurs once it has occurred. It retains the line number value until the next error occurs. Its normal use is during debugging.

ERR A Microsoft Basic function which returns the Error code of the last error which occurred. Its normal use is in debugging.

ERROR This word can be used as a statement or a command. It has the effect of simulating an error. The specific type of error simulated is controlled by the argument following the statement. It is usually used during debugging to check error-trapping routines, but can also be used within a program to print out uncalled-for error messages.

EVAL This is a statement which applies the interpreter's expression-evaluation routine to the characters held in the string indicated by the argument. Its use is to allow a program user to input a function into a program by simply inputting a suitable string.

EXAM The function used by some computers to read the contents of a memory location specified by the argument. It is the equivalent of PEEK.

EXP A function returning e to the power of the argument. It is the inverse of the LOG function.

EXT A function returning the length, in bytes, of a file whose channel number is the argument.

F

F An abbreviation for FOR used by Microsoft Level 1, and Palo Alto Tiny Basic.

FALSE A BBC function which returns the logical false that is, 0.

FETCH A function used by some computers to read the contents of a memory location specified by the argument. It is the equivalent of PEEK.

FILL A function which places its second argument in the memory location identified by its first argument. It is equivalent to PEEK.

FIX A function which removes the decimal part of a variable's value. With positive numbers this rounding down is identical to the INT function. However, with negative numbers it rounds them up by making them less negative.

FLASH A statement used in Apple-II Basic to cause the VDU display to flash.

FN The reserved letters to be placed at the start of a function name. It must first be defined following a DEF statement. Then it can be invoked as can any of the machine's built-in functions.

FOR The initialising statement of a For . . . To (NEXT) statement which is used universally to assign a range of numbers between two specified values to the specified variable. The loop is terminated by the NEXT statement. An ANSI standard word.

FREE A function which returns the number of bytes of unused string space available within the computer's reserved memory stack. The argument is a dummy with no significance. The same word is used on some other computers to return the total amount of unused memory available.

FREE(0) A function used to report the total amount of file memory available. Equivalent to the MEM function.

G

G An abbreviation for GOTO used by Microsoft Level 1 Basic.

GCOLOR A statement used in BBC Basic to set the graphics foreground and background colours.

GE The TI-99 equivalent of the "greater than or equal to" sign.

GET A function which inputs a key input without requiring a Newline or Enter. On some machines execution will stop, awaiting a key depression, for example Apple, but on others the execution continues, unless a key is pressed.

GET# A function used in Pet and Atari Basic to read a character from a data tape.

GOS Used as an abbreviation of GOSUB on Atom, and Microsoft Level 1 machines.

GOSUB The ANSI standard statement to cause a branch to a subroutine.

BASIC DICTIONARY

GOT A PDP-8E abbreviation of GOTO.

GOTO The ANSI standard statement to cause a jump to another part of the program. Also used in the form GO TO.

GOTO . . . OF A multiple-branching GOTO. The control will be passed to the line number following the OF which is in the numerical position of the argument, that is:

GOTO X OF 10,20,30

will branch to 10, 20 or 30 if X has the values of 1, 2 or 3. Some computers expect a space between GO and TO.

GR A function or statement in Apple II Basic which switches the screen display between different modes.

GT The equivalent of a "greater than" sign.

H

HCOLOR An Apple II command which, following HGR, identifies which colour is to be used.

HGR The Apple II command which sets the screen for hi-resolution graphics mode.

HIMEM A pseudo-variable which holds the address of the highest-numbered memory location available for use by the interpreter. Higher numbered addresses are effectively non-existent, as far as Basic is concerned, but can be filled with data or machine code which can be jumped to from Basic. Similar to MEM SIZE? and READY?

HLIN . . . AT An Apple II graphics command which draws a horizontal line from the first argument to the second, at the vertical position indicated by the third argument.

HOME A command which clears the screen and returns the cursor to the upper left corner of the screen. Identical to CLS.

HYPLOT This command sets a high-resolution graphic block on the Apple II.

HTAB The command in the Apple II set which moves the next print position horizontally. Identical to TAB.

I

I Used in TRS-80 Level 1 and Palo Alto Tiny Basic as an abbreviation for INT.

IF Part of a multiple branching statement. For details of full statements see below. An ANSI standard statement.

IF . . . G Used in TRS-80 Level 1 and Palo Alto Tiny Basic as an abbreviation for IF . . . GOTO.

IF . . . GOS Used in TRS-80 Level 1 and Palo Alto Tiny Basic as an abbreviation for IF . . . GOSUB. ■

AMSOFT

ANNOUNCE

A NEW RANGE OF ZX81 AND SPECTRUM SOFTWARE PRODUCTS FOR THE DISCERNING USER

Amersham Software Ltd exists to provide software for those users who wish to develop the full potential of their ZX81 and Spectrum computers in the simplest and most effective way, without costly and unreliable hardware changes.

All **AMSOFT** products are designed to work using standard Sinclair equipment, but can be used to generate software for any other devices as well. The range will include assemblers, relocating loaders, compilers, etc. running under a standard monitor system, as well as file handling software to allow Basic users to handle data files.

The first two products are available now:

AM-ZXMON a superb machine code Monitor for the ZX81 allows entry, alteration, movement, verification and execution of machine code programs. The contents of any location or block of locations can be displayed on the screen or printer and user programs can contain breakpoints which allow examination or alteration of the Z80 registers and memory. A special feature allows individual program sections to be saved and loaded on cassettes, and merged together, providing machine code software library facilities. All **AMSOFT** compilers, etc. will be compatible with **AM-ZXMON**.

Superb value at £5.75 inc. VAT

AM-ZXFILE allows the Basic user to create and read back data files to and from cassettes. Users can specify the number of records per block written, the block sizes, and the length of the inter-block gaps. Records can be fixed or variable in length and are created in or transferred to a Basic string array.

Provides the facilities of a large machine at £3.50 inc. VAT

TO: **AMERSHAM SOFTWARE LTD, LONG ROOF, HERVINES ROAD,
AMERSHAM, BUCKS. HP6 5MS.**

Please send me **AM-ZXMON**
and **AM-ZXFILE**

I enclose my cheque/postal order for £..... made payable to Amersham Software Ltd.

NAME.....

ADDRESS.....

.....

..... YC12



- ** SPACIOUS SHOWROOM OPEN MON. to SAT.
- * FRIENDLY AND HELPFUL STAFF
- * EXPERT ASSISTANCE ALWAYS ON HAND
- * GOOD RANGE OF COMPUTER BOOKS
- * AFTER SALES TECHNICAL BACK-UP and SUPPORT

NEW FROM MICRO POWER

DRAGON 32

THE FAMILY COMPUTER TO FIRE YOUR IMAGINATION

Easy to Learn! Easy to Use!
 Colourful! Graphic! Musical!
 Well-made and Designed to Grow!

KEY FEATURES

- ** 32K RAM as Standard, Expandable to 64K
- ** Display:
 9 colours available.
 5 different resolutions from 16 x 32 to 256 x 192.
- ** Extended MICROSOFT Colour Basic as Standard.
 Advanced graphics commands—set, line, draw, circle, paint, print using:
 Advanced Sound
 Full Editing—insert, delete, amend.
- ** Professional Typewriter Keyboard
 (Guaranteed for 20 million key depressions).
- ** FREE 160 page 'BASIC' training manual.
- ** Simple 'plug-in' Connections for Joysticks, Printer, Games, Cartridges and 'auto-controlled' cassette.
- ** Software on Cartridge and Cassette already available (send for details).

PRICE ONLY £199.50 incl. V.A.T.

MAIL ORDER—£7 Carriage but FREE on cash/cheque orders.

THINK DRAGON !!
 THINK MICRO POWER!!

ACORN ATOM

SPECIAL OFFER (While stocks last)

Built & Tested ATOMS	
Basic (8K Rom + 2K Ram)	£117.50
Expanded (8K Rom + 12K Ram)	£142.50
Disk Packs (inc. FREE Buffer Kit)	£299.00
ATOM CALC ROM	£34.00
WORD PROCESSOR ROM	£26
FLOATING POINT ROM	£20
ROM SELECTOR BOARD	£19.50
BBC BASIC (phone for availability)	
Full Range ACORNSOFT programs	
BOOKS	
Getting Acquainted with your Acorn Atom	** £6.45
39 Tested Programs for the Acorn Atom	£6.45
Atom Magic Book	£5.50

BBC MICRO

MODEL A	£283
MODEL A (32K)	£311
MODEL B	£347
DISKS & INTERFACES (phone for availability)	
14 Inch Colour Monitor	£269
20 Inch Colour Monitor	£299
BOOKS BBC Micro Revealed	£7.50
Basic Programming on the BBC Micro	£5.95
Let Your BBC Micro teach you to Program	£6.45
NEC '30 Hour BASIC'	£5.50
Practical Programs for the BBC Micro and Acorn Atom	£5.95
ACORNSOFT programs for the BBC MICRO	
PRINTERS	
— EPSON MX80F/T III	£359
— EPSON MX80T III	£315
— SEIKOSHAGP 100A	£199
Printer Leads (BBC/ATOM/NASCOM)	£18.50



FREE DRAW WIN £100
 Order a DRAGON from MICRO POWER before 31st DECEMBER 1982, and get FREE ENTRY into our CHRISTMAS DRAW!!
 FIRST PRIZE £100 cash. TWO PRIZES for RUNNERS UP of a FREE PROGRAM CASSETTE.

Please Add 15% VAT to all items except books.
 Post & Packing 55p/order.
 Large Hardware Items £7.00 Carriage

MICRO POWER LTD.
 8/8a REGENT STREET,
 CHAPEL ALLERTON,
 LEEDS LS7 4PE.
 Tel: (0532) 683186

This is a Forth simulation by R C Ranson for the ZX-81 enabling you to try out this structured language.

FORTH DIMEN

ESSENTIALLY, FORTH is a high-level language which retains much of the flexibility associated with assembly language. Program development time is short because of its interactive, modular construction and very simple program test arrangements.

In execution, Forth is fast because individual program elements are semi-compiled on entry and then linked together by a very fast address

interpreter routine. However, unlike other compiled languages, for example Pascal, a Forth system is very compact — a complete Z-80-based system with compiler and dictionary could reside in 8K of ROM.

This article describes a ZX-81 Basic program designed to simulate some features of Forth so that you can try it out on a terminal. It illustrates the unconventional Forth syntax and the

principle involved in the semi-compiled code operation. But do not mistake this for the real thing. Because it operates in Basic it is relatively slow and does not have the same flexibility as a dedicated Forth implementation.

Forth is a structured language in which the elementary programming units are words separated by spaces. Each word is defined in the system in a list — called the dictionary — by combining the operation of previously-defined words. Programs are developed in a top-down fashion writing words to do individual tasks, then words which combine these tasks and so on until the whole program is just one word.

At each stage the interactive nature of Forth allows words to be tested and debugged.

During execution the Forth system calls each address in turn, thus performing the desired task in terms of previous tasks. In principle there is no limit to the depth of this task subdivision process. The Forth system keeps track of each level of nested words by means of a return address stack just like calling subroutines within subroutines in Basic. Thus, words are defined in terms of other words within the dictionary, until words are encountered which actually perform machine-coded instructions. These lowest-level words are called primitives and a typical Forth system containing 400 words could have as few as 50 primitives.

All this nesting and stack work is performed by the address interpreter which in Z-80 code is only 20 bytes long and so very fast in operation.

The other main feature of Forth is the parameter stack which is used for data communication between words. For example, Forth words do not have formal parameter lists; each word operates on stack data, so the syntax follows reverse-polish notation popularised by Hewlett-Packard calculators. There is what is also known as postfix notation, for example 2+2 becomes 2 2 + where the spaces are significant as they define the end of each entry. In this example the word + takes two items off the stack.

The stack orientation is very flexible and means that very few named variables are defined; values are merely Pushed on to the stack by one word and Popped off by the next. It is however essential to keep track of the stack entries in order to ensure that the right values are passed on. In practice all this stack use is highly efficient in machine terms and also easy to use as Forth includes many powerful stack operators.

In the simulation program the Basic text is equivalent to the machine-code system, including primitives, and the line numbers are equivalent to addresses.

It contains three distinct blocks of code which roughly correspond to features in a real Forth system. Lines 10 to 450 contain the text interpreter which scans the input string *I\$*, picks out individual words and executes them in sequence.

```

0010 REM *****
0020 REM *FORTH SIMULATION IN*
0030 REM *ZX81 BASIC, R. RANSON*
0040 REM *****
0050 PRINT "BASIC FORTH V.1"
0060 DIM P(10)
0070 DIM Q(10)
0080 DIM R(10)
0090 DIM S(10)
0100 Z=300
0110 REM INITIALISE
0120 PRINT
0130 GOTO 200
0140 PRINT A$;"?"
0150 GOTO 200
0160 PRINT "OK"
0170 GOTO 220
0180 PRINT "STACK EMPTY AT :A$
0190 S(1)=0
0200 N=1
0210 K=1
0220 I$=""
0230 REM INPUT
0240 INPUT I$
0250 L=0
0260 FOR K=L TO LEN I$
0270 P(K)=LEN I$
0280 L=P(K)
0290 IF N<1 THEN GOTO 180
0300 IF Q(K)=Q(K)-1
0310 IF Q(K)P(K) THEN GOTO 410
0320 LET B$=I$(Q(K) TO P(K))
0330 IF B$=" " THEN GOTO 310
0340 LET H$=B$
0350 IF Q(K)=Q(K)-1
0360 IF Q(K)P(K) THEN GOTO 450
0370 LET B$=I$(Q(K) TO P(K))
0380 IF B$=" " THEN GOTO 450
0390 LET A$=A$+B$
0400 GOTO 360
0410 IF K=1 THEN GOTO 160
0420 K=K-1
0430 LET I$=I$(K TO P(K))
0440 GOTO 310
0450 PRINT " :A$:"
0470 REM USER DEFINED DICTIONARY
0500 IF A$<>"ABS" THEN GOTO 600
0530 LET I$=I$+ " "
0540 LET K=K+1
0550 GOTO 270
0600 IF A$<>"COUNT" THEN GOTO 700
0630 LET I$=I$+ " "
0640 K=K+1
0650 GOTO 270
0700 IF A$<>"POLY1" THEN GOTO 800
0730 LET I$=I$+ " DUP DUP * + 1 - "
0740 K=K+1
0750 GOTO 270
0800 IF A$<>"POLY2" THEN GOTO 900
0810 GOSUB 830
0820 GOTO Z
0830 GOSUB 2030
0840 GOSUB 3030
0850 GOSUB 3230
0860 GOSUB 3030
0870 LET A$="1"
0880 GOSUB 9040
0890 GOSUB 3030
0900 RETURN
1000 REM SYSTEM DICTIONARY
1100 IF A$<>" " THEN GOTO 1200
1110 GOSUB 1130
1120 GOTO Z
1130 PRINT S(N);" "
1140 LET N=N-1
1150 RETURN
1200 IF A$<>"S?" THEN GOTO 1300
1210 GOSUB 1230
1220 GOTO Z
1230 FOR Y=0 TO N-1
1240 PRINT S(N-Y)
1250 NEXT Y
1260 RETURN
1300 IF A$<>"EMIT" THEN GOTO 1400
1310 GOSUB 1330
1320 GOTO Z
1330 PRINT CHR$(S(N))
1340 LET N=N-1
1350 RETURN
1400 IF A$<>"SPACE" THEN GOTO 1500
1410 GOSUB 1430
1420 GOTO Z
1430 PRINT " "
1440 RETURN
1500 IF A$<>"CR" THEN GOTO 1600
1510 GOSUB 1530
1520 GOTO Z
1530 PRINT
1540 RETURN
1600 REM STACK INSTRUCTIONS
2000 IF A$<>"DUP" THEN GOTO 2100
2010 GOSUB 2030
2020 GOTO Z
2030 LET N=N+1
2040 LET S(N)=S(N-1)
2050 RETURN
2100 IF A$<>"DROP" THEN GOTO 2200
2110 GOSUB 2130
2120 GOTO Z
2130 LET N=N-1
2140 RETURN
2200 IF A$<>"SWAP" THEN GOTO 2300
2210 GOSUB 2230
2220 GOTO Z
2230 LET S(N+1)=S(N-1)
2240 LET S(N-1)=S(N)
2250 LET S(N)=S(N-1)
2260 RETURN
2300 IF A$<>"OVER" THEN GOTO 2400
2310 GOSUB 2330
2320 GOTO Z
2330 LET N=N+1
2340 LET S(N)=S(N-2)
2350 RETURN
2400 IF A$<>"I" THEN GOTO 2500
2410 GOSUB 2430
2420 GOTO Z
2430 LET N=N+1
2440 LET S(N)=R(N)
2450 RETURN
2500 REM ARITHMETIC AND LOGIC
3000 IF A$<>"+" THEN GOTO 3100
3010 GOSUB 3030
3020 GOTO Z
3030 LET N=N-1
3040 LET S(N)=S(N)+S(N+1)
3050 RETURN
3100 IF A$<>"-" THEN GOTO 3200
3110 GOSUB 3130
3120 GOTO Z
3130 LET N=N-1
3140 LET S(N)=S(N)-S(N+1)
3150 RETURN
3200 IF A$<>"*" THEN GOTO 3300
3210 GOSUB 3230
3220 GOTO Z
3230 LET N=N-1
3240 LET S(N)=S(N)*S(N+1)
3250 RETURN
3300 IF A$<>"/" THEN GOTO 3400
3310 GOSUB 3330
3320 GOTO Z
3330 LET N=N-1
3340 LET S(N)=S(N)/S(N+1)
3350 RETURN
3400 IF A$<>"=" THEN GOTO 3500
3410 GOSUB 3430
3420 GOTO Z
3430 LET N=N-1
3440 LET S(N)=S(N)=S(N+1)
3450 RETURN
3500 IF A$<>"<" THEN GOTO 3600
3510 GOSUB 3530
3520 GOTO Z
3530 LET N=N-1
3540 LET S(N)=S(N)<S(N+1)
3550 RETURN
3600 IF A$<>">" THEN GOTO 3700
3610 GOSUB 3630
3620 GOTO Z
3630 LET N=N-1
3640 LET S(N)=S(N)>S(N+1)
3650 RETURN
3700 IF A$<>"=" THEN GOTO 3800
3710 GOSUB 3830
3720 GOTO Z
3800 IF A$<>"IF" THEN GOTO 4200
3810 LET N=N-1
3820 IF S(N+1) THEN GOTO Z
3830 FOR Y=0(K) TO P(K)-3
3840 LET B$=I$(Y TO Y+3)
3850 IF B$="ELSE" THEN GOTO 4120
3860 IF B$="THEN" THEN GOTO 4120
3870 NEXT Y
3880 PRINT "ERROR IN IF"
3890 GOTO 200
3900 LET Q(K)=Y+4
3910 GOTO Z
4200 IF A$<>"ELSE" THEN GOTO 4300
4210 GOTO 4050
4300 IF A$<>"THEN" THEN GOTO 4400
4310 GOTO Z
4400 IF A$<>"DO" THEN GOTO 4500
4410 LET N=N+2
4420 LET R(N-1)=Q(K)
4430 LET R(N)=S(N-1)
4440 LET N=N+1
4450 LET R(N)=S(N)
4460 LET N=N-2
4470 GOTO Z
4500 IF A$<>"LOOP" THEN GOTO 4600
4510 LET R(N)=R(N)+1
4520 IF R(N-1)>R(N) THEN GOTO 4550
4530 LET N=N-3
4540 GOTO Z
4550 LET Q(K)=R(N-2)
4560 GOTO Z
8900 IF A$<>"STOP" THEN GOTO 900
8910 STOP
8999 REM CONVERT TO A NUMBER
9000 LET Y=CODE A$
9010 IF Y<22 AND (Y<27 OR Y>37)
9020 THEN GOTO 140
9030 GOSUB 9040
9040 GOTO Z
9040 LET N=N+1
9050 LET S(N)=VAL A$
9060 RETURN
9999 GOTO 300

```

Listing 1.

VISIONS

Execution is performed by searching through the dictionary to find the word and then calling that word as a subroutine — lines 1000-9000. Space has been left at the top of the dictionary for the definition of new words — lines 460-999. There are two stacks defined by the arrays R and S with corresponding stack pointers M and N. These are the Return and Data stacks respectively.

Note that the Basic system subroutine stack is used for nesting words and this dual-return stack arrangement does lead to limitations in the compile mode of operation. It is also the reason for the rather clumsy-looking construction of Gosub followed by Goto instructions in the dictionary.

Using the program in listing 1, first check the operation of the text interpreter. Run and input 33 2 to the prompt and then press return. The system responds with █ 33 █ 2 OK. This shows that the two words 33 and 2 have been picked out individually by the interpreter and executed correctly by the program; the inverse space shows the gap between words and OK means that the current instruction was understood.

To stop use the stop, entry key then return with other words — note that any extra spaces are ignored. If you are happy with the text interpreter operation, delete line 460. Continuing the example above, what happens is that each number is entered on to the stack; to confirm this use the word S? and the whole stack should be displayed.

All words are first looked up in the dictionary and if not found are converted to numbers using the Val function, lines 9000-9060. The dictionary consists of a user-defined part and the system part. The system words are all primitives — they are tabulated in table 1 for easy reference.

You can try words out just by typing them in but remember to include the necessary number of stack entries before each word. With 33 and 2 on the stack, type +, this adds the two entries and leaves the sum on the stack. The word . prints the top stack entry and deletes it and this gives the answer 350K.

Some words need no stack entries, for example Dup pushes the top stack value on to the stack creating an extra entry. The combination Dup will thus print the top of stack without destroying it. Alternatively if you cannot follow what is going on remember S? before and after each word shows all the stack operations.

The ability to create new words in the dictionary is the single most powerful tool in Forth. A full implementation has words specially designed to help do this but this simulation does not. However, it is possible to create new words by adding not only the definition but also a few lines of Basic to scan the dictionary, call the routine and pass control back to the text interpreter.

For example, lines 700-750 listing 1 add the word Poly1 to the dictionary. This evaluates the polynomial X^2+x+1 using x as the top

Line	Word	Stack	Comment
<i>Printing Instructions</i>			
1130	.	n --	Print and Delete top stack entry
1230	S?	---	Print all of stack
1330	Emit	n --	Print top of stack as a character
1430	Space	---	Print a space
1530	CR	---	Print a Newline
<i>Stack instruction</i>			
2030	Dup	n, - n,n,	Duplicate top of stack entry
2130	Drop	n --	Discard top of stack entry
2230	Swap	n,n ₂ - n ₂ n,	Exchange top two stack entries
2330	Over	n,n ₂ - n,n ₂ n,	Duplicate second stack entry on the top
2430	I	-- n	Copy top of return stack on to data
<i>Arithmetic and logic</i>			
3030	+	n,n ₂ - n, +n ₂	Use top two stack entries
3130	-		Deletes them and puts arithmetic result into the top stack entry.
3230	*		Uses top two stack entries and puts arithmetic result into the top stack entry.
3330	/		Deletes them and puts arithmetic result into the top stack entry.
3430	=		Deletes them and puts arithmetic result into the top stack entry.
3530	<		Deletes them and puts arithmetic result into the top stack entry.
3630	>		Deletes them and puts arithmetic result into the top stack entry.
<i>Control instructions</i>			
4030	If	n	If n is true continue execution
4200	Else		Otherwise skip to Else or Then
4300	Then		Continue execution
4400	Do	n, n	Save Instruction pointer loop limit n, and count n ₂ on return stack
4500	Loop		Increment loop-count branch back if less than limit . . .

Table 1. Otherwise delete three return stack entries and continue.

stack entry and leaving the result on the stack. It could be done directly by typing:

```
3 DUP DUP * + 1 + .
```

The answer is 13 OK. Alternatively type

```
3 POLY 1 .
```

and the answer is the same. To see this in operation, add line 460 and repeat the above.

When Poly1 is executed, it appends the Dup Dup instructions to I\$. These are then executed by the text interpreter just as if they had been typed in the first place. Other words can be added in the same way and note that new words can use other new words. The examples in listing 2 show the word star used by the new words Star2 and StarS.

The control words are best explained by example. The word ABS line 500 listing 1 illustrates the use of the If construction. A zero on the stack — that is, false — makes execution continue after the Else, otherwise it continues after If and skips from Else to Then. Else may be omitted and then no operation occurs for the false case. Examples are given in listing 3.

The word Count line 600 — listing 1 — illustrates the Do Loop configuration. Do marks the beginning of a loop and removes two stack entries, equivalent to the For and To values in Basic.

The Loop word is equivalent to Next but always increments the loop count by 1. The

```
Listing 2.
BASIC FORTH V.2
STAR 23 EMIT OK
STAR2 STAR 23 EMIT STAR 23 EMIT
T 1 OK
STAR 23 EMIT STAR 23 EMIT LOOP
STAR 23 EMIT STAR 23 EMIT
LOOP OK
STOP
460 PRINT " "; AS;
470 REM USER DEFINED DICTIONARY
500 IF AS < "STAR" THEN GOTO 600
530 LET I$=I$+" 23 EMIT"
540 LET K=K+1
550 GOTO 270
600 IF AS < "STAR2" THEN GOTO 70
630 LET I$=I$+" STAR STAR"
640 LET K=K+1
650 GOTO 270
700 IF AS < "STARS" THEN GOTO 80
730 LET I$=I$+" @ DO STAR LOOP"
740 LET K=K+1
750 GOTO 270
800 IF AS < "POLY2" THEN GOTO 90
810 GOSUB 830
820 GOTO Z
830 GOSUB 2030
840 GOSUB 2030
850 GOSUB 3230
860 GOSUB 3030
870 LET A$="1"
880 GOSUB 9040
890 GOSUB 3030
895 RETURN
1000 REM SYSTEM DICTIONARY
1100 IF AS < " " THEN GOTO 1200
1110 GOSUB 1130
1120 GOTO Z
```

```
Listing 3.
BASIC FORTH V.2
3 ABS DUP 20 < IF 1.3 THEN .3
OK
3 0 = IF 5.5 THEN 6.6 OK
2 0 = IF 4.4 ELSE 5.6 OK
STOP
```

```
Listing 4.
BASIC FORTH V.2
3 POLY 1 DUP DUP
I$+1 I$+1.13 OK
3 POLY 2.13 OK
STOP
```

```
Listing 5.
BASIC FORTH V.2
S COUNT DO CR
I . 0 LOOP CR
I . 1 LOOP CR
I . 2 LOOP CR
I . 3 LOOP CR
I . 4 LOOP OK
STOP
```

code between Do and Loop should not add or delete data stack entries and must not add or delete return stack entries. This is because you can lose control of the data stack and because the loop counts are held temporarily on the return stack. Hence the use of I to put the loop count on to the data stack. The example 5 Count is shown in listing 4.

Finally, in the Poly1 example, the printout from line 460 shows each word and the insertions being executed by the text interpreter. A great deal of time is spent matching strings and searching through the dictionary for words that are already defined. This is of course quite unnecessary and is included here for illustrative purposes only.

When a new word is defined all the words within it are in the dictionary and fixed, all that is necessary is to call each word in turn using its line number — address — and this saves the extra slog of dictionary searches. This compilation is done automatically by a proper Forth system, but in the simulation it must be done by hand.

The alternative Poly1 definition Poly2 illustrates a compiled word as it would appear in Forth. The construction is very similar to a primitive, except that the word definition — lines 830-895 — contains Gosub calls to line numbers. The line numbers are the address of the words in the Poly1 definition, see table 1. Line 870 inserts the number 1 string into AS for conversion by the number routine.

If you now repeat the Poly1 examples, with line 460 again, you can see the instruction executed immediately and rather quicker.

In Forth most words are made up in this fashion with lists of addresses rather than the machine code and this is the reason for its compactness and its portability since only the system code and primitives are machine dependent.

NOW YOU'VE GOT YOUR SPECTRUM, WE'VE GOT THE VERY BEST PROGRAMS SOFTWARE SUPERMARKET

As soon as our Spectrum arrived, we set about playing all the available programs. And evaluating them. Did they work? Did they use the colour and graphics well? Were they programs that we enjoyed and wanted to play again and again? Were they worth the money?

We've chosen, from dozens, just eleven. Too many programs we tried made little or no use of the sound feature. Too many used the colour and graphics features indiscriminately. The eleven we've chosen will make your Spectrum work, will make you glad you've got it. The programs are exciting to look at and make intelligent use of the Spectrum features. To get the very best programs around, simply complete the coupon below. We're testing new programs all the time, and if anything exceptional turns up, we'll send you details with your order. Our selection service costs you nothing. And it can save you £££s. Instead of writing to lots of different people, write to us. We'll send you all the tapes you want, usually within 48 hours of receiving your order.

Now... for the very best Spectrum programs, read on.

ZX SPECTRUM

S1. **GROUND ATTACK** Arcade game thrills based on 'Scramble'. Pilot your spaceship through up to 26 zones while destroying missiles and fuel dumps. As you get better, it gets harder. Staying power and quick reactions have kept us alive for 10 zones. M/C, sound and colour. 16/48K. Silversoft. £5.95.

S2. **METEOR STORM** Two different types of flying saucer and a bombardment of meteors in this Spectrum version of asteroids. The game has thrust and fire features - and it talks to you! "One of the best arcade simulations on offer" - PCW. 16/48K. Quicksilva. £4.95.

S3. **GULPMAN** "...is the one cassette that I would buy...an exceptional program" - PCW. In this all-machine code version you can choose from 9 speeds and 15 different mazes - each requiring a different strategy. Laser defence to help against the nasties and a demo run of any maze. 16/48K. Campbell Systems. £5.95.

S4. **INTRUDERS** "High quality invaders" - *Your Computer*. "Fun to play" - PCW. This version of invaders has good graphics, is very fast, has a hold feature and enters initials of highest-scoring player. 16/48K. Quicksilva. £4.95.

S5. **LYNCHMOB** This version of Hangman makes good use of spectrum colour and graphics. Great fun, educational, and a wonderful hanging! 16/48K. Bridge. £6.50.

S6. **MAZE OF GOLD** Amazing 3D perspective views as you search the maze for gold. Machine-coded for speed. Can you find the exit while still solvent? Good value. 16/48K. Gilsoft. £5.95.

S7. **SPECTRUM ARCADE PACK** Fantastic value. 8 really good games on one cassette, using good colour and graphics. City Bomber, Subhunt, Missile Commander, Lunar Lander + 4 other great games. 16/48K. C-Tech. £5.00.

S8. **ESCAPE** From the author of 3D Monster Maze and 3D Defender, Escape is a maze program - with a difference. The maze is inhabited by 5 very realistic dinosaurs and a Pteranodon that soars over the maze and swoops down on you. Different skill levels - the hardest is very fast indeed! 16/48K. New Generation. £4.95.

S9. **VENTURE** Great value this one - 7 linked games on one cassette. Can you survive all 7 sections and collect the gold? Good use of colour and graphics. 16/48K. Bobker. £6.00.

S10. **GREAT BRITAIN LIMITED** You are Prime Minister of Great Britain - choose your party and run the country from your armchair! Can you control inflation and unemployment, or will you have rioting in the streets? Watch the results come in on election night. **48K only.** Hessell. £5.95.

S11. **SPECCHES** Clever graphics produce beautiful chessmen. From Artic, who gave you the best chess program for the ZX81, Specchess has 7 play levels, all legal moves, position analysis for solving chess problems and recommended move option. **48K only.** Artic. £9.45.

ZX81 TOP OF THE PROGS

All programs require a ZX81 16K Ram

ZX1. **TRADER** Travel around 6 planets as an intergalactic trader. 3 x 16K chapters. Outstanding graphics. Pixel. £10.50.

ZX2. **ASTEROIDS** Good M/C version of the original arcade game. 10 play levels, great swivel action. Silversoft. £5.95.

ZX3. **ZX CHESS II** Simply the best chess game for the ZX81. 7 play levels, all legal moves. Artic. £9.95.

ZX4. **OTHELLO** A superb opponent. The best and latest version. 9 play levels. M of I. £6.95.

ZX5. **SUBSPACE STRIKER** You are captain of the spaceship Swordfish. Splendid graphics. Pixel. £5.50.

ZX6. **VENTURE** 7 linked games make this good value. Can you survive all 7 sections and collect gold? Bobker. £5.00.

ZX7. **FROGGER** Enchanting graphic frogs must survive moving cars, logs, diving turtles and alligators! DJL. £5.95.

ZX8. **ZUCKMAN** The first and still the best ZX81 version. High-score Hall of Fame. DJL. £5.95.

ZX9. **PILOT** Test your skill on this brilliant flight simulation program, written by a pilot with helpful demo mode. Hewson. £5.95

ZX10. **THE ZX ARCADE PACK** A brilliant collection of fast-moving machine-code arcade games. C-Tech. £4.95.

Please post to: SOFTWARE SUPERMARKET,
87 Howard's Lane, London SW15 6NZ.

Please send me the following.....(No.) programs for my
ZX81 16K/Spectrum 16K/Spectrum 48K. I enclose my cheque/PO for
£..... made payable to Software Supermarket.

Name

Address

..... post code

Please complete carefully in block capitals. If we can't read it, you
won't get it. For 1 program, please add 20p p&p. 2 or more programs
p&p free. Foreign orders please add 20p per tape.

Prog. No.	Program Name	Computer	Price	Total

Add 20p p&p if order is only one tape

Total Order

(YC3)

SOFTWARE SUPERMARKET

THE MICRO-PROFESSOR must be one of the machines offering the best value for money in single-board computers available in this country at present. For less than £90 you can acquire a Z-80-based computer with keyboard and display on one board, a powerful monitor program, space to wire additional circuits on the main card and as much expandability as you can handle.

Before I received the Micro-Professor for review I had read only one previous article in which the author moaned continually about the inappropriateness of teaching computing at machine-code level. He said that what the younger generation needed was a broad appreciation of computing based, where necessary, on the use of high-level languages and that machine code was irrelevant except to a very few systems engineers.

This black-box approach to computers and their application is adequate — so far as it goes. If the machine you use runs much faster than you need and if you have the resources to purchase all the modules that you need, and if you never need to stretch the high-level language you use, then all will be well. If, on the other hand, you want to explore, and if you want to use a computer for a new purpose, something beyond other people's experience, then you must understand more about how the black box is constructed and how it functions. You may not use machine code in your new application, but you are more likely to be successful if you understand something of the highways and byways of microprocessors.

The construction of a program in machine code is strictly comparable to using an ordinary Microsoft Basic. Both languages have facilities for taking information into the computer, processing data using conditional jumps, calls to subroutines, comparison and mathematical operators, and displaying the results in a form that is intelligible to the user.

The Micro-Professor computer is 6.2in. wide, 8.8in. deep from front to back, and just under 0.75in. thick. A 2.25in. loudspeaker is mounted on the board with the diaphragm at the rear. There are 36 hard plastic keys on the keyboard and the keys travel about 2mm. when they are depressed. The keyboard appears to be well-made and is pleasant to use with adequate inter-key spacing.

Information display

Information is displayed on six 0.5in. seven-segment Light Emitting Diode — LED — displays and the character set that can be achieved using seven segments is shown in figure 1. At the rear, right side of the board are two 3.5mm. jack sockets for connection to a cassette-tape recorder and a power-input socket.

A 7805 IC regulator is fitted on a heatsink and the manual says that the input voltage may be between 7 and 24V. A 230V mains power supply unit — PSU — is provided with generous leads about 6ft. long, and this provides 9V DC at about 500 mA.

The PSU was supplied with a 13A plug already connected. The PSU became cool-to-warm when the machine ran for several hours in the course of the review while the 7805 regulator heatsink became too hot to touch. The manual states that this will happen and

explains that it is not a matter for concern.

In front of the power regulator is a breadboard area that may be used to hand-wire your own circuits. There is room for approximately eight 16-pin ICs or a mixture of the wider 24-pin packages with some 14- or 16-pin ICs and discrete components. 5V and ground rails are distributed throughout the breadboard area with convenient holes for a smoothing capacitor.

The Z-80 Central Processor Unit — CPU — is located at the rear left side of the Micro-Professor board and there are three 24-pin sockets for the Erasable Programmable Read Only Memory — EPROM — containing the fundamental operating program — the monitor, the RAM supplied with the machine, and one socket that may be used for either additional RAM or another EPROM.

Like the Apple computer, a number of jumper connections are available on the board. These must be either cut, or connected to alter the configuration to suit each of the various chips that may be plugged into the spare socket.

Unlike many other cheap — and not so

CONTROL MPF-1

cheap — computers, there is no need to fiddle about trying to connect wires to odd pins of other components — the options on the Micro-Professor board have been well thought out.

An 8255 Programmable Peripheral Interface — PPI — chip is used to drive the LED display and the keyboard. Two sockets are provided for a Parallel Input/Output — PI/O — chip and a Counter Timer Circuit — CTC — IC. Finally, and very important they are too, there are two standard, properly-designed, sockets on the extreme left of the board that carry all the connections to the Z-80 CPU and the signal lines from the PI/O and CTC chips.


The connections to the Z-80 form a bus that will, in theory, allow you to expand the Micro-Professor computer to a full 64K, twin floppy-disc, business-orientated system.

If you want to expand the computer, however, you will have to increase the drive capacity of the Z-80 bus. The data and address lines are not buffered on the main board. System buffering is carried out on the EPROM programmer board.

The printed-circuit board is well made with gold-plated connections, a green solder-resist on both sides and the component locations, and values silk-screened on to the top surface.

Two versions of the Micro-Professor computer have been marketed in this country. The original computer — MPF-1 — had a 2K monitor only and this was extended in the MPF-1B to include a 2K Tiny Basic. The MPF-1B is now the only version that is avail-

Even if by pest control you mean programming robot mice, the MPF-1 should fit the bill
John Dawson
reviews.




able and this costs £75 plus VAT. The 20 monitor commands represent a reasonably comprehensive set of facilities for entering, examining, running and correcting machine-code programs. In addition to the ability to enter data into a particular memory address you may load the Z-80 registers, and the alternative register set, with data before starting to run a program.

The SBR and CBR commands Set and Clear a single break-point to allow you to stop a program at a specified address to examine the status of the Z-80 CPU. The Move command is intelligent in the sense that the monitor calculates for itself in which direction data should be moved to avoid corrupting the memory. Other monitors of my acquaintance are not so smart.

Relative jumps

The Delete and Insert commands will move the data in the memory down or up one byte. The delete command removes the data at the address for which the command was entered and the Insert command enters a no-operation instruction — 00 Hex — at the address from which the instruction was entered.

Relative jumps can be calculated using the Rela command. The monitor assumes that the current address is the start of the jump, unless you enter a different number, and then asks



you have loaded a tape file you simply press Go and the computer executes the program.

The monitor is easy to use and allows good access to the Z-80 flags and registers. For example, most of the other computers I have used print the CPU flag register as a hexadecimal value — E5 would be typical.

The Micro-Professor presents information about the flags in exactly the form you want it — in binary — 01100010, so that you can tell whether a flag is Set or Reset.

The Basic is pretty basic. I understand that it was added to the monitor EPROM in order




Figure 1. Display format.

to counter criticism about machine-code programming for young people. Well, it does that and it has two instructions that make it very useful for controlling the PIO and CTC chips.

Two variables are reserved to access the Z-80 ports and RAM locations:

LET M 3477 = 750

stores the value 750 at the decimal address 3477. The instruction works the other way in this form:

LET A3 = M 3991

which will get the value stored at RAM location 3991 decimal and store it in variable A3.

There are similar instructions for the P variable which relate to the Z-80 port addresses. The Micro-Professor instruction is only a convenient Deek and Doke alternative but the P instruction is an original and useful idea.

When you are programming in Basic the machine takes a single keystroke as the input for a whole instruction. The keywords are printed on to a template which slips over the original keyboard.

There are three manuals for the Micro-Professor computer and a fourth which describes the Tiny Basic. The Micro-Professor manuals total 300 pages of information about the hardware, the software, and a series of experiments and other programs. What is there left to say about Oriental English?

The Micro-Professor manuals are no worse than many others and it is usually possible to figure out what the author intended to say. They are unsuitable for a first-time user who needs the constant reassurance of accurate documentation if she or he is to cope with unfamiliar and complex concepts.

The monitor listing is a fully-commented source listing and it would be very easy to modify the monitor by changing bytes here and there before "blowing" it into another EPROM.

The listing takes 51 pages for 2K and most

of the useful subroutines start with a description of the function of the routine, a note of the input that is required, the output in various conditions, which of the Z-80 registers are corrupted and which other subroutines are called. The monitor and its documentation is up to the standard of one of the original Intel evaluation kits — very good.

The Experiment Manual covers the software and hardware and includes a full description of the CTC chip and its use. The Japanese English is much less severe in this book and I think that large sections have been written for native English speakers. The Users' Manual includes a full set of circuit diagrams for the computer and an adequate and reasonably well set-out explanation for each of the monitor commands.

One of the options for the Micro-Professor computer is an EPROM programmer board. The board is constructed to the same high standards as the main computer. A 40-way flat cable connects the EPROM board to the Micro-Professor and there is an extension socket on the second board to allow the Z-80 bus, now fully buffered, to be connected to additional equipment. The EPROM programmer will handle six types of EPROM and changes to the pin functions are made by the software — there are no "customising" plugs to lose. Clearly, once you have written and debugged your program, you can fix it in an EPROM and plug that into the spare socket on the main board. The programmer has a separate PSU for both the ordinary 5V supply and the 25V used for programming the EPROM chip.

CONCLUSIONS


- The Micro-Professor hardware is excellent, provided you can manage with the single-location, six-character display.
- The Z-80 CPU is a good micro-processor to program in machine code as the high-level instructions for Block Move and Compare operations, and the 16-bit register operations, allow more productive programming than the 6502.
- The plug connecting the 5V supply to the board became intermittent a couple of times and I would want to replace that with something more solid. With that exception I have nothing but praise for the hardware.
- Someone must be writing a Tiny Forth for the Micro-Professor. Rather than attempt to fit a limited and elementary Basic into the remaining space in the monitor I would like a series of useful subroutines — delays, PI/O control, printer interface, interrupt-driven timers working in the CTC, simple maths operators using RPN, and so on — which could be linked to form more complex modules within a user's programs.
- The Micro-Professor is both a serious tool and a lot of fun for anyone with an interest in low-level, real computing. I hope to buy a Micro-Professor and use it, battery-operated, on my commuter train. ■

for the jump destination. The relative offset is calculated and inserted into the location following the jump instruction. If the jump is outside the range that the Z-80 can handle an error message is displayed. There is no consistent way of recovering from errors except to reset the computer; this is acceptable in the Micro-Professor as the Reset key does not destroy existing programs or data.

The tape Read and Write commands are easy to use and the method of setting the start and end addresses for the block you wish to save is consistent with other block commands in the monitor.

The level control for the tape recorder is excellent; there is either sufficient signal from the tape recorder or not enough. When the output level from the tape recorder is high enough, a Schmitt trigger in the computer operates and the input signal can be heard on the loudspeaker. When the volume is low, the trigger does not operate and there is no sound and no input to the computer memory.

Programs that you save on tape may have file names consisting of a number between 0 and 255, and the monitor will search through a tape until it finds the correct program. When



And now for the big picture.

TRADER A trilogy of 16K programmes that combine to give an epic 48K graphic adventure. As a galactic trader, you deal with some very bizarre customers indeed. Will you live to tell the tale? ZX81 £10.50. VIC20 £18.50 (tape or disc).

SUBSPACE STRIKER Our top selling, big screen graphic game. With your deadly Antimat torpedoes, you unleash havoc in the Federation spacelanes and try to dive back to the safety of subspace, fast. ZX81 £5.50. VIC20 £9.50. 16K.

STARQUEST A voyage of discovery and adventure in the cosmos. With the help of your onboard computer, you seek a habitable planet amidst the perils of deep space. ZX81 £5.50. VIC20 £9.50. 16K.

ENCOUNTER Would you know what to do if you encountered extra-terrestrial beings? In this adventure, you are snatched off the Earth and the space invaders play YOU! ZX81 £5.50. VIC20 £9.50. 16K.

ZOR Battle of the robots. Fight for survival in this action-packed strategy game. Megajoules of destructive energy in a futuristic duel. ZX81 £5.50. VIC20 £9.50. 16K.

PIXEL POWER At last it is easy to create your own custom characters on the 8K plus expanded VIC20. A graphics workshop packed with useful features like Create, Amend, Save, View Set. £9.50. Refreshes the pixels that other programmes can't reach. (See Pixel Power in action in Trader and Subspace Striker)

HARVESTER Reap your reward in the Boosterspace fields around the planet Delta. A cut-throat strategy game for 2 to 4 players for the unexpanded VIC20. £4.50.

BRAINSTORM The telepathic emissions of the friendly Psions can wreck a human brain. Can you get our three space explorers across a river of nasty goo without blowing their minds. Unexpanded VIC20. £4.50.

GUITARPIX 1 For the VIC20 owner who wants to play the guitar. The first of a series that shows how to tune the guitar and demonstrates some elementary chords. Unexpanded VIC20. £4.50.


Send SAE for more details.

PIXEL

Pixel Productions 39 Ripley Gdns. London SW14 8HF

NEW! **ATOM** NEW!

ALL ACTION PACKED M/CODE ARCADE GAMES




PROTECTOR £7

The most realistic version of this amazing Arcade game available for the Atom. Defend your humanoid from mutation and destroy the Aliens in this hyper fast, action packed game. Moving planetary surface, repelling lasers and smart bombs, thrust, space, increasing Attack Waves, 8 types of Aliens, Sound Effects, Top score and excellent mode 4 graphics are some of the features in this exciting game.

CENTIPEDE £6

The first and only version of this popular Arcade game for the Atom. Shoot down the splitting centipede as it swirls through the mushroom fields. Also inhabiting the game are Spiders, Bugs and Snails. The action increases until only skill and quick thinking can save you. Excellent high speed mode 4 graphics, Sound Effects and Top score.




OMEGA MISSION £7

The first and only version of the superb Scramble Arcade game. Moving landscape! Fly over mountains, through caves and tunnels. 5 different stages, Ground to Air Missiles, Fire Balls, Space Craft, Mutants and the narrow twisting Tunnel. Movement in 8 directions, laser cannon, Excellent COLOUR graphics (give Black & white on monochrome T.V.) mode 3a, Sound Effects, Top score.

PUCKMAN £5

One of the best versions of this popular Arcade maze chaser game. Eat all the dots in the maze but watch out for the hungry ghosts! Eat an Energy Blob and the chase reverses. Each maze cleared brings a new one with faster ghosts. Excellent high speed mode 4 graphics, Sound Effects and Top score.



ALL 12K RAM
PRICES INCLUDE P&P. FAST 2 DAY DESPATCH!
micromania
14 LOWER HILL RD. EPSOM. SURREY.

Spectrum

Fast Action Games
in Machine Code

ZX81

TREASURE HUNT (Spectrum) Explore one of the 29 mazes in search of treasure and grab as much as you can before the time limit. This game can be played with or without moving obstacles; with one player, two players in opposition, or two players in partnership; and with part or all of the maze visible. There are 144 variations of this fascinating game and even the game selector is fun to use.

HUNT (16K ZX81) A ZX81 version of Treasure Hunt with 48 variations.

X-MEN (16K ZX81) The only Puckman type game with all these features: true gobbling action, bonuses, arcade type maze, 3 lives, graphic display of lives left, 4 monsters, a den, booster buns, high score, continuous on-screen scoring.

UFO (16K ZX81) A fast moving space game in which you must defend the Earth by destroying all the UFOs and spy satellites while your moving force field gradually gets worn away by the alien bombs.

TRAP (16K ZX81) You control a moving wall and try to surround your opponent (computer or human) before he surrounds you. There are 3 speeds and games can be played with a border or wrap around screen.

£4.95 PER GAME ON CASSETTE

AMBA
SOFTWARE

FREEPOST
(no stamp required)
CAMBRIDGE CB3 7BR

Tick games required X-MEN
 TREASURE HUNT UFO
 HUNT TRAP

NAME
ADDRESS
.....
.....

RESPONSE FRAME

Do you have a problem? Your manual is incomprehensible or you just cannot get the hang of that programming trick you tried — whatever it is, Tim Hartnell will do his best to answer your queries. Please include only one question per letter and mark them "Response Frame".

ATOM UPGRADE

I am the owner of an Acorn Atom, and I am thinking of upgrading it to BBC Basic. If I did this, what could be done about the great difference in the keyboard?

Would the upgraded Atom then be able to use BBC software, and above all, how much does it cost and is it worthwhile?

Andrew Barlow,
Wardle,
Leicestershire.

THE FIRST THING to remember is that adding a BBC Basic ROM to your Atom will not turn it into a BBC Microcomputer. The ROM will not allow your Atom to load BBC software, and is not compatible with BBC graphics and sound. It costs around £50, and whether it is worth it or not depends on if you wish to use the computer primarily for things like games, where sound and graphics are important, or if your interests are more in the line of things which will be catered for by BBC Basic. The upgrade ROM does not demand a BBC keyboard, but is designed to use the standard Atom keyboard.

HARD TIME

I have been trying to work out a program for my ZX-81 to determine the time difference between two times such as 9.17 am and 3.34 pm, to work out which is earlier or later. I would be pleased if you could suggest an approach.

Malcolm Young,
Dunedin, New Zealand.

IT IS IMPORTANT to remember, in any program in which you are comparing quantities which are made up of units with different values such as pints and gallons, or hours and minutes, that the values to be compared must be rendered down to a single unit. You must also establish a common input format, so the computer knows what to expect. This can be done fairly easily with the ZX-81, because of its simple string handling. My suggested program follows. It needs input in the form 09.37 am or 12.04 pm. It then — line 40 — works out the value — as a number with a decimal point — of the time, adds 12 to the whole number to the left of the decimal point if the seventh element of the input string is a P, and then converts the number into minutes, comparing the two minutes' totals. The original strings are then used to

print out the final information. A similar approach can be used when comparing quantities made up from units which are not exact multiples of 10 of each other. You will see that this program also allows you to work out the difference in minutes between two times, simply by subtracting one A(Z) from the other, and taking the ABS of the difference. Here is the program:

```
10 DIM A$(2,8)
15 DIM A(2)
20 FOR Z=1 TO 2
30 INPUT A$(Z)
40 LET A(Z)=VAL(A$(Z) (TO 5))
50 IF A$(Z,7)="P" THEN LET A(Z)=A(Z)+12
60 LET B=INT(A(Z))
70 LET A(Z)=60*B+100*A(Z)-60*B
80 NEXT Z
90 IF A(1)>A(2) THEN PRINT
  A$(1);" IS LATER THAN ";
  A$(2)
100 IF A(1)<A(2) THEN PRINT A$(1);" IS EARLIER THAN "; A$(2)
```

LOOSE PLUG

In the August 1982 Response Frame, a letter was published from P Bradbery of Kent who wanted to know what to do about the loose 9V dc input plug on his Sinclair ZX-81. I have encountered this problem before, and solved it by opening up the computer and bending the metal strips on the input socket, so that the plug will fit into the socket. This repair will need to be carried out every few months, but is much quicker than buying a new socket as was suggested. I would also recommend that the plug should only be pulled out of the socket when necessary, because the more the plug is removed, the more often this repair will need to be carried out.

David Bluxton,
Lesbury, Alnwick.

THANKS FOR THE suggestion, which we are pleased to pass on to other readers who may be facing the loose input plug problem. But remember, this may infringe your guarantee.

PET TO ZX-81

I am trying to convert a program written for the Pet to run on my ZX-81. However, I have come across the following problem with a multi-line statement:

```
240 IF T=1 GOTO 270: L2=L*PC:
  LET L1=MB2
```

How would this be translated

into ZX-81 Basic, taking into consideration the possibility that the answer may be true or false. What happens?

Martyn Brinton,
Harwich, Essex.

IF THE FIRST statement — the If — is found to be false, the computer moves automatically to the next line, so the rest of that line is not executed. You can solve this by either having a string of If/Thens, repeating the condition before each one, or by inverting the statement, so it reads:

```
IF T<>1 THEN LET L2=L*PC
IF T<>1 THEN LET L1=MB2
```

You could also follow through the line, working out what each element does in response to the first If/Then, and jump over the non-operative statements with the first If/Then. For example, your Pet program might read:

```
20 IF T=1 THEN Z=4: X=5
```

```
30 Y=2*Z+X
```

The ZX-81 version could be:

```
20 IF T<>1 THEN 25
```

```
21 Z=4
```

```
22 X=5
```

```
25 Y=2*Z+X
```

NO JOY

I bought a Commodore joystick to use with my Vic-20, but to my disappointment, there was no information on how to use it with the stick. I went back to the dealer, but he was not able to help me. How do I rewrite my programs to use the joystick? I am unable to break into commercial software programs to see how they do it.

Andrew Cunningham,
Coundon, Coventry.

COMMODORE HAS recently released a book, the *Programmer's Reference Guide* which explains on pages 246, 247 how the joystick works. It also gives a seven-line routine which reads the joystick, converting its output into numbers which you can add to Poke locations to move things on the screen. The book, which costs around £10, includes a wealth of other information, and would be a worthwhile purchase for anyone who is interested in serious programming on the Vic.

ADVENTUROUS

Would you please recommend a book on writing Adventure games. I would also like to know if the ZX Spectrum, which I intend to buy, would be suitable for this type of game, and if it is really suitable for a first-time user?

Gerard Hayes,
Finglas East, Dublin.

I DO NOT KNOW about any books primarily on writing Adventure games, although *Your Computer* runs articles on associated topics from

time to time. However, there is one recently-published book *Dicing with Dragons* which explains the mechanics of role-playing games very well, and will give you many tips which you can convert to computer games. Other useful sources of ideas include the Puffin book *The Warlock of Firetop Mountain*, and the specialist magazines *The Gamer* and *The War Machine*. The latter is not a glossy magazine like *Your Computer*, but is photocopied each month, and you can get details from Emjay, 17 Langbank Avenue, Rise Park, Nottingham, NG5 5BU. The Spectrum 48K machine enables quite elaborate Adventure games to be constructed. The computer is suitable for a first-time user, so long as he or she is willing to take things slowly for the first few hours in finding his way around the keyboard.

VIEWDATA QUERY

I have recently ordered a ZX Spectrum and would like to know if I can receive Oracle and Ceefax on it. If so, how much would it cost?

A J Bolam,
Ryton, Tyne and Wear.

YOU CANNOT GET the BBC and ITV services that are transmitted along with the picture, via an external computer, without an extremely complex, and therefore unreliable and expensive, arrangement. There is little chance that anyone would bother trying to produce such a device, as you first need to receive the broadcast signal, interrupt it to extract and decode the Ceefax information, then feed it back into your television set. If, however, you are interested in Prestel, which is Ceefax-like information sent from a computer over the telephone lines, then the answer is "Yes, shortly". A number of firms, including Sinclair, are working on Prestel units.

COMBAT DURATION

Could you please tell me how to access the timer on the ZX-81, so it can be used in games to work out how long, for example, a player has managed to fight off the aliens?

John Maddock,
Holsworth, Devon.

THE FOLLOWING PROGRAM will emulate a stopwatch, and print the minutes and seconds elapsed. You can use parts of the program wherever needed. Note that the first two lines reset it, and must be included.

```
10 POKE 16436,255
20 POKE 16437,255
30 LET TIME(65536)=PEEK 16436-
  256*PEEK 16437/50
40 PRINT AT 11,12;INT(TIME/60);
  ":';INT(TIME-INT(TIME/60)
  *60);"
50 GOTO 30
```

ZX SPECTRUM POCKET BOOK

160pp **£6.50**

Trevor Toms, best selling author of the ZX81 Pocket Book and the Sinclair Learning Lab, turns his attention to the ZX Spectrum — the book you have been waiting for! All the material in the book is totally new.

Programs

- Castle walls; boiling oil and lovely slurping noises
- Great Fire of London; try and change the course of history
- Chase; outwit the pursuing robots and lead them to their doom
- Truly amazing; generate a new maze puzzle every go
- Reversi; the classic oriental strategy game with board screen display
- 3D Maze; race against time and three dimensions to escape.

Also Available

ZX81 Pocket Book 138pp	£5.95
ZX80 Pocket Book 128pp	£4.95
Atom Business 110pp	£7.50

Hints & Tips

Discover new ways of using PRINT; INSTR functions, VAL, PRINT USING, hexadecimal conversion, upper case conversion, load and save arrays. BEEP with sliding tones, automatic scroll and how to use all the machine features within machine code.

Machine Code

All the tools you need to write machine code effectively. Graphics tool kit — debug monitor — symbol assembler (with labels, all ED commands, ORG statements, forward and relative jumps) — disassembler (with label assignment); now you can really dig into the Sinclair ROM! This section alone would be stupendous value for money!

Cassettes

Spectrum games as opposite	£5.00
Spectrum machine code as above	£5.00
for ZX81 Nowotnik Puzzle, Demolition & Tenpin	£5.00
3 Adventures: Greedy Gulch, Magic Mountain, Pharaohs Tomb	£5.00
Prices include VAT ZX81 Pocket Book Cassette	£5.00

PHIPPS ASSOCIATES

Dept A FREEPOST EM463 (No stamp required)
99, East St, Epsom, Surrey KT17 1BR.
Telephone 03727-21215. 24hr phone service.

Prices include postage but for air mail delivery in Europe add 90p (outside Europe add £2.20) per item.

MICRO-PROFESSOR

YOUR GUIDE TO THE WORLD OF MICROPROCESSORS

A low cost tool for learning, teaching & prototyping.

Micro-Professor is a low-cost Z80 based microcomputer which provides you with an interesting and inexpensive way to understand the world of microprocessors and utilise their unlimited potential.

Micro-Professor is a complete hardware and software system whose extensive manual gives you detailed schematics and examples of programme code. A superb learning development tool for students, hobbyists and microprocessor engineers, as well as an excellent teaching aid for instructors of electrical engineering and computer science courses.

Technical specification

Z80 CPU, 2K RAM, 2K monitor, 24 I/O lines, LED display, cassette interface, CTC/PIO facility, 2.25" speaker, three manuals, 36 keyboard. Options include: EPROM board, speech board and printer board.

Please send or telephone for full details.

£79.95 + p&p

Now includes 2K BASIC

FLIGHT ELECTRONICS LTD. Flight House, Quayside Rd, Southampton, Hants SO2 4AD. Tel: (0703) 34003/27721. Telex: 477793.

Mail order only ● Trade enquiries welcome ● Bulk order discounts ● Prices include VAT



(by phone or post)

Complete the coupon today!

Please allow 28 days for delivery.

Please send me:	Price	Qty	p&p
Micro-Professor	£79.95		£2.95
SSB-MPF board	£69.95		£2.95
EPB-MPF board	£84.95		£2.95
PRT-MPF board	£74.75		£2.95
		Total	

I enclose cheque/P.O. for £.....

Name

Address

FINGERTIPS

Fingertips is our regular calculator column covering calculator news, programming hints and examples of unusual applications. The column is written and compiled by calculator enthusiast David Pringle who is glad to hear of any of your ideas. *Your Computer* pays £6 for each of your contributions published.

method of finding the general solution to a diophantine equation $ax + by = c$, but that is another story.

An intriguing calendar program has been written for the Casio 602 by D Cass of Stockport. The user operates the program by pressing P0. A prompt "Year?" is displayed and the user enters the year

required. Pressing EXE sets the ball rolling and you are advised to go and have a cup of tea as printing takes about nine minutes.

The program works like the calendars found on watches. A fixed format, as shown in figure 1, is used and the days of the week adjusted accordingly. The 31, 30 or 29 on the

(continued on next page)

LAST MONTH saw the first large scale meeting of the newly-formed U.K. branch of the Hewlett-Packard PPC users' club. As many of you know, the PPC users' club has been very active in the States for quite a few years. It seems appropriate that HP-nuts now have an avenue for venting their energy. I hope to report some titbits from the day-long meeting in the next issue. But, be warned: the conversation became very esoteric at points.

Until then, if you are interested in the club and its newsletter, the man to contact is: D M Birch, Astage, Rectory Lane, Windlesham GU20 6BW.

My request for a larger variety of programs getting away from the war games idea has caused a welcome flood of more novel approaches. Long may it continue.

Firstly, canny scot Andrew Simpson from Perth feels that the program we published in the October issue was a bit naive. This was an attempt to approximate any irrational number by a series of more and more accurate fractions of rationals.

The following TI-58 program generates successive convergents of the development of $R = a/b$ as a continued fraction, according to Euclid. To run it, enter R, press RST R/S.

For each convergent, the program displays the actual error E. To see a and b, press RCL 04 RCL 05. To see q, the next element of the continued fraction, press RCL 07. To continue, press R/S.

Note that R represents Real. In this respect, Roy Sirl's program is, of course, a misnomer. Whatever the value of the input number, it is by definition a rational number — even the Cray 2 can handle only rational approximations to irrational numbers — and it may well be equally important to know, for example, that:

$R = a/b = 21649/513239 = 3/71$ with an error of $7.2393/10^5$.

Note: $a \cdot b = (10^{11} - 1)/9$. So, the idea that, in computer terms, irrationals are somehow different, is erroneous and generally misleading.

Incidentally, the Euclidean algorithm is ideal for finding the HCF of two integers a,b; the following program uses only one register. To run it, enter a, press RST R/S, enter b, press R/S (a and b may be entered in any order):

```

LOC
000 STO 1 2/CP ISBR
004 ( CE - ( CE ÷ RCL 1 )
      2/INT × RCL 1 )
018 2/X = T 0 26 2/EXC 1 GTO 0 04
026 RCL 1 R/S RST
For example, (958 581 817, 543
065 519) → HCF = 47293, 12
seconds. It is also the basis of a

```

Source: The Universal Encyclopedia of Mathematics (Pan)

Euclid's Algorithm: Every rational number a/b can be developed as a continued fraction:

$$a/b = q_0 + \frac{1}{q_1 + \frac{1}{q_2 + \dots + \frac{1}{q_{n-1} + \frac{1}{q_n}}}}$$

where: $a = q_0 \cdot b = r_1$
 $b = q_1 \cdot r_1 = r_2$
 $r_1 = q_2 \cdot r_2 = r_3$
 $r_{n-2} = q_{n-1} \cdot r_{n-1} = r_n$
 $r_{n-1} = q_n \cdot r_n = 0$

i.e. for all rational numbers — and all rational approximations to irrational numbers — the remainder tends to 0.

The Program:

Part 1 (000-015) initialises the variables:

$$R_{00} = R ; R_{01} = a_{n-2} = 0 ; R_{04} = a_{n-1} = 1$$

$$R_{02} = b_{n-2} = 1 ; R_{05} = b_{n-1} = 0$$

$$R_{03} = r_{n-2} = R ; R_{06} = r_{n-1} = 1 ; R_{07} = q_{n-1}$$

Part 2 (016-035) evaluates the nth term of Euclid's algorithm:

$$r_n = r_{n-2} - q_{n-1} \cdot r_{n-1} \text{ where: } q_{n-1} = \text{INT}(r_{n-2}/r_{n-1})$$

Part 3 (036-064) evaluates the elements of the nth convergent:

$$a_n = a_{n-2} + q_{n-1} \cdot a_{n-1} ; b_n = b_{n-2} + q_{n-1} \cdot b_{n-1}$$

Part 4 (065-end) calculates and displays the actual error of the nth convergent:

$$E_n = (a_n/b_n) - R$$

The generations are updated during processing, i.e. a_n and b_n are in R_{04} and R_{05} , r_n is in R_{06} . The nth term of the continued fraction, q_{n-1} is in R_{07} .

Note that if $R < 1$, $q_0 = 0$.

$$\text{and that } b > r_1 > r_2 > r_3 > \dots > r_n > 0$$

TI-58 Euclidean convergence program by A M Simpson.
(Evaluates successive convergents a_n/b_n for Real number R)

KEY	LOC	CODE	KEY	LOC	CODE
STO	000	42	(036	53
0	001	00	RCL	037	43
STO	002	42	1	038	01
3	003	03	+	039	85
CLR	004	25	RCL	040	43
STO	005	42	4	041	04
1	006	01	STO	042	42
STO	007	42	1	043	01
05	008	05	×	044	65
1	009	01	RCL	045	43
STO	010	42	7	046	07
2	011	02)	047	54
STO	012	42	STO	048	42
4	013	04	4	049	04
STO	014	42	÷	050	55
6	015	06	(051	53
RCL	016	43	RCL	052	43
3	017	03	2	053	02
-	018	75	+	054	85
(019	53	RCL	055	43
CE	020	24	5	056	05
÷	021	55	STO	057	42
RCL	022	43	2	058	02
6	023	06	×	059	65
)	024	54	RCL	060	43
2nd INT	025	59	7	061	07
STO	026	42)	062	54
7	027	07	STO	063	42
×	028	65	5	064	05
RCL	029	43	-	065	75
6	030	06	RCL	066	43
=	031	95	0	067	00
2nd EXC	032	48	=	068	95
6	033	06	R/S	069	91
STO	034	42	GTO	070	61
3	035	03	0	071	00
			16	072	16

FINGERTIPS

(continued from previous page)

rightmost column are removed according to the month being printed and whether the year is a leap year or not.

1.	08	15	22	29
2.	09	16	23	30
3.	10	17	24	31
4.	11	18	25	
5.	12	19	26	
6.	13	20	27	
7.	14	21	28	

Figure 1.

Zeller's Congruence is used to find the day of January 1, knowing the year. Knowing this P9 prints out the name of the day. The data for the printing of the actual month itself is held in memories 10-16. Each memory holds the information to print one row; there are seven rows in all — see figure 1.

The data is decoded by masking the integer part of the number, printing it, removing it from the original number, then multiplying by 100 to reveal the next number. For example, the first row is held in memory 10, that is, M10 = 1.08152229. Removing the integer part gives 1, subtracting from the original number leaves 0.08152229. The 1 is printed, and the remainder multiplied by 100, giving 8.152229. The process is repeated until zero is reached, and the next day and row dealt with. P2 takes care of the removal of the 29, 30 and 31 from memories 14, 15 and 16 respectively — depending on the month. Copies of memories 14, 15 and 16 are held in 17, 18 and 19 so the original contents can be replaced at the start of printing each new month. P6 and P7 takes care of printing the names of each month. P0 handles all the dirty work.

Finally, Albert Bale of Warrington appears relieved that we have programs for the more modest CBM PR-100.

This normal distribution program computes the area under a normal distribution curve from k to infinity, where k can take any value above or equal to the mean of the distribution. Since the curve is symmetrical about μ , and since the total area is 1, any area can be found.

If the distribution of interest has a mean and standard deviation, and the value from which the area is required is k as above, then load the program and calculate manually

$\left(\frac{k-\mu}{\sigma}\right) \times \frac{331}{2} + 165$ Enter the fractional part in M1 and the integer part in M2. Enter 4.3756634×10^{-2} in M3. This is $\frac{C_{331}}{2^{331}}$ the distribution using $(\frac{1}{2} + \frac{1}{2})^{331}$ — the values chosen to give the best accuracy without overflowing the machine capacity.

Run from 00. The required area is displayed when the program stops. If the required area was that up to k from -00 then subtract the result

```

PROGRAM LIST
M00-19,F-1F 512steps

*** P0
0 Min09
"YEAR ?"
HLT
" CALENDER :#"
GSBP4
÷ 2 10^x = Min03 INT
Min04 M-03
MR03 x 2 10^x = Min03
- ( MR03 ÷ 4 ) INT x
4 = x=0 GOT03
MR04 - ( MR04 ÷ 4 )
INT x 4 = x=0 GOT03
1 Min1F GOT04
LBL3
0 Min1F
LBL4
1 M-03
29 + MR03 + ( MR03 ÷
4 ) INT + ( MR04 ÷ 4
) INT - 2 x MR04 =
Min00 - ( MR00 ÷ 7 )
INT x 7 = Min01
1 Min02
LBL5
GSBP6
MR09 +
GSBP1
GSBP2
10 Min00
LBL6
GSBP9
IND MR00 Min06
LBL7
INT
";## "
M-06
MR06 x 2 10^x = Min06
x=0 GOT08
GOT07
LBL8
";"
GSBP4
1 M+00 M+01
GSBP1
MR00 - 17 = x=0
GOT09
GOT06
LBL9
1 M+02
MR02 - 13 = x=0
GOT08
GOT05
LBL0
...176steps

*** P1
MR01 = ÷ 7 = FRAC x
7 = Min01
-011steps

*** P2
3 Min09
MR17 Min10
MR18 Min11
MR19 Min12
MR02 - 2 = x=0 GOT04
MRF - 31 = x=0 GOT05
GOT03
LBL5
3 Min09 GOT01
LBL4
MR1F x=0 GOT02
1 M-09
2.9 EXP 7 +/- M-10
LBL2
1 M-09
3 EXP 7 +/- M-11
LBL3
1 M-09
3.1 EXP 7 +/- M-12
LBL1
...059steps

*** P4
SAVE invEXE
...003steps

*** P6
" "
GSBP4
" "
10 MinF
MR02 x≥F GOT00
IND GOT02
LBL1
...054steps

";January"
31 MinF GOT00
LBL2
";February"
28 MinF GOT00
LBL3
";March"
31 MinF GOT00
LBL4
";April"
30 MinF GOT00
LBL5
";May"
31 MinF GOT00
LBL6
";June"
30 MinF GOT00
LBL7
";July"
31 MinF GOT00
LBL8
";August"
31 MinF GOT00
LBL9
";September"
30 MinF
LBL0
MR02 x≥F
GSBP7
";"
GSBP4
" "
GSBP4
...154steps

*** P7
9 M-02 IND GOT02
LBL1
";October"
31 MinF GOT00
LBL2
";November"
30 MinF GOT00
LBL3
";December"
31 MinF
LBL0
9 M+02
...054steps

*** P9
IND GOT01
LBL0
"Sun"
GOT09
LBL1
"Mon"
GOT09
LBL2
"Tue"
GOT09
LBL3
"Wed"
GOT09
LBL4
"Thu"
GOT09
LBL5
"Fri"
GOT09
LBL6
"Sat"
GOT09
LBL9
...052steps

MEMORY LIST
M00-19,F-1F 512steps
M00= 17.
M01= 3.
M02= 13.
M03= 81.
M04= 19.
M05= 3.141592654
M06= 0.
M07= 3.141592654
M08= 3.141592654
M09= 3.
M0F= 31.
M10= 1.08152229
M11= 2.0916233
M12= 3.10172431
M13= 4.111825
M14= 5.121926
M15= 6.132027
M16= 7.142128
M17= 1.08152229
M18= 2.0916233
M19= 3.10172431
M1F= 1.
    
```

D Cass of Stockport's calendar program.

from 1. For a standard normal distribution $\mu=0$ and $\sigma=1$ so $\frac{k-n}{\sigma} = k$

The program is generally accurate to four places of decimals.

A population of manufactured items has weights which are normally distributed about a mean of 100gm., with a standard deviation of 10gm.

Find the proportion of items which have weights between 70gm. and 80gm.

Now the program only computes areas for values above the mean, but since normal distributions are symmetrical, a similar area lies between 120 and 130gm. So we compute the areas from 120gm. to 00 and from 130gm. to 00, and the required area is the difference between these areas.

For the first value, 120gm., $k = 120$, so computing

$$\left(\frac{k-\mu}{\sigma} \times \frac{\sqrt{331}}{2} + 165\right)$$

gives 183.1934. The fractional part goes in M1 and the integer part in M2. A useful key sequence is M 1 F INT M 2 MR 1 F FRAC M 1 Store 4.3756634×10^{-2} in M3 and run from 00. An area of 0.02277 is given. Repeating for 130gm. — no need to reload M3 or Goto 00 manually, the program does this — gives an area of 0.00134. Values far from the mean take a long time to run. Hence the required area is 0.0214, that is, a proportion of 2.14 percent.

Albert Bale's normal distribution program.

	0-	1-	2-	3-	4-	5-	6-	7-
-0	1	6	2	F	6	MR	0	9
-1	6	MR	÷	M-	6	3	MR	
-2	5	1	(2	=	-	9	
-3	-	X	MR	=	SKIP	.	GOTO	
-4	MR	(2	M	GOTO	5	1	
-5	2	3	+	9	6	=	3	
-6	=	3	1	MR	1	±	MR	
-7	SKIP	1	=	2	MR	R/S	1	
-8	GOTO	-	+	-	9	GOTO	GOTO	
-9	6	MR	1	1	X	0	4	

we now stock all the micros listed opposite at those ridiculous prices!!

PORTABLE COMPUTERS

SHARP MEANS BUSINESS

PC-1500 COLOUR COMPUTER

Probably the most powerful pocket computer on earth



THE HARDWARE

The PC-1500 approaches the personal computer in ability, with 16K of ROM extended BASIC language and 3.5K RAM user memory, expandable to 11.5K, all maintained during power off and battery change. Up to 36 separate programs are immediately accessible and there are advanced programming capabilities with PEEK, POKE, CALL etc., 1 & 2 dimensional arrays and variable strings. There is a full range of text manipulation and the QWERTY typewriter-style keyboard offers upper and lower case letters on the 26 character LCD which doubles as a 1,092 point mini-graphic display with BASIC program control. A tone generator and clock, calendar, alarm and stopwatch functions are built-in and, under BASIC control, can be incorporated in programs.

The CE-150 is a high resolution (500 x 200), 4-colour printer/plotter, with 8K bytes Graphics BASIC. The 9 type sizes allow a variable line length from 4 to 36 characters. The CE-150 can print virtually any drawing with full control of up, down, left and right printing. There are two cassette interfaces (for saving/loading) with remote control, allowing bulk storage.

The PC-1500 has a 50 hour battery life, with EA-150 mains adaptor option and the CE-150 has a built-in rechargeable battery and comes with EA-150.

PRICES (including VAT and FREE software voucher)

PC-1500 Computer plus £20 software voucher	£169.95
CE-150 Colour Printer/Interface plus £20 voucher	£149.95
CE-155 8K RAM Expansion module plus £10 voucher	£79.95
CE-150 8K RAM/ROM with battery back-up plus £10 voucher	£89.95
CE-152 Custom Cassette Recorder plus £5 voucher	£39.95
CE-153 140-key Software Board plus £10 voucher	£79.95
CE-158 RS-232C Interface plus £20 voucher	£149.95

Vouchers on request with order only

THE SOFTWARE

Sharp CE-15A Applications Program Tape..... £14.95
MICROL 1500 EXECUTIVE OS/1 Ready-to-run, full feature Database, with a wide range of customising features enabling you to create your own business applications programs (eg: stock control, mailing lists) in minutes..... £19.95

MICROL 1500 PROCOS Solve all kinds of number-based problems in just minutes, even if you have never programmed a computer before. Handling up to 256 items of data simultaneously, 'Visicalc-type' features help you examine the effects of changes in data, analyse trends and answer 'what if...?'..... £19.95

MICROL 1500 STATIX Statistics for the 1500. Automatic calculation of mean, standard deviation and linear regression..... £9.95

BC SOFTWARE 1500 PROPAC 1 A set of easy-to-use routines for programs development with: Renumber, Reorganise, Delete, Analyse and Invert Screen..... £9.95

Brochure on request

BASIC FOR BEGINNERS

CASIO PB100 £69.95

Learn as you go



LEARN with the beginners manual "An easy-to-follow introduction to the Personal Computer". FOLLOW the step by step examples and USE the programs supplied, or develop your own, for business or home use, including exciting games.

QWERTY keyboard, upper and lower case dot matrix display. Up to 544 program steps/94 memories, expandable to 1,568 steps/222 memories, all protected. A truly pocketable 9.8 x 71mm. Weight, 116g. 360 hours battery life.

OR-1 1K RAM expansion module £11.95. FA-3 Cassette Interface £22.95.

MICROL SOFTWARE for your SPECTRUM

USE AND LEARN Vol. 1. 25 BASIC PROGRAMS on cassette + 100 PAGE BOOK. Professionally written, packed with practical ideas, hints and tips..... £9.95

USE AND LEARN Vol. 2. 30 MACHINE CODE ROUTINES for high speed graphics, games and serious programs. On tape + 50 PAGE BOOK..... £9.95

THE DATABASE PRACTICAL, POWERFUL, RELIABLE. Written in machine code and BASIC. Automatic sorting. 'Free Form' with one-key search. Capacity: Inside 48K. 30,000 characters = 1,000 screen lines = 45 full screens. With C-90 tape: Over 900 full screens of information, or over 7,000 names & addresses. Fully MENU DRIVEN with full HELP..... £9.95

THE SPREADSHEET Visicalc for £10? Not Quite - has all the main Visicalc capabilities and some improvements. Available November, 1982..... £9.95
Database and Spreadsheet require 48K Spectrums. Add-on options for the Sinclair Microdrive will be available early 1983.

MICROL 14 day money back guarantee

TEMPUS

Dept YC 38 Burleigh Street,
Cambridge, CB1 1DG. Tel: 0223 312866

CASIO - THE SCIENTIFIC ANSWER


The future has
arrived with the

CASIO FX-801P £349

High speed computer with
integral micro-cassette data
control and hard copy printer
monitoring.



Everything you need, in an area smaller than this page. This truly portable, complete system needs no peripherals on lengths of cable. Batteries last 250 hours (only display), or 5,000 lines (display and printing). Typewriter style QWERTY keyboard, plus all the advanced features of the FX-702P.



With FREE MICROL Professional Programming Pack worth £9.95

The widest range of math, science and statistics functions (55 in all, including Regression and Correlation). BASIC programming. Up to 1,680 program steps, up to 226 data memories, up to 10 program areas, all protected. Subroutines: Up to 10 levels. FOR/NEXT looping: Up to 8 levels. Edit, Debug and Trace modes. 240 hours battery life. Dims: 17 x 165 x 82mm. Wt: 176g.


Peripherals

FA-2 Remote control cassette interface/adaptor..... £19.95
FP-10 Permanent hard copy printer. Mains or battery powered..... £44.95

MICROL 702 PROCOS

Professional computing solutions on tape. Save up to 90% of programming time with this electronic equivalent of pen and paper. This 'Visicalc-type' system answers 'what if...' questions and analyses trends..... £24.95
FREE when you purchase the FX-702P, FA-2 and FP-10 package from us.

CASIO FX-700P £79.95



BASIC programming on a QWERTY typewriter-style keyboard. Up to 10 program areas, up to 1,568 program steps, up to 222 memories, all protected.

Upper and lower case dot matrix display. Powerful editing functions. 25 scientific functions. Subroutines: Up to 8 levels. FOR/NEXT loops: Up to 4 levels. Numerical values - 6 levels. Calculation elements - 12 levels. Exclusive character variable stores up to 30 characters.

Dims: 9.8 x 165 x 71mm. Weight 118g. 300 hour battery life approx.

FA-3 Cassette interface £22.95. FP-12 Printer (December 1982) £49.95.

PROGRAMMABLE CALCULATORS

CASIO FX-602P

10 program areas, up to 512 program steps, up to 88 memories. Alpha/numeric dot matrix display, 10+2 digits. 50 scientific functions, including Standard Deviations and R/P & P/R conversions. 33 parentheses..... £69.95

CASIO FX-3600P

2 program areas, 38 steps, 7 memories. 10+2 digits. 50 scientific functions, including Integrals and Regression. Standard deviations, R/P & P/R conversions, 18 levels of parentheses..... £22.95

PRICES include VAT, post & packing. SAME DAY DESPATCH, subject to availability. Send cheques, PO, or cash (registered), or telephone your ACCESS/VISA, or BARCLAYCARD number to the Portable Computer Specialists:-

IF YOU SEE A BETTER OFFER WE WILL BEAT IT

TEMPUS, 38 Burleigh Street, Cambridge CB1 1DG

Please supply/send details of.....

Total £..... enclosed, or debit my ACCESS/VISA/B/CARD

Number.....

Name.....

Address.....

YC

SOFTWARE FILE

Software File gives you the opportunity to have your programs, ideas or discoveries published. We will accept contributions for any personal computer provided they are submitted to *Your Computer* exclusively. Please double-check your listings before sending them, and specify the memory they require. Mark your letter clearly for *Your Computer*. We will pay £6 for each contribution published.

Three games

C G Brown,
Sutton Coldfield,
West Midlands.

ZX-81

HERE ARE three programs, Raid, Freedom, and Escape. Documentation and explanations on how each program runs, what to do and the object of each game, appear after the program's listing. They are all 1K games.

First, Raid:

```

1 LET S=0
2 LET Z=13
3 LET L=2
4 LET C=1
5 LET B=20
10 CLS
20 PRINT AT B,Z;"*";AT L,C;"Graphic
  Shift R,G,E.";AT 21,Z-1;"Graphic
  Shift W,F,Q.";AT 17,10;"Graphic Shift
  7,7,7,7,7,"
30 IF INKEY$="0" AND B < 17 THEN STOP
40 IF INKEY$ <> "0" THEN LET B=B-1
50 IF B < 0 THEN LET B=20
60 IF C=29 THEN GOSUB 200
70 LET C=C+1
80 IF B=L AND C+1=Z THEN GOSUB 190
90 IF L > 19 THEN PRINT AT 0,0;S
100 IF L > 19 THEN STOP
110 GOTO 10
190 LET S=S+1
195 LET B=20
200 LET L=L+1
210 LET C=0
220 RETURN
  
```

When the game starts, you must press 0. When you release 0, your missile will rise to the top of the screen. It will then reappear at the bottom of the screen. The object is to shoot each invader, so you have a high score when the invader finally reaches the bottom of the screen. You must not press 0 after your missile has passed the Graphic Shift 7s, or the game will stop. The game takes a fair amount of practice, before you know exactly when to release your missile, represented by an *. The second game is called Freedom.

```

1 LET L=10
2 LET C=13
3 LET A=RND*21
4 LET B=RND*28
5 LET S=0
10 CLS
15 PRINT AT A,B;"Graphic Shift A,D,A."
20 PRINT S
25 LET S=S+1
30 LET C=C+(INKEY$="8")-(INKEY$="5")
35 LET L=L+(INKEY$="6")-(INKEY$="7")
40 IF RND>.5 AND(L=A-1 AND C=B+1) THEN STOP
50 PRINT AT L,C;"Inverse :'"
55 IF L=A AND C=B+1 THEN GOSUB 100
60 GOTO 10
100 PRINT "SUCCESS"
110 STOP
  
```

You have been sent to rescue your leader, who has been taken captive by the enemy. He

has been brought to the enemy's floating palace, the entrance to this being at the top. Press the arrows above the keys 5 to 8 to move. You must enter at the top in the middle. Finally, Escape.

```

1 LET L=VAL "15"
2 LET C=L
3 LET A=VAL "3"
4 LET B=VAL "12"
5 LET S=PI-PI
20 PRINT AT VAL "15",VAL "10";"
  (11 Inverse Spaces)"
30 PRINT AT SGN PI,VAL "13";"Graphic
  Shift E,7,7,R"
40 PRINT AT L,C;"Inverse 0"
50 LET L=L+(INKEY$="6")
60 LET C=C+(INKEY$="8")-(INKEY$="5")
70 LET L=L-SGN PI
80 LET S=S+SGN PI
90 IF L < SGN PI THEN LET L=PI-PI
100 PRINT AT A,B;"Graphic Shift A,H,A,
  H,A,H.";AT A+1,B;"Graphic Shift
  H,A,H,A,H,A."
110 LET I=INT(RND * 5)+SGN PI
120 LET A=A+(I=1)-(I=VAL "2")
130 LET B=B+(I=VAL "3")-(I=VAL
  "4")
140 IF A > VAL "12" THEN LET A=VAL
  "13"
150 IF L=A OR L=A+1 AND (B=C OR C=
  B+1 OR C=B+2 OR C=B+3 OR C=
  B+4 OR C=B+5) THEN STOP
160 PRINT AT PI-PI,PI-PI;S
170 IF L=SGN PI AND C > VAL "13" AND
  C < VAL "16" THEN STOP
180 CLS
190 GOTO 20
  
```

You must escape through the goal at the top of the screen. You must dodge the set of characters moving randomly. You automatically move up. To counteract this you must press 6.

Sub attack

Paul Sellin,
Bristol,
Avon.

SPECTRUM

THIS PROGRAM takes 6.8K RAM including variables, and so will fit easily into the smaller version of the Spectrum. The object of the game is to steer the submarine through a narrow channel, with the use of the cursor left and cursor right keys.

You have five lives and must avoid the guns on either bank. Anti-submarine booms appear at random — it is occasionally possible to slip through them. Fuel is consumed at the rate of one unit per screen length. A lot is lost if you run aground, or if you are hit. The game will end when the fuel runs out.

In an emergency you can stop the sub, by using the cursor down key: number 6. This also uses up a lot of fuel. The player wins the game by travelling for 10 miles.

The small user-defined graphics loader program can either be run separately, or can be made a part of the main program. Lines 90-99 can be omitted, as can lines 5000-5300 which are only an introduction. If, when Saving, "Line 99" is typed after the program name, the program should auto-start on Loading.

```

10 REM User Graphics loader
  for Submarine Attack
12 REM
14 REM XS
16 REM
18 REM
20 FOR f=1 TO 3
25 READ z
30 FOR n=0 TO 7
35 READ a
40 POKE USR (CHR$ z)+n,a
45 NEXT n
50 NEXT f
55 DATA 144,56,60,60,60,90,24,
  24,24
60 DATA 145,24,24,24,90,60,60,
  60,56
65 DATA 150,153,90,60,255,255,
  60,50,153
90 REM ** Submarine Attack **
92 REM
  (First load User Graphics)
93 REM
94 REM (XS)
95 REM
96 REM
99 GO SUB 5000
100 BORDER 0: PRINT AT 11,7;"An
  y key to start": PAUSE 0: CLS:
  LET h=0: LET v=0: LET x=15: LET
  r=60: LET h=0: LET b=0: LET b=0: LET
  r=0: LET tot=1: LET tot=1: LET
  xtos=0: LET t=0: LET scr=0: LET
  tor=4: LET fuel=0: LET gun=0: L
  ET gunr=-1: LET gunl=-1: LET orn
  dt=0: LET orn=0: LET boom=0
101 DIM G$(2): DIM f$(3): LET f
  $="200"
107 DIM T$(2,12): LET T$(1)="GU
  N TO LEFT": LET T$(2)="GUN TO RI
  GHT"
108 LET S$="BOOM AHEAD"
109 LET G$(1)="A": LET G$(2)="B"
110 PLOT tos,r+1: DRAW 15,0
120 PLOT tos,r: DRAW 15,0
130 PLOT tos,r-1: DRAW 15,0
150 PLOT 0,120: DRAW 255,0
151 FOR n=121 TO 126
152 PLOT 0,n: DRAW 255,0
153 NEXT n
160 PRINT AT 1,0;"FUEL:
  HAZARDS
165 PRINT AT 3,0;"MILES:"
170 PRINT AT 1,6;f$
220 FOR n=7 TO 9
225 INK 4: PRINT AT n,0;"
230 NEXT n
235 FOR n=19 TO 21
  
```

```

240 PRINT AT n,0;"
245 NEXT n: INK 0
1010 IF tos<=1 THEN GO TO 1015
1011 IF POINT (tos+13,r+2)=1 THE
  N GO TO 3000
1012 IF POINT (tos+14,r+2)=1 THE
  N GO TO 3000
1013 IF POINT (tos+15,r+2)=1 THE
  N GO TO 3000
1014 IF POINT (tos+12,r+2)=1 THE
  N GO TO 3000
1015 LET boom=boom-1: LET tot=tot
  t+1: IF tos>210 THEN LET tot=1:
  LET scr=scr+1: LET xtos=1: LET f
  uel=fuel-1: LET otos=tos
1020 IF INKEY$="" THEN LET p=r:
  GO TO 1045
1030 LET t=VAL INKEY$
1032 LET p=r
1033 IF tos=196 THEN LET t=0
1034 IF t=5 THEN LET r=r+6
1035 IF r>=93 THEN LET r=r-6: GO
  TO 1045
1036 IF t=8 THEN LET r=r-6
1041 IF r<=29 THEN LET r=r+6
1042 IF t=6 THEN LET tot=tot-1:
  LET tos=tos-15: LET fuel=fuel-S:
  GO TO 1200
1045 IF xtos=1 THEN OVER 1: PLOT
  otos,p: DRAW 15,0: PLOT otos,p-
  1: DRAW 15,0: PLOT otos,p+1: DRA
  W 15,0: OVER 0
1046 OVER 1: PLOT tos,p: DRAW 15
  0: PLOT tos,p-1: DRAW 15,0: PLO
  T tos,p+1: DRAW 15,0: OVER 0
1048 PLOT tos+15,r: DRAW 15,0: P
  LOT tos+15,r+1: DRAW 15,0: PLOT
  tos+15,r-1: DRAW 15,0
1049 IF tos>195 THEN OVER 1: PLO
  T tos+15,p: DRAW 15,0: PLOT tos+
  15,p-1: DRAW 15,0: PLOT tos+15,p
  +1: DRAW 15,0: OVER 0
1200 INK 2: PRINT AT 1,6;f$: INK
  0
1210 IF xtos=1 THEN LET h=(INT (
  tot/32))/2: PRINT AT 3,6;"
  PRINT AT 3,6;h
1250 IF gunl<1 AND gunr<1 THEN G
  O TO 1255
1251 LET gunl=gunl-1: LET gunr=g
  unr-1: GO TO 1275
1255 IF gunl=0 OR gunr=0 THEN GO
  TO 1300
1256 LET rnd=RND: IF rnd>.4 THEN
  GO TO 1260
1257 GO TO 1500
  
```

(continued on next page)

SOFTWARE FILE

(continued from previous page)

```

1260 IF rnd>.7 THEN PAPER 4: LE
T gunl=s: LET orndl=RND*20+S: PR
INT AT 8,orndl;9*(1): PAPER 7: G
O TO 1500
1265 PAPER 4: LET ornd=RND*20+S
: PRINT AT 20,ornd;9*(2): LET 9
unr=8: PAPER 7
1270 GO TO 1600
1275 IF gunl>.8 THEN LET rnd=RND
*5+10: PRINT AT rnd,ornd;"G"
1277 IF gunr>.8 THEN LET rnd=RND
*5+13: PRINT AT rnd,ornd;"G"
1279 GO TO 1500
1280 INK 4: PRINT AT 3,ornd;"■"
: PRINT AT 20,ornd;"■": INK 0
1300 IF gunl=0 THEN FOR n=1 TO 6
: PRINT AT n+9,ornd;"": NEXT n
: LET gunl=-1: INK 4: PRINT AT 3
,ornd;"■": INK 0
1310 IF gunr=0 THEN FOR n=1 TO 6
: PRINT AT 12+n,ornd;"": NEXT
n: LET gunr=-1: INK 4: PRINT AT
20,ornd;"■": INK 0
1505 IF boom<0 THEN IF RND>.75
THEN LET boom=10: GO TO 1520
1510 GO TO 1550
1520 LET bm=RND*200+40: LET bml=
RND*40+16
1530 LET dir=RND
1535 IF dir>.5 THEN PLOT bm,25:
DRAW 0,bml: GO TO 1600
1540 PLOT bm,95: DRAW 0,-bml
1545 GO TO 1990
1560 IF boom=0 THEN GO TO 1570
1565 GO TO 1990
1570 IF dir>.5 THEN PLOT bm,25:
DRAW 0,bml: OVER 1: PLOT bm,25:
DRAW 0,bml: OVER 0: GO TO 1600
1580 PLOT bm,95: DRAW 0,-bml: O
VER 1: PLOT bm,95: DRAW 0,-bml: O
VER 0
1600 FLASH 0: PRINT AT 2,14;"
": PRINT AT 3,14;"
1610 IF gunl>=0 THEN FLASH 1: PR
INT AT 2,16;$(1)
1620 IF gunr>=0 THEN FLASH 1: PR

```

```

INT AT 2,15;$(2)
1630 IF boom>0 THEN FLASH 1: PR
INT AT 3,16;$$
1700 IF r<.37 OR r>.83 THEN GO TO
1720
1710 GO TO 1990
1720 LET u=RND: IF u>.5 AND u<.
7 THEN GO TO 4500
1990 FLASH 0: INK 0: LET t=0: LE
T tos=tos+15
1992 IF VAL f$<1 THEN GO TO 3500
1993 IF h>=10 THEN GO TO 4000
1995 IF xtos=1 THEN LET fuel=(VA
L f$)+fuel: LET f$=STR$ fuel: LE
T xtos=0: LET fuel=0
1999 GO TO 1010
3000 BEEP .5,12
3005 LET U=U+1
3007 PRINT AT 2,14;"
3010 FLASH 1: PRINT AT 2,16;" C
RASH!"
3020 IF v<.5 THEN PRINT AT 3,16;"
FUEL LOST": LET fuel=-20
3030 IF v=.5 THEN PRINT AT 3,16;"
SUB SUNK!": GO TO 3530
3035 FOR F=1 TO 200: NEXT F
3036 FLASH 0
3037 PRINT AT 2,14;"
": PRINT AT 3,14;"
3040 PRINT AT 21,0;"LIVES LEFT="
: S-V: GO TO 1015
3500 BEEP .5,12
3510 PRINT AT 2,14;"
": PRINT AT 3,14;"
3520 FLASH 1: PRINT AT 2,18;"NO
FUEL": FLASH 0: PRINT "": F
LASH 1
3530 PRINT AT 9,6;" GAME OVER
": FLASH 0
3535 FOR N=24 TO 12 STEP -.5: B
EEP .01,N: NEXT N: FOR n=1 TO 30
0: NEXT n: CLS: GO TO 100
3540 FOR F=1 TO 300: NEXT F
4000 FOR n=1 TO 24: BEEP 0.005,n
: NEXT n
4010 INK 4: PAPER 1: FLASH 1: PR
INT AT 9,6;"MISSION ACCOMPLISHED
"
4020 BEEP .5,24
4030 FLASH 0: PAPER 7: INK 0: PR

```

```

INT AT 11,4;" YOU ARE PROMOTE
D- TO ANOTHER MISSI
ON!"
4035 FOR N=1 TO 200: NEXT N"
4040 RUN
4500 BEEP 0.5,24
4510 PRINT AT 2,14;"
": PRINT AT 3,14;"
4520 FLASH 1: PRINT AT 2,16;"RUN
AGROUND"
4530 PRINT AT 3,16;" LOSE FUEL
"
4535 LET fuel=fuel-20
4536 FOR n=1 TO 200: NEXT n
4537 FLASH 0: PRINT AT 2,14;"
": PRINT AT 3,14;"
4540 GO TO 1990
5000 BORDER 1: CLS
5010 LET d$=" SELLIN SOFTWARE
PRESENTS:"
5020 FOR f=29 TO 1 STEP -1
5030 LET e$=D$(f TO 29)
5040 INK 3: PRINT AT 10,0,e$
5045 FOR g=1 TO 10: NEXT g
5050 NEXT f
5060 FOR f=10 TO 2 STEP -1
5065 PRINT AT f,0,e$
5070 PRINT AT f+1,0;"
5075 PAUSE 10: NEXT f
5080 LET d$=" SUBMARINE ATTA
CK
5085 FOR f=1 TO 29
5090 LET e$=D$(f TO 29)
5100 INK 2: PRINT AT 10,32-f,e$
5110 NEXT f
5120 FOR n=12 TO 21
5125 PAPER 5: PRINT AT n,0;"
5130 NEXT n
5140 INK 7
5150 PLOT 30,20: DRAW 176,0: DRA
W 2,2: DRAW 0,11: DRAW -60,5: DR
AW -30,0: DRAW 0,15: DRAW -1,1:
DRAW -3,0: DRAW -1,-1: DRAW 0,-1
5: DRAW -25,0: DRAW -60,-5: DRAW
0,-11: DRAW 2,-2: PLOT 115,54:
DRAW 0,5: DRAW 1,0
5160 PAPER 7: INK 0
5170 FOR n=1 TO 400: NEXT n
5300 GO TO 100

```

Sorcerer's castle

Stuart Sly,
Walsall,
West Midlands.

BBC

THIS PROGRAM is a fairly simple but impressive demonstration of some of the sound and graphics capabilities of the BBC Micro.

The program draws a castle on a hill which,

by use of the VDU19 command, is made to appear instantly. There is first a thunderstorm which illuminates the castle with lightning. At midnight the old clock chimes out the hours disturbing a bat which flies out of one of the towers.

Finally ProcEnd gives a dramatic sonic and graphic finale to the program but if you have enough memory you could extend the program.

Lines 40-110 draw out the castle but by setting all the colours to blue in line 30 this

cannot be seen. Line 120 sets the normal colours and the castle appears as if by magic.

The VDU19 command is used again for the effects during the lightning. Line 160 uses sound channel 0 to give the thunder. Line 170 sounds the clock's chimes using the envelope defined in line 10.

Lines 180-290 give the logic for the bat's flight. Lines 300-360 are subroutines for the bat, the flashing light and the lightning. Both programs were written on a BBC Model A but should run easily on a Model B.

```

10ENVELOPE4,4,0,0,0,0
,0,0,126,-5,-3,-1,126,11
0
20MODE5:L=0:A=409:B=6
40:BAT=1
30VDU19,0,4,0,0,0,19,
3,4,0,0,0,19,2,4,0,0,0,1
9,1,4,0,0,0:GCOL0,3
40MOVE100,0:DRAW1150,
0:PLOT85,330,400:PLOT85,
900,400:MOVE1000,200:DRA
W1040,240:PLOT85,1080,80
50MOVE1060,80:DRAW200
,280:PLOT85,220,200:GCOL
0,3:MOVE370,590:DRAW330,
400:PLOT85,510,590:PLOT8
5,600,400
60MOVE870,590:DRAW900
,400:PLOT85,730,590:PLOT
85,600,400:DRAW720,560:P
LOT85,520,560:MOVE390,59
0
70DRAW490,590:PLOT85,
440,760:DRAW440,800:MOVE
750,590:DRAW850,590:PLOT
85,800,760:DRAW800,800

```

```

80MOVE680,560:DRAW580
,560:PLOT85,620,820:DRAW
620,870:GCOL0,2:MOVE420,
440
90DRAW420,500:PLOT85,
460,440:PLOT85,460,500:M
OVE780,440:DRAW780,500:P
LOT85,820,440:PLOT85,820
,500:MOVE790,620:DRAW790
,660:PLOT85,810,620
100PLOT85,810,660:MOVE
430,620:DRAW430,660:PLOT
85,450,620:PLOT85,450,66
0:MOVE620,700:DRAW620,73
0:PLOT85,630,700:PLOT85,
630,730
110MOVE620,460:DRAW620
,360:MOVE620,460:DRAW660
,420:DRAW660,360:MOVE620
,460:DRAW580,420:DRAW580
,360:DRAW660,360
120VDU19,1,3,0,0,0,19,
3,0,0,0,0,19,2,3,0,0,0:T
IME=0:REPEATUNTILTIME>20
0
130FOR K=0TO2
140FOR M=1 TO4
150GCOL0,1:PROCLIGHTNI

```

```

N5:VDU19,3,7,0,0,0,19,2,
0,0,0,0:GCOL0,0:PROCLIGH
TNING:VDU19,3,0,0,0,0,19
,2,3,0,0,0:NEXT M
160SOUND0,-15,6,30:FOR
S=-15 TO 0:SOUND 0,S,6,
2:NEXTS,K
170PRINTTAB(4,2);"MIDN
IGHT!!!":GCOL0,1:VDU19,1
,14,0,0,0:PROCWINDOW:FOR
L=1 TO 12:SOUND2,4,5,20
:TIME=0:REPEATUNTILTIME>
200:NEXT L
180GCOL0,3:SOUND1,-10,
RND(5)+245,5:IF BAT=0 GO
SUB300
190FORT=0TO300:NEXT
200GCOL0,0:GOSUB300
210GCOL0,3
220A=A-24:B=B-10:IF A=
-23 THEN PROCend
230IF BAT=1 GOSUB310
240FORT=0TO300:NEXT
250GCOL0,0:GOSUB310
260GCOL0,3:MOVE420,680
:DRAW390,590:PLOT85,420,
590:GCOL0,2:PROCLIGHTNI

```

SOFTWARE FILE

```

270GCOL0,3
280A=A-24:B=B-10:IF A=
-23 THEN PROCend
290GOTO180
300MOVE A,B:DRAW(A+15)
,B:BAT=1:RETURN
310MOVEA,(B+12):DRAW(A
+7),B:DRAW(A+15),(B+12):
BAT=0:RETURN
320DEFPROCWINDOW:MOVE4

```

```

30,620:DRAW430,660:PLOT8
5,450,620:PLOT85,450,660
:ENDPROC
330DEFPROCend:VDU19,0,
19,0,0,0:FOR5%=1TO255:50
UND1,-15,5%,2:SOUND2,-15
,5%+100,3:SOUND3,-15,255
-5%,4:NEXT:STOP:ENDPROC
340DEFPROCLIGHTNING
350MOVE1200,1000:DRAW1

```

```

020,900:DRAW860,730:MOVE
900,750:DRAW960,860:DRAW
920,570:MOVE930,800:DRAW
890,590
360MOVE1080,930:DRAW10
50,760:DRAW1080,690:MOVE
1060,800:DRAW1000,750:DR
AW980,700:MOVE1000,870:D
RAW810,820:MOVE830,820:D
RAW830,790:ENDPROC

```

Bomber

K A Mair,
Tattershall,
Lincolnshire.

VIC-20

THIS PROGRAM runs on unexpanded Vic-20 in about 2K. All instructions are included in the program, shown on the right.

The real world

Michael Johnson,
London N16.

ZX-81

EVER SINCE I bought my ZX-81 and 16K RAM earlier this year I have been interested in discovering ways of using it to help me with the routine calculations and figure work associated with my job.

I have found that a number of routines and programs have proved to be very useful indeed: carry-outs, cash-flow projections and sales analyses are all much less of a chore than they used to be.

This routine may be of use to those who are interested in real world applications for the ZX-81. This routine allows you to enter any quantity of data as part of a single string.

The bits of data are separated by commas, following the convention of Data statements found in other Basic dialects. The machine uses the commas to identify the bits of data ready for subsequent operations.

The input as a string seems to me to have two advantages: there is no need to wait for the cursor to reappear before inputting the next piece of data, and secondly, the string assignment allows direct inputting of an expression such as *7 or /25 which can be applied to the original data. Of course this routine is only one building block in what can be developed into a customised "Intelligent Calculator" program. One suggestion which I would make is to convert the broken-up bits of string into a dimensioned array for later re-use.

I should point out that this use of concatenated strings in the handling of numerical data does present certain pitfalls for the unwary. The routine I have mentioned is in fact derived from a mini-routine which can be used to explore and experiment with strings and numbers:

```

10 INPUT A$
20 INPUT B$
30 PRINT A$,B$
40 PRINT VAL (A$ + B$)
50 RUN

```

Note that 2 followed by +2 gives 4. A\$ =

```

1 REM*BOMBER*
5 GOSUB2000
10 POKE36879,3:DEFN(X)=INT(RND(1)*X)+1:PRINT"J"
19 REM*DRAW BUILDINGS*
20 FORB=R142TO8163:BD=102
30 FORRE=RTOR-FNA(X)*22STEP-22
40 POKERE,BD:NEXTRE,B
50 FORBF=8164TO8185:FORBO=38884TO38905
60 POKERF,160:POKERB,6:NEXTB,BF
99 REM*A/C*
100 A=7680:AC=62:SP=32
110 POKER,AC:POKER,1,SP
115 IF FEK(A+1)=102THEN1500
116 IFA=R163THEN2500
119 REM*CHECK FOR BOMB*
120 GETR$:IFR$="F"THENGOSUB1000
130 A=A+1:FORW=1TO100:NEXTW:GOTO110
999 REM*DROP BOMB*
1000 C=A+22:CB=46
1010 POKER,AC:POKER,1,SP:POKEC,CB:POKEC-22,SP
1015 IFPEK(A+1)=102THEN1500
1020 A=A+1:C=C+2
1025 F RW=1TO100:NEXTW
1030 IFCK8164THEN1010
1035 POKER,1,SP
1040 RETURN
1499 REM*CRASH*
1500 POKE36879,42:POKER,42:POKER+22,35:POKER-22,35
1510 POKE36877,220:FORL=15TO0STEP-1:POKE36878,L:FORM=1TO300:NEXTM,L:POKE36877,0
POKE36878,0
1515 POKE36879,27:PRINT"
1520 PRINT"ANOTHER GAME(Y/N)?"
1530 GETR$:IFR$=""THEN1530
1540 IFR$="Y"THENS
1550 END
2000 REM*INTRODUCTION*
2005 POKE36879,11:PRINT"J#####BOMBER"
2010 PRINT"#####":PRINT
2020 PRINT"THE OBJECT OF THE":PRINT"GAME IS TO CLEAR A"
2030 PRINT"LANDING STRIP FOR YOUR":PRINT"PLANE BY BOMBING THE"
2040 PRINT"BUILDINGS, PRESSING":PRINT"KEY F RELEASES YOUR":PRINT"BOMBS."
2050 PRINT:PRINT"ENTER YOUR SKILL LEVEL":PRINT
2060 PRINT"IN THE RANGE 5(ERAS)":PRINT"TO 20(SUICIDAL)"
2070 INPUTSK:IFSK<5ORSK>20THEN2060
2075 X=SK
2080 PRINT"HIT ANY KEY TO START."
2090 LETC$:IFC$=""THEN2090
2095 GOTO10
2499 REM*A/C LANDED*
2500 PRINT"#####CONGRATULATIONS":PRINT:PRINT"WANT TO TRY AGAIN(Y/N)"
2510 GETR$:IFR$=""THEN2510
2520 IFR$="Y"THENS
2530 END

```

"25", B\$ = "/2" gives 12.5. A\$ = "23+2", B\$ = "-5" gives 20. Care needs to be taken with priorities and with bracketing. For example, A\$ = "(4)", B\$ = "+4)/2" gives 4. As a point of interest, someone may care to ponder for a moment why A\$ = "2+3", B\$ = "3" results in 35 and A\$ = "7+1", B\$ = "4" results in 21.

```

10 REM INITIALISE DATA, M. JOHNSON
20 SCROLL
30 PRINT "INPUT DATA, SEPARATED BY
COMMAS"
40 INPUT A$
50 SCROLL

```

```

60 PRINT A$
70 LET A$ = A$ + ","
80 LET B = 1
90 LET C = 1
100 SCROLL
110 PRINT "ENTER OPERATION AND
EXPRESSION"
120 INPUT B$
130 CLS
140 PRINT AT 6,0;"DATA ";A$(TO LEN
A$-2),, B$
150 PRINT
160 FOR N=1 TO LEN A$
170 IF A$(N) <> "," THEN GOTO 220
180 IF A$(N) = "*" THEN GOTO 230

```

(continued on page 101)

IMPACT SOFTWARE

From Scotland's Capital comes quality software for the

ZX Spectrum and VIC 20

The Quest (48K-Spectrum only)

(One of the most exciting adventure games currently available). Fight your way into the depths of the complex in your Quest for the Holy Grail. Discover Gold and Precious stones, buy weapons and Magic wares from a trader. Battle with one of the many Monsters. Up to 1500 locations may be searched in the course of a game. Full sound effects and save game facility. - Only £5.00

Starfighter (16K-Spectrum only)

All action, full-colour, graphic machine-code, Space-battle with devastating explosions. On screen scoring and high score kept. The longer you survive the more difficult it becomes. - Only £5.00

Orb (48K-Spectrum ; 16K-VIC 20)

Make your way through the underground labyrinth in your search for the dreaded Orb, which you must destroy. Encounter many Monsters, discover Treasure and try to remember your route so that you can get out again. Full sound effects and save game facility. - Only £5.00

Star Trek (16K-Spectrum; 8 K-VIC 20)

Save the Galaxy from the Klingons using your rapid-fire phasers and photon torpedos. Automatic short-range scan, Galaxy map and Star-bases. Full sound effects and 10 levels of difficulty! - Only £5.00

Games Pack (Unexpanded VIC 20)

Alien * Road Race *
The Island * Pontoon *
- Only £5.00

Dealers

Attractive Discounts & Exclusive Agencies available in most areas.



Please Supply:

The Quest (£5.00) Orb (£5.00)

Starfighter (£5.00) Star Trek (£5.00)

Games Pack (£5.00)

Please state machine type: _____

I enclose a Cheque/P.O. for £.....

Name _____

Address _____

Post Code _____

All prices include P&P and VAT

IMPACT SOFTWARE
70, Redford Avenue,
EDINBURGH EH13 0BW
TEL. 031-441-4257

MICROWARE - UNIT 5, ST. PETERS LANE, LEICESTER. Tel: 0533 681812

NOTE OUR NEW ADDRESS

(Close to Clock Tower, Large Car Parks and Bus Station)

THE "FRIENDLY TO USER STORE" THE FIRST MIDLANDS REGION RETAIL SHOP SPECIALISING IN SINCLAIR COMPUTER ACCESSORIES

ZX81 NOW IN STOCK £49.95
AND "WELCOME" THE NEW DRAGON 32 AVAILABLE NOW £199.50

ALSO SUPPORTING SOFTWARE AND HARDWARE

Come and see our ever increasing range of Software · Hardware · Books · Magazines · Keyboards · Ram Packs · Graphic Roms · I/O Ports · etc.

Reliable Cassette Player - tested for loading/saving on ZX81, SPECTRUM, DRAGON, BBC ONLY £18.50
SOFTWARE & BOOKS FOR BBC and VIC 20.

IF THE PRODUCT IS GOOD AND THE PRICE IS RIGHT - THEN MICROWARE STOCK IT!

STOCKISTS OF DEAN ELECTRONICS and D.K. 'TRONICS SUPERB KEYBOARDS FOR ZX81 AND (SPECTRUM - D.K. 'TRONICS)

MICROWARE SOFTWARE

ALIEN COMMAND (16k) Testing Invaders style game making full use of Spectrum sound, colour and graphics £5.50 SPECTRUM

BACKGAMMON (16k) Play against your computer in this version of the popular board game £5.00 SPECTRUM

BOTH GAMES AVAILABLE FROM SHOP OR MAIL ORDER

SOFTWARE WRITERS!

GOOD SPECTRUM or DRAGON SOFTWARE WANTED - EXCELLENT ROYALTIES

We apologise for delay in sending out catalogues - we are currently re-printing due to much new stock.

TRADE ENQUIRIES WELCOME

OPEN 9.30 - 12 noon 12.30 - 5.30 pm
Closed Monday

SAE BRINGS CATALOGUE

SEE US AT THE NORTHERN COMPUTER FAIR - BELLE VUE, MANCHESTER, STAND V2 AND V3

MICROWARE

Leicester

SOFTWARE FILE

(continued from page 99)

```
190 LET C=N
200 PRINT VAL (A$(B TO C-1)+B$)
210 LET B=C+1
```

```
220 NEXT N
230 GOTO 80
```

To conserve memory, delete lines 20,50, and 100, and change line 140 to Print BS.

The input for A\$ needs to read for example "20,456,783,12.5,3". The input for B\$ needs to be something like "*5" or "+200" or "/100*25".

Gripe cure

Julian Vincent,
Reading,
Berkshire.

SPECTRUM


I HAVE JUST solved a problem which has been plaguing me on my Spectrum. It occurred after editing lines which ended in the inverted video mode. Occasionally I would edit such a line only to find that the Spectrum belched as if it were full and refused to list any more of the program. Also the cursor was very sluggish.

The answer seems to be due to the way Inv Video and True Video act. Inv Video puts 20, 1 into two memory locations in the line, although of course there is nothing on the screen to show this. If you press either key several times you fill up that program line two locations at a time.

If you happen to end an inverse video line with two presses of the True Video control, that is, 20,0,20,0 in RAM and make a hash of editing it later, you can end up with 20,0,0, at the end of the line, which the Spectrum does not like.

It is easily corrected but caused me some problems until I sorted it out.

```
1 REM
2 LET a=PEEK 23635+256*PEEK 2
3 PRINT a;" ";PEEK a: LET a=a
+1: GO TO 3
```



If you POKE 23767,0, everything works. You must have 20,0,0.

The hawk

Roy Pincott,
Mansfield.

ATOM

FLY AFTER the aliens, shoot them down and score 50 points. Try and beat the top score. Move left or right at the same time as you move up or down and fire.

Do not crash into the aliens or into the stratosphere. You have to land to be able to reload your laser guns. All the controls are explained in the program itself.


```
21F D>610;O=0
31F D<>0 G.10
50=0
100.1000
15DIM AA(10),Q(7)
20C=0;D=0;E=1;T=0;P=48
25M=110;L=100;S=£B000
30G.100
48!Q=£2A26221C;Q!4=£1C2232;R.
49!Q=£08081808;Q!4=£1C0808;R.
50!Q=£1C02221C;Q!4=£3E2020;R.
51!Q=£0C02221C;Q!4=£1C2202;R.
52!Q=£3E140C04;Q!4=£040404;R.
53!Q=£023C203E;Q!4=£1C2202;R.
54!Q=£3C20201C;Q!4=£1C2222;R.
55!Q=£0804023E;Q!4=£202010;R.
56!Q=£1C22221C;Q!4=£1C2222;R.
57!Q=£1E22221C;Q!4=£1C0202;R.
100CLEAR4
110A=£B00F;?A=£DF
120F.U=£B1E0 TO £B1FF;?U=£FF;N.U
140F.X=1T010
150R=A.R.£15FF+£B200
160AA(X)=R
165IF ?AA(X)=£18;X=X-1;IF X<1;X=1
170?AA(X)=£18
180N.X
300F.B=1T05;?EB000=?£B000 &£F0 +B
310B?£7F=?£B001 &B;N.B
400IF ?£80=0;L=L-12;IF L<0;L=0
410GDS.o
420F.Z=1T010
500IF L<1;G.520
510IF ?£80=0;F.W=1T06;?£B002=?£B002&4;N.W;GDS.e
520IF ?£81=0 GDS.d
530IF ?£82=0 GDS.c
540IF ?£83=0 E=1;?A=£DF;GDS.r
550IF ?£84=0 E=2;?A=£FB;GDS.r
630N=A.R.£10+1
632IF E=1;G.640
634IF E=2;G.645
636G.650
640IF ?AA(N)=£18;?AA(N)=£00;AA(N)=AA(N)+£1;GDS.i;?AA(N)=£18
642G.650
645IF ?AA(N)=£18;?AA(N)=£00;AA(N)=AA(N)-£1;GDS.i;?AA(N)=£18
650N.Z
660M=M-1;GDS.p
670IF M=0;G.2000
999G.300
1000CLEAR0
1010P.#12'
1020P." the hawk"""" BY roy pincott""
1100P."C FLY LEFT B FLY RIGHT""
1110P."E CLIMB D DESCEND"" F FIRE""
1120P." LAND TO RELOAD""
1130IF D>-1;IF D<610;P."TOP SCORE "0"
1200LINK £FFE3
1999G.15
2000CLEAR0;P.#12'
2020IF M>0;O=M
2030P."TOP SCORE "0"
2050P."SCORE "M""
2199E.
7100X=A.R.£EFF
7120?A=£00;A=A+£20;?A=X
7130IF A>£97FF;G.2000
7140G.b
7200cIF ?A=£DF;?A=£00;A=A+£20
7205IF ?A=£FB;?A=£00;A=A+£20
7207IF A>£97FF;A=A-£20;L=L+10;GDS.k
720BIF L>600;L=600
7210GDS.8000
7215R.
7300dIF ?A=£DF;?A=£00;A=A-£20
7305IF ?A=£FB;?A=£00;A=A-£20
7307IF A<£B200;A=A+£20;G.b
7310GDS.8000
7315R.
7400eIF E=2;B=A;F.X=1T06;B=B+£1;GDS.f;?B=£FF;N.X
7430IF E=2;B=B-6 ;F.X=1T06 ;B=B+£1;?B=£00;N.X
7450IF E=1;B=A;F.X=1T06;B=B-£1;GDS.f;?B=£FF;N.X
7460IF E=1;B=B+6 ;F.X=1T06 ;B=B-£1;?B=£00;N.X
7499R.
7500fIF ?B=£18;F.W=1T0 90;?£B002=?£B002&R.;4;N.W;M=M+50;GDS.g
7505IF D=10;G.2000
7510R.
7800iIF ?AA(N)=£18;G.7802
7801G.7805
7802IF ?A=£DF;AA(N)=AA(N)-1
7803IF ?A=£FB;AA(N)=AA(N)+1
7805IF ?AA(N)=£DF;G.b
7810IF ?AA(N)=£FB;G.b
7820IF AA(N)<£B200;AA(N)=£97FF
```

(continued on page 103)

CAMBRIDGE LEARNING

SELF-INSTRUCTION COURSES

★ **NEW!** ★



DIGITAL COMPUTER DESIGN £8.50

Our latest, up-to-date course on the design of digital computers, both from their individual logic elements and from integrated circuits.

Digital Computer Design is the best way for you to understand how simple computers are. You are first shown the way in which simple logic circuits operate and then, through a series of exercises, arrive at a design for a working machine.

GSC SUPERKIT £19.90

The original Cambridge Learning Superkit, a practical digital electronics kit for beginners, now re-written for the popular GSC EXP300 breadboard. The kit comes complete with an instruction manual, components, and breadboard to teach you all the basics of digital electronics.

DIGITAL COMPUTER LOGIC & ELECTRONICS £6.00

The theory course to support the practical Superkit, this 4-volume set covers basic computer logic; logical circuit elements; the design of circuits to carry out logical functions: flipflops and registers. No prior mathematical knowledge other than arithmetic is assumed.

GUARANTEE No risk to you. If you are not completely satisfied, your money will be refunded upon return of the item in good condition within 28 days of receipt.

CAMBRIDGE LEARNING LIMITED, UNIT 81 RIVERMILL SITE, FREEPOST, ST IVES, CAMBS, PE17 4BR, ENGLAND.
TELEPHONE: ST IVES (0480) 67446. VAT No 313026022

All prices include worldwide postage (airmail is extra - please ask for prepayment invoice). Giro A/c No 2789159. Please allow 28 days for delivery in UK.

.....SUPERKIT(S) @ £19.90
DIGITAL COMPUTER DESIGN(S) @ £8.50
DIGITAL COMPUTER LOGIC AND ELECTRONICS @ £6.00

I enclose a *cheque/PO payable to Cambridge Learning Ltd for £..... (*delete where applicable)

Please charge my:

*Access / American Express / Barclaycard / Diners Club
Eurocard / Visa / Mastercharge / Trustcard

Expiry Date..... Credit Card No

Signature.....

Telephone orders from card holders accepted on 0480 67446
Overseas customers (including Eire) should send a bank draft in sterling drawn on a London bank, or quote credit card number.

Name.....

Address.....

Cambridge Learning Limited, Unit 81 Rivermill Site, FREEPOST, St Ives, Huntingdon, Cambs, PE17 4BR, England. (Registered in England No 1328762).

DRAGON 32

NEW FROM

TROJAN

"SPACE TREK"

Space Trek is an absorbing space wars game in real time which can be played in any of four levels. Special features include: -

- Onboard battle computer.
- A galaxy containing 100 quadrants.
- Impulse and warp drive speeds.
- Long range galaxy scanning.
- Shield control and status reports.

THIS GAME IS A MUST FOR DRAGON USERS. APPROVED BY DRAGON DATA LIMITED.

Send to:

TROJAN PRODUCTS
Dept. YC
166 DERLWYN, DUNVANT,
SWANSEA, WEST GLAM SA2 7PF

Please send me "SPACE TREK" for my DRAGON 32. I enclose cheque/P.O. for £7.50 which includes P&P.

MR/MRS.....

ADDRESS.....

.....

Planet Software

ZX81 16K RAMPACK

TWO EXCITING GAMES FOR CHRISTMAS
(As reviewed by *Your Computer Magazine*, November Issue)

THE AMAZING 3-D MAZE GAME. £4.99 inc. p&p.
The year is 2030. The world is over-run by computers. You are held captive at the centre of a computer-generated labyrinth. Your only hope of escape is to find a way through the bewildering complex series of passages...
Actual 3-D full screen display gives the impression of ACTUAL MOVEMENT, only possible due to the extensive use of Z80 MACHINE CODE. We believe this to be the best maze game on the market!

BLASTOUT. £3.99 inc. p&p.
A new version of the classic arcade game. Features: -

- Z80 MACHINE CODE to give fast moving graphics.
- 4 speeds (beginner to world champion).
- Large format continuous score display.
- Moving wall to add on the excitement.
- Hi score displayed on screen.

PLANET SOFTWARE
10 Norton Drive, Eaton, Norwich, NR4 6JD

SOFTWARE FILE

(continued from page 101)

```

7830IF AA(N) > £97FF; AA(N) = £8200
7890R.
8000IF E=2 G.8050
8005IF ?A=£00; ?A=£DF
8010IF ?A=£18; ?A=£00; G.b
8040R.
8050IF ?A=£00; ?A=£FB
8060IF ?A=£18; ?A=£00; G.b
8080R.
8100IF T<-8; G.8150
8120IF ?A=£DF; ?A=£00; A=A-1; GOS. S; ?A=£DF; T=T-1
8150IF T>8; G.8250
8220IF ?A=£FB; ?A=£00; A=A+1; GOS. S; ?A=£FB; T=T+1
8250R.
8300SIF ?A=£18; G.b
8310R.
9000KJ=92; K=J
9002IF L<100; J=93; K=J
9005F=L
9020GOS. q

```

```

9070R.
9100qJ=64; K=J; D=D+1
9105F=M
9120GOS. q
9170R.
9400qJ=92; K=J
9405F=L
9410IF F<100; J=92; GOS. CH"0"; GOS. 1; J=K+1; K=J
9420GOS. q
9470R.
9500pJ=64; K=J
9505F=M
9510IF F<100; J=64; GOS. CH"0"; GOS. 1; J=K+1; K=J
9520GOS. q
9570R.
9620qSTR F, P
9630IF F<10 GOS. CH"0"; GOS. 1; J=K+1; K=J
9640GOS. (P?0); GOS. 1; J=K+1; K=J
9650IF F>9 GOS. (P?1); GOS. 1; J=K+1; K=J
9660IF F>99 GOS. (P?2); GOS. 1; J=K+1; K=J
9670R.
9700IF. V=0T07; S?J=0?V; J=J+32; N.V; R.

```

Vic synth

Kevin Boyd,
Dreghorn,
Ayrshire.

VIC-20

FOR THE UNEXPANDED Vic-20, this program will convert your keyboard into a synthesiser. When the program is run it asks which voice you require from 1-4.

The first three are the Vic's normal voices, and number 4 is white noise. You are then asked for the duration of the note. This is the number of the step in the loop which makes the sound die away — so if you pick 1, the note will die away very quickly; if you pick 0.001, it will die away slowly.

Now, all you do is play. The voice will change, if you press the button. As you play each note is remembered. Just press fl, and

after being asked to select a voice, you will hear your composition played back with all pauses removed. To insert rests, press the space bar when entering your tune. You can only have a tune of 99 notes, though this can be altered by changing line 1 and 135 to whatever number of notes you require.

If you wish to reset the duration of the note press 0, and the program will erase your tune and ask for voice and duration of note.

```

1 CLR:DIMP(100)
2 POKE36879,A
5 PRINT"J"
6 PRINT"#"
10 PRINT"VIC-20 SYNTHESIZER"
20 INPUT"WHICH VOICE";S
30 IFS<1ORS>4THEN20
40 S=INT(S)+36873
50 POKE36878,15
51 DIMA(100)
55 PRINT"DURATION OF NOTE"
56 INPUTSP
57 IFS>10RSP<0.001THEN56
60 READN:IFN=0THEN80
70 READA(N)
75 GOTO40
80 GETA$:IFA$=""THEN80
81 IFA$="0"THENRUN
85 IFA$="1"THEN1000
86 IFA$="2"ORR$="3"ORR$="4"THENGOSUB180:GOTO80
90 N=ASC(A$)
95 IFA$="0"THENN=79
97 IFA$="N"THENN=78
120 FORI=T010:NEXT
130 POKES,R(N):PRINT"J":POKE36879,R(N)
131 FORR=15T00STEP-SP:POKE36878,B:NEXT:POKES,0:POKE36878,15
135 X=X+1:P(X)=R(N):IFX=99THENRUN
140 GOTO80
180 POKES,0:K=VAL(A$):S=K+36873:RETURN
200 DATA81,135,87,143,69,147,82,151,84,159,19,163,85,167,73,175
210 DATA79,79,80,183,64,187,42,191,92,195,65,199,83,201,68,203
220 DATA70,207,71,209,72,212,74,215,75,217,76,219,58,221
230 DATA59,223,61,225,13,227,90,228,88,229,67,231,86,232,66,233
240 DATA79,235,77,236,44,237,46,238,47,239,17,240,29,24,0
1000 PRINT"MEMORY REPLAY"
1001 POKE36879,0
101 INPUT"WHICH VOICE ";R
1020 IFR<1ORR>4THEN1010
1021 POKE36878,15
1030 FORF=1T0X
1031 FORP=15T00STEP-SP:POKE36878,B:NEXT:POKE36873+R,0:POKE36878,15
1040 POKE36873+R,P(F):PRINT"J":POKE36879,P(F)
1050 NEXTE
1051 FORR=15T00STEP-SP:POKE36878,B:NEXT:POKE36873+R,0:POKE36878,15
1052 POKE36879,0
1060 PRINT"WHAT NEXT:"
1070 PRINT"1:PLAY TUNE AGAIN?"
1080 PRINT"2:RETURN TO KEYBOARD?"
1090 GETF$:IFE$=""THEN1090
1100 IFF$="1"THEN1000
1110 IFF$="2"THEN1
1111 GOTO1090

```

3-D bar chart

J Meech,
Stockport,
Cheshire.

BBC

THIS PROGRAM is for Model B users — for conversion to Model A change lines.

10 MODE 7
115 MODE 5

It is a variation on a bar graph, but each

column is viewed in perspective, giving a three-dimensional appearance.

The user types in data which the program draws as a pie chart, giving the data as fractions of 360. The percentage is also given, along with the corresponding colour.

```

>LIST
10 REM **** J MEECH ****
20 MODE1
30 PRINT"TAB(10)"3-D BAR CHART""PLEASE TYPE IN THE NUMBER OF""ENTRIES (2
-10)"
40 INPUT S:IF S<2 OR S>10 THEN 30
50 DIM A(S)
60 X=100
70 PRINT"PLEASE TYPE ENTRIES FOLLOWED""BY RETURN"
80 FOR I=1 TO S
90 INPUT Y
100 A(I)=Y
110 NEXTI
120 PRINT"THE ENTRIES WILL BE AUTOMATICALLY""SCALED - THE MAXIMUM & AVERAGE D
ISPLAYED"

```


(continued on page 105)

ORDER
NOW FOR
CHRISTMAS

**C ★ TECH
SOFTWARE**

present

Is this the end of
SPACE INVADERS
as we know it?



KONG

An Unbelievable
Video Game from
C Tech. If you
want the latest in
Software then this
is for you.

The Program begins
with a full colour
KONG jumping
across the screen
causing the stairway
to tilt out of place,
then your man must
run up the ladders
avoiding KONG'S
barrels to rescue
his girl.

The final scene has
lifts and fireballs all
in full colour, sound
and with M/C subroutines.

PANIC

ISLAND
The Standard
Panic Program
has been modified
to produce
Panic Island,
where you must
bury Monsters
and hunt for
buried Treasure...
...before they
hunt you.

plus
Panic Island

KRAZY KONG

CONTROL TECH. SOFTWARE, 184 MARKET ST, HYDE, CHESHIRE.
FOR THE 16K OR 48K

SPECTRUM £5-00

ACCESS & VISA
061-366-8223

SOFTWARE FILE

(continued from page 103)

```

130 PRINT "PRESS RETURN TO START": INPUT Q$: CLS
140 PROCSCALE
150 PRINT "AVERAGE "; J: "MAXIMUM "; R
160 MOVE 100,0: DRAW 100+(S*100),0
170 FOR I=1 TO S
180 Y=A(I)
190 PROCDRAW(Y)
200 NEXT I
210 END
220 DEFPROC DRAW(Y)
230 REM **** DRAW TOP ****
240 GCOL 0,1
250 MOVE X,Y: DRAW X+100,Y
260 PLOT85,X+130,Y+100
270 DRAW X+30,Y+100: DRAW X,Y
280 PLOT 85,X+130,Y+100
290 REM ****DRAW LINES TO BASE ****
300 GCOL 0,2
310 MOVE X,Y: DRAW X,0
320 MOVE X+100,Y: DRAW X+100,0
330 MOVE X+130,Y+100: DRAW X+130,0

```

```

340 MOVE X,Y: MOVE X+100,Y: PLOT 85,X,0
350 MOVE X+100,0: PLOT 85,X+100,Y
360 X=X+100
370 ENDPROC
380 DEF PROCSCALE
390 J=0
400 FOR I=1 TO S
410 J=J+A(I)
420 NEXT I
430 J=J/S
440 FOR I=2 TO S
450 IF A(I)>A(I-1) THEN R=A(I)
460 NEXT I
470 K=-1
480 IF R<400 THEN K=2
490 IF R<200 THEN K=4
500 IF R<100 THEN K=9
510 IF R>900 THEN K=.5
520 IF K=-1 THEN ENDPROC
530 FOR I=1 TO S
540 A(I)=A(I)*K: NEXT I
550 ENDPROC

```

Visual recall

A J Hynd,
Hayling Island,
Hampshire.

BBC

THIS PROGRAM allows the contents of memory to be displayed and examined. I have used this on my BBC Model A to recover programs, which have become corrupted when saved or loaded, by examining the line numbers and line lengths in the stored Basic program.

Errors can be calculated and then corrected by Poking new data into the appropriate addresses.

The start addresses can be entered in either decimal or hexadecimal form, but all displayed values are in hex. Lines 20 and 30 set page mode and print format, and line 130 resets these on Escape.

The input procedure first checks to see if the entry is a hex number otherwise it checks for valid decimal inputs.

I found the EVAL function very useful for converting the string input to a hex number.

The Shift key is used to give further pages of display, and the Escape key to exit.

The program has to be entered so as not to overwrite the memory contents you wish to examine. First Load the program to be examined but do not Run, then enter

PAGE = TOP + 8100

Then Load this program which can be Run without affecting your first program; to reset enter

PAGE = 8E00

which is where Basic programs are normally stored for conventional purposes.

```

2 REM MEMORY CONTENT
5 MONITOR
10 ON ERROR GOTO 130
20 MODE 7:VDU14
30 @%=&A04
40 PROCinput
50 REPEAT
60 PRINT~address;
70 FOR J = 1 TO 8
80 PRINT,~?address;
90 address=address+1
100 NEXT
110 PRINT
120 UNTIL FALSE
130 VDU!%*%=&A0A:END
140 DEFPROCinput
150 *FX15,0
160 CLS: INPUT"START ADDRESS "A$
170 IF LEFT$(A$,1)="#"
THEN address=EVAL(A$):ENDPROC
180 FOR K=1 TO LEN(A$)
190 IF ASC(MID$(A$,K,1))<48 OR ASC(MID$(A$,K,1))>57 THEN K=LEN(A$):VDU 7:GOTO 160
200 NEXT
210 address=VAL(A$)
220 ENDPROC

```

New quirk

Deryck Brown,
Kilmarnock,
Ayrshire.

ZX-81

I DO NOT mean one of the frequently publicised ZX-81 quirks but a brand new one. Believe it or not the ZX-81 accepts the following commands quite happily:

```

10 LOAD "ANYNAME" (THEN) REM COMMENT
or 10 SAVE "ANYNAME" (THEN) REM COMMENT

```

The Then is in brackets as it can be deleted if wished after typing Rem or left in—it makes no difference. Possibly there are other statements which behave like this but I have not found any.

This additional Rem not only saves bytes but does not, of course, have to refer to the Save or Load instruction. This would be particularly useful in adventure games where the program may be saved from inside so that it restarts automatically or used when chaining programs. String variables can also replace the program name:

10 SAVE A\$ (THEN) REM COMMENT

Bit bandit

S P Elliot,
Middlesbrough,
Cleveland.

ATOM

A SIMPLE "one-armed bandit", this program for the Acorn Atom requires 32K RAM. Floating point is not required. Instructions are included in the program. Note that, in the printout, £ means #.

```

1 REM bandit BY S.P.ELLIOT: 31.1.82
2 GOS.i;CLEAR0;P.$30;@=0;K=0
3 P."$$$ = 1000"/"$-$ = 100"/"$*-$ = 50"/"$&&- = 50"/
4 P."££- = 50"/"$-- = 40"/"$*-- = 20"/"$&-- = 20"/
5 P."£-- = 20"/"$SCORE"
6 GOS.a
7 G.v
10 P.K"
12 A=£A3;E=£A6;C=£A9

```

(continued on next page)

SOFTWARE FILE

(continued from previous page)

```

15 D=0;E=A.R.Z13+15;F=E+A.R.Z9+5
16 G=F+A.R.Z9+3;H=1;J=£B002;O=0
30 IF D<E GOS.b
40 IF D<F GOS.c
50 IF D<G GOS.d
51 ?J=?J:4
52 D=D+1
57 IF D>58 G.e
60 G.30
200=MOVE21,5;DRAW21,32;DRAW36,32;DRAW36,5;MOVE36,20
210 DRAW39,20;DRAW39,30
220 FORI=0TO6;I?£B14B=£FF;N.
230 FORI=0TO6;I?£B16B=£66;N.
240 FORI=0TO6;I?£B18B=£D9;N.
250 FORI=0TO6;I?£B1AB=£7F;N.
255 ?£B0EB=£3E;?£B0F1=£3C
260 ?£B0CC=£B2;?£B0CE=£B1;?£B0D0=£B8E;?£B0EC=£B4;?£B0EE=£B9
265 ?£B0F0=£94;?£B10C=£A4;?£B10E=£A4;?£B110=£A4;?£E1=0
270 R.
300bWAIT;?£B0CC=A;GOS.z;WAIT;?£B0EC=A;GOS.z;WAIT;?£B10C=A
302 A=A-1
305 IF A=£A2 A=£AB
306 A=A-1;IF A=£A2 A=£AB
307 A=A-1;IF A=£A2 A=£AB
310 GOS.w;R.
350c WAIT;?£B0CE=B;GOS.y;WAIT;?£B0EE=B;GOS.y;WAIT;?£B10E=B
351 B=B+1
353 IF B=£AC B=£A3
355 B=B+1;IF B=£AC B=£A3
357 B=B+1;IF B=£AC B=£A3
360 GOS.w;R.
400d WAIT;?£B0D0=C;GOS.x;WAIT;?£B0F0=C;GOS.x;WAIT;?£B110=C
402 C=C-1
403 IF C=£A2 C=£AB
405 C=C-1;IF C=£A2 C=£AB
407 C=C-1;IF C=£A2 C=£AB

```

```

410 GOS.w;R.
450w IF D>F H=14;G.455
451 IF D>E H=9;G.455
455 F.I=1 TO(D*X);N.;R.
500x C=C+1;IF C=£AC C=£A3
505 R.
520y B=B-1;IF B=£A2 B=£AB
525 R.
550z A=A+1;IF A=£AC A=£A3
555 R.
600e IF?£B0EC=£A4 AND?£B0EE=£A4 AND?£B0F0=£A4 GOS.f;G.v
605 IF?£B0EC=£A4 AND ?£B0EE=£A4 GOS.g;G.v
610 IF?£B0EC=£A4 AND?£B0EE=£A4 GOS.h;G.v
615 IF?£B0EC=£A6 AND?£B0EE=£A6 GOS.h;G.v
620 IF?£B0EC=£A3 AND?£B0EE=£A3 GOS.h;G.v
625 IF?£B0EC=£A4 GOS.j;G.v
630 IF?£B0EC=£A4 GOS.k;G.v
635 IF?£B0EC=£A6 GOS.k;G.v
640 IF?£B0EC=£A3 GOS.k;G.v
645 G.v
750f D=100;GOS.l;K=K+1000;R.
800g D=100;GOS.l;K=K+100;R.
820h D=5;GOS.l;K=K+50;R.
840j D=4;GOS.l;K=K+40;R.
850k D=2;GOS.l;K=K+20;R.
900v P.$13,K" "LINK£FFE3;K=K-10;P.$13;G.10
950i FORI=1TO30;WAIT;N.
955 F.I=1TO 0;WAIT;WAIT;WAIT;WAIT;F.L=1TO25;?J=?J:4;N.L;N.I;R.
1000i P.$12" instructions for bandit""
1005 P."PRESS ANY KEY TO RUN BANDIT,""
1007 P."SCORE IS REDUCED BY 10"
1010 P." EACH GO.""
1015 P."WINNINGS ARE ADDED TO SCORE.""
1020 P."PRESS ESC.WHEN BANKRUPT!""
1025 P." press any key"
1050 LI.£FFE3;R.

```

Vic stick

Andrew Tuck,
Westcliff on Sea,
Essex.

VIC-20

THIS SHORT PROGRAM allows the user to draw in high resolution using a joystick on the

unexpanded Commodore Vic-20 machine. The first line sets the screen size to 16 by 10 and changes the Screen and Border combination to black.

Lines 1 to 4 set up the screen and draw a box around it to show the user the limits of the screen.

Line 10, which must be entered using

Shifted keywords, converts the joystick port to X and Y values.

Line 20 allows the point to move and not draw by pressing the fire button. Lines 50 and 60 plot and calculate the point.

There are approximately 2,500 points to plot, quite adequate for most drawings although not true high resolution.

```

0 POKE36879,8:POKE36867,21:POKE36864,17:POKE36865,45:POKE36866,144:POKE36869,253
1 PRINT "J":FORA=1TO16:FORN=1TO10:POKE7663+16*N+A,N+10*A-11:NEXTN,A
2 FORA=5120TO7679:POKEA,0:NEXT:POKE37154,127:X=64:Y=80
3 FORA=5120TO7679STEP160:POKEA,255:POKEA+159,255:NEXT
4 FORA=5121TO5278:POKEA,128:POKEA+2400,1:NEXT
10 A=PEEK(37137):X=X+(AAND16)=0:Y=Y+(AAND4)=0:Y=Y-(AAND8)=0:X=X-(PEEK(37152)AND128)=0
20 F=-((AAND32)=0):IFF=1THEN60
50 Y1=Y+5120+160*INT(X/8):POKEY1,PEEK(Y1)OR2^(7-XAND7):GOTO10
60 Y1=Y+5120+160*INT(X/8):POKEY1,PEEK(Y1)ANDNOT2^(7-XAND7):GOTO10

```

List self-starters

Gino Gracin,
Rijeka,
Yugoslavia.

ZX-81

PROGRAMS THAT start automatically after Loading, and that are fully in machine code, like ZX Chess, can not be easily Listed. Here is a program which enables this.

Before writing in or loading this program POKE 16389,127/NEW must be done. After inputting program name, the ZX-81 starts looking for the program.

When the program is Loaded, C/170 will appear, and the program is ready for further manipulation.

```

1 FAST
2 LET A=32513
3 POKE A,17
4 POKE A+1,0
5 POKE A+2,255
6 POKE A+3,255
7 POKE A+4,255
8 POKE A+5,255
9 POKE A+6,255
10 PRINT "PROGRAM NAME?"
11 INPUT N$
12 IF LEN N$=1 THEN GOTO 160
13 FOR I=1 TO LEN N$-1
14 POKE 32519+I,CODE N$(I)
15 NEXT I
16 POKE 32519+LEN N$,CODE N$(LEN N$)+128
170 RAND USR A

```

Tape salvage

Paul Mudditt,
Jarrow,
Tyne and Wear.

BBC

IN ANSWER to many a BBC Micro owner's prayers I offer my own version of a tape salvage program. As many BBC owners will know the 0.1 operating system has two bugs in the cassette filing system. This program attempts to salvage a program which has had

Block 0 corrupted due to one of these bugs. According to Acorn this bug would corrupt on average Block 0 of one program in 16.

There is now a well-publicised machine-code fix for both of these bugs, but these have

(continued on page 108)



CABEL ELECTRONICS LTD.,
MOUNT ROAD, BURNTWOOD,
WALSALL, STAFFS WS7 0AX
Tel: 021 308 7075 TLX: 339671

MC 370M R.G.B. COLOUR MONITOR

14" Colour Monitor with a full 2 year guarantee, moulded in a stylish cabinet to match your computer.


The Advantages of Pure R.G.B.

- 80 x 25 Character display
- Crisp definition on colour graphics
- Degaussing facilities
- Permanent link to your computer
- 3 x the band width of your normal TV

CABEL ELECTRONICS LTD., are manufacturers of a complete range of colour and monochrome monitors with 10 years of experience within the television industry, our 2 year guarantee proves our faith in our products.

REC. RETAIL PRICE £289.00 inc. VAT & Postage

See us at the Northern Computer Fair
Stand V23
Ring us for immediate delivery, most major credit cards accepted.



SPECTRUM SOFTWARE

SPECTRUM TEXT MASTER (48K only) . . . £5.95

Turn your Spectrum into a miniature word processor. Enter your text using the keyboard as a typewriter (features moving cursor and on screen editing). Your Spectrum then justifies the text ensuring no split words and inserting new paragraphs where indicated. After justification proof read text and make any final corrections, insertions or deletions, before saving letter on tape for future use. Special feature allows user to specify number of characters per line when sending text to printer.

SPECTRUM MAIL MASTERS (48K only) . . . £5.95

Enter into memory a data bank of names and addresses. When loaded program asks you to load pre-saved letter (ideally written using SPECTRUM TEXT MASTER). Then identify names in data bank letter is to be sent to. Leave the rest to your Spectrum, it will produce for every name specified a professional looking personalised letter. The program even caters for when you upgrade to a full size printer.

TEXT MASTER AND MAIL MASTER ORDERED TOGETHER . . . £9.95

S & B SOFTWARE
54 Wychwood Road, Wolds View,
Bingham, Notts.

16k ZX SPECTRUM



MAKE MUSIC WITH SPECTSOUND

A SOFTWARE PACKAGE WHICH CONVERTS YOUR SPECTRUM INTO A POWERFULL 9 OCTAVE ELECTRONIC ORGAN

INCLUDES:

- * SOFTWARE ON CASSETTE
- * KEYBOARD OVERLAY SHOWING NEW FUNCTIONS
- * AUTO MEMORY & RECALL OF NOTES PLAYED
- * FULL 9 OCTAVES AVAILABLE FROM KEYBOARD
- * TV DISPLAY OF NOTES PLAYED & BEEP N°
- * RANDOM MUSIC FACILITY
- * FREE BEEP CHART - CONVERTS MUSICAL NOTES TO BEEP N°s & VICE VERSA
- * FULL INSTRUCTIONS

To PDQ SOFTWARE, PARSLEY RYE, HILDERS LANE, EDENBRIDGE, KENT. TN8 6JU (p&p free)

Please send me the Spectsound package

Name

Address

I enclose cheque/PO for £..... (inc p&p)

ONLY £5.95

SOFTWARE FILE

(continued from page 106)

arrived too late for many users.

My program will attempt to read in as many Basic lines as possible starting from any block number until the end of the program is reached. Errors in the format of the data coming from the tape will simply mean a missing line of Basic which the user will have to re-enter but at least you will not have to retype 10K of program lost because the first block is unreadable.

The data bytes are de-tokenised as they are read from tape using the crunch subroutine in

the Basic ROM converting single bytes to Basic keywords so that a check can be made of the lines coming in. However I am de-tokenising all but the line number and the line length and consequently characters within quotes and Goto/Gosub statements will appear to be incorrect when in fact they are intact.

I suggest that the machine-code fixes are chained in before loading this program to ensure when you resave your salvaged program you do not have to repeat this process unnecessarily.

To use the program, type Run and position

your cassette to just before the program to be salvaged.

Then, the program will list to the screen as it is found on tape and is stored above this program in memory. When the end of the program is reached or Escape is pressed the program will reset page to the start of the salvaged program. Typing List will display the salvaged program which can be saved in the usual way.

If you are not satisfied with the salvaged program, type Break then Old <CR> and repeat the process.

```

10 ON ERROR PRINT "REPORT:PRINT" error at line ";ERL:GOTO 310
20 CRUNCH=ABS3A:REM THIS SUBROUTINE DETOKENISES BASIC
   OR PRINTS THE ASCII OF AX
30 REM SELECT SHORT MESSAGES
40 *OPT 1,2
50 REM MAKE COMPUTER IGNORE ALL TAPE ERRORS
60 *OPT 2,0
70 page=(TOP DIV 256)*256+256:REM SELECT NEW PAGE VALUE TO LOAD
   PROGRAM INTO.
80 index=0:REM page OFFSET POINTER
90 X=OPENIN(""):REM LOAD ANYTHING ON THE TAPE
100 REM SELECT NO TAPE MESSAGES FROM NOW ON
110 *OPT 1,0
120
130 REPEAT AX=BGET#X:UNTIL AX=000:PRINT:REM WAIT HERE UNTIL WE FIND THE START
   OF A NEWLINE OF BASIC TEXT.
140 PROCPOKE(AX):REM POKE IN 000 'CR' CHARACTER TO START PROGRAM STORAGE
150
160 REPEAT:Lastnewline=index
170 LnH%=BGET#X:PROCPOKE(LnH%):REM 1st BYTE IS HIGH PART OF LINE NUMBER
180 LnL%=BGET#X:PROCPOKE(LnL%):REM 2nd BYTE IS LOW PART OF LINE NUMBER
190 LZ=BGET#X:PROCPOKE(LZ):REM LENGTH OF BASIC LINE
200 PRINT TAB(20);LnH%*256+LnL%:REM DISPLAY LINE NUMBER
210
220 REM THIS PART LISTS BASIC LINE TO SCREEN AND STORES IT IN MEMORY
230
240 REPEAT
250 AX=BGET#X:PROCPOKE(AX)
260 IF AX<32 OR AX=127 THEN PRINT " "; ELSE CALL CRUNCH
270 UNTIL AX=000:PRINT
280
290 UNTIL EOF#X
300
310 CLOSE#X
320 PRINT
330 index=Lastnewline:PROCPOKE(&FF):REM FINAL BYTE IN ALL BASIC PROGRAMS 'MUST
   BE &FF SO INSERT THIS FOLLOWING LAST RECORDED <CR>
340 REM RESET DEFAULT MESSAGES
350 *OPT
360 PAGE=page:REM SET PAGE TO START OF SALVAGED PROGRAM
370 END
380
390 DEF PROCPOKE(B%)
400 page?index=B%
410 index=index+1
420 ENDPROC

```

Error fix

C Cytera,
Mangotsfield,
Avon.

ATOM

HERE IS A way of removing an irritating quirk of the Acorn Atom. I am referring to the error message produced whenever a control code is used. The Escape key can, of course, be pressed after any control code is executed, but this should not be necessary.

The program works by intercepting OSRDCH. Routine LL0 saves the previous address of OSRDCH in location #90 and #91. It then installs the address of routine

LL2 in #20A and #20B. This means that LL2 is called whenever the Atom requires an input from the keyboard. LL2 firstly calls the usual routine to obtain the ASCII code of the key pressed. If this represents a character, or one of the control codes representing Escape, Cancel and Carriage Return, an exit occurs with the code retained in the accumulator.

This is necessary because other sections of the operating system must take action on these codes. If it is any other control code, the program loops back, executes it by calling OSWRCH, and waits for another key to be pressed.

The error remover resides in an otherwise unused area of memory: from #28D1

to #28FF. Once assembled it is executed by LINK #28D

The machine code, which should be *Saved with the mnemonics discarded, can be reloaded and executed with *Run. The Plot commands in graphics mode 0 can be made to operate in grey instead of white simply by filling the screen with character #C0 after a Clear 0 command.

```
FOR S = #8000 TO #81FF STEP 4;IS = #C0C0C0;NEXT S
```

```
Black-on-grey plotting can be achieved by
FOR S = #8000 TO #81FF STEP 4;IS = -1;NEXT S
```

The usual plot-in-black commands, for example, Plot 15, should be used there.

```

10 DIM LL4
20 FORZ=0TO4;LLZ=-1;
NEXT
30 PRINT$21
40 FORN=1 TO 2
50 P=#28D1
60 C
70 LL0 \ INIT.
80 LDA #20A
90 STA #90
100 LDA #20B
110 STA #91
120 LDA @LL2&#FF
130 STA #20A
140 LDA @(&LL2/256)&#FF
150 STA #20B
160 RTS
170 LL1 JSR #FFF4 EXEC
UTE IT
180 LL2 JSR LL4 GET KE
Y
190 CMP @#1B ESC
200 BEQ LL3
210 CMP @#18 CAN
220 BEQ LL3
230 CMP @#D
240 BEQ LL3
250 CMP @#20
260 BCC LL1
270 LL3 RTS
280 LL4 JMP (#90)
290]
300 NEXTN
310 PRINT$6
320 ENDPROC

```

Music notation

Ashley Robinson,
Monks Risborough,
Buckinghamshire.

ZX-81

FOR THOSE who have a limited 1K ZX-81 here is a little program which helps you to learn

notes in music. It does not play the notes, but displays them on a treble staff.

When Run it shows a treble staff with a random blob or note somewhere on it. You have to press the correct note on the keyboard. It will then tell you whether you are right or wrong and if you press another key it will display another note.

It works by taking a random number and Printing At that number on the Y co-ordinate, a graphic square. It finds the answer by taking the code of that number, adding 34, and finding the CHR\$, which should be a letter from A to G.

For those with 16K RAM packs you could make it play the note and display it.

```

1 LET A=7
8 PRINT
9 PRINT
10 FOR B=1 TO 5
20 FOR N=0 TO 10
30 PRINT "-";
40 NEXT N
45 PRINT
46 PRINT
50 NEXT B
60 PRINT AT 0,0; "  "
70 PRINT AT 1,0; "  "
80 PRINT AT 2,0; "  "
90 PRINT AT 3,0; "  "
100 PRINT AT 4,0; "  "
110 PRINT AT 5,0; "  "
120 PRINT AT 6,0; "  "
130 PRINT AT 7,0; "  "
140 PRINT AT 8,0; "  "
150 PRINT AT 9,0; "  "
160 PRINT AT 10,0; "  "
170 PRINT AT 11,0; "  "
180 PRINT AT 12,0; "  "
190 PRINT AT 13,0; "  "
200 LET B=INT (RND*11)+1
210 PRINT AT B,A; "■"
215 IF B>=8 THEN LET B=B-7
220 LET B=(11-B)+34
230 PRINT AT 15,10; "YOUR GUESS?"
240 INPUT A$
250 IF CODE A$<>B THEN PRINT AT
15,10; "WRONG"
260 IF CODE A$=B THEN PRINT AT
15,10; "RIGHT"
270 PAUSE 4E4
275 CLS
280 RUN
    
```

Long line

Andrew Houston,
Manchester.

ATOM

THIS PROGRAM will allow Acorn Atom users to edit lines up to 160 characters long — five lines on the Atom's screen. Copy, Delete, Repeat can be used as usual.

When the program is Run, or whenever Link Q is entered — for example, after pressing Break — the prompt will look like this:

#>

indicating that all is well.

The machine code can be assembled at any desired address by altering Q in the first line. By forgoing the cancel facility, Control-X, and omitting lines 150 and 160, the code will even fit into the free space at #21C.

The program works by tricking the Atom's input routine, located at #CD0F, into believing that there is always just one more space available in the input buffer. If anyone should want to experiment with even longer lines, try changing line 130.

```

10 Q=#2800
20 DIM EE(3)
30 FOR J=0 TO 3; EE(J)=Q; NEXT
40 FOR K=1 TO 2
50 P=Q
60 [
70 :EEO LDA @EE1&#FF; STA #20A
80 LDA @EE1/256; STA #20B
90 LDA @CH"#"
100 JMP (#208)
110 :EE1 JSR #FE94
120 CPY @63 ;BCC EE3
130 CPY @161;BCS EE3
140 CMP @127;BEQ EE3
150 CMP @24 ;BNE EE2
160 LDY @#FF;STY #52
170 :EE2 INC #52
180 :EE3 RTS
190 ]
200 NEXT K
210 LINK Q
220 END
    
```

Quick Peek

Alan Potter,
Glasgow.

ZX-81

IN MANY BASIC 1K games there is a line similar to:

```
LET A=PEEK(PEEK 6398+256*PEEK 16399)
```

This line tests to see if the next position in the display file to be Printed has anything in it, and, if so, what it is.

```
(PEEK 16398+256*PEEK 16399)
```

gives the address of the next position to be Printed, and this line Peeks into that address to see what is there.

This is a useful line, but time-consuming and heavy on memory. I have written a machine-code routine which duplicates this function, and is faster while using less memory, which, as any 1K user knows is a great help. This routine is:

Decimal	Hex	Mnemonic
42	2A	ld hl, (NN)
14,64	0E,40	16398
78	4E	ld c,(hl)
6,0	06,00	ld b,0
201	C9	ret

When this routine is called by a USR function, on return it will give the equivalent of the earlier Peek. To enter the routine, first of all write a Rem statement with seven characters. Then enter, as direct commands:

```

POKE 16514,42
POKE 16515,14
POKE 16516,64
POKE 16517,78
POKE 16518,6
POKE 16518,6
POKE 16519,0
POKE 16520,201
    
```

This will cause the Rem line to change, and the routine will be directly addressable using USR 16514. For those experienced in machine code, the routine may be stored anywhere since it contains no jumps.

I have written a short program to demonstrate this routine:

```


1 REM (machinecode)
10 LET P=9
20 LET S=PI-PI
30 SCROLL
40 PRINT AT 12,P;
50 LET U=USR 16514
60 IF U < 0 AND U < 118 THEN GOTO
VAL "200"
70 PRINT AT 12,P;"V"
80 LET P=P+(INKEY$="P" AND
P<25) - (INKEY$="Q" AND P>0)
90 PRINT AT 21, (RND*25)+1;"*"
100 LET S=S+1
110 GOTO 30
200 PRINT "SCORE:";S
    
```

Strange patterns

James Southgate,
Colchester,
Essex.

SPECTRUM

THIS SHORT program makes good use of colour high-resolution graphics on the Spectrum. When the program is run a pattern is drawn on the screen. This pattern continuously changes in shape and colour.



```

10 LET y=INT (RND*70)+100: LET
x=INT (RND*50): LET z=INT (RND*
3)-4
20 FOR f=y TO x STEP z
30 PLOT f,f: DRAW 0,175-2*f
40 DRAW 255-2*f,0
50 DRAW 0,-175+2*f
60 DRAW -255+2*f,0
70 INK RND*5
80 OVER 1
90 NEXT f
100 GO TO 10
    
```

ZX81/ ZX SPECTRUM HARDWARE



TV stand removable for access to add-ons, wiring, etc. Can be used separately from the base.

Desktop console for the ZX81. It raises and tilts the TV to minimise eyestrain, holds in place the ZX81 printer, RAM packs (and other add-ons), power supply, tape recorder and hides most of the wiring. Provides storage space for cassettes.

Optional: Two built-in illuminated power switches. Similar unit for the ZX Spectrum also available which holds ZX Microdrive in place.

Qty	Description	Item Price	Total
	Console for ZX81	£29.95	
	Console for ZX Spectrum	£30.95	
	Power Switch for Tape Recorder	£3.00	
	Power Switch for ZX81/ZX Spectrum	£3.00	
Sub Total			
Carriage		£3.00	
Total Due			

Date

YOUR NAME AND ADDRESS (In Capital Letters Please)

Cheques/ P.O. Made payable to:
COMPUTERLOCK
2 Wychperry Road, Haywards Heath,
West Sussex RH16 1HJ
Telephone: (0444) 451986

All Prices inclusive of VAT. Allow 28 days for delivery.



MICROTANIC COMPUTER SYSTEMS LTD.



BOOKS SOFTWARE COMPUTERS
ZX81 BBC ATARI 400/ 800

Interfaces available for the following computers which will enable you to use the Sinclair Printer with your computer. VIC ACORN ATOM BBC MICROTAN Price £29.95 inc. VAT

We stock a large selection of software and books. Please write or call for catalogue stating relevant machine.

DRAGON 32 GOES FORTH

The FORTH language is NOW AVAILABLE on the DRAGON 32 — Create and run your programs up to 10-12 times faster than BASIC. AVAILABLE ON TAPE £24.95 inc. VAT.

MICROTAN 65 VIC ACORN ATOM



SHOWROOM:
16 Upland Road,
Dulwich, London SE22

MAIL ORDER:
235 Friern Road,
Dulwich, London SE22



TELEPHONE: 01-693 1137

COMPETITION CORNER

A £15 book token will be awarded to the first correct solution drawn from the competition bag. All entries must be at the *Your Computer* offices by the last working day in December. The name of the winner, the solution, and a competition report will be published in the February, 1983 issue of *Your Computer*.


If you want to set a competition for Competition Corner, remember that the simplest solution should be calculable by a short program rather than by any other form of reckoning.

XMAS BOX

BY ANTHONY ROBERTS

HERE'S A seasonal box for you from *Your Computer*. If you cut it out and paste it together, it will present you with an appropriate message.

You just have to find it! Each letter is diagonally adjacent to the previous one, ignoring edges of the cube, but never going over its corners, and never re-using letters.



A B Smith's program to solve the Enigma Code problem.

```

10 REM CODEBREAKER BY A.B. SMITH 10/10/82
20 DIM A$(64), B$(64), C(26), D(26)
30 FOR I=1 TO 64: A$(I)="-": READ B$(I): IF B$(I)="" THEN A$(I)=""
40 NEXT I
50 DATA 100, 102, 112, 200, 010, 102, 000, 201, 012, 122, 221, 021, 112, 202, 102, 010
60 DATA 000, 110, 010, 102, 200, 210, 021, 122, 000, 221, 022, 021, 110, 000, 001, 020
70 DATA 001, 110, 101, 000, 122, 021, 212, 102, 222, 100, 102, 010, 000, 221, 200, 010
80 DATA 022, 020, 200, 222, 102, 122, 110, 000, 002, 102, 022, 022, 200, 010, 210, 000
100 I=0: FOR X=0 TO 2: FOR Y=0 TO 2: FOR Z=0 TO 2: C(I)=X*100+Y*10+Z: I=I+1: NEXT Z: NEXT Y: NEXT X
110 FOR I=1 TO 64: FOR J=1 TO 26
120 IF VAL(B$(I))=C(J) THEN D(J)=D(J)+1
130 NEXT J: NEXT I
140 FOR I=1 TO 26: IF I=20 THEN STOP
150 PRINT C(I), D(I): NEXT I: STOP: GOTO 500
200 PRINT "C": FOR I=1 TO 64: PRINT RIGHT$(STR$(I), 1):; NEXT I: PRINT
210 FOR I=1 TO 64: PRINT A$(I):; NEXT I: PRINT: RETURN
500 GOSUB 200: PRINT: INPUT "ENTER LOCATION": X: PRINT: INPUT "DESIRED LETTER": D$
510 A$(X)=D$: FOR I=1 TO 64: IF B$(I)=B$(X) THEN A$(I)=D$
520 NEXT I: GOTO 500
READY.
    
```

Competition results

OUR PRIZE for the October competition, a Sanyo PHC-25, attracted a disappointing bunch of entries. The imminent Japanese invasion of the home-computer market was clearly not enough to release people's creative juices. Perhaps there was some confusion about the product. P McKenna said that he would use a Sanyo PHC-25 "to shave with".

With due apologies for picking yet another punster, we have awarded the prize to D Blakemore, 141 Bottleacre Lane, Loughborough, Leicestershire, who sounded a sceptical note with "take a Peek to see if it was a flash in Japan".

R Craig hoped to "get a PHD in hi-finance" and J Douglas wanted to "fulfil my yen for colour and sound".

We thought it was the Chinese, and not the Japanese, who are supposed to be unable to pronounce the letter "r"; but a number of people like C Hewitt thought otherwise. He



Solution to the October crossword.

suggested using a Sanyo to "reflesh the ports that no other miclo can leach".

Finally, Elizabeth Wright took a more personal line than most with her "bring a little colour into J Conway's life".

Many people found it easy to crack the Enigma Code for our October puzzle. The deciphered message read: "Beware gunpowder treason plot fifth November Parliament cellars". Only a few programs were submitted so we gave the £15 book token to the first entry picked from the bag, from C Davis, 31 Avondale Road, Palmers Green, London N13 4DX.

Here is Anthony Roberts' own explanation of the puzzle: "Each character is represented by three symbols, each of which may be in three states — missing, outline or black — so there are 3^3 possible codes — one for the letters A-Z and one for space. The instructions say that the codes and letters are in strict sequence, so all that remains is to see in which order to take the symbols and the three states. A simple group of nested For statements tried out in turn against the code would soon reveal the message: there are $3! \times 3!$ that is, 36 possibilities, only one of which gives the message".

No-one supplied a program to print all 36 possibilities but the program on the left from previous winner A Smith, could easily be adapted to do so.

let the
DRAGON 32
fire your
imagination . . .



for only **£199.50**
Plus £5 Post & Packing

No other computer offers
you all these features
at any price . . .

- 32K RAM MEMORY
- PROFESSIONAL STANDARD KEYBOARD
- 1 YEAR WARRANTY
- 9 DISPLAY COLOURS
- 5 DISPLAY RESOLUTIONS
- EXCEPTIONAL GRAPHICS CONTROL
- 5 OCTAVE SOUND GENERATOR
- DIRECT MUSIC COMMANDS
- REAL-TIME CLOCK/TIMER
- MICROSOFT EXTENDED COLOUR BASIC
- PLUG-IN CARTRIDGES AVAILABLE
- CENTRONICS PARALLEL PRINTER PORT
- SOCKETS FOR JOYSTICKS
- SOCKETS FOR FULL CASSETTE CONTROL
- EXCELLENT CASSETTE FILE HANDLING
- COMBINED AUDIO/DATA INPUT FACILITY
- AUDIO OUTPUT VIA T.V.
- EXPANDABLE TO 64K RAM
- POWERFUL 6809E MICROPROCESSOR
- FREE 160 PAGE TRAINING MANUAL
- BRITISH MADE

Available now from:

ComServe

98 TAVISTOCK STREET, BEDFORD MK40 2RX.
TELEPHONE: BEDFORD (0234) 216749

ZX81 SOFTWARE ZX81 SPECIAL OFFERS

PACK 1 GAMES (Save £5.60) **£12.00**

TEST-MATCH + FOOTBALL-LEAGUE + STOCKMARKET
+ VIDEO-MAP. These are serious games, using the full
16K RAM.

PACK 2 GRAPHICS (Save £7.85) **£12.00**

VIDEO-VIEW + VIDEO-SKETCH + VIDEO-GRAPH
Our high acclaimed series of graphics programs.

PACK 3 BUSINESS (Save £3.90) **£12.00**

VIDEO-AD + VIDEO-PLAN.
Business software which works.

These are all well established and successful programs.
Each program is accompanied by a fully comprehensive
operating manual and includes a built in demonstration.
The reverse of each cassette carries an audio-commentary
which supplements the operating manual.

For illustrated catalogue send S.A.E. (9" x 6")

Immediate delivery.



STONE LANE
KINVER
STOURBRIDGE
WEST MIDLANDS
DY7 6EQ
ENGLAND
TEL: KINVER 2462
STD 054 403 3402

VIDEO
SOFTWARE LIMITED

As seen on BBC TV "Computer Programme"

*** BIG EARS *** STOP! GO! LEFT! RIGHT!

SPEECH
INPUT
FOR ANY
COMPUTER



Hugely successful Speech Recognition System,
complete with microphone, software and full instructions.
BUILT TESTED & GUARANTEED ONLY £49
PLEASE STATE COMPUTER: UK101, SUPERBOARD, NASCOM2,
Vic 20, Micron, ZX80/81, PET, TRS80, MZ80K, APPLE II, BBC MICRO

ZX80 ZX81

MUSIC SYNTHESISER
+ 16 LINE CONTROL PORT



Play 3-part music, sound effects,
drums etc. Full control of attack, decay
and frequency. Input/Output lines provide
control and monitor facility for Home Security, Robot Control,
Model Railway, etc. etc. Works with or without 16K RAM.

Add keyboard to make a live performance polyphonic synthesiser!
Full instructions/software included.

AMAZING VALUE AT ONLY £19.50 (KIT)
Extra 23 way connectors at £2.60
The "Composer" Music Program (16K) £7.40 £25.50 (BUILT)

COLOUR MODULATOR KIT £12
RGB in, PAL/UHF out (not for ZX) BUILT £18

UK101/NASCOM COLOUR GRAPHICS KIT £45
Inc. Modulator. Still the best selling system! BUILT £60

Please add VAT at 15% to all prices. All enquiries
Barclay/Access orders accepted by telephone S.A.E. please

**WILLIAM
STUART
SYSTEMS Ltd**

Dower House, Billericay Road,
Herongate, Brentwood,
Essex CM13 3SD
Telephone: Brentwood (0277) 810244



Do your programs load from tape first time, every time? If not, you need...

(1) THE MICROCOMPUTER USER'S BOOK OF TAPE RECORDING by Hilderbay Ltd.

Contents:

PART I (for everybody; the 'how to' part):

- 1 How your system should work
- 2 choosing a tape recorder
- 3 testing and adjusting your tape recorder
- 4 keeping your recorder in good condition
- 5 the selection and care of tapes
- 6 making reliable recordings
- 7 loading 'difficult' tapes
- 8 useful accessories.

PART II (more for enthusiasts; the 'why' part):

- 9 how a tape recorder works
- 10 computer cassette interface waveforms
- 11 stereo heads, azimuth angle error
- 12 miscellaneous tape problems.

Price £3.15 incl postage; £2.90 from bookshops. Or ask for it at your library.

(2) TEST AND ALIGNMENT CASSETTE: a precision accessory which enables you to set up the azimuth angle of your cassette recorder head accurately using only a small screwdriver! Azimuth error is one of the commonest causes of tape troubles. With full instructions. £4.90.

(3) LOADING AID: if your recorder is basically OK, but you have trouble getting the playback level right with tapes from different sources, you need our Loading Aid! Also suitable for checking the quality of tapes, detecting and (sometimes) compensating for dropouts, etc. With full instructions and hints on tape use. £5.95

(4) TAPE RECORDER aligned and tested for computer use. A simple, but satisfactory, machine. £22 + £2 postage (All products suitable for most computers)

SPECIAL TAPE OFFER!

Book + alignment cassette + loading aid for £11.90!

SPECTRUM SOFTWARE (48K)

PAYROLL (50 employees, all tax codes, pay levels, NI contributions; Hourly, weekly, monthly; payslips, summary of payments; Very easy to use; Amendments to employee details very easy right up to the last minute; Can also compute gross pay & deductions from net pay). £25

STOCK CONTROL (typically 1500 stock lines; prints list of all lines, or lines with given codes, or understocked lines; locate-by-name/add/delete stock line in under two seconds; prints values of stock. Program loads in one minute, data in less than three). £25

GOLD our best-selling adventure game, now available on the Spectrum! £8

All these programs are available from stock; we have interesting professional Spectrum software development, but we won't advertise it until we can supply it!

ZX-81 SOFTWARE (16-48K)

BEAMSCAN. Computers bending moment and shear force diagrams for a simply supported beam with 1-99 point, uniform, and uniformly tapered loads. £25.

TIME LEDGER for up to 17 employees, 200 clients. A great time-saver! £15

OPTIMAX. A powerful linear optimisation program. Up to 75 variables. <, =, > constraints. £40

PAYROLL. Similar to the Spectrum version, but 30 employees. £25

STOCK CONTROL: about 400 stock lines in 16K, 2000 in 48K). £25

CRITICAL PATH ANALYSIS. Enter & solve 500-activity network in 16K. Edit durations & costs, & repeat. £15

BUDGET. Keeps track of expenses & compares them with budget. 50 headings, 12 months (I) or 12 categories (II). £15 for budget I & II (together)

FINANCIAL PACK I. Contains three programs: MORTGAGE, LOAN, VAT. £8

GOLD. A tantalising adventure game! £6

Free GOLD (ZX-81 or Spectrum) with all orders of £22 or over postmarked before 1 December!

All prices include VAT. Everything post free unless stated otherwise. COD orders £2 extra. Access orders accepted by telephone.

Hilderbay Ltd

Professional Software
8/10 Parkway
Regents Park
London NW1 7AA
Tel: 01-485 1059 Tlx: 22870

hot stuff! DRAGON 32



for only £199.50

Plus £5 Post & Packing

I have a burning desire for the
DRAGON 32 - Please send me:

DRAGON 32 COMPUTER - £199.50

DRAGON PLUG-IN SOFTWARE

- | | |
|--|--|
| <input type="checkbox"/> Berserk - £19.95 | <input type="checkbox"/> Ghost Attack - £24.95 |
| <input type="checkbox"/> Meteroids - £19.95 | <input type="checkbox"/> Cave Hunter - £19.95 |
| <input type="checkbox"/> Cosmic Invaders - £19.95 | <input type="checkbox"/> Tube Frenzy - £19.95 |
| <input type="checkbox"/> Starship Chameleon - £19.95 | |

DRAGON CASSETTE SOFTWARE

- | | |
|---|--|
| <input type="checkbox"/> Special selection 1 - £7.95 | <input type="checkbox"/> Special Selection 2 - £7.95 |
| <input type="checkbox"/> Quest - £7.95 | <input type="checkbox"/> Graphic Animator - £7.95 |
| <input type="checkbox"/> Computavoice - £7.95 | <input type="checkbox"/> Mazerace - £7.95 |
| <input type="checkbox"/> Madness & Minataur - £7.95 | |
| <input type="checkbox"/> Examples from manual - £7.95 | |

DRAGON PERIPHERALS

- | | |
|---|---|
| <input type="checkbox"/> Pair of Joysticks - £19.99 | <input type="checkbox"/> Cassette Cable - £7.95 |
|---|---|

(Add £5 Post & Packing for DRAGON 32 - £1 for accessories)

* Please debit my Barclaycard/Access account with
I enclose Cheque/P.O. for

£

*Delete as applicable

Name:

Address:

YC

ComServe

98 TAVISTOCK STREET, BEDFORD MK40 2RX.
TELEPHONE: BEDFORD (0234) 216749

The SHIVA Christmas Hamper

For the SPECTRUM

By Ian Stewart & Robin Jones

Easy Programming for the ZX Spectrum	£5.95
Computer Puzzles: For Spectrum & ZX81	£2.50
Machine Code and Better Basic	£7.50
Cassette: Spectrum Special 1	£4.95

By Martin Wren-Hilton

Games to Play on your ZX Spectrum	£1.95
-----------------------------------	-------

Normal
Published
Price

~~£22.85~~

£15.75
incl. p. & p.

For the ZX 81

By Ian Stewart & Robin Jones

PEEK, POKE, BYTE & RAM: Basic Programming for the ZX81	£4.95
Computer Puzzles: For Spectrum & ZX81	£2.50
Machine Code and Better Basic	£7.50

By Martin Wren-Hilton

The ZX81 Add-on Book	£5.50
----------------------	-------

~~£20.45~~

£14.75
incl. p. & p.

Order the complete hamper and save yourself a packet!

Or make up your own with any 3 items for £10.50 (incl. p. & p.)

Offer open until 31st January 1983

All books and cassettes are also available individually at the normal published prices.

Hampers will be dispatched from 1st December onwards.

ORDER FORM

Tick here

Please send me a SPECTRUM hamper, at £15.75

NAME

Please send me a ZX81 hamper, at £14.75

ADDRESS

I wish to make up my own hamper with the following, at £10.50

I enclose a cheque for £.....

Please debit my Access/Barclaycard/American Express

I wish to order 1 or 2 items only, at the normal published price:

Account number

Signature

£

£

Shiva Publishing Limited

4 Church Lane, Nantwich, Cheshire CW5 5RQ
Telephone: (0270) 628272



ZX99

AUTOMATIC TAPE CONTROLLER FOR THE SINCLAIR ZX81

● DATA PROCESSING

The ZX99 gives you software control of up to four tape drives (two for reading, two for writing) allowing merging of data files. This is achieved by using the remote sockets of the tape drives, controlled by USR statements or commands.

● RS232C INTERFACE

The ZX99 has an RS232C output allowing connection with any such printer using the full ASCII character code (you can now print on plain paper in upper or lower case, and up to 132 characters per line) at a variable baud rate up to 9,600

● SPECIAL FEATURES

There are so many special features it is difficult to list them all, for example:

AUTOMATIC TAPE COPY: You can copy a data file regardless of your memory capacity as it is processed through the Sinclair block by block.

TAPE BLOCK SKIP: Without destroying the contents of RAM

DIAGNOSTIC INFORMATION: To assist in achieving the best recording settings.

The ZX99 contains a 2K ROM which acts as an extension to the firmware in the Sinclair ROM. The ZX99's ROM contains the tape drive operating system and the conversion to ASCII for the RS232C output.

There is an extension board on the rear to plug in your RAM pack (larger than 16K if required). The unit is supplied with one special tape drive lead, more are available at £1 each.

Now only
£49.95

plus
£2.95p+p



● ZX99 SOFTWARE


We now have available "Editor 99", a quality word processing program including mail-merge, supplied on cassette for £9.95. Also following soon:

- * Stock Control (October)
- * Sales Ledger (November)
- * Business Accounts
- * Debtors Ledger
- * Tax Accounting

Dept. YC5 Data - Assette, 44 Shroton Street, London NW1 6UG. 01-258 0409

data-assette®

44, Shroton Street
London NW1
Tel 01-258 0409



● FERGUSON CASSETTE RECORDER £28 inc. p&p.


Tested with ZX81, Acorn, BBC, Dragon etc. etc.
Features: Din, Ear, Mic. and Remote sockets, Tape Counter, Tone Control, Built-in Mic., Autostop. Battery/mains. Recommended by Acorn for use with BBC computer.

● STAR DP8480 RS232C (SERIAL) £285 plus £6 Securicor delivery

CENTRONICS (PARALLEL) £265 plus £6 Securicor delivery

This professional printer works with almost any computer with very good upper and lower case typeface.

- Bi-directional
- 80 column width (10" paper)
- Switchable - Tractor or Friction Feed
- 80 chrs. per second



● 2,000 SHEETS OF PRINTER PAPER £19.50 plus £3.50 p&p.

● E690 REVOLVING CASSETTE RACK

- Single - £2.99 (holds 32 tapes or 20 in cases)
- Double - £5.99 (holds 64 tapes or 40 in cases)
- Treble - £8.99 (holds 96 tapes or 60 in cases)
- Quad - £11.99 (holds 128 tapes or 80 in cases)

All plus £1 p&p.



● BBC CASSETTE LEAD

7 pin plug to two 3.5mm plugs and one 2.5mm plug. Only £2 inc. P & P.

Other leads available - please telephone.

COMPUTER CASSETTES

High quality, screw assembled cassettes supplied with library boxes. Any lengths available.

- C5 - 35p
- C10 - 37p
- C12 - 38p
- C15 - 39p
- C20 - 41p
- C25 - 43p
- C30 - 44p

P&P 10% (min. charge £1.50)

ORDER FORM

Dept YC12 Data - Assette, 44 Shroton Street, London NW1 6UG. 01-258 0409

Code	Item	No.	Price	P & P	Total

Cheques/PO made payable to Storkrose Ltd.
Charge my Access/Visa No.

Signed _____ Name _____
Address _____

ZX81 & SPECTRUM KEYBOARDS COMPLETE WITH LUXURY CASE FOR ONLY £37.95 INC. V.A.T.

These highly professional keyboards incorporate executive buttons similar to those used on top-quality computers. A repeat key facilitates entering of characters much faster than is possible with a conventional keyboard, thus making it particularly ideal for cursor control and erasing. Attractive black plastic moulded case. Supplied with 12' flexible ribbon cable for connection into your computer. *Not to be confused with toy keyboards currently on the market. Other attributes as reviewed by Tim Hartnell, ZX Computing/Interface.*



OTHER KAYDE HARDWARE/SOFTWARE

ZX81 4K GRAPHICS BOARD

The KAYDE Graphics Board is probably our best accessory yet. It fits neatly inside your ZX81. It comes complete with a pre-programmed 4K Graphics ROM. This will give nearly 450 extra graphics and with the inverse makes a total of nearly nine hundred.

The KAYDE Graphics Board has facilities for either 2K of RAM (for user definable graphics) 4K of ROM or our 4K Tool Kit Chips that will be available shortly. All the graphics are completely software controlled therefore they can be written into your programmes. Here are a few examples:

A full set of space Invaders –
Puckman – Bullets, Bombs –
Tanks – Laser Bases and
Alien Ships
NO EXTRA POWER NEEDED

£29.95

16K GRAPHICS SOFTWARE

PECKMAN – The only true ZX version of the popular arcade game.
SPACE INVADERS – The best version available anywhere.
CENTIPEDE – "In all I think this is the best

presented moving graphic programme I've yet seen" – Phil Garratt, INTERFACE

£5.95 each

Graphic Software can only be used with a Graphics board

RAMPACKS... With a difference

Kayde Rampacks are exceptionally stable. They don't over-heat, lose memory, wobble or cause you to lose your program. They are fully compatible with all accessories and need no extra power, and therefore will run efficiently on existing Sinclair power supply. Simply plug them straight into the user port at the rear of your computer. Top quality massive add-on memory only:

**£29.95 for 16K ZX81 Rampack and
£48.95 for 32K Spectrum Rampack**

**FLEXIBLE RAMPACK RIBBON CONNECTOR
only £12.95**

16K 81 SOFTWARE

3D/3D LABYRINTH – A cubit maze that has corridors which may go left, right, up and down. **£5.95**

4K Tool Kit full of utilities to aid the programmer in constructing and de-bugging E. PROM version for use with graphics ROM. **£9.95**

VIC 20 SOFTWARE

THE KAYDE VALLEY
OTHELLO
TWINKLE TWINKLE
KAYDE PECKMAN
APPOLO 8
SPACE ATTACK
PLUS MANY MORE
All £7.95 EACH

Vic 20 dealer

Overseas please add £2.50 p & p for all hardware and 75p for all software. All hardware comes fully built and tested and complete with a 14 day money back option. PRICES INCLUDE V.A.T.

SEND FOR A FREE CATALOGUE STATING TYPE OF COMPUTER.

KAYDE ELECTRONIC SYSTEMS LTD.
THE CONGE, GREAT YARMOUTH, NORFOLK NR30 1PJ
TEL: 0493 57867 TELEX: 975 247 CHATCOM G

FAST
IMMEDIATE
DELIVERY

TO: KAYDE ELECTRONIC SYSTEMS LTD,
DEPT.YC12 THE CONGE, GREAT YARMOUTH,
NORFOLK NR30 1PJ



DON'T FORGET YOUR CAN ALWAYS ORDER ON
THE TELEPHONE WITH YOUR CREDIT CARD.
DEALERS WELCOME.

PLEASE PRINT

Qty.	Item	Item Price £	Total £

Please allow £1.50 P&P for all Hardware 50p for all software

*I enclose a cheque/postal order payable to KAYDE Electronic Systems Ltd., for
£..... *Please charge to my Access/Barclaycard/Trustcard account no.

* Please delete/complete
as applicable.

Signature _____

Name: Mr/Mrs/Miss _____

Address _____

VECTIS SOFTWARE

VECTIS SOFTWARE
6 Victoria Rd,
Sandown,
Isle of Wight
PO36 8AP

"HENRY GOSUB MEETS THE CURSOR", for the unexpanded

VIC-20

A fantastic maze game for the 3.5K VIC. Can you outwit the Cursor and escape or will you be caught? Will you kill the Cursor with your blast bomb or will you use it to demolish a wall? Can you find your way through a labyrinth of walls and secret passages and matter transmitters, or will you wander around until caught?

We guarantee you won't escape the first time through, and there are NINE 'maze modules' on the tape, with others to follow. Believe it or not this fantastic game will only cost you £4.95!!

ALSO, for the 16K

ZX Spectrum

TAPE 1: 5 colourful and noisy Spectrum games:

ZX Scramble, a version of the arcade game.

Bomb Run: Out of control over enemy lines, can you clear yourself a landing space without crashing?


Maze Craze: Can you find the key to the exit without being caught by the guardian robot?

Torpedoes: How many aircraft, subs and boats can you destroy without being hit by a mine?

Road Racer: Are your reactions fast enough to keep you on the ever narrowing road without hitting any cars?

ALL THIS FOR ONLY £4.95

WATCH THIS SPACE FOR FURTHER TAPES



BBC

Microcomputer Software

BEEB INVADERS — Best ever version of this classical game featuring:—

*Mode 1 Graphics *3Invader types *Mother Ship *Shields *Score *High Score *4 Colours *Super Sound *2 Missile types *Intelligent missiles

**Optional set-up parameters:—

***8 different missile rates

***2 Missile Speeds


***2 Laser Speeds

***2 Base Sizes

Very realistic explosions

Flying debris etc.

To run on Model B £7.00



GEOGRAPHIC QUIZ — 2 Super quiz games entertaining and educational!

CAPITALS — Very high resolution map of the world, you have to name the Capital of a given country or Country of a given Capital. Then you have to point it out on the map. When you get it right you score points, when you get it wrong the computer points to the correct location.

TOWNS Similar to Capitals except applied to a high resolution map of Great Britain.

MODEL B Machine only (both programs £6.50)

GAMES PACK 1 A selection of games for the Model A Machine as follows:— Bomber, Crash, Spacebattle, Minefield and Music

Model A £6.50
GAMES PACK 2 3 Super games for the Model B Machine as follows:— 3D Maze Monster Computer draws random Maze you have to walk through a 3-D view looking along the passages collecting gold bars and depositing them in a safe. However there is a nasty Monster programmed to get you so beware!!

DODGEMS — Classic arcade game and Rubics cube

Model B £6.50

DISASSEMBLER and **CHARACTER BUILDER** Utility programs to help you with your own program writing

Model A or Model B £5.00

ACORN SOFTWARE **BUG-BYTE** **PROGRAM POWER** also in stock

Hardware: BBC, Acorn, Dragon, Vic-20, BBC Machines and Peripherals at normal low prices. Approved BBC Dealer Vic-20 CPUs, Acorn ATOMS and Dragons at rock bottom prices. Send for lists.

Repairs and Spares Service Call in for Demos.

D.A. COMPUTERS LIMITED
184 LONDON ROAD, LEICESTER, LE2 1ND

Telephone: (0533) 549407

SPECIAL OFFER

ON ZX-81 & SPECTRUM ADVENTURES

MINES OF SATURN: — "While piloting a routine orbit of SATURN, you are caught up in a radiation storm which forces you into the giant planet's rings. Your energy drained, you make a forced landing on the planet surface. Luckily you crash near an abandoned mining base and you set off in search of some Di-Lithium crystals to refuel your stranded space-ship. Can you succeed?"

BE WARNED — THIS IS NOT EASY.

RETURN TO EARTH: — "Having escaped from your previous dilemma, you reach Earth Station 1, but fail to make radio contact. You effect a safe if harrowing manual docking with the orbital station. On entry you find it deserted, and the control room destroyed. You must explore the station and find some way to alert Earth of your predicament, **BEWARE**, many of the rooms are identical, there is extensive damage, and signs of Alien intruders. (The sequel to MINES of SATURN).

SPECIAL XMAS OFFER £7.50.

FOR BOTH GAMES POST AND PACKING FREE.

(Programs run on 16K & 48K machines. Offer valid till 31st. JANUARY 1983).

Send now for this fabulous offer, double saved on computer quality cassettes, and despatched by return of post (1st. class letter), you won't be disappointed.

PLEASE SPECIFY ZX-81 or SPECTRUM VERSION

Please make cheques etc. payable to:

SATURN DEVELOPMENTS LTD

37 Heol Dulais, Birchgrove,

Swansea SA7 9LT

COMING SOON, our exciting 1983 catalogue of Sinclair Software. SAE please.

SPECTRUM NEWS FROM



Just received your ZX SPECTRUM? No point in looking any further—we have the products you need at the prices you expect.

SP48

32K Memory extension
(giving total of 48K. Upgradeable to SP80)

£25

SP80

64K Memory extension
(giving massive 80K)

£50

Both the SP48 and the SP80 fit inside the Spectrum case, are fully compatible with all Sinclair add-ons (ZX Printer, RS232, Microdrive etc.), are very low in power consumption, require no soldering, are easy to fit and remove and carry our full guarantee.

Transfer your ZX81 BASIC and machine code programs and data onto your Spectrum in minutes with the fabulous new

ZX SLOWLOADER

£10

SOFTWARE PRODUCT OF THE YEAR

This superb piece of software enables your Spectrum to LOAD programs from ZX81 tapes and automatically converts them to 'Spectrumese' ready for normal Spectrum SAVEing.

ORDERS & ENQUIRIES

Send s.a.e. for **FREE** catalogue to:

East London Robotics, Finlandia House, 14 Darwell Close, East Ham, London E6 4BT Tel: 01-471 3308

Prices include VAT. Please tick if you require VAT receipt

Please rush me: _____ Item description _____ Quantity _____ E _____ p _____

P & P 45

I enclose cheque/PO payable to East London Robotics for TOTAL £ _____

Name: Mr/Mrs/Miss _____ Address _____

EAST LONDON ROBOTICS — THE OPTIMUM SOLUTION

The new Dragon 32. So well designed, you'll even understand this ad.

If you're already a computer expert, may we refer you to the box of technical specifications displayed opposite.

If you're not, may we refer you to the new Dragon 32 Family Computer. A computer so easy to understand, you won't understand why all the others seem so difficult.

And the new Dragon 32 costs under £200.

32K RAM FOR UNDER £200?*

When you're comparing computers, the first thing you need to know is the size of the memory. In plain English, the Dragon has approximately 32 thousand units of Random Access Memory. (32K RAM for those who prefer to be blinded by science.) This means that the Dragon's memory is at least twice as powerful as its competitors.

With a memory this powerful, the amount of information the Dragon can store is literally vast. But the Dragon doesn't just make it easy to store information. It makes it easy to use, too.

USER-FRIENDLY?

You may have heard of the term 'user-friendly.' Reverting to plain English once more, this means simply that the computer will go out of its way to understand you, rather than vice-versa.

The Dragon 32 is so user-friendly, it practically licks your hand.

You tap (literally) its vast resources through a beautifully-designed keyboard that's as easy to use as a typewriter.

On this keyboard, you type in a language which is surprisingly close to the English you talk every day. The Dragon 32 will receive your order. Understand it. Send it to the appropriate section of its massive brain. And then display the appropriate information on your screen. All before you can say 'gobbledygook.'



*TV not included in price.

SPECIFICATIONS
6809E MICROPROCESSOR. Pet, Apple, Atari 400, BBC Micro, and VIC 20 still have the less powerful 6502.
32K RAM (as standard). At least twice the power of similarly priced machines. Expandable to 64K RAM.
EXTENDED MICROSOFT COLOUR BASIC (as standard). Featuring: ADVANCED GRAPHICS (set, line, circle, paint, print, draw, rotate and print using). ADVANCED SOUND 5 octaves, 255 tones. AUTOMATIC CASSETTE RECORDER CONTROL. FULL EDITING with INSERT and DELETE.
9 COLOUR, 5 RESOLUTION DISPLAY.
USE WITH ANY U.H.F. TV and/or separate P.A.L. monitor.
PROFESSIONAL QUALITY KEYBOARD. Typewriter feel. Guaranteed for 20 million depressions.
PRINTER (Centronics parallel).
JOYSTICK CONTROL PORTS.

FIRE YOUR IMAGINATION.

Learning how to use the Dragon 32 won't cause you to experience any problems. Learning what you can use it for will cause you to experience something entirely different.

Delight. Surprise. Fascination. And challenge.

The Dragon offers a range of some of the most popular computer games in the world. From those celebrated space battles to mind-boggling adventures in seemingly unfathomable dungeons and caves.

As if by magic, a simple typed message will command the Dragon to create your own drawings. Then it will colour and paint them in 9 colours.

And it's clever enough to create virtually any image you want - circles and arcs as well as straight lines.

The Dragon will also play and compose music with you, with a range of 5 octaves. And it works with any UHF TV or PAL monitor.

LEARNING THROUGH PLAYING.

All of this makes the Dragon the ideal machine to build your children's interest in the world of computers as they become increasingly more vital. School-children already enjoy using computers.

The Dragon is the first computer specifically for the family - so by enjoying yourselves at home, you and your children can soon become expert enough to create your own programs.

PRODUCT FEATURE	DRAGON 32	SINCLAIR SPECTRUM	ACORN ATOM	VIC 20	TI 99/4A	BBC MICRO:V.
PRICE	£199	£125	£175	£190	£199	£300
STANDARD RAM SIZE	32K	16K	8K	5K	16K	16K
STANDARD AVAILABLE RAM FOR HIGH RESOLUTION GRAPHICS	26K	9K	N/A	N/A	14K	3K
EXTENDED MICROSOFT BASIC AS STANDARD	YES	NO	NO	NO	NO	NO
PROFESSIONAL-TYPE KEYBOARD	YES	NO	YES	YES	YES	YES

BRILLIANTLY SIMPLE GUIDE.

The Dragon is living proof that you don't have to be an expert in computerspeak to be an expert in computers. It comes with the easiest-to-understand instruction manual ever written for a home computer.

Every step, every explanation, is made clear - even if you're a beginner. In minutes, it will show you how to write a simple program. Within hours, you'll be fascinated. And from then on, you'll continue to be astounded by the new world which the Dragon's power and versatility will open up to you.

See the new Dragon 32 in your High Street. At under £200, it's not just the first family computer. It also has all the features an expert could wish for.

Except perhaps the jargon.

DRAGON 32 The first family computer.

To: Jean Webster, Dragon Data Ltd, Queensway, Swansea Industrial Estate, Swansea, Glamorgan SA5 4EH.
Tel: 0792 580651.

Please send me further information about the Dragon 32.

Name _____

Address _____

YC

A member of the Mettoy Group of Companies.

Now available from J.P. GIBBONS A.I.B.


(Author of The Best Banking Programs In The World!)

The PBS Bank reconciliation is believed to be the first such program to be available for the Sinclair ZX81 and ZX Spectrum

- AUTOMATICALLY MATCHES BANK STATEMENT ITEMS WITH TRANSACTIONS RECORDED IN YOUR 'PERSONAL BANKING SYSTEM'.
 - LISTS ALL OUTSTANDING ITEMS SUCH AS UNCLEARED CHEQUES, FUNDS RECEIVED BUT NOT ADVISED TO YOU, BANK CHARGES - HIGHLIGHTS ALL DISCREPANCIES. NO MORE 'SCRATCHING AROUND' TO TRY AND FIND OUT WHY YOUR STATEMENT BALANCE IS DIFFERENT TO WHAT YOU EXPECTED.
 - FULL SEARCH FACILITY, ALLOWING ON-SCREEN CORRECTION OF ANY ITEM.
 - SAVES AND LOADS DATA TO AND FROM TAPE (ZX81 VERSION, AT DOUBLE SPEED). EXCHANGES DATA WITH THE MAIN PBS PROGRAM. NO NEED TO SAVE PROGRAMS.
 - SINGLE KEY OPERATION - USES MACHINE CODE KEYBOARD SCAN FOR SINGLE LETTER COMMANDS (ZX81 VERSION).
 - EXTREMELY EASY TO USE. NO JARGON TO WADE THROUGH BEFORE YOU GET STARTED. DEMONSTRATION PROGRAM INCLUDED.
 - ALL ITEM LISTS, SEARCHES (WITH TOTALS), CAN BE OUTPUT TO YOUR ZX PRINTER.
 - FULL INSTRUCTIONS INCLUDED.
 - UNIQUE AFTER SALE MAINTENANCE PROVIDED.
 - OPERATES IN CONJUNCTION WITH THE 'PERSONAL BANKING SYSTEM' (FULL INPUT & CORRECTION FACILITIES PLUS AUTOMATIC POSTING OF STANDING ORDERS ON DUE DATES AND FULLY DETAILED STATEMENTS).
- SO BANISH THE HEADACHES, MAKE LIFE EASIER FOR YOURSELF. SEND £15 FOR THE PERSONAL BANKING SYSTEM + PBS BANK RECONCILIATION AND USERS MANUAL.
- EXISTING CLIENTS NEED ONLY SEND £5 FOR THE PBS BANK RECONCILIATION WHICH WILL OPERATE WITH THEIR PRESENT PBS.
- THE PERSONAL BANKING SYSTEM (AS REVIEWED IN POPULAR COMPUTING WEEKLY - 1ST JULY) IS AVAILABLE SEPARATELY FOR £9.95 FOR CASSETTE & USER MANUAL. ZX81 PBS OWNERS CAN ORDER THE SPECTRUM VERSION FOR JUST £5.
- PLEASE SPECIFY WHETHER ZX81 (16K) OR ZX SPECTRUM (48K).

Guaranteed Software available from:
J.P. GIBBONS A.I.B.
14 Avalon Road, Orpington, Kent,
BR6 9AX

Your PBS is never out of date!



ZX Spectrum - ZX81

In 1981, ACS Software published ACSEMBLER and DIS-ACSEM. These are now generally regarded as quite simply the best assembler and disassembler programs available for the ZX81.

"The disassembler... is really fantastic." A.M., London
"I am very pleased with the assembler and I feel that you have a real winner in this program." R.B., Gloucester
"Your programs are first class. Looking forward to more." A.J., Norway.

"... the single biggest step to proficiency in machine code programming." SINCLAIR USER

Now, with the superior facilities of the ZX Spectrum, ACS Software have done it again. **Ultraviolet** and **Infrared** are assembler and disassembler programs that will extend your Spectrum. Look at the facilities that Ultraviolet offers:

Works entirely in decimal (no hex problems); all Z80 instructions correctly assembled; supports the pseudo-instructions EQU, ORG (multiple ORGs allowed), DEFB, DEFW and DEFS; code can be assembled at one location and then re-located; allows alphanumeric labels of any length; full listings of assembled code and mnemonics can be output to the printer; full error trapping with faulty instruction clearly indicated; comments can be included in the source file.

So now there is no need to be intimidated by machine code - with Ultraviolet and Infrared it's child's play! Buy them from the machine code specialists - ACS Software.

ULTRAVIOLET - £7.50 INFRARED - £6.75

The following programming aids are available for the 16K ZX81 at £5.50 each. SAE for details. Prices include postage and packing for UK orders, overseas clients please add appropriate postage.

ACSEMBLER: DIS-ACSEM: ACS DEBUG: PROGSTORE: TOOLKIT:
PROGMERGE (version 2): TAPEKIT
PROGMERGE and TAPEKIT won't make a Spectrum out of your ZX81 but they will give it some interesting new facilities!



ACS SOFTWARE 7, Lidgett Crescent,
Roundhay,
Leeds LS8 1HN

SOUND with ZX-81!

MAKE AMAZING SOUND EFFECTS WITH YOUR ZX-81



£25.95 THE ZON X-81

incl p&p & V.A.T.

- * The ZON X-81 SOUND UNIT is completely self-contained and especially designed for use with the ZX-81. It just plugs in - no dismantling or soldering.
- * No power pack, batteries, leads or other extras.
- * Manual Volume Control on panel - ample volume from built-in loudspeaker.
- * Standard ZX-81 - 16K Rampack or printer can be plugged into ZON X-81 Sound Unit without affecting normal ZX-81 operation.
- * Huge range of possible sounds for games or: Music, Helicopters, Sci-Fi, Space Invaders, Explosions, Gun-shots, Drums, Planes, Lasers, Organs, Bells, Tunes, Chords etc., or whatever you devise!
- * Uses 3-channel sound chip giving programme control of pitch, volume of tones and noise, all with envelope control.
- * Easily added to existing games or programmes using a few simple "BASIC" lines.

FULL instructions with many examples of how to obtain effects and the programmes, supplied. Fully Guaranteed.

BI-PAK

Dept. YC12 P.O. Box 6,
63A High Street,
Ware, Herts.



Access & VISA accepted
Ring 0920 3182 for
immediate despatch.

Victagraph
plot window.

An essential aid to all computer owners with Plot, Draw, Draw to a plotted co-ordinate, and medium/high resolution graphic capabilities, VICTAGRAPH gives you a fully adjustable window from plot 0,0 to plot 320, 200.

Higher resolution is possible by simple multiplication X2, etc., or reduction by division. Plot 0,0 in each corner to suit your requirements.

Place your drawing, tracing diagram etc., on a single sheet of paper and position in the VICTAGRAPH, AND you are ready to plot all the points quickly using the movable window AND easy to read scale.

Made from high quality plastic sheets, 17" x 12" approx.


Ideal for multi-graphic resolution computers such as Atari etc. Not suitable for Spectrum.

Total price £7.00. Cheques payable to: Victa Ceramics and crossed. SAE for Details. UK only.

VICTA CERAMICS
6a BOW STREET, RUGELEY
STAFFS WS15 2BT.

MEMOTECH Explores the Excellence of your ZX81

Access Barclaycard Holders
Please Tel. Oxford
(0865) 722102



NEW Memotech's Plug-in ZX81 Keyboard

- Plugs directly into the back of your ZX81
- Keys have durable Sinclair legends
- High quality typewriter keys
- Does not inhibit other add-ons
- Automatic hold-down repeat
- Complete with buffered interface
- Fast and easy data entry
- Moveable between configurations

Memotech's Memopak Range

Current Memopaks

16K

32K

64K

HRG

Centronics Interface

MEMOPAK 64K MEMORY EXTENSION

The 64K Memopak extends the memory of the ZX81 by 56K, and with the ZX81 gives 64K, which is neither switched nor paged and is directly addressable. The unit is user transparent and accepts commands such as 10 DIM A(9000).

Breakdown of memory areas...0-8K Sinclair ROM. 8-16K This area can be used to hold machine code for communication between programmes or peripherals. 16-64K A straight 48K for normal Basic use.

MEMOPAK 32K and 16K MEMORY EXTENSIONS

These two packs extend and complete the Memotech RAM range (for the time being!) A notable feature of the 32K pack is that it will run in tandem with the Sinclair 16K memory extension to give 48K RAM total.

MEMOPAK HIGH RES GRAPHICS PACK

HRG Main Features — • Fully programmable Hi-Res (192 x 248 pixels) • Video page is both memory and bit mapped and can be located anywhere in RAM. • Number of Video pages is limited only by RAM size (each takes about 6.2K RAM) • Instant inverse video on/off gives flashing characters • Video pages can be superimposed • Video page access is similar to Basic plot/unplot commands • Contains 2K EPROM monitor with full range of graphics subroutines controlled by machine code or USR function

MEMOPAK CENTRONICS TYPE PARALLEL PRINTER INTERFACE

Main Features — • Interfaces ZX81 and parallel printers of the Centronics type • Enables use of a range of dot matrix and daisy wheel printers with ZX81 • Compatible with ZX81 Basic, prints from LLIST, LPRINT and COPY • Contains firmware to convert ZX81 characters to ASCII code • Gives lower-case characters from ZX81 inverse character set



Coming Soon..
RS232 Interface
Digitising Tablet

© R. Branton & G.A.C. Boyd 1982

We regret we are as yet unable to accept orders or enquiries concerning the above products, but we'll let you know as soon as they become available.

We want to be sure you are satisfied with your Memopak — so we offer a 14-day money back Guarantee on all our products.
Memotech Limited, 3 Collins Street, Oxford OX4 1XL, England Tel: Oxford (0865) 722102 Telex: 837220 Orchid G

Please make cheques payable to
Memotech
Ltd.

Please Debit my Access/Barclaycard* account number

SIGNATURE _____

ADDRESS _____

Please send me

	Price	No	Total
64K RAM £68.70 + £10.30 VAT	£79.00		
32K RAM £43.43 + £6.52 VAT	£49.95		
16K RAM £26.00 + £3.90 VAT	£29.90		
HRG £52.00 + £7.80 VAT	£59.80		
CENTRONICS I/F £34.70 + £5.20 VAT	£39.90		
MEMOTECH KEYBOARD. Price £43.43 + £6.52 VAT	£49.95		
Packaging & Postage £2.00 per unit (UK), £3.00 (overseas)			

TOTAL ENC

*Please delete whichever does not apply

NAME _____

DATE _____

Now Available
at major branches of
WHSMITH

ZX Spectrum

20 Programs £6.95

The ZX Spectrum has brought advanced computing power into your home, The Cambridge Colour Collection, a book of 20 programs, is all you need to make it come alive.

No experience required. Simply enter the programs from the book or load them from tape (£2.95 extra) and run.

Amazing effects. All programs are fully animated using hi-res graphics, colour and sound wherever possible.

Entirely original. None of these programs has ever been published before.

Proven Quality. The author already has 30,000 satisfied purchasers of his book of ZX81 programs.

Hours of entertainment

- **Lunar Landing.** Control the angle of descent and jet thrust to steer the lunar module to a safe landing on the moon's surface.
- **Maze.** Find your way out from the centre of a random maze.
- **Android Nim.** Play the Spectrum at the ancient game of Nim using creatures from outer-space.
- **Biorhythms.** Plot the cycles of your Emotional, Intellectual and Physical activity. Some would say this is not a game at all.

Improve your mind

- **Morse.** A complete morse-code training kit. This program will take a complete beginner to R.A.E. proficiency.
- **Maths.** Adjustable to various levels, this program is an invaluable aid to anyone trying to improve their arithmetic.

Run your life more efficiently

- **Home Accounts.** Keeping track of your finances with this easy-to-use program will enable you to see at a glance where the money goes and plan your spending more effectively.
- **Telephone Address Pad.** Instant access to many pages of information.
- **Calendar.** Displays a 3 month calendar past or future, ideal for planning or tracing past events.

ORDER FORM:

Send Cheque or P.O. with order to:-
Dept. C., Richard Francis Altwasser, 22 Foxhollow, Bar Hill, Cambridge CB3 8EP

Please send me

- Copies Cambridge Colour Collection Book only £6.95 each.
 Copies Cambridge Colour Collection Book & Cassette £9.90 each

Name: _____

Address: _____

ZX81 GAMES

from

J.K. GREYE SOFTWARE LTD

THE NEW GENERATION SOFTWARE HOUSE

"Without question the finest machine code games available today!"..... J.N. ROWLAND Product Manager for W.H. SMITH.

GAMESTAPE 1 for 1K only £3.95
10 Games incl. ASTEROIDS, UFO, CODE, BOMBER, GUILLOTINE, KALEIDOSCOPE, etc.
PROBABLY THE BEST VALUE 1k TAPE AVAILABLE.



We've done in 1k, games which some of our competitors require 16k to do!



GAMESTAPE 2 for 18K only £3.95
***STARFIGHTER** Superb machine code Space Battle. Set against a background of twinkling stars, with stunning explosions - if you can hit the enemy!
PYRAMID Can you move the Pyramid? Make a mistake and it will collapse! A Thinkers game.
ARTIST The ultimate Graphic Designers aid. 8 Directions, 10 Memories, SAVE, COPY, RUBOUT, CLS, etc.

GAMESTAPE 3 for 16K only £4.95

***CATACOMBS** A Multi-Level Graphics Adventure. Each level can contain up to 9 Rooms, 8 Passages, 7 Monsters, Food, Gold, Traps, Phantoms, an Exit (to the next level), and there's an infinite number of levels.
NOTE. . . . This is NOT one of the necessarily limited text Adventures as sold elsewhere.
"An excellent addictive game which will keep you amused for hours." . . . COMPUTER & VIDEO GAMES.



GAMESTAPE 4 for 18K only £4.95
***3D MONSTER MAZE** The Game to Top All Others. Unbelievable Graphics! Can you find your way through the Maze? The EXIT is there somewhere, but then so is a T.REX, and its after YOU! All in 3D (the T.REX will actually run towards you in full perspective!), you've never seen anything like this before!
"3D MONSTER MAZE is the best game I have seen for the ZX81" . . . COMPUTER & VIDEO GAMES

"If I had to choose just one programme to impress an audience with the capabilities of the ZX81, then J.K. Greye's 3D MONSTER MAZE would be the one without doubt" . . . ZX COMPUTING. "Brilliant, brilliant, brilliant!" . . . POPULAR COMPUTING WEEKLY

GAMESTAPE 5 for 16K only £4.95

***3D DEFENDER** The Ultimate Space Game. Super fast Machine Code 3D version of the Arcade favourite. You have to save your home planet from the marauding Alien Spacecraft. This is all in 3D, your viewscreen shows you the view out of your fighters cockpit window. The backdrop moves when you turn, or fly up or down (8 flight directions), just as if you were really flying it! But then YOU ARE! The Enemy Saucers will actually zoom towards you in 3D, and shoot you if you let them! Your display includes Score, Shield Strength, Altitude, Proximity, Forward Radar and your viewscreen, which shows your rotating home planet, backdrop of Stars, Meteors, Explosions, Plasma Blasts, your Photon Beams, up to 4 Enemy Saucers and of course its all in full 3D!



"Another 3D winner" . . . SINCLAIR USER



GAMESTAPE 6 for 1K only £1.95
***BREAKOUT** Super Fast Full Screen Display Game. Your all time favourite with an added twist. See how much Money you can win and watch the pounds convert to Dollars. All in Machine Code for Fast Action with 3 Speeds, 2 Bat Sizes and three angles of rebound! The best BREAKOUT around and at this price you can't go wrong!

"The best of its kind" . . . WHICH MICRO & SOFTWARE REVIEW

GAMES MARKED * INCL. MACHINE CODE.

Prices include VAT and U.K. P. & P.

(Add appropriate Postage on Foreign Orders). Cheques/P.O.s to

J.K. GREYE SOFTWARE LTD

Dept YC 16, Brendan Close, Oldland Common, Bristol BS15 6QE

CREDIT CARD SALES: FOR INSTANT DESPATCH, BY PHONE ONLY
TEL: 01-930-9232 (9 am - 7 pm)

If you prefer to see before buying, our range of **GAMESTAPES** are stocked by the following stores.

BUFFER MICROSHOP 374A Streatham High Rd., London SW16:
GAMER 24 Gloucester Rd., Brighton;
GEORGES 89 Park St., Bristol, Avon;
MICROSTYLE 29 Belvedere, Lansdown Rd., Bath, Avon;
MICROWARE 131 Melton Rd., Leicester;
SCREEN SCENE 144 St. Georges Rd., Cheltenham, Glos;
W.H. SMITH Over 200 Computer Branches;
ZEDXTRA 5 School Lane, Kinson, Bournemouth, Dorset;

TRADE & EXPORT ENQUIRIES WELCOME

South London's Largest
Micro Computer
Centre

VISION STORE

COMMODORE VIC-20



5K £154.95
inc. basic

21K £199.95
inc. basic

Vic Cassette **£44.00** Vic Disk Drive New
Vic Printer **£229.00** Low Price **£299.95**

ATARI 400



16K £189.95
Less Basic

32K £249.95
Less Basic

Basic Cartridge £34.90

Atari 800 16K inc. Basic **£499.00**
Atari 800 48K **£569.00**
Atari 410 Cassette **£49.00**
Atari 810 Disk Drive **£299.00**
Atari 822 Printer **£199.95**

plus every Atari accessory.

EXCLUSIVE:

New for Atari — Percom
Double Density Disk Drive.
174K Per Diskette.
On demonstration now!

Now available*
EMI Submarine Commander.
EMI Jumbo-Jet Lander.
Incredible Games for Atari.
*from November 8

Mail Order — send for our
comprehensive list



Commodore 64
64K Colour Computer
in stock now **£345**

Dragon 32
Now in stock
with range of software

Sinclair ZX81

Now available
£49.95 with free programme.

Over 900 software programmes
always in stock. We carry probably
the widest range with continuous
demonstrations.

Top Cash Prices paid on Second
Hand Equipment or Part Exchange
Welcome.

Instant Credit
Available
subject to status

Access/
Barclaycard



VISION STORE

**3 Eden Walk Precinct,
Kingston-on-Thames, Surrey.
Tel: 01-546 8974**




Tonight on your micro




Meet an Invader up close!

And play Adventure, Chess or any of 26 more programs, plus tips and hints, all in book OVER THE SPECTRUM £6.95.



Is there life after the Alien Overrun?

You'll find out in Clifford Ramshaw's book VIC INNOVATIVE COMPUTING - undoubtedly one of the finest collections of BASIC programs. Only £6.95.



Hop your way through the night!

This is the way to learn SPECTRUM MACHINE LANGUAGE FOR THE ABSOLUTE BEGINNER. Includes entire original FREEWAY game. Great book value at £6.95.



Talk to your Spectrum!

Why is this man smiling? You will too when you read Dr. Logan's book UNDERSTANDING YOUR SPECTRUM. The definitive guide for only £7.95.

Unconditional Guarantee

All Melbourne House cassette software is supplied on high quality cassettes with attractive inserts. Full instructions are provided and the cassettes are unconditionally guaranteed against malfunction.

SPECTRUM

Programs from books now available on cassette. Over 9 programs on each cassette!

Over The Spectrum Cassette 1	£5.95
Over The Spectrum Cassette 2	£5.95
Over The Spectrum Cassette 3	£5.95

Programs From Spectrum Machine Language	£5.95
--	--------------

VIC 20

Programs from books now available on cassette. 7 programs on each cassette!

VIC Innovative Cassette 1	£5.95
VIC Innovative Cassette 2	£5.95
VIC Innovative Cassette 3	£5.95
Prices include V.A.T.	

Orders to: YC12

Melbourne House Publishers
131 Trafalgar Road, Greenwich, London SE10.
Correspondence to: Glebe Cottage, Station Road, Cheddington, Leighton Buzzard, BEDS LU7 7NA.


Please send me
(please add 80p for post and pack)

Name

Address

..... Postcode

MELBOURNE HOUSE PUBLISHERS



**"QS Produce the most
ULTRA-MEGA-AMAZING Games in
the entire known Universe!"**



TIMEGATE

Quicksilva's 1st level two game. The best space/time adventure of 82.

TIMEGATE

High speed graphics combine with electrifying space adventure makes TIMEGATE the game of all games.

Foil the ruling aliens by travelling back through time and blasting out their home planet. Fight 3D space battles on your journey, seeking the time gates that lead to year zero and the salvation of the human race.

Features: 4D, High speed graphics, versatile scanning, status and battle computers, land & take-off from many planets, time-travel, 5 skill levels, score & rating plus free training program.

MORE NEW RELEASES!

THE CHESS PLAYER

Who is he? Dare YOU challenge him? Risk high stakes and pit your wits against the chess game with personality, speech and devastating chess skills. THE CHESS PLAYER costs less, while offering you more skill—boosting enjoyment. Features: 6 skill levels, analysis, copies display and all moves to printer or screen, colour or B & W display, save game at any point, Personality & speech.

SPEAKEASY

Add speech or music to you programs! In response to massive demand, we have released SPEAKEASY for your own use and enjoyment.

Simply record your sound onto a cassette and play it into your Spectrum via load. The signal may then be edited and replayed on command from your Basic or M/c program. NO EXTRA HARDWARE REQUIRED!

**Edward de Bono's Classic
L-GAME**

Simple rules and complex strategies make the L-GAME an essential for everyone. Also includes outstanding and compulsive versions of Mastermind & Pontoon. As featured on T.V. in Edward de Bono's Thinking Course. L-GAME REACHES THE BITS OTHER GAMES DON'T TOUCH!



SPACE INTRUDERS

Features 4 alien types, random saucer points, 2nd attack wave mutant, exploding aliens, bonus base 50,000 points, left-right & fire, sound effects and colour.

METEOR STORM

3 meteor types, 2 saucers, full screen wrap-around, bonus ship every 10,000 points, amazing explosions, left-right-thrust-fire & hyperspace, sound effects and speech.

**WHAT THEY SAY ABOUT
OUR ZX81 GAMES:**

- QS SCRAMBLE**— "...amazing, fantastic!..." [P.C.W.]
- QS INVADERS**— "...just like the real thing!..." [C & V.G.]
- QS ASTEROIDS**— "...very good." "...addictive game..." [C & V.G.]
- QS DEFENDER**— "...Better than any other arcade game I've seen..." [Sync]
- "...nicest games I've played on the ZX81. All the tapes were impressively packaged..." [Which Micro & S.R.]

**COME AND SEE OUR AMAZING RANGE AT:
THE NORTHERN COMPUTER FAIR (25th - 27th Nov)
THE NEXT ZX MICROFAIR (Mid December)**

ZX - 81 GAMES

- Scramble m/c 16k £3.95
- Invaders m/c 16k £3.95
- Asteroids m/c 16k £3.95
- Defenders m/c 16k £3.95

SPECTRUM GAMES

- Speakeasy m/c 48k £4.95
- Timegate m/c 48k £6.95 *
- The Chess Player m/c 48k £6.95
- Space Intruders m/c 16k £4.95 *
- Meteor Storm m/c 16k £4.95 *
- L-Game Basic 16k £3.95

Please send me the games as ticked.

Total cheque/P.O. enclosed

Name

Address


.....

.....

***THESE GAMES INCLUDE SPECIAL SEASONAL DISCOUNTS, ORDER NOW AND GET FREE KEYBOARD OVERLAY!**

Send order to: **QUICKSILVA, DEPT SPE, 92 NORTHAM ROAD, SOUTHAMPTON, SO8 0PE**

ZX81 Workstation...



... is a stylish and ergonomic plinth for the ZX81. It raises and tilts the TV to avoid eyestrain, holds the 16K RAM in place and hides the wiring and power supply. This very professional unit costs £15, a built-in power switch is £3, plus postage at £2.00, inc. VAT.

Peter Furlong Products, Unit 5, South Coast Road Industrial Estate, Peavehaven, Sussex BN9 8NA.
Telephone 07914-81637 for C.O.D. and Credit Card Sales.

AND NOW!

Spectrum workstation



Following the success of our ZX81 plinth we have introduced a workstation for the Spectrum. This stylish ABS plinth raises and tilts the TV for better viewing whilst angling the Spectrum and making typing easier. The PSU is hidden underneath, the printer and cassette may still be used, and a matching, stackable unit for Microdrives will be available.

Peter Furlong Products, Unit 5, South Coast Road Industrial Estate, Peavehaven, Sussex BN9 8NA. Tel. (07914) 81637.

VIC 20 ACCESSORIES

FUN WITH SPEECH?

WOW! only

£49.95

"CHATTERBOX"

(including integral software enhancement)

- * allows you an infinite vocabulary
- * important educational tool at home
- * improves your games dramatically!
- * free beginners documentation
- * quality designed plug in cartridge
- * serious uses and fun for the family
- * uses sophisticated hardware but is very easy to use eg: HH1/EH/EL/OW/-HE-LL-O!

HIGH SPEED MICRO SYSTEM

- * integral operating system
 - * uses micro cassettes
 - * 64K/side
 - * to store loads of games and files and running 20 x faster than audio tapes
 - * floppy disks £££!
- We offer the ½ price alternative you will need for storage. No waiting or hassles, easy to use.

£129.99

MEMORY

- 16K DRAM **£39.00**
- 8K STATIC RAM **£35.80**
- 3K STATIC RAM **£22.55**

plug in cartridges for using those 16K quality games you have heard about.

== COMPARE PRICES ==

SOFTWARE

The highly acclaimed range of MR. MICRO software available from us on micro cassette.

DON'T HANG AROUND!
Phone, write or order NOW

CURRAH

COMPUTOR COMPONENTS,
GRAYTHORP IND. EST.,
HARTLEPOOL,
CLEVELAND. TS25 2DF
(0429) 72996

MOTHERBOARD

3 SLOT expansion
at this price you must buy one with
all the exciting cartridge units available.

£26.00

*Professionally engineered
and presented
products
for your*

VIC 20

See next page

See us on STAND 108
at the Northern Fair

Prices excluding VAT

PRESENTING
THE NEW...

KEMPSTON (Micro) ELECTRONICS ZX SPECTRUM HARDWARE

We are proud to announce that we have developed for the ZX SPECTRUM a new 24 line programmable peripheral Interface using MOS technology with the following features:—

- 3 x 8 bit ports
- Port mapped, using IN and OUT commands
- I/O via 16 pin DIL sockets
- I/O also via 28 way edge connector
- Can be used in BASIC or Machine Code

The port is available fully built with a detailed set of instructions and control applications. The port can either be used with out motherboard, thus allowing a further card to be used, or with a stackable connector. Either way, it means that Micro-Drives, Printers, etc., can still be used with the port.

Please note that this is DEFINITELY NOT a ZX81 MODIFICATION but an exclusive design for the new ZX Spectrum.

ZX Spectrum PPI port.....£16.50

ZX 2 slot Motherboard.....£16.95

ZX Stackable connector.....£ 5.50

All prices inclusive of VAT, but postage must be added at 70 pence for a single item, 100 pence for 2 or more items. Available by mail order only. Cheques, P.O.'s made payable to:

KEMPSTON (Micro) Electronics

60 Adamson Court, Hillgrounds Road, Kempston, Bedford MK42 8OZ.

Please allow 21 days for delivery. S.A.E. in all correspondence.



Your name _____
Your address _____

Date _____

Quantity	Description	Unit price	Amount
	ZX Spectrum PPI Port	£16.50	
	2 Slot Motherboard	£16.95	
	Stackable Connector	£5.50	

Postage _____
Total _____

YC12

IMPORTANT ANNOUNCEMENTS



- + VIC TINY BASIC COMPILER-Produces true 6502 code. Subset of BASIC supports all floating point operations. Compiler listing optional if you have memory(8K exp.) Req 3K/8K expander £15.95
- + VIC JOYSTICK DRAWING- Paintbrush for VIC MULTICOLOUR mode pictures. Requires 3k/8K expander and a joystick £ 9.95
- + GRAPHVICS - super graphics package adds 18 commands to VIC BASIC. Plot 152x160 points.Hires & multicolour modes on same screen! Text & graphics screens,Save/load pictures to/from tape. Req 3K/8K expander.Sample programs & user's manual £17.95
- + VIC VIGIL- Interactive Games Language- Program your own or play the 9 games included. With 60+ powerful commands.Easy to learn,has colour & sound Req 3K/8K expander. Complete with users manual £25.00
- + VIC PIPER THE MUSIC MACHINE- Simplest way to compose conduct & play music. Complete control of notes, volume, repeats,tempo. Sample compositions & users manual £15.95



MR MICRO APPOINTED SPECTRUM DEALER.

We are proud to announce that in addition to our existing range of quality software MR MICRO now offer the full range of products detailed in the SPECTRUM COMPUTER GROUP'S advertisements (in this issue). Our new retail shop will be open NOVEMBER 1982. We look forward to seeing you there.

The above are just a selection from our new catalogue of VIC 20 software -Send a large sae for your copy.

- + 24HR. TELEPHONE ORDERING SERVICE. with ACCESS or VISA. Ring 061-728-2282 or send a cheque or postal order. All prices include VAT & postage.


NEW DEAL FOR SOFTWARE AUTHORS.

MR MICRO are now accepting submissions for any colour computer. Our deal can mean ten to one hundred times the earning potential that you would get elsewhere! PLUS we offer additional benefits such as equipment loans, discounts, special commissions, advice, protection and important access to U.K. and WORLDWIDE MARKETS. Send us your work today for an immediate reply. Your hard efforts deserve to be well rewarded.

spectrum MR MICRO



LTD.



MR MICRO LTD., 69 PARTINGTON LANE, SWINTON, GTR. MANCHESTER M27 3AL.

Push your Sinclair to the limit

ZX81/SPECTRUM ARCADE GAMES

NEW **ZX INVASION FORCE**
(ZX81)
Use your skill to fire through the energy band to destroy the menacing alien ship — **£3.95**

NEW **SPEC GALAXIANS**
SPEC INVADERS
SPEC GOBBLEMAN
These three exciting high-speed classic games incorporate hi-resolution graphics and sound to bring you the best in arcade action at only **£4.95** each (16/48K)

NEW **SPEC FROG 5/SHOWDOWN**
(16/48K)
Hop across the dangerous road avoiding the lethal cars, then lorries. Go back to the wild west for a gunfight battle amongst cacti and wagons. Features include western music. **£4.95**

NEW **NAMTIR RAIDERS** (ZX81)
High speed, quick action arcade game with four separate groups of attackers. **£3.95**

Galaxians and Gobbleman also available for ZX81 at **£3.95** each.

UTILITIES

NEW **TOOLKIT**
Nine powerful new functions for your ZX81 (including re-number lines (goto, gosub), program merge, string finding and replacement). **£5.95**

SPEC BUG
A 30 in 1 machine code tool and disassembler for your ZX Spectrum. **£6.95**

ZX BUG
A 30 in 1 machine code tool and disassembler for your ZX81. **£6.95**

Improve your machine code programs with this new 48K Spectrum Assembler

Just released by Artic, this new professional quality assembler is also available for 16K ZX81 and features:—

- * Word-processor-like text editor. * High-speed, versatile two-pass mnemonic assembler with labels and detailed error-trapping. Will assemble to any address.
- * Essential support facilities such as memory-edit, register inspect/modify and search for de-bugging. * Full output to ZX-printer. * Memory-status report and comprehensive user-manual.

**ONLY
£9.95**

ADVENTURE GAMES

JUST RELEASED for 48K SPECTRUM
Still available for ZX81

INCA CURSE
(Adventure B)
In a jungle clearing you come across an ancient Inca temple. Your mission to enter, collect the treasure and escape alive. But beware!
Includes a cassette save routine. **£6.00**

SHIP OF DOOM (Adventure C)
You are unavoidably drawn to an alien cruiser. Can you reach the control room and free yourself? Or will they get you first? Includes a cassette save routine. **£7.00**

ESPIONAGE ISLAND (Adventure D)
While on a reconnaissance mission your plane loses control and you are forced to land. Can you survive and escape with the island's hidden secret? **£8.00**

PLANET OF DEATH (Adventure A)
You find yourself stranded on an inhabited alien planet. Can you reach your ship and escape? **£5.00**

REDUCED TO £29.95 **ZX FORTH**
Supplied on cassette with editor cassette, user manuals and keyboard overlay. ZX Forth combines the simplicity of basic with the speed of machine code

THE ULTIMATE ADVENTURE FOR THE SPECTRUM/ZX81 for only £9.95


AND THE CHANCE TO WIN £10,000 or more IF YOU



Your eccentric father has left you £10,000 in his will. In order to claim your windfall you must solve twelve clues and gain access to a bank account in which the money has actually been deposited. Be the first to crack the puzzle and the prize is yours! Plus you will win two tickets to the city of the secret KRAKIT™ vault location. The prize money is increased weekly. A telephone number will be supplied so you have the opportunity to find out just how much you could win.

DON'T MISS YOUR CHANCE TO WIN A FORTUNE!

A GREAT CHESS GAME FOR YOUR ZX81 OR SPECTRUM



ZX CHESS I
Very popular machine code program, with six levels of play and an analysis option. Available for ZX81. **£6.50**

ZX CHESS II
A new improved version, with a faster response time, seven levels of play, analysis option and in addition a recommended move option. **£9.95**

ZX 1K CHESS
An incredible game in 1K for only **£2.95**


SPECTRUM CHESS now only **£9.45**

NEW **SPECTRUM VOICE CHESS**
This incredible program talks you through your game. It tells you its move, recommends a move, and contains a range of facetious comments. The game is based on the highly successful ZX Chess II and is offered at the Christmas offer price of **£9.95**.

*SPECTRUM CHESS 48K

ALWAYS AHEAD WITH ZX81/SPECTRUM SOFTWARE

Cheques & P.O. made payable to: Artic Computing Limited. Dealer enquiries welcome. Please state whether your order is for ZX81 or Spectrum. Send S.A.E. (6in x 9in) for catalogue.



ARTIC COMPUTING LTD.

**396 JAMES RECKITT AVENUE,
HULL, N. HUMBERSIDE,**

To: Artic Computing Ltd., 396 James Reckitt Avenue, Hull, N. Humberside, HU8 0JA.

Please supply
.....
.....
Cheque for total amount enclosed
Name
Address

YC 12



WHAT PEOPLE ARE SAYING ABOUT OUR . . . BBC MICRO GAMES


"... I bought all your tapes to date for the BBC Micro and I think they are just super, especially STAR TREK, and the sound effects in CANDY FLOSS really made me sit up! Well done and keep them coming!"
J. S., Paisley

"... I was very impressed, not only with the cassette, but also at the speed at which it came!"
— R.L., Cheshire

"... I must congratulate you on your MUTANT INVASION cassette. I have had it for two weeks now and it is really superb. Incidentally, I have beaten your high score of 4,500 — mine is 7,580!"
— S.L., Berks

AND NOW LOOK AT OUR LATEST CASSETTES!

CASSETTE EIGHT Model A Invaders



Actual screen photo


Cassette Eight contains Model A Invaders. A superb full feature machine code teletext colour graphics version of the popular 'Space Invaders' arcade game for the Model A BBC Micro. Choice of Invader and Missile speeds. FAST, SMOOTH AND GREAT FUN!

Only £4.95 inc.

Cassette Nine contains Model B Invaders. A superb full feature adaptation of the arcade 'Space Invaders' game in machine code and high resolution colour graphics, for the Model B BBC Micro. Choice of Invader and Missile speeds. QUITE SIMPLY THE BEST.

Only £6.95 inc.

CASSETTE NINE Model B Invaders



Actual screen photo

NOT FORGETTING THE REST OF OUR FANTASTIC RANGE

FOR MODELS A AND B

- Cassette One: STAR TREK (8x8 Galaxy, Klingons, Phasers etc) and CANDY FLOSS, the tremendous new game everyone is talking about! Only £5.95 inc.
- Cassette Two: HANGMAN, KRYPTOGRAM, DICE, BEETLE, GRAND NATIONAL and MUSIC. Only £3.95 inc.
- Cassette Three: MUTANT INVADERS (arcade game). Can you destroy the Mutants before they destroy you with their radioactivity. Only £5.95 inc.
- Cassette Four: BREAKOUT (arcade game). Superb version, 6 skill levels, 1 or 2 players. Only £3.95 inc.

FOR MODEL B ONLY

- Cassette Five: BEEBMUNCH (arcade game). Our version of the 'Pacman' game. Tremendous version containing multi-ghosts, tempting fruits, superpoints, screams etc. Only £5.95 inc.
- Cassette Six: SUPER HANGMAN. The special feature is the high-resolution animated man. Marvel at the detail of his clothing and witness his impatience! Contains many categories. Only £3.95 incl.
- Cassette Seven: 3D MAZE. Battle against the clock to escape from the maze, with the computer showing your view in 3-D each step you take! Only £3.95 inc.

ALL CASSETTES AVAILABLE NOW FROM:

(All our software is available before we advertise)

I. J. K. Software

55 Fitzroy Road, Bispham, Blackpool, Lancs

ELKAN ELECTRONICS

Make the most of your pocket computer

- new books.....for DRAGON 32
- 101 program tips & tricks.....£6.95
- 55 programs home/school/office.....£6.95
- color computer graphics.....£7.95
- Add 50p per book post & packing (max. £1.50)
- new software.....for SHARP PC1500
- World Exclusive! NEW Business Programs from GEMINI.....Silicon Notebook £19.95
- Executive Suite (6 programs).....£29.95
- New Idea.....Ideal Gift

At last - no more tape-loading problems!
SHARP PC152 cassette tape recorder
purpose built for computers only £39.93

Send cash, cheque, Access or Visa Card No. Ask for our New FREE pocket brochure. Trade enquiries welcome anytime.

ELKAN ELECTRONICS (Dept. YC)

FREEPOST, 28 Bury New Road, Prestwich, Manchester M25 6LZ or telephone 061-798-7613 (24 hr. service). See full list on Prestel 258-2022.

We specialise in pockets!

OAKLEAF COMPUTERS LTD

Education Hobbyist & Small Business Computers

BBC

Model B Computer

£399.00 + £7.50 carr.

Dragon 32

£199.00 + £7.50 carr.

Acorn Atom & BBC Twin User
Joystick Interfaces £13.95

(Please state Model)

Oaktree Computer Workstation

£17.50 + £7.50 carr.

BBC & DRAGON SOFTWARE

Please send
your remittance
to:

121 DUDLEY ROAD, GRANTHAM, Lincs NG31 9AD
Tel: (0476) 76994



ACORN SPECIALISTS

S.A.E. FOR BOOKLIST

ALL
IN
STOCK

All prices include VAT

PRO SOFTWARE

BBC MICRO (A&B)

* NEW * SPACE ADVENTURE (Mode 1) Machine Code - Model B only £8
Our best selling game for the Atom now re-written and enhanced for the BBC. Intriguing mixture of Space Invaders, Maze and Adventure.

MIDDLE KINGDOM (Mode 7) Basic & Machine Code. £8
Original real time adventure with over 300 rooms to find and explore. Fight (or avoid!) the many different monsters and retrieve the lost treasures of Hylem. Many different scenarios and characters.

SPACE INVADERS (Mode 5) Machine Code. £8
Fast action, full-feature version of this popular game. Outstanding high resolution colour graphics plus sound.

REVERSI and GOMOKO (Mode 5) Machine Code. £8
Response time under one second for the first 3 levels. Many features, graphic board, problem solving, etc. Both games are very absorbing and challenging.

GAMES TAPE I (Mode 5) Machine Code. £8
Moving Wall Breakout, Snake and Hunt are fast moving addictive games, very colourful. Three quality games for the price of one.

MICRO MAN (Mode 2) Machine Code - Model B only - Fast moving, excellent colour graphics with sound. £8

* NEW * Now available. Word Processor package only £19.95
Written in machine code for speed and versatility. Easy to use with full on-screen editing and justification (more useful and powerful than a text editor), insert, delete, move, copy, variable tab setting, margins plus many more features. Complete with instruction manual. Large SAE for further details.

All programs supplied on quality C-15 cassettes. All prices are inclusive, no extras. Buy any two cassettes and deduct £1 from total. SAE for catalogue.

ATOM software also available. Space Adventure Invaders, Air Strike Only £6 each. SAE for details of our full range.

PRO SOFTWARE BBC

1 2 1 T Y N - Y - T W R

B A G L A N

P O R T T A L B O T


W E S T G L A M O R G A N

S A 1 2 8 Y E

MAIL ORDER ONLY

Extend your ZX81 System: Add Memory that won't Forget!

- ✓ ADD YOUR OWN SYSTEM UTILITIES
- ✓ BUILD UP A LIBRARY OF MACHINE LANGUAGE SUBROUTINES
- ✓ UP TO 8K NONVOLATILE RAM
- ✓ USE HM6116P CMOS RAM OR 2716/2732 EPROM
- ✓ COMPATIBLE WITH 16K RAM PACKS



£19.95
INCL. VAT

INTRODUCTION

This memory board is designed to fill the transparent 8K block of memory (from 8 to 16K) in a ZX81-16K system. This area of memory is an ideal place to store, either permanently or temporarily, machine language routines or data which are to be used by the BASIC system. Such routines could be, for example:

- fast graphics routines
- custom mathematical or statistical functions
- Sinclair code/ASCII conversion tables
- octal/decimal/hex conversion routines
- interrupt servicing routines
- I/O servicing routines for control applications
- a disc operating (DOS) or other development system
- speech synthesis routines
- additional BASIC commands
- EPROM programming and verify routines

A sample rapid display routine and procedures for storing utilities on tape are included with the kit.

The use of HM6116P 2K CMOS RAM memory IC's with their own reserve power supply means that routines stored in the RAM are nonvolatile — the RAM retains its memory even when the ZX81 is switched off or reset. Moreover, being RAM, the routines you store in the memory are easily modified. The lithium cell supplied with the board will maintain sufficient reserve power for about ten months for 2K or for about two months for a fully populated board. A connector is made available for an alternative external supply.

With this board it's no longer necessary to place your machine language routines in REM statements, in string variables, or beyond RAMTOP. You can build up a resident library of machine utilities for use by your BASIC system.

Once your system utilities and other machine language routines are established you can, if you wish, replace the 6116P CMOS RAM's with 2716 or 2732 EPROM's.

OTHER OPTIONS

The board can be jumper programmed to occupy any one of the four 8K blocks of memory in the first 32K. You can, for example, modify the SINCLAIR operating system. Alternatively the board can be used as system/user RAM.

ASSEMBLY

Complete step-by-step instructions in a 16 page manual make assembly of the board easy. Construction takes between one and two hours. The kit (pictured above) is complete with a silkscreened solder-masked printed circuit board, all capacitors, resistors, transistors, sockets, connectors, integrated circuits, and the lithium cell. The board is supplied with one 2K CMOS 6116P-3 RAM — it will accommodate three more for a total of 8K.

HUNTER ELECTRONICS,
KENWAY, RAYMONDS HILL, AXMINSTER, DEVON
Send check or money order for £19.95 plus £1.95 shipping and handling to the address below. The printed circuit board with the instruction manual is available separately for £10.00 post paid.

HUNTER ELECTRONICS, P.O. BOX 5, AXMINSTER, DEVON EX13 5AS

Christmas Space action with . . .

SPECTRUM STORM-FIGHTERS


. . . explosive machine code space action

They come from deepest space. An alien fleet whose skill is matched only by its ruthlessness. They hide and manoeuvre in the cover of asteroid clouds . . . showers of cosmic rubble that spell death on collision to the commander of the lone space ship that protects Earth. You are that commander. In one of the toughest challenges the Sinclair Spectrum can offer your mission is to destroy the aliens and avoid the asteroids before they destroy you. Your weapon is a twin firing laser canon. Double bolts of pure energy that mean instant annihilation to on-target aliens. Its responsive. Its fast. But only as fast as you are. Put yourself at the controls. On the thrilling edge of adventure . . . the STORM-FIGHTERS await you. All machine code action . . . full colour graphics . . . full sound sync . . . progressive difficulty . . . comprehensive scoring . . . high value mother-ship . . . runs automatically on both 16K and 48K models:

Available on quality cassette atom £4.95
(post free in U.K.) from

John Prince
29 Brook Avenue, Levenshulme,
Manchester, M19 3DQ

JOYSTICKS



ZX Spectrum / ZX81

FOR ONE JOYSTICK AND
INTERFACE MODULE

BUILT, TESTED & READY FOR USE

- ★ NO SOLDERING, plugs into rear expansion port between ZX and Ram Pack, Printer or Microdrives.
- ★ TWO JOYSTICKS connect via one interface module.
- ★ NO SPECIAL PROGRAMMING, Joystick 1 operates as keys 5 to 8 through inkey instruction.
- ★ IMMEDIATELY COMPATIBLE WITH ALL CURRENT SOFTWARE using arrow keys for movement.
- ★ INTEGRAL 'FIRE' BUTTON
FREE 'Video Graffiti' listing + full instructions.

Send ADDRESS and CWO to:
A.G.F. HARDWARE, West YC.,
26 Van Gogh Place, Bognor Regis, West Sussex PO22 9BY

QTY	ITEM	ITEM PRICE	TOTAL
	JOYSTICK	6.99	
	INTERFACE MODULE	15.96	
ZX Spectrum <input type="checkbox"/> ZX81 <input type="checkbox"/> Please tick		FINAL TOTAL	

NEW

SPECTRUM GAMES

16K programmeston cassette

AIRPORT This could be a nightmare! As a member of the airport groundstaff your task is to assist in the successful landing of an aircraft but beware, there are many obstacles in your path!

ALIEN Search for the alien hiding in the maze of air ducts on the spacecraft. Your only weapon is a flamethrower, so progress carefully as success relies on your skill and judgement.

CRABS Collect points as you proceed through the maze - but beware, the crabs will be hunting you.

Full animated instructions included with each game

ON ONE CASSETTE FOR ONLY £4.95**GRAPHICS TOOLKIT** 22 exciting MACHINE CODE routines that give you control over your screen as never before! (ZX81 - 16K RAM ONLY)

Draw/Undraw	Print position controls	Scroll Facilities	Onscreen/Offscreen
Foreground On/Off	- UP, DOWN, LEFT, RIGHT	- UPSCROLL, DOWNSCROLL, RIGHTSCROLL, LEFTSCROLL.	Background On/Off
Border/Unborder	RIGHT	Search and replace	
Fill screen	Editprint - moves next edit line.		
Reverse screen	PRINT position to first edit line.		

All these routines are in machine code for SUPER-FAST response! GRAPHICS TOOLKIT uses only 2K of your RAM and that includes space to load the programmer's TOOLKIT described below.

ALL FOR ONLY £5.95 (\$11.90)**PROGRAMMERS TOOLKIT**

Renumber - including GOTO's and GOSUB's	Hyper graphics mode	All these routines are written in machine code
Search and list	Fillscreen	
Search and replace	Reverse screen	
	Tape wait	
	Free space	

FOR 16K ZX81 ONLY £4.95 (\$9.90)**ZX81 GAMES CASSETTES FOR 16K**

Lost Island - An adventure program	ONLY £4.95 (\$9.90)
Games Tape II - 3 fast action machine code games (City Bomb, 3D Battle, Gridball)	ONLY £4.95 (\$9.90)
Battleships - You verses the computer!	ONLY £4.95 (\$9.90)

SPECIAL CHRISTMAS OFFER - ALL THREE FOR ONLY £11.95 (\$23.90)

NEW

an essential addition to your 16K or 48K Spectrum

PROGRAMMERS TOOLKIT

Provides the following additional facilities:-
Renumber - inc. GOTO'S, GOSUB'S, RUN'S, LIST'S, LLIST'S AND RESTORE'S.
Search and List, Search and Replace, Free Space, Shrink - removes REM statements,
Delete - removes blocks of lines by single command.
 This program is completely menu driven with prompts and performs full error checking.

FOR 16K OR 48K SPECTRUM - ONLY £5.95

AVAILABLE SHORTLY

GRAPHICS TOOLKIT for your 16K or 48K Spectrum
 This will include:- Search and Replace Multiple Scroll Routines
 Attributes Reverse Square/Rectangle Draw PLUS MUCH MUCH MORE!!

FOR 16K OR 48K SPECTRUM - PRICE TO BE ANNOUNCED

NEW

ECONO TECH 16K RAM PACK

We believe the Econo Tech is the lowest priced 16K RAM available.

No frills - just a reliable and economical way to expand your ZX81.

ONLY £20.95 (\$39.95)

With advances in microtechnology we are now able to offer the **64K RAM PACK** ZX81, yet having external dimensions no larger than the 16K RAM.

ONLY £62.95 (\$119.95)**16K RAM PACK**

Quite simply the best available plus FREE 'Alien Attack' (7K M/code) on cassette - value £5.75 (\$11.00)

Compatible with printer
 No wobble problems
 Gold plated edge connector for perfect contact with your ZX81

Fully built, tested and guaranteed.
 Uses existing power supply (Min. 600 m.a.)


Normally despatched within 10 days of receipt of your order.

**ONLY £26.50 (\$49.95)**

OVERSEAS CUSTOMERS PLEASE NOTE: ALL PRICES ARE FULLY INCLUSIVE OF POST AND PACKING. ALL PRICES ARE APPLICABLE FOR EXPORT, INCLUDING AIRMAIL POSTAGE. PAYMENT MAY BE MADE IN STERLING (MONEY ORDER AVAILABLE AT YOUR BANK) OR YOUR OWN U.S. CHEQUE, MADE PAYABLE TO JRS SOFTWARE. DESPATCH NORMALLY 7 DAYS FROM RECEIPT OF YOUR ORDER.

JRS SOFTWARE

19 WAYSIDE AVENUE, WORTHING, SUSSEX. BN13 3JU Telephone: (0903) 65691

PRINT OUT

"Life would be so much easier with an Amber 2400 Matrix Printer....."


AMBER 2400 MATRIX PRINTER

LOW RUNNING COST USING PLAIN PAPER
 FITS BBC, DRAGON, SPECTRUM, ATOM, TRS 80, UK101, VIC-20 AND MOST OTHERS

£69.95

excluding VAT
 SEND LARGE STAMPED ADDRESSED ENVELOPE FOR DETAILS TO:

AMBER CONTROLS LIMITED
 Central Way
 Walworth Industrial Est.
 Andover
 Hampshire SP10 5AL



THE PROFESSIONAL ZX81 KEYBOARD

- All-you-need Keyboard Kit £28.95.
- Case only £15.00.

All prices inclusive of VAT, postage and packing.
Please allow 21 days for delivery.

- Plug in – no desoldering.
- Space bar linked to space key.
- Full travel keys. Six spare keys for your own use.
- Case available to hold keyboard and ZX 81 microcard.
- 16K RAM pack clamp supplied with case to eliminate white outs!!



DE COMPUTER KEYBOARDS DIV.
DEAN ELECTRONICS LIMITED
Glendale Park Fernbank Road Ascot Berkshire England
Dial-a-leaflet 03447 5661 Telex 849242

MAZE DRAG RACE

DRIVE THROUGH A GIANT MAZE 9 TIMES THE SIZE OF THE SCREEN PICKING UP POINTS AS YOU GO - BUT WATCH OUT FOR THE OTHER CARS, ROCKS, OIL AND ICE. A REALLY SUPERB M/C GAME...£3.95

KRAZY KONG

ALL MACHINE CODE VERSION OF THE POPULAR ARCADE GAME. THIS PROGRAM HAS ALL THE FEATURES OF THE ORIGINAL AND IS EVERY BIT AS FAST.....£3.95



** NOW YOU CAN WRITE INSTANT MACHINE CODE WITH -

MCODER

THE FIRST REAL COMPILER FOR THE ZX81. THIS SUPERB PROGRAM WILL INSTANTLY TRANSLATE BASIC PROGRAMS INTO SUPER-FAST MACHINE CODE.

MCODER OCCUPIES JUST OVER 2K AND ONCE ENTERED ALL YOU DO IS WRITE (OR LOAD) BASIC PROGRAMS, RUN AND DE-BUG THEM, THEN A SINGLE COMMAND WILL BRING MCODER INTO ACTION.

PRESS A KEY AND WATCH AS YOUR BASIC IS REPLACED WITH MACHINE CODE WHICH IS AUTOMATICALLY STORED IN A REM STATEMENT.

MCODER FAR OUTPERFORMS ANYTHING ELSE ON THE MARKET. WE GUARANTEE THIS PROGRAM WILL AMAZE YOU !

BUY MCODER NOW AND YOU'LL NEVER WRITE BASIC AGAIN -
.....£7.95



** IMPORTANT - ALL THESE PRODUCTS ARE FOR 16K ZX81 **

QSAVE

QSAVE IS AN EXCITING PACKAGE WHICH GIVES NEW LIFE TO YOUR ZX81. QUITE SIMPLY YOU CAN SAY GOODBYE TO THOSE WASTED HOURS SPENT LOADING AND SAVING PROGRAMS -

QSAVE LOADS & SAVES 16K IN ONLY 29 SECONDS!

HOW? - BY A COMBINATION OF SOPHISTICATED SOFTWARE AND AN AMPLIFIER / FILTER UNIT WHICH PLUGS IN BETWEEN YOUR CASSETTE RECORDER AND THE ZX81.

FEATURES INCLUDE:

- * A VERIFY FEATURE SIMILAR TO THE SPECTRUM WHICH ALLOWS YOU TO CHECK THAT PROGRAMS HAVE SAVED PROPERLY BEFORE UNPLUGGING.
- * ABILITY TO TRANSLATE EXISTING PROGRAMS IN MINUTES - NO RETYPING NECESSARY.
- * HANDLES BOTH M/C AND BASIC PROGRAMS.

THIS REMARKABLE PRODUCT WHOSE USE IS SUPPORTED BY MANY TESTIMONIALS COMES COMPLETE & READY TO USE AND COSTS JUST £15.95 INCL.

** 64K VERSION NOW AVAILABLE - £17.95 **

SP4

FOUR SUPERB SPACE GAMES IN ONE PACKAGE INCLUDES TAILGUNNER, ALIEN, STAR TREK AND SPACE DEFENDER. SUPERB VALUE AT ONLY.....£4.95

GHOST

GOBBLE YOUR WAY THROUGH A MAZE - GHOSTS, POWER FILLS ETC ETC. VERY FAST...£3.95



BBC MICRO INSTANT MACHINE CODE!

Yes, it's true. Instant machine code from a good subset of BBC BASIC. Type your BASIC program into your model B BBC Micro, trigger the compiler, and your program is changed almost instantaneously into superfast machine code. For £34.95 you get: Cassette version of the complete compiler (along with a version of the compiler for use with discs, ready for when you upgrade, the disc version being dubbed on the cassette after the cassette version); complete compiler listing; extensive documentation and instructions. The compiler was written by Jeremy Ruston.

THE BBC MICRO REVEALED

By Jeremy Ruston

...destined to become the bible of all BBC microcomputer users. . . (Personal Computing Today). If you've mastered the manual, then this book is for you. Just £7.95

LET YOUR BBC MICRO TEACH YOU TO PROGRAM

By Tim Hartnell

...takes you further into the cloudy areas of the BBC machine than anything else I've yet seen. . . (Computer and Video Games). If you're just starting out in the world of programming, then this book is the one for you. Forty complete programs, including Othello/Reversi, Piano and a host of dramatic graphic demos. Just £6.45

Interface, Dept. YC

44-46 Earls Court Road, London W8 6EJ

Please send me:


- INSTANT BBC MACHINE CODE—tape and book—£34.95
 THE BBC MICRO REVEALED—Ruston—£7.95
 LET YOUR BBC MICRO TEACH YOU TO PROGRAM—Hartnell—£6.45

I enclose £

Name

Address

SPECTRUM



Make the most of your Spectrum, with these acclaimed books from the experts!

PROGRAMMING YOUR ZX SPECTRUM

Tim Hartnell and Dilwyn Jones

More than 100 routines and programs, 230 pages, and value for every Spectrum user. Learn how to make the most of user-defined graphics (with a Pacman-like program, DOTMAN), sound, colour, and such commands as ATTR, SCREEN\$ and BRIGHT. From the co-ordinator of the National ZX Users' Club, Tim Hartnell. Just £6.95.

THE SPECTRUM SOFTWARE LIBRARY

60 GAMES AND APPLICATIONS FOR THE ZX SPECTRUM!

By David Harwood

Arcade games, intelligent board games, brain games and utility programs. They're all here in this massive collection of 60 tested programs for the Spectrum, compiled by Interface columnist David Harwood. Just £4.95.

Interface,
Dept. YC
44-46 Earls Court Road, London, W8 6EJ

Please send me:

- PROGRAMMING YOUR ZX SPECTRUM—£6.95
 THE SPECTRUM SOFTWARE LIBRARY—£4.95
 A sample issue of INTERFACE, the monthly magazine published by the National ZX Users' Club—£1.00

I enclose £

Name

Address

EDUCATIONAL SOFTWARE ZX81 (16K) AND SPECTRUM (48K)

INTERMEDIATE MATHS 1: 6 teach and test programs. Long Multiplication, Long Division, Highest Common Factor, Lowest Common Multiple, Fractions 1 (+ & -), Fractions 2 (X & -).

INTERMEDIATE MATHS 2: 6 teach and test programs. Areas, Perimeters, Simple Equations, Percentages, Sets, Venn Diagrams.

INTERMEDIATE ENGLISH 1: Meanings 1, Meanings 2 (harder), Parts of Speech, Proverbs, Similes, Anagrams.

INTERMEDIATE ENGLISH 2: Idioms, Opposites 1, Opposites 2 (harder), Group Terms, Odd Word Out, Spellings.

• **"O" LEVEL FRENCH REVISION:** 3 teach and test Grammar programs, plus 3 comprehensive Vocabulary programs.

• **"O" LEVEL MATHS REVISION:** 1 teach and test program, plus 2 programs using generated questions from the "O" level syllabus.

• **ARITHMETIC FOR THE UNDER 8s:** Add, Subtract, Multiply and Divide. Numbers are in large size type. 3 levels. Entry of answers with units first.

• **EDUCATIONAL QUIZ:** 4 programs for the family. Questions on General Knowledge, Reasoning, English and Maths. All questions use RND function.

*CASSETTES marked * are not yet available for the Spectrum. £4.50 per cassette, or send sae for catalogue to:*

ROSE CASSETTES
148 Widney Lane, Solihull,
West Midlands LB91 3LH

Our software has received good reviews in "Your Computer", "Educational Computing" and "Sinclair User" and is included in the MUSE Library of educational software.

BRITAIN'S LARGEST SINGLE
MICRO USER GROUP

BEEBUG FOR THE BBC MICRO

INDEPENDENT NATIONAL USER
GROUP FOR THE BBC MICRO

IF YOU OWN A BBC MACHINE, OR HAVE ORDERED ONE, OR ARE JUST THINKING ABOUT GETTING ONE, THEN YOU NEED BEEBUG. BEEBUG runs a regular magazine devoted exclusively to the BBC Micro (10 issues per year). Now 36 pages.

Latest news on the BBC project.
What you should know before you order a machine.
Members' discount scheme on books and hardware.
New program listings, regular advice clinic, and hints and tips pages in each issue.

April Issue: 3D Noughts and Crosses, Moon Lander, Ellipse and 3D Surface. Plus articles on Upgrading to Model B, Making Sounds, and Operating System Calls.

May Issue: Careers, Bomber, Chords, Spiral and more.
Plus articles on Graphics, Writing Games Programs, and Using the Assembler.

June Issue: Mazetrap, Mini Word Processor, Polygon; plus articles on Upgrading, The User Port, TV set and Monitor Review, Graphics Part II, More Assembler Hints, Structuring in BBC Basic, plus BBC Bugs.

July issue (36 pages) Invaders and patchwork programs. Fix for BBC cassette Bugs, Mode 7 explored, User define Keys, Software reviews, High res graphics printout, RS423 receive fix.

Membership

6 months £4.90
1 year £8.90

Send £1.00 and A4 SAE
for sample

(Overseas add £1.00 for 6 mths,
£1.50 for 1 year)

Make cheques to
BEEBUG

and send to
BEEBUG, Dept 4,
374 Wandsworth Rd.,
London, SW8 4TE.

Lion Micro Computers

London's widest
range of
Computer Books &
Computer Magazines

EXTENSIVE RANGE OF SOFTWARE
ACCESSORIES AND PERIPHERALS

For experts
and beginners alike

Lion House, 227 Tottenham Court Road, London W1P 0HX
Telephone: 01 580 7383 & 01-637 1601 Telex: 28394 Lion G.



Open 9 to 6 Mon-Sat
SEND LARGE SAE FOR OUR LISTS



ZX SPECTRUM & ZX81 EDUCATIONAL SOFTWARE

Spectrum Junior Education £5.50

Use your Spectrum to help your children with their school work. This cassette contains eight attractive, easy-to-use programs for the 7 to 11 age group.

Topics include English comprehension, spellings, homophones, junior science, maths and history.

- * Entering your own questions and answers allows you to adapt two of these programs for exercises in any subject area.
- * Moving colour graphics and sound are extensively used to improve motivation.
- * Use the "draw" program to produce pictures, maps and diagrams.

Suitable for the 16K or 48K Spectrum. Program notes are supplied.

O-Level Chemistry (C1) £5.50

This cassette contains four clearly presented revision/tutorial programs. The subject matter has been carefully structured to cover the most important aspects of:

- * Elements, compounds and mixtures.
- * Structure, bonding and properties.
- * Redox, electrolysis and the activity series.
- * Acids, bases and salts.

48K Spectrum and 16K ZX81 versions of the cassette are available. Please specify which you require.

Professional Computer Assisted Learning materials from:


CALPAC COMPUTER SOFTWARE
108 Hermitage Woods Crescent, St Johns,
Woking, Surrey GU21 1UF.

Overseas orders: £6.50 (\$11.60) per cassette; includes AIRMAIL postage.

ANDREW HEWSON'S BOOKS

20 BEST PROGRAMS

for the
ZX SPECTRUM
WITH EXPLANATORY TEXT



NETT
PRICE
£5.95

ANDREW HEWSON

Mr HELPLINE — the man who answers your ZX queries in his column in *Sindair User*, the author of *HINTS & TIPS FOR THE ZX80* and *HINTS & TIPS FOR THE ZX81* now presents:

- * 20 original programs for you to load into your Spectrum.
- * 20 interesting programs for you to enjoy and learn from.
- * 20 great programs to teach you about fixed and variable length records, binary searches, bubble sorts, graphic displays and much, much more . . .

Program titles include:

Machine Code Editor — Write, modify, extend and load machine code using this all-basic program. No need to use an Assembler when you have this program.

Index File — Learn about fixed length records, save numeric and string information, add to, sort, modify, delete and print your records. Ideal as a computer based filing system.

Duckshoot — Learn how to manipulate the attributes file *and* have fun at the same time.

Graphix — Construct up to 210 graphics characters with the full on-screen editing facilities, enhance and modify them and recall them later to build a detailed display to save on cassette.

Spiromania — A program to stretch your artistic talents, imagination and ingenuity. Draws a limitless variety of curves and spirals.

Plus: FOOTBALL, DIGITISER, DIARY and many more.

Available through Computer Bookshops and W.H. SMITH.

FOR THE SPECTRUM

40 BEST MACHINE CODE ROUTINES FOR THE ZX SPECTRUM £5.95

by Andrew Hewson and John Hardman.

Section A: Three chapters explaining what you need to know about Z80 machine code on the Spectrum.

- * How to load and save machine code.
- * How to use the system variables.
- * How memory is organised.
- * How program lines are stored.
- * How to use the stack, the display, the attribute files.
- * How to call ROM routines — where they are and what they do.
- * The structure of Z80 code — plus a valuable glossary.


Section B: 40 routines including,

- * Scroll — up, down, side to side by pixel or by character.
- * Search and replace, token swap, string search.
- * Rotate character, invert character — horizontally and vertically.
- * Line remember — including GOSUBs, GOTOs, RUN etc.

All routines are relocatable (except 'line remember')

This book teaches the beginner all he needs to know in a simple, easy-to-learn form and its an invaluable reference work for the expert too!

NIGHTFLITE FOR ZX SPECTRUM £5.95



Fly your own aircraft from take off to landing via navigational beacons, over mountains and using a fully detailed direction finding and instrument landing system. *You are the Pilot of a light aircraft flying at night. *You must use your skill and judgment to fly your aircraft accurately over radio beacons and then land safely on the runway. *Hazards are mountains and cross winds. *Instruments: Artificial Horizon, Non Directional Beacon, VHF Omnidirectional Range, Instrument Landing System. *Readouts: Gear, Flap, Air Speed, Distance Measuring Equipment, Vertical Speed, RPM and heading. *Visual display of runway on approach. *5 Modes from Take off to Autopilot. *Happy landings.*

Z80 OP CODES £1.45

A must for the beginner and the experienced programmer alike. This handy ready reckoner lists all 600 plus Z80 machine code instructions in decimal and hexadecimal with their mnemonics. Each Op Code is succinctly explained and cross-referenced. Supplied in a protective transparent wallet for easy reference and durability.

PILOT ZX81 £5.95

Essentially the same as Nightflite but without the hi res graphics.

PUCKMAN ZX81 £5.95

All action display. Best score to date, scour the maze for food, dodge the ghost, eat a strawberry and attack the ghosts.

HINTS & TIPS FOR THE ZX81

£3.95

Available by direct mail order or through computer bookshops and W.H. Smith.

THE PROGRAMS

The programs advertised here are available from computer bookshops with a software stand, and many independent micro-computer shops.

RETAILERS

We are continually on the look out for new outlets. If you are interested in stocking the items advertised here, write to us for our trade rates.

URGENT

We require high quality Spectrum and Dragon software. Good royalties paid. Send your samples today for fast evaluation.

QUANTITY	PRODUCT	COST
TOTAL		

MAKE CHEQUES/PO's PAYABLE TO: HEWSON CONSULTANTS.

NAME.....
(block capitals please)
ADDRESS.....

My Access/Barclaycard No. is.....

Signed.....
Post to: HEWSON CONSULTANTS, DEPT SU 60A St MARY'S STREET, WALLINGFORD, OXON OX10 0EL.
TEL (0491) 36307.

C.J.E. Microcomputers

BBC
SPECIALISTS

VAT included where applicable

QUALITY DISK DRIVES

Single drive 40 track single sided 1 x 100k	£200.00
Dual drive 40 track single sided 2 x 100k	£350.00
Dual drive 40 track double sided 2 x 200k	£546.25
Dual drive 80 track double sided 2 x 400k	£799.25

All drives are cased with own PSU for reliability, and include connecting cables and utilities disk. Delivery £4.00.

SOFTWARE FOR THE BBC MICRO

MISSILE CONTROL the first implementation on the BBC Micro of the popular arcade game. (32K)	£9.00
MAZE MAN an authentic version of the popular arcade game. (32K)	£6.00
BALLOONS a highly original game that soon becomes compulsive playing. (32K)	£6.00
DISSASSEMBLER the memory dump routine includes a scrolling back in memory facility. (16K)	£5.00
MISSILE CONTROL, MAZE MAN & BALLOONS use the Keyboard or Joysticks for control	

30+ PROGRAMS FOR THE BBC MICROCOMPUTER

This Book contains program listings, with explanations & tips on using the BBC Micro
GAMES UTILITIES GRAPHICS & MUSIC
Most programs will run on Model's A & B
Edited by C.J. Evans, various Authors.
A pair of cassettes with all the programs is available.

BOOK £5.00
BOOK & CASSETTE SET £9.00

LEADS

The BBC Micro comes without a cassette lead	
7Pin Din to 2 x 3.5mm & 1 x 2.5mm minijacks	£4.00
7Pin Din to 5Pin Din & 2.5mm minijack	£4.00
7Pin Din to 7Pin Din	£4.00
7Pin Din PLUGS	Two for £0.65
6Pin Din PLUGS (for RGB socket)	Two for £0.65
5Pin Din PLUGS (360° for RS232)	Two for £0.65
RS423 TO RS423 (BBC Micro to BBC Micro)	
Two metre cable £4.00 Four metre cable £5.00	

TELEVISION/MONITOR LEADS

full range available

Phono plug to Co-ax with high quality cable 3 Metres	£3.00
BNC Plug to BNC Plug	£3.10
BNC Plug to Phono Plug (i.e. BBC Micro to Rediffusion TVRM)	£2.20

PRINTER CABLES

BBC to 36 way Centronics Type connector	£17.50
BBC to 25 way D Type (For use with RS232)	£9.50
BBC to 40 way edge connector (Centronics 739)	£20.00
TORCH to 36 way Centronics Type connector	£20.00

BLANK C30 COMPUTER CASSETTES

Ten for £4.50

15 Way D Type Plug with Cover £2.75
Computer graphics design pads 100 sheets £4.00

BBC UPGRADE KITS

RAM UPGRADE (100ns)	£23.00
KIT A Printer & I/O Port	£9.50
KIT B Analogue Port	£8.00
KIT C Serial I/O & RGB	£10.00
KIT D Expansion Bus/Tube	£7.50
Full Upgrade kit	£58.00

All components full specification

STAR DP8480 PRINTER FROM £250.00 INC VAT

80 CPS : 80/96/132 COLS BIDIRECTIONAL LOGIC SEEKING TRACTOR WITH FRICTION FEED	
CENTRONICS	£217.39 + £32.61 VAT = £250.00
RS232	£235.00 + £35.25 VAT = £270.25
High Res Graphics option to allow BBC Screen dumps	£15.00/£20.00
(24HR SECURICOR DELIVERY FOR PRINTERS £8.00)	

VAT included where applicable

Send SAE for full Price List of our large range of accessories.
POSTAGE Add 50p per order or as stated

C.J.E.

Microcomputers

Dept (YC), 25 HENRY AVE, RUSTINGTON,
W. SUSSEX BN16 2PA (09062) 6647

HOME COMPUTER USERS

PRODUCT INFORMATION SERVICE

Do you want the right computer for you? Do you want the right hardware? Or the right software? At the right price? If you're thinking about making a purchase but aren't sure just which product will suit you best why not seek a swift overall picture of what's around from us? Simply let us know what you're interested in and we'll send you a personal summary of what's available: facts, figures, suppliers, details. We'll also enclose as much manufacturers' literature as we can and add whatever related data we think might be worthwhile for you. We'll tell you of any special offers we're aware of, and even help you with your order is you wish. If we don't know how to answer your enquiry we'll try to find out: if we can't we won't take your money. Try us — we're here to help you make the right decision.

SECONDHAND COMPUTER REGISTER

We can also help if you want to buy or sell secondhand. We keep a register of currently available used computers and peripherals and send appropriate details from it to every interested enquirer. This advertisement appears in many computer magazines, which means a lot of people will read it. So, if you're looking for secondhand value write and ask us. If you want to sell, send us full details of what you have to offer and we'll do the rest. Registration costs £4 (or £3 if the total asking price is under £100), and will be maintained until you've sold. Each registration will be acknowledged.

ALL ENQUIRIES COST £1

Please send enquiries/registrations (including cheque/PO) to:

DAVID HEARTFORD
91 High Street, Evesham, Worcs WR11 4DT

SUPPLIERS: If we haven't contacted you please write to us.

Campbell Systems

The very best in machine code for
SPECTRUM and ZX81

Spectrum 16K GULPMAN game of the xxxMAN variety, with 15 mazes, 4 chasers, laser defence, 9 grades, 9 speeds, demo mode, choice of joysticks control. "An extraordinarily good program" raves Boris Allan for *Popular Computing Weekly*. We think you will agree. £5.95.

Spectrum 48K MASTERFILE business/domestic filing and reporting system. So flexible it is equally usable for your mailing-lists, catalogues, stock control, text extracts . . . applications are endless. Fully user-defined data and report display formats, dynamic variable-length file, records, and data items. Fully menu-driven, with powerful search facilities, sorting, total/average, update, multiple independent files, printing. Yes, we aim to support Microdrive when Uncle delivers. Nearly all the 8K we use is machine code, so you get 32K per file. Comes with example file and 12-page manual. £15.00.

Spectrum SPDE 16K Disassembler and Editor, as used by other ZX professionals, and we used it to develop the above. £5.95.

ZX81 16K GULP II almost identical spec to GULPMAN, £4.75.
ZX81 16K to 64K THE FAST ONE is the predecessor to MASTERFILE and is in use all over the world now. Specification is very similar to MASTERFILE. £12.00.

All programs supplied double-recorded and mailed 1st class by return. Prices include VAT and postage within Europe. SAE for full list.

CAMPBELL SYSTEMS (Dept YC)
15 Rous Road, Buckhurst Hill, Essex IG9 6BL,
England

There's only one thing that can help you get the best out of your BBC Micro . . .



The only non-commercial independent National BBC Microcomputer User group

Please enrol me as a member of LASERBUG. I enclose a cheque/postal order for £12.00 for twelve months subscription/£1.00 plus S.A.E. for sample copy.

Name

Address

Tel

Please make all cheques/postal orders payable to Laserbug and send to:

LASERBUG,
4 Station Bridge,
Woodgrange Road, Forest Gate,
London E7 0NF.

SIMON MICRO-SOFT

FULL COLOUR, SOUND, HIGH RES. & U.D.G. PROGRAMS
FOR THE

16K ZX SPECTRUM

COLLECTION ONE £4.95

CAR CHASE

Similar to the popular Arcade game "Dodgems" but with a unique and exciting difference.

FRUIT MACHINE

This game offers gamble, hold and super nudge and is possibly one of the most realistic versions available.

COLLECTION TWO £4.95

PLANET DEFENDER

New moving landscape space game for the Spectrum. If you can retrieve the Plasma Bombs then stand by to defend yourself.

U.D.G. Toolkit

User defined graphics made easy! Auto-load, Auto-save data display (printer optional), rotate. Binary or decimal number accepted without the need to use the awkward BIN key.

Our computer programs are recorded on quality cassettes and are guaranteed for one year. Each collection of two programs costs only £4.95 and all four may be purchased at a special discount rate of £7.95.

ORDER FORM

NAME

ADDRESS

PLEASE SEND ME

COLLECTION ONE COLLECTION TWO

BOTH COLLECTIONS

I enclose cheque/P.O. for

SIMON MICRO-SOFT, Dept YC, 175 GODINTON ROAD,
ASHFORD, KENT, TN23 1LW

*****SPECTRUM AND ZX81 SOFTWARE*****

from



*****SUPERCHESS*****

Play against the most powerful ZX chess program. *10 levels of play *2 evaluation strategies *a substantial book of openings eg. Siciliani, Ruy Lopez, Queens Gambit *high quality display with hi.res. pieces & board, list of moves, playing level. Many more features too: self play; recommended move; analyse. Each cassette comes with full instructions.

16K ZX81 £6.95. 48K SPECTRUM £7.95

SPECTRUM SPEECH

Yes it's possible! Speech for the Spectrum, ready to use in your programs. Each cassette is supplied with user documentation and sample program. No extra hardware is required, uses Spectrum's speaker and top 32K RAM.

VOICE PACK 1 - MATHS, 30 plus words (0 to 9, plus, add, divide, etc.)

VOICE PACK 2 - SPACEWAR, 30 plus words ('red alert', 'fire', 'phasors', etc.)

48K SPECTRUM £6.95 each

SPACESHIP ADVENTURE

Can you find a way to leave the planet with your damaged spaceship?

48K SPECTRUM £3.95

SPECTRUM ASSEMBLER

An essential aid for all machine code programmers. User documentation is supplied with each cassette.

48K SPECTRUM £5.50

All prices are inclusive. Dispatch within 48 hours of receipt of order. Send cheque or postal order (and state whether ZX81 or SPECTRUM) to:

CP SOFTWARE

17 Orchard Lane, Prestwood, Gt. Missenden
Bucks. HP16 0NN.

Also available from:

PHILIP COPLEY Ltd

West Yorkshire. Tel: 0924 272545


GEORGES

89 Park Street, Bristol


A + F SOFTWARE A + F

SINCLAIR SIRIUS SPECTRUM BBC DRAGON ATOM SINCLAIR SIRIUS SPECTRUM



BBC DRAGON ATOM SINCLAIR SIRIUS SPECTRUM BBC DRAGON ATOM SINCLAIR SIRIUS SPECTRUM



SPACE PANIC 12K ATOM
PAINTER 12K ATOM



TORPEDO RUN 12K ATOM
FROGGER BBC MODEL B



12K ATOM

- Starburst £5.75
- Torpedo Run
- Zodiac*
- Cylon Attack
- Space Panic £6.90
- Dath Satellite*
- Painter

Hours of enjoyment for all the family. Most are written in machine code and feature fast moving graphics, sound effects, high score tables etc.

BBC MODEL A

Tower of Alos*
(above also runs on Model B)

BBC MODEL B

- Lunar Lander
- Early Warning £6.90
- Road Runner
- Frogger £8.00

* Hours of purgatory with these adventure games — can you get out alive?

* **NEW** BBC MODEL B — BRAND NEW INTERACTIVE ADVENTURE GAME WITH SUPERB GRAPHICS. 'PHARAOH'S TOMB' WILL BE THE BEST £8.00 YOU HAVE EVER SPENT ON AN ADVENTURE GAME. *


ADD 4 OR 6 EPROMS TO YOUR ATOM WITH OUR 'ADDA' BOARDS
 4 WAY 'ADDAN EPROM' BOARD £20.75
 6 WAY 'ADDAN EPROM' BOARD £28.75
 ATOM 'TOOLKIT' EPROM — 22 EXTRA COMMANDS AND 5 FEATURES INCLUDING 1200 BAUD CASS. OPERATING SYSTEM £18.50
 A + F's QUALITY SOFTWARE LIBRARY ALWAYS REQUIRES NEW PROGRAMS. SUITABLE PROGRAMS CAN EARN TOP ROYALTIES. SOFTWARE UNDER DEVELOPMENT FOR ATOM, BBC, DRAGON, SIRIUS AND SINCLAIR.

TO ORDER, WRITE ENCLOSING CHEQUE, POSTAL ORDER OR CREDIT CARD NUMBER OR TELEPHONE CREDIT CARD NUMBER — 24 HOUR SERVICE
 VISIT OUR SHOWROOM FOR A DEMONSTRATION OR MAIL ORDER

061-223 6206

TELEX: 667461 (Attn. A + F)

830 HYDE ROAD GORTON MANCHESTER M18 7JD



**New From Fuller
FD System for the**

ZX SPECTRUM

£39.95

+ £2.50 p & p.

Professional Keyboard & Case —

This unit has the same high standard as our ZX81 unit. Tough A.B.S. Plastic case encloses our Keyboard, the Spectrum Printed Circuit Board and the Power Supply.

Our own Power supply is available:- 9 volts DC at 2 amps. Mains either 110v or 240v AC at £5.95 + 80p. p & p.

The Keyboard has 42 keys with all the spectrum functions printed onto them, the full travel key switches have gold plated contacts and a guaranteed life of 10⁶ operations.


INSTALLATION - Simply unscrew the ZX printed circuit board from its case and screw it into the FD case, plug in the keyboard and that's it. No technical know how or soldering required, the built unit is tested and comes with a money back guarantee.

Spectrum Keyboard and Case Kit £33.95

Our Mother Board for the spectrum has 2 slots at £15.95 or 3 slots at £19.95, this unit also fixes inside the case. p & p 80p.

SPECTRUM SOUND AMPLIFIER £5.95 + 80p p & p.

Complete with leads, volume control and loud speaker in tough ABS Plastic case measuring 5" x 3" x 1" just plugs into your spectrum MIC input.



First Anniversary Offer

The FD System is now one year old and Fuller are celebrating with this amazing offer on the FD42 Professional Keyboard and Case.

Makes an ideal Christmas present to expand the new low priced Sinclair ZX81. Or why not buy a new ZX81 based system directly from us, consisting of ZX81, FD42 keyboard and case with power supply and reset switch, leads and manual £69.95 + £2.50 p & p

FD42 Keyboard and Case Kit £24.95 + £2.50 p & p

FD42 Keyboard kit £14.95-80p p & p

STAR TREK FOR ZX 16K SPECTRUM

Play this popular adventure game on your Spectrum with ship display and sound
£5.00 + 50p p & p

£29.95

+ £2.50 p & p

FULLER FD SYSTEM

GUARANTEED 14 DAYS DELIVERY FROM RECEIPT OF ORDER, OR CALL TO THE ZX CENTRE.

Mail to **FULLER MICRO SYSTEMS,**
The ZX Centre, Sweeting Street, Liverpool 2. England, U.K.

Please Supply:-

Name

Address

SAE for more details — Enquiries: Tel. 051-236 6109

THE BUFFER MICRO SHOP (NEXT TO STREATHAM STATION)

NEW SOFTWARE SHOP EXCLUSIVELY FOR

ZX81

PROGRAMS, GAMES, "ADD-ONS"

MOST OF THE MAIL ORDER ITEMS ADVERTISED
IN THIS MAGAZINE AVAILABLE OVER THE COUNTER

LOADING PROBLEMS? TRY OUR INTERFACE
BUSINESS & TECHNICAL DATA HANDLING PROGS;
PROPER KEYBOARDS; CONSOLES; VDUs

The BUFFER Micro Shop,
374a Streatham High Road,
London SW16
Tel: 01-769 2887

PROGRAMERS DREAM (SPECTRUM)

P.D. is an advanced TOOLKIT adding the following extra features to the standard SPECTRUM.

- (1) RENUMBER (INCLUDING THE FEATURES OF RENUMBER DELETE).
- (2) BLOCK MOVE AND RENUMBER.
- (3) BLOCK OR LINE ERASE.
- (4) CHANGE STRINGS (AS SELECTIVE AS REQUIRED).
- (5) DUMP (VARIABLE NAMES AND VALUES).
- (6) DISPLAY PROGRAM AND VARIABLES SIZE.

If you need a speedy M/CODE program that will RENUMBER, CHANGE all or some of your variable or string names. Change commands, string contents, MOVE whole blocks of program and RENUMBER them to fit into available gap. Print to the screen the final or developing values of the program variables, inside a FOR NEXT LOOP if required, to display the size of your program with or without variables. To erase instantly lines or blocks of text then you need PROGRAMERS DREAM. The whole program is just 1450 BYTES of fast M/CODE and requires only a single line of BASIC to control it. Furthermore this powerful debugging tool is complete with explicit instructions and costs just £7.00.

SPECTRUM RENUMBER DELETE

Just 600 BYTES of fast MACHINE CODE. Controlled by a single line of BASIC (A 9999 REM) into which the START, NEW START, INTERVAL & STOP NUMBERS are entered. A BLANK REM gives an AUTO 10 RENUMBER. Resolves leading jump numbers in expressions and non-existent jump numbers if affected by a renumber pass. All GOTO, GOSUB, RUN, LIST, LLIST, RESTORE JUMP NUMBERS ARE CATERED FOR. NO EXTRA WORK. The last altered jump number can be flagged by listing after a pass. Full legality checks and ERROR REPORTS. DELETE simply requires a start and stop number and it's ready. Call from BASIC or immediate mode. Quick, clean and easy. "You won't buy a better RENUMBER program for the SPECTRUM." £5.00. inc VAT and post.

SPECTRUM DISASSEMBLER

Your flexible friend. By using the printer buffer for temporary storage this program allows you to format output as required. Its output is a clearly defined 12 CHARACTER mnemonic although 9 will suffice. This can be printed to the screen in one or more columns, or to the ZX printer, into an array for later printing, or use it with your M/CODE loader program. All 1,2,3 and 4 BYTE Z80 op-codes handled. Also included are the calculation of both absolute and relative addresses plus SPECTRUM RST literals. Switch literals on and off to print TABLES and other FLAGS. Complete with a demo program in order that you may extract the best from this excellent program. This may be the key to your understanding of the SPECTRUM. JUST 1500 bytes of fast M/CODE it's flexible and will even disassemble itself. JUST £5.50. INC.

DI-LOADER

All the features of the disassembler and more. Disassemble CODE as you load it. Backtrack. INSTANTLY create an insertion gap, or DELETE any amount of CODE. Use LITERAL SWITCHES, RESTARTS or STOPS. Auto RAMTOP setting loads CODE at given address. Display features ADDRESS, CODE, Z80 MNEMONIC AND ASCII. Program holds M/CODE in BASIC to preserve RAMTOP for the loaded CODE. Only 4692 BYTES. Speed your understanding of M/CODE PROGRAMMING. Full instructions. £7.00.
ALL THE ABOVE M/CODE UTILITIES ARE POSITION INDEPENDENT FOR LOCATION. ABOVE A RAMTOP OF YOUR CHOICE.

WORK FORCE

140 WILSDEN AVE, LUTON, BEDS.

Hardware & Software

HARDWARE

- ADPROM 4000 FOR CONNECTING EPROMS TO YOUR COMPUTER (VIA 24 PIN EPROM SOCKET) ATOM, PET ETC.
- GEM 100 CMOS BASED EXPANSION BOARD FOR ACORN ATOM.
- COMPUTAPMASTER FOR ALLEVIATING THOSE TROUBLESOME LOADING PROBLEMS — CAN BE USED FOR COPYING TAPES.
- CONSOLE CASES FOR THE ATOM.

SOFTWARE

- GAMES, BUSINESS PROGRAMS ETC.

★ STOP PRESS ★ CPROM SPM
A REVOLUTIONARY METHOD OF
PROGRAM STORAGE USING SEMI-
PERMANENT MEMORY CHIPS WITH BATTERY
BACK-UP. FOR USE WITH ADPROM 4000.

SEE US AT THE

NORTHERN COMPUTER FAIR

25-27 NOV. 1982 STAND 432

FULL DETAILS OF ALL OUR PRODUCTS WILL BE SENT
ON RECEIPT OF AN A5 S.A.E.

ELINCA PRODUCTS LTD (Dept. C)
LYON WORKS, CHAPEL STREET
SHEFFIELD S6 2HL

ZX81 & 16K

THE TOMB OF DRACULA!



3D HORROR ADVENTURE GAME!

Occupying over 13½K of memory, a superb 3D graphics adventure game for the ZX81 with 16K RAM, for only £3.95! Enter Dracula's tomb at 30 minutes to sunset ... wander through the tomb's pre-mapped 300 vaults in search of the fabled Vampire's Treasure ... pick up valuable silver stakes and use them to defend yourself against the lurking horrors ... ghouls, zombies, pits of primaeval slime ... See them all on the ZX81's plan of the tomb ... when it will let you! Take a chance on a Mystery Vault ... if your dare! And all the time the minutes are ticking by to sunset ... when Dracula rises from his coffin and comes after you! Each of the infinite levels of the tomb has its own 300 vaults ... go as deep as you like, the Prince of Darkness will seek you out in his blood-lust! **WARNING:** people of an exceptionally nervous disposition should play this game only during the hours of daylight! Special facility enables a game in progress to be saved on tape so you can continue it whenever you choose.

Price of only £3.95 includes ready-to-load cassette with library case and inlay, full instructions, postage and packing. Order today! Money refunded if not delighted! Send cash, P.O. or cheque to:

MOVIEDROME VIDEO (DEPT. YC7)
19 Leighton Avenue, Pinner, HA5 3BW.

STONECHIP ELECTRONICS



PRODUCTS FOR VIC-20, SPECTRUM, ZX81

ZX81 USERS THE ZX-PANDA

UNIQUELY EXPANDABLE 16K RAM
PACK



EXPANDABLE INTERNALLY BY PLUG-IN MODULE TO
FULL 32K

ATTRACTIVE CUSTOM MADE CASE CONTOURED TO
REAR OF ZX81 FOR MAXIMUM STABILITY
COMPACT SIZE. LED POWER INDICATOR
COMPATIBLE WITH MOST EXPANSION SYSTEMS

ZX-PANDA 16K EXPANDABLE RAM
ZX-PANDA 16K EXPANSION MODULE
OR FULL 32K EXPANDED

Now available from Green's at Debenhams
and other local dealers.

Suggested retail price for 16K - £32.95



ZX SPECTRUM OWNERS SPECTRUM ECHO

MAKE FULL USE OF YOUR SPECTRUM'S SOUND
FACILITY BY AMPLIFYING IT! ENABLES LOADING AND
SAVING TO TAPE WITHOUT SWITCHING LEADS
NO ADDITIONAL POWER SUPPLY REQUIRED

OTHER FEATURES INCLUDE:

- * TONE AND VOLUME CONTROL
- * AUDIBLE CUEING FACILITY
- * DIN COMPATIBILITY
- * ATTRACTIVELY CASED

£23.50

VIC-20

OWNERS

Fully Assembled, Cased and Guaranteed

MASSIVE 16K RAM MEMORY EXPANSION

PLUGS DIRECTLY INTO YOUR VIC-20 OR
MOTHERBOARD

£44.95

EXPAND YOUR VIC-20 WITH

Tandem

3+1 EXPANSION UNIT

FOR USE WITH MEMORY AND GAMES CARTRIDGES
MORE THAN 1 UNIT CAN BE USED IN TANDEM TO GIVE
EVEN MORE EXPANSION

INCLUDES ROM SOCKET

PLUGS DIRECTLY INTO YOUR VIC-20 EXPANSION PORT
ATTRACTIVELY CASED

£35.00

PLEASE SEND ME:.....

.....

.....

.....

I enclose £.....

NAME.....

ADDRESS.....

.....

.....

.....

YC12

Send now to:

STONECHIP ELECTRONICS,
UNIT 4, HOSKINS PLACE, WATCHETTS RD, CAMBERLEY,
SURREY. TEL: (0276) 681131
MAKE CHEQUES OR P.O.'s PAYABLE TO: STONECHIP LTD

ALL PRODUCTS FULLY ASSEMBLED, TESTED AND GUARANTEED
ALL PRICES FULLY INCLUSIVE
ALLOW 28 DAYS DELIVERY

ZX81 MACHINE CODE?

ZX.ASZMIC rom transforms ZX81 into an
Assembly Language programming unit

NEW
Send for details of
under-the-keyboard board
for ASZMIC & BASIC.



£ 39.95
total

Ø FULL-SCREEN EDITOR

Sixteen shift keys take you into a world with a word processor feel. A blink cursor moves at your command to control insertion, rubout, line or string deletion, auto-scroll & page flip up or down. Text block operations. Ultra-fast editing.

Ø MULTI-FILE SYSTEM

Declare as many files as you like, with any names you like, & they are automatically handled by the Operating System. Merge them, delete them, print, save & load them, & edit them by name. Superb flexibility with a simple but powerful system.

Ø TOTAL ASSEMBLER

Full Z80 mnemonics, unlimited length labels, ORG & EQU directives, proper assembly listings with errors flagged on screen or printer. Relocatable object code & options to facilitate cross-assembly. Interpretive immediate execution available.

Ø POWERFUL DEBUG

All the usual dump, modify, fill & copy commands; plus breakpoints, single stepping, context control, the convenience of interpretive execution mode, full use of the names in your program, Command Macros, autodump, and full operating system interface.

Ø HI-RES GRAPHICS

255 x 144 resolution under program control to give you truly convincing graphics. With the power & flexibility of assembler you can really use this high definition.

Ø MUCH, MUCH MORE

Repeat function on all keys. Double height titling on printer. Lots of extras. But more important than all these features, attractive though they are, is the fact that ZX.ASZMIC is an integrated development system in which everything fits together to give you a tool which can satisfy the professional programmer by simplifying all stages of the program development process. It is excellent for those who are taking the first steps into real programming but the more expert you become the better you realise just what ASZMIC can do for you. If you are at all interested in machine code it will be worth your while to find out more.

Comprocsys limited

I enclose £39.95. Please rush me ZX.ASZMIC + manual

NAME

Address

Sole UK agents: CAPITAL COMPUTERS LTD.
1 Branch Rd, Park St, St Albans AL1 4RJ.
Phone 0727 72917.
Cheques payable to Comprocsys/ASZMIC YC12

EXPLORING SPECTRUM BASIC

Mike Lord's latest book takes the reader beyond the Sinclair Manual. It contains a wealth of programs and explanations of Spectrum BASIC programming techniques. Topics include writing games programs, personal, business and engineering applications, and utility programs. Worth far more than £4.95

THE EXPLORERS GUIDE TO THE ZX81


Mike Lord's acclaimed book for the ZX81 enthusiast. Includes games, business, engineering and utility programs for both 1K and 16K machines, an introduction to Machine Language, with a list of useful ROM routines, hints & tips, and hardware notes including RAM and I/O circuits. "of the greatest value" (ZX Computing review) £4.95

MASTERING MACHINE CODE ON YOUR ZX81

By Toni Baker; 180 pages of immense value to beginner and expert alike. £7.50

All prices include U.K. P & P - no VAT on books. Overseas customers add £1.50 carriage per order.

TIMEDATA Ltd. Dept A
57 Swallowdale, Basildon, Essex SS16 5JG
Tel: (0268) 411125 (Mon-Fri)



TIMEDATA

ATOM

THE ATOM MAGIC BOOK

By Mike Lord. A wealth of games and other programs; storing speech in your ATOM, converting programs written in other BASICs, and many more useful software & hardware tips. £5.50

GETTING ACQUAINTED WITH YOUR ACORN ATOM

By Tim Hartnell & Trevor Sharples. 80 programs including draughts. £7.95

PRACTICAL PROGRAMS FOR THE BBC COMPUTER & ACORN ATOM

By David Johnson-Davies £5.95

ATOM CASSETTES

We stock a selection of the best; our latest being CAAD: Muncher + Mancala + Target + LIFE 7K. 4 great programs on one cassette for only £6.00

RAM FOR YOUR ATOM (Or other 1MHz 6502/68XX machine)

16 or 32 Bytes; expand your ATOM to 28 or 38K RAM, ideal for Word Processing, Chess programs & Business software. Compatible with other Atom software & hardware including the disc drive. To fit inside the ATOM or Eurocard rack mounting. Some types run from a single +5V supply. S.a.e. for details.

NEW!! ATOM ROAM BOARD MZ165 £35.00 inclusive
Allows software switching between up to 3 utility ROMs and also 4K RAM fitted so you can load your own 'utility' programs from tape or disc. Simple plugs into sockets on ATOM board.

All prices inclusive of U.K. P & P & VAT where applicable. Overseas customers please add £1.50 surface mail.

TIMEDATA Ltd. Dept A
57 Swallowdale, Basildon, Essex SS16 5JG
Tel: (0268) 411125 (Mon-Fri)



TIMEDATA



CHRISTMAS BONANZA SPECIAL OFFERS

Electronic Products Crewe SINCLAIR KEYBOARDS

EPC H.D. 19 Hexpad (Machine Language) £13.00
 *EPC 41 Standard Keyboard + Extra Shift £25.00
 *EPC 53 Alpha/Numeric-Numeric Keyboard £28.00
 EPC RAM PACK FLEXI CABE (stops white/out due to vibration) £8.09
 VIDEO-GENIE 1 II TRS 80 32K RAM PACK UPGRADE KIT TO FIT ALL MODELS No POWER PACK UPGRADES REQ'D £28.50

LOOK! LOOK!
 (DUE OUT SOON)
 ATARI - RAM PACK
 KEYBOARD
 (COMPUTER GRADE)
 SAE BRINGS INFO.

NOTE
 *EPC 41 & 53 ARE PLUG IN i.e. NO SOLDERING EPC HD 19 REQUIRES SOLDERING AND HAS TO BE USED WITH AN EXISTING KEYBOARD (Full fitting instructions supplied.) IF ORDERING EPC 41 & HD 19 SPECIAL CONNECTING LEAD SUPPLIED.

Trade Enquiries Invited. Prices inc. VAT and P & P

ELECTRONIC PRODUCTS CREWE
 2 Ennerdale Road, Wistaston, Crewe,
 Ches CW2 8RT. Tel: 0270 664376

MAIL ORDER ONLY
ELECTRONICS APPLIED,
 4, DROMORE ROAD,
 CARRICKFERGUS, Co. ANTRIM BT38 7PJ
 Please add 55p/order P & P

5%
 BEBUD
 MEMBERS
 discount

software

BBC

COMPATIBLE
 MAIL ORDER LIST SEND LARGE S.A.E.

*Envelope and Character
 Definer. (32k.)*

Together these utility programs offer a complete character and sound envelope defining package for the BBC Micro. Even if you fully understand both the envelope and character defining commands, these programs will make their definition quicker and more accurate.

<p><i>side 1</i></p> <p>ENVELOPE DEFINER</p> <ul style="list-style-type: none"> * Excellent use made of graphics windows and colour to display pitch and volume. * Database containing 20 predefined envelopes of everything from phasers to explosions. * Example graphs and step by step prompts allow easy defining of your own sound envelopes. 	<p><i>side 2</i></p> <p>CHARACTER DEFINER</p> <ul style="list-style-type: none"> * A very nice VDU23 character definition program - Computer Users Club (GB). * Shows both magnified and true size characters as they are defined. * All other definable characters can be called up for display. * Easy to use and check performed on all input.
---	--



Recorded on quality cassettes, sent by first class post

Introductory Price - £4.95

Dealer Enquiries Welcome

MICRO-PLINTHS

WITH THIS ALL STEEL PLINTH, MADE ESPECIALLY TO MATCH YOUR VIC 20



You can give your HOME COMPUTER THAT MICRO LOOK

It's inexpensive too - Just **£29.50**

SEND CASH WITH ORDER
MICRO-PLINTHS
 18 LAMMERMoor ROAD
 LIVERPOOL L18 4QP

VIEWPOINT

THE PROGRAM THAT YOUR ZX SPECTRUM HAS BEEN WAITING FOR!

Draw complex 3-dimensional objects. View them after rotation in any or all of 3 dimensions.

Features:

- 1) Rotation in 3 dimensions about a single point.
- 2) Rotation about a line between two points.
- 3) Generation of stereo pairs.
- 4) View from one point towards another point.

Objects can be stored separately on tape and copied to the ZX printer.

Written in BASIC for you to modify to your own requirements.

Ideal for computer modelling, molecular modelling, CAD etc.

Viewpoint - with full instruction and examples
£6.50

Just starting to write machine code programs? The ideal assembler for beginners is Ultraviolet. Look at the facilities that it offers:

Works entirely in decimal (no hex problems); all Z80 instructions correctly assembled; supports the pseudo-instructions EQU, ORG (multiple ORGs allowed), DEFB, DEFW and DEFS; code can be assembled at one location and then re-located; allows alphanumeric labels of any length; full listings of assembled code and mnemonics can be output to the printer; full error trapping with faulty instruction clearly indicated; comments can be included in the source file.

The ideal complement to Ultraviolet is Infrared - an easy-to-use disassembler.

So now there is no need to be intimidated by machine code - with Ultraviolet and Infrared it's child's play! Buy them from the machine code specialists - ACS Software.

ULTRAVIOLET - £7.50 INFRARED - £6.75

All our Spectrum programs will work in both 16K and 48K models. Please send sae for details of ZX81 programs.

ACS SOFTWARE 7, Lidgett Crescent,
 Roundhay,
 Leeds LS8 1HN



QCP-FORTH!

- *FULL FIG-79 STANDARD (NON-DISK)
- *FASTER THAN BASIC
- *EASIER THAN MACHINE CODE
- *SUPPORTS ZX-PRINTER

Forth, for those who are not already converts, is perhaps the closest yet to the ultimate all-purpose computer language. It is designed to be fast, portable and extremely flexible. A FORTH program consists, largely, of definitions of new FORTH words, enabling a user to develop a unique, application oriented, vocabulary. It is even possible to alter the syntax to suit your application (or just your style of program!).

***TAPE & DOCUMENTATION . . . £10**

GAMES PACKS 1&2

Pack 1 includes: Space Torpedo, Reverse, M/C Life and more.
Pack 2 includes: Robot chase, Nim, Music, Mini Adventure etc.

UTILITIES PACK

Enhance your BASIC Programs with this set of useful machine code routines.

GAMES PACKS . . . £6 each

UTILITY PACK . . . £5

COMING SOON

PILOT: the educational language


ALL PRICES INCLUDE VAT & P&P
QUALITY STACKABLE CASSETTES

**Quasar Computational
Paraphernalia**

SOFTWARE

11c HERCIES ROAD · UXBRIDGE · MIDDLESEX

SOFTWARE & IDEAS FOR THE
SPECTRUM
16 & 48K MICROS



GRAPHICS PLOTTING PAD
Hi Res Graphics Plotting Pad. Full 256+176 pixel resolution. Semi-transparent to aid copying. Supplied with pixel ruler and full instructions — £2.90 (50-sheet pad).




SHAPE DRAWING PACKAGE
Shape — a shape drawing routine with a library of shapes — including skeleton: provides the ability to easily construct your own designs. Many facilities including expand, rotate, mirror and shift. Full instructions — £4.50.

* SPECIAL OFFER — GRAPHICS PAD +
SHAPE PACKAGE — £6.00 *

CHART DRAW

Chart draw allows pie charts, bar charts and line graphs to be easily drawn, in full colour. The inputs required for each chart are fully prompted by the program and they provide such facilities as axis labelling & scaling. A completed graph may be a ZX printer or stored on cassettes, to for a chart slide show. Full instructions — £5.00.



KEYBOARD


WORD PROCESSING & ADVANCED OFFICE SYSTEMS

* Software design service available.

* Wanted — Spectrum Games.
High royalties paid.

Please make cheques payable to
Keyboard and send to: 28 Forest
View Road, Walthamstow, London
E17 4EL

SOFTWARE IN ASSOCIATION WITH INTELLIGENCE (GB) LTD.



MACHINECRAFT LTD SPECTRUM SOFTWARE

FINANCE ZX A complete personal banking system. Menu driven and allows for the separate saving of data. £5.75

CAVE ATTACK Guide your spaceship through a treacherous cave system trying to destroy as many alien eggs as possible. At the exit is the alien that laid the eggs!! £5.75

737 COCKPIT Requires 48k. £5.75

JAHID A space exploration game. An unlimited universe is the setting for this game. The object is to trace the JAHID, a priceless jewel stolen by pirates. In order to find the JAHID you must pilot your ship through the vastness of deep space. You may go into orbit of any planet (habited or otherwise), trade with the natives, perform mining operations for fuel, food or minerals for sale. Features a "game save" facility and occupies 48k. £11.50

ASSEMBLER Full assembler for the Spectrum. £5.75

DISASSEMBLER Full disassembler for the Spectrum. £5.75

LINES An artist program that will enable you to draw any picture onto the screen. Commands include circle, square, text, ink, paper and copy to printer. £5.75

MONSTERS An all action game with excellent graphics. You must climb the ladders to reach the vital oxygen supplies. BEWARE of the monsters that will try to block your path. £5.75

3D NOUGHTS AND CROSSES Think this is easy? The computer plays a disgustingly hard game. I have lost every game so far and the author has only won once. £5.75

NIGHT RAIDERS which is a version of Defender for use on 48k Spectrum. £5.75

ALL PROGRAMS ARE FOR THE 16K SPECTRUM UNLESS OTHERWISE STATED.

MACHINECRAFT LIMITED
The Bazzar, Market Hill, Coggeshall, Colchester,
Essex



New Generation Software

Professionally Written and Produced
Software for the Home Computer

From M.E. Evans the author of:—

**3D MONSTER MAZE
DEFENDER**
comes a game for the

For the ZX81
SPECTRUM

ESCAPE

Can you find the axe to break down the exit door of the maze and SPACE? The maze is inhabited by 5 hunting dinosaurs including a TRICERATOPS who has the habit of hiding behind the hedges, and a PTERANODON that soars over the maze to swoop down on you.

Trade enquiries welcome
at address below.



Send to: **NEW GENERATION SOFTWARE**
FREEPOST, oldland Common Bristol BS15 6BR
(no stamp reqd. in UK)

or for **INSTANT CREDIT CARD** sales ring 01-930 9232

Please send me a copy of Escape for the 16k Spectrum.
I enclose cheque/P.O. for £4.95

Mr/Mrs

Address

post Code

YC12

What can you get for your

SPECTRUM?

Find out from our new

GUIDE TO SPECTRUM RESOURCES

- Suppliers
 - Hardware + software in various categories
 - Books
 - Magazines
 - User groups, and so on
 - Illustrated

We attempt to assess *objectively* and in some details all that our Panels have seen. And we list, without comment, all other resources that come to our attention.

For this sizeable and, we hope, complete collection of information, send £2.50 (overseas £3 sterling) to:

MICROSCENE
6 Battenhall Road Birmingham B17 9UD

SOFTWARE HOUSES,
WHOLESALEERS, DEALERS

YES. WE MANUFACTURE CASSETTES

DUPLICATING – Need 50 – 50,000
Program Copies within 10 days?

Short-run in-cassette copying, high-speed volume duplicating, with on-cassette body printing, labelling, over-wrapping, blister-carding etc. And YES – we verify our work – methodically.

BLANKS – Need any length blank
cassette for copying or re-sale?

We manufacture tapes in bulk, with or without boxes, as well as our own fully-packaged standard length products.

We use high quality batch certified HM-1260 tape, for error-free copies.

Please ring or write to Nigel Boyle today for full details – all enquiries and material treated in the strictest confidence.

Phone
01 223 5955

Write to
BIBI Magnetics y/c
Freepost
London SW11 2BR

BIBI Magnetics Limited,
101/105 Plough Road, London, SW11 2BJ

ANIROG Computers

ONE STOP SHOP FOR SOFTWARE AND BOOKS SPECTRUM – VIC 20 – BBC MICRO – DRAGON 32

Full range of software by leading software houses in the country.
BUG BYTE, QUICK SILVA, RABBIT, AUDIOGENIC, ARCTIC, A.S.K., SILVER SOFT, ROMIC, SOFTWARE FOR ALL, PROGRAMME POWER, LLAMASOFT, SOFTEK, VIDEO SOFTWARE, COMMODORE, DRAGON, and many others.

Huge selection of computer books. Massive stock of books and software. Despatch within 48 hours of receipt of order.

TWO OR MORE ITEMS 7.5% DISCOUNT. 5 ITEMS – £1.00 EXTRA DISCOUNT. ANY MIX OF BOOKS OR SOFTWARE ACCEPTED. VIC 20 – VALUE FOR MONEY SOFTWARE BY ANIROG.

Our packs of seven games contains a balanced mixture of action packed arcade style games, board games and adventure games. All games are in Hi-res Graphics for unexpanded VIC and offer exceptional value for money.

PACK OF SEVEN (VOL 1) – £6.

PACK OF SEVEN (VOL 2) – £6.

TINY TOTS SEVEN – Games for young children. Bright colour graphics and exciting sound effects are special features of these specially written programmes. – £6.

CAVERN FIGHTER – Very similar to arcade game 'Scramble'. Four missions to complete, using joystick or keyboard. Solid machine code programme to give all the thrills of arcade game – £6.

CRAWLER – All machine code version in the interrupt mode of the arcade game 'Centipede'. Fast and furious – £6.

SEND S.A.E. FOR CATALOGUE. PLEASE STATE THE COMPUTER TYPE.

Personal Shoppers
Welcome at

CO-OP CRAWLEY

Mail Order
Payment by cheque,
P.O. or Visa



26 Balcombe Gardens,
Horley, Surrey.
Horley (029 34) 2007/6083

SPOCK: "Computer! Calculate the value of Pi to ten thousand decimal places".
COMPUTER: "Working..."

CAN YOUR COMPUTER SPEAK?

The **WIDEBAND SPEAKEASY** speech synthesiser adds voice response to any computer with a parallel port including PET, ZX-81, VIC, BBC, ATOM, HORIZON etc.

for Only £69 + VAT

- * UNLIMITED VOCABULARY
- * EASY TO PROGRAM
- * LOW MEMORY OVERHEAD
- * COMPLETE MANUAL WITH
DICTIONARY, SAMPLE
SOFTWARE AND TUTORIAL
ON SPEECH PRODUCTION.



Also includes high flux speaker and power supply, all housed in high quality wood cabinet, with volume control and rear pitch control.

Programmed with simple phonetic codes. Apart from the obvious applications of voice response in manufacturing, testing, blind terminals etc., this product also teaches a great deal about linguistics and speech production.

Software is available in BASIC and Z-80 and 6502 assembly for direct input in PHONETIC SPELLING closely related to the ARPABET international phonetic alphabet.

For your nearest dealer contact:

WIDEBAND PRODUCTS, CAMBRIDGE RD.,
ORWELL, ROYSTON, HERTS. TEL: 0223 208017

A subsidiary of Sands-Whiteley Research and Development

SIR Computers Ltd.

Agents for Acorn and Torch Computers

BBC Microcomputers

Model A.....	£299.00
Model A + 32K RAM.....	£339.00
Model B.....	£399.00
Model B + Disc interface.....	£479.00

BBC Compatible TEAC Disc drives

Single disc drive.....	£249.00
Dual disc drive.....	£459.00

Torch Disc unit

This is a complete package including a Z-80 processor, 64K RAM, Dual disc drive and the CP/N operating system — fully compatible with all existing CP/M software. Requires a disc-upgraded BBC Model B.

Torch disc pack.....	£1,149.00
----------------------	-----------



8K ROM + 2K RAM.....	£149.50
8K ROM + 12K RAM.....	£179.00
12K ROM + 12K RAM.....	£199.00
16K ROM + 12K RAM.....	£229.00
1.8 A Power supply.....	£8.50
ATOM Disc pack.....	£345.00

please add £7.50 for interlink delivery of BBC Computers & Disk Drives

All prices are inclusive of VAT

SIR Computers Ltd.
38 Dan-y-Coed Road, Cyncoed, Cardiff
Tel: (0222) 759015

SPECIAL OFFER!
 Deduct £1 per cassette when ordering 2 or more


TOP QUALITY MACHINE-CODE PROGRAMS

*

FOR THE


BBC

MICROCOMPUTER




GALAXIANS (32K) £6.50

Fast action version of the popular arcade game. 4 types of Galaxians (in 3 initial screen formations) swoop down individually or in groups of two or three. 6 skill levels, hi-score rankings, bonus laser bases and increasing difficulty. Superb sound effects and graphics.




INVADERS (32K) £6.50

Superb version of the old classic arcade game with a few extras. 48 marching invaders drop bombs that erode your defences, and 2 types of spaceship fly over releasing large bombs which penetrate through your defences. Increasing difficulty, hi-score, superb graphics and sound.



SPACE FIGHTER (32K) £6.50


Arcade-style game based upon features from DEFENDER and SCRAMBLE. 5 types of menacing aliens fire at you and may attempt to ram you. Separate attack phases, fuel dumps, asteroids, repeating laser cannon, smart bombs, hi-score, rankings, 6 skill levels, sound effects.



CENTIPEDE (32K) £6.50

Another incredible arcade type game featuring mushrooms, snails, flies, spiders, and centipedes of course. Excellent graphics and sound. 6 skill levels, hi-score, rankings, bonuses, and increasing difficulty as the spiders become more active and the number of mushrooms increases.

All programs feature FULL COLOUR GRAPHICS. The above pictures cannot show the true quality of these graphics.



SUPERIOR SOFTWARE


Dept. YC2, 69 Leeds Road, Bramhope, Leeds.


TELEPHONE:
0532-842714

Please add 50p per order for P&P.

SPECIAL OFFER FOR CHRISTMAS!

Buy all four of these excellent programs for the bargain price of just £19.50.





YOU'VE SEEN THE PICTURES, NOW SEND FOR THE WORDS

BBC Microcomputer or Acorn Atom

Acornsoft is the software division of Acorn Computers, designers and manufacturers, of the BBC Micro and Atom. We know better than anyone the capability of the machines, we know how to get the very best from the hardware. And we have produced a range of exciting games, exacting business and useful household software.

The Biggest Range Available

Acornsoft software ranges from authentic arcade games like Snapper to Algebraic Manipulation to Desk Diary to other languages like FORTH and LISP. Striking colour, amazing sound effects and powerful

graphics are all used to the full. And it does not stop there. There is a complete range of manuals, accessories and plug-in ROMs.

Free Brochures

Just clip the coupon or write to us and we will rush our catalogue absolutely free. Can't wait for the post ring 01-930 1614 now! Don't delay - do it today. Let Acornsoft help you get the best from our machine and open the doors to your imagination.

Acornsoft and Atom are registered trade marks of Acorn Computers Ltd.

ACORNSOFT

4A Market Hill,
CAMBRIDGE CB2 3NJ.



Please rush me my free literature from Acornsoft.

Atom
 BBC Please tick

Name _____

Address _____

Postcode _____



WHAT PEOPLE ARE SAYING ABOUT OUR . . . BBC MICRO GAMES

"... I bought all your tapes to date for the BBC Micro and I think they are just super, especially STAR TREK, and the sound effects in CANDY FLOSS really made me sit up! Well done and keep them coming!"

J. S., Paisley

"... I was very impressed, not only with the cassette, but also at the speed at which it came!"


— R.L., Cheshire

"... I must congratulate you on your MUTANT INVASION cassette. I have had it for two weeks now and it is really superb. Incidentally, I have beaten your high score of 4,500 — mine is 7,580!"

— S.L., Berks

AND NOW LOOK AT OUR LATEST CASSETTES!

CASSETTE EIGHT Model A Invaders



Actual screen photo

Cassette Eight contains Model A Invaders. A superb full feature machine code teletext colour graphics version of the popular 'Space Invaders' arcade game for the Model A BBC Micro. Choice of Invader and Missile speeds. FAST, SMOOTH AND GREAT FUN!

Only £4.95 inc.

Cassette Nine contains Model B Invaders. A superb full feature adaptation of the arcade 'Space Invaders' game in machine code and high resolution colour graphics, for the Model B BBC Micro. Choice of Invader and Missile speeds. QUITE SIMPLY THE BEST.

Only £6.95 inc.

CASSETTE NINE Model B Invaders



Actual screen photo

NOT FORGETTING THE REST OF OUR FANTASTIC RANGE

FOR MODELS A AND B

- Cassette One: STAR TREK (8x8 Galaxy, Klingons, Phasers etc) and CANDY FLOSS, the tremendous new game everyone is talking about! **Only £5.95 inc.**
- Cassette Two: HANGMAN, KRYPTOGRAM, DICE, BEETLE, GRAND NATIONAL and MUSIC. **Only £3.95 inc.**
- Cassette Three: MUTANT INVADERS (arcade game). Can you destroy the Mutants before they destroy you with their radioactivity. **Only £5.95 inc.**
- Cassette Four: BREAKOUT (arcade game). Superb version, 6 skill levels, 1 or 2 players. **Only £3.95 inc.**

FOR MODEL B ONLY

- Cassette Five: BEEBMUNCH (arcade game). Our version of the 'Pacman' game. Tremendous version containing multi-ghosts, tempting fruits, superpoints, screams etc. **Only £5.95 inc.**
- Cassette Six: SUPER HANGMAN. The special feature is the high-resolution animated man. Marvel at the detail of his clothing and witness his impatience! Contains many categories. **Only £3.95 incl.**
- Cassette Seven: 3D MAZE. Battle against the clock to escape from the maze, with the computer showing your view in 3-D each step you take! **Only £3.95 inc.**

ALL CASSETTES AVAILABLE NOW FROM:

(All our software is available before we advertise)

I. J. K. Software

55 Fitzroy Road, Bispham, Blackpool, Lancs

GREAT GIFTS COME 1








for the
VIC 20



Bug-Byte programs make ideal Christmas stocking fillers! If you have a friend, or member of the family, who already owns a ZX81, Spectrum, VIC, Atom or BBC Micro they will be thrilled by the gift of one of our beautifully packaged, exciting cassettes.

Whats more, Bug-Byte games are the best! Tens of thousands of contented customers testify to that, so do consistently hot reviews in the popular micro-press.

If your game isn't shown, don't worry, we probably have more quality programs for more machines than any other software house, and new ideas are constantly being generated by our young, enthusiastic team of skilled programmers.



WHERE TO BUY?—


Look for the sign!
Bug-Byte programs are **AVAILABLE NOW** from:
All Laskys Stores Nationwide.
Large branches of Boots and Curry's Micro-C, plus over 100 independent computer dealers.
If you can't find a Bug-Byte dealer near you – then fill in the coupon opposite and order direct by post – and receive your free copy of our 1983, 16 page, full colour brochure, it's packed with lots of enthralling games for the whole family.

BUG-BYTE SOFTWARE

Also for your VIC:
Backgammon
Another VIC in the Wall

All VIC Programs – £7.00 each
including post and packing

IN SMALL PACKAGES!



for the
SINCLAIR ZX 81
or
ZX SPECTRUM



BUG-BYTE SOFTWARE

Sinclair ZX81

ZAS

ASSEMBLER

BUG-BYTE SOFTWARE

ZX SPECTRUM SPECTRES

FOR THE ZX SPECTRUM 16K/48K

BBC Micro

We have a large selection of programs for the BBC Micro (A and B models). Our new brochure gives a complete listing, so send for your free copy today! Also see our huge range of software for the ever-popular Acom Atom!

50^p
VOUCHER
with all orders
of 2 tapes or more

BUG-BYTE SOFTWARE

MAZOGS

For 16K SINCLAIR ZX81

BUG-BYTE SOFTWARE

Spectral INVADERS

FOR THE 16K ZX Spectrum

Please send me:

VIC Panic Spectral Invaders

VIC Asteroids Spectres

VIC Chess Mazogs

VIC Cosmiads ZX AS

OR the following: _____

I enclose S.A.E. for Catalogue

I enclose cheque/P.O. for _____

OR Please debit my Access 5224 _____

Barclaycard 4929 _____ Expiry Date _____

Name _____

Address _____

Code _____

Dealers Discount Available

ACCESS, BARCLAYCARD ORDERS WELCOME ON 24hr. ANSWERPHONE 051-227 2642,

or mail to:
BUG-BYTE SOFTWARE, FREEPOST (No stamp req.) LIVERPOOL L3 3AB.

ZX81 Prices: Mazogs - £10.00
ZAS Assembler - £5.00
XDB Debugger - £6.50
XTK Tool Kit - £6.00
X Invaders - £4.00

Spectrum Prices:
Spectral Invaders - £5.00
Spectres - £8.00
'Aspect' Assembler - £9.00
All prices include post and packing

BUG-BYTE SOFTWARE

MICHAEL ORWIN'S ZX81 CASSETTES

The best software (by various authors) at low prices.

QUOTES

"Michael Orwin's £5 Cassette Two is very good value. It contains 10 stolid well designed games which work, offer plenty of variety and choice, and are fun."

from the ZX Software review in Your Computer, May '82 issue.

"I had your Invaders/React cassette ... I was delighted with this first cassette."

P. Rubython, London NW10

"I have been intending to write to you for some days to say how much I enjoy the games on 'Cassette One' which you supplied me with earlier this month."

E. H., London SW4

"I previously bought your Cassette One and consider it to be good value for money!"

*Richard Ross-Langley
Managing Director
Mine of Information Ltd.*

CASSETTE 1

(eleven 1K programs)

machine code:

React, Invaders, Phantom aliens, Maze of death, Planet lander, Bouncing letters, Bug splat.

Basic:

I Ching, Mastermind, Robots, Basic Hangman. PLUS Large screen versions of Invaders and Maze of Death, ready for when you get 16K.

Cassette One costs £3.80

CASSETTE 2

Ten games in Basic for 16K ZX81


Cassette Two contains Reversi, Awari, Laser Bases, Word Mastermind, Rectangles, Crash, Roulette, Pontoon, Penny Shoot and Gun Command.

Cassette Two costs £5.

CASSETTE 3

8 programs for 16K ZX81

STARSHIP TROJAN



Repair your Starship before disaster strikes. Hazards include asphyxiation, radiation, escaped biological specimens and plunging into a Supernova.

STARTREK This version of the well known space adventure game features variable Klingon mobility, and graphic photon torpedo tracking.

PRINCESS OF KRAAL An adventure game. BATTLE Strategy game for 1 to 4 players.

KALABRIASZ World's silliest card game, full of pointless complicated rules.

CUBE Rubik Cube simulator, with lots of functions including 'Backstep'

SECRET MESSAGES This message coding program is very tulp qexi jf.

MARTIAN CRICKET A simple but addictive game (totally unlike Earth cricket) in machine code. The speed is variable, and its top speed is very fast.

Cassette 3 costs £5.

CASSETTE 4

8 games for 16K ZX81

ZX-SCRAMBLE (machine code)



Bomb and shoot your way through the fortified caves.

GUNFIGHT (machine code)



INVADERS (machine code)



GALAXY INVADERS (machine code) Fleets of swooping and diving alien craft to fight.

SNAKEBITE (machine code) Eat the snake before it eats you. Variable speed (very fast at top speed)

LIFE (machine code) A ZX81 version of the well known game.

3D TIC-TAC-ONE (Basic) Played on a 4x4x4 board, this is a game for the brain. It is very hard to beat the computer at it.

7 of the 8 games are in machine code, because this is much faster than Basic. (Some of these games were previously available from J. Steadman).

Cassette 4 costs £5.

Recorded on quality cassettes, sent by first class post, from:

Michael Orwin, 26 Brownlow Rd. Willesden, London NW10 9QL (mail order only please)

ARE YOU A ZX81 USER WHO'S NOT PLAYING GAMES?



£47.50
Including VAT.
complete

ECR 81 DATA RECORDER SAVES AND LOADS YOUR PROGRAMS EVERY TIME!

The ECR81 Enhanced Certified Recorder from MONOLITH is a major advancement in cassette recorder technology which minimises the problems associated with standard audio recorders. The unit is a high reliability program store for ZX computers based on a modified, proven cassette mechanism. The two sections of data recording circuitry automatically ensure precise levels are written onto the tape and that optimised signals are received by the computer.

THE ECR81 IS NOT SUITABLE FOR AUDIO REPRODUCTION
NO MANUAL VOLUME OR TONE CONTROL ADJUSTMENT PROVIDED

- Each ECR81 comes complete with its own individual certification tape, tested and serial numbered to prove your machine reliability.
- Mains Operation only.
- Mains & DIN connector leads provided.
- Certification of tape head alignment - height and azimuth.
- Certified tape tension, torque and speed.
- Fast forward and rewind tape search controls.

The ECR81 is also suitable for Sinclair ZX80

- Please allow up to 28 days delivery. ● The ECR81 is backed by our 14 day money-back option.

MONOLITH
electronic products

Telephone: Crewkerne 0460 74321 Telex: 46306

To: MONOLITH ELECTRONICS CO. LTD., 5/7 CHURCH STREET, CREWKERNE, SOMERSET

Please supply me with:

	Price	Total
..... (Qty.) Monolith ECR 81 Enhanced Certified Recorder(s) to be used with my ZX81	£47.50 (Each)	
I also enclose postage & packing per recorder	£2.50	

Please print

Prices include VAT £

Name: Mr/Mrs/Miss. _____
Address _____

MicroStyle

29 BELVEDERE, LANSDOWN ROAD, BATH
47 CHEAP STREET, NEWBURY
67 HIGH STREET, DEVENTRY

**NEW SHOP
WILL OPEN
IN NEWBURY
IN SEPTEMBER**


SEIKOSHA GP100A PRINTER

ENTIRELY NEW DESIGN.
UNBELIEVABLY LOW PRICE.
FULL GRAPHICS CAPABILITY.
CENTRONICS PARALLEL
INTERFACE. PAPER WIDTH
ADJUSTABLE UP TO 10".

£195.00 + VAT

PRINTERS


EPSON MX80
EPSON MX100
ANADEX
PAPER TIGER
T.E.C.
SCRIPTA
MICROLINE 80.



SHARP MZ 80A & MZ 80B ALWAYS ON DISPLAY



**(0225)
334659.**



ACORN ATOM

Sensational New Micro-Pack!
8K ROM 5K RAM, PSU included.
Colour fitted. Starter pack
software.


£170.00 + VAT



THE TI-99/4A FROM TEXAS INSTRUMENTS.

- 16K RAM (Expandable to 48K)
 - Keyboard: 48 key QUERTY
 - Sound: 5 octaves, 3 simultaneous tones plus noise generation • Colours: 16.
 - Resolution: 192 x 256 (24 x 32 characters)
 - Built-in software: 14K byte BASIC interpreter.
- Vast range of Educational
and Pre-school early
learning modules!

**£199 incl.
VAT**



BBC MICROCOMPUTER SYSTEM

Complete BBC support:
books - software - peripherals
Model "B" ex-stock

VIDEO MONITORS

All sizes and prices.
Black/white 9" **£90.00**
Black/white 12" **£65.00**
Green Screen 12" **£85.00**
Amber 9" **£95.00**
All Plus VAT

**BBC - COMPATIBLE
COLOUR MONITOR
£225 + VAT**

**EXTENSIVE RANGE OF
BOOKS AND SOFTWARE
ALSO AVAILABLE**

Plus Lots More

Post to:
MICROSTYLE, FREEPOST,
29 Belvedere, Lansdown Road, Bath BA1 1FP
Please send me further details on the
following, and your special offers:

Name

Company

Address

.....

Tel.



SOFTWARE

for ZX-81, ZX Spectrum BBC Micro

New maths programs - improve your maths and programming skills by playing Simon maths Games. Choose your own level of difficulty - suit ages 10-16. 10 programs on each tape - most incorporate Moving Graphics and are fun to run. Let your computer help you to pass your exams.

- Maths 1** Number, Area, Fractions, Decimals, Money, Length, Number, Estimation, Test 1, Game 1.
- Maths 2** Volume, Ratio, Percentages, Perimeter, Bases, Time, Number, Estimation, Test 2, Game 2.
- Maths 3** Directed Number, Co-ordinates, Angles, Scale, Probability, Density, Temperature, Estimation, Test 3, Game 3.
- Maths 4** Square Roots, Indices, Circles, Inequalities, Statistics, Number, Fractions, Angles, Test 4, Game 4.
- Maths 5** Equations, Directed Number, Statistics, Probability, Circles, Equations, Pythagoras, Simultaneous Equations, Test 5, Game 5.

Simon Software

Quality tapes copied at normal speed for better reproduction.

Cassettes with Printed Programs £5 (inc. VAT). Please add £1 p&p. **FREE!** blank tape with each set ordered. Send cheque/PO to: Simon Software, Dept. E.S. Freepost, New End,

Redditch, Worcestershire.
(Please state ZX-81(1K), (16K) or BBC Micro) or ZX Spectrum.



Scramble for your Spectrum

High-speed arcade game - easily the fastest available. Thrust, altitude, fire and bomb controls. For 16K or 48K Spectrum

from **MIKRO-GEN** the leaders in ZX games

ONLY £5.50



Plus Mikro-Gen games for your ZX81

Space Invaders ★ Breakout ★ Bomber ★ Frog
Paxman ★ Sorcerer's Castle ★ DeBug (Disassembler/Monitor)

All on cassette, with library case **ONLY £3.95 EACH**

Write for full details of the Mikro-Gen range of programs and add-ons, available from local stockists or direct from the manufacturers (please make cheques/PO's payable to Mikro-Gen and add 40p post & packing)

Suppliers of Software to Sinclair

MIKRO-GEN

24 Agar Crescent Bracknell Berks RG12 2BK Tel: Bracknell (0344) 27317

MIDWICH COMPUTER COMPANY LIMITED

FAST EX-STOCK DELIVERY OF MICROCOMPUTER COMPONENTS AT UNBEATABLE PRICES

MIDWICH NOW APPOINTED OFFICIAL ACORN BBC MICRO DEALER

ACORN ATOM UPGRADES

Description	Price
* Atom disc pack (AAH06)	299.00**
* Atom colour card (AAH07)	39.25**
* 4K Atom DOS (AAS41)	60.00**
* 4K FP ROM (AAS22)	20.00
* BBC ROM Set (XXXXX)	43.43**

BBC Microcomputer Upgrades

* Memory Upgrade (BBC1)	21.50
* Printer & User I/O kit (BBC2)	7.60
* F Disc interface inc DOS (BBC3)	70.00
* Analogue input kit (BBC4)	7.60
* Serial I/O & RGB kit (BBC5)	10.25

* Expansion bus & tube kit (BBC6)	5.95
* Printer cable inc Amphenol plug (not assembled) (BBC21)	13.00
* User port connector & cable (BBC22)	2.00
* Analogue input plug & cover (BBC44)	2.25
* 5 pin DIN plug for serialint (BBC111)	0.60
* 6 pin DIN plug for RGB int (BBC109)	0.60
* 7 pin DIN plug for cassette (BBC141)	0.60
* Connector for bus & cable (BBC66)	3.50
* Single disc drive (100K) (BBC31)	225.00*
* Dual disc drives (BBC32)	345.00*
* Games Paddles (per pair) (BBC45)	11.30

* Prices on these items are likely to change please contact sales office before ordering. As some items are on extended delivery from Acorn please check availability before ordering items marked **

JOYSTICKS AND CONTROLLER FOR ZX81 AND SPECTRUM

- ★ Controls 1 or 2 Joysticks
- ★ Fire Button Facility (1 or 2)
- ★ Easy to use
- ★ Plugs straight into Expansion Slot
- ★ Edge Connector provided for RAM Pack Discs etc

* Joystick Controller (kit)	14.95 ea.
* Joystick Controller (Assem)	19.95 ea.
* Joysticks (uncased)	3.00 ea.
* Fire Buttons (uncased)	1.50 ea.

* Please specify ZX81 or SPECTRUM when ordering (All Kits supplied with full assembly instructions)

MEMORIES

2114 Low Power 200ns	0.80	4116 200ns	0.75
2708 450ns	2.79	4118 150ns	3.38
2716 450ns (+SV)	2.10	4164 200ns TL	4.65
2716 350ns (+SV)	3.59	4164 200ns NEC	4.95
2716 450ns 3 Rail	5.95	4516/4816 100ns	2.69
2732 350ns	4.40	5516 250ns	9.38
2732 450ns	3.20	6116 P3 150ns	3.85
2532 450ns	3.20	6116 LP3 150ns	5.75
2564 450ns	9.99		
2764 450ns	9.99		
4116 150ns	1.10		

★ SPECIAL LOW PRICES FOR QUANTITIES ★

ACORN & BBC MICRO COMPONENTS

2114 Low Power 200ns	0.80	81LS97	0.90	26 way Right Angle IDC Header	3.24
4516/4816 100ns	2.09	DP8304	4.50	34 way Right Angle IDC Header	3.80
6522	2.99	DS3691N	4.50	15 way Right Angle D. SKT	3.50
74LS244	0.59	DS88LS120N	4.50		
74LS245	0.69	20 way Right Angle IDC Header	2.46		

VISA

24 Hour Telephone order service for credit card holders. All prices exclude VAT and carriage (0.75 on orders under £10 nett). Official orders from educational and government establishments, and public companies accepted. Credit accounts available to others (subject to status). All orders despatched on day of receipt. Out of stock items will follow on automatically at our discretion or a refund will be given if requested. NO SURCHARGE FOR CREDIT CARD ORDERS

MIDWICH COMPUTER CO LTD

DEPT YC, RICKINGHALL HOUSE, RICKINGHALL, SUFFOLK IP22 1HH
TELEPHONE (0379) DISS 898571

FOR YOUR MICRO COMPUTER NEEDS

- MICRO COMPUTERS
- ACCESSORIES
- PERIPHERALS
- EXTENSIVE RANGE OF SOFTWARE
- WIDE RANGE OF BOOKS & MAGAZINES
- IN HOUSE AFTER SALES SERVICE DEPARTMENT

STOCKISTS FOR APPLE, OSBORNE, NEWBRAIN ETC.

Lion Micro Computers

THE SPECIALISTS

Lion House, 227 Tottenham Court Road, London W1P 0HX

Telephone: 01-580 7383 & 01-637 1601

Telex: 28394 Lion G.

Open 9 to 6 Mon-Sat





ZX81 OWNERS

**SPECIALISED PRODUCTS
MODULAR EASY TO USE
FOR HOME/INDUSTRY &
EDUCATION**

TE10 INPUT/OUTPUT PORT - Easy to use. Fits between ZX & RAM PACK/PRINTER (if required). No skill required to connect. Can be used for such things as:- motor control; sound/music generators, connection to printers/floppy discs/light pens/other computers, temperature monitoring, square wave generating, control of rotating aerials, even train sets etc. Port has 16 programmable I/O lines and may be used without any electronics knowledge to connect other add-ons. Motherboard required ONLY when two or more add-ons are used at any one time.

FULLY ASSEMBLED £17.95

KIT (WITHOUT CASE) £14.95

TE12 4 CHANNEL RELAY BOX - To suit Port Contact rating:- 240v AC/1.5A - 24V DC or 110V AC/3A. Up to 4 units i.e. 16 relays can be operated. £14.95

TE15 8 WAY TRANSISTOR DRIVER - £9.95

TE17 8 WAY SWITCH UNIT (EDUCATIONAL) - £12.95

TE18 8 WAY INDICATOR UNIT (EDUCATIONAL) - £12.95

TE20 JOYSTICK & FREE GAME - (2 Joysticks may be connected via Motherboard.) £12.95

TE30 MOTHERBOARD - Allows multiples combinations of add-ons - up to 16 I/O lines may be used - £15.95

TE126 POWER SUPPLY - 6/7.5/9V DC at 300 mA - Required for use with add-ons TE12/15 & 18 £4.95

23 + 23 WAY ZX Edge Con £2.85. Contact cleaner £2.30.

16 WAY SINGLE SIDED EDGE CON £1.95. EXTENDED PIO NOTES £1.

PRICES INCLUDE VAT

Receipts always provided: - Delivery normally ex-stock. ADD 50p towards p&p on all orders under £20.00, with the exception of accessories, e. g. Edge on. Full instructions and examples with all products.
SEND S.A.E. FOR CATALOGUE. TELEPHONE ORDERS ACCEPTED.


THURNALL (ELECTRONICS) ENG.
DEPT Y, 95 LIVERPOOL ROAD,
CADISHEAD, MANCHESTER M30 5BG
TEL: 061-775 4461 (24 hour)



GAMER

24 Gloucester Rd
Tel: (0273) 698424
BRIGHTON

ATARI



400 (exc. BASIC)	£173.04
400 (inc. BASIC)	£216.52
800 (exc. BASIC)	£390.43
800 (inc. BASIC)	£433.91

ATARI PACKAGE DEALS

400 (16K) + BASIC + Recorder + Joystick + 5 Blank Cassettes + Free Programs	£251.30
400 (32K) + All above items	£307.83
800 (48K) + All above items	£546.96
800 (48K) + Disk Drive + Joystick + 3 Blank Disks + Demo Disk	£734.78

SHARP

MZ80A	£434	EPSON HX20	£402
MZ80B	£789	VIC 20	£129.50
		GENIE I & II	£289
		ATOM	from £150

NOW IN STOCK - **DRAGON** - 32K + COLOUR + SOUND + TYPEWRITER KEYBOARD **£173 + VAT**
+ PERIPHERALS + SOFTWARE + BOOKS
+ MAGAZINES + CHESS COMPUTERS
+ GAMES FOR ZX81 AND APPLE
PLEASE ADD 15% VAT TO ALL PRICES



YOU need the PROXIMA GRAPHIC PLANNER

Don't be trapped into designing one graphic at a time on the VDU screen. Work on 2, 4 or up to 48 adjacent units with this quality-printed Graphic Planning Pad. Prepare your designs at home, on the train, at school or the office - anywhere.

- Full instructions
- Over 300 pre-designed graphics to use or to spark your imagination
- Space to design over 2000 graphics of your own.
- All column values printed to aid coding
- Sample program to calculate values, POKE to memory and SAVE
- Written for Spectrum but invaluable for any computer with 8x8 user defined graphics
- All in all the best to be had.

Also available: ZX81/Spectrum BASIC coding sheets. Printed blue on quality paper for neat and precise program development. **£2.50 inc p&p per 100 sheets.**

SPECIAL OFFER
PROXIMA GRAPHIC PLANNER PAD PLUS 100 BASIC CODING SHEETS ~~£6.00~~ **£5.00**

Remittances to **Proxima Centauri Ltd.**
Suite A6, 23 Denmark Street,
London WC2H 8NA.
Please specify exact requirements.



EDUCATIONAL COMPUTING

on the

ZX81

No comparable collection offers so much for so little

strongly recommended by educational authorities

Fifty high-quality programs to turn your ZX81 or Spectrum into a powerful educational tool. And you don't even need to know programming. There are clear instructions and plenty of tips & advice. Designed to go beyond drill & practice the promote learning through interaction & discovery.

Almost all programs work on the **SPECTRUM**

Educare's 50 1K PROGRAMS for PRIMARY EDUCATION

Includes:-

- TORTOISE** A simplified version of the famous Turtle programme
- CODED MISSILE** Combines the fun of arcade games with learning

£5.95 only
paperback 110 pages plus Spectrum supplement

Graph-plotter • Histogram • Simon-spell • Sketchboard • Times-table • Sets Series-quiz • XY-coordinates • Count • Equations • Areas • Guess-a-Volume Angles • Upstairs-Downstairs • Music-notes • See-saw • Wipe-out • Spell Temperature • Clock • Money • Snake Mastermind • Number-shoot • + 26 more

EDUCARE

To: **EDUCARE**
139a Sloane St.
London
SW1X 9AY

Please send me copies Educare's 50. I enclose cheque/postal order for £.....
Name.....
Address.....

Let your child benefit early - Send now

BBC MICROCOMPUTER SPECIALISTS

COMPUTERS	BBC SOFTWARE	PRINTERS	EDUCATION PACKS by PROCYON
BBC Model "A" (in stock now) £299.00 BBC Model "B" (in stock now) £399.00 BBC Model "A" plus extra 16K memory £330.00 16K Hitachi memory (as fitted by ACORN) £31.00 FULL UPGRADE KIT (Genuine ACORN issue) £90.00 UPGRADE KIT fitting charge £10.00	BBC SOFTWARE ACORNSOFT Peeko Computer £9.95 ACORNSOFT Defender £9.95 ACORNSOFT Monsters £9.95 ACORNSOFT Philosophers Quest £9.95 ACORNSOFT Snapper £9.95 ACORNSOFT Arcade Action £11.90 ACORNSOFT Dinky Diary £9.95 Sinclair Mutant Invaders £3.95 Sinclair Super Hangman (Hilarious! with sound) £3.95 Sinclair "B" Invaders (Just like the Pub version) £6.95 Sinclair Beebman (Like Snapper) £5.95 Sinclair 3-D MAZE (FAST & INTRICATE!) £3.95 Sinclair WORD PROCESSOR £9.95 Agents for BUG-BYTE & PROGRAM POWER software	PRINTERS Seiksha GP100A £225.00 EPSON MX80 F/T III £390.00 EPSON MX100 F/T III £530.00 SMITH CORONA Daisy Wheel Printer £557.00 Printer Cable £18.40	EDUCATION PACKS by PROCYON All the following are designed by practising teachers & written by professional programmers. They are intended for use with the BBC Microcomputer both in school & at home. PRO DIS RAM resident colour disassemble/dump/edit program £9.14 PRO STAT Part 1 Statistical analysis program £9.14 PRO STAT Part 2 Regression (line fitting) program £9.14 PRO TEST 4 Function (+ - x /) Maths training program £9.14 Utility Pack - Rank, Alphabet, Calendar etc. £6.95 FLETCHER Fletcher's interaction analysis £9.14 RAPHSON Advanced maths program £6.95
CASSETTE RECORDERS	BBC BOOKS	MONITORS	PS FOR ATOM OWNERS!
Cassette Recorder (Pye) £23.00 Cassette Recorder (Ferguson) £28.00 Cassette Recorder (Sony) £37.95 Cassette lead (7 pin DIN/3 jacks) £5.00 Blank Cassettes (Scotch 3M) £0.70	BBC BOOKS NEC 30hr Basic £5.50 Practical Programs for the BBC Microcomputer Johnson Davies £5.95 Basic Programming on the BBC Computer Crier **NEW** £5.95 Let Your BBC MICRO Teach you to Program Hartnell £6.45 The BBC MICRO Revealed Ruston £7.95	MONITORS 14" Full colour MONITOR (used in BBC computer programmes) £309.35 12" Green Screen MONITOR £126.00 RGB Monitor lead £5.00 Monitor lead £5.00	PS FOR ATOM OWNERS! DISATOM SUPER ROM 27 new words plus FULL DISASSEMBLE £29.95 SOFTSWITCH 4x4K ROMS Software selectable, plug-in £22.95 PRO LOG ADC Board. Eight inputs for joysticks, paddles, machine inputs £24.95 ACORNSOFT BBC BASIC board £49.50

ELTEC SERVICES LTD
 231 Manningham Lane, Bradford BD8 7HH
 Tel: (0274) 491371

OPEN Mon-Fri 9am-5pm Sat 9am-12 noon
 Prices are VAT INCLUSIVE
 P&P £1.00 for orders under £100.00: Orders over £100.00 add £10.00 for a Securicor Delivery

ZX81/ SPECTRUM/ DRAGON 32

A fantastic range of 16K games, each complete with fully comprehensive instructions from:

M.C. LOTHLORIEN ENTER THE DRAGON!



1. TYRANT OF ATHENS

Can you survive long enough to turn Athens into the most feared state in the Mediterranean? Train troops, build warships, fight battles by land and sea against hostile Greek States and the vast Persian Empire. Many more features in this very addictive game.

Price: DRAGON £6.95 ZX81 £4.50 SPECTRUM £5.50

2. ROMAN EMPIRE

Your aim is to conquer the hostile countries surrounding Rome. Build armies, appoint Generals and fight campaigns. This challenging game takes full account of morale, fighting efficiencies, leadership ability, etc. 3 levels of play.

Price: ZX81 £4.50 Spectrum £5.50

3. PELOPONNESIAN WAR

Set in Ancient Greece from 431-404 BC, covering the Great War between Athens and Sparta. Your goal is a final victory over the Spartans but you will need all your skill in a combination of diplomacy and military force before you even stand a chance. 3 levels of play.

Price ZX81 only £4.50

4. SAMURAI WARRIORS

How would you have fared as a Samurai in 13th Century Japan? Face challenges from Samurai and bandits. Are you a survivor? Or will you be forced to commit ritual suicide? 7 levels of play, a most fascinating game.

Price: DRAGON £6.95 ZX81 £4.50 Spectrum £5.50

5. WARLORD

A challenging game of analytical skill set in 13th century Japan. You control a village and must meet attacks from other armies, combat challenges from other warlords and their Samurai, attack and defeat pirates, make raids for gold or slaves and feed your village.

Price: ZX81 £4.50 DRAGON - AVAILABLE DECMEBER

Cheques and PC's please, made payable to: M.C. LOTHLORIEN
 4 Granby Road, Cheadle Hulme, Cheadle, Cheshire SK8 6LS

The NEW MPF II

Only available from Flight Electronics Limited

1. Massive 64K memory.
2. 3 Display Modes:-
 - a) TEXT
 - b) 6 colour high resolution graphics (53,760 pixel: 280 x 192).
 - c) 16 colour low resolution graphics (1,920 blocks: 40 x 48)
3. Sound via 8 ohm 2.25", 0.25 w speaker/amp.
4. 6502 processor.
5. Applesoft compatible, BASIC.
6. Cartridges for ASSEMBLY, PASCAL, FORTH available soon.
7. ACCESSORIES: 40 character graphics, 150 lpm Thermal Printer, Games packages, RS232C network interface board, floppy disk driver, sound/speech synthesizer board, and many more on the way.

SEE EDITORIAL
OCTOBER 82
ISSUE

FLIGHT ELECTRONICS LTD. Flight House, Quayside Rd, Southampton, Hants SO2 4AD. Tel: (0703) 34003/27721. Telex: 477793.



£235


(by phone or post)

+ carriage (£4.95) + V.A.T.

I enclose cheque/P.O. for £.....

Name

Address



SPECTRUM 48K ZX81 TRS80 VIDEO GENIE

EXTREMELY Addictive Games

5th ZX MICROFAIR
DECEMBER 1982
NEW HORTICULTURAL HALL, LONDON SW1

NOW!
for the
SPECTRUM FOOTBALL MANAGER

IN 3D COLOUR GRAPHICS

ACTION FROM THE SPECTRUM VERSION

FEATURES INCLUDE.....

- ★ 4 DIVISIONS ★ F.A. CUP ★ PROMOTION & RELEGATION ★ TRANSFER MARKET ★ TEAM SELECTION ★ SAVE GAME FACILITY ★ LEAGUE TABLE ★ AND MUCH MORE!

ALSO AVAILABLE AT BOOKSTORES & COMPUTER SHOPS INCLUDING BUFFER MICRO SHOP & MICROWARE. 3D GRAPHICS ONLY INCLUDED IN SPECTRUM VERSION

HARDWARE REQUIRED

Spectrum 48K RAM	TRS80/ Video Genie
ZX81 16K RAM	LEVEL II 16K RAM

To Order send Cheque/P.O. £7.95 made payable to:-

ADDICTIVE GAMES
at: Dept. Y.C. P.O. Box 278
CONNIBURROW,
MILTON KEYNES MK14 7NE
PLEASE STATE COMPUTER

We're tired of telling you how good our game is..... let our customers tell you

I received F.M. about 10 days ago, and have played about 23 hours so far — addictive is the operative word. —

D. BLAIR, FIFE

I think your game is fabulous since starting with Port Vale in the 4th Division, being promoted, winning the F.A. Cup, and being promoted again to the 2nd Division. —

C. DICKENSON, CANTERBURY

I recently bought your F.M. program and was very pleased indeed. I found it very good value for money and played it all day the day it arrived — I own a ZX81 which is now only used for F.M. —

Yours addicted, M. FRAMPTON, CANVEY ISLAND

I felt that I had to write and congratulate you on your program F.M. I found the game very compelling and exciting, really just like the real thing — keep up the good work and standard. —

N. LAWRENCE, FULHAM ORIGINALS CAN BE SEEN ON REQUEST

PASCAL FOR THE ZX SPECTRUM

Hisoft are pleased to announce the availability of Hisoft Pascal 4 for the 48K ZX SPECTRUM.

No longer do you have to put up with the slow execution speed of BASIC programs; Hisoft Pascal 4 produces programs that run between 40 and 100 (yes 100!) times faster than the equivalent programs written in ZX SPECTRUM BASIC. For example, a program to sort a 100 element array of numbers into ascending order takes 60 seconds in BASIC, while HP4 produces a program which does the same thing in 0.6 seconds!

NOW you and your children can learn to program in an efficient and structured way by using Pascal, the favoured language in schools and universities.

NOW you can write games programs etc. which run as fast as you need them to without having to resort to assembler or machine code.

NOW you can use a language which requires minimal re-learning when you move from your SPECTRUM to another computer; Hisoft Pascal 4 has all the essential features of Standard Pascal as detailed in the Pascal User Manual and Report — by Kathleen Jensen and Niklaus Wirth, the man who designed Pascal.

Hisoft Pascal 4 is a professional piece of software designed by a team who have been writing Pascal compilers for many years — you will find it to be powerful, flexible and very easy to use.

To top it all, we are offering the package (which includes a 60 page manual), for a limited time, to 48K ZX SPECTRUM users at an INCREDIBLE price of:

ONLY £25 INCLUSIVE

Write for more details TODAY to:



HISOFT
60 Hallam Moor
Liden SWINDON
SN3 6LS

Tel. (0793) 26616 (Answering machine)

Keyboard with Electronics for ZX81



A full-size, full-travel 43-key keyboard that's simple to add to your ZX81 and requires no soldering in the ZX81.

Complete with the electronics to make "Shift Lock", "Function", and "Graphics 2" single key selections making entry far easier.

Powered from ZX81's own standard power supply - with special adaptor supplied.

Two-colour print for key caps.

Amazing low price only **£19.95** incl. VAT and carriage. Order As LW72P


Full details in the June 1982 issue of "Electronics - The Maplin Magazine" on sale at all good newsagents price 60p. In case of difficulty send 60p to address below, or £2.40 for annual subscription (4 issues).

MAPLIN

Electronic Supplies Ltd
P.O. Box 3, Rayleigh, Essex SS6 8LR. Tel (0702) 552911

Retail shops at
159 King St., Hammersmith, London W6. Tel 01-748 0926
284 London Road, Westcliff-on-Sea, Essex. Tel (0702) 554000
Lynton Square, Perry Barr, Birmingham. Tel: (021) 356 7292
(Shops closed Mondays). All mail to Rayleigh address.

SPECTRUM 48K : ZX81 16K SIX PART ADVENTURE



BLACK CRYSTAL

THE QUEST IS ABOUT TO BEGIN

The ultimate role-playing adventure for the SPECTRUM/ZX81. You can become a warrior, elf or wizard on a quest to find and use the rings of creation: to destroy the Black Crystal and defeat the Lords of Chaos. Held within six programs lies a land of fabulous treasures and mythical monsters. Journey through the land of Beroth, explore the castle of shadows, descend into the Shaggoths lair, search for diamonds in the sea of sand but beware of sand sharks! Confront the fire demon in his temple, battle against the Lords of Chaos and win your way to the Black Crystal.

By splitting Black Crystal into six programs we can provide more variety and detail than any other adventure for the Sinclair computers.

Real time monster battles. Superb graphics. Save game feature. All six parts are supplied together on cassette, boxed with instruction booklet.

**SPECTRUM 48K: 180K OF PROGRAM
IN SIX PARTS - ONLY £7.50**
**ZX81 16K: OVER 100K OF PROGRAM
IN SEVEN PARTS - ONLY £7.50**
**WHY PAY MORE FOR LESS OF AN
ADVENTURE**



To: **CARNELL SOFTWARE, DEPT 2, 4 STAUNTON RD, SLOUGH, SL2 1NT.**
Please send me: Black Crystal for my,

- Spectrum 48K..... £7.50
- ZX81 16K..... £7.50

I enclose a cheque/postal order (payable to Carnell Software) for £ _____
NAME.....
ADDRESS.....

PROPRIETORS R. CARNELL, S. GALLOWAY

H&H SOFTWARE

Software for the BBC Computer

Some DRAGON versions available

Model B only

ALPHABETA A complete Word Processing Package with instantaneous response. Features include automatic wrapround, insert, delete, over-write, title centring, tabs, merging and other editing facilities. Up to 224 lines of 80 characters can be produced. For longer documents editing between files is possible. Price includes a manual and labels for the red keys..... £28.50

BILLIARDS This is a game of skill and cunning. Key in the direction, pace and backspin on your cue ball and watch the result. The computer does the rest..... £8.50

TESS Are you bursting with imagination or flare for graphic designing or just wanting a completely different type of program? TESS is for you. Design a shape, choose colours, pattern and size, then watch the screen fill with copies of your design interlocking together. Animations are possible, the tape includes an example..... £8.50

Model A or B (Family games with sound and colour)

SHAPE and RACE For 6 year olds upwards. In SHAPE, a tracer bounces inside a blue box and rebounds off a hidden shape. Can you identify the shape before your opponent. The RACE is between a hare and a tortoise. First one to the flowers wins..... £5.50

SIGNALS and MAGIC Make up sums to reveal a hidden shape. Guess the shape to get bonus points. Complete a magic square to get promoted and hear the fanfare. The higher your rank, the better the fanfare. 3 levels of difficulty..... £5.50

Prices include cased cassette, instructions, postage etc.
Please send orders and cheques/PO/Transcash (No. 614 131 707) to:

H&H, Dept A, 53 HOLLOWAY, RUNCORN, CHESHIRE.
For further information please send S.A.E.

16K ZX SPECTRUM GRAPHICS SUPERDRAW16 16K ZX SPECTRUM GRAPHICS

- 16K Spectrum graphics pack.
- Full screen high resolution colour.
- Moving cursor control.
- Large alphabet facility.
- Pictures saved on cassette.
- Automatic "slide show" option.
- Menu driven, easy to operate, crash proofed.
- Documented to usual high Video Software standard.
- Demonstration slide show.
- Audio commentary on reverse of cassette.

If you've now got your Spectrum you will be wanting to explore its graphics potential. SUPERDRAW16 will help you get the best from it.

Price: £5.00 inc. VAT, P. & P. Immediate delivery.



STONE LANE
KINVER
STOURBRIDGE
WEST MIDLANDS
DY7 6EQ
ENGLAND
TEL: KINVER 2462
STD 0848 3462

VIDEO

SOFTWARE LIMITED



NEW HORTICULTURAL HALL, LONDON SW1.

MEMORY DEVICES FROM:

GCC ELECTRONICS

Tel: 0223 21044

Telex: 817672

EPROMS		6500 Family		MEMORIES	
2708	200p	6502	375p	2114LP-2	90p
2716+5V	200p	6520	285p	2114-450	85p
2732	385p	6522	375p	4116-150	90p
2532	365p	6532	520p	4116-200	88p
2764	1200p	6545-1	900p	4816-2+5V	250p
				4164-200	410p
				6116-150	350p
				5516-250	635p
6800 Family		Z80 Family			
6800	270p	CPU	315p		
6802	325p	ACPU	350p		
6810	110p	CTC	270p		
6809	850p	ACTC	290p		
6850	135p	PIO	340p		
6821	110p	APIO	350p		

We supply 74LS TTLs, CMOS 4000 Diodes, Transistors, etc., etc. All components are guaranteed prime parts, from leading manufacturers.

Orders from Government, Educational and Overseas buyers welcome. Special prices for volume enquiries. Please add £1 post and packing plus VAT at 15%. Minimum order £15.00.

GCC ELECTRONICS

18 CLAYGATE ROAD, CHERRY HINTON
CAMBRIDGE CB1 4JZ
TEL: 0223 210444

TELEX: 817672

★★ NEW FROM CAMEL PRODUCTS ★★

DREAM-81 FOR ZX-81

64K RAM Plus

- PLUS** A 28 pin EPROM socket for 2716/2732/2764 and even the latest 27128 from Intel.
- PLUS** Fast/Slow option, to allow for EPROMs of different speeds.
- PLUS** Link option to disable any part of 0-16k memory area in 2kB multiples.
- PLUS** Full 64k capacity of high speed RAM available for VDU or other use of your ZX81.
- PLUS** Professional standard, built and tested unit in black ABS case with an LED indicator. £69.95 + VAT

OTHER CAMEL PRODUCTS

- MEMIC-81 A 2 or 4 kilobyte CMOS memory unit with Lithium battery backup. Program/ £24.95 + VAT
data storage up to 10 yrs. Instant £29.95 + VAT
retrieval. Basic/M.C.
- MEMIC L/T Two kilobyte CMOS RAM units for a 2716/2732 socket in any system £26.05 + VAT
- ROM-81 2kB-8kB EPROM Unit with Wait States £14.95 + VAT
- PIO-81 8+8 Ch. latched Input/Output ZX81 card £13.00 + VAT
- PPS Cased 25w pwr. supply 5v,3A/12v,1A/-12v,.25A £44.95 + VAT
NEW CRAMIC 81 NEW
A 16 kB CMOS RAMPACK for ZX81 soft switch via keyboard between CRAMIC 81 and ordinary RAM. Cased, cabled & tested £79.95 + VAT



Cambridge Microelectronics Ltd., One Milton Rd., Cambridge. CB4 1UY Tel (0223) 314 814

TRANSFORM LTD.

ZX Business Software.

FOR SMALL BUSINESSES AND THE SELF EMPLOYED

Business Bank Account: this program enables you to make debits under 11 subheadings. Statements include totals of all subheadings. £8.75

Sales Day Book: for all your invoices, this program will enable you to prepare statements of outstanding invoices. Program will also calculate VAT. £8.75

Purchase Day Book: keeps a complete record of all your purchases under 11 subheadings. The program will also calculate and deduct VAT. £8.75

Quarterly Analysis: quarterly totals from Bank Account, Purchase and Sales programs can be analysed with this program. £4.75

All the programs have full search facilities and will enable you to prepare quarterly accounts for your VAT returns and annual accounts for your accountant. These programs can also be used by companies not reg. for VAT.

Business Pack: incl. Bank Account, Sales and Purchase programs. £25

Please specify memory size when ordering for your ZX81.

All prices include VAT, Post & Packaging. For details send S.A.E. to:

TRANSFORM LTD.,

41 Keats Ho., Porchester Mead, Beckenham, Kent.
Tel: 01-658 1661



***SPECTRUM MONITOR**
***SPECTRUM EDITOR/ASSEMBLER**
***ZX81 SCREEN KIT 1**
***ZX81 ZX-MC *ZX81 REMLOAD**

FAST MAIL ORDER-SEND TODAY!

SPECTRUM MONITOR. Machine Code Debug/Disassembler
 • Enter, Run, Debug machine code programs. • Compatible with Basic • Breakpoints and Registers Display • Disassembly to screen and/or ZX Printer • 16K and 48K versions on one cassette + 30 page manual. **£7.50**

SPECTRUM EDITOR/ASSEMBLER. A powerful and essential machine code programming aid.
 16K & 48K on same cassette with full documentation. Major features include:
 EDITOR with Auto Line Numbering: 40 Column screen display, tabulated into fields for easy reading: 5 character Label Names: simple Line Editing and Cursor Control:
 TWO-PASS ASSEMBLER accepts all Z80 mnemonics (plus many unpublished mnemonics): Decimal or Hex numbers: simple arithmetic on operands: Assembler Directives — ORG, END, DEFB, DEFW, DEFL, EQU, DEFM.
WE CANNOT FULLY DESCRIBE THIS IMPORTANT UTILITY HERE, AND ASK YOU TO SEND A S.A.E. FOR COMPLETE DETAILS OF THIS AND ALL OUR PROGRAMS. £8.50

ZX81 SCREEN KIT 1. More power to your screen in all your Basic programs
 BORDERS any size, anywhere on screen. SCROLL in all 4 directions. CLEAR and REVERSE PART OF SCREEN. FLASHING CURSOR anywhere on screen — simulates INPUT, DATA FILES SAVE AND LOAD Basic variables: Double Speed. 880 bytes machine code for INSTANT RESPONSE. Becomes part of Basic Program. **£5.70** 4K to 64K

ZX81 ZX-MC. Machine Code Debug/Monitor
 • ENTER, RUN, DEBUG machine code programs • SAVE, LOAD, VERIFY at double speed • BREAKPOINTS and REGISTERS DISPLAY • Self contained — cannot be used with Basic • Cassette plus 36 page manual. **£7.50** 4K to 64K

ZX81 REMLOAD. Machine Code Debug/Monitor
 • A version of ZX-MC without the Save/Load/Verify facility • Compatible with Basic • CREATE A REM LINE of any length • BREAKPOINTS and REGISTERS DISPLAY • Cassette plus 30 page manual **£6.95** 16K to 64K

SEND S.A.E. NOW FOR DETAILS
6 Corkscrew Hill, West Wickham,
Kent BR4 9BB.
 Prices include VAT & P&P

**PICTURESQUE
 PICTURESQUE
 PICTURESQUE
 PICTURESQUE**

V & H COMPUTER SERVICES
 PRESENTS

SPECTRUM SPECTACULAR

(50 PROGRAMS FOR THE SINCLAIR SPECTRUM)

And what programs! New games! Old games! Business programs (like invoicing and sales ledger), word processor, machine code routines, graphics . . . All in **SPECTRUM SPECTACULAR**, the new book by Roger Valentine. **SPECTACULAR VALUE AT £4.95.**

By the same author:
WHAT CAN I DO WITH 1K? (ZX81) — £4.95
WHAT CAN I DO WITH 16K? (ZX81) — £4.95

V & H COMPUTER SERVICES
 182c KINGSTON ROAD, STAINES, MIDDX.
 TEL: STAINES 58041

Business users please note:
 Our PAYROLL program is now available for:
 ZX81, SPECTRUM, PET, BBC and KONTRON.
 Please write for details or send £2.00 for comprehensive manual.

SPECTACULAR GAMES AND UTILITIES

— FEATURING FULL COLOUR AND SOUND

SPECTRUM 16/48K

TRACK-N-ATTACK

Shoot down the enemy carrier based helicopters using your laser beams. Complete with on-screen scoring and full graphics.

SUPERSCRIPT M.P.F.


Enhance your programmes with this magnified print facility. (MPF). Features full positioning and character size selection.

BLACKJACK

The classic card game (21s/Pontoon). Full colour on screen presentation of bets, wins and debts — with your Spectrum as the croupier.

CHAR-WALLAH

Over 40 ready defined characters for you to liven up your own programmes. Includes — Airplanes, Helicopters, Space-Ships, Faces and Card-Suites.



KEYWORD SOFTWARE
 31 AVENUE ROAD
 N. HAYLING ISLAND
 HANTS

PUT YOUR MICRO TO WORK!



**YOUR
 MACHINE**

CONTROL MACHINES, ROBOTS, FACTORY OR HOME

Have you ever wanted your MICRO to control a machine for you, or manage your house? If so, the MDR 'MICROCOMPUTER CONTROL INTERFACE' will give you isolated channels of OUTPUT (8A @ 250 volts) and switch sensing INPUTS.

Available now for connection to PET USER, PORT, RS232 and IEEE488, allowing expansion up to more than 900 channels.

Supplied complete with connecting cables, full data and guarantee from £12.54 per channel. Complete preprogrammed systems or individual components available. Write or phone for details.

M D R (INTERFACES) LTD.
 Little Bridge House, Dane Hill,
 Nr. Haywards Heath, Sussex RH17 7JD.
 Telephone: 0825-790294.

BBC FORTH

"rqFORTH" runs on BBC A or B and costs only £15, including its 70 page manual. It:

- * needs no added hardware;
- * runs up to 10 times faster than BBC BASIC;
- * includes full screen editor tailored for the BBCcpu;
- * is FORTH-79 STANDARD and has fig-FORTH facilities;
- * provides 260 FORTH words;
- * is infinitely extensible;
- * allows full use of the MOS via its CALL & *MOS words;
- * provides recursion easily;
- * comes with a full 70 page technical manual;
- * is available NOW.

Price of £15 includes P&P/VAT

NASCOM

Extension Basic . £15/£30 ROM
Adds 30 new keywords to BASIC

Compression Assembler ... £12
Smaller source + higher speed

Q-DOS for G805 .. £25/£40 ROM

Asteroids m/c,g £7.90

Bomber m/c,g £4.90

Fantasy basic £5.90

Galaxy Invaders . m/c,g £5.90

Life m/c,g £5.90

Missile Defence . m/c,g £7.90

Nightmare PORK .. basic £4.90

Space Invasion .. m/c,g £6.90

Super Gulp eb,g £4.90

5-games Cassette . misc £5.90

P&P/VAT included. Most are OK with Nascom 1s (Nas-Sys/C.B).

Spectrum BBC nascom adventures

Colossal Adventure: The classic mainframe game "Adventure" with all the original treasures & creatures & 70 extra rooms.

Adventure Quest: Through forest, desert, mountains, caves, water, fire, moorland and swamp on an epic quest vs Tyranny.

Dungeon Adventure: NEW! The dungeons of the Demon Lord have survived His fall. Can you get to their treasures first?


Every Level 9 adventure is packed with puzzles and has over 200 individually described locations - a game can easily take weeks to complete! Only data and code compression allow so much to be provided.

Each adventure needs 32K and costs £9.90, including P&P/VAT.

Send order on SAE for catalogue, describing your computer, to

LEVEL 9 COMPUTING

Dept Y, 229 Hughenden Road, High Wycombe, Bucks. HP13 5PG



THE ADVENTURE GAME THAT'S FOR REAL !!!!

£6,000 PRIZE! FREE HIT SINGLE! 48K ZX SPECTRUM
(16K ZX81 VERSION NOW AVAILABLE)

Will you be the first to locate the Golden Sundial of Pi in time and space, and be rewarded with the original? Exquisitely crafted by the winner of the De Beers Diamond International Award, from gold, diamond and the most precious of the earth's riches.

PIMANIA - where saxophones turn into hangliders, where music meets madness and where the Pi Man rules supreme! He'll talk with you, he'll befriend you, he'll betray you, he'll even do the Hokey Kokey! Animated cartoon graphics! Full musical score! Spectacular colour and sound effects! Includes free hit single "Pimania", with vocals by Clair Sinclive and the Pi Men!

It could take you a week to play, it could take you a lifetime! PIMANIA, "the best evidence that computer gaming has come of age... an adventure enthusiast's dream!" (Computer & Video Games)

An investment at £10 (48K Spectrum) £8 (16K ZX81)



Automata Ltd. (YC)
65a Osborne Road
Portsmouth PO5 3LR
England

SNAKE... HITCH-HIKER... REVERSI... ...CUBE.... ASTEROIDS.... LOGO II MEMORY KITS... CHESS... DISASSEM



'Hitch-Hiker' is a great adventure game based on characters from the book 'Hitch-Hikers Guide to the Galaxy'. A fascinating game to test your skill and wits whilst trying to collect five objects scattered around the Universe located in such places as the 'Restaurant at the end of the Universe', 'Arthur Dents House' and Belteguese Spacedrome'. Directions can be found in the clues. An intriguing game that can create hours of fun. £5.80+VAT

in our opinion the best
B.B.C. software in town!

COMPUTER CONCEPTS

16 Wayside, Chipperfield,
Herts, WD4 9JL. tel (09277) 69727

Send an S.A.E. to get the latest details of our software.



SPECTRUM ZX81

- (1) NEW! SPECTRUM ANALOGUE PORT (purpose built)
 - 8 channels analogue voltage input
 - 8 channels digital voltage output
 - Cased unit including all connectors (uses D type) £49.00
 - 'Chunky' terminal box for above £23.00
 - (suitable industry, schools etc.)
 - Optional ribbon cable extender £10.00
- (2) ZX81 ANALOGUE PORT
 - Our popular, proven board. Spec. as for (1) but without case £29.95
 - 2 DIL header plugs for inputs and outputs £2.00
 - Light sensitive 'test transducer' £3.00
- (3) ZX81 23+ 23 Female edge connector £2.00
Male edge connector £1.60
- (4) ZX81 Fast Fourier Transform
Educational software on cassette £15.20
- (5) ZX81 EXPERIMENTER KIT
Edge connectors, veroboard + design notes £6.50

TERMS: Add £1 post + packing to cost of order (not on item (3)). Delivery normally return of post. Delays on item (1) possible during 1982. Official, bulk orders welcome. Cheques payable to:

UNIVERSITY COMPUTERS
5 ST BARNABAS RD, CAMBRIDGE CB1 2BU

COMPUTER RENTALS PRESENTS . . .

GALACTIC PATROL*

Galactic Patrol is the "State of Art" ZX-81 "Star Trek". 729 levels of play, Phasers, Torpedos, Automatic sights, Scanner with on/off, distance, number, vector, Shields, Starbase vector, Warp drives (speeds 0-8), damage control, fuel counter, flight vector, repair facilities, control key reminder facility, stardate and kills counter. Completely Machine Code offering a simulation of the Enterprises screen with passing stars, dazzling speed and dramatic kill and damage effects. You must destroy as many Klingons as possible and dock with the Starbase before you run out of energy, but be careful you can lead the aliens onto the Starbase and they will destroy it.

COLLECTION CASSETTE VOLUME 1*

This Cassette contains Five Original Arcade-style games called ALIEN CAPTURE, ALIEN GOBBLER, LOONY BALLOON, MAZE SURVIVAL and POT HOLE. Tired of Flash and Bang Invaders? You will have to plan ahead in these FIVE action games. So come to grips with these exciting programs and let your mind control your reactions.

NORTH SEA TRAWLER*

Sail out from Aberdeen and plot your course on a map of the treacherous North Sea. Hunt the roaming shoals of Cod, Plaice and Herring and learn where the hazards lie. Mind the Oil-rigs and return to Port with your catch. But which Port? Aberdeen, Inverness and Wick each have different prices for fish and the supplies you need. Can you stay in business in such a harsh industry.

THE KEYS OF GONDRUN

What is the Secret of the Dancing Daises? What is the Skeleton trying to tell you? Can you avoid dying in combat against Orca, Trolls or the dreaded Giant Jubjaroo? Will you pick up the right objects from the cavern floors? How will the Magic of the tunnels affect you? Will you ever be able to find the Keys of Gondrun? Who can tell! The perils are numerous, but your skills may suffice.

POPSTAR

Can you take the twelve steps to fame and emerge a Millionaire. Barter with your record company, trade off popularity for wealth, give back-handers, go on Tour, cut a record, go on TV or act in a Film. These are some of the options, but can you pick the best one? Remember, your Bank Manager is relying on you.

ALIEN REACTOR*

Beamed into their complex, the Aliens Androids are alerted. They multiply through the building to make the reactor inaccessible, which also has two surrounding force fields. You must steal energy from their stores to break through them. The high energy Supercharger is the key, can you reach it? Three levels of play, hall of Fame and hidden rules only play will reveal.



ASK THE ASTROLOGER

The only SERIOUS Astrological Oracle to be produced for the ZX-81. Written by a Professional Astrologer it condenses Astrology's complex mathematics and relations into a program that advises you on the Auspices of a "Shall I . . ." type question. It is not a game, but gives a serious prognosis.

Titles marked contain Machine Code.*

Each cassette £4.95 including VAT & P&P. Send cheque P/O to:

COMPUTER RENTALS LTD, 140 WHITECHAPEL ROAD, LONDON E1



ZUCKMAN ZX81 (16K)

- *ALL MACHINE CODE (10K)
- *FOUR INDEPENDENT GHOSTS
- *HIGH-SCORE 'HALL OF FAME'
- *AUTHENTIC ARCADE ACTION
- *TITLE/DISPLAY MODE
- ONLY £5.95 INC. P&P

FROGGER ZX81 (16K)

- *MOVING CARS, LOGS, TURTLES
- *ALLIGATORS, DIVING TURTLES
- *FOUR 'SCREENS' OF ACTION
- *ALL ARCADE FEATURES
- *ENTIRELY MACHINE CODE
- ONLY £5.95 INC. P&P

NEW ☆ DRAGON 32 SOFTWARE ☆ NEW

MISSILE COMMAND..... ONLY £5.95
FULL HIGH-RESOLUTION COLOUR GRAPHICS + SOUND

GRAPHICS DEMONSTRATOR..... ONLY £5.95
LEARN THE SECRETS OF HI-RES GRAPHICS PROGRAMMING

DJL SOFTWARE

DEPT YC, 9 TWEED CLOSE, SWINDON,
WILTS SN2 3PU

TRADE ENQUIRIES WELCOME



The Spectrum Handbook DR TIM LANGDELL

A comprehensive and accessible introduction to the ZX Spectrum. A handbook and program library in one – *The Spectrum Handbook* contains more games and application programs than any other book on the market and contains over 80 programs.

224 pp £4.95 (paperback)

ORDER FORM

To: Department O1C, George Philip Services Ltd,
Arndale Road, Wick, Littlehampton,
West Sussex BN17 7EN.

Please send me _____ copy/copies of
THE SPECTRUM HANDBOOK by TIM LANGDELL
at £5.45 per copy (post paid)

I enclose my cheque/postal order for £ _____
(payable to George Philip)

Name _____

Address _____

Please allow 28 days for delivery

SILVERSOFT

NEW!

SPECTRUM - BBC - ZX81

STARSHIP ENTERPRISE

Soar through the stars as a starship commander in this exciting new space ship simulation. This new, advanced version of Startrek uses the full colour graphics and sound facilities of modern micros. Full 3D - Klingon attacks, graphic hyper-warp, plus all the normal 'Startrek' features and a whole lot more, add up to one of the best games in the galaxy!!
48K Spectrum £5.95. BBC Micro model 'B' £6.95.

ORBITER

Fast and furious action is what you get in this amazing Defender-style program for the ZX-Spectrum.

ORBITER is written entirely in m/c code and has full arcade features, including scanners, reverse, hyper-space, continuous scoring and sound effects, plus humanoids, landers, mutants and all the other alien nasties. 16K or 48K Spectrum £5.95.

GROUND ATTACK

Survival is the name of the game in this exciting Scramble-type arcade game for the ZX-Spectrum.

Your mission is to pilot your spaceship through torturous caverns while destroying the enemy missile launchers and fuel dumps.

GROUND ATTACK is written completely in machine code. And has full arcade features including lasers, bombs, explosions, continuous scoring and sound effects, plus rockets, fuel dumps and airborne aliens. 16K or 48K Spectrum £5.95.

Any hiring, lending or copying (except backup) of Silversoft software is strictly forbidden without written permission from Silversoft.

GENEROUS DEALER DISCOUNTS AVAILABLE

Silversoft Ltd, 20 Orange Street, LONDON WC2H 7ED.

KILLER SATELLITE

A mysterious Black Box has appeared in earths' orbit. You have to send your killer satellite to Probe it with high energy lasers. Amazing 3D colour graphics and sound for the Model B only £5.95.

3D CONNECT 4

An advanced, challenging four in a row game for the BBC Micro. Displayed in full 3D-perspective and using the extensive colour and sound facilities of the BBC Micro. Model B only £5.95.

NEW! ZX81-COMPILER

Yes! Now you can write machine code on your ZX81. No more messing about with assemblers and disassemblers simply type in the BASIC program and the machine does the rest. ONLY £5.95.

ZX81 ARCADE ACTION (New low prices)

MUNCHER Exciting pacman game for the ZX81	£4.95
ASTEROIDS "Just the thing for asteroid addicts"	£4.95
INVADERS "Probably the best version of INVADERS"	£3.95
ALIEN-DROPOUT Exciting ORIGINAL arcade game	£3.95
STARTREK YES! you can be a starship commander	£3.95
GRAPHIC GOLF 18 graphically displayed holes	£3.95
SUPERWUMPUS An underground adventure	£3.95
GAMES PACK 1 Fantastic value for money, nearly 50K of programs on one cassette! Only	£3.95

Please send me _____
I enclose a cheque/PO for £ _____
Name _____
Address _____
Silversoft Ltd, 20 Orange Street, LONDON WC2H 7ED. YC12


A		Deans Electronics	132	Lion Micro	134, 152	R	
Abacus	64	D.J.L.	161	Llamasoft	32	R.D. Labs	76
Abbex	10	DKtronics	66, 67	Lowe Electronics	54, 55	Romik	34
Acorn	147	Downsway	80			Rose	134
A.C.S.	120	Dragon Data	118, 119	M		S	
Adda	Inside back cover			Machinecraft	144	Salamander	86
Addictive Games	156	E		Maplin	72, 73, 157	Saturnsoft	117
A & F Software	138	East London Robotics	117	M.C. Lothorian	155	S & B	107
A.G.F.	130	Educare	154	M.D.R.	159	Shiva	141
Amba	90	Electronics Applied	143	Melbourne House	4, 124	Silversoft	162
Amber Controls	131	Elinca	140	Memotech	121	Simon Hessel	80
Amsoft	82	Elkan	129	Michael Orwin	150	Simon Microsoft	137
Anirog	145	Eltec	155	Microdeal	37	Simon Software	152
Artic	128	E.P. Crewe	143	Micromania	90	Sinclair	15, 16, 17, 18
Audio Computers	40			Microplinth	143	Sir Computers	146
Audiogenic	60	F		Microscene	145	Silica Shop	7
Automata	160	Flight	92, 156	Microstyle	151	Softek	35
		Fuller	139	Microtonic	110	Software for All	61
B				Microwave	100	Software Masters	153
Basicare	24	G		Midwich	152	Software Supermarket	87
Beebug	134	Gamer	154	Mikro-Gen	152	Stonechip	114
Bi Bi	145	G.C.C.	158	Monolith	150	Storkrose	125
Bi-pak	120	Ground Control	86	Moviedrome	140	Superior Software	146
Bridge	113			Mr Micro	127		
Buffer	140	H		N		T	
Bug-Byte	148, 149	Hewson	135	National ZX Club	133	Texas	14
		H & H Software	157	New Generation	144	Thorn EMI	46, 47
C		Hilderbay	86			Thurnall	154
Cabel	107	Hisoft	156	O		Timedata	142
Calpac	134	Hull Junior	86	Oakleaf	129	Titan Programs	11
Cambridge Collection	122	Hunter	130	Oric Products	12, 13	Transform	158
Cambridge Learning	102			P		Trojan	102
Cambridge Micro	158	I		Pase	80	U	
Campbell	136	Impact	100	P.O.Q. Software	107	University Computers	160
Cardigan	136	I.J.K. Software	129, 147	Peter Furlong	126		
Carnell	157	J		Phipps	92	V	
Century	161	J.K. Greye	122	Planet	102	Vectis	117
Chromasonic	29	John Prince	130	Picturesque	159	V & H	159
C.J.E. Micro	136	J.P. Gibbons	120	Pixel	90	Victa	120
Cobra	22	J.R.S.	131	Print n' Plotter	96	Video Software	112, 158
Comprocsys	142	Jupiter Cantab	8, 9	Program Direct	6	Visionstore	123
Computer Concepts	160			Program Power	Inside front cover, 83		
Computer Lock	110	K		Pro Software	130	W	
Computer Rentals	161	Kayde	116	Proxima	143	Wideband	145
Computers for All	5	Kempston	127	P.S.S.	132	William Stuart	112
Comserve	112, 113	Keyboards	144			Workforce	140
Control Technology	104, Back cover			Q			
C.P. Software	137	L		Q-tek	76	Z	
Currah	126	Laserbug	137	Quasar	144	ZX Microfair	64
		Level 9	160	Quicksilva	125		
D							
D.A. Computers	117						

The Best Vic Software from Adda

GAMES

All these selected games on cartridge (except Blitz)
AVENGER 'INVADERS' in colour £19.95
SUPER LANDER land the lunar module game £19.95
ALIEN bury marauding aliens in the maze £19.95
STAR BATTLE 'GALAXIANS' in full colour 1-2 players £19.85
JELLY MONSTERS is this 'PUCKMAN', or not? £19.95
ROAD RACE drive thro' the night and stay on the road £19.95
RAT RACE VIC's answer to 'RALLY X' £19.95

MOLE ATTACK stop the moles to survive £19.95
SARGON II CHESS the best available, seven playing levels £24.95
SUPER SLOT computerised one armed banditry £19.95
GORF five famous arcade games £24.95
OMEGA RACE sophisticated version of 'ASTEROIDS' £24.95
ADVENTURE GAMES telephone for titles - all £24.95
BLITZ flatten the city before you collide with the skyscraper £4.99
BRIDGE superb version of the card game £24.95



PROGRAMMING

Enhance your VIC with these programmer's aids - and add memory with the RAM Packs.
SUPER EXPANDER high-res graphics, sound, additional 3K RAM £34.95
PROGRAMMERS AID program development tool £34.95
MACHINE CODE MONITOR simplifies machine code programming £34.95
VIC FORTH fast, compact language cartridge with additional 3K £38.95
VIC REL simple electrical control for up to six pieces of apparatus £28.95

VIC STAT single word commands for statistical calculations with colour displays £28.95
VIC GRAF explores graphs and their equations £28.95
VIC SWITCH allows eight VIC's to use one printer and disk £79.95
16K RAM memory pack £74.95
8K RAM memory pack £44.95
3K RAM memory pack £29.95



EDUCATION

For home or school. Unless shown otherwise 16K memory. Age range shown in brackets.
FACEMAKER for spelling and observation skills (5-12) £8.95
NUMBER CHASER exciting number estimating (5-12) £8.95
NUMBER GULPER gobble away at addition, subtraction, multiplication and division practice, (5-12) £8.95
WE WANT TO COUNT helps the very young to learn numbers (3 upwards) £8.95
TWISTER Rubik like geometric puzzle with 'SUPER TWISTER' section (8 upwards and the whole family) £8.95

SHAPE UP teaches shape and pattern recognition (3 upwards) £8.95
G.C.E. 'O' level revision programs (8K/16K) titles: English Language, Maths 1, Maths 2, Biology, Chemistry, Physics, Computer Studies, Geography, History £9.99 each
 For 9-11 year olds (8K/16K) titles: Arithmetic, Reading, General Knowledge, Spelling £9.99 each

Dealer enquiries to
 Adda Computers, Tel 01-579 5845

RAINBOW TOWERS problem solving to exercise memory and logic (8 upwards and the whole family) £8.95
CRANKY addition and subtraction practice (5-12) £8.95
HIDE & SEEK improves short term memory (5-12) £8.95
WORDS WORDS WORDS helps spelling and object identification (5-12) £8.95



How to order:
 Visit your local VIC dealer
 by mail
 - add 50p per item post and packing
 - send order with cheque or P.O. to
 Adda Computers, FREEPOST,
 London, W13 9BR no stamp needed

Telephone orders 24 hour service telephone

01-200 0200 with Access/Barclaycard number

commodore
VIC 20

adda


106 HIL

C ★ TECH

Spectrum & Dragon Software

SPECTRUM ARCADE PACK

CITY BOMBER, POLECAT, BREAKOUT, SUBHUNT, CRAZYRACE, FRUIT MACHINE, MISSILE COMMANDER, AND LUNAR LANDING.



We now present our ZX Spectrum album. This brand new album contains no less than 8 superb games for the ZX Spectrum and is the best available for both quality and quantity. These are the games which appear on the album . . .

BOMBER . . . a fast action game making clever use of Spectrum graphics. The game involves the destruction of cities as your plane flies lower and lower towards the buildings until it finally crashes if the buildings have not been destroyed quickly enough. This is a very addictive game for the Spectrum.

FRUIT MACHINE . . . this is similar to the familiar one-armed bandit with very realistic graphics. A very enjoyable game for everyone.

POLECAT . . . this is a very entertaining game with interesting and colourful graphics. It is a completely original and ingenious maze program in which you are a rabbit and the computer is a polecat. The plot involves the rabbit collecting carrots and bringing them back to his burrow whilst avoiding the attentions of a ravenous polecat.

BREAKOUT . . . this is a colourful bat and ball game with great sound effects and constitutes a very addictive game for the Spectrum.

CRAZY RACE . . . this is an amusing game involving a car being driven around a racing track by you knocking down as many objects as possible whilst avoiding other cars. It is fast and uses detailed graphics.

SUBHUNT . . . as a pilot of a helicopter you have to fire down at submarines whilst avoiding their missiles. The user-defined graphics are superb.

MISSILE COMMANDER . . . this game involves defending your city against alien attack. It has 10 skill levels and is noisy and colourful.

LUNAR LANDING . . . by making full use of your limited fuel and time you have to land your spacecraft on the surface of the moon without crashing and killing all the crew. This program makes full use of hi-res graphics and programmable characters.

DRAGON

SEA HARRIER
FLIGHT
SIMULATOR




A high resolution Colour Sea Harrier Flight Simulator. This program shows you a full colour view of the sky, ground and runway which move in 3 dimensions. Using your air speed indicator, artificial horizon and compass, all in HiRes colour in the lower part of the display, you must bring your Sea Harrier into land at Port Stanley runway.
£5.00

FREE OFFER
C-TECH COLOUR
POSTER
(APPROX 3FT x 2FT)
WITH EVERY ORDER
BEFORE XMAS

NEW THE **ZX-16K-81**
GAMES

4 MAGNIFICENT MACHINE CODE
GAMES ALL ON TAPE



SUMBLE • INVADERS

GALAXIANS • GUNFIGHT

ALSO INCLUDES LIFE & 3D TIC-TAC-TOE

BBC SOFTWARE — SPECIAL OFFER

LUNAR LANDING
£3.00 INC.

EARLY WARNING
£3.00 INC.

C ★ TECH Software

184, MARKET ST
HYDE CHESHIRE
061-366-8223

48 hr
DESPATCH
GUARANTEED

Please send me as soon as possible the following:

_____ £ _____

_____ £ _____

I enclose a Cheque/P.O. for the total £ _____

NAME _____

ADDRESS _____

POSTCODE _____

ALL PRICES INCLUDE VAT & P&P

**Imagine a totally portable computer
that slips into your briefcase, incorporating
an LCD screen, full typewriter keyboard,
printer and microcassette,
and runs on its own power supply for use anywhere.**

We did.



HX-20
PORTABLE COMPUTER

EPSON
Extraordinary product.
Exceptional quality.

Taking the computer a step further.

A computer small enough to fit into a briefcase yet with full size typewriter keyboard, LCD Virtual Screen, printer and microcassette facility actually built in.

Improbable. Until today.

Functions fantastic.

The HX-20 is a real computer, not a gimmicky toy. Or an extension of your calculator. Or just another desk top computer. It is a precision machine with 16k RAM which is optionally expandable to 32k and 32k ROM expandable to 64k, RS-232C and serial interfaces.

The full size ASCII typewriter keyboard and five programmable keys brings ten separate program functions to your fingertips.

The HX-20 can run on its own power supply for over 50 hours which can be easily recharged overnight, and has the ability to retain its memory in RAM even when switched off.




Virtual Screen keeps you in the picture.

The HX-20's LCD Screen is unique, keeping you in the picture by showing any 20 characters by 4 lines at a time. You can,

therefore, carry out word processing or data entry as if you are using a large screen.


Upper and lower case letters, numerals, punctuation marks and graphics are easily read by simply adjusting the viewing angle.



Print out. Built in.

A built-in 24 column dot matrix impact microprinter offers 42 LPM in a crisp, precise 5 x 7 matrix for perfect hard copies on plain paper. Every time.

And there's more. . . Bit addressable graphics allow you to design your own characters for full graphic capability, a cartridge ribbon, full ASCII character set including £ sign and enough international symbols for reproducing most Western languages.



Add-on capability.

Choose from a wide range of peripherals. Barcode readers, audio cassette for loading and saving programs, microcassette and ROM cartridges, and the world famous Epson dot matrix computer printers for quality output . . . to name just a few.

Via acoustic couplers this superb machine can also be linked through the telephone to other computers.



Software and the hard facts.

The HX-20 uses a full extended version of Microsoft BASIC, with a 24 hour clock, date and alarm, string functions, and music generation. The interface options (with RS-232C and serial interfaces as standard) include a standard cassette, a ROM cartridge, plus a system bus that allows you to expand the RAM and ROM capabilities.

The HX-20.
The most complete portable computer available today.



Portability for Programability. Anywhere.

The HX-20 is light and totally portable for writing programs and manipulating data – virtually anywhere. (Just four nickel-cadmium batteries and a low power all-CMOS memory gives you a reliable power source during your travels.)

Back at the office you can dump your data or programs onto a cassette or into your main computer system.

Reliability through Research.

A computer coming from Epson has got to be good. After all we have been responsible for high quality precision manufacture since 1961. Just take a look at our impressive track record with the hugely successful Epson dot matrix printers.

So it follows that you can expect the same quality, the same reliability through our extensive research program prior to launching



any revolutionary new product. Now that product has arrived. The HX-20 is here today. From Epson. But it's got to be seen to be believed.

Clip the coupon below and return it to us – Freepost – no stamp required and we'll send you the complete list of HX-20 stockists by return.

If you would also like further details of how the HX-20 can be suited to your particular requirements simply include your area of business and any other relevant details separately or on the back of the freepost coupon.

To: Epson (UK) Limited,
Freepost, Wembley, Middlesex HA9 6BR

- Please send me your list of HX-20 stockists.
 I would like details of how Epson products can help my particular business. I have included further information separately/overleaf.

Name _____

Address _____


Postal Code _____

Specifications of HX-20

Dimensions and Ambient Conditions

Dimensions and Weight

1. Dimensions: 290mm wide
215.5mm deep
44mm high
2. Weight: Approx. 1.7 kg



Ambient Conditions

1. Temperature: 5°C to 35°C (operating)
5°C to 35°C (charging)
-5°C to 40°C (data storage) (RAM battery backup)
-20°C to 60°C (non-operating)
2. Relative humidity: 10% to 80% (operating, no condensation)
10% to 80% (non-operating, no condensation)
3. Shock resistance: 1 G for 1 ms maximum (operating)
4. Vibration resistance: 0.25G 55 Hz maximum (operating)

Power Supply (Nicc batteries)

1. Voltage: 4.5V to 6.0V (operating)
4.0V to 6.0V (data storage)
4.5V (low voltage detection)
2. Battery capacity: Approx. 1100 mA/H

AC Adaptor

1. Input voltage: AC 220V/240V \pm 10%
2. Power consumption: 8W
3. Insulation resistance: 10 megohms between AC power supply and case
4. Insulation strength: Can withstand 1 kV applied between AC power supply and case for 1 minute or more

Microprinter (M-160)

1. Printing system: Dot impact (4 printing solenoids)
2. Printing format
 - a. Total number of dots: 144 dots maximum/dot line
 - b. Number of characters per line: 24 maximum
(5 x 7 dots; character-to-character space 1 dot)
(6 characters/printing solenoid)
3. Printing speed
 - a. 1 dot line: Approx. 150 ms (continuous printing)
 - b. 5 x 7 dot matrix (interline space 3 dots): Approx. 0.7 line/s (continuous printing)
42 lines per minute
4. Character size
 - a. Dot spacing: 0.33mm horizontal
0.33mm vertical
 - b. 5 x 7 dot matrix: 1.7mm wide, 2.4mm high
5. Recording paper
 - a. Kind: Plain paper
 - b. Paper width: 57.5 \pm 0.5mm
 - c. Outside diameter: 50mm or less
 - d. Thickness: 0.07mm
 - e. Weight: 52.3 g/m² (45 kg/1000 sheets/1091 sheets x 788mm)
6. Paper feed: Automatic feed every dot line; with paper release
7. Inking
 - Ribbon cartridge type: Automatic continuous feed during motor operation
 - a. Colour: Purple/Black
 - b. Dimensions: Approx. 91mm wide, 25mm deep, 7mm high
 - c. Life: Approx. 10,000 lines
 - d. Standard: ERC-09

Liquid Crystal Display

1. Text: Upper and lower case, numerals, symbols, graphic characters and more; 20 characters per line; 4 lines in total (20 x 4 = 80 characters)
2. Graphic: 120 dots (horizontal) x 32 dots (vertical) = 3840 dots
3. View angle adjustment: Adjustable with VIEW ANGLE density control

Keyboard

1. Key switches: Typewriter layout, full size. 68 keys (including 5 function keys and 13 special keys)
2. Others: Power on switch, VIEW ANGLE density control for LCD, and adjusting circuit built in

RS-232C Interface

1. Connector: DIN (8-pin) TCS 4480
2. Input and output levels: RS-232C standard
3. Transfer speed: 110, 150, 300, 600, 1200, 2400, 4800 bps (selectable by operator)

Serial Interface

1. Connector: DIN (5-pin) TCS 4450
2. Input and output levels: RS-232C standard
3. Transfer speed: 38, 150, 400, 600, 4800 bps (selectable by operator).

HX-20
PORTABLE COMPUTER

EPSON

Epson (UK) Limited
Dorland House
388 High Road Wembley
Middlesex HA9 6UH
Telephone: 01-900 0466/9
Telex: 8814169