80p

Microdrive File – part 1

YOUR COMPUTER

JANUARY 1984 BRITAIN'S BIGGEST-SELLING HOME COMPUTER MAGAZINE Vol. 4 No. 1

EXCLUSIVE – The Elan inside story PLUS Design your own micro

Big Brothers for 1984: Atari 800XL, Dragon 64, Lynx 96

BBC and Electron software

Oric music

CBM-64 Pyramid of Doom and Vicman

Spectrum and BBC Forths

BUG-BYTE SOFTWARE

THE BIRD AND THE BEES

FOR THE 48K SPECTRUM
£5.95

The Birds and The Bees is an original animated cartoon-style game, introducing, for the first time on screen, Boris the Bee. Boris must collect as much nectar as possible, whilst avoiding various nasties like birds, wasps, centipedes and Venus fly traps. Smooth, fast machine-code action throughout, with sound effects, joystick option (most types) and speech option with the Currah Microspeech Unit.

Author: Adrian Sherwin with graphics by Matthew Smith (of Manic Miner fame)

OTHER BEST SELLERS FOR YOUR SPECTRUM





Bug-Byte Limited
Mulberry House,
Canning Place, Liverpool L1 8JB

Dealers contact Matthew Thomas
on 051-709 7071
Registered Dealers can order
direct from CBS Distribution
on 01-960 2155

YOUR COMPUTER

Contents

JANUARY 1984



Software Shortlist: page 63.



Dragon 64 review: page 70.



Dragon Wall: page 111.

Above: Letter Drop: page 122.
Below: Elan Enterprise: page 78.

Cover photograph by Stephen Oliver

52 EDITORIAL AND YOUR LETTERS: Some hints and tips on better Basic from the Transvaal, more on November's Spectrum Assembler, looking ahead to 1984.

54 NEWS: Get off to a good start in 1984 with the Atari lie-detector; CBM-64 light brush; Japanese MSX invasion; learning to read on a Spectrum.

57 FIRST BYTES: This is the Modem world; our beginners' guide.

61 COMPUTER CLUB: Paul Bond ducks down to Aylesbury.

63 SOFTWARE SHORTLIST: Meet some real software sharks; fly down the corridor of flame; make sweet music with the latest software.

66 ACORN ELECTRON AND BBC SOFTWARE: Pete Connor divides his talents between the sophisticated BBC Micro and the workmanlike Electron.

70 DRAGON 64 REVIEW: As large as life and twice as brainy. The intrepid David Scobie confronts the big grey Dragon. Will he slay it!

72 ATARI 800 XL: 64K for £250; Jack Schofield assesses.

76 THE BIG LYNX: 96K for £299: Kathleen Peel strokes the cat.

78 ELAN ENTERPRISE: The soul of a new machine. Meirion Jones traces the development history of the micro star waiting in the wings.

86 DESIGN YOUR OWN MICRO: *Your Computer* — you've read it, now design it. Competition open to individuals, schools; good ideas are what count.

90 MICRODRIVE FILE: Kathleen Peel demonstrates how to make the most of the Microdrive as it becomes a bit more available. New series.

94 VIC-MAN: Into the maze and round the bends with Hermann Hirsch's voracious little friend. As always, mind out for the ghosts.

99 ZX-81 PLANE ANNOYING: Kriss Buddle puzzles in machine code.

105 ORIC MUSIC: Gavin Rummery strikes a chord.

106 SPECTRUM SPRITES: Now you can define graphics which will float easily, effortlessly about the screen, thanks to Robert Newman.

111 DRAGON WALL: Tom Fiers takes a shot at the enemy's energy barrier. Take your starcruiser to heights you never dreamed of.

114 PYRAMID OF DOOM: Have you got Pharaohs at the bottom of your garden? Matthew Seeman enters the necropolis with his CBM-64.

119 BBC AVENGER: Chris Carr makes use of the BBC's ability to translate 6502 mnemonics straight into machine-code with its built-in assembler.

122 VIC LETTER DROP: Play with words with Bryn Phillips.

126 ATARI SWAG: G Fairall admits it was a fair cop, guv.

130 SPECTRUM BLOCKMAN: Defuse the TNT with Stidwill and Booth.

133 ZX-81 READ: Bryan Sheard explains machine code.

143 DRAGON LOWER CASE: A program to display upper and lower case characters on the high-resolution screens of the Dragon by John Nash.

147 SPECTRUM OPEN AND CLOSE COMMANDS: So you thought those commands were only for the Microdrive. Richard Taylor says nix on that.

152 BBC FORTH: John Cottrell puts a TIL on the BBC.

158 SPECTRUM FORTH: David Millington stacks the Spectrum.

169 HEARTSTOP: Ther-dunk. Ther-dunk. Bleeeep. Another crisis at Slagthorpe Memorial Hospital. John Dawson continues his games-writing series.

173 RESPONSE FRAME: Tim Hartnell looks at some letters.

177 SOFTWARE FILE: 10 pages full of games for most micros.

207 COMPETITION CORNER: Results of November's competition.

274 DATEBASE: Paul Bond rounds up the latest earth-shattering events in the micro-world. All news of exhibitions gratefully received.

SOFTEK

MASTERS OF THE GAME

Leave yourself breathless... Turbo-charge your micro

SPECTRUM UTILITIES

BASIC COMPILERS FOR THE ZX SPECTRUM!
Now there are two versions of our best-selling compilers to choose from! Our new 'IS' compiler is the most complete, fast and friendly integer compiler on the market. It will handle strings, full variable names, compile up to 17K of BASIC (48K version), or compile sub-routines to run alongside BASIC or other machine code. THIS IS THE IDEAL PROGRAM FOR CREATING YOUR OWN ARCADE STYLE GAMES! Super fast games involving hi-res graphics and movement are now possible even if you are only knowledgeable in BASIC!

Our fantastic new 'FP' compiler is out of this world. It can handle virtually all Spectrum BASIC, except VAL, VAL$, Multidimensional arrays, and a few other minor features. But it does feature such useful aids as the facility to define and ON ERROR routine, insert machine code in your BASIC, and other non-standard extended BASIC commands. This is the only compiler for the ZX Spectrum able to handle full floating point numbers! 16K and 48K versions of both compilers are available; IS for only **£9.95**, FP for only **£19.95** and you can buy both for the special offer of just **£24.95**.

MODUS 64
NEW!! This fantastic new program for the Spectrum does what many thought was not possible! It turns your Spectrum into a computer which displays everything on the screen in a 64-characters to the line mode. Yes, even TAB now works on a 0-63 basis, and PRINT AT too! There are no special commands to type in. Once activated, it's just like having a totally new computer! Amazing value at only **£5.95**

THE COMPLETE MACHINE CODE PROGRAMMER
Our superb SOFSEM Editor/Assembler and SOFMON Monitor/Disassembler all in one package for a super low price! SOFSEM has been specially created to be specially 'User Friendly' for the beginner, yet very fast and powerful editing, superb labelling facilities, 'status' report, and a 'Help' feature. Quite easily the best Spectrum assembler. SOFMON is equally User Friendly and powerful; featuring the most powerful disassembler on the market, block shift, HEX-DEC, DEC-HEX, MODIFY in HEX or ASC II and a superb feature of disassembling the HEX as entered thus offering 'assembler-like' qualities. Both 16K and 48K versions are on the tape together and are designed to work with Master Key. There is a fantastic booklet included too which introduces the beginner to machine code and also gives an invaluable reference guide for experienced programmers. **£12.95**

THE COMPLETE BASIC PROGRAMMER
Our amazing SOFKIT 1 and SOFKIT 2 in one package.
SOFKIT 1 is a superb toolkit featuring a full renumbering routine, search and replace, variable dump, line deletion and the first ever implementation of TRACE for the Spectrum. SOFKIT 2 is a full-feature graphics kit with smooth scrolling in all directions, attribute search and change, large-letter routine, box creation and a window routine that allows a specific area of the screen to be scrolled independently. The kit also features sprite graphics, cartoon effects, and a full PAINT facility. **£9.95**

DRAGON 32 UTILITIES

MODE 5
Quite simply, this utility radically transforms your Dragon, giving you a new 'mode' in which you can freely mix TEXT and GRAPHICS on the screen. You get true lower case letters, instead of inverse characters, and you can very simply change the character set you are using! It comes with three character sets and is quite 'transparent' to the user. Your Dragon should have come this way! **£6.95.**

Softek's Software is available at most major outlets, including selected branches of the following: W.H.Smith, Boots, Dixons, Tandy Dealers & Selfridges as well as through our nationwide dealer network.
Mail Order Address: Softek International Limited, Softek House, Tranquil Passage, Blackheath, London SE3 0BJ.
Dealers Contact: EMI Distribution, or Nicki Webster on 01.318 5424
SOFTEK INTERNATIONAL LTD. 12/13 Henrietta Street, Covent Garden, London WC2E 8LH. Telephone 01.240 1422

Adventure INTERNATIONAL

THE EXCLUSIVE U.K. DISTRIBUTORS OF SCOTT ADAMS PRODUCTS

Adventure INTERNATIONAL 1

ADVENTURELAND

Adventure INTERNATIONAL 2

PIRATE ADVENTURE

THE ADVENTURE SERIES: AN OVERVIEW

By definition, an adventure is a dangerous or risky undertaking: a novel, exciting, or otherwise remarkable event or experience. On your personal computer, Adventure is that and more.

Playing any of the Adventure series consists of three elements: you, the user; the games themselves; and the author, Scott Adams of Orlando, Florida.

In beginning any Adventure, you will find yourself in a specific location: a forest, on board a small spaceship, outside a fun house, in the briefing room of a nuclear plant, in a desert, etc. The top portion of your video display will tell you where you are and what you can see; the bottom section of the display is devoted to inputting commands to your robot computer and receiving messages that may arise as the result of your orders. You have to get used to looking at both the top and bottom portions in order to find out what's going on in the game but it doesn't take long for the reading to become a reflex. In fact you will have to live in those imaginary worlds.

By using two-word commands you move from location to location (called "rooms" although some rooms represent outdoor sites such as a swamp), manipulate objects that you find in the different rooms (pick them up, put them down, carry them, etc.), and perform actions as if you were really there.

The object of a game is to amass treasure for points or accomplish some other goal such as preventing the destruction of the automated nuclear plant in Secret Mission. Successfully completing a game, however, is far easier to state than achieve. In many cases you will find a treasure but be unable to take it until you are carrying the right combination of objects you find in the various locations.

If you're tired of video games of bouncing balls or shooting at targets; if you're ready for an intellectual challenge that transports you to new worlds of experience; if you want to see what a skilled programmer can do with a micro, invest in one of Scott Adams' games. An early Adventure (Adventureland or Pirate Adventure) is a good place to start because the more Adams creates, the tougher his puzzles get.

CONVERSION BY BRIAN HOWARTH

Adventure INTERNATIONAL 3

VOODOO CASTLE

Adventure INTERNATIONAL 4

SECRET MISSION



BBC MODEL B VERSION £7.95 including V.A.T. Postage & Packing.

Spectrum graphic versions available soon, at only **£9.95** including V.A.T, Postage & Packing.

DEALER & DISTRIBUTOR

Enquiries welcome also Panic Buyers welcome!

Adventure INTERNATIONAL

119, JOHN BRIGHT STREET, BIRMINGHAM B1 1BE

Telephone: 021-643 5102

Exclusive distributor of SCOTT ADAMS PRODUCTS

Post to: Adventure International (U.K.), 119 John Bright St., Birmingham B1 1BE. Tel: 021-643 5102

QUANTITY	ITEM	PRICE
	Total	

PAYABLE BY ACCESS OR BARCLAYCARD

I enclose my Cheque/P.O. for £

Please debit my Access/Barclaycard no:

Name:

Address:

VC1.

Six Great New Games For The Tandy Colour Computer

Cassette Versions of Six Popular Games!

ONLY £7.95 EACH



A

A CRAZY PAINTER. A high-speed arcade action game! Try your hand at painting the floor! Sounds easy? Yes, if the dogs, moths, caterpillars, boys, balloons etc. don't keep walking over the paint! Eight levels of difficulty. The catchy tunes played while you paint will have you "singing while you work". Keyboard or joystick controls. **26-7305**



B

B SKRAMBLE. Your mission is to penetrate the enemy's system and destroy their H.Q.. You will start with three spacefighters equipped with repeating cannon and twin bomb launcher. If you succeed in evading the elaborate defences, you will arrive at the core where flying becomes more difficult. Keyboard or joystick control. **26-7306**



C

C FROGGER. The popular arcade game for the Tandy Colour Computer. Safely manoeuvre the frog to its home within the time allocated. Cross the highway without getting run over and cross the river without falling in. Avoid the traffic, snakes, crocodiles and diving turtles. For one or two players. Joysticks optional. **26-7304**



D

D CUTHBERT GOES WALKABOUT. Cuthbert must turn the lights of the lunar landing pad on by walking across the switches before the invading Moronians get him. Watch him do his victory dance before he tackles the next "pad" and another, larger, set of invaders. Superb colour graphics with music. Keyboard or joystick control. **26-7302**



E

E CUTHBERT GOES DIGGING. Cuthbert is guarding the site for a new launch pad. However the Moronians are still determined to get him! One touch and Cuthbert is electrocuted. The only way he can kill them is to trap them in a hole and hit them with his insulated hammer before they escape. Keyboard or joystick control. **26-7303**



F

F CUTHBERT IN THE JUNGLE. A high speed arcade action game with full colour graphics! Cuthbert failed to overcome the Moronians so he has been sent to the jungle! He must fight his way out collecting treasures, jumping pits and swinging over alligators whilst being aware of the killer scorpion. One joystick required. **26-7301**

Tandy

Tandy Corporation (Branch UK), Tameway Tower, Bridge Street, Walsall, West Midlands, WS1 1LA.

AT LAST, A HOME COMPUTER THAT IMPROVES WITH AGE.

It's surprising how many first-time relationships with a home computer go sour with age.

You buy an attractive, discounted little machine so that you and the children can learn about computers.

Instead, you learn about its limitations: the dull graphics. The plugs that fall out. The cheap power supply. The unalterable "beginners" language. The stiff, fragile keys. No provision for future developments. If only you'd looked around a bit in the beginning... *"Quality costs a little more, but it's usually worth paying for"* (Personal Computer News – CGL M5 Review, June '83.)

The CGL M5 is designed and built by Sord, one of Japan's leading computer specialists, with three main ideas in mind.

First, to be easy and fun to learn and operate.

Second, to be rugged enough to last through hours and hours of operation.

And third, to form the basis of a powerful, versatile home computer system that won't need replacing until you're ready for a dedicated business system.

Built to learn

The CGL M5 is designed to be easy for non-geniuses to use.

"On the M5, most of the work is done for you, and all that is left is the need to work out what to do next, rather than how to do it." (Personal Computer News, June '83.)

If you make a mistake, you can correct it with a simple movement of the cursor. So you only correct that mistake, not a whole line; nor do you have to indulge in complex edit commands.

Budding video game designers and computer artists will love to get their hands on the 16 colour graphics and 32 moveable images called "sprites."

"The M5 makes professional graphic effects very simple for even the beginner to achieve." (Personal Computer World, Aug. '83.)

Built to last

"It works first time, doesn't need a lot of mollycoddling and jiggery-pokery to persuade it to continue to do so, and what's even better, it continues to work well. You don't have to balance cold cartons of milk on the top, shove matches in the back to keep the plugs in, or press the keys with several pounds force to make them respond." (Personal Computer News, June '83.)

Being able to build things that work and carry on working without endless maintenance is something at which the Japanese seem to excel.

Built to grow

To be truly versatile, a home computer has to understand very different things.

So you need different "languages," which the M5 provides by supplying part of its memory in plug-in cartridges.

"The M5 eliminates the worst limitations on machines at this level, which is that they tend to be stuck with whatever language is provided by the management." (Personal Computer News, June '83.)

The computer is supplied complete with a Basic-I cartridge, a standard integer BASIC language and a simple learning text.

Plug in the Basic-G cartridge, and you can access the M5's incredibly sophisticated graphic and sound capabilities which are far in advance of similarly-priced computers.

Move on to the Basic-F cartridge, and you have scientific, technological and statistical computing power usually available only on big computers with equally big price tags.

The FALC cartridge provides a tailor-made language for data management, spreadsheet accounts and business problems. Combine FALC with a disc and you could *"turn the M5 into a small business machine."* (Personal Computer Magazine, August '83.)

Now, take a look at the back of the M5.



Notice the sockets (usually an extra) for a standard Centronics-type printer, the separate video monitor and hi-fi sound output.

Even the language cartridge socket has hidden potential:

"Unlike most such sockets, this one has 56 internal lines connected to it giving access to just about every function in the computer. This means that just about everything you can think of can be added onto the computer, ranging from a Prestel interface to second processor to use as an intelligent terminal on a timesharing computer"... (Electronics – The Maplin Magazine, March '83.)

Take a look at the home computer that will improve with age.

For a full technical specification of the CGL M5, details of the wide range of supporting software and to find out where to see a complete demonstration, send the coupon to: CGL, CGL House, Goldings Hill, Loughton, Essex IG10 2RR. Telephone number: 01-508 5600.

I'd like to know more about the CGL M5. Please send me a brochure and a list of dealers. **YC 1**

Name_____

Address_____

_____

_____

CGL M5 HOME COMPUTER

BUILT TO LEARN. BUILT TO LAST. BUILT TO GROW.

48 K SPECTRUM

Spectre

ENFIELD HOUSE
SWARDESTON
NORWICH
NORFOLK

★★★★★

These programs are exceptionally User friendly and have all been written in consultation with professionals in the respective fields. They sre all fully menu driven, come with comprehensive written instructions and are fully guaranteed.
Prices include surface postage worldwide - oversess customers requiring airmail plesse add 10%.
Dealer enquiries welcomed.

DIGITAL CIRCUIT DESIGNER £ 9.95



Ever spent hours drawing a circuit diagram, transferring it to a breadboard, burning out a few components and having to start again? Laborious, expensive and infuriating? Not any more! Electronics allows you to draw your circuit diagram on screen using standard symbols for logic gates, transistors, resistors, capacitors, diacs, triacs, diodes, etc, etc... Symbols can be rotated, wiring interconnected or crossed over as required. Once complete the computer will 'power up' your circuit - high voltage levels turn red, low levels turn green. Circuits can be de-activated, modified and re-activated until they function as required, all without touching a soldering iron! Part completed circuits may be saved for future work and displays can be sent to the printer. All components are fully interactive i.e. they can change the state of sections previously activated in the sequence - even oscillators can be seen oscillating. Warning is given of short-circuits. (57 defined graphics are employed)

PERSONAL DIETARY ADVISOR £ 6.95

Nutrion is far more than a diet book! Builds up a personal profile based on individual characteristics and lifestyle then monitors food intake. It warns of any potential shortages of any of the essential nutrients, offers advice on suitable foods to restore the balance, advises on your ideal weight, calorie and nutritional requirements and can offer detailed information on the exact amounts of 23 essential nutrients, including calories, contained in 275 different foods. It can be used to plan balanced meals in advance and can operate in both metric and imperial units. Designed to be exceptionally User friendly it can be operated easily by all members of the family.

A. C. NETWORK ANALYSER £ 14.95





Linnet does for a.c. networks what Electronics does for digital ones! Input characteristics of complete networks, including sub-circuits, are entered. The computer performs either time or frequency domain analyses, presenting the output data in any of a choice of forms, both graphical and written. The program detects the presence of a printer and, if connected, can produce detailed graphical displays by printing lengthways along the paper. Happily deals with highly complex networks - the instruction book provides numerous examples using transistors, I.C.s, bandpass filters, op amps, etc, etc... An invaluable tool for both professional and amateur designers.

INVESTMENT MONITOR £ 6.95



Shares continuously monitors up to 20 shares/investments with prices entered on a daily basis. Will display holdings, original and current prices, percentage fluctuations, annual equivelants plus performance graphs for the previous 12 days, 200 days or full year. Automatically updates itself after one year.

Numeric can solve or draw graphs of any formula with a single unknown which can be entered via the keyboard. Graph axes can be varied or reversed to suit individual functions. Solves Right Angle Triangles, Simultaneous and Quadratic Equations, Arithmetic Mean, Standard Deviation and Coefficient of Correlation between lists plus Deviation Curves.

MATHS TOOLKIT £ 6.95



Murder at the Manor

GEMTIME

Death comes to a quiet country village when the Lord of the Manor is savagely murdered.
The police are baffled with no obvious clues to help them.
Your skills as an ace investigator are required to identify and apprehend the murderer. This will involve searching for clues (which could be dangerous requiring ingenious deductions), examining the scene of the crime and asking questions of the right people.

What is the mystery of the Gravediggers Hut?
What secret does the safe hold?
What lurks at the bottom of the brook?

These may be some of the questions you will ask yourself during your investigation into the **murder at the manor.**
The game is based on a fixed map, comprising the Manor House, the Garden, the Town, the Graveyard and many other fully described locations, inhabited by a variety of individual characters whom you are likely to meet.

Its up to you to solve the murder, the locals may know the answer — but will they tell YOU!

This original adventure fills your 48K Spectrum with over 120 locations, all of which are depicted in full colour machine-coded graphics.
Add sound effects, a full score and save game facility plus a comprehensive and easy to use command analyser (incorporating abreviations and multi-command lines) and you are sure of many exciting and frustrating hours.

WARNING — this is a 4D adventure where night brings added difficulties.

"HIGH RECOMMENDED . . ." POPULAR COMPUTING WEEKLY

Cassette and instruction Booklet
costs £6.95 inc.

GEMTIME, 16 Ben Ledi Road, Kirkcaldy, Fife.

(Trade enquiries welcome)

ORWIN SOFTWARE
ZX81 CASSETTES

"Michael Orwin has built a reputation for value-for-money software and his Cassette 4 offers quantity as well as quality."

Sinclair User, October '82

"If each game was on a separate tape and selling for £5 each I would still recommend them. But all on one for £5 . . ! This sort of value for money just has not been seen before on any personal computer."

"Without sounding pushy I would like to conclude this review by saying — if you have a ZX-81 and like games, then you should buy Michael Orwin's cassette 4."

2 extracts from *ZX Computing,* Oct/Nov '82

"Eight games, including an excellent version of the Scramble arcade game . . . East to operate, graphically impressive and good value for money."

The Times, Saturday 11th December 1982 (about Cassette 4)

CASSETTE 4 8 GAMES FOR 16K ZX81 £6

ZX-Scramble (machine code) with 3 stages
Gunfight (machine code)
Invaders (machine code)
Galaxy Invaders (machine code)
Snakebit (machine code)
Life (machine code)
3D Tic-Tac-Toe (Basic)

"New polich on old favourites . . . the quality of the software and the smooth action displays created on the screen make the programs worth-while for anyone who has a ZX-81 and plays the games using it.

CASSETTE 5 8 GAMES FOR 16K ZX81 £6

Byte-man (machine code)
Space Rescue (machine code)
Breakout (machine code)
Blitz (machine code)
Planetoids (machine code)
Dodgems (machine code)
Draughts (machine code)
Merchant (Basic)

Most of the games include well-presented instructions which make them easier to play. It is pleasant to see that Orwin's kind of quality is available again."
from review of Cassette 5 in *Sinclair User,* September 1983.

Please make your cheques payable to:

ORWIN SOFTWARE
Dept YC, 26 Brownlow Rd, Harlesden, London. NW10 9QL.
ZX81 and SPECTRUM SOFTWARE WANTED
(Royalties or buy outright)
Member of the Computer Trade Association

SUNSHINE

The best books & software for popular home computers

What the reviewers say

* *"If you can't write a half-way decent game after reading Dragon 32 Games Master then it will be down to your own lack of imagination. I would recommend the Brain's book as the best of this selection"* WHICH MICRO — SEPT '83

* *The Working Dragon 32 "It's a good one* PERSONAL COMPUTER NEWS — 20 MAY '83

* *"The style of The Working Commodore 64 is easy to follow and informative"* PERSONAL COMPUTER NEWS — 18 AUGUST '83

* *"Commodore 64 Machine Code Master is a truly useful book for the machine code programmer — and its easy to read as well. It is impossible to overpraise"* PERSONAL COMPUTER NEWS — 25 AUGUST '83

* *"There clearly is a need for books like The Working Dragon 32 which provides more than just games"* PRACTICAL COMPUTING — SEPT '83

* *"Blind Alley is simply madly addictive. It is bound to be hugely popular"* WHAT MICRO — JULY '83

Books

- ☐ The Working Spectrum £5.95 ISBN: 0 946408 00 9
- ☐ Spectrum Adventures £5.95 ISBN: 0 946408 07 6
- ☐ Spectrum Machine Code Applications £6.95 ISBN: 0 946408 17 3
- ☐ The Working Commodore 64 £5.95 ISBN: 0 946408 02 5
- ☐ Commodore 64 Machine Code Master £6.95 ISBN: 0 946408 05 X
- ☐ Mathematics on the Commodore 64 £5.95 ISBN: 0 946408 14 9
- ☐ Commodore 64 Adventures £5.95 ISBN: 0 946408 11 4
- ☐ Business Applications for the Commodore 64 £5.95 ISBN: 0 946408 12 2
- ☐ Graphic Art for the Commodore 64 £5.95 ISBN: 0 946408 15 7
- ☐ Functional Forth for the BBC computer £5.95 ISBN: 0 946408 04 1
- ☐ Programming for Education on the BBC computer £5.95 ISBN: 0 946408 10 6
- ☐ Graphic Art for the BBC computer £5.95 ISBN: 0 946408 08 4
- ☐ DIY Robots and Sensors for the BBC computer £6.95 ISBN: 0 946408 13 0
- ☐ The Working Dragon £5.95 ISBN: 0 946408 01 7
- ☐ Dragon 32 Gamesmaster £5.95 ISBN: 0 946408 03 3
- ☐ The Dragon Trainer £5.95 ISBN: 0 946408 09 2
- ☐ Advanced Sound & Graphics for the Dragon £5.95 ISBN: 0 946408 06 8
- ☐ Mattel Aquarius Gamesmaster £5.95 ISBN: 0 946408 16 5
- ☐ Atari Adventures £5.95 ISBN: 0 946408 18 1
- ☐ Master your ZX Microdrive £6.95 ISBN: 0 946408 19 X

Spectrum Software

- ☐ Cruising (16K RAM) £4.95 inc VAT
- ☐ Blind Alley (16K RAM) £4.95 inc VAT
- ☐ Androids (16K RAM) £5.95 inc VAT
- ☐ Swordfight (16K RAM) £5.95 inc VAT
- ☐ Galaxy Attack (48K RAM) £5.95 inc VAT

Dragon Software

- ☐ Cruising £6.95 inc VAT

Look for the Sunshine magazines!

DRAGON USER

micro Adventurer

Commodore HORIZONS The independent Commodore magazine

I enclose a cheque/postal order for £_____ made payable to Sunshine Books, 12/13 Little Newport St., London WC2R 3LD

Name _____

Address _____

_____

_____ Signature _____

We can normally deliver in 4/5 days.

Look out for the Sunshine range in W.H. Smith's, Boots, John Menzies other leading retail chains and through our national network of bookshops and specialist stores.

***Dealer enquiries:* 01-734 3454**

CALPAC LEARNING SERIES

Colour graphics and sound are used extensively to make learning more enjoyable.

1. TENS AND UNITS ADDITION. You may choose simple sums or sums which involve carrying ten. Helpful correction sequences are provided if mistakes are made. An attractive landscape is formed as the sums are successfully completed, and the scene is animated at the end of the program.

2. TENS AND UNITS SUBTRACTION. Choose simple or difficult sums. Either of the two methods of subtraction taught in schools may be selected at the start of the program. Detailed help is given if errors are made. Correct answers add sections to a bridge. If no mistakes are made, the tank will drive across the completed bridge and fire its gun.

3. PICTURE PLOTTER. This program has been written so that children can create their own pictures on the television screen. It is so simple that even pre-reading children can use it, yet its sophistication makes it suitable for producing multicolour maps and diagrams.

4. NORTH AMERICAN INDIANS. This program helps to develop reading and comprehensive skills. You complete sentences using a word from the list on the screen. Correct responses are rewarded by the creation of an Indian scene which includes tipis and buffalo.

You may replace the questions in this program with your own (create a bank of up to 250 questions with a 48K Spectrum). Any subject area may be chosen.

J. J. Warren 1983

Published by Calpac Computer Software, 108 Hermitage Woods Crescent, St Johns, Woking, Surrey GU21 1UF

The programs on this cassette are subject to copyright, and may not be copied, transmitted, hired or lent without the written permission of Calpac Computer Software.

CALPAC

CALPAC LEARNING SERIES

ZX SPECTRUM

VOL. 1 FROM 6 YEARS

CALPAC

CALPAC LEARNING SERIES

PROGRAMS 1-4



1. TENS AND UNITS ADDITION
2. TENS AND UNITS SUBTRACTION
3. PICTURE PLOTTER
4. NORTH AMERICAN INDIANS

SPECTRUM FROM 6 YEARS | 16K 48K

SPECTRUM FROM 7 YEARS | 16K 48K

CALPAC LEARNING SERIES

VOL. 2 FROM 7 YEARS

Colour graphics and sound are used extensively to make learning more enjoyable.

5. MULTIPLICATION TABLES. This program with correction sequences enables you to test individual multiplication tables, or all tables up to a maximum that you choose. Carriages are added to a train as the score increases – see the train glide through the countryside when the test is finished.

6. THE ROMANS. Answer questions on the Romans to win a horse, chariot, viaduct and temple. Answer enough correctly and the horse will gallop away with its chariot.

7. SPELLING TESTER. The words in the test are initially displayed on the screen. Then short sentences are used as prompts for the words, which must by typed correctly to add stages to a space-ship.

Replace the words and sentences in the program with weekly spelling lists, save them on cassette, and you will rapidly create a whole library of programs.

8. HOMOPHONES. Sale or sail; bare or bear? Choose the correct word to complete the sentence. Extra motivation is provided by a coloured pot-plant, which grows with each correct response. The plant flowers in an unusually tuneful fashion at the end of the program.

CALPAC LEARNING SERIES

VOL. 3 FROM 9 YEARS

Colour graphics and sound are used extensively to make learning more enjoyable.

9. NOUNS, VERBS, ADJECTIVES AND ADVERBS. Sentences are displayed and you select the named parts of speech. Instant feedback and helpful comments ensure positive learning. Correct answers are rewarded by the creation of a coastal scene, which is animated at the end of the program.

10. VERB PRACTICE. You have to complete the sentences using the correct tenses of the verbs. The program concentrates on those irregular verbs that often cause difficulty. An underwater landscape is created as questions are correctly answered.

11. THE STRUCTURE OF THE FLOWER. This program explains how the parts of the flower are involved in the formation of seeds. This is a three part program which makes full use of high resolution colour graphics.

12. LONG DIVISION. This detailed program takes the learner through long division sums in easy stages. Correction sequences are automatically provided when they are needed. Sums with remainders can be chosen if required.

SPECTRUM FROM 9 YEARS | 16K 48K



O-LEVEL

CALPAC CHEMISTRY SERIES

These programs have been designed to improve your understanding of four topics which are fundamental to chemistry at O-level. The subject matter has been carefully structured to cover the most important aspects of:

- Elements, compounds, mixtures and separations
- Structure, bonding and properties
- Redox, electrolysis and the activity series
- Acids, bases and salts

Our software is available by direct mail from:-

CALPAC COMPUTER SOFTWARE
108 Hermitage Woods Crescent
St Johns, WOKING, Surrey GU21 1UF

PRICE LIST

CALPAC LEARNING SERIES VOL 1	16K or 48K Spectrum	£9.50
CALPAC LEARNING SERIES VOL 2	16K or 48K Spectrum	£9.50
CALPAC LEARNING SERIES VOL 3	16K or 48K Spectrum	£9.50
CALPAC CHEMISTRY SERIES VOL 1	48K Spectrum	£7.50
CALPAC CHEMISTRY SERIES VOL 1	16K ZX81	£7.50
CALPAC PATTERNS	16K ZX81	£5.95

Additional features of the CALPAC LEARNING SERIES include:-
*Spelling checkers
*"Help" call up routine
*Easy insertion of subject material of your own choice into the programs

Our software is suitable for use in the home, school or college.

For further details or retail stockists please telephone:- 048 67 2584

We have a demonstration cassette available for retailers or schools.

We would like to hear from good programmers, graduates or teachers wishing to participate in the expansion of our Learning Series on the Spectrum, BBC Model B and other machines.

The best of British!

Now you can get the very best of British software—from your local CentreSoft dealer! Games such as "The Hobbit," "Robin Hood to the Rescue" and "Snooker," among many others.

The "Best of British" range includes programs compatible with the Spectrum, BBC and Commodore 64 micro computer units—together with the latest British software for the new ATARI computers.

CentreSoft are at present the only British company to be granted distribution rights for the full Atari range. Take a look at the great variety of British games now available from your nearest CentreSoft dealer.



HUNTER KILLER
SPECTRUM
Your secret mission to hunt & destroy the enemy sub!

THE HOBBIT
COM 64—BBC—SPECTRUM—ORIC
The ultimate in British Games—You know the story, now play the game!

PINBALL WIZARD
VIC 20
Bumpers, rollovers, jackpots—just like the real thing!

ZORGONS REVENGE
ORIC
With the help of the magic stones, Princess Faz will be rescued!

ROBIN TO THE RESCUE
COM 64
Rescue Marion in a British Classic!



GRID RUNNER
ATARI—COMMODORE—SPECTRUM—VIC 20
Speed, accuracy and daring amongst a landscape of grids!



BLUE MOON
COM 64
Mission base for rescue bid!



SNOOKER
BBC—COM 64—SPECTRUM
VIC 20
Physical co-ordination, advance geometry and applied mathematics—Yes that's SNOOKER!

HUNCHBACK
BBC 32K
The bells, the damsel, the soldiers—thrilling stuff!

ATICATAC
SPECTRUM
Do you believe in Ghosts or Monsters—you will now!

CentreSoft

Always top of the softs.

Dealers!—for information on how to become a CentreSoft stockist: Write to CentreSoft House, Tipton Trading Estate, Bloomfield Road, Tipton, West Midlands DY4 9AH or telephone 021-520 7591.

LVL COMPUTERTOWN

Whether its your first computer or whether you're already an enthusiast, LVL COMPUTERTOWN offers you the quality of service you expect from experts. If you invest money, you go to a bank or a broker - a specialist who can guide and advise you on the best return for your capital. At LVL COMPUTERTOWN we're specialists too. We're there to help guide you through the micro maze, keep you up to date on innovations, help you get the best value for money, whether your computer is for you, your children or your business. Your computer can change your life - make sure you change it for the better:
Come and talk to the experts and move into micros with LVL COMPUTERTOWN

LVL DISK DRIVES

An example of superior technology, total reliability and outstanding performance, combine to produce the LVL Disk Drive Family.
Truly professional units designed to work with the BBC Microcomputer.

LVL 03 100K Single 40 Track Drive £265.00
LVL 02 100K Dual 40 Track Drive £389.00
LVL 04 200K Dual 40 Track Drive £573.85

(including VAT)

BBC MICROCOMPUTER

MODEL A £299 MODEL B £399
(INCLUDING VAT)



MONITORS

DECCACOLOUR
14"
COLOUR MONITOR
£247.25
(including VAT)

MICROVITEC
14"
COLOUR MONITOR
£247.25
(INCLUDING VAT)

SANYO
12"
GREEN SCREEN
£102.35
(INCLUDING VAT)

SOFTWARE

DESIGNED FOR THE BBC MICROCOMPUTER

GAMES

Monsters	£9.95
Snapper	£9.95
Planetoid	£9.95
Arcade Action	£11.90
Rocket Raid	£9.95
Meteors	£9.95
Arcadians	£9.95
Sliding-Block Puzzle	£9.95
Cube Master	£9.95
Starship Command	£9.95
Snooker	£9.95
Super Invaders	£9.95
Hopper	£9.95
Colditz	£9.95
Doctor Who	£10.00
White Knight II	£10.00
Missile Base	£9.95
Draughts & Reversi	£9.95

ADVENTURES

Philosophers Quest	£9.95
Castle of Riddles	£9.95
Countdown to Doom	£9.95
Sphinx Adventure	£9.95

LANGUAGES

LISP	£16.85
FORTH	£16.85

GENERAL

Desk Diary	£9.95
Creative Graphics	£9.95
Graphs & Charts	£9.95
Tool Box	£21.00
Record Keeper	£13.80
Magic Garden	£9.95

EDUCATIONAL

Business Games	£9.95
Tree of Knowledge	£9.95
Peeko Computer	£9.95
Algebraic Manipulation	£9.95
Word Sequencing	£11.90
Missing Signs	£11.90
Number Balance	£11.90
Word Hunt	£11.90
Density Circuit	£11.90
Chemical Analysis	£13.80
Chemical Structures	£13.80
Jars	£11.90
Vu-Type	£16.10

BOOKS

ACORN

Creative Graphics	£8.63
Graphs and Charts	£8.63
Lisp Book	£8.63
Forth Book	£8.63
BCPL Manual	£17.25

BBC

The Computer Book	£7.76
The Book of Listings	£4.31

COLOUR LIGHTPEN



The lightpen is compact, reliable and comes in a rugged metal case providing physical and electronic protection. Its sensitivity can be adjusted to match any make of TV screen, giving the highest levels of accuracy.

The lightpen package consists of the lightpen, an interface unit, introductory software on cassette and a user guide.

£45.95
(including VAT)

P.L.GRAPHICS SYSTEM



An easy to operate, complex graphics system with new and very advanced software giving a versatile CAD System Complex picutres and diagrams, or original designs can be quickly, easily and accurately reproduced. The system consists of the 'GRAPHIC DIGITISER' incorporating a 256mm x 205mm tracing pad, the 'Control Program' (tape or disc). Instruction manual, key card and quick reference card.

£149.95
(including VAT)

TRI-WRITER

* IT'S A PORTABLE COMPUTER TERMINAL!
* IT'S A LETTER QUALITY COMPUTER PRINTER
* IT'S A FULL FEATURE ELECTRONIC TYPEWRITER

£734.85
(including VAT)

NEVER BEFORE, AT ANY PRICE, HAS THERE BEEN AN INNOVATION LIKE **TRI-WITER!** AND AT THIS **LOW-COST,** IT'S ALMOST UNBELIEVABLE! NOW EVERYONE CAN HAVE **ALL THREE FUNCTIONS** .....IN ONE MACHINE, AND AT A COST **BELOW** WHAT YOU WOULD EXPECT TO PAY FOR A SINGLE FUNCTION MACHINE!

The items featured represent a very small selection from our vast product range.

Further information of both product and services available can be obtained by telephoning or visiting your nearest LVL Computertown Dealer.

CHESHIRE

C-TECH SOFTWARE
184, Market St.
HYDE
Cheshire
061 366 8223

* COMPUTER CITY
78, Victoria Rd.
WIDNES
Cheshire
051 420 3333

* OAKLEAF COMPUTERS
100, Boughton
CHESTER
0244 310089

CUMBRIA

* THE COMPUTER SHOP
56/58 Lowther St.
CARLISLE
Cumbria
0228 27710

ESSEX

A.C.L.
1, Northmall
GRAYS, ESSEX
0375 79834

BROADWAY MUSIC AND VISION
Woodford Green
ESSEX
01 504 7500

GREATER MANCHESTER

* LOMAX
8, Exchange St.,
St. Annes Square,
MANCHESTER
061 832 6167

WORC'S

SPURTREE COMPUTING LTD.
Council Buildings,
Teme Street,
TENBURY WELLS,
Worcestershire
0584 811353/811304

MERSEYSIDE

* THORNGUARD
46, Pensby Rd.
HESWALL
The Wirral,
Merseyside
051 342 7516

NOTTS'

* BASIC BUS. SYS.
Trent Boulevard
WEST BRIDGFORD
Nottingham
0602 819713

S P ELECTRONICS
48, Linby Rd.
HUCKNALL
Notts.
0602 640377

LEASALINK VIEWDATA Ltd
230, Derby Rd.
STAPLEFORD
Notts.
0602 399484

OXFORD

ABSOLUTE SOUND AND VIDEO (Oxford) Ltd.
19, Old High St. Headington
OXFORD
0865 65961

AVON

K & K COMPUTERS
32, Alfred Street,
WESTON SUPERMARE
Avon
0934 419324

COLSTON COMPUTER CENTRE LTD.
The Colston Centre,
11, Colston Ave,
BRISTOL
0272 276819

WARWICKSHIRE

CARVELL
9, Bank St.
RUGBY
Warwickshire
0788 65275

WEST MIDLANDS

RICHARD MORRIS
523, Bearswood Rd.
Smethwick
WARLEY
021 429 1161

JBC MICRO SERVICES
200 Earlsdon Ave,
Nth. Earlsdon
COVENTRY
0203 73813

WILTSHIRE

WILTSHIRE MICRO CENTRE
Unit 6,
Central Trading Estate,
Signal Way,
Old Town,
SWINDON
0793 612299

BUCKS'

HI-VU ELECTRONICS
36, Church St. Wolverton
MILTON KEYNES
Bedford
0908 312808

SUSSEX

C.J.E. MICROS
78, Brighton Rd.
WORTHING
West Sussex
0903 213900

ISLE OF WIGHT

EXCELL
4, Foreland Rd.
BEMBRIDGE
Isle of Wight
098 387 2578

YOUR LOCAL LVL COMPUTERTOWN DEALER

HEREFORD

KEMPSONS
26, St. Owen St.,
HEREFORD
0432 273480

KENT

KENT MICRO
57, Union St
MAIDSTONE
Kent.
0622 52784

GRAVENSEND COMPUTERS
39, The Terrace,
GRAVESEND
0474 50677

NORTHANTS'

M A ELECTRICAL
7, High St.
IRLINGBORO
N'Hants
0933 650133

LEICESTER

PERCY LORD & SON
63, Blaby Rd.
WIGSTON
Leicester.
0533 785033

LINCOLNSHIRE

* OAKLEAF COMPUTERS
121, Dudley Rd.
GRANTHAM
0476 76994

LONDON

CANNONBURY RADIO
185 Upper St.
ISLINGTON N1
London
01 226 9392

PAUL ELECTRICAL
250/2 Grand Drive,
Raynes Park,
LONDON SW20
01 542 6546

WOODS RADIO
257, Lavender Hill.
Battersea,
LONDON
01 228 1768

SALOP

MEDLICOTT BROS
53, Mardol
SHREWSBURY
Shropshire
0743 3060

SUFFOLK

S J EMERY & CO.
10, Market Place
BUNGAY,
Suffolk
0986 2141

IRELAND

EVERYMAN COMPUTER SERVICES
BALLYMONEY
Co-Antrim
N. Ireland
026 56 62668

NEWBURN ELECTRONICS
BALLYCARRY
Co.-Antrim,
09603 78330

STAFFS

J W BAGNALL
18, Salter St.,
STAFFORD
0785 3420

KIRKLANDS
City Rd., Fenton.
STOKE ON TRENT
0782 415787

* COMPUTERAMA
59, Foregate St.
STAFFORD
0785 41899

SURREY

* HASLEMERE COMPS
28, Junction Place.
HASLEMERE
Surrey
0428 53850

P & H ELECTRONICS
5, The Parade,
Reading Road,
YATELEY
Surrey.
0252 - 877 222

* Spectrum Members

LANCASHIRE

* P V MICROS
38A Water St.
ACCRINGTON
Lancs.
0254 36521

* Home & Business Computers Ltd.
54, Yorkshire Street,
OLDHAM
061 633 1608

Home & Business Computers (RCH) Ltd.
73, Yorkshire Street,
ROCHDALE
0706 344654

WALES

BULWALK RADIO
5, The Bulwalk.
Brecon.
POWYS
0874 2974

BUCON
18, Mansel St.
SWANSEA DY FFD
0792 467980

S.I.R.
91, Whitchurch Rd.
Cyncoed
CARDIFF
Wales
0222 621813

P & P COMPUTERS LTD.
41, The Hayes,
CARDIFF,
Wales.
0222 26666

SCOTLAND

COMMSCOT
30 Gordon St.
GLASGOW
041 226 4878

NORTH 'LAND

NEWTONS
Main St.
SEAHOUSES
0665 720307

FOR THE FESTIVE SEASON- FOUR OF THE BEST FROM ARTIC'S

Computing Ltd

FESTIVAL OF FUN!

1 I'm In Shock

A spaced-out space game, bursting with colour, buzzing with sound and designed to stun your senses. Exciting high speed graphics and superb use of sound.



2 Tank Battle

At first, all you can hear is a low, ominous rumbling. Suddenly, you glimpse your first adversary through the remains of the shattered alien city. An exceptional test of nerves and skill for two players.

3 Santa

A space-age compendium of seven original and entertaining games, all with brightly coloured graphics, designed with the young Sinclair user in mind.

4 Earth Defence

Wave after wave of incoming alien missiles, hell bent on the destruction of Earth's major cities, set the chilling scene on this unusually addictive arcade game.



Dear Santa,
please rush me these fabulous Artic games. I have put a tick in the boxes of the games I would like. Thank you.

- *Cheque for total amount enclosed £* _____
  Please delete or complete as applicable.
- *Access/Barclaycard No.* _____

Name _____

Address _____

_____

1 I'm In Shock – For any ZX Spectrum	£4.95	**3** Santa – For any ZX Spectrum	£5.95
2 Tank Battle – For any Vic 20	£5.95	**4** Earth Defence – For any ZX Spectrum	£4.95

ARTIC **To: ARTIC COMPUTING LTD, Main Street, Brandesburton, Driffield YO25 8RG**

STAVELEY

Doric Computer Services

Present

The Oracle's Cave

AN AMAZING NEW ADVENTURE GAME WITH ANIMATED GRAPHICS FEATURING:-

- A completely new cave layout, monster position and event sequence generated for every game.
- A time limit of 5 'days' on every adventure.
- Continuously displayed high resolution graphics and text.
- All monsters, articles and locations depicted to a level of detail that pushes SPECTRUM graphics to the limit.

"The closest yet to a true animated graphic adventure... ...excellent value for money." POPULAR COMPUTING WEEKLY.

FOR THE
48K SPECTRUM

AVAILABLE FROM W.H. SMITH, BOOTS AND OTHER LEADING RETAILERS OR DIRECT FROM:-

DORIC COMPUTER SERVICES
3 THE OASIS, GLENFIELD
LEICESTER LE3 8QS.

£7.95
(Inc. VAT)
Postage & Packing free.

As your expe
so can your



600XL Home Computer.

Whatever you want your home computer to do, the ATARI 600XL™ can do it.

ATARI 600XL product specifications.

Colour capabilities: 16 colours and 16 intensities. 256 shades.

Memory: 16K RAM expandable to 64K with memory expansion module. 24K ROM operating system including ATARI BASIC programming language.

Sound: 4 independent sound synthesisers. Each with a 3½ octave range.

Display: 11 graphic modes. 5 text modes. Up to 320 x 192 resolution. Maximum text display 24 lines by 40 columns.

Special ATARI integrated circuits: GTIA for graphics display. POKEY for sound and controller ports. ANTIC for screen control and I/O.

CPU: 6502C microprocessor. 0.56 micro-second cycle. 1.8 Mhz.

Extended graphics functions: High resolution graphics. Multi-coloured character set. Software screen switching. Multiple redefined character sets. Player missile (sprite) graphics. Fine screen scrolling. Changeable colour registers. Smooth character movement. Simple colour animation facilities.

Programming features: Built in ATARI BASIC programming language plus 8 other languages. HELP key will provide additional information and menu screens. Syntax checking on entry.

Input/Output: External processor bus for expansion with memory and peripherals. 2 controller ports. Serial I/O connector. Monitor output.

Software: Over 1000 items of software available including self teaching programs with unique voice over. Education. Home management. Programming aids. Atari user written programs (APX). And Atari's famous entertainment software.

rience grows Atari 600XL.

1. Program Recorder.

2. 64K Memory Module.

3. Touch Tablet.

4. Trak Ball™ Controller.

5. Super Joysticks.



6. Colour Printer.

7. Disk Drive.

8. 80 Column Dot Matrix Printer.



9. Letter Quality Printer.

These peripherals will be available soon:

1. ATARI 1010™ Program Recorder for low cost storage and retrieval capability. Data transmission 600 baud. Storage capability 100K bytes on a 60 minute cassette. Track configuration 4 track, 2 channels (digital and audio). Auto record/playback/pause control.

2. ATARI 64K Memory Module gives the 600XL a massive 64K RAM.

3. ATARI Touch Tablet enables you to paint pictures and draw diagrams, with the touch of a stylus.

4. ATARI Trak Ball™ Controller enables cursor movement in any direction; adds to the pleasure of Atari games.

5. ATARI Super Joysticks. Gives you a greater competitive edge over your games.

6. ATARI 1020™ Colour Printer plotter. Four colour graphic print capability. 40 column. 10 characters per second. 5, 10 and 20 characters per inch.

7. ATARI 1050™ Dual Density Disk Drive. 5¼ inch disks holding 127K randomly accessible bytes provides both expansion and flexibility for your 600XL system with DOS III.

8. ATARI 1025™ 80 Column Dot Matrix Printer prints 5, 10 or 16.5 characters per inch. 40 characters per second. Ideal for program listings, financial reports, etc.

9. ATARI 1027™ Letter Quality Printer for word processing letters in professional type.

If you'd like to know more about the ATARI 600XL, write to Atari International (UK) Inc., P.O. Box 407, Blackhorse Road, London SE8 5JH and we'll send you all the details.

The new Atari XL home computer system.

ATARI®

®ATARI and design Reg U.S. Pat and TM Off. TM: Trademark of Atari Inc. The ATARI 600XL is compatible with ATARI 400 and 800 programs.

YOU CAN'T BEAT THORN EMI'S NEW S



PECTRUM GAMES.

Our new Spectrum games have two skill levels. Difficult and impossible.

Unless you happen to be a genius, it could take forever to master them all.

So for around £6.95, you will really be getting your money's worth.

"Volcanic Planet" (on 16k) is a real scorcher. Plant a bomb on the volcanic plug in the evil Zeron underground Metropolis, and escape before red hot lava floods the city. Watch out for the Zeron's bone crushing slaves, they want to tear you apart. If your oxygen or power supplies run out, you're dead.



In "Road Racer" (on 16k) you'll find out if you're skilful enough to drive round a terrifying track at death defying speeds, and reach the black and white flag in one piece.



"Gold Rush" (on 16k) is no walk-over either. Underneath the eerie planet of Oron is a vast cavern full of gold and demons.

You have to get the gold and the deadly demons have to get you.

In "Blockade Runner" (on 16k) the earth is under siege and you must get life-saving supplies through.

When you've avoided the dense meteor shower, the moving laser barriers, the space mines, the tractor beam units and the alien warships, you'll be good enough to try the other 5 skill levels.

"River Rescue" (on 48k) is a runaway success on other formats. It's now available on Spectrum. You'll have to navigate the wildest and most dangerous river on earth in a powerful patrol-boat. But keep a sharp look-out for the killer crocodiles. They haven't eaten all day.

Win, lose or draw, you can't beat THORN EMI's Spectrum games. Now available from WH Smith and other leading software stockists.

THORN EMI VIDEO

Leaders in home entertainment.

BEYOND

CHALLENGING SOFTWARE



NOBODY'S GETTING THEIR CLAWS ON MY JEWEL!



SONAR contact and the depth charges tumble

Death lurked under every wave



Red Alert Alien Intruder!

RUNS ON COMMODORE 64



...I must keep it out of the main corridors



ATARI 400/800 WITH 48K

RUNS ON DRAGON 32

What's worse than being lost in space...

IN THE FURTHEST CORNER OF THE GALAXY

SPINNING SILENTLY IN SPACE

RUNS ON SPECTRUM IN 48K

... BEING FOUND!

SPACE STATION **Zebra**

and then the Aliens came...

Kriegspiel on the Dragon

COMING SOON

Kriegspiel

Plus' Enter the Beyond Software Club. Absolutely free starting next year. Don't miss it. Send for details by ticking the box in the coupon below.

To . . . **Beyond** Competition House, Farndon Road, Market Harborough, Leicestershire LE19 9NR

Please send me...	***Qty***	***Total Price***
Title		
UP PERISCOPE **£6.95**		
GOODNESS GRACIOUS **£6.95**		
SS ACHILLES (DISC) **£19.95**		
SPACE STATION ZEBRA **£6.95**		
	GRAND TOTAL	

BEYOND HOTLINE
0858 34567

all prices include p&p

I enclose a Postal Order/Cheque payable to Beyond, or charge my credit card.

Card Number _____
Access/Visa (Delete as necessary)

Name _____

Address _____

_____

_____ Post code _____

Signature _____ YC 12

Please rush me details of the 'Enter the Beyond' Software Club. ☐

cp software

SUPERCHESS 3.0

ABSOLUTELY GUARANTEED ABLE TO BEAT ALL OTHER SPECTRUM CHESS PROGRAMS

Superchess 3.0 has been developed to bring you the strongest chess program yet for the Spectrum computer.

At the tournament level Superchess 3.0 has a look-ahead of five to seven ply (moves) in the middle game, and ten to twelve ply in the end game. This gives Superchess 3.0 a substantial advantage against other chess programs and promises the experienced player an interesting and challenging game of chess.

Unlike other chess programs, Superchess 3.0 is not just a brute-force calculator, but employs artificial intelligence techniques to allow deeper searching along the main lines of play.



FEATURES:

- 10 levels—all play within tournament time limits.
- First level made especially easy for beginners.
- Easy to use—help menus provided.
- Recommended move option.
- Change sides and level during game.
- Self play mode.
- Set up/change position.
- Technical information—how the program 'thinks'.
- Program's internal score for position displayed.
- Number of evaluated positions displayed.
- Library of opening moves.
- Select your own colour scheme for graphic board display.
- Solve mating problems—up to mate in four.

48K SPECTRUM—Price £8.95

BRIDGE PLAYER

PLAY AN ENTIRE GAME OF BRIDGE AGAINST YOUR SPECTRUM—WITHOUT GETTING IN THREE FRIENDS FOR THE PURPOSE

Dealing—the program shuffles, deals and sorts the cards to produce randomly dealt hands. An almost infinite number of hands are therefore possible, with all kinds of distributions.

Bidding—is in the familiar ACOL system, including Stayman and Blackwood conventions. You bid your hand while the Spectrum bids the other three hands.

Card Play—you play from your own and dummy's hands, which are displayed as they would be at the bridge table, with the program playing the other two hands.

Scoring—at the end of each hand the score is calculated, including honours, slam and rubber points. Both the old and new scores are displayed in the usual manner.

Replay—at the end of each hand, all four hands can be displayed and, if desired, the hand replayed.

48K SPECTRUM BRIDGE PLAYER—£8.95

An ideal complement to the Bridge Player Program:
Bridge Tutor (Beginners)—**£5.95**
Bridge Tutor (Advanced)—**£5.95**

SPECIAL OFFER: Bridge Player and both Bridge Tutors—£18.95

Plus for 48K Spectrum unless otherwise stated:

PLUS for 48K Spectrum:

FLOATING POINT FORTH with EDITOR	£13.95
INTEGER FORTH	£9.95
SUPERCHESS II	£7.95
SUPERCHESS I (16K ZX81)	£4.95
16K SUPERCHESS (16K Spectrum)	£6.95
REVERSI	£6.95
DRAUGHTS	£5.95
BACKGAMMON	£5.95
SNAIL LOGO (Turtle Graphics)	£9.95
GOLFING WORLD	£5.95

Spectrum Programs

SPECTRUM EXTENDED BASIC

—IMPROVE YOUR PROGRAMMING —EASE DE-BUGGING
—HELPS YOU ADD STRUCTURE TO YOUR PROGRAMS

The ten additional BASIC commands provided by Spectrum Extended Basic are considered an essential aid for most programming applications, so much so that many of these commands are standard features on other Basics.

The program is compact, occupying less than 5K memory, is user friendly—requiring only a two key entry—and incorporates syntax checking.

The program commands are used and entered just like normal Basic keywords, the program operates by trapping your usual keyboard input and testing for any of the ten additional commands.

The extra commands available are:

- AUTO — auto line number, start and interval definable.
- CLOCK — ON/OFF 12 hour clock, displayed on screen.
- DELETE — Basic line/block delete.
- EXAMINE — reads tape headers and displays information.
- FIND — find specified string in Basic program.
- MEMORY — displays memory status.
- RENUMBER — full line renumber with GOSUBs and GOTOs
- SCROLL — ON/OFF continuous scrolling.
- TRACE — ON/OFF slows program execution, displays line and statement currently executed.
- VARIABLES — displays variable names and contents.

48K Spectrum Extended Basic—£9.95

SUPERCODE —for 16K and 48K Spectrum

100 + ROUTINES

This is a superior machine code tool kit with one hundred machine code routines that are relocatable for use in your own BASIC and/or machine code programs, the combined user friendly BASIC program, 48k Spectrum only, gives easy access to all routines: ● Index of routines. ● Call up details of each routine including all information required to tailor the routine to your needs. ● Demonstration of how the routine works under software control, the demonstration is repeatable. ● Save and verify individual routines. ● Comprehensive user guide.

1. Block Memory Insert
2. Block Line Delete
3. Chr$ Swop
4. Chr$ Scramble
5. Super-Renumber
6. 2 Byte Converter
7. Dec-» Hex Converter
8. Hex-» Dec Converter
9. Remkill Condenser
10. On Error Goto
11. On Break Goto
12. Free-Scroller
13. Non-Deletable Lines
14. Border Effects
15. Screen Search
16. Variables Search/List
17. 24-Line Printing
18. Star Draw
19. Flash Switch
20. Bright Switch
21. Paint Shape
22. Record Sound
23. Replay Sound
24. Sci-Fi Character Set
25. Memory Available
26. Line Renumber
27. Uni-Note Sound-Gen
28. Dual-Note Sound-Gen
29. Uni-Beep Simulator
30. Multi-Beep Simulator
31. Screen Fill
32. Screen Store
33. Screen Exchange
34. Protect Program
35. Block Copy
36. Contract
37. Expand
38. Expand Rem
39. Append
40. Count Program
41. Tape Header Reader
42. Address
43. Checker-Board
44. Remove Colours
45. Display Memory
46. Hex Loader
47. Wait-Key
48. Strings to Upper Case
49. Strings to Lower Case
50. Program to Upper Case
51. Program to Lower Case
52. Confuse
53. Clarify
54. Space Saver
55. Screen Overprint
56. Screen Invert
57. Clear All
58. Ink Change
59. Paper Change
60. Flash On
61. Flash Off
62. Bright On
63. Bright Off
64. Screen-Print
65. Random Number Generator

Routines 66-100: Screen routines

SUPERCODE £9.95

Also available at Boots, W. H. Smith and all good computer shops.

Send SAE for catalogue.

DELIVERY:

UK—prices include VAT and postage & packing.

EUROPE—add 80p per program

ALL OTHER PLACES—for air mail add £2 for the first program and 50p for each subsequent program. Surface delivery add 80p per program.

Buy it with Access

Send Cheque, Postal Order or Access No. to:

CP SOFTWARE, Dept YC11,
17 Orchard Lane,
Prestwood,
Bucks HP16 0NN

NEW!

FLIGHT ZERO ONE FIVE
THE FIRST REAL FLIGHT SIMULATOR FOR THE UNEXPANDED VIC-20
ONLY £5.95 inc

FULL SOUND AND COLOUR VIC20

Send Cheque/PO for £5.95 to:
FERRANTI & DAVENPORT LTD.
Ferranti House, Grafton Way, Basingstoke, Hants.
Tel: (0256) 69966 (7 lines)

Access & Barclaycard

YOU HAVEN'T SEEN ANYTHING LIKE THIS ON A COLOUR MONITOR BEFORE.

An RGB monitor from JVC offering a resolution of 370 x 470 pixels for less than £150?

We guarantee you won't see another bargain like that in this or any other micro mag – or in any other supplier's showroom.

For we've managed to acquire the sole distribution rights to these superb machines and we are able to offer them at an unbeatable price.

There are two models available: medium resolution (370 x 470 pixels) at £149.95; and high resolution (580 x 470 pixels) at £229.95. (Both excluding VAT.)

The units have a 14" screen and are suitable for the BBC Micro, Lynx, Oric, Apple, and most other leading micros.

They are robustly constructed in a handsome cream casing. And come with a full year's guarantee.

Delivery is good: your monitor should arrive by courier service within ten days of our receiving your order.

You can order by filling in the coupon below and posting to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE. Or by telephoning 01-701 8668 quoting your credit card number. Or, of course, you can buy in person at our showroom between 9am-6pm Monday-Friday, 9am-1.30pm Saturday.

MODEL REFERENCE	1302-1 Medium Resolution	1302-2 High Resolution
RESOLUTION	370 x 470 Pixels	580 x 470 Pixels
C.R.T.	14"	14"
SUPPLY	220/240v. 50/60Hz.	220/240v. 50/60Hz.
E.H.T.	Minimum 19.5kv Maximum 22.5kv	Minimum 19.5kv Maximum 22.5kv
VIDEO BAND WIDTH	6MHz.	10MHz.
DISPLAY	80 characters by 25 lines	80 characters by 25 lines
SLOT PITCH	0.63mm	0.41mm
INPUT: VIDEO	R.G.B. Analogue/ TTL Input	R.G.B. Analogue/ TTL Input
SYNC	Separate Sync on R.G.B. Positive or Negative	Separate Sync on R.G.B. Positive or Negative
EXTERNAL CONTROLS	On/off switch and brightness control	On/off switch and brightness control

To Opus Supplies Ltd., 158 Camberwell Road, London SE5 0EE.

Please send me____ Medium Resolution Colour Monitor(s) at £149.95 each (ex. VAT).

____ High Resolution Colour Monitor(s) at £229.95 each (ex. VAT).

____ Connection lead(s) at £6.00 each.

I understand carriage per monitor will cost an extra £7.00.

(N.B. A Medium Resolution Monitor including VAT, lead, and carriage costs £187.39. A High Resolution Monitor including VAT, lead, and carriage costs £279.39.)

I enclose a cheque for £____ Or please debit my credit card account with the amount of £____ My Access/Barclaycard (please tick) no. is____

Please state the make of your computer____

Name____

Address____

____

Telephone:____

Opus.
Opus Supplies Ltd.

YC3

MORRIS meets the Bikers

THE STORY SO FAR...

AUTOMATA UK LTD

PUT SOME TING IN COMPUTING! IN 1981 THEY WERE THE FIRST TO PUT FREE MUSIC TRACKS ON COMPUTER CASSETTES. IN 1982 THEY WERE THE FIRST WITH BIG PRIZE GAMES. IN '83 IT WAS COMIC STRIP ADS. THIS IS THEIR STORY.

ONCE UPON A TIME (AND A MISERABLE TIME 'TWAS), COMPUTER GAMES WERE EXTREMELY VIOLENT, DESTRUCTIVE AND BORING

BLAT! ZOT! FOOM! MAIM! OINK! BEEP! BAMBOOZLE! ZIT! ZIT! ZIT!

THEN AUTOMATA CREATED PIMANI

HOORAY! HALLELUJA!

AT THIS VERY MOMENT, THOUSANDS OF PIMANIACS ALL OVER THE WORLD, ARE SEEKING THE REAL £6000 GOLDEN SUNDIAL OF PI. THE PIMAN HAS BECOME A CULT.

LATE ONE NIGHT THE PIMAN IS DISTURBED BY A VISITOR FROM THE DISTANT GALAXY OF MORRIS MINOR.

CORKS!

I'VE GOT A SALE OUTSIDE YOU JUST WON'T BE ABLE TO RESIST!

THE CRITICS GO WILD! PIMANIA IS HAILED AS AN ALL-TIME CLASSIC!

HOW MUCH?

WELL, 'OW MUCH 'AVE YOU GOT?

A POGO-STICK, A SAXOPHONE AND A CAN OF WORMS

WELL THAT'S 'OW MUCH IT IS! SIGN HERE, HERE AN' HERE!

TATTAH, MUGGINS!

OH! I THOUGHT I'D JUST BOUGHT THAT!

LOOK AT THE LOG-BOOK! IT IS I YOU'VE PAID YOUR HARD-EARNED WORMS FOR! BEEP!

EH, WOT?

WHAT DO YOU KEEP STOPPING FOR?

BEEP! CAR-SICKNESS!

CAR PARK

SKEEE

LEMME OUTTA HERE, YA BUM!

NOW TO RETRIEVE MORRIS SO THAT I CAN SELL HIM TO SOME OTHER MUG! GO, MY PHANTOM PHREAKY BIKERS!

TELEPORT BEAM

I'M FREE! TAKEEEE!!

TOO LATE! THE MAD BIKERS BLAZE IN, LIKE GHOSTS THROUGH THE BRICK WALL...

THIS IS IT!

WATCH OUT FOR.....

...TREACHEROUS TIN-TACKS THAT SLOW HIM DOWN...

HSSSS

YOW!

CREEPY CARBON MONOXIDE...

LOONY LIFTS

ELEVATOR

PRECIOUS PETROL

GRRR!

AND CLINGING WHEEL CLAMPS THAT BRING HIM TO A GRINDING HALT...

AND HAS TO COLLECT TEN GOLDEN COINS BEFORE HE CAN ESCAPE THROUGH THE EXIT TO THE NEXT SCREEN. THERE ARE 9 SCREENS ALTOGETHER, BEFORE HE IS FREE!

MAYBE WE DON'T LIKE THE NOISE HIS HORN MAKES, AN' MAYBE WE CAN'T GET HIM IN THE LIFTS - BUT WE CAN FLY THROUGH WALLS, AN WE DON'T CARE ABOUT NO HAND-SIGGERNALS OR DOUBLE-HELLER LINES! HAR HAR!!

SO WHAT'S AUTOMATA GOT IN THE WAY OF CLASSIC ENTERTAIN-MENT? HOW ABOUT THE DIFINITIVE VERSION OF THAT BOARD GAME!

HEH HEH..

GO TO JAIL

AND IF YOU CAN'T FIND ANY HUMANS TO PLAY AGAINST, WE DARE YOU TO PLAY YOUR..

..COMPUTER!

BUT BEWARE..

IT MAY WELL WIN!!

* 2 TO 5 PLAYERS
* LARGE SIZE MOVING BOARD DISPLAY
* SAVE-GAME FACILITY.
* STATE OF PLAY AT THE TOUCH OF A BUTTON
* YOUR COMPUTER AS 'HONEST BANKER'

GO TO JAIL!

ORDER FORM

TO AUTOMATA U.K. LTD: "PLEASE RUSH ME THE FOLLOWING CASSETTES"

"MY NAME IS UNCLE GROUCHO YOU WIN A FAT CIGAR" for 48K ZX SPECTRUM	£10 ☐
"MORRIS MEETS THE BIKERS" for any ZX SPECTRUM	£6 ☐
"GO TO JAIL" for 48K ZX SPECTRUM	£6 ☐
"YAKZEE" for 48K ZX SPECTRUM	£5 ☐
"PIMANIA" for 48K ZX SPECTRUM	£10 ☐
"PIMANIA" for B.B.C. 32K	£10 ☐
"PIMANIA" for DRAGON 32	£10 ☐
"THE PIMAN'S CHRISTMAS STOCKING" (including PiMan's 1984 Kartoon Kalendar, PiMan's own C20 Blank Computer Cassette, plus the truly amazing "PIMAN'S GREATEST HITS" stereo L.P.)	£5 ☐
I ENCLOSE THE RIGHT MONEY, TOTAL ---------- or please charge my ACCESS/EURO/MASTERCARD	£ ☐

CARD NUMBER ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

MY SIGNATURE .....

MY NAME .....

MY ADDRESS .....

.....

..... POST CODE .....

send to AUTOMATA U.K. LTD., 27 HIGHLAND ROAD, PORTSMOUTH, PO49DA, HANTS., ENGLAND. Telephone (0705) 735242 Mail Order Service.....
ALL PRICES INCLUSIVE! NO EXTRAS! Please leave space below blank..

YC

NOW YOU CAN LIFT STATIC DRAWINGS, PHOTOGRAPHS, ETC, RIGHT OFF THE PAPER AND BRING THEM TO LIFE INTO *YOUR* PROGRAM!

TWO POTENT FEATURES COMBINE TO BRING YOU UNIQUE NEW POWER OVER YOUR SPECTRUM GRAPHICS!



● ACTION-TRACER

Gives you the power to transfer drawings, photographs, paintings, lettering — in fact ANY paper-based images into full colour line-drawings on your Spectrum screen, with astonishing ease and an accuracy that rivals expensive digital tracers. But this time you get more than just a static on-screen design that has to be laboriously droned on and off tape, because . . .

● GHOST-WRITER

Interprets your on-screen design into the precise sequence of basic instructions needed to EXACTLY reproduce it, and then writes the program for you, directly into memory! New program lines appear in your listing which are indistinguishable from ones you might have written yourself. When you've finished, POWER-GRAPHICS will 'self-destruct', leaving behind only your new program lines ready to use.

TOGETHER THEY'RE DYNAMIC!

The new program captures your design DYNAMICALLY, giving you instantly the power to MOVE it anywhere, to SHRINK it down to a single pixel, or EXPAND it to fill the screen. You can SQUEEZE or STRETCH it into weird distortions, flip it UPSIDE DOWN or MIRROR-IMAGE it, ROTATE it in the plane of the screen . . . in other words MANIPULATE IT UNDER YOUR FULL CONTROL!

Once GHOST-WRITER has captured Space-Shuttle, you can immediately reproduce it anywhere, any size, AND redesign it too!

No problem producing mirror-images . . . and turning them upside-down is just as easy, too!

Drawing a simple cross-section (above left) and rotating it through the plane of the screen to produce exotic architecture is just a peep into a whole new world of exciting, inventive graphics made easy as ABC by GHOST-WRITER's versatile programming.



MANIPULATION OR ANIMATION – GHOST-WRITER ALWAYS WRITES EXACTLY THE PROGRAM YOU NEED!

You can tell GHOST-WRITER to program selected parts of your design with their own special line numbers, allowing you to call them as separate sub-routines. Thus you can add or remove parts at will – like the Bunsen burner in this chemistry diagram.

INSTANT FORGERY!

How would you like to write a program that signs your name exactly as you do yourself?

John Smith

It's just a few minutes' fun with POWER-GRAPHICS!

Animating the lips of this well-known newsreader (recognise her?) is just as simple – and thanks to POWER-GRAPHICS' ability to produce high-speed curves when needed (which draw as fast as straights) the curved lips can be animated in real time!

POWER-GRAPHICS is fun to use, simple in operation, and for beginners and advanced users alike is an important new programming tool that extends the Spectrum's potential for imaginative graphics into exciting new regions.

IF YOU WANT PICTURES YOU CAN USE, IT **HAS** *TO BE POWER-GRAPHICS.*

ZX SPECTRUM
FOR 16K OR 48K
ONLY £8.95

BUTTERCRAFT SOFTWARE

14 Western Avenue, Riddlesden, Keighley, Yorks. ENGLAND

PLEASE ASK FOR OUR ILLUSTRATED LIST OF GUARANTEED-QUALITY TRS80/VIDEO GENIE SOFTWARE

OVERSEAS CUSTOMERS ADD £1.00 EXCESS POSTAGE

With specially developed high quality viewing glasses

Alien, the New dimension present...

The first programme which demonstrates true 3D effects on your TV. All the information you need is provided in the programme to create your own graphics in 3D.

Just imagine the games that could be written using this technique. Hours of fun and really dramatic visual effects.

BBC model B only

Please mail me ☐ copies of the Alien AUTHENTIC 3D GRAPHICS PROGRAMME at £9.95 per copy (inc. P&P)

ENCLOSE £ OR MY ACCESS/VISA CARD NUMBER IS

NAME

ADDRESS

POSTCODE

Please allow 14 days for delivery

Alien — The New Dimension

YC.1.84

The Alien, Arndale House, Church Street, Blackburn, Lancs, BB7 5AF Tel. Blackburn (0254) 52638

EPROM-ERASER

erases 4 EPROMS simultaneously

Low price Only £ 26.50

MACH 3 PRINTER BUFFER

Why wait for your printer ?...
With the MACH 3 you can use your computer, while the printer is working.

	16 k	32 k	48 k
par. input - par. output	£ 86	£ 98	£ 109
serial input - par. output	£ 94	£ 109	£ 123

VIC 20 EXPANSION UNITS

with 2 slots £ 15.50

If ordered together with the 40/80 Column card and the 64 k card £ 5.95

With 5 slots, fully buffered, switches for deselecting slots, and on-board power supply £ 29.95

40/80 COLUMN CARD £ 59.95

Turn your VIC 20 into a professional computer . . . . .
40 or 80 columns instead of 22, very sharp and stable picture.
Try it out without obligation!

VIC 20 64 k RAM + 2 k EPROM EXPANSION £ 59.95

With software for RAM-files. Easily connected. Needs no extra power supply.

VIC 20 EPROM CARD £ 11.95

Expand your VIC 20 with two 4 k EPROM sockets. Addresses are changeable.

Universal EPROM PROGRAMMER £ 31

for 2716, 2732, 2516 and 2532

(Already over 1000 satisfied users)

- Assembled and tested
- With extended manual (21 pag.)

This programmer can be very easily connected to almost any microcomputer, e.g.:
OSI kP, PET, CBM, TRS 80, EXIDY, SWTPC, EXORCISER, NASCOM, MAXBOARD, AMICOS, ACORN ATOM, VIC 20, APPLE, JUNIOR, SYM, DAI, AIM, EXPLORER, HEATHKIT, ZX 81, ABC and CBM 64.
Convince yourself, that this programmer also can be very easily connected to your computer, ask for a free brochure.

Control software in EPROM £ 6.50

for all our products: **Dealer inquiries invited.**

zero ELECTRONICS

- All prices exclude VAT.
- We have good documentation of all our products, free of charge.
- All equipment can be tried out without obligation; if returned undamaged within 10 days, you only pay postage and packing costs.

149 KINGSTREET + GT. YARMOUTH NR30 2PA + TEL: (0493) - 2023
(NASH HOUSE)

sinclair special 6

Inside...

Setting new standards in educational software with Sinclair-Macmillan

Plus six other learning programs

TODAY, LEARNING IS A NEW GAME

Subsidised microcomputers are now commonplace as teaching aids for the very youngest children and the ZX Spectrum is prominent amongst those micros at use in schools.

In the relatively short time that the Spectrum has been at work in the classroom, two questions have been answered. Yes: with the right software, the micro can and does teach effectively and thoroughly (and gives teachers more time to devote to individual pupils). Yes: young children think little of working rapidly and successfully, with a screen and keyboard, on even quite complex subjects.

In this Sinclair Special we reveal a range of educational software specifically designed to make full use of these advantages. The programs produced by Sinclair in collaboration with Macmillan Education are fascinating. They deal imaginatively and most effectively with early reading skills and take a truly refreshing approach to basic science.

In the Blackboard range we've programs which bring a light-hearted clarity to the tricky matters of spelling and punctuation.

These programs are designed for use both at home and in the classroom. Each program is accompanied by full documentation which gives parents helpful advice and guidance on the educational objectives.

The programs covered on these pages represent only a fraction of the full and fast-growing list of Spectrum software. Be assured we'll keep you in touch with new developments as they happen.

David Park

David Park
Education Marketing Manager

NEW WAYS TO LEARN WITH THE ZX SPECTRUM™

Programs from Blackboard Software

The new range of educational programs from Blackboard Software makes learning an enjoyable process by involving the child in a game which teaches as it entertains.

Each program has a step-by-step example section and gives correct answers after a number of attempts. Vocabulary changes can be made, allowing each program to keep pace with the child's development. This flexibility can also be used in the classroom to cater for children of differing ability.

The instructive and colourful games which follow the successful completion of each group of sentences provide useful practice in letter recognition and increase familiarity with the Spectrum keyboard.

All programs are written for the 48K RAM Spectrum.

Alphabet Games

Three games of letter recognition (using either upper or lower case) to help children learn the alphabet and find their way round the computer keyboard.

Alphagaps – The full alphabet is displayed, along with a second, incomplete version. The child must fill in the missing letters.

Random Rats – Press the letter key that is displayed on the gun to destroy the rats which have invaded the cellar!

Invaders – Stop little green men from landing on Earth by pressing the appropriate letter.

Early Punctuation

While an animated matchstick man marches above displayed sentences the child must decide which punctuation mark is missing and where to insert it. At the touch of a key the matchstick man drops the mark into place. After successful completion of every sentence in the exercise, light relief comes in the form of a bottle-shooting game!

The Apostrophe

As each sentence is displayed, a bird appears with a worm in its beak. The keyboard is used to move the bird and drop the worm into the correct place for the apostrophe. When ten sentences have been corrected, the Grub Game is displayed. Press the correct character to change the grub into a butterfly...before it munches through a flower!

Capital Letters

A program to teach the use of capital letters. Sentences incorporating proper nouns and sentences without opening capitals are displayed. The child inserts the correction by guiding an animated figure to the appropriate letter.

For each correct answer an apple grows on a tree. After ten correct answers the child's skills in recognising letters and using the Spectrum keyboard are needed to save the apples as they fall to the ground.

Speech Marks

A comprehensive program including sentences with one or two sets of speech marks ("inverted commas") and exercises in both direct and reported speech.

Using the Spectrum keyboard, a cursor is used to guide speech marks to the correct position. The program offers three levels of difficulty, with full examples for each section. Guide Max the mouse through a maze, after the correct completion of five sentences from each section, but beware of Persian cats!

Castle Spellerous

A spelling game with ten levels of vocabulary, including words with silent first letters, double letters and other difficult words. The Princess has been captured and carried off to Castle Spellerous. Helped by ten soldiers, the child can attempt a rescue by giving the right answers. Part of a siege tower is built for each correctly spelt word. Mistakes are costly – the wicked wizard appears as a vampire bat, turning the men into frogs, butterflies and bats!

When ten words are spelt correctly the rescue begins and the wizard takes flight.

SINCLAIR + MACMILLAN: A NEW DIMENSION IN EDUCATIONAL PROGRAMS

Sinclair have joined forces with Macmillan Education to produce a completely new and different range of educational software. The results so far can be seen in these exceptional programs.

The Learn to Read series is derived from Macmillan Education's best-selling primary school reading scheme, Gay Way. It offers a unique opportunity for parents and teachers to participate in the child's first experience in reading.

Macmillan Education's Science Horizons is one of Britain's most successful school science schemes. Each program concentrates on key scientific ideas and, through simulation of real life, makes the learning process entertaining and enjoyable.



Learn to Read 1

Learn to Read 1 is designed for children who are just beginning to read. It is in four parts, each of which develops skills central to the reading process – letter recognition, sight vocabulary, early spelling and memory. The program is full of colour and fun and children will enjoy learning to read as they meet the animal characters – Ben the dog, Jip the cat and their friends.



Learn to Read 2

Learn to Read 2 extends the fundamental reading skills practised in the first program, as well as encouraging logical thinking. The child's vocabulary is gradually built up as new words such as "red," "green," "car," "ship" and "bus" are introduced. In addition, Learn to Read 2 features an attractive 'reward' system enabling children to see their achievements grow.



Learn to Read 3

Learn to Read 3 builds on the child's progress so far, so that he or she can gain the confidence to move on through the complex reading process. Learn to Read 3 features four different activities, all of which are colourful and lively. Further vocabulary is introduced until the child is reading more than 30 words.

Learn to Read 4

Learn to Read 4 is the alphabet program in the Learn to Read series.

Using various stimulating activities the program gives the child plenty of practice in working with the alphabet – matching initial letters to words and pictures and spotting missing letters. These exercises build familiarity with simple sequences within the alphabet.



Learn to Read 5

Learn to Read 5 teaches positional language – often difficult to understand and remember – by using words and phrases such as "behind" and "in front of," "inside" and "outside."

The program first demonstrates the meanings of the words using clear pictures. It then tests the child's understanding of the words in two lively games.



Cargo

Set sail around the world. Choose your ports of call – New York, Tokyo, Belem, Helsinki – then the real challenge begins! You must reach your destinations safely, weathering storms on the way. But first, load your cargo – using all your knowledge and skill. Poor loading can mean capsizing and sinking. Your rank, if not your life, is always at stake!



Glider

Be a glider pilot! The glider models real-life gliding conditions so that you can learn through experience. As the pilot you must consider the time of day, the amount of cloud cover and the kind of terrain below you in order to find the up-currents of air that will keep you airborne. Try to fly as far as possible and, when you are high enough, navigate your way back to your home airfield and land safely – if you can.

Survival

Discover what it is like to be an animal in the wild! Be a lion stalking your prey, escaping human hunters. Or be a hawk, mouse or even a butterfly, searching for food and avoiding predators.

Survival models the natural world and brings to life hazards that different creatures must face in their struggle to stay alive.



Magnets

With an army of small magnets you set out to conquer the powerful supermagnets of your opponent. You have one weapon – your forces of magnetic attraction and repulsion.

The strategy is simple: attract smaller magnets to build strength to repel the super-magnet. When cornered, just turn your poles on your enemy and see what happens!

Learn to Read and Science Horizons programs are written for a 48K RAM Spectrum, and are supplied complete with comprehensive supporting documentation for parents and teachers.

ZX INTERFACE 2
THE NEW ROM CARTRIDGE AND JOYSTICK INTERFACE

Now available in shops

Loads programs instantly
Takes two joysticks
Just plug-in and play

The ZX Interface 2 is the latest new peripheral for the ZX Spectrum system. It enables you to use new ZX ROM cartridge software: plug-in programs that load instantly. There are ten terrific games already available on cartridge. ZX Interface 2 also allows you to use one or two standard joysticks without the need for separate special interfaces.

To use new ZX ROM Cartridge programs, just connect Interface 2 to the rear of your Spectrum or Interface 1 and plug in the cartridge of your choice. Switch on and the program is then loaded, ready to run!

You can use any joystick that has a 9-way D plug. Use one or two of them for extra fun with suitable ZX ROM cartridge or Sinclair cassette programs — or with dozens of other Spectrum programs.

ZX MICRODRIVE/ ZX INTERFACE 1

The ZX Microdrive System is unique. This compact, expandable add-on system provides high-speed access to massive data storage. With just one Microdrive and a ZX Interface 1 you'll have at least 85K bytes of storage, the ability to LOAD and SAVE in a matter of seconds, the beginnings of a local area network of up to 64 Spectrums *and* a built-in RS232 interface. The cost? Less than £80.

How to get ZX Microdrive and ZX Interface™ 1

Spectrum owners who bought direct from us by mail order have been sent full details. Order forms are being mailed in strict rotation. If you haven't yet received your order form please bear with us. We're making good progress in meeting the huge demand.

If you didn't buy your Spectrum by mail order, send us the form at the bottom of this page and we'll add your name to the mailing list.

How to order

Complete the appropriate sections on the order form below. Note that there is no postage or packing to pay on software purchases. Orders may be sent FREEPOST (no stamp needed). Credit card holders may order by phone, calling 01-200 0200, 24 hours a day. Please allow 28 days for delivery.

™Sinclair, ZX Spectrum, ZX Microdrive, ZX, ZX Interface are trade marks of Sinclair Research Ltd.

sinclair™

Sinclair Research Ltd, Stanhope Road, Camberley, Surrey, GU15 3PS. Telephone: (0276) 685311.

To: Sinclair Research Ltd, FREEPOST, Camberley, Surrey, GU15 3BR. **ORDER FORM**

Section A: Hardware

Qty	Item	Code	Item Price £	Total £
	ZX Interface 2	8501	19.95	
	ZX Spectrum – 48K	3000	129.95	
	ZX Spectrum – 16K	3002	99.95	
	Postage and packing: orders under £90	0028	2.95	
	orders over £90	0029	4.95	
			TOTAL £	

Section B: Software

E10/S Learn to Read 1	4309	9.95	
E11/S Learn to Read 2	4310	9.95	
E12/S Learn to Read 3	4311	9.95	
E13/S Learn to Read 4	4312	9.95	
E14/S Learn to Read 5	4313	9.95	
E15/S Cargo	4314	9.95	
E16/S Glider	4315	9.95	
E17/S Survival	4316	9.95	
E18/S Magnets	4317	9.95	
E19/S Early Punctuation	4318	7.95	
E20/S Speech Marks	4319	7.95	
E21/S Apostrophe	4320	7.95	
E22/S Capital Letters	4321	7.95	
E23/S Castle Spellerous	4322	7.95	
E24/S Alphabet Games	4323	7.95	
		TOTAL £	

*I enclose a cheque/postal order made payable to Sinclair Research Ltd for £

*Please charge my Access/Barclaycard/Trustcard account no:

*Delete/complete as applicable

Signature

Mr/Mrs/Miss

Address

YOC 401

(Please print)

ZX Microdrive™ information request

Please add my name to the Microdrive Mailing List *and* send me a colour brochure with full specifications of ZX Microdrive/Interface 1 ☐ *(tick here).*

Free Sinclair ZX™ Software Catalogue

Please reserve my priority copy of the January 1984 Sinclair ZX Spectrum Software Catalogue ☐ *(tick here).*

Please use the form above to send your name and address.

Silverlind

SILVERLIND LTD. 156 Newton Road, Burton-on-Trent, Staffs DE15 0TR. Telephone Burton (0283) 63987

ALL PRICES INCLUDE POST & PACKING & VAT

HONEYBUG **£7.50**
A new and entertaining fun-game from the author of PENTILES. Fast reactions are needed to catch the errant larvae and weevils as you build up the hive with honey and a variety of bugs. Can you succeed in making the colony swarm in this colourful, appealing and amusing game?

PENTILES **£6.95**
A jigsaw-type game. All ages will enjoy hours of entertainment with this fascinating and frustratingly addictive game which requires both luck and logic!

REVERSI **£6.95**
Play the computer in this fast machine code/BASIC version of the popular board game. With 5 skill levels, autoplay, etc.

TOWNTEST **£6.50**
A well-presented educational game. Test the family's knowledge of town and city locations in England, Scotland and Wales.

HAUNTED HOUSE **£6.00**
In this absorbing adventure game, beware of the ghost as you search for treasures and negotiate the hazards of the castle and graveyard.

GATEWAY TO THE STARS **£6.50**
You meet bizarre situations and alien creatures in this exciting space adventure.

PASSPORT TO DEATH **£6.50**
Where on Earth are you?! Mapping this strange planet will lead you, a ZENDONIAN, to exciting adventures and fantastic treasures. Remember.....your starship needs extra fuel to take you home to ZENDON.

Special Offer!!

Purchase any 2 games and **SAVE £1.00 on each**

Purchase any 3 games and **SAVE £1.50 on each**

Purchase any 4 games or more and **SAVE £2.00 on each**

Offer closes 31st January 1984

BBC/B GAMES • BBC/B GAMES • BBC/B GAMES

WIDGET software for young children

Colourful fun educational games for 2 to 8 year olds with superb graphics, sound and animation

Alphabet (age 2-5) 48K Spectrum £5.25
Shape Sorter (age 3-6) 16/48K Spectrum £5.25
"An excellent set of programs . . . simple to use and well error-trapped. Of great value to young children" *(Home Computing Weekly)*
Counting (age 3-6) 16/48K Spectrum £5.25
"All programs use sound, colour and superb graphics. Educational and entertaining" *(Home Computing Weekly)*
Adding and Subtracting (age 4-7) 16/48K Spectrum £5.25
"Superb early-learning programs with graphics which would put many a Spectrum arcade game to shame. Wholeheartedly recommended" *(Home Computing Weekly)*
Path Finder (age 4-9) 16/48K Spectrum £5.95



Watch out for these and other programmes coming soon on the COMMODORE 64, ELECTRON and BBC B

NEW Published by **MIRRORSOFT**

QUICK THINKING
(age 6 or 7 to 12 and above)

48K SPECTRUM £6.95
COMMODORE 64 £6.95
Soon for the ELECTRON and BBC B

Two great programs from WIDGIT SOFTWARE to sharpen up yours and your children's mental arithmetic

Available from many retail stores
Boots
WIDGIT SOFTWARE,
48 Durham Road, London N2 9DT

campbell systems

NEW! with MYRMIDONS *Micro-Print 42/51* up to 51 columns!

Masterfile Spectrum 48K

YES - Microdrive compatible!

Acclaimed as the definitive filing system for the 48K Spectrum – MASTERFILE'S machine coded flexibility gives you 32K (max) per file – 26 fields per record – up to 128 characters per field – multiple level searches for numeric or character comparisons – data presentation in any one of 36 user-defined displays which may be sequenced by any field – USER-BASIC for tailored processing. " . . . the most comprehensive of the data-bases . . . "
Sinclair User June 1983

With example file and detailed manual £15.00

Drawmaster Spectrum 48K

DRAWMASTER is the ultimate DRAW AND PAINT utility for the Spectrum – compose your own HI-RES pictures with 8 direction 2 speed hand draw keys – fast fill – enlarge/reduce facility for all or part of the screen plus all the Spectrum colours and attributes – over 50 commands in all.

With detailed instructions £6.95

DLAN DISPLAY LANGUAGE Spectrum 16/48K

DLAN ('dee-lan') DISPLAY LANGUAGE is a powerful machine coded interpreter for generating DYNAMIC TEXTUAL DISPLAYS for advertising and education – all commands are single letter or symbol – with 4-way scroll of 11 type-faces through user-defined windows.

With detailed manual £7.95

All programs mailed 1st class by return. Prices include VAT and postage within Europe. SAE for full list.

Dept.(YC) 15 Rous Road, Buckhurst Hill, Essex, IG9 6BL England 01 504 0589

CS

The

BYTES BROTHERS

SOLVE-IT-YOURSELF COMPUTER MYSTERIES

A totally new kind of book for today's computer-literate children –

Join Brent and Barry Bytes as they solve 5 intriguing mysteries in each book with the aid of their micro. Children can type the program into their own computer and thus solve the mysteries for themselves.



✳ A fun and educational introduction to computer programming for children 8-12.

✳ Each program is accompanied by a comprehensive 'debugging' system, which explains how the program works.

✳ The programs are compatible with all BASIC home computers and have been tested on all the most popular micros.

The first two titles in this brand-new series, THE BYTES BROTHERS INPUT AN INVESTIGATION and THE BYTES BROTHERS PROGRAM A PROBLEM, are published by Armada at £1.25 each. Available from all good bookshops.

ARROWSOFT

presents

NEW GAMES

UP TO 20% ROYALTIES FOR ORIGINAL GAMES

for the BBC Micro

PONTOON

Gamble with £1000!

STICK! TWIST! BURN!

Two levels of Difficulty
Win £30,000 to break the Bank.

ALL THE CHARACTERISTICS OF THE POPULAR CARD GAME. Author: Martyn Woodcock.

"ZOMBIES REVENGE"

Play against time to capture your prisoners.
Evade the Relentlessly chasing Zombies. 12 Levels. 12 Screens.
A difficult game!
Author: David Hughes

"FIGHTER"

Dog-fight action, from the cockpit of your jet fighter. Up to 5 bandits at a time attacking you.
Defend with laser canon and heat seeking missiles. In-flight re-fueling.
An action packed game.
Author: Andrew Porter

☐ PONTOON	£5.75
☐ ZOMBIES REVENGE	£5.75
☐ FIGHTER	£5.75
☐ ABACUS – EDUCATIONAL PACK 6 to 12 YEAR OLDS	£8.50

Tick as required

Please allow 14 days for delivery

To: ARROWSOFT, 9 OXFORD STREET, SOUTHAMPTON, HANTS SO1 1DJ

NAME .....

ADDRESS .....

.....

.....

I enclose cheque/P.O for the TOTAL OF £ .....

martech games ...a spectacular range of software

BLASTERMIND!

SPECTRUM 48k £5.50

At first glance this might seem to be just another version of a very popular game. How wrong can you be!!! True, the start is simple enough. The Spectrum picks a code of numbers or colours with a selection of levels of difficulty — and invites you to do the same. You then take it in turns to guess each others code from the clue supplied after each guess. An extremely well written, fast and very clearly displayed game, with almost inevitable defeat.
This was exactly as intended but unfortunately *something went wrong*. During the programming strange uncomplimentary messages began to appear on the screen. At first they were so few they were not taken too seriously, but soon they could no longer be ignored. Somehow the Spectrum had been given a personality — a rather devious, supercilious, dislikeable, hateful, horrible mind.

Side B contains a version of the game compatible with the excellent Currah uSpeech unit — even worse!!

The Quest of Merravid

VIC 20 (16k) £7.95 or Commodore 64 £7.95

A really challenging and enjoyable adventure, written by a confirmed adventure addict who grew tired of the ease with which he solved other adventures himself. Will accept and act on sentences containing up to nine words.

The adventurer becomes Merravid, charged with the task of finding, taking and then returning the magic Firestone of the Dwarves. However, overcoming the many novel and original hazards is no easy matter. Careful and imaginative thought is required if progress is to be made and the Firestone tracked down to the lair of the Dragon of Thargon. Even then the Dragon has to be defeated and the stone retrieved. A compulsive, extremely enjoyable and very user friendly adventure.

COMPUTER MODERATED BOARD GAMES

The original and completely unique two player games of cunning and strategy, strictly for more demanding games enthusiasts.

- **CONFLICT** — a full scale military and economic battle demanding clear thought and decisive action.
- **GALAXY CONFLICT** — a complex battle for control of the Universe.

Each game:—
ZX81 (16k) and SPECTRUM (48k) **£11.95**
BBC 'B', CBM-64, ATARI 800 **£14.75**

Attractively boxed containing cassette, full size board, pieces, maps, and full instructions.

Ideal Christmas Gifts!

Most games available from leading retail outlets.

Prices include VAT, Post and Packing

Mail order to: MARTECH HOUSE, BAY TERRACE, PEVENSEY BAY, EAST SUSSEX BN24 6EE
Telephone: (0323) 768456 Telex: 87465 EXIM Brighton

The REAL Challenge!

For your ORIC or SPECTRUM

Jogger Guide your joggers across a 4-lane motorway and crocodile infested river to reach their safe haven through the gap in the fence. Each time a jogger is safely home the next one will have to encounter more lorries and cars on the motorway but fewer crocodiles and logs in the river. Full on-screen instructions. M/code, sound effects and full action colour graphics.
Oric Author – Adrian Sheppard.
Spectrum Author – Mike Howard
Oric 48K – **£6·95** Spectrum 16/48K – **£4.95.**



Grail You have been chosen to seek and recover the Holy Grail from the Castle Perilous. Throughout the course of your task you will have to use your skill, intelligence and logic (along with a little luck) as you encounter many foes. You will have the opportunity to gather weapons and armour to fight with, but if you are wounded your strength will drain away – many other features such as warp, jewels etc.
Author – Adrian Sheppard.
Oric 48K – **£6.95.**

Dinky Kong Attempt to rescue your lovely girlfriend who is held captive by the angry gorilla. As you climb the connecting ladders and move along the gangways, the gorilla will be throwing barrels and fireballs at you! The only way to reach her is to leap over these obstacles and progress to the top. M/code action with sound effects, full colour action graphics, skill levels etc.
Author – Adrian Sheppard.
Oric 48K - **£6.95**

Quincy A superb dice game for 2 to 6 players. 3 throws per go to try and score points by obtaining certain combinations, i.e. 3 of a kind, a run, pairs etc. 13 go's to complete a game. The highest score is the winner! It's a game that is easy to learn but can be won by skilful and thoughtful play. Full colour graphics, on-screen instructions, bonus scores, etc.
Author – Tony Churcher.
Spectrum 48K – **£4.95.**

Oricade A combined assembler Disassembler and editor for the Oric. ★Handles full 6502 Mnemonics. ★Features Save and Reload M/C. ★Assembles and disassembles at any address. ★An essential tool for any serious programmer.
Author – Adrian Sheppard.
Oric 48K – **£8.50.**

Oric titles recommended by ORIC PRODUCTS INT. LTD.

All Spectrum Software is available on Micronet 800.

TRADE ENQUIRIES WELCOME.

SEVERN SOFTWARE
5 SCHOOL CRESCENT
LYDNEY
GLOUCESTER GL15 5TA



Moria A challenging adventure game set in the mines of Moria. You'll have to try and survive encounters with the monsters of middle-earth while trying to locate Durins Ring. The Wizard and the Trader may help or hinder you on your journey to find and open the hidden doors to freedom – a game that will really test your character and staying power.
Oric Author – Adrian Sheppard.
Spectrum Author – Mike Howard
Oric 48K – **£6·95** Spectrum 16/48K – **£4.95.**

All Oric titles available from Laskys.
Dinky Kong for Oric also available from WH Smith.

Please send me (Tick box)

SPECTRUM 16/48K	ORIC 48K
☐ Jogger @ £4.95	☐ Jogger @ £6.95
☐ Quincy @ £4.95	☐ Dinky Kong @ £6.95
☐ Moria @ £4.95	☐ Moria @ £6.95
	☐ Oricade @ £8.50
	☐ Grail @ £6.95

I enclose Cheque/P.O. for £_____ made payable to Severn Software

Name _____

Address _____

_____

_____

Severn Software, 5 School Crescent, Lydney, Gloucester GL15 5TA

All prices include VAT and P&P.

Overseas P&P add 50p. YC1

Laser Snaker

£100 TO BE WON PLUS MANY OTHER PRIZES

If you are skilful enough to help Snaker on his deadly mission. To penetrate the hidden depths of the egg plantation and discover the secret symbol which is your key to success and fortune.

Scavenging the egg plantation Snaker grows by munching multi-coloured eggs. With powerful laser venom for protection Snaker must battle with vicious aggrenoids, kill poisonous viproids and avoid pulsating chrystoids. Then journey through the many mazes to reach the power stones of regeneration. How far can you take Snaker on his mission?

LASER SNAKER features challenging arcade action, 100% machine code, superb graphics, colour and sound, progressive difficulty levels, bonus lives, high score table, keyboard or Kempston Joystick, £100 to be won plus runner up prizes.

FULL COMPETITION DETAILS SUPPLIED WITH EACH CASSETTE
for any 48K ZX SPECTRUM

£5.95

£100 PRIZE TO BE WON

Dealer Enquiries Welcome

POPPY SOFT

The Close, Common Road, Headley, Newbury, Berkshire

NAME _____

ADDRESS _____

Please send me LASER SNAKER @ £5.95.
I enclose a cheque/P.O. payable to POPPY SOFT,
or debit my Access No. | | | | | | | | | | | | | | | | |

Signature _____

VISIONS THE LAST WORD IN ELECTRON SOFTWARE

SNOOKER VE·01·32

Visions Snooker brings all the excitement and all the tension of big time tournaments to your TV set.
With an advanced program written by a 19 year old undergraduate at Queens College Cambridge, it makes Pot Black look like a load of old balls.
Visions Snooker for the **ELECTRON £8.95**

DAREDEVIL DENNIS VE·02·32

So you think you could be a stuntman? Well, test your skills against these hazards and see if you're still game. There are only three different scams in this movie, so you shouldn't find the going too tough! There's no denying that the money's good, but the question you should be asking yourself is will you live to spend it? If you can ride a motorcycle — and wetbike — two of the frames should be child's play, but for the snow scenes you'll need to be of Olympic class. Dare Devil Dennis for the **ELECTRON £7.95.**

ELECTRON

PENGI VE·03·32

Wandering around an ice flow may seem to be an idyllic way of life to some people, but my advice to such philanthropists is: try it. It's not that life out here is a bore. I mean, I lose all my aggressions kicking the hell out of ice blocks. 'Strange habit,' I hear you say; but you don't know what's going on around here. Let me fill you in. It's quite simple really. If you want to get from 'A' to 'B' around here you have to go via 'C'. This is largely due to the area's ice making machine going beserk and trying to compete with Mother Nature. This overgrown refrigerator thought anything nature could do it should better. I could live with this if it was the only problem since I'm beginning to enjoy this bizarre ice hockey. Unfortunately this is the least of my worries. The other penguins around here have been eating plankton for so long they're starting to radiate from all the trace elements they've been consuming — and I think it's affected their brains as these possessed pengis seem to hate any of their brothers who doesn't look like them — and I am not about to stay here and argue with them — anyway, whoever heard of a penguin having a conversation . . .
Pengi for the **ELECTRON £7.95**

Visions

FANS PLEASE NOTE! ALSO AVAILABLE MAIL ORDER
FROM VISIONS (SOFTWARE FACTORY) LTD
1 FELGATE MEWS, STUDLAND STREET, LONDON W6 ·
TELEPHONE: 01-748 7478

ONLY
£5.50

ARCADIA
64

SPECTRUM & VIC 20 BEST SELLER
NOW ON COMMODORE 64

HERE'S YOUR CHANCE

to use your Commodore 64 to it's full exciting potential . . .
to experience the fastest, meanest, smoothest most addictive 'shoot-em-up' game ever . . .
to use your determination, skill and will power and battle your way through level after level, wave after wave of increasingly vicious and intelligent aliens . . .
to treat you and your Commodore 64 to Arcadia 64, once your're hooked, you'll understand why it's the best selling home computer game in the U.K. . . .

Available at W. H. Smith, John Menzies, Boots and our nationwide dealer network

Imagine
..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)



NEW RELEASES FOR ELECTRON & BBC

SOFTEK

MASTERS OF THE GAME

EYE OF ZOLTON

A classic adventure from Brainstorm
by David Reatley and Mark Cook.
The Black Wizard has cast a spell over the land
enslaving the people. Can you recover the Magic Sword?
Or the Orb of Power? And defeat the Wizard's spell?
£8.95, runs on the Acorn Electron, BBC B, & 32K BBC A.

FIVE STONES OF ANADON

Another great adventure from
Brainstorm by Reatley and Cook.
In Anadon the magic protecting the land is growing
weaker and you alone have the ability to force the evil
to quit the land and restore the healing magic!
£8.95, runs on the Acorn Electron, BBC B, & 32K BBC A.

SOFTEK PROUDLY ANNOUNCE THE BRAINSTORM SERIES OF ADVENTURE CLASSICS

Softek Software is available through most major retail outlets & throughout our nationwide dealer network.
More exciting Electron & BBC software available....Send now for details.
Mail Order Address: Softek International Ltd. Softek House, Tranquil Passage, Blackheath, London SE3 0BJ
Dealers Contact: EMI Distribution or Nicki Websper on 01.318 5424

SOFTEK INTERNATIONAL LTD.
12/13 Henrietta Street, Covent Garden, London WC2E 8LH Telephone 01.240 1422

MICROBOT
As a microscopic robot transported by energisers inside of a mentally unstable robot's head, you must de-bug its brain! The most amazing, super smooth, flicker-free high-resolution graphics for the ZX Spectrum. This 'arcade simulation' original game is a must for your collection! £5.95, 48K Spectrum. Joystick compatible to Kempston, Sinclair, Protek, A&F etc.

UGH!
The ice age has come and Ugh must collect food. But stealing Pterry the Pterrodactyl's eggs may not have been the best idea! This has to be the best graphics/animation ever on the Dragon 32....and now Ugh is available on the CBM64 too! A Smash Hit! £6.95, Dragon 32 & Tandy Colour 32K. £7.95, CBM64. Joystick compatible.

DRACULA'S REVENGE
Sanctify Dracula's castles by doing battle with Werewolves, Ghosts and Vampires! Amazing Hi-Res graphic animation and movement. £6.95, 48K Oric 1.

SUPER METEORS
The best ever version of this game for a home micro! £6.95, 48K Oric 1.

ZOIDS
The most amazing new game for the CBM64. Well, what else would you call a space shoot-em-up game created in the 18th Century by a distant cousin of J.S.Bach?! £7.95 Cassette. Write for Disc version.

ICE GIANT
The wizard has set an eternal winter on the land, and sent forth his Ice Giants to crush your fortress. But you, flying your eagle-mount, armed with your maser will melt them into non-existence. But did you foresee the magical Elementals? Superb graphic animation make this the best ever Oric game. £6.95, 48K Oric 1.

GALAXIANS
Full feature version of the classic game that'll never be beat! £6.95, 48K Oric 1.

ACHERON'S RAGE
The most original shoot-em-up game for the Oric 1. 9 waves of aliens! £6.95, 48K Oric 1.

Softek's Software is available at most major outlets, including selected branches of the following: W.H.Smith, Boots, Dixons, Tandy Dealers & Selfridges as well as through our nationwide dealer network.

Mail Order Address: Softek International Limited, Softek House, Tranquil Passage, Blackheath, London SE3 0BJ.

Dealers Contact: EMI Disribution, or Nicki Websper on 01.318 5424

SOFTEK INTERNATIONAL LTD. 12/13 Henrietta Street, Covent Garden, London, WC2E 8LH. Telephone 01.240 1422

MANIC MINER

by Matthew Smith

Penguins, Man Eating Toilets, Seals, Mutant Telephones, Bugs, Falling Skylambs and Kangaroo's plus many more, join forces to stop Willy in his quest to get the treasure.

★ AVAILABLE SHORTLY FOR THE COMMODORE 64.

Distributors contact:

SOFTWARE PROJECTS

Bear Brand Complex,
Allerton Road,
Woolton, Liverpool,
Merseyside L25 7SF
051-428 7990

Jet Set Willy

By Matthew Smith

The saga continues . . . from rags to riches. Follow Miner Willy in his latest hair raising adventure as new perils await him in his luxurious cliff top mansion.



DEALER ENQUIRIES TO:
TIGER DISTRIBUTION,
4 VICTORIA ROAD,
WIDNES,
CHESHIRE,
051 420 8888.

★ JUST TWO OF THE EXCITING GAMES FROM OUR CATALOGUE.
★ AVAILABLE FROM SELECTED BRANCHES OF JOHN MENZIES AND HOUSE OF FRAZER.

Personal and Profes

MTX512: 64K RAM - £315
MTX500: 32K RAM - £275

Please phone for the address of your nearest Dealer

MEMOTECH LTD STATION LANE WITNEY OXON OX8 6BX TEL· 0993-2977 TLX· 83372 MEMTEC G



The All-Purpose System

The MTX Series is a new departure in micro-computer technology. Whether your needs as a user are for personal programming, games playing, scientific or process control, educational or business use the MTX Series is already capable or very easily adaptable to almost every application. Glance through the standard features below - you'll see what we mean.

Hardware - 32K RAM on the MTX500, 64K on the MTX512.

The MTX500 has 32K of user RAM as standard (64K on the 512), expandable to 512K plus 16K of video RAM, controlled by a separate Video Processor. Sixteen colours, 40 column text, 256 x 192 high resolution graphics with all sixteen colours available, and 32 easily moveable user defined graphics characters (Sprites) combine to make effective screen displays quick and simple to achieve. Standard outputs are centronics printer port, two joystick ports, an uncommitted I/O port, 2400 Baud Cassette port, separate TV and Video Monitor ports, 4 channel sound with hifi output plus a dedicated cartridge port. Other standard features include the Z80A processor running at 4MHz, real time clock, full moving key keyboard with 79 keys including eight 2-function keys and separate numeric pad.

Software

The MTX's 24K ROM contains several languages and routines which enable the novice or the experienced programmer to make full use of the machine. Standard languages are MTX BASIC, MTX LOGO commands, NODDY. ROM routines include an ASSSEMBLER/DISASSEMBLER with screen display of the Z80 CPU registers, memory and program,which can be manipulated from the keyboard. Machine code programs can be stepped through one instruction at a time, and easily called from within BASIC programs. A further feature is the Virtual Screen facility which enables the programmer to split the screen into a maximum of eight sections to work independently whilst maintaining all full screen facilities. Pascal is available as an add-on ROM pack.

The Disc Based Computers from Memotech

Designed to use the full power of the MTX computers the FDX and HDX make perfect business systems at prices which make perfect business sense. Both feature the CP/M operating system, giving instant access to a wide range of proven application software. Available in October these feature:

- *Full Western Digital floppy disc controller set with SASI interface for 4 drives, CP/M types 0-13.*
- *minimal latency, very high data transfer rates*
- *optional Colour 80 Column Board*
- *optional Silicon Discs (1/4 Mb) which dramatically increase the efficiency of 8 bit software to those of 16/32 bit software; increases life and reliability of mechanical drive*
- *permits single disc CP/M operation*

FDX— Floppy Disc System

1 or 2 5 1/4" Qume drives 500K unformatted, 347K formatted,

HDX—Hard Disc System

5 1/4" Qume drive, 500K unformatted, 347K formatted,
5 1/4" Winchester which may be 5, 10, or 20 Mb

All Memotech products are designed and manufactured in Oxfordshire, England

CP/M is a trademark of Digital Research Inc.

MEMOTECH
MTX
SERIES

CONTINENTAL

SOFTWARE



We're not just playing games...

BLOBBO
A fast maze chase with untold perils and hazards.

TOADO
Get the toad back to his nest – but don't get run over or drown on the way.

SUPER MINEFIELD
You may have seen other Minefield games but ours has tanks that lay invisible mines, and spiders that are *very* tricky to avoid.

CONTINENTAL INVADERS
Classic arcade action, with all the features that make this game so popular.

KILOPEDE
This one is very fast – its not easy to get past level two.

RADAR/SONAR
Eliminate submarines with a combination of radar screen and sonar, very realistic.

FLIGHT SIMULATOR
Take off, navigate and land your high powered light aircraft. All the features of true flight.

ALSO AVAILABLE:
RESCUE, BEAVER, CONTINENTAL RAIDERS, PILE UP, SIGNAL MAN and many more.

we mean business too.

MTXCALC
Sophisticated and powerful, the professional spreadsheet program.

MTX WORD PROCESSOR
All necessary features are included to give a powerful business tool.

ACCOUNTING PACKAGE
Sales and Purchase Ledgers, stock control, payroll – the complete business system.

PROJECT PLANNER
Speaks for itself, and helps you achieve deadlines efficiently and effectively.

STRATEGY BOARD GAMES

CHESS, BACKGAMMON, OTHELLO, DRAUGHTS.

EDUCATION PROGRAMS

MATHS 1 PHYSICS 1

The first two programs in a series of specially written software designed to teach at the pace and level best suited to the user.

Software for the MTX SERIES

CONTINENTAL SOFTWARE UNIT 24 STATION LANE WITNEY

J. K. GREYE ENTERPRISES LTD

FOUR STAR
16/48K SPECTRUM

Includes games to suit all ages, from 5 to 105.

INVASION. Our version of the Classic Arcade Game, rates one of the best around. Includes Full Colour High Res. Graphics, Sound and it's incredibly fast at the end.

KAMIKAZE. If you like Scramble, you'll love this. 16 levels long ones at that, of tortuously twisting caverns, Missiles, Skimmers (which move in between games, so it's never the same next time around). Bases. Fuel Dumps (watch you don't run out of fuel!), and two speeds (difficult and impossible). Definitely a game for those amongst you with a suicidal tendency, when playing games, because you can score even when you crash! (If you can make it past level 8, write and let us know, cause that's as far as we've managed!)

MINEFIELD. A totally new game, in which you have to lay mines in a forest. Sounds simple doesn't it? But, once you start, you can't stop and there has the nib on to be more exact the explosions. Guaranteed to get your fingers in a twist!

UFO. Dodge the Asteroids, blast the Alien Craft and work off your aggression instantly on the keyboard! Gets progressively more difficult the longer you last!

All of these for only **£4.95**

TRADE & EXPORT ENQUIRIES WELCOME

GAMESTAPE 1
1K ZX81

10 Games incl. ASTEROIDS, UFO, CODE, BOMBER, GUILLOTINE, KALEIDESCOPE, etc.

PROBABLY THE BEST VALUE IS TAPE AVAILABLE. We've done it 1k, games which some of our competitors require 16k to run!

only **£3.95**

GAMESTAPE 2
16K ZX81

***STARFIGHTER** Superb machine code Space Battle set against a background of twinkling stars, with stunning explosions - if you can hit the enemy!

PYRAMID Can you move the Pyramid? Make a mistake and it will collapse! A Utilities game.

ARTIST The ultimate Graphic Designers aid. 8 Directions, 10 Memories, SAVE, COPY, RUBOUT, CLS, etc.

only **£3.95**

GAMESTAPE 3
16K ZX81

***CATACOMBS** A Multi-Level Graphics Adventure. Each level can contain up to 9 Rooms, 9 Passages, 7 Monsters, Food, Gold Traps, Phantoms, an Exit to the next levels and there's an infinite number of levels.

NOTE ... This is NOT one of the necessarily limited text Adventures as sold elsewhere.

"An excellent addictive game which will keep you amused for hours" ... COMPUTERS & VIDEO GAMES

only **£4.95**

3D VORTEX
16/48K SPECTRUM

After a successful warp transfer, you drop your craft below light speed, only to discover you are caught in the irresistible gravity well of a giant Neutron Star. You are dragged past the Event Horizon, and then the fun really begins! Gravitic Tidal pressures have created a mind boggling Vortex through the tortured supra matter of the Neutron Star. And guess who's caught in it? The onboard Navigational Computer copes for a while, but what mere machine can withstand the awesome forces inherent in such an anomaly. Soon the Nav. Com. will cease functioning, and then (of course), it's all down to you.

Are you capable of "seat of the pants" flying, it won't be easy! Not only does the Vortex twist and rush, like some distressed worm, but your Tau-Sigma Shield will only withstand 10 contacts with the boundary layer. And, as if that wasn't enough, you have to dodge, or laser, the Octopi-aliens, Droids and Sirius Class Battleships. Best of luck! You'll need it.

Features
Stunning 3D Graphics.
Full Sound Effects.
High Speed Machine Code Animation.
Full instructions.
Choose your own Control Keys.
Compatible with most Joysticks.

only **£5.95**

If you prefer to see before buying, our range of Gamestapes are stocked by W.H. Smith, John Menzies and good computer stores Nationwide.

SOFTWARE SUCH AS DREAMS ARE MADE OF

Please tick boxes of required tapes:

3D VORTEX	at £5.95	☐
FOUR STAR	at £4.95	☐
GAMESTAPE 1	at £3.95	☐
GAMESTAPE 2	at £3.95	☐
GAMESTAPE 3	at £4.95	☐

All software sold subject to the condition that Hiring, Lending, Unauthorised copying or Resale is Strictly Prohibited

Send your order to:
J.K. GREYE ENTERPRISES LTD.
16 Park St. Bath BA1 2TE

Name .....

Address .....

.....

..... Postcode .....

I enclose a cheque/p.o. for £.....
made payable to **J.K. GREYE ENTERPRISES LTD.**

Computers for Export

Sinclair
Oric
Commodore
Atari
Texas
Epson
Coleco

BBC
Vectrex
Linx
Aquarius
New Brain
Acorn

Plus Printers, Disc Drives, Memory Expansion, Software

Quantity discounts available

No tax charge for equipment shipped abroad

Write for our price list or call our 24hr answer phone
01- 681 8785

Galaset Ltd, 30 Bayford Road, Littlehampton, West Sussex, England. Telex. 8954018 Acurat G

THE PROFESSIONAL APPROACH TO

SPECTRUM
SOFTWARE

CLOWN EDUCATIONAL SOFTWARE

Games designed to help children aged 3 - 7 to learn through play, while familiarising themselves with computers.

Now available:-

CLOWN ARITHMETIC I

Helps children to count and do simple addition and subtraction with the aid of imaginative graphics and sound effects.

Still available: BASIC ToolKit - add logical arithmetic functions - list variables and arrays - fast screen output - program renumber.

Price for either product:
£6.95 inc. VAT (+ 50p p. & p.)

To order or to obtain details of our other products contact:

Malva Ltd.
REAL TIME SOFTWARE SPECIALISTS

70 ASHCHURCH DR. WOLLATON NOTTINGHAM NG8 2RA

IF YOU HAVE A BBC MICRO THEN YOU NEED

Laserbug is the newsletter of the Independent National BBC Microcomputer Users Group. If you want the best source of information on the BBC Micro you can't do without Laserbug. No matter what your interest – hardware, software, business, games or education then Laserbug has something for you.

Also, Laserbug has available many special offers including dust covers (for computer, monitor, printer, disks), cassette leads and 1.2 ROMS FOR ONLY £5.50 INCLUSIVE – THE CHEAPEST PRICE ANYWHERE! (Members Only)

Laserbug defies description – send off for a sample copy and you'll find that it sells itself to you. See one and you'll be hooked for life!!!

Please supply me with
[ ] more details about Laserbug and your special offers
[ ] a sample copy for £1.00 and an A4 SAE (17p postage)
[ ] 1 UK 12 Month Subscription for £12.00
[ ] 1 UK 6 Month Subscription for £6.00
[ ] 1 Overseas Surface Mail Subscription for £14.00
(air mail rates on application)

Please send the goods to:

NAME ..... ADDRESS .....

.....

I enclose a cheque/PO for £ p made payable to LASERBUG. Please send the form to LASERBUG Dept. Y, 10 Dawley Ride, Colnbrook, Slough, Berks., SL3 0QH.

SOLO SOFTWARE

a complete software range for

Sharp MZ-700

50 SUPERB GAMES FROM £3·95

APOCALYPSE
TOMBS OF KARNAK
FIGHTER COMMAND
FLAME QUEST
DRAGON CAVES
ICE WARRIORS
NIGHTMARE PARK
CLUB GOLF
MIDAS
TRUCKER
POLARIS

Access

24 HR. CREDIT CARD SALES

SOLO SOFTWARE

SHARP MZ-700

Business Programmes

DATABASE FILER

Holding 1,000 records, this filer is designed for use in such areas as telephone numbers, price lists, stockholdings, etc. Many different systems can be generated from the one programme and data held on separate data-cassettes.

only £6·95

PLUS

SPA DATA
DAYBOOK
CLUB-SUB

send for a catalogue

51 Broad St
Worcester WR1 3LR
Tel (0905) 26524

Also for MZ-80A/K

PLEASE NOTE—ALL OUR PRICES ARE FULLY INCLUSIVE

DSS Discount Software Supplies

8 PORTLAND ROAD, LONDON W11 4LA. 01-221-1473

AMAZING SOFTWARE BARGAINS BY MAIL, 100's OF TITLES AVAILABLE! TELEPHONE ORDERS WELCOME. WRITE OR RING NOW FOR FULL DETAILS

Game	House	RRP	Our Price Inc. P&P
SPECTRUM			
Manic Miner	Bug Byte	5.50	4.50
Spectres	Bug Byte	5.95	5.20
Styx	Bug Byte	5.95	5.20
Pool	Bug Byte	5.95	5.20
Aquarius	Bug Byte	5.95	5.20
The Castle	Bug Byte	6.95	5.99
Zip Zap	Imagine	5.50	4.49
Arcadia	Imagine	5.50	4.49
Zzoom	Imagine	5.50	4.49
Schizoids	Imagine	5.50	4.49
AM Diddums	Imagine	5.50	4.49
Jumping Jack	Imagine	5.50	4.49
Molar Maul	Imagine	5.50	4.49
Penetrator	Melbourne House	6.95	5.95
Terror Dacktil 4D	Melbourne House	6.95	5.95
Hurg	Melbourne House	14.95	12.95
Robon	Softek	5.95	4.95
Firebirds	Softek	5.95	4.95
Repulsar	Softek	6.95	4.95
Transylvanian Tower	Richard Shepherd	6.50	5.25
Everest Ascent	Richard Shepherd	6.50	5.25
Super Spy	Richard Shepherd	6.50	5.25
Devils of the Deep	Richard Shepherd	6.50	5.25
Invincible Island	Richard Shepherd	6.50	5.25
Hall of the Things	Crystal	7.50	6.50
Rommel's Revenge	Crystal	7.50	6.50
The Dungeon Master	Crystal	7.50	6.50
Invasion of the Body Snatchas	Crystal	7.50	6.50
Shark Attack	Romik	5.99	4.99
Colour Clash	Romik	7.99	6.99
Spectra Smash	Romik	6.99	5.99
Jet Pac	Ultimate	5.50	4.50
PSST	Ultimate	5.50	4.50
Cookie	Ultimate	5.50	4.50
Tranz AM	Ultimate	5.50	4.50
Atic Atac	Ultimate	5.50	4.50
Lunar Jet Man	Ultimate	5.50	4.50
Astron	DK Tronics	9.95	8.70
Fruit Machine	DK Tronics	4.95	4.49
COMMODORE 64			
Kong 64	Anirog	7.95	6.99
Scramble 64	Anirog	7.95	6.99
Frog Run 64	Anirog	5.95	4.95
3D Time Trek	Anirog	5.95	4.95
Cyclons	Rabbit	5.99	4.99
Centrapods	Rabbit	5.99	4.99
Monopolee	Rabbit	5.99	4.99
Annihalator	Rabbit	5.99	4.99
Pakaluda	Rabbit	5.99	4.99
Panic 64	Interceptor	7.00	5.99
Crazy Kong	Interceptor	6.95	5.95
Star Trek	Interceptor	6.95	5.95
Frogger	Interceptor	6.95	5.95
Sprite Man	Interceptor	6.95	5.95
Attack of Mutant Camels	Llamasoft	7.50	6.50
Matrix	Llamasoft	7.50	6.50
Hobbit	Melbourne House	14.95	12.95

Game	House	RRP	Our Price Inc. P&P
DRAGON 32			
Texstar	PSS	12.95	11.50
Draw Bug	PSS	12.95	11.50
Flight Simulator	PSS	7.95	6.95
Grand Prix	Salamander	7.95	6.95
Night Flight	Salamander	7.95	6.95
Monsters	Softek	7.99	6.95
Strategic Command	Romik	9.99	8.75
Trannsylvanian Tower	Richard Shepherd	6.50	5.25
Mined Out	Quicksilva	5.95	5.00
Ugh	Softek	6.95	5.95
VIC 20			
Arcadia	Imagine	5.50	4.75
Wacky Waiters	Imagine	5.50	4.75
Catcha Snatcha	Imagine	5.50	4.75
Frantic	Imagine	5.50	4.75
Cosmiads	Bug Byte	7.00	5.99
Vic Panic	Bug Byte	7.00	5.99
Vic Asteroids	Bug Byte	7.00	5.99
Crazy Kong	Interceptor	6.00	5.25
Jupiter Defender	Interceptor	6.00	5.25
Vic Rescue	Interceptor	6.00	5.25
Animatter Splatter	Rabbit	5.99	4.99
Paratrooper	Rabbit	5.99	4.99
Cyclons	Rabbit	5.99	4.99
Skramble	Rabbit	5.99	4.99
Metagalactic Llamas	Llamasoft	6.00	4.99
Grid Runner	Llamasoft	5.00	4.50
ATARI			
Krazy Kopter	English Software	14.95	10.99
Time Warp	English Software	14.95	10.99
Air Strike	English Software	14.95	10.99
The Time Machine	Channel 8	9.95	8.95
Circus	Channel 8	9.95	8.95
The Golden Baton	Channel 8	9.95	8.95
Escape from Pulsor	Channel 8	9.95	8.95
Arrow of Death 1+2	Channel 8	9.95	8.95
ORIC			
Sea Harrier Attack	Durrell	6.95	5.95
Lunar Lander & Asteroids	Durrell	6.95	5.95
Galaxians	Softek	6.95	5.95
Super Meteors	Softek	6.95	5.95
Xenon	IJK	8.50	7.50
Invaders	IJK	7.50	6.50
The Ultra	PSS	6.95	5.95
Light Cycle	PSS	6.95	5.95
BBC			
The Music Processor	Quicksilva	14.95	13.25
Protector	Quicksilva	7.95	6.95
Wizard	Quicksilva	6.95	5.95
Games Compendium	Salamander	6.95	5.95
Tanks	Salamander	7.95	6.95
Dragon Rider	Salamander	7.95	6.95

INCREDIBLE SPECIAL OFFERS FOR THE SPECTRUM

THE HOBBIT + BOOK
VALHALLA BY LEGEND

RRP **£14.95** OUR PRICE **£11.95**

CC/1/84

To Discount Software Supplies, please accept my order for the following Programs/Special Offers:

1 _____
2 _____
3 _____
4 _____
5 _____

Make cheques payable to Discount Software Supplies.

Cheque No. ..... for £..... enclosed. Please debit my Access Card No. .....

Signed .....

DISCOUNT SOFTWARE SUPPLIES
8 Portland Road, London W11

SEND _____

Name _____

_____

Address _____

_____

_____

DSS is the trading name of Dovepace Ltd.

Send SAE for up to date list of our amazing bargains.

Every computer needs

CHATTERBOX II

"Listen creep, I am the leader....."

For **ZX81**
SPECTRUM
BBC
TRS 80
APPLE
NASCOM
VIC/PET/64
(Please state)

NEW! EXCLUSIVE! **PITCH CONTROL**

CHATTERBOX II™ can say anything!

Genuine phoneme synthesis - not just recorded speech - hence unlimited vocabulary. Programmable pitch for more natural intonation (exclusive to Wm Stuart Systems)- solid tone cabinet for quality sound - integral beep/music amplifier. **PLUS** expansion socket for BIG EARS voice recognition system. Full instructions technical notes and software supplied with this outstanding educational unit.

DEALER ENQUIRIES WELCOME

As seen on BBC TV "Computer Programme"

BIG EARS

SPEECH INPUT FOR ANY COMPUTER

Hugely successful Speech Regnition System. complete with microphone, software and full instructions.

ONLY £49

BUILT TESTED & GUARANTEED

PLEASE STATE COMPUTER: UK101, SPECTRUM, ATOM, NASCOM2, Vic 20, Micron, ZX80/81, PET, TRS80, MZ80K, APPLE II, BBC MICRO

ZX81/SPECTRUM

NEW! **VIBRATO CONTROL**

MUSIC SYNTHESISER (Stereo) +16 LINE CONTROL PORT

Play 3-part music, sound effects, drums etc. Full control of attack, decay and frequency. Input/Output lines provide control and monitor facility for Home Security, Robot Control, Model Railway etc. etc. Works with or without 16K RAM.

Full instructions/software included. Add keyboard to make a live performance polyphonic synthesiser! Note: up to 3 units can be used simultaneously; giving 9 music channels & 48 I/O lines

AMAZING VALUE AT ONLY
£19.50 (KIT)
£25.50 (BUILT)

SOFTWARE

THE COMPOSER
Synthesiser Music Programme. Enter & play 3 part harmony. Includes demonstrations. (Spectrum/ZX81) **recommended £7**

TALKING HANGMAN
For Chatterbox! The classic game claims its victims with a dry vocal accompaniment (Spectrum) **£6**

ZX ARP/DRUMSEQ
Fascinating synthesiser demonstrations. Generates automatic sequences and plays from keyboard. Some weird effects (Spectrum) **£6**

CHROMACODE??????
Can you defuse the bomb by cracking the secret combination before time runs out? With Chatterbox voice output (Spectrum) **£6**

COLOUR MODULATOR

RGB in, PAL/UHF out (not for ZX)

KIT £16
BUILT £22

Please add VAT at 15% to prices. Barclay/Access orders accepted by telephone

All enquiries S.A.E. please

WILLIAM STUART SYSTEMS Ltd

Quarley Down House
Cholderton
Nr. Salisbury
Wiltshire. SP4 ODZ
Tel: 098 064 235

VISA

---

48 K SPECTRUM **Mah Jong**

THE FASCINATING AND TIMELESS ORIENTAL GAME OF THE FOUR WINDS. CAN BE USED AS A GAME AND OR TUTOR WITH SAVE GAME FEATURE. SUPERB GRAPHICS. EXPERIENCE THE CHALLENGE OF FAST AND COMPETATIVE PLAY. A COMPREHENSIVE INSTRUCTION BOOK IS INCLUDED WITH EACH PACKAGE. THIS IS THE MOST COMPREHENSIVE VERSION WE HAVE EVER SEEN FOR A MICRO COMPUTER ! !

£ 9-95

16/48 K SPECTRUM **YAHTZEE**

AN EXCITING GAME OF CHANCE FOR 1-4 PLAYERS

£ 5-95

16/48 K SPECTRUM **PENTOMINOES**

THE " JIGSAW " WITH A SUBTLE DIFFERENCE ! !

£ 5-95

Spectre

ENFIELD HOUSE, SWARDESTON
NORWICH, NORFOLK.

ALSO AVAILABLE
48K DIGITAL CIRCUIT DESIGNER £ 9.95
48K A.C. NETWORK ANALYSER £ 14.95
48K MULTI FUNCTION MATHS AID £ 6.95
48K PERSONAL DIETARY ADVISOR £ 6.95
48K INVESTMENT MONITOR £ 6.95

CELEBRATE THE NEW YEAR WITH OZWISE BARGAINS!!

Acornsoft (Buy 2 get £2 off)

Philosopher's Quest	£ 9.95
Sphinx Adventure	£ 9.95
Monsters	£ 9.95
Snapper	£ 9.95
Planetoid	£9.95
Arcade Action	£11.90
Rocket Raid	£ 9.95,
Meteors	£ 9.95
Arcadians	£ 9.95

Hardware

BBC Model 'B'	£399
Acorn Electron	£199
Commodore '64	£229
Dragon 32	£175
RX 80 F/T Printer	£299

Newly Released Acornsoft:

Count down to doom	£ 9.95
Castle of Riddles	£ 9.95
Kingdom of Hamil	£ 9.95
Snooker	£ 9.95
Draughts + Reversi	£ 9.95
Hopper	£ 9.95
Missile Base	£ 9.95
Starship Command	£ 9.95

Send cheque or Access/Barclaycard details to address below.

Credit card holders may telephone their order, please add £1

Write or phone for our free Newsletter

ozwise computers

236 Imperial Drive, Rayners Lane, Harrow, Middlesex HA2 7HJ
Telephone: 01-429 1060

Success Breeds Success



Sponsored by
Practical Computing
Your Computer
Micro Business

National Exhibition Centre, Birmingham. May 4–7, 1984.

After one show the Midland Computer Fair has already established itself as an outright winner. Not only is it the leading exhibition in the Midlands for microcomputers and related products, but it stands in its own right as a major national event.

In recognition of this, and the need to accommodate thousands of expected visitors the venue for the 1984 Midland Computer Fair is to be Britain's premier showcase – the National Exhibition Centre, Birmingham. The NEC with its superb facilities for exhibitors and visitors alike will be the fitting site for this major event which attracted over 17,000 people for the first show.

Whether you are interested in microcomputer enthusiasts or would prefer to take space in the Business Section to meet small business micro-users, the Midland Computer Fair is definitely for you.

So why not let a little of the Midland Computer Fair's success rub off on your company by reserving a stand at the next show.

The road to success starts by filling in the coupon below:

THE Midland Computer Fair

Personal computers
Home computing
Small business systems

Return to the: Exhibition Manager, Reed Exhibitions, Surrey House, 1 Throwley Way, Sutton, Surrey SM1 4QQ
Tel: 01 643 8040 Telex: 946564 BISPRS.G

Name _____

Position _____

Company _____

Address _____

_____

YOUR LETTERS

BURGLAR PROOFING THE BBC MICRO COMPUTER

Having been puzzled for some time as to how some Basic programmes have been protected so as to be unlistable, I set to work to try to devise a way of making my own programmes unlistable.

It works by searching through programs for Rem statements. When writing programs you have to insert a

:REM@@@@

statement after every line you wish to be hidden, so that when my utility is run, it jumps to the procedure on finding a Rem — code &F4 — followed by an

@

— code & 40. This latter character acts as a double check so that spurious &F4s are not treated as Rem statements — this can happen, as I found to my cost while developing the program. It then proceeds to insert the value of &0C in each statement up to the end of line marker — &0D-return. Code &0C is the code for deleting the text area. Another advantage is that you can still have genuine Rems to help you out.

You can alter the program to insert any control character you like, but I favour &0C. So when the program you have Remmed is listed, the computer gets the code to clear text, and does so, preventing you from seeing it. Excellent for hiding Data statements as well as program protection.

I initially tried the backspace and delete code — &7F — but this required Rem statements the same length as the line to be deleted, and was consequently too greedy on memory.

Other useful control codes to insert in Rem statements include &03, which disables the printer, and further prevents listing. It cannot, however, be used after an OS * command. Even if people don't want to make their entire program unlistable, they can Rem a few key lines containing variables or machine code calls, hide them from prying eyes and yet allow their program to run perfectly.

One of my favourite and most devious tricks is to Rem lines above and below lines which disable the Escape key, cause memory clear on pressing Break(*FX200,2) and lastly have the entire program deleted on error — after inserting a hard-to-find error at the end of the program. You can make Rem lines disappear anywhere within a program, and they're a devil to locate. Best technique is to number your program with odd lines, and then AUTO number evenly, inserting

REM@@@@

at every even line.

Best way to use the deleter is to *spool it with high line numbers and then *EXEC it into a program. It can self destruct by use of the On Error Delete command.

Peter Lee, Mexborough, Yorkshire.

```
BBC Model B (51.7

1900REM"DELETER V.0.4"
19010 ST=(TOP-&E9)/2:FX=&1900

1901:REM Setting ST stops the utility
    searching through itself

1902OREPEAT
1903OSX=?FX
1904OCX=?(FX+1)

1905:REM CX is the location after
    &F4,which on containing &40
    causes J move to the procedure

1906OIFSX=&F4 AND CX=&40 THEN PROCdelete

1907O:REM If it's a REM followed by @,go
    to procedure to insert control
    codes

1908OFX=FX+1
1909OUNTILFX>=ST
1910OP."Finished":STOP
1911ODEFPROCdelete
1912OFX=FX+1
1913OIF?FX=&0D THEN ENDPROC

1914O:REM If end of line leave procedure

1915OREPEAT
1916OIF?FX=&0D THEN ENDPROC
1917OFX=&0C

1918O:REM Insert clear text code

1919OFX=FX+1
1920UNTIL ?FX=&0D
1921OENDPROC
```

SKYSHIELD

Concerning the December issue Sky Shield program. There are six numbers missing as follows.

ADDRESS	VALUE
10240	134
10241	8
10242	61
10243	195
10244	48
10245	0
10246	31

Without these numbers the program will probably crash.

Andrew Richards, Haywards Heath, Sussex.

MERGE PROBLEM

There was a slight error in my ZX-81 Merge program published in the November issue. The machine code itself was free from errors but the addresses along the left hand side of the hex dump were wrong. They should have started at 16514 and increased in increments of 8, finishing with address 16794 instead of 16802.

Those of you who have typed in my ZX-81 Quick Load program — June's issue — may find the following modification useful. It allows you to merge programs which have been saved at high speed using the quick load program. Type the program in as listed and, just before Saving, enter the following:

```
POKE 16622,0: POKE 16623,0:
  POKE16625,3: POKE 16646,61:
  POKE 16709,0
POKE 16711,15: POKE 16712,28:
  POKE 16716,0: POKE 16717,0:
  POKE 16724,254
POKE 16725,25: POKE 16726,56:
  POKE 16727,229: POKE 16728,254:
  POKE 16729,62: POKE 16661,1
```

It is possible to have both the quick load and merge programs in memory at once since the former is contained in a Rem statement and the latter resides above RAMtop.

Richard M Taylor, Suffolk.

ORIC SOUND

May I please point out to Piers Letcher, concerning his article the Sound of Micros, in Novembers *Your Computer*, the mistakes he made in the information about the Oric.

First, he said that the Oric has only one channel of sound when Oric actually has three. This can easily be proved by typing in:

```
MUSIC 1, 3, 1, 8: MUSIC 2, 3, 5, 8:
MUSIC 3, 3, 8, 8:
PLAY 7, 0, 0, 500
```

This quite clearly gives as three note chord.

Secondly, he placed an x under the white noise column. The Oric can in fact produce white noise and Piers may have realised his mistake if he read S. Tighe's letter which among other things pointed out that

CALL #FB11

gives white noise on the Oric.

Thirdly, Piers had an x in the Envelopes column. If he had read the sound chapter in the Oric manual he would have known that there is both an Envelope Mode and an Envelope Period.

Ian Messenger, Whitehaven, Cumbria.

MEMOTECH MEMO

We would like to offer the following amendments to your very interesting article on "£100 -£400 Micro Survey" in *Your Computer*, December 1983.

Memotech produces two versions of the MTX computer: the MTX 500 retailing at £275.00 inc VAT and the MTX 512 retailing at £315.00 inc VAT with user addressable RAM of 32K and 64K respectively.

Both machines contain 16K of dedicated video RAM over and above the user RAM, which in essence means that the user RAM is not reduced with increasing graphic resolution. On board RAM may be expanded internally up to half a megabyte on both computers.

Furthermore, there are numerous game titles available at present from Continental Software. Readers may write direct to them at Unit 23, Station Lane, Witney, Oxon, for a colour catalogue.

Memotech Limited, Witney, Oxfordshire.

VOICE OF SINCLAIR

It has come to our attention that a minority of programs available on the market do not work with the Issue 3 Spectrum which has recently been released.

In accordance with our policy of constantly improving our products, we have from time to time made changes to the Spectrum. We have always taken care that such changes neither conflict with published documentation nor alter the normal operation of the Spectrum. However, some software developers have apparently made an assumption about the Spectrum which is completely unsupported and

NOT SO ADVENTUROUS

With reference to the letter from J Musson in November *Your Computer*, I disagree with his point of view insofar as Pete Connor's selection of software was a good representation of the adventure games available, and a large proportion of current adventures are worth less than the cassettes they are recorded on. The five games that Mr Musson judged as being good may be towards the better end of the market, but what is the point of reviewing only the good software?

He delivers a critical judgement of Level 9's Colossal Adventure — it is as if he never set eyes on this program in his life. Perhaps it is worth noting here that Colossal is a version of the original adventure by Crowther, and has a substantial following throughout the word in its many implementations on the more expensive systems.

The main point that Mr Connor makes is that the standard of adventure is very low, and that for every good program there are 20 bad. What Mr. Musson can find to quible about in that is beyond me.

A Taylor and A Heading, Edinburgh.

undocumented by us. They have assumed that the values in the three high order bits when a byte is read in from the keyboard using the N command, will always be equal to 1.

In the Sinclair ZX Spectrum Manual, chapter 23 page 160, it states that bits D0 to D4 stand for the five keys in the half row being read. D6 is mentioned as being the value at the ear socket, while D5 and D7 are not mentioned. The correct way to read this byte is to mask out the three unused bits, so that it is certain that their value is either 0 or 1. The value of the complete byte can then be tested safely as the only variable will then be the area relating to the keys.

To assume that bits D5, D6 and D7 are always high has always been extremely unwise as this is not necessarily so in any Spectrum. In Issue 3 Spectrum, however, the effect has become more noticeable as bit D6 is set to 0 when there is no signal coming from the tape recorder.

I must emphasise that, in our view, it is extremely dangerous programming practice to assume the value of a bit which is essentially unstable, and we strongly recommend to software houses that they re-issue masters for any programs which make assumptions of this kind as soon as possible.

Alison Maguire,
Software Manager,
Sinclair Research.

PROGRAM BUG

The Spectrum Assembler in your November issue acquired a bug during the final "tidy-up" that will cause instructions of the form LD (HL), reg to be rejected. It is easily corrected by merging the packets from line 816 — between "" and 'nn' — into line 817 and deleting 816. All tape copies are correct, and a now unlimited number of copies is available — still only £3 each — as I have engaged the services of a professional tape-duplicating firm to meet the demand.

The assembler converted very easily onto my Microdrive

David J Hawkins,
Trowbridge,
Wiltshire.

Explanation of graphics characters in the first listing of Swag on page 126.

All I are inverse as are all items underlined. In quotes in line 110 note that there should be 21 t signs, 3 I signs, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 3 I, 1 t, 4 I, 2 t, 1 I, 3 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 5 t, 3 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 3 I, 1 t, 1 I, 1 t, 2 I, 1 t.
Line 111 — 3 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 1 t, 1 I, 2 t, 1 I, 2 t, 3 I, 1 t, 5 I, 1 t, 1 I, 1 t, 1 I, 1 t, 4 I, 21 t.
Line 112 — 1 t, by Grahame Fairhill, 21 t.
Line 113 — 1 t, ⊓, SWAGMAN, 1 t,), GUARD, 1 t, 1 ⊢, WITH KEY, 10 t, % WITH GOLD, 1 t, ., DOG, 21 t.
Line 114, — 1 t, 1 ⊣, KEYHOLE, 1 ⊢, KEY, 2 t, (, SAFE ZONE, 10 t, $ SAFE GOLD, 1 t, ", GOLD 21 t.
Line 115 — 1 t, 1 GET KEY, 9 t, 2 OPEN LOCK, 9 t, 3 TAKE GOLD, 9 t, 4 GOTO ZONE, 8 t.
Line 116 — 25 t, please wait, 24 t.

EDITORIAL

BIG IS BEAUTIFUL. But only if big can be made small enough to fit on a single chip. Imagine a map of a major city such as London, Cardiff or Glasgow. You can see the fine details of roads and backstreets, the collapsing Victorian sewers, and even the power and telephone cables.

Now reduce that street plan to a quarter of an inch square and capture it in silicon. That is the kind of power-packing the chips of the future will offer as standard. The Inmos Transputer, Britain's contender in the superchip stakes, can already match 100 home computers for power.

So the important news for the mid-eighties may not be that IBM is starting to produce small computers — see this and last month's PCjr stories — but rather that big computers are being put on little chips.

IBM is know to be working on a 370 on a chip — a 370 is the mainframe that every big business had to have to keep up with the Dow Jones's. The computer that holds the equivalent place in the super-mini league is the DEC Vax. A project to produce this machine in chip form is also under way.

As the development work that put corporation computing power into an office micro is now computer fact — Hewlett-Packard's 9000 desk-top mainframe has been in existence for well over a year now — the time may not be far off when that sort of sophistication is available to the household user.

Down at the home computer end they are already making things smaller. The great advantage of the Vic-20 was that it cut down its component count by combining all the separate video functions on one chip. Now the Commodore 444 goes one step further. The Triple Four's Ted microprocessor deals with sound and system control, as well as video. Atari has taken similar measures to ensure that the 800XL has far fewer parts than its precursor the 800 — fewer components mean lower production costs which in turn permit larger profit margins.

By the end of the decade you will be able to slip into your pocket the kind of machine that in 1960 would have been controlling the entire United States early warning system — but what could you use it for?

The problem with having that magnitude of power is that the software you need to make use of it has to be as advanced as the chip's technology itself — otherwise you would be better off sticking with 6502s or Z-80s. The catch about making programs which are worthy of the hardware is that software development is already the major cost in creating a new system.

Consider the man-hours spent in developing the software for a low-cost home computer like the Spectrum. Sinclair Research could never have financed that operation alone. It needed hundreds of small software houses to turn the Spectrum into the best-selling machine.

If we are to have pocket-sized mainframes we should remember that NASA's Nastran program which helped design the space shuttle took a team of the world's top programmers 13 years to complete.

So even if you could have the super system now, you might be unlucky enough to have to wait 13 years for the software. At that rate most home users would rather settle for something a little more modest — possibly a souped-up version of the Z-80 which ran at 100 times its current speed.

How to write for *Your Computer*

We called this magazine *Your Computer* precisely because we welcome your views, tips and hints and even your criticism of machines and software in general. If you would like to see your name in print, whether on a Software File program or a full-blooded article, here is how to go about it. Ideally, all articles should be typed double-spaced on one side only of uniform sheets of paper. If listings can be dumped directly from a printer — you can always use a friend's or user group's — this minimises the risk of error. In a perfect world a cassette would accompany the article. That considerably speeds up the checking process. Not only do you get to air your own discoveries and opinions, but we will even pay you for the privilege. We pay £35 per published page — that's as it appears in the magazine and includes illustrations.

Why not give it a try? You have nothing to lose but your postage.

Editor
TOBY WOLPE

ABC

Assistant Editor
MEIRION JONES

Staff Writer
SIMON BEESLEY

Production Editor
IAN VALLELY

Sub-editor
PAUL BOND

Editorial Secretary
LYNN DAWSON

Editorial: 01-661 3144
Subscriptions: U.K. £10.50 for 12 issues.

Printed in Great Britain for the proprietors Business Press International Ltd, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. Tel: 01-661 3500 Telex/grams: 892084 BIPRESG. ISSN 0263-0885. Printed by Riverside Press Ltd, Whitstable, Kent, and typeset by Instep Ltd, London EC1.

Advertisement Manager
SHOBHAN GAJJAR 01-661 3127

Assistant Advertisement Manager
NICHOLAS RATNIEKS 01-661 8548

Advertisement Executives
NIGEL BORRELL 01-661 3660
JULIAN BIDLAKE 01-661 8458

Northern Office
RON SOUTHALL 061-872 8861

Advertisement Secretary
JEANETTE MACKRELL

Classified
CLAIRE NOTLEY 01-661 3036

Publishing Director
CHRIS HIPWELL

Your Computer, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

© Business Press International Ltd 1984

Barry Norman's Chip Shop

BARRY NORMAN is hoping that his new radio show, The Chip Shop, will do for computing what Film 73/74/75 and so on did for cinema. The show, which will go out on Saturday afternoons and Tuesday nights on Radio 4 will be a magazine of news and features on all aspects of computing. There will also be broadcasts of computer programs but these will be in the middle of the night to avoid making too many people turn off. You can catch the first Chip Shop at 5pm on Saturday, January 14.



Would you buy a second hand Spectrum from this man? Most of his music may sound second-hand but the cassette version of his "The Bop won't Stop" album carries Shakin' Stevens first ever piece of experimental music. The track entitled the Shaky Game will be familiar to any Spectrum owner who has forgotten to plug a lead into the monitor socket when loading a program from cassette. If you load it instead of listening to it you will find a game where you have to drive Shaky to his "Ole House" while avoiding clusters of lethal vampire bats. Where does he get his imagination?

Thumbs up from Sanyo and Sony for standard for all seasons

JUST AS THE FUTURE of MSX seemed assured by the release of the new MSX machines by most of the Japanese manufacturers a question mark is hanging over the compatibility of the first MSX machine to arrive in Britain. Sony, Hitachi, Sanyo and all the household names have shown new machines in Japan which all have different features but will still be able to run most of the same software, however their cartridge ports are a different shape from the one on the Spectravideo which claims to be the first MSX-compatible software standard computer to arrive in Britain. The chip set and Basic in the Spectravideo should allow it to run the same programs as the Japanese machines but it seems unlikely that cartridges will be interchangeable which was one of the aims of the MSX program.

Many of the Japanese computers have been designed to hook up to video recorders, video cameras, radio hi-fi and even robot arms. Although the chip set of a Z-80, Texas 9188 graphics chip, and AY-3-8910 sound generator, which is built in to all the MSX machines has been attacked for being too limiting it does provide 16 colours, and 32 sprites even if the resolution is rather low. But the Japanese have used these facilities in different ways while preserving compatibility for most programs.

SV-328, big brother to the Spectravideo we reviewed in November.

Hitachi's H1 is a portable with a real keyboard whereas Mitsubishi has gone for a desk top machine called the ML-8000 with a cursor control pad. Both these are 32K RAM computers while the Sony is more downmarket with 16K and a typically Sony catchy Walkman-style name "The HitBit". They all cost around £160 in Japan but will probably be over £200 when and if any of them are released in Britain. Toshiba has two models of its Pasopia the 16K HX 10S and 64K HX 10D. Interestingly the 64K version only costs £30 more than the 16K. The most exciting MSX machines from Japan are the Sanyo MPC range which build in additional hardware.

They are all equipped with built-in light pens and the top of the range MPC-X has a *massive* 80K of dedicated video RAM which allows it to manipulate its 512×204 resolution in new ways. The X can freeze a frame from a TV or video and display it on screen and then use it as raw material for computer graphics.

Meanwhile CK Computers is introducing the SV-328 which is the big brother to the Spectravideo SV-318 we reviewed in November. Although the professional keyboard including function keys and numeric key pad makes it look totally different the SV-328 is almost identical to the 318 except for its 80K RAM which includes 16K dedicated video RAM.

Sinclair wants to build BBC while ITV plans own brand

WHILE RUMOURS persist that independent television is planning an ITV Micro to rival the BBC Micro Sinclair is trying to wrestle the BBC contract from Acorn. Sinclair has long claimed that Acorn should not have won the BBC contract because their design could not be built for the £200 the BBC had specified. In fact the BBC Micro was only on sale for a few months before the price went up from £200 to £300, and now the cheapest BBC you can buy costs £400 while Sinclair's contender which eventually became the Spectrum now costs less than £100. The BBC contract comes up for renewal in the Summer and Sinclair is as keen to take it as Acorn is to hang on to it. Lately the company has been making maximum possible use of the BBC's name — recent models of the BBC Micro have had the words British Broadcasting Corporation Microcomputer System spelt out.

YOUR COMPUTER TOP 20

Game	Company	Machine
■Bugaboo	Quicksilva	Spectrum
■3 Games for Children	Kindersoft	CBM 64
■Defence	Microdeal	Dragon
■Hang Glider	S. Electronics	ZX81
■Jet Pac	Ultimate	Vic-20
■Jungle Trouble	Durrell	Spectrum
■Killer Gorilla	Program Power	BBC
■Krazy Kong	Interceptor Micros	Vic-20
■Lunar Jet Man	Ultimate	Spectrum
■Maze Death Race	PSS	ZX81
■Metagalactic Llamas	Llamasoft	Vic-20
■Screen City	Interceptor Micros	CBM 64
■Sea War	Panda	ZX81
■Starship Commander	Acornsoft	BBC
■Super Gridder	Terminal Software	CBM 64
■The Fast One	Campbell Systems	ZX81
■The King	Microdeal	Dragon
■Trench	Virgin	BBC
■Ultrapede	Softek	Dragon
■Zip Zap	Imagine	Spectrum

All the fours — new micro of Commodore's

COMMODORE IS finally abandonning the Vic-20 style plastic box for its next home computer, the Commodore 444. The Triple Four which will be launched at the Chicago Consumer Electronics Show in January will do everything the CBM 64 will do and a bit more but will user fewer chips to do it. Commodore specialises in keeping the number of components down. The Vic-20 was named after its VIC chip which combined all the video functions on one slice of silicon. Commodore manged to reduce the number of chips yet again when the 64 was built and for the 444 all the video, sound and control functions are combined on one TED chip. The Triple Four will have a built-in word processor, cursor control pads and a central processor based on an updated 6502. The 444 looks like something out of the Starship Enterprise — a wide version of an Atari 400 but with sculpted keys. It could be late next year before the 444 arrives in Britain.

Oric should be driveless no longer. The ITL Byte Drive offers a 3in. 440K disc drive, below, for the Oric for around £300 while Oric itself is finally expected to release its own 3in. drives later this month.

His master's voice box

"LEFT A BIT, left a bit, up, Fire!" It would be much more fun to shout instructions to the computer than to use a joystick or keyboard. You can of course write your own program which with the aid of a microphone will allow your Micro Command, a new speech recognition unit for the Spectrum will allow you to do this much more effectively. You have to train the Micro Command to accept various phrases in the voice of whoever is going to use it. It will not work with existing commercial software unless you can break in and scan for key inputs but a game called "Sheeptalk" comes with the unit. The only other disadvantages are the price, £50, and the time taken to translate spoken commands which makes it unsuitable for high speed arcade games.

Cabbage patch kids lead by a head from IBMjr and Mackintosh.

Left: Coleco Adam and right IBM PCjr.

Cabbage patch kid maker Coleco's Adam looks as if it is going to beat Apple and IBM's little piggies to market. All three are taking different approaches as they try to persuade people to park with as much as £1,000 for the computers they have always dreamed of.

IBM's PC jr — which is a stripped down version of the £3,000 PC — will cost around £600 when it arrives here towards the end of 1984, but the model with a built-in disc drive will cost over £1,000.

The Adam on the other hand will be available in the spring at around £700 including daisywheel printer and high speed cassette drives.

While the IBM stresses upwards compatibility and the Coleco offers value for money, Apple has some new tricks up its sleeve with the secret Mackintosh project which shuld be unveiled this month. Details are scarce but insiders expect a small version of the Lisa.

Learn to read with your Spectrum and old PM

SIR CLIVE believes that home computers are going to be very important in education because they can offer "infinite patience and infinite attention." Now Sinclair is showing how serious he is by releasing 16 educational programs for the Spectrum covering everything from learning to read to elementary science.

The "Learn to Read" series is being published with Macmillan and so ex-Prime Minister Harold Macmillan was wheeled out to give his blessing to the project: "I am pleased that in my 90th year my family business continues this worthy tradition by joining Sir Clive Sinclair in this great technological advance." It certainly is an advance compared to the late '50s and early '60s when Macmillan was PM — a machine with the processing power of the Spectrum would have filled a room and cost over £100,000. The five "Learn to Read" programs are not cheap — £9.95 each — so it will cost nearly £50 to take a child from recognising letters to composing simple sentences.

Sinclair is also selling six new spelling and education programs from Blackboard Software as well as four Science Horizons cassettes from Macmillan again. These science programs are designed to give 8-12 year olds simulations which will be fun, based on gliding or survival games for instance but which at the same time will convey some scientific concepts. Perhaps the most interesting of all these programs however is MicroProlog. Prolog is a language much favoured in artificial intelligence circles and which has been chosen to be used on the advanced Japanese Fifth Generation computer project. The Sinclair version is necessarily not as powerful but it gives an introduction to a new way of working with the computer. There is even a sample program called Simple which should make it easier to understand the language quickly.

Swiss Canton's crack-down on the video-game nasties

IT IS 1984 — Big Brother steps in and bans all video games to protect morality. Science fiction! Not in the Swiss canton of St Gallen where the government has spent the last year removing video games and pinball machines from bars and arcades. The 390,000 inhabitants of St Gallen voted in 1982 to ban the machines but gave one year to allow restaurant and bar owners to remove them from their premises. This period ended on October 31 1983 and so the ban started on November 1. Electronic games were thought to encourage "violence and aggression in which people or animals have to be destroyed."

If you must let a bunch of academics from Bangor loose on a micro don't be surprised if they call the set of history and English revision programs for the Spectrum, Academias. This is the catchy title Sussex Software is using for its question and answer tapes.

Maybe you should be glad that you are still waiting for your Electron. Acorn's marriage guidance programs for the Electron and BBC Micro "I Do" and "The Dating Game" seen in action below do not seem to be having quite the desired effect.

While Shaky's shaking Dave Lee Travis is aching to see someone solve the £10,000 computer puzzle challenge he has set up with Twig Systems Software. He is pictured at the controls of a BBC — very suitable — with The Tower one of six programs in his Monster Micro Challenge. Solve all six programs, a mixture of adventures, quizzes and arcade games and you could be in line for the grand final where the first ten people to send in correct entries will battle it out for the £10,000 first prize.

AVOID FRICTION IN THE HOME AND DON'T ENCOURAGE DROPOUTS

— take advantage of a quality cassette offer from COMPUTRONICS.



Let's face it, computer data cassettes themselves might not be the most exciting part of your system — in fact, you might not have given them a second thought — but if you write your own programs, wouldn't you like to think you could minimise the chances of your investment in time and energy ending up as several hundred feet of well-chewed ferric spaghetti? It could prove well worthwhile, for once, looking closely at these quality tapes.

C20 reel to reel
A brand-new reel to reel in a standard cassette format; reduced friction for longer life; sturdy construction; hi-tech styling.

3 for £2.75 *Inc. Post & Pkging*

— and if you think that's a bargain — take a look at the unbeatable value of our other cassettes.

C12 conventionally-styled, in packs of 10; same sturdy quality tape for single program loading.

10 for £3.95 *Inc. Post & Pkging*

C30 economy-length — ideal for storing several programs at a bargain price.

10 for £4.95 *Trade enquiries welcome*

Take a load off your mind — fill in the form below and send to:
Computronics UK Limited, 23 Dalmeny Street, Edinburgh. EH6 8PG 031-553 4700

Computer Cassette Tape	Price per Pack	No. of Packs	£ Amount
C20 reel to reel pack of 3	£2.75		
C12 Pack of 10	£3.95		
C30 Pack of 10	£4.95		

Allow 28 Days Delivery.
Subject to availability

TOTAL£

NAME.....

ADDRESS .....

.....POST CODE.....

I enclose PO/Cheque/Cash

BEGINNERS *first bytes*

Starting out in home computing? First Bytes is for you. Just write to *Your Computer* with any hardware or software problems, no matter how small or simple.

I could do that...

Your micro, like every computer, appears to be doing several things at once — for instance, have you ever wondered how it manages to keep its real time clock going, and the TV screen refreshed, and keep an eye on that 'Break' key, all while running your various program?

It is all done with interrupts — signals to the CPU or central processing unit, that it should stop what it is doing, remember the next instruction to obey, when it can get back to its place again, and transfer control to whatever caused the interruption. Of course, some interrupts are more important than others, so most micros employ a daisy chain effect — the priority of an interrupt is dictated by its position in the chain.

So this month's problem, we want a program which will display on a screen the message "Break", "Screen", or "Clock" for a few seconds whenever one of the B, S or C key respectively is pressed. Remember that if, for instance, the S key is pressed it must interrupt Break instantly, but it will not interrupt "Clock"; it must be processed though, after the "Clock" cycle is complete.

The winner of November's competition to design a clock for your microcomputer — without cheating by accessing the machine's own internal clock was Simon C Wood, whose program for a ZX Spectrum was as follows:

```
10 LET t=0:LET v=0
20 FOR x=1 to 211
30 NEXT x
40 IF v=1 THEN LET v=0:GO TO
60
50 LET v=1
60 LET t=t+1
70 PRINT AT 10,14;t
80 BORDER v*7
90 GO TO 20
```

Spaghetti programs

THE MAJORITY of microcomputers available on today's market come readily equipped with the Basic programming language. If not, they carry the facility to load Basic from either — cassette — Sharp MZ-80K — or cartridge — Atari 400.

Basic, like other high level languages is an interpretative language. This means that it allows the user to key in words and symbols that the computer does not really understand but which are run through the interpreter and are turned out as machine-code. It is due to the fact that the Basic interpreter is a lengthly program itself, that Basic is slow. But Basic does have its advantages in that it is easy to learn, easy to program and teaches you about computers.

For a Basic program to be exciting and challenging enough to justify all of the work you have put into it you must learn to write compact, swifter Basic.

Gosubs and Gotos in the program are a place where speed can really be lost or gained. When the Basic interpreter comes across a Goto/ Gosub statement it does two things. First, it finds the location to where it must jump and second it checks its own program counter — the current line number — and subtracts it from the new location. If the answer is positive, the search for the new location starts at the present location, if the answer is negative the search begins at the beginning of the program.

From this information we can deduce that in a program that refers to a certain subroutine time and again, that subroutine should be placed at the start of a program. In a fair-sized program — 6.5K — for a Vic-20 a program can take 10.5 milliseconds to find a subroutine at the end of the program, yet only 0.9 milliseconds to find a subroutine at the start of the program.

The entire principle of speeding up your Basic is to avoid scanning.

(continued on page 59)

Define a Modem

"What is a Modem and what is it used for?"

ALONG WITH MANY other terms making up the jargon of the computer industry, Modem is a combination of two words, MOdulator and DEModulator.

A Modem is an electronic unit which may be an external "black box" or an inbuilt part of your computer. Its main function is to form a connection or interface between the two worlds of Digital, as used by a computer and Analog, as used by communications links such as the public telephone system.

When digital information in the computer is to be carried by a non-digital type of system it must be converted into a form suitable for that system. For example telephone lines are designed to carry signals which are generated by the microphone in the telephone handset. These voice signals have a certain well-defined band of frequencies which the telephone lines and associated equipment are able to handle.

The function of the modulator section of the Modem is to convert the digital signals coming out of the computer, usually via a serial RS-232 port, into tones which the telephone line treats like voice signals. At the receiving end of the phone line the demodulator converts the tones back into data that the computer can read.

Usually data can flow in two directions at once by careful selection of the tones used. This simultaneous two-way type of operation is known as "full-duplex". A Modem which can only send data in one direction at a time is known as

(continued on page 59)

PROFILE 1

48K SPECTRUM

SPREADSHEET FILE HANDLING

Now you can really *use* your Spectrum with this brilliant new data management system for all kinds of filing, record keeping, mailing lists, indexes and catalogues.

McGraw-Hill, a world leader in information technology, brings you professional software for the Spectrum! PROFILE 1 makes your TV screen a window onto a giant spreadsheet file. Each record occupies a single line. You define how long you want the record to be and how you want it divided up, and PROFILE 1 sets up a filing system for you. It's as simple as that.

FEATURING . . .

- ★ **VIEW** complete records on the screen.
- ★ **FIND** any record, using any combination of conditions (e.g. in a list of used cars, *make = "BL" AND sale <3000 AND NOT modl = "Metro"* would look for all BL cars except Metros, under £3000).
- ★ **PROCESS** can be combined with FIND, and can carry out text changes, calculations (including all scientific functions), or movement of fields or part-fields within a record.
- ★ **PRINT** on screen or ZX printer. Compatible with Kempston centronics interface for full-size printer, any line width. Can be combined with FIND, and can mix selected parts of records with text in any format.
- ★ **SORT** records, using a super-fast alphanumeric sort.
- ★ **TOTAL** numeric fields, **SAVE** to tape, **INSERT** record, **DELETE** record, and much more!

PROFILE 1 OFFERS YOU

- ★ **CASSETTE TAPE:** *Side 1*, a demonstration file of used cars. *Side 2*, the system to get up your own PROFILE 1 file.
- ★ **MANUAL:** A twelve-page manual.
- ★ **HELP CARD:** A postcard to send direct to our Software Support service if you have any problems.

Presented in an attractive silver pack, PROFILE 1 is available at good bookshops and computer stores, or you can simply fill in the coupon and send it to us, along with your cheque or P.O., for £9.95, at the address below.

JUST £9.95 INC. V.A.T.

PLEASE SEND ME ..... copies of PROFILE 1

I enclose £ .....

SIGNATURE .....

NAME .....

ADDRESS .....

.....

.....

☐ Please send further details of books and software in this series.

McGraw-Hill Book Company (UK) Limited
MAIDENHEAD • BERKSHIRE • ENGLAND

McGraw Hill

ISL 48K SPECTRUM ISL

SPLAT!

ARCADE

ONE OF THE MOST ORIGINAL AND COMPELLING ARCADE GAMES EVER PRODUCED! STARRING ZIPPY!!

"SPLAT! is one of the most addictive games I have ever played on the 48K SPECTRUM, It is certainly the most original"
Computer & Video Games

NOW AVAILABLE FROM WH SMITH AND BOOTS.

N001 £5.50

MOUNTAINS OF KET

ADVENTURE

A MONSTER OF AN ADVENTURE PROGRAM! COMBAT, INTER–ACTIVE BEINGS, MONETARY SYSTEM, MAGIC, EDGAR, SAVE/ LOAD FACILITY PLUS MANY OTHER FEATURES.

As well as being a fast ingenious compelling adventure in itself-the Mountains of Ket is the first of a 3 part series that builds into a mammoth adventurers challenge.

Incentive: It could be adventageous if you achieve 100%!!

N002 £5.50

1984

THE GAME OF ECONOMIC SURVIVAL

THE BRITISH ECONOMY WITH YOU AT THE CONTROLS! WHAT SORT OF CHANCELLOR WOULD YOU MAKE WITH SEVERAL BILLION POUNDS TO SPEND & FIVE YEARS TO THE NEXT GENERAL ELECTION? GRAPHIC DISPLAYS, HISTOGRAMS & AN ANNUAL PERFORMANCE RATING ARE ALL INCLUDED TO SHOW HOW YOU ARE DOING. HOW MANY YEARS WILL YOU LAST?

FREE INSIDE: Pocket Guide to Running Britain"!

N003 £5.50

All programs run in the **48K ZX SPECTRUM** and are available from all good computer shops. In case of difficulty please order direct using the coupon below.

Please send me (tick box(es) required)

SPLAT ☐ **MOUNTAINS OF KET** ☐ **1984** ☐

All at £5.50 each (inclusive of VAT and 1st class postage)

I enclose cheque/P.O. for £ or debit my Access Account No.

Name_____

Address_____

INCENTIVE SOFTWARE LTD., 54 London Street, Reading RG1 4SQ. Tel: Reading (0734) 591678

BEGINNERS first bytes

Spaghetti programs

(continued from page 57)

Another time when Basic has to scan the program is when variables are called. All computers have a storage space for variables, in this store the computer places the variable names and their values on top of each other. When the program wants the value of a certain variable it begins searching through the list — from top to bottom. If the variable is some way down the list, the search can take quite a time. Arrays are stored separately, A (1) — × (1000) is stored as one variable.

There is no extra time taken to find a variable with a single letter name than that to find a variable with a multiple letter name. Remember though that the computer only takes the first two letters of a variable into account and that variable and vanity would in the computers eyes be seen as the same variable.

If your program contains constants of high values — such as 444.413 — the computer has to set space aside for it — seven bytes — and re-evaluate it every time it comes across it. If, at the start of a program, you placed the statement A=444.314 you would save six bytes and about 13 milliseconds every time this number is encountered.

Loops are a complex subject. When looping something you must remember to keep delays within the loop as small as possible, as each of these delays will be multiplied by the amount of times the loop is in progress.

To fully understand the concepts of "looping the loop", you must first understand the way the computer's stack works. The computer stack employs a principle commonly known as LIFO — last in, first out — and is sometimes known as a pushdown store. Stacks, as the name suggest, are a stack of values, the computer can only get to the first of these values and because these things are entered onto the top of the stack only the last entry is obtainable.

For every For-Next loop there are entries to the stack for, the For variable, the To value and the address of the start of the loop. Due to the LIFO principle of the stack if we have two loops, one inside the other, the first Next will be part of the last For-To loop:

```
10 FOR T = 1 TO 100
20 FOR M = 1 TO 10
30 NEXT M
40 NEXT T
```

The M and T after the Next statements are not necessary, but are there to show you the principles of LIFO. Try to arrange you loops so that the inner loops have the largest numbers as this makes the program faster:

```
10 FOR M = 1 TO 10
20 FOR T = 1 TO 1000
30 NEXT:NEXT
. . . 9.05 seconds
10 FOR M = 1 TO 1000
20 FOR T = 1 TO 10
30 NEXT:NEXT
. . . 13.24 seconds
```

The difference comes from that in the second program the For . . . Next statement is read and interpreted 1,000 times and not 10 times as in the first program.

Martin Dunn.

Graphics

"Everyone spends a lot of time talking about a micro's graphics capabilities without ever explaining what they mean. Could you explain it for me, and could you tell me how important it is?"



THE GRAPHICS capabilities of a micro is a relatively new field, since until a very short while ago, there were no graphics capabilities on micros.

Often, when people talk about the graphics capabilities, they actually mean the colour capabilities of the micros. Naturally this confuses. The two are linked, since quite often the number of colours available depends on the way that the graphics are being used.

The key to the graphics on a micro lies in the word "resolution". This means, literally, the number of dots on the screen that can be displayed. Each of these dots is the smallest part of the screen that can be addressed, or accessed. Or, to put it in plain terms, the smallest bit that you can draw on. The higher the resolution, the smaller the bit that you can address.

In some machines, the resolution can alter, for example on the BBC there are eight modes available, each of which gives a different number of pixels — picture elements or dots — and number of colours available on the screen.

The number of colours that you can have on the screen varies enormously, from machine to machine, from a minimum of two — that is black and white, green and white etc. — to 256. The Commodore 64 allows this many, but it is difficult to get more than a selection of these on the screen at the same time. The BBC allows eight, of which you can choose to have all eight, or you can for a different mode which allows you to select a few of the eight.

An important factor in choosing a machine on its graphics capabilities is undoubtedly the ease with which you can select the colours you want. This is a major problem with the Commodore, in that it is difficult, ie. you have to fiddle around with Peeks and Pokes to get the colours, and graphics, you want. On the BBC there are excellent graphics commands available from Basic, for drawing and plotting, and also for selecting what you want to do graphics-wise with any part of the screen.

A machine that has had a lot said about it lately is the Elan. This has a very high resolution — 256 by 625 pixels — and also allows you to have 256 different colours on the screen at a time. However the Elan is not available, and I shall believe it all when I see it.

There are several trick techniques that can be used to give you more colours than are supposedly available, for example the famed Dragon 32 colour mixing program which, by printing colours in alternate lines gives you a whole new range of colours. This technique can also be used to great effect on the Spectrum and the BBC.

The way that graphics are presented on the screen is usually by a combination of Draw commands to make shapes, and then Fill commands to colour these in. The state of the art at the moment means that mostly you have to write these commands for yourself, but some machines do make it easier for you than others, by having useful commands from Basic. These are usually of the Plot and Draw variety.

Another way of getting graphics onto your screen is by creating them beforehand, storing them in memory, and then transferring that part of memory to the screen. This can be done easily on most machines, and with the help of tools like pixel editors the pictures can be drawn relatively quickly. Once the picture is in memory this method is generally faster than the Draw Fill method.

All in all if you are going to buy a microcomputer for its graphics then it depends on how technical you want to go. If you want to be able to get straight down to it, and you do not mind the limitations of eight colours, then the BBC is a good bet. The Commodore 64 offers you more, but it is much harder to get at. This also applies to a certain extent to the Spectrum, which also has the problem of allowing you plenty of colours on the screen, but only a limited number within any given character.

Piers Letcher.

Modems

(continued from page 57)

"half-duplex".

The speed of transmission of the data is measured by the number of bits per second, commonly called the baud rate. There is a relationship between the baud rate and the range of frequencies used to send the data. The higher the speed the wider the frequency band used. On a normal telephone line a typical maximum data rate usable is 1200 baud.

A higher quality line is able to operate at a higher speed but the Modem design is more complex and thus more expensive. The speed does not have to be the same for the transmit and receive directions. A Prestel modem for example receives data at 1200 baud but transmits back to Prestel at 75 baud. Other common Modems send and receive at 300 baud.

Connecting a Modem to your computer gives you access to a vast range of services and facilities. For example there is the Prestel system which is a very large database containing over 250,000 pages of information. Some sections contain information of particular interest to home computer users, including "Telesoftware" which can be downloaded into your machine. Other types of services accessable via a Modem include bulletin boards where you can post messages to other people to read.

It is also possible to use your computer as a terminal on a remote mainframe computer such as those available at universities and colleges. There is a large and growing range of services available once you are able to connect to external computers. A Modem could be the most important peripheral that you buy for your personal micro.

David Simpson.

The Key to Spectrum Machine Code Success.

Picturesque's MACHINE CODE SYSTEM is used and recommended by professional software writers, yet the excellent documentation and the friendly, easy-to-use programs have been highly recommended for beginners.

You will only buy one Machine Code System, so buy the best, the one the professionals use.

ASSEMBLER

Completely self-contained, with its own line editor, giving an easy-to-read 40 column tabulated listing. Auto line numbering, line renumbering and auto-tabulation make this the fastest and easiest Assembler to use. 5 character Label names. SAVE/LOAD/VERIFY both the listing and Machine Code. Accepts Decimal or Hex numbers and ALL Z80 mnemonics. Assembler Directives:— ORG, END, DEFB, DEFW, DEFS, DEFM, EQU, DEFL. FAST ASSEMBLY:— 1K of machine code in 7 seconds. Full error detection. 32 page Owner's Manual.

£8.50
INCL. VAT & P&P.

MONITOR

The ideal tool to help the beginner get started, yet it contains all the commands for the experienced programmer to run and de-bug machine code programs. Inspect and alter memory contents in Hex or ASCII characters. Breakpoints and full Register display. Disassemble any part of memory, ROM or RAM. Dec-Hex-Dec number conversion, plus Block Move, Insert and Delete commands for general memory management. 32 page Owner's Manual. Can reside in memory with the Assembler (48K machines only) to give a complete system.

£7.50
INCL. VAT & P&P.

The most valuable software purchase you will ever make.

Available from the "SPECTRUM" chain of stores, branches of John Menzies and all good computer shops, or by mail order by sending cheque/PO to:
PICTURESQUE, 6 Corkscrew Hill, West Wickham, Kent, BR4 9BB. Send SAE for details.

PICTURESQUE
PICTURESQUE
PICTURESQUE
PICTURESQUE

Spectrum 48k

MAKE YOUR OWN TV FILMS!

WITH LIVE ANIMATION & MUSIC

SAVE them...

& AMUSE FRIENDS AND FAMILY WHEN YOU PLAY THEM BACK!

ORDER: MACRO CONSTRUCTION & ANIMATION CASSETTE MCA **£7**

- SPECIAL MACRO-PROGRAMMING TECHNIQUES ALLOW YOU TO: -
- CALL-UP ANY MEMBER OF CAST, INCLUDING UFO, HELICOPTER AND A HOST OF 'PERSONNEL' IN A CHOICE OF NEARLY 30 'CALLS!
- MAKE EACH ANY COLOUR - LARGE ONES CAN BE IN TWO COLOURS!
- THEY WALK, RUN, CLIMB & FLY.
- BUILD HOUSES, CHURCHES ETC. IN A FLASH - & ERASE THEM
- UP TO 15 MINS. PER 'FILM', OR MORE IF YOU'RE A GOOD DIRECTOR
- MAKE CHARACTERS 'SPEAK' USING ANNOTATIONS AS IN STRIPS.
- FULL COMPUTER-PROMPTING TO SAVE YOU MAKING ERRORS.
- INSTANT PLAYBACK, EDITING AND DELETING AS YOU GO ALONG!
- MOST COMMANDS ARE A SINGLE KEY-STROKE, WITHOUT 'ENTER'.
- COMPOSE YOUR OWN TUNES USING THE SPECIAL THREE-OCTAVE CHROMATIC MUSIC COMPOSER, WHICH ALLOWS YOU TO LISTEN, CORRECT AND EDIT AT EACH NOTE ... IF YOU NEED TO!
- STORE UP TO NINE 99-NOTE TUNES TO 'CALL-UP' AT ANY TIME IN A STORY ... COMPUTER GIVES EACH A NUMBER IN MEMORY.
- CHANGE TUNES AT ANY TIME, EVEN WHILST MAKING A 'FILM'.
- YOU CAN EVEN ADD PERSPECTIVE TO BUILDINGS, ROADS ETC.
- NO SPECIAL SKILLS OR COMPUTER KNOWLEDGE NEEDED . . . JUST IMAGINATION!

pinehurst data studios
69, PINEHURST PARK, WEST MOORS, WIMBORNE, DORSET. BH22 0BP

IMPORTANT: FOR 48K SPECTRUM ONLY

NEW

For use with DRAGON 32 computer

The complete speech synthesis system

SPEECH SYNTHESIS MODULE
for the Dragon 32 Computer

- Fully cased module plugs into cartridge port
- Unlimited vocabulary; based on dedicated speech processor utilising allophones
- Approx 200 words, and all numbers, pre-defined, for access by entering word or number required
- Complete control using 5 new BASIC commands
- Speech can easily be incorporated into existing BASIC programs
- Up to 40 words spoken from one command; speech can occur simultaneously with graphics
- **£37.95** inclusive

Also available: SOUND EXTENSION MODULE for use with the Dragon computer — provides facility to play chords and harmonies — easy to use via BASIC — built-in sound effects — music and graphics can occur together without loss of speed — two I/O ports — User Manual — ONLY **£34.95** inc.

ACCESS/Cheque/P.O. to:

J.C.B. (MICROSYSTEMS)
29 Southbourne Road - Bournemouth - BH6 5AE
Tel: (0202) 423973
Write or phone for further details

If you have anything of interest to tell us about your computer club why not contact us on 01-661 3144.

Local news

Nottingham

The BBC Micro user group is a newly-formed sub-group of the well-established Nottingham Microcomputer Club and meets on a monthly basis in the centre of the city. Beginners and professionals alike are welcome. As well as providing a focal point in Nottingham for information about the computer, its hardware, software and sources of supply, the group intends to bring together like-minded users — radio hams, educationists, games players, businessmen and so on. Contact John Day on 0602 225660.

Marston

In an otherwise peaceful part of rural Oxfordshire, some fanatical hardcore computerniks have formed a group called the Marston Computer Club. They are all 15 or 16 years old. Most are regular *Your Computer* readers. They boast openly of their addiction to computer games. Jeff Minter has even written an article for their monthly magazine *Newline*. They pursue their decadent life-style once a month, playing the latest games on Spectrums, Vic-20s and CBM-64s. If you really want to get involved in this sort of thing, there is probably no sane, reasoned argument that would stop you. Write to the self-styled president — sometimes known as "the Chairman" — Chris Brunsdon at 12 Park Way, Old Marston, Oxford.

Holt

Holt Village Hall near Trowbridge, Wiltshire is the venue for North Wiltshire Computer Club. On the second and fourth Wednesday of each month a varied membership owning everything from ZX-81s to Apples gets together. Contact the acting secretary, c/o Holt Village Hall, near Trowbridge, Wiltshire. Telephone 0225 782808.

COMPUTER *club*

Paul Bond goes in search of adventure and finds it in Aylesbury. He discovers what makes a good adventure game and has his palm read by a micro with its eye on the future.



Illustrating the intricacies of adventure gaming.

AYLESBURY

AYLESBURY LAST GOT a visit from *Your Computer* magazine in the high summer of 1982 — May, to be precise — when our news pages carried word of the impending release of the fabled Sinclair ZX-82 and Aylesbury ZX Computer Club, as it was then known, was concentrating on ZX-81 graphics.

Great changes have been wrought in the world of microcomputing since then and, in acknowledgement of this fact, the club has cast its net wider and dropped the ZX from its name. As the main microcomputer club in the area, the Aylesbury group found that, despite the fact that it was primarily a Sinclair user group, other users were inevitably drawn to the club.

Weekly meetings are held each week at Quarrendon School each Friday at 7.30pm and monthly meetings at the Mandeville centre in Aylesbury.

The club is a veritable hotbed of writing activity: members include club secretary David Nowotnik — Nowotnik of the puzzle — and Barry Cornhill — of the Black Planet. Several members have had software accepted commercially. One interesting Spectrum application developed by club member David Larne was a program to work out the mathematical calculations necessary for effective colour photographic development.

The computer can be used in the dark room, if a printer rather than a vdu is used to monitor the output. The program does things like work out exposure values, and timing routines for each step in processing. He has only sold about eight or 10, although a fair amount of interest was generated by his contribution to May 1983's *Amateur Photographer* magazine feature on home computers and photography. Superstition triumphs over rationality it would appear even in the world of computers, for his astrological program which calculates ephemerises has been somewhat luckier.

The club can trace its roots from August 1981 when Aylesbury's "gang of four" started meeting to talk about their Sinclairs. By January 1982 the club had 30 members.

"Only about three percent of members are interested in learning about programming," commented a committee member. "You can see that here we're dealing with two basic age groups — about nine years old and 45 years old."

The club arranges stands at all the major computer shows, usually the province of Bryan Judson.

"Manning the stand is not an easy number," he maintains. "You earn your free entrance." The club indulges in a certain amount of evangelising, organising and participating in functions at local schools, and is currently pursuing a plan for more active participation with the local education authority in computer-related learning courses.

The club has a basic software library consisting of over 100 items many of which club members were actively engaged in making safety back-up copies of. Barry Cornhill was busy testing out his new adventure Moons of Tantalus and explaining development techniques.

Another well-known adventure game creator, Richard Shepherd, was present on the evening of *Your Computer's* visit to take part in an informal question and answer session. He revealed that his company, Richard Shepherd Software, had been running for about two years, but really only came to the boil in February 1983. The company now employs about six people plus hangers-on. They specialise in adventure games software.

Until recently he wrote all the ideas himself. Asked what he felt the criterion of a good adventure to be he replied that it should be something unusual and interesting, a break from the common mould of dungeons and dragons with a dash of humour. Market intelligence for RSS apparently consists of reading every single home computer magazine — employees are apparently manacled to their desks until they can give a satisfactory verbal digest of the week's news.

What *is* going on then? queried a member appositely. The biggest change in the market as far as RSS was concerned was the way in which mail order had dropped off and chain stores had taken over as outlets. He did not see much future for the Microdrive until a suitable duplication facility for the cartridges had been developed. Basically companies like RSS are waiting for Sinclair to get his act together.

For more details about Aylesbury Computer Club, contact Dr David Nowotnik on Aylesbury 630867.

Brainstorm!

Widely used in schools

4–8 year olds

Free Ollie Octopus badge with each program

Ollie the Octopus must be moved around different undersea mazes to catch fish for himself and his hungry children! AMAZING OLLIE introduces children to the exciting new world of numbers (with options for basic number recognition, counting and adding), whilst providing a fascinating program for the whole family to enjoy.



storm

OLLIE OCTOPUS' SKETCHPAD is the program for young children and adults alike. Its easy to use manner lets you create an imaginative picture from a blank computer screen, with no trouble at all. Making full use of the colours, you can draw lines in 8 different directions, or build circles, squares or triangles, which can then be made bigger, smaller or shaded in.



BBC Model B 16K and 48K ZX Spectrum

STORM Software

Trade enquiries invited.
Contact Amanda Ralph: 0935 813528
Storm Software, Winchester House, Sherborne, Dorset

ORIC SOFTWARE

THE SINGLE SOURCE SUPPLY FOR **ALL** YOUR ORIC SOFTWARE PERIPHERALS AND BOOKS

FREE

Catalogue with every purchase or send £1.00 which will be deducted from your first order.

SOME OF THE TITLES WE HAVE AVAILABLE:

Airline	48K	7.95
Biorythms	16/48K	5.95
Breakout + 30 maze	48K	7.50
Candy Floss + Hangman	48K	7.50
Chess	16/48K	9.95
Cube Crazy	48K	7.95
Dallas	48K	7.95
Digger	48K	6.95
Dinky Kong	48K	6.95
Fantasy Quest	48K	6.50
Flight	48K	7.95
Forth	48K	17.95
Franklins Tomb	48K	9.95
Grail	48K	6.95
Harrier Attack	16/48K	6.95
Hobbit	48K	14.95
Invaders	16/48K	7.50
Jogger	48K	6.95
Maria	48K	6.95
Multigames	16/48K	7.95
Operation Gremlin	48K	6.95
Oric Trek	48K	9.98
Oriscope	48K	17.95
Reverse	48K	6.50
Synthesizer	48K	7.95
Word Processor	48K	17.95
Xenon-1	48K	8.50
Zodiac Adventure	48K	9.95
Zorgons Revenge	48K	8.50

BOOKS

The Oric-1 and how to get the most from it	5.95
The Oric-1 Companion	6.95
An Introduction to Programming the Oric	1.95

Postage

Books 50p for 1 — 25p per book thereafter
Cassettes 50p for 1 to 7 free if 8 or over

Oric Software, 118 Worcester Road, Malvern, Worcs. WR14 1SS.
Tele Malvern (06845) 62467

Are your finances driving you mad?

Do you find that working out your finances makes your head buzz? Do you see red?
Don't worry, now you can have Hilton's **Personal Banking Service** on your side, giving you a clear head start and (hopefully) putting you back into the black!
Maintain permanent records and fully detailed statements of your finances + Search facility. **Bank Reconciliation** module is included to automatically match your Bank Statement to your **PBS** account.

- **ZX81 £9.95 (16K)**
- **ZX SPECTRUM £12.00 (48K)**
- **DRAGON £12.00 (32K)**
- **BBC £9.95 (32K) PBS only**

guaranteed after sales maintenance provided.

NEW RELEASES

SPECTRUM (48K)
GARDEN BIRDS **£6.50**
A captivating introduction to Ornithology and entertaining
PLAYTYPE & TRANSPOSE. £9.00
Compose, transpose key, Play it Save it, Print it!
DRAGON (32K)
UTILITIES 1 ..... **£5.00**
Including Compress, Catalogue and Copy
DISASSEMBLER **£5.00**
Prints either to screen or printer in HEX and MNEMONICS
MEMORY MAP **£5.00**
Over 9 A4 pages of Dragon Memory locations. INVALUABLE!

ORDER by POST (specifying machine)
OR at the POST OFFICE using TRANSCASH ACCOUNT 302 9557

HILTON COMPUTER SERVICES

Hilton Computer Services Ltd (Dept YC) 14 Avalon Road, Orpington, Kent BR6 9AX

Ask for the PBS at your local computerstore.

Star chart

Everest Ascent

CBM-64:
Adventure:
Richard Shepherd Software:
£6.50:

★ ★

A new implementation of the mountain-climbing game for the CBM-64. Given £1,000 you must hire sherpas and purchase equipment for the climb. You get a quick graphic to tell you whether it is day or night on the mountain, but most of the time, this is a text adventure game. I cannot honestly say that this game fired my imagination very much – it does not seem to differ very much from the Vic-20 version, but I only played it because it was there.

Gridrunner

16K/48K Spectrum:
Shoot-'em-up:
Quicksilva:
£6.95:

★ ★ ★ ★

By putting the Spectrum's sound output through the speaker of your cassette player, you can put back into Gridrunner what the weedy sound facility of the Spectrum removes, the zap of plasma cannons, the dull crump of exploding pods. Obviously the reason that in space no-one can hear you scream is that there is such an almighty racket going on anyway; it is only a matter of time before the neighbours come round to complain. A splendid implementation by Jeff Minter for the Spectrum of his original game.

Flight 015

Vic-20 unexpanded:
Simulation:
NKK Software:
£5.95:

★ ★

Noised abroad as the only flight simulator for an unexpanded Vic-20, one is tempted to say "I can see why". Written by record producer John Wagstaff, apparently better known in West Germany as pop star Lee Kristoferson, a brave effort is made, given the limitations of the machine, to simulate the rudimentary requirements of any self-respecting flight-deck.

SOFTWARE Shortlist

Shark Treasure

■ *Dragon 32*
■ *£12.95*
■ *Dragondata*

★ ★ ★

ONE OF THE best games, graphically speaking, that we have yet seen for the Dragon. The idea and the action are very simple. You, as a deep-sea diver equipped with three flash grenades have to progress from the surface down to the seabed and pick up three of the valuable items lying on the sea-floor, then return. The catch? a couple of shoals of very nasty man-eating blue sharks, which increase in number and ferocity as your swimming skills develop. The stun grenades reverse the direction of motion of the sharks but you cannot kill them.

True, the game is basically Frogger with a few frills, but the way that the sharks speed up towards the small figure of the diver as their jaws snap open is truly horrible. You do not have to study psychology to know we all have a deep-seated fear of being eaten alive.

On the minus side, once you attain the level where there are three streams of sharks between you and the gold, and once you have got the knack of not becoming fish-food, there is no real progression in the game. Also there is a strange is-it-a-bug-or-is-it-a-feature dilemma: sometimes when you use the flash grenades, half your mangled body is left floating in the depths, only to be scooped by by another passing shark.



Everybody remembers that scene in *Jaws* where the diver swims into the bottom of the wrecked boat and the gruesome cadaver sinks towards him. If you do not, you probably blotted it out of your memory, it was so horrible.

This, then, is a game that you will find gripping at first, but may tire of. But the smooth sprite-like motion of the sharks will get you pondering about how they did it.



Gangsters

■ *48K Spectrum*
■ *£5.95*
■ *Strategy Games*

★ ★ ★

JANUARY 1920. This is Spectral City – your city. And you are a leading mobster in the days of American Prohibition, when the government made drinking alcoholic liquor illegal. You mean to take over the city from the other gang leaders and control it.

The relative strengths of the rival gangs of hoodlums are first presented on the screen in the form of a grid. You can see how many distilleries, speakeasies and houses of ill repute the opposition have in their grip of vice. Next is raised the "thorny question of bribes". You must figure out how much a month you can afford to keep the precinct sweet. This is certainly worth doing as the police raid your distilleries with monotonous regularity.

There is an alternative: you can shop your rivals, but presumably due to their own activities in the area of palm-greasing, they are sometimes found innocent – then they get real mad with you.

The distillery raids are graphically displayed on the Spectrum by three police cars rolling up to your warehouse door sirens and all. When I raided an opponent's brothel – this is done by moving a gunsight over a schematic map of the city and pressing S when you want to move in – I discovered an arms cache. This boosted my gang's morale and another graphic showing the doors opening and the guns inside was displayed. Gang morale is key: it starts at 20, but changes depending upon the success.

Tutankhamun

■ *48K Spectrum*
■ *£5.95*
■ *Micromania*

★ ★ ★

YOU CAN HAVE the tomb of your life with this colourful machine-code maze game. In fact you can choose from five tombs of varying difficulty in which to play the role of an armed explorer who is endeavouring to collect the priceless treasures placed in the great Pharaoh's massive sepulchre.

The explorer is moved around by means of a Kempston or AGF joystick or by the familiar A and Z to go up and down, M and N to go right and left. The remaining keys on the bottom row fire the lasers, and there is a smart bomb facility which can only be brought into play once in every tomb or life but it kills everything on the screen except you.

Points are scored by collecting the treasures and shooting the creatures. Bonus points are awarded for especially quick completion of a tomb. The screen scrolls to the left though if you wish, for some obscure reason, to retrace your tracks it will scroll to the right.

Every tomb has between one and

(continued on page 65)

SPOT THE DIFFERENCE!

Choosing which game to buy from the mountain available is a difficult job, especially when everyone claims to produce the best on the market. But how can you tell the best from the rest?. To help you decide, read on. . . .

THE DUNGEON MASTER

Let your Spectrum be your guide in a totally new dimension in adventures in the true spirit of traditional role playing games where YOU design the scenario.

"I have been a Dungeons and Dragons fan for several years....The package provides excellent entertainment for all fans of the cults and should prove a good introduction to the game".
....Sinclair User.

"Highly recommended for its versality, originality and quality. Definately well worth obtaining".
....ZX Computing.

ZX Spectrum 48K **£7.50**

Written by Graham Stafford.

What the real critics say. . . .

Very rarely have software titles produced such universal acclaim as 'Halls of the Things' and 'The Dungeon Master'. Now, with three brand new programs, Crystal continues to set the standard of software excellence. The difference is obvious - the choice is yours:

The Best or The Rest.

HALLS OF THE THINGS

A stunning multi-level maze 'arcade adventure'.

"Excellent and dangerously addictive - could change the Spectrum games scene overnight".
....Sinclair User.

"Spectacular - One of the best games I've seen, finely balanced between simplicity and addictiveness - superb graphics and colour - I CAN'T RECOMMEND IT HIGHLY ENOUGH".
....Popular Computing Weekly.

ZX Spectrum 48K **£7.50**

Written by Neil Mottershead, Simon Brattel and Martin Horsley.

THE ISLAND

The ultimate test of logic and deduction! Can you solve the hidden mysteries of the South Pacific Island on which you have been stranded - and escape alive! A brilliant classic style adventure game to facinate and frustrate you for months!

ZX Spectrum 48K **£7.50**

Written by Martin H. Smith.

INVASION OF THE BODY SNATCHAS!

At last! a version as fast and furious and as frustratingly addictive as the arcade original. Landers, Mutants, Bombers, Pods, Swarmers and much much more combine to produce the ultimate space game!

ZX Spectrum 48K **£6.50**

Written by Simon Brattel and Neil Mottershead.

ROMMEL'S REVENGE

A brilliant interpretation of the most visually stunning arcade game of all time. Superb high resolution 3D graphics with full perspective plus a host of new and exciting features make Rommel's Revenge the most spectacular game ever produced for your Spectrum!

ZX Spectrum 48K **£6.50**

Written by Martin Horsley.

Please send SAE for our latest catalogue and details of our forthcoming software.
Catalogue FREE with every order. P&P included.
Please add £0.50 per item for overseas orders.

Please make cheques/PO's payable to:

CRYSTAL COMPUTING
2 ASHTON WAY
EAST HERRINGTON
SUNDERLAND SR3 3RX

Please Supply:

Invasion of the Body Snatchas ☐
Rommel's Revenge ☐ The Island ☐
Halls of the Things ☐ The Dungeon Master ☐
Catalogue (please enclose SAE 6in. x 9in.) ☐

I enclose cheque/PO for.....

NAME.....

ADDRESS.....

DEALERS! For details of our excellent dealer discounts (including export) ring Chris Clarke on 061-205 6603.

PROGRAMMERS! Written any good software? send it to us for evaluation and details of our excellent royalty scheme.

Star chart

Laser Snaker

48K Spectrum:
Shoot-'em-up:
Poppy Soft:
£5.95:

★ ★ ★

Basically a centipede style game. There is a chance to win £100 once you penetrate the myriad mazes of propagation and discover the secret symbol. You have to be able to answer two questions what kind of snake are you and what was the thing you saw? You steer using the cursor keys or a joystick and fire using the zero key. The laser defends you against vicious green Aggronoids and the poisonous blue Viproid, which tries to steal the eggs. There are also death chrystoids lying around. Excellent use of colour and tough at all levels.

Crazy Caveman

CBM-64:
Novelty:
Merlin Software:
£6.50:

★ ★

Crazy Caveman is, as the name suggests, about a little prehistoric man who leads a somewhat monotonous life of jumping over rolling rocks and hacking down identical dinosaurs with single blows of his axe.

Playing this game, although only slightly more exciting than washing-up, is in fact, quite addictive and I soon found myself proficient enough to meet bouncing dodos and birds that bombed me with rocks.

I'm in shock

16K Spectrum:
Shoot-'em-up:
Artic:
£4.95:

★ ★

"The moon was the colour of wide frozen shrieks of laughter, the frost line ran down the window . . . I'm in shock". So goes the blurb for this engrossing grid game. You are zipping around the bottom of the screen as per Gridrunner, but without the peripatetic plasma cannons. Instead fiendish diagonal step deflectors are laid across the screen, so you cannot shoot straight up at the invaders, but have to allow for deflection.

(continued from page 63)

four doors which must be unlocked with the keys that are found in the tomb. Each key can only be used once and you cannot carry a bunch of them about with you. Your laser only works when firing to left or right.

SOFTWARE Shortlist

Ultisynth

■ *CBM-64*
■ *£14.95*
■ *Quicksilva*

★ ★ ★ ★

ULTISYNTH 64 IS A program by Nalin Sharma, well-known to *Your Computer* readers for his delightful Scram-20 game for the Vic-20 in June 1983 issue. He has written a program which is intended to make full use of the CBM-64's Sound Interface Device chip. The SID is one of the better sound chips around and the idea behind this program is to fully utilise all the features of this chip as well as introducing many of the features of commercial synthesisers.

The Ultisynth is pretty daunting at first sight. For a start, it redefines the keyboard in four different ways: you can use the keys on their own, or together with the Shift key, or together with the Ctrl or Commodore key to achieve different functions from the same keyboard. There are seven options presented, record mode, playback mode, compose mode, load mode, save mode, transferring notes, rhythms/background music and a feature called Pretab that allows real-time control at any of 256 speeds of voice 1 frequency, filter cut-off frequency, pulse-width of voice 1 and filter resonance.

As you are probably beginning to realise, this program threatens to make a Fairlight music synthesiser look as easy to operate as an Indian nose-flute by comparison. The best way to hint at the options available is to describe the procedure necessary to synthesise the sound of, say, thunder.

First, you get into record mode. Next you deal with the envelopes which are divided into A, D, S, R — for attack, decay, sustain and release. These are controlled by the keys 8, 9, 0 and plus. The keys on their own that is, no Ctrl, shift, etc. The screen display in record mode shows you four columns headed A, D, S and R. Press 8 and you will see the numbers in column A Change. If you want the number to decrease you press Shift and 8. There is full wraparound and auto-repeat. Thus you select an attack of zero, a decay of zero, a sustain of 15, and a release of 14.

Now you put the filter for voice one on. This is done by pressing Ctrl and E. You will see a little dot appear under the column headed F. Now to select a waveform for this voice. This is done by pressing the minus key till four dots appear under the W column. Now for filter cut-off frequency. Press the Ctrl key plus Y to decrease, plus U to increase the number of blocks shown in the bar-graph. filter resonance is altered by Ctrl F and G in the same way. Filter type is chosen by Ctrl R and T. Now all you do is play the note A 4.

This practical description was the best way I could think of for hinting at the facilities available to you with this program, although anyone who tried Stephen Watson's CBM-64 Synth in September *Your Computer* will have had an inkling of the SID's wonderful capabilities.



Intergalactic Force

■ *Dragon 32*
■ *£7.95*
■ *Microdeal*

★ ★ ★

YOU FLY DOWN a corridor dropping bombs down ventilation shafts and dodging the Thi fighter which is trying to drop bombs on you. Almost a 3D game, this bodes well for the Dragon which people have taken to saying is a software-driven machine.

This means that if you take the trouble to get to know it, you can achieve great things. Most of the games which are graphically promising on the Dragon 32 tend to lack surprises or any capacity to develop beyond a certain stage. It is to be hoped that the Dragon's big brother with 64K RAM will provide the necessary extra room to create truly addictive games.

Having said all this, Intergalactic Force is a pleasant departure from all the tired green-looking games for the Dragon that so many software houses seem to churn out regardless. Regardless of how much users are paying for them, that is. There are three levels of difficulty with fast or slow option in each. At the top right-hand side of the screen is shown your current status. The figure at the top indicates the current score, the figure below, the current skill level. Below this is the number of spaceships remaining. You begin the attack with five. Bonus ships are awarded with every 1,000 points. At the bottom right of the screen you are shown how much ammunition is left. You can boost your supply by taking the spacecraft back off the top of the screen. This game will appeal to people who like flying down corridors. It requires a joystick.



BBC/ELECTRON SOFTWARE



SURVEY

IT'S 1984. BIG BROTHER may be watching you. Can you risk loading some new games into your new hardware and having a good long session? Or should you do something a bit more useful? Learn to type, or perhaps play a stimulating game of chess? Whether you or Big Brother choose, the range of software available for the BBC will have what you need.

To start off with something close to every micro-owner's heart, consider this scenario; the CPU of your computer is being invaded by rebellious components! Resistors, tantalum bead capacitors, diodes, LEDs, are all approaching at high speed along the circuit tracks. Your only chance in Softspot's Transistor's Revenge is to manoeuvre your zap button along the sides of the rectangular 6502 occupying centre screen and blast the little upstarts back where they came from.

Occasionally, an indestructible "mains spike" will enter the circuit. This must be avoided or the game is up. Sometimes humble household tools, such as spanners and hammers, will appear at the edge of the many circuit tracks. What these archaic utensils are doing in a computer surpasses my understanding, but zap them anyway and get yourself a bonus score. Transistor's Revenge is a clever idea executed with great verve. The relentless onslaught of components is noisy, fast, colourful and compulsive.

Heist, also from Softspot, is a novel variation on the lifts, ladders and levels theme which will appeal particularly to the avaricious. You are the plump bowler-hatted manager of a bank and you must collect the moneybags lying around to deposit them in the safe at the bottom of the screen. Making your task rather difficult are four masked burglars and randomly exploding time-bombs.

To deal with the crooks, take one of the two hammers and give them a good "bonk". When your energy runs low a message appears; "Gosh, I need a cuppa!" and you must get to the steaming cup before you expire. Death gives you a pair of angel's wings which take you up to the great strongroom in the sky, accompanied by the death march from Beethoven's Fifth Symphony. Heist is a game full of good points and makes an amusing and exciting change from gorillas with barrels.

If you want to write a novel, or even a software review, on your word processor you should learn to type. In which case, look no further than BBC Soft's Vu-Type — in conjunction with Pitmans. This is a really excellent keyboard typing trainer, much eaiser and much more effective to use than a book and manual typewriter. Vu-Type comes with an explanatory booklet which is essential reading before starting.

Once the main program has loaded you can choose from a selection of graded drills and exercises which take you from one finger through to paragraphs and speed tests. The screen displays the QWERTY keyboard and, at the top, the exercise to be typed. The letter to be used is arrowed on the screen keyboard and mistakes are signalled by a bleep.

At the end of each drill or exercise you can get a report on your results, giving you the number of presses and errors per letter and an accuracy percentage. I do not want to sound boastful, but I think I should say that I achieved 100 percent accuracy on the letter J. Vu-Type allows you to change display colours and to select particular exercises from the menu. It is a well organised program which beats hands-down the old-fashioned methods of learning to type.

White Knight Mk. II is BBC Soft's

Pete Connors has a strange feeling that he is being watched as he tries out this month's crop of software.



Left: The Slicker Puzzle from DK'tronics. Above: Attack on Alpha Centrauri from Software Invasion. Below right: Carousel from Acornsoft.

challenger in the chess program stakes. It has a monochrome display with clearly-defined pieces; no chance here of the "Oh, I thought is was a pawn" excuse. Pieces are moved either by moving the cursor keys or by entering algebraic notation. A good point is that you can set a time limit on the computer's move at each level.

Thus, White Knight will not only play a very strong game of chess, but also a very quick one. In addition the program has all the usual options: it will move back or forward, play itself, change the board or solve problems.

There is, though, a more light-hearted side to BBC Soft, as can be seen in Canyon Battle, a compulsive shoot 'em up game. You have a small biplane with which you must try to destroy the invading Xarians up-river through the canyon. There are various types of Xarian ship; "uvaser beamers" which mess up your direction control, guided-missile ships, fighters, Gates of Fire, and the Imperial Flagship.

There are 24 canyons to get through; even at the lowest level it was not easy for me to get through the first one as I tried to avoid canyon walls and islands and attempted to destroy the alien robotic invaders. As well as getting through these canyons you must also shoot at least two out of every three invaders. Colour is used well in this game, suggesting different landscapes, but sound is rather limited. Canyon Battle is, though, a compelling game. If you get through all 24 canyons a mysterious message and a momentous decision await you. If it is "Would you like another game?" then the answer will probably be "yes".

More restful than Canyon Battle is Visions' Snooker, a very good simulation of the well-known ball and stick game. You can select a one or two player game and use with 10 or 15 balls. Strength of shot can be altered and you can even impart a little spin, if it takes your fancy. Both sound effects and colours are bright and clear.

Daredevil Dennis, on the other hand, is far from relaxing. In fact, it is as relaxing as watching Alex Higgins playing snooker. Dennis is the stuntman in a new film and will be fired if he needs more than three takes. His task is to ride his motorbike along the four lines displayed leaping over obstacles and holes.

At novice level he encounters only houses, trees, ambulances and a spider. However, at higher levels such as "Oscar Winner" he must also cope with a bouncing policeman and a helicopter. Invariably, Dennis comes off and ends up with his head in the ground and his legs waggling in the air. I never earned more than £190 for a day's work; those with a taste for living dangerously will find the game more rewarding.

Acornsoft's Carousel is unlikely to make your head spin with excitement. This is the game in which you must shoot the bunnies, owls and ducks on the revolving display. Extra points are scored for hitting, in the right order, the letters of the word BONUS. Sometimes a duck will come and try to steal your limited supply of bullets. When you have massacred all available livestock you can have a go at the lumbering polar bear. Then it all starts all over again.

Missile Control is a game which, by now, should hold no surprises for anyone. From your three bases you have to lay a protective covering of bombs to combat the alien missiles. Gemini's game is an adequate version of this old favourite, with both graphics and sound well up to scratch. In Caterpillar, also from Gemini, you have to help a hungry caterpillar called Arnold eat lettuces and avoid the poisoned mushrooms.

The more Arnold eats the longer he gets, so you have to be careful not to let him eat himself or crash into the edges. This snake-style game is quite good if you like that sort of thing.

Attack On Alpha Centauri, from Software Invasion, is a title with a good science fiction ring to it. The game itself is nightmarishly frenetic. On the mountainous landscape covered in red dust there is a flash of light. Suddenly hundreds of deadly "bug-eyed wasps" zoom into the sky, their serried ranks stretching far into the distance — for this is a "3D battle for supremacy".

The wasps speed toward you, getting bigger and bigger; do not shoot until you see the whites of their compound eyes. If you miss they wheel off and return to their pals. If you dispose of the blue and green ones, do not get complacent because next time it is the red and yellow ones. There is only one effective insect repellent, and that is your laser canon.

The same company's 3D Bomb Alley lacks

(continued on next page)



(continued from previous page)
any such excitement. In a pleasant cove with green hills and a deep blue sea, your ships are anchored. Out of the sky enemy aircraft wheel in, getting larger as they approach. Using the crosshair sights you must shoot them before they sink your ships. Unfortunately, the planes are too easy to hit and where the bombs fall bears little relation to ships destroyed. The sound effects are poor and the graphics, while pretty, lack movement.

Movement abounds, though, in Alligata's Monaco, a Grand Prix racing game. In order to get the 2000 points needed to qualify you must overtake other cars and avoid ambulances and oil slicks. The graphics are well done and the game is quite exciting. However, unlike its big brothers in the arcades there are no bends or chicanes or interesting background; just straight track which sometimes narrows. Despite the good sound effects its lack of graphic variety could lead to early pit stops for many players.

Competition of a more intellectual nature is involved in D.K.'tronics Slicker Puzzle. Here it is you against the computer. The puzzle consists of a series of concentric Zip Zap rectangles in different colours. These are fumbled up by the computer and you then have to rearrange them in the minimum number of moves. There are eight levels in this colourful and intriguing puzzle. After successfully completing a level you are given a coded message; all is revealed only after completing level 8. Anyone who enjoyed fiddling with Rubik's Cube will find Slicker puzzle an entertaining challenge.

From Program Power come Felix and the Fruit Monsters and Felix in the Factory. The first is a maze game which reworks the Pac-Man formula; Felix's job is to rush around protecting, rather than eating, the juicy strawberries and cherries. He can move the fruit, put the pursuing monsters to sleep by dropping an ether pool or blow them up by going over the magnetic pad in one corner of the screen. The monsters are angry apple-looking creatures — Granny Smiths, or possibly Golden Delicious — who mutate into something even nastier when they have consumed fruit. The graphics are clear and colourful and the game itself is quite tricky. Maze game fans should appreciate it.

In the factory Felix has to keep a generator filled with oil. The oil is at the top of the screen, and to get it he must climb ladders and negotiate conveyer belts. Monsters — of course there are monsters — can be disposed of by giving them a sharp poke with a pitchfork.

Optima's Atomic Protector has nothing to do with cricket in the nuclear age but is, in fact, another maze game. You must protect your isotopes from attack in a secret research establishment. To do this you bounce away the "alien robots" before they reach critical mess. It is good fun, with entertaining graphics.

In Quicksilva's Mined Out your task is to guide Bill the Worm through a minefield. You cannot see the mines, so progress must be slow. As you progress you cut swathes to safety; when you approach a mine a warning sounds. Thus, although you cannot seem them you can, with logic and luck, avoid the mines. From level 2 on you get bonuses for rescuing damsels in minefield distress. These ladies look more like oilcans than damsels, but if you get a bonus, who cares?

Beeb Art, also from Quicksilva is a very good graphics program. The instructions are clear, and once you have read them, you can do all sorts of wonderful things; draw diagrams, faces, shapes.

Above: Detail from Canyon Battle from BBC Soft.

Above: Detail of 3D Bomb Alley from Software Invasion.

Company	Program	Price
Acornsoft, 4a Market Hill, Cambridge.	Carousel	£9.95
Alligata, 178 West Street, Sheffield, S14 ET.	Monaco	£7.95
BBCSoft, 35 Marylebone High Street, London, W1M 4AA	Canyon Battle	£10.00
	White Knight Mk. 2	£11.50
	Vu-Type	£16.10
D.K.'tronics Shire Hill Industrial Est., Saffron Walden, Essex.	The Slicker Puzzle	£6.95
Gemini Software 18a Littleham Road, Exmouth, Devon.	Caterpillar	£9.95
	Missile Control	£9.95
Program Power, 8a Regent Street, Chapel Allerton, Leeds 7.	Felix in the Factory	£7.95
	Felix and the Fruit Monsters.	£7.95
Quicksilva, 13 Palmerston Road, Southampton.	Mined Out	£6.95
	Beeb Art	£14.95
Optima Software 36 St. Petersgate, Stockport, Cheshire.	Atomic Protector	£8.95
Softspot, 29 South Crescent, Prittlewell, Southend, Essex.	Transistor's Revenge	£6.95
	Heist	£6.95
Software Invasion, 50 Elborough Street, London, SW18	3D Bomb Alley	£7.95
	Attack on Alpha Centauri	£7.95
Visions, 1 Felgate Mews, Studland Street, London, W6.	Snooker	£8.95
	Daredevil Denis.	£7.95

QUITE SIMPLY, IF IT'S SPECTRUM SOFTWARE, WE'VE GOT IT!

* FREEPOST SERVICE!
* FREE CATALOGUE WITH FIRST ORDER!

☑ Please tick the titles you wish to purchase



OVER 300 GAMES IN STOCK!

AND THESE ARE JUST A FEW OF THEM!

Abacus ☐ SENTINEL 16K £5.00 *** Abbex ☐ COSMOS 16K £5.95 ☐ FAUSTS FOLLY 16K £5.95 ☐ E.T.X. 16/48K £5.95 *** Abersoft ☐ WIZARD'S WARRIORS 48K £4.95 ***** Addictive Games ☐ FOOTBALL MANAGER 16K £6.95 *** A+F ☐ CRAZY BALLOONS 16K - £5.75 ☐ FROGGER 48K £5.75 ☐ JUNGLE FEVER 16K £6.90 ☐ PAINTER 48K £5.75 **** Anirog ☐ MISSILE DEFENCE 16K £5.95 ☐ SLAP DAB 16K £5.95 ☐ KONG 48K £5.95 ☐ GALACTIC ABDUCTORS 16K £5.95 *** Arcade ☐ LAST SUNSET FOR LATTICA 48K £5.50 ☐ THE DETECTIVE 48K £5.50 ☐ RAIDER OF THE CURSED MINE 48K £5.50 ☐ GRIDRUN - 48K £5.50 *** Artic ☐ 3D COMBAT ZONE 48K £5.95 ☐ KRAKIT 16K £9.45 ☐ COSMIC DEBRIS 48K £4.95 ☐ DIMENSION DESTRUCTORS 48K £5.95 ☐ GALAXIANS 16K £4.95 - ☐ CHESS II 48K £9.95 *** Blaby ☐ GOTCHA 48K £5.50 ☐ PLUGGIT 48K £5.50 - ☐ BARMY BURGERS 48K £5.50 ☐ KILLER KONG 48K £5.50 ☐ DODO 48K £5.50 ☐ CHOPPER RESCUE 48K £5.50 ☐ SHUTTLE 48 £4.95

contd.

Blaby contd.
☐ CONFUSION 48K £4.95 ☐ HIGH RISE HARRY 48K £4.95 - - ☐ KOSMIC PIRATE 48K £4.95 ☐ GOLD DIGGER - 48K £4.95 *** Automata ☐ PIMANIA 48K £10 ..... ☐ GROUCHO 48K £10 ☐ GO TO JAIL 48K £6 ☐ BUNNY plus E.T.A. 16K £5 *** A.W.A. ☐ BEDLAM 16K £5.95 ******** Boss UK ☐ TURBODRIVER 16K £5.95 *** Bug-Byte ☐ MANIC MINER 48K £5.95 ☐ STYX 16K £5.95 ☐ POOL 16K £5.95 ☐ GENERAL ELECTION 48K £6.95 ***** Bytewell ☐ HIDDEN CITY 16K £5.95 *** C.C.S. ☐ GANGSTERS! 48K £6.00 - - ☐ PLUNDER 48K £6 ☐ DALLAS 48K £6 ☐ CORN CROPPER 48K £6 ☐ AUTO CHEF 16K £6 ☐ BRITISH LOWLAND 48K £6 ☐ SMUGGLER 48K £6 ☐ POLARIS 48K £6 ☐ BYTE 48K £5 ☐ ABYSS 48K £5 ☐ CAMELOT 48K £5 *** C.D.S. ☐ BOZY BOA 16K £5.95 ☐ GOBBLE A GHOST 16K £5.95 ☐ SPECTRUN SAFARI 48K £5.95 ☐ REVERSI 16K - £5.95 *** CP Software ☐ SUPER CHESS II 48K £7.95 ☐ ZX DRAUGHTS 48K £5.95 * ** C.R.L. ☐ TEST MATCH 48K £6.95 ☐ STAR GAZERS SECRETS 48K £6.95 ☐ DERBY DAY 48K £5.95 ☐ WOODS OF WINTER 48K £5.95 *** Crystal ☐ ROMMEL'S REVENGE - 48K £6.50 ☐ INVASION OF THE BODY SNATCHAS! 48K £6.50 ☐ THE ISLAND 48K £7.50 ☐ DUNGEON MASTER 48K £7.50 ☐ HALLS OF THE THINGS 48K £7.50 ☐ COSMIC GUERILLA 16K £5.50 *** D.J.L. ☐ FROGGY 16K £5.95 *** DK Tronics ☐ TROM 16K £5.95 ..... ☐ 2003 A SPACE ODDITY 48K £4.95 ☐ MAZIACS 48K £6.95 ☐ TRAMIX 16K £4.95 ..... ☐ SPEED DUEL 48K £5.95 ☐ APPLE JAM 48K £5.95 ☐ STAR TREK 3000 48K £4.95 .... ☐ HARD CHEESE 16K £4.95 ☐ JUMBLY 48K £6.95 ☐ 3D TANX 16K £4.95 ☐ DICTATOR 48K £4.95 ☐ GOLDMINE 16K £4.94 *** Fantasy ☐ PYRAMID 48K £5.50 ☐ VIOLENT UNIVERSE 16K £5.50 ☐ THE BLACK HOLE 16K £5.50 *** Gilsoft ☐ 3D MAZE OF GOLD 16K £5.95 .. ☐ MAGIC CASTLE 48K £4.95 *** Hewson ☐ HEATHROW A.T.C. 16K £7.95 ☐ QUEST 48K — £5.95 ☐ 3D SPACE WARS 16K £5.95 ☐ NIGHTFLITE 16K £5.95 ☐ BACKGAMMON 16K £5.95 .. ☐ COUNTRIES OF THE WORLD 16K £5.95 *** I.C.L. ☐ EMBASSY ASSAULT 16K £4.95 ******* Imagine ☐ ZZOOM 48K £5.50 ☐ ZIP ZAP 48K £5.50 ☐ JUMPING JACK 16K £5.50 ☐ MOLAR MAUL 16K £5.50 ☐ AH DIDDUMS 16K £5.50 ☐ ARCADIA 16K £5.50 ☐ SCHIZOIDS 16K £5.50 *** Impact ☐ DESTROYER 16K £6.50 ☐ ZX TREK 48K £6.50 ☐ THE QUEST 48K £6.50 ☐ 3D MAZE 48K £5 ☐ ORB 48K £5 ☐ SPECMAN 16K £5.75 *** JK Greye ☐ 3D VORTEX 16K £5.95 * ** Legend ☐ VALHALLA 48K £14.95 *** Lothlorien ☐ ROMAN EMPIRE 16K £5.50 ☐ TYRANT OF ATHENS 16K £5.50 ☐ WARLORD 48K £5.50 ☐ SAMURAI WARRIOR 16K £5.50 ☐ JOHNNY REB - 48K £5.50 ☐ REDWEED 48K £5.50 *** Micromania ☐ CYBOTRON 16K £5.95 ☐ TUTANKHANUN 48K £5.95 *** Melbourne Hse ☐ HOBBIT 48K £14.95 ☐ PENETRATOR 48K £6.95 ☐ TERROR DAKTIL 4D 48K £6.95 ☐ MELBOURNE DRAW 48K £8.95 *** Micromega ☐ LUNA CRABS 16K £6.95 ☐ HAUNT-ED HEDGES 16K £6.95 *** Mikrogen ☐ SCRAMBLE 16K £5.50 ☐ SORCEROR'S CASTLE 16K £5.50 .. ☐ MASTER CHESS 48K £6.95 ☐ COSMIC RAIDERS 16K £5.95 ☐ MAD MARTHA 48K £6.95 ☐ MAD - MARTHA II 48K £6.95 ☐ GREAT BRITAIN LTD. 48K £6.95 ☐ INHERITANCE 48K £6.95 ☐ PANIC 16K £5.95 *** Neptune ☐ STARTREK/MUNCHMAN 48K £5.50 *** New Generation ☐ CORRIDORS OF GENON 48K £5.95 ☐ KNOT IN 3D 48K £5.95 ☐ 3D TUNNEL 16/48K £4.95 ☐ ESCAPE 16K £4.95 ********** Ocean ☐ TRANSVERSION 16K £5.90 ☐ WIMPEY 48K £5.90 ☐ RESCUE 48K £5.90 ☐ KONG 48K £5.90 . ☐ ROBOTICS 16K £5.90 ☐ DIGGER DAN 16K £5.90 ☐ ARMAGEDDON 16K £5.90 *** Pagesoft ☐ PASP-HAN 48K £4.99 *** Phipps Assoc ☐ THE FOREST 48K £9.95 ☐ GREEDY GULCH 48K £4.95 ☐ MAGIC - MOUNTAIN 48K £4.95 ☐ PHARAOH'S TOMB 48K £4.95 ☐ KNIGHT'S QUEST 48K £5.95 ☐ GORGON 48K — £4.95 ☐ THE BLACK PLANET 48K £5.95 ☐ SPECTRUM POCKET BOOK 16K £5.95 ☐ DOMINOES 16K £4.95 ☐ NOWOTNIK PUZZLE 16K £4.95 *** Postern ☐ 3DEEP SPACE 48K £7.95 ☐ SHADOWFAX 16K £6.95 ... ☐ SNAKE PIT 16K £6.95 ☐ SIEGE 16K £6.95 *** Psion ☐ HUNGRY HORACE 16K £5.95 ☐ HORACE GOES SKIING 16K £5.95 ☐ HORACE & THE SPIDERS 16K £5.95 ☐ FLIGHT SIMULATION 48K £7.95 ☐ COMPUTER SCRABBLE 48K £15.95 *** Procom ☐ BREAKAWAY 16K £5.95 *** Protek ☐ HUNTER-KILLER 48K £7.95 .. ☐ AIRLINER 16K £5.95 ☐ ROADRUNNER 16K £5.95 ☐ SPECTRAPEDE 48K £5.95 ********** P.S.S. ☐ LIGHT CYCLE 16K £5.95 ☐ DEEP SPACE 48K £5.95 ☐ MAZE DEATH RACE 16K £4.95 ... ☐ GHOST HUNT 16K £4.95 *** Perfection Software ☐ ODYSSEY I 16K £5.95 **********

Puffin Books
☐ WARLOCK OF FIRETOP MOUNTAIN 48K £6.95 *** Quicksilva ☐ GAMES DESIGNER 48K £14.95 ☐ 3D ANT ATTACK 48K £6.95 .. ☐ BUGABOO (THE FLEA) 48K £6.95 ☐ TRAXX 48K £6.95 ☐ GRID - RUNNER 48K £6.95 ☐ AQUAPLANE 48K £6.95 ☐ 3D STRATEGY 16K £6.95 ☐ SMUGGLER'S COVE 48K £6.95 ☐ KADOM 48K - £6.95 ☐ VELNOR'S LAIR 48K £6.95 ☐ ASTRO BLASTER 16K £4.95 ☐ THE CHESSPLAYER 48K £6.95 ☐ EASYSPEAK 48K - £4.95 ☐ MINED-OUT 48K £4.95 ☐ TIMEGATE 48K £6.95 ... ☐ FRENZY 16K £4.95 ☐ TRADER 48K £9.95 ☐ METEOR STORM 16K £4.95 *** Rabbit Software ☐ ESCAPE M.C.P. 16K £5.99 ☐ RACE FUN 48K £5.99 ☐ PHANTASIA 48K £5.99 ☐ FROGGER 16K £5.99 ☐ QUACKERS 16K £5.99 ☐ CENTROPODS 16K £5.99 *** Richard Shepherd ☐ DEVILS OF THE DEEP 48K £6.50 ☐ INVINCIBLE ISLAND 48K £6.50 ☐ SHIP OF THE LINE 48K £6.50 ☐ SUPERSPY 48K £6.50 ☐ EVEREST ASCENT 48K £6.50 ☐ SUPERSPY 48K £6.50 ☐ TRANSYLVANIAN TOWER 48K £6.50 *** Romik ☐ SHARK ATTACK 16K £5.99 ☐ SPECTRA SMASH 16K £6.99 ☐ 3D MONSTER CHASE 16K £6.99 .. ☐ COLOUR CLASH 16K £7.99 ☐ GALACTIC TROOPER 16K £5.99 ********** Silversoft ☐ ORBITER 16K £5.95 ☐ GROUND ATTACK 16K £5.95 ☐ CYBER RATS 16K £.95 ☐ SLIPPERY SID 16K £5.95 ☐ MUNCHER 16K £5.95 ..... ☐ ARMAGEDDON 16K £5.95 ☐ EXTERMINATOR 16K £5.95 ☐ MISSION IM-POSSIBLE 16K £5.95 ☐ BRAIN DAMAGE 16K £5.95 ☐ STARSHIP ENTERPRISE 48K £5.95 *** Softek ☐ FIREBIRDS 16K £5.95 ☐ OSTRON 16K £5.95 . ☐ MONSTERS IN HELL 16K £5.95 ☐ ROBON 16K £5.95 ☐ REPULSAR 16K £5.95 *** Sunshine Books ☐ CRUISING ON BROADWAY 16K £4.95..... ☐ BLIND ALLEY 16K £4.95 ☐ GALAXY ATTACK 48K £5.95 ☐ ANDROIDS 48K £5.95 *** Titan ☐ GROUND FORCE ZERO 16K £5.00 ☐ ALIEN --- SWARM 16K £5.00 *** Ultimate ☐ LUNAR JETMAN 48K £5.50 ☐ ATIC ATAC 48K £5.50 ☐ JETPAC 16K £5.50 ☐ TRANZ AM 16K £5.50 ..... ☐ PSSST 16K £5.50 ☐ COOKIE 16K £5.50 *** Virgin Games ..... ☐ YOMP 16K £5.95 ☐ GOLF 16K £5.95 ☐ SHEEPWALK 48K £5.95 .. ☐ STARFIRE 48K £5.95 ☐ RACING MANAGER 48K £5.95 ☐ ROBBER 48K £5.95 ☐ LOJIX 48K £5.95 ☐ QUETZALCOATL 48K £5.95 ..... ☐ SPECTRON 48K £5.95 ☐ LOST 48K £5.95 ********** Workforce ☐ WINGED AVENGER 16K £5.00 ☐ JAWS REVENGE 16K - £5.00 ☐ DOOM BUGS 16K £5.50 ☐ HIGH NOON/BASE INVADERS & SCRAMBLE 16K £6.50 ☐ TRIPLEX 48K £5.50 ☐ PIRATE ISLAND - 48K £5.50 ☐ DO NOT PASS GO 48K £6.95 ☐ YAHTZI 48K £5.50

Artic Adventures ☐ (A)PLANET OF DEATH 16K £6.95 ☐ INCA CURSE 48K £6.95 ☐ (C)SHIP OF DOOM 48K £6.95 ☐ (D)ESP-IONAGE ISLAND 48K £6.95 ☐ (E)GOLDEN APPLE 48K £6.95 **

Intelligent Software ☐ CYRUS IS CHESS 16/48K £9.95 **

Digital Fantasia (Mysterious Adventure Series)
each 48K £9.95 ☐ (1) THE GOLDEN BATON ☐ (2) THE TIME MACHINE ☐ (3) ARROW OF DEATH PART 1 ☐ (4) ARROW OF DEATH PART 2 ☐ (5) ESCAPE FROM PULSAR 7 ☐ (6) CIRCUS ☐ (7) FEASABILITY EXPERIMENT ☐ (8) THE WIZARD AKYA... ☐ (9) PERSEUS & ANDROMEDA ☐ (10) TEN LITTLE INDIANS

SPECIAL INTRODUCTORY OFFER!

(only with this coupon)

£1 off purchase price for 2 cassettes
£2 off purchase price for 3 cassettes

(subtract from the total on the order form)

Please send me your catalog only I enclose 50p (stamps or P.O.) which I understand will be refunded with my first purchase ☐

No stamps needed! Just use the FREEPOST address below.

*TOTAL ENCLOSED £

(Remember to subtract offer amount)

If you would prefer a faster service than FREEPOST can offer - send your order form with a FIRST CLASS STAMP to the freepost address & we'll send your games by return, first class.

All prices shown include VAT & postage.

*Please make checks & postal orders payable to CRASH MICRO.

Name | Address | Postcode

CRASH MICRO, FREEPOST (No stamps), LUDLOW, SHROPSHIRE SY8 1BR ☎ 0584 5620 YC

Are the extras worth the extra? David Stobie takes a Peek and a Poke at the 32's big-memory brother.

DRAGON DATA has refused to accept the challenge offered by newer arrivals on the market such as the Electron or the Elan and instead of producing a new machine has concentrated on enhancing its old one. A 64K version of the Dragon is now available at a number of high-street stores for £229.

As a long-standing Dragon user, I was excited to find out just how different the new machine was. On opening the box, I discovered that it looked just like the old one. It had the same large and sturdy plastic case, and the same keyboard with real keyswitches. Admittedly it was a smarter grey colour and had the number 64 rather than 32 alongside its rainbow-coloured logo. Closer inspection revealed that it had an extra DIN socket, beside the three for joysticks and the cassette port. This is an RS-232 interface which allows communication between the Dragon 64 and other computers or peripherals, such as serial printers.

I switched on to exactly the same boring green display that I was so used to on the 32. The manual that comes with the machine is identical to that for the 32, but there is an eight-page supplement that tells us all about the extras available on the 64. When switched on, the 64 is actually as 32 and is fully software compatible with the 32. So all cassettes and cartridges work as normal.

To "convert" it to a 64 you need to call up a little bootstrap by typing in EXEC. On doing this, you are greeted by exactly the same turn-on screen but this time the cursor has turned blue. Typing

```
PRINT MEM
```

will tell you that you have 41,241 bytes of user memory available. This is 16,370 bytes more than the 24,871 free on the 32. Of course, with both machines this is extendable by clearing some of the space saved for high-resolution graphics, if you are not using them. Similarly, if you are working in machine code then you do not need the Basic interpreter so the whole 64K becomes available for user programs.

One thing that I have discovered is that some existing machine-code programs do not work in the 64K mode.

The space for the extended memory means that the Basic interpreter has to be shifted



elsewhere. Where would you guess it has been shifted to? The answer is that it has been placed over the address of the cartridge port, thus making the port unuseable. This does not affect games that may be used as normal — you need to turn off the power in order to plug in a cartridge, and when you switch on you are automatically in 32 mode — but it does affect such utilities as a cartridge word processor, or a machine-code monitor or assembler, all of which could make excellent use of the extra space that would be available.

This also denies the use of the cartridge port for other expansions; as a CPU extension bus, it can be used for a variety of peripherals, control and even for a second processor.

Disc drives also use the cartridge port but the operating system is provided by the disc OS and the Basic interpreter is not needed. This leads to one of the chief advantages of the Dragon 64. OS-9 is a powerful 6809 operating system with a great deal of software for business and other "serious" uses. OS-9 needs the memory space available to the 64 and cannot operate on the 32.

As already mentioned, the RS-232 port can be used for communication both with other computers and databases and with serial peripherals; a printer or a plotter. Extra commands are available for using the port; DLoad and DLoadM replace CLoad and CLoadM. Machine-code Pokes are needed to use the RS-232 as a serial printer port and further Pokes may be used to alter the baud rate — the speed at which characters are transmitted. This may need to be altered to match up with the communicating equipment.

The port may also be used with a Modem or acoustic coupler to send or receive data through a telephone line. There is another drawback here though as many databases are transmitted in teletext mode which is not available on the Dragon.

The other new facility available on the 64 is auto-repeat on the keys and, no doubt in answer to criticisms of the 32, a much faster keyboard response. I am no touch-typist but I frequently find on the 32 that if I type "the" or "Run" quickly, I often end up with "te" or Rn because the keyboard cannot keep up with me. This is put right in the 64 and may be added to the 32 mode on the 64 machine with, inevitably, another series of Pokes. These do not work on the old 32 machine; I tried.

The infamous USRO bug has been put right on the new machine. All USR1 USR2 etc., calls now work instead of all defaulting to USR0. In fact, there was a cure for this on the old machine. If you defined user calls as USR01, USR02 etc., they worked correctly. They have also had to juggle with numbers a little so that memory or variable pointer addresses do not become negative numbers if they go above 32768.

The 64 then is a powerful business machine if one wishes to make use of the RS-232 port and/or OS-9 with discs but for the ordinary man in the street there seem to be few advantages and even some disadvantages. The extra memory will appeal to some but do not

BIG BROTHERS

forget that 32K is already a lot of memory and should be plenty for most home-computer applications. The 64 is really a 32 with the extra facilities stitched on instead of a really new machine. Execs and Peeks and Pokes are needed to use most of the new facilities when they should be an integral part of the machine.

After a year-and-half's experience, I think it is worth having a second look at the Dragon 32. Theoretically it has one of the very best eight-bit processors, the Motorola M6809E which is halfway between an eight- and a 16-bit micro with a large number of instructions.

The Extended Microsoft Colour Basic is a very complete and powerful version with a number of graphics instructions, Paint, Fill, Circle etc., not available on other micros.

The line editor takes some getting used to but works well. The Dragon's greatest disadvantage is the alphanumeric display. Only 16 lines of 32 characters. No lower-case letters, no variation in Ink or Paper, just the same boring black on green — or green on black if you like. The four-colour graphics high-resolution modes seem to choose the ugliest colours possible.

I know that secret colours may be extracted and that text may be added to the high-resolution — 254 by 200 — display by some clever machine-code programming or tedious Pokes, that upper- and lower-case characters may be user-defined on the high-resolution screen but this should not be necessary; they should be there as standard.

However, there are compensations. The keyboard is physically very good with solid typewriter keys and a spacebar. There are no single-key entries as there are on the Sinclair computers, there are no programmable function keys, though this is easy to simulate:

```
IF INKEY$    X THEN GOTO
```

The cassette interface is very reliable and there are few Loading and Saving problems.

Other hidden advantages are that the joysticks ports accept analogue inputs and so may be used for temperature sensors or other transducers. The printer port may also be used to provide digital input/output facilities.

The Dragon is software-orientated so that almost any facility needed can be provided by a program instead of an add-on piece of hardware. For instance Dragon Data with its Compuvoice cassette showed how easy it was to have a speech synthesiser when most other computers need a dedicated chip.

It seems a shame that Dragon Data has not put right the shortcomings of the 32 with its new machine. It might have meant taking a bit of a risk, perhaps abandoning the compatibility with the Dragon 32. But I am sure it would have been a great success.

CONCLUSIONS

- The Dragon 64 is really a Dragon 32 with extra memory, an RS-232 port and auto-repeat on the keyboard. These are loosely cobbled on to the 32 rather than being an integral part of the machine.
- For ordinary home-computer use there are few advantages over the Dragon 32, but the 64 will come into its own with discs when the OS-9 operating system can be used and the RS-232 port handles communications.
- This indicates a business machine, where it comes into competition with a large number of other computers, most of which have better display facilities. However at the low price of £229 it is still good value. ■

ATARI 800XL

Fireball — or just go-faster stripes for the old 800? Jack Schofield sits at the controls of the new XL.

BIG BROTHERS

THE ATARI 800XL is just the same as the 600XL, reviewed in the November issue of *Your Computer* — except for one thing: it has 64K of memory instead of 16K. The larger memory is arranged as eight 64K by one-bit chips at the back of the main board, behind the cartridge slot. Thus the 800XL case is slightly deeper.

The 800XL is also pretty much the same as the old 800 in most respects, except for having four extra graphics modes and two fewer joystick ports.

Like the 600XL, the 800XL is a very well designed and well-made machine. It should be, being essentially a reworking of the familiar Atari 800, first launched at the end of 1979.

The thinking behind the XL range is, however, radically different. The original 800 was designed to be both a consumer product and a rival to the main competition, the Apple II. It was designed to be internally modifiable by the average user. Thus the 48K memory was on three 16K cartridges, only one being supplied as standard.

The operating system was in a separate cartridge, in case someone wanted to use alternatives, as later appeared. Similarly the Basic was on yet another separate cartridge, so it could be removed and replaced with an alternative language or assembler — for example the Atari Assembler Editor or MicroSoft Basic II — or simply to free extra memory space for machine language programs.

While all this thinking was very laudable in 1979, it is out of date today, when the competition is not Apple but Commodore.

Now the accent is on making the cheapest possible high-specification machine, which means putting everything on a single board in the smallest possible number of chips, which is what Atari has done. The 800XL now has about a third of the number of chips of a BBC Model B, and far fewer pieces than the old Atari 800.

Thus the 800XL has only eight RAM chips, while the Basic and operating system are on 8K and 16K ROMs on the main board. You cannot remove them, though of course you can still switch out the Basic to use alternative languages and games. But the result is that no internal expansion is possible.

Therefore, Atari has provided for external expansion, by giving access to an edge connector on the main board via the back of the case. This will lead to a cage-type expansion box, familiar in the U.K. on many small micros.

Apparently some of the existing independent cards such as the Bit-3 80-column card, Z-80 add-ons and the 8088 card, some of them designed to plug inside the 800 instead of a memory card, will be adaptable to the expansion box. Atari itself has many other ideas for its own add-ons too.

The previous 800 also had an external expansion unit, the peripheral box. This hung on the serial output port and provided four RS-232C ports and a parallel printer port for something over £100.

Instead Atari is now producing all its peripherials with two serial ports, and offering a range of four printers which all work on this.

For example, you can plug a disc into the micro, cassette recorder into the disc, and a

letter-quality printer into the cassette. Unlike the BBC Micro, you do not need an extra chip to run discs. Incidentally, these new peripherals also run on the old 400 and 800.

Here you discover the real beauty of Atari's tiny operating system, which is the same in the 800XL as in the 800 and 400. If you want to Save the file test to disc it is just

Save "D:Test"

To Save it to cassette just use "C:" and so on.

If that is too easy, there are CSave and CLoad for cassette operation, plus eight channels that you can use in the usual Open #1 style. All this means that while the serial bus is inherently fairly slow, it is very convenient to use.

Turn on the power and the 800XL comes up with white letters on a blue screen and 37.5K free to Basic. The mode 0 text screen is 40 columns by 24 characters, with a two-character margin, plus a border outside that to preclude losing text due to overscan on the TV. It is more legible than the Commodore 64 screen, though there is slightly less memory free to Basic.

Typing GR.1 changes the display to a mode 1 screen with five colours and a double-width character set offering 20 characters by 24 lines. There is a four-line mode 0 text window at the bottom of the screen, which you can get rid of by adding 16 to the mode number.

Typing GR.2+16 puts you into mode 2 without text window, with five colours and double-width, double-height characters. The format is 20 characters by 12 lines. This is the last of the three character sets provided, except that the XL range also has a set of international and foreign language characters, including the good old £ sign.

Incidentally, each character set includes 29 block graphics characters which can be entered using Control from the keyboard.

There are 16 graphics modes in all, with the highest resolution being 320 by 192 pixels. The maximum number of colours is 16 or, alternatively, it is possible to have a maximum number of 16 shades of one colour.

A five-colour Mode 2 screen requires only 420 bytes of RAM, and the maximum taken by any mode is under 8K. This gives the Atari a considerable advantage over some machines that use from 8K to 20K of RAM for this.

The modes are controlled by a custom graphics chip called Antic, which has as its program the Display List. By Poking the display list it is possible to mix a number of modes on the screen at the same time and thus increase the number of colours. In fact it is possible to display all 16 shades of 16 colours to produce 256 colour patches. But this is for display only — I can see no practical value.

The colour information is held in shadow registers using the Setcolor (SE.) command from Basic, and these are used to update the hardware registers. It is simple to use variables in Setcolor statements and thus change or cycle screen colours rapidly. The BBC uses VDU commands in a similar way.

Other Basic commands like Plot and Draw to make it easy to produce graphics, and XIO is used to fill areas — among other things. There is no Circle command.

The Atari also has hardware sprites, which the Acorn BBC and Electron micros lack, but which the Commodore 64 has. The Atari has four eight-bit sprites or "players" and four two-bit missiles which can be combined to make another sprite if required. This is fewer than the CBM-64, though it is quite enough considering that, as with the CBM-64, there are no sprite commands in Basic.

All round the Atari graphics are about as powerful as the BBC and Commodore 64 graphics, if not more so. The Atari has the advantage of more modes and more colours than either. The graphics takes up much less RAM than the BBC modes and are much easier to use than the Commodore 64's graphics which are unsupported by Basic.

The Atari sound commands also relate to BBC and Commodore 64 sound commands in a similar way. The Atari has four synthesised sound channels numbered 0 to 3, with parameters to control frequency — i.e., the note — tone quality — from rasp to clear tone — and loudness respectively. Thus a sound command takes the form Sound 0,212,10,8.

This makes the sound far easier to use than on the BBC, though of course delay loops have to be used lacking the BBC's long string of envelope commands.

The sound quality of the Atari is also better in being output via the TV, instead of using a small built-in speaker.

The limitation of the Atari sound is that Basic only offers notes from 0 to 255. However, as the Atari's tones are divided between 3.5 octaves, there is a reasonable match between tones and at least a few musical notes.

The Atari contains a special custom sound chip called Pokey, and the hardware can be Poked to produce sounds directly. This provides a range of about nine octaves, very close to the Commodore 64.

The Atari also has a further sound facility, which is, I think, unique. It uses a dedicated stereo cassette recorder with one data track and one sound track. This means sound from the tape can be output via the TV, even during the loading of a program, as is done on Atari's Lone Raider game. This makes the Atari ideal for things like learning conversational languages, and for integrating real, not synthetic, voices into programs.

	Benchmarks							
Machine	**CPU**	**BM1**	**BM2**	**BM3**	**BM4**	**BM5**	**BM6**	**BM7**	**MEAN**
BBC Model B	6502	1.0	3.1	8.3	8.7	9.2	13.9	21.9	10.7
Commodore 64	6510	1.0	10.5	19.2	20.0	21.0	32.2	51.6	25.1
Atari 800XL	6502	2.2	7.3	19.7	24.1	26.3	40.3	60.1	29.2
Sinclair Spectrum	Z 80	4.8	8.7	21.1	20.4	24.0	55.3	80.7	33.6

The Atari standard Basic's good points are that it contains a good range of commands, has syntax checking on line entry, provides long variable names, is fully debugged, and takes up only 8K. The bad points are that it is not very structured, and that it is slow. Note that it is the Basic that is slow, not the hardware. Anyone who has played Atari's Defender will now that it is faster than Planetoids on the BBC or anything on the Commodore 64.

Taking Benchmarks 1 to 7 from *Kilobaud Microcomputing*, the Atari 800XL averages 29.2 seconds, which is between the Commodore 64 (25.1 seconds) and Sinclair Spectrum (33.6 seconds). But the BBC is *much* faster (10.7 seconds)!

Thus the Basic is a lot better than the primitive version 2 Basic of the Commodore 64, but not as good as the 16K Basic of the Acorn BBC — which is hardly surprising as it is only half the size. Probably the access that BBC Basic provides to the assembler is worth 8K of RAM.

The Atari's use of long strings and string slicing, adopted later by Sinclair, and syntax checking on line entry make the Atari suitable for Sinclair owners' upgrading.

The Atari already has a good selection of peripherals — including disc drives and printers — from the 400 and 800. These work with the XL machines. But a new range of peripherals is being launched in the new styling. These including a number of items simply not available for the BBC or Commodore 64, including an excellent touch tablet, a track-ball and the Gibson light-pen.

Printers include a dot-matrix model, a pen printer/plotter like the one for the Oric, Sharp and Tandy micros, a thermal printer, and a £299 letter-quality printer. ■

CONCLUSIONS

- The Atari 800XL, Commodore 64 and BBC Model B are three micros that stand out as being far superior to the Dragons, Tandys, Orics and Lynxs. The Spectrum is just too expensive when raised to the same specification. These three have better hardware, better keyboards, better Basics, more peripherals and better software. The average user would probably be delighted to own any of them. But if you have to choose:
- The Atari has the best games as well as a wide selection of good software, languages and peripherals, though there is very little U.K. business software. The real catch is, the software is expensive.
- The BBC has the best Basic and is best both for education generally and for learning to program. Also, it does not need a dedicated cassette recorder, like the other two. The catch is that, including disc chip, it is twice the price of the others. Also it has the smallest available RAM.
- The Commodore 64 is cheapest of the three, is well supported, and looks the best bet for home/small business software, though it currently has less software than the other two. The catch is, it has a primitive Basic and you would have to be batty to choose it for learning to program.
- The old advice remains the best advice: find the software you want, and buy the machine it runs on.

Flexibility for Spectrum users!

56-way I.D.C. connector and ribbon cable assembly, designed and manufactured by Varelco in conjunction with C.P.S. Ltd., to fit the Sinclair Spectrum computer.
Available in both single and double end format.
Also available, paddle board to convert female connector to male plug format.

Please send me the following:		Insert Quantity here
6" grey cable with connector each end	£8.99 each	
9" grey cable with connector each end	£9.49 each	
9" colour coded cable with one connector	£5.99 each	
12" colour coded cable with one connector	£6.49 each	
Paddle board for conversion to male plug format	£1.99 each	

Prices include VAT and Post & Packing

I enclose cheque/PO value £ _____

Block capitals please

Name _____

Address _____

_____ Town _____

County _____ Post Code _____

If paying by Access, enter number here

ACCESS □□□□ □□□□ □□□□ □□□□

Available from:
Hawnt Electronics Limited
Firswood Road, Garratts Green,
Birmingham B33 0TQ

Reg. in England No. 306808

SPECTRUM COMPUTER COVER & STAND

★ UNIT DOUBLES AS STAND FEATURING SUPPORTS AND COMPUTER LOCATIONS

COMPUTER CASES & COVERS
32 Langdale Ave., Loughborough, Leics. LE11 3RP
Tel. 0509 266923

EXPLORING SPECTRUM BASIC
Complements the Sinclair manual by explanations of BASIC programming techniques supported by over 50 full games & serious programs. 191 pages. £4.95

THE EXPLORERS GUIDE TO THE ZX81
The book for the ZX81 enthusiast. 152 pages of games, application and utility programs plus much useful information on machine language and hardware. "Immediate and lasting value" (P.C.W.). £4.95

Available from leading bookshops and computer stores, or direct from Timedata (U.K. P&P free, overseas customers add £1.50 per item for surface mail).

TIMEDATA Ltd.

16 Hemmells, Laindon, Basildon, Essex.
SS15 6ED Tel.: (0268) 418121

TIMEDATA

A COMPUTER BREAK DOWN, OR A COMPUTER BACK-UP?

WITH A MICROCARE WARRANTY

Some of the small print with a MICROCARE WARRANTY:

1. You may send your computer in for repair as often as necessary during the warranty period.
2. Your computer receives expert attention and care.
3. After repair it is thoroughly tested and returned as promptly as possible.
4. MicroCare's liability extends to the repair of electronic faults, includes all parts, or replacement of the computer if found to be irreparable.

You're purchasing an extra 12 months peace of mind . . . at very little cost. Just think: no need to scrap your computer if it goes wrong after the end of guarantee . . . no hassle with manufacturers . . . no problem with finding someone capable of professional repairs.

With a MICROCARE WARRANTY you can have your equipment up and running in days — not weeks! And there's no limit on the number of repairs during the warranty period!

So if you own a popular computer, there's a MICROCARE WARRANTY that's right for your machine. Why not buy a year's peace of mind now?
The sooner you do, the cheaper it could be

Write today, or phone your Access/Barclaycard number. There's no need to have a breakdown if your computer breaks down. With MICROCARE you'll always have professional back-up!

Model	SCHEME A Cost of 12 months warranty if less than 90 days old	SCHEME B Cost of 12 months warranty if more than 90 days old	SCHEME C Cost of 12 months warranty if manu-facturer's guarantee has expired.	ONE-OFF REPAIR SERVICE
Spectrum	**£12.90**	**£18.90**	**£25.90**	**£22.40**
ZX81	**£9.50**	**£13.90**	**£19.90**	**£15.50**
Atari 400	£14.90	£21.90	£29.90	£25.90
Atari 800	£14.90	£21.90	£29.90	£25.90
BBC A	£14.90	£21.90	£29.90	£25.90
BBC B	£14.90	£21.90	£29.90	£25.90
Commodore Vic 20	£14.90	£21.90	£29.90	£25.90
Commodore C64	£14.90	£21.90	£29.90	£25.90
Dragon	£12.90	£18.90	£25.90	£22.50
Acorn Electron	£14.90	£21.90	£29.90	£24.90
Oric	£12.90	£18.90	£25.90	£22.50
Comex 35	£12.90	£18.90	£25.90	£22.90
Lynx	£12.90	£18.90	£25.90	£22.90
Sirius	£12.90	£18.90	£25.90	£22.50
Jupiter Ace	£12.90	£18.90	£25.90	£22.50
Texas T199/4a	£12.90	£18.90	£25.90	£22.50

Please add £1.50 P&P.

MicroCare

7-9 Thane Works, Thane Villas, London N7 7PH. Tel: 01-609 7919

Please send me ..... warranty/warranties for scheme/s .....

..... for computer/s model/s .....

serial number/s .....

I enclose cheque for ..... made out to MicroCare,

or I would like to pay by Access or Barclaycard

and I enter my number and signature accordingly .....

Name ..... Occupation .....

Address .....

.....

Signature ..... Date .....

Please note that if you are applying for warranty under scheme A or B, please enclose the original manufacturer's warranty. It will be returned with your MicroCare warranty.

THE LYNX HAS BEEN available in 48K form since the beginning of 1983. Camputers has recently launched a 96K memory version with an enhanced ROM set, to be followed shortly by the 128K Lynx.

The additional 4K ROM in the 96K Lynx is the first in a series of planned expansions for the Camputers microcomputer.

The prices of the Lynx are as follows:

48K Lynx £225
96K Lynx £299
128K Lynx £445 available soon
48K to 96K upgrade £90

Not all the additional memory in the 96K Lynx is available for Basic programming. The extra 48K of memory has 24K masked out by the ROM. The masked memory has to be accessed using an Ext command and is only suitable for non-program type data storage.

The memory break down is as follows:

96K Lynx
38.5K Basic 23.5K Data 34K System
48K Lynx
14K Basic 34K System

The majority of the system memory is taken up by the colour screens that give the Lynx its excellent colour and pixel resolution of 256×248. Externally the only difference between the two machines is the inclusion of the number 96 on the Lynx logo.

Internally there are several subtle differences. The 4K Eprom in the spare socket is the most obvious, the PCB is now at issue three and incorporates all the early 48K machines wiring patches.

The major change occurs in the area below the speaker where the 6K chips have been replaced by 64K devices with changes to the

```
1 LET a$=""
5 POKE 23730,7
10 FORMAT "t";2400
20 OPEN #4;"t"
30 PRINT INKEY$#4;: GO TO 30
45 CLEAR #
46 FORMAT "t";600
47 OPEN #3;"t"
50 LET b$=""
55 FOR x=0 TO 17
60 FOR y=0 TO 31
65 LET a$=SCREEN$ (x,y)
66 IF a$="?" THEN GO TO 70
68 IF a$=";" THEN LPRINT b$: LET b$=""
: GO TO 70
69 LET b$=b$+a$
70 NEXT y
75 NEXT x
80 LPRINT
90 CLEAR #: STOP
```

Figure 1.

PCB links to accommodate the new larger memory devices.

The quality of the keyboard is poor for a proper keyboard machine. The reading of the keyboard was inconsistent as was the required keystroke travel needed to register an input. There were times when it appeared that my two-finger typing speed was too fast for the Lynx, which is not a good reflection on the characteristics of the display speed.

On virtually all cassette tape machines the remote socket is next to the mic socket. This enables the use of any one of a large number of remote microphones. Why, therefore, does the earphone plug colour match with the remote plug instead of the microphone plug matching the remote plug?

The cassette interface was extremely sensitive to levels, an additional leaflet on operating the Lynx wth a cassette recorder was provided but this is no substitute for an efficient reliable interface.

The television display from the 96K Lynx produced a lot more dot crawl than the 48K machines, but this I would suspect is merely a problem in the factory tuning of the modulator circuitry.

The version 2.0 of the Lynx ROM is now supplied with all new Lynx 48K and 96K computers. The Lynx executes a memory test on power-up to determine whether it is 48K or 96K, the latter being denoted by two beeps on switch-on.

Some of the original ROM errors have been corrected and a couple of the mathematical algorithms improved for speed.

The Lynx has both parallel and a serial output port sockets. The parallel output requires an interface pack before this mode of operation can be implemented: the pack costs £50.

The serial port is implemented in software, but this is not a true RS-232 serial facility. There are only three lines, in, out and ground, no DTR or CTS. It appears that the serial interface will only be suitable with printers capable of running at 2,400 baud and having a fairly substantial input buffer. The manual suggests the Seikosha GP-250X as being suitable.

Without adequate handshaking, I would suspect that the Lynx will not be able to act as part of a micro network. It was a real struggle to get data transfer via the serial interface in order to obtain the few listings that form part of this review. Figures 1 and 2 provide the programs used to establish the link.

I was only able to dump the Lynx data to a Spectrum screen through the serial interface and then process from there. It could be said that the Lynx is not meant to be networked to other micros; at this price it should.

Joystick and light-pen commands are incorporated in the 4K ROM extension. The joysticks require an interface — £15.

The Lynx version 2.0 ROM command set is well structured and reasonably comprehensive. The error messages are good and the line entry syntax check useful.

Many of the facilities of Lynx Basic remind me of BBC Basic. The structures are very good but lack the very simple On . . Goto and On . . Gosub. The ability to use machine code from within a Basic program and the use of VDU-type commands are also reminiscent of the BBC-type Basic.

The lack of multi-channel sound facilities is very noticable, the new inbuilt sound commands of Laser, Zap, Klaxon etc., are poor.

One bright spot on an otherwise cloudy horizon is the built-in monitor. This should enable fast machine-code program development when coupled with the quite reasonable set of Basic to machine-code links.

The 23K Data store can be segregated into 48 discrete components in any combination of length and number to fill the available data store. The extended Lynx Basic command Ext is used to prefix a series of commands similar to Basic's Read, Data and Restore i.e., Fetch, Store and Back.

Data files can be Chained, Saved and Loaded, even stored in integer format. Whether this is a new way of partitioning to improve memory efficiency, or just a means of

```
100 CLS
105 DIM A$(40)
120 LET A$=""
110 FOR A=14336 TO 15820
115   IF PEEK(A)=44 THEN  GOTO 140
116   IF PEEK(A)=182 THEN  GOTO 140
120   IF PEEK(A)>32 AND PEEK(A)<128 THEN
  LET A$=A$+CHR$(PEEK(A))
130   IF PEEK(A)>128 THEN  LET A$=A$+","
+CHR$(PEEK(A)-128)
132   IF PEEK(A)=0 THEN  LET A$=A$+","
135   IF LEN(A$)>32 THEN  GOTO 170
140 NEXT A
151 LPRINT A$
152 PRINT A$
155 BEEP 2000,100,60
160 STOP
170 LPRINT A$
171 PRINT A$,
180 LET A$=""
190 GOTO 140
```

Figure 2.



BIG BR

trying to get some use out of memory not properly bank switched, I shall reserve judgment.

The remaining extended Basic commands include facilities for circle, clear window, fill triangle, error trap and video reset.

The 96K Lynx is supplied with an additional eight-page 96K User Manual, which briefly explains each of the new commands.

The fact that only eight pages are required to explain the benefits of the 96K Lynx over the smaller 48K machine is more a reflection on the inadequacies of the documentation than poor value for money. I think that more detailed explanations would be advisable, but this could be said of the Lynx manual as well.

The data store concept as implemented is not documented elsewhere in other literature and I think that in this area at least a few guidelines on various uses with examples are essential if the majority of Lynx users are not

LYNX 96

The big cat is back. Kathleen Peel takes the turbo version of the Lynx for a spin.



OTHERS

to allow this memory to fall into disuse by default.

When the Lynx was launched nearly a year ago, the price of the 48K Spectrum was £175, only £50 less than the 48K Lynx which, when taking into account the keyboard, superior colour graphics and built-in monitor, was probably reasonable even allowing for the Lynx's bad points.

Today the price of the Spectrum has fallen to £130, but the Lynx price has remained the same where it now faces competition from the Electron and more seriously the latest offering from Atari and the Commodore 64.

The Atari and Commodore machines have proven, although limited, CP/M capability and large libraries of quality software, if Commodore can quickly overcome the current reliability problems of one of its products and Acorn is able to manufacture the Electron in large numbers, life will be very difficult for the Lynx.

CONCLUSIONS

- The keyboard is one of the worst real keyboards I have come across for predictability. Better than most moving-key keyboards, but only just.
- The vertical wrap-around scrolling of the screen is not implemented on any other popular micro and can be a real nuisance.
- Not all the RAM is available for programs. Setting aside that required for high-resolution colour graphics as reasonable, 40 percent of the remainder is for data only and is not available to store a Basic program.
- The cassette interface reminds me of a ZX-81. Large memory can mean a large program and if it is stored on cassette, it has to be capable of extremely reliable loading.
- The serial port is not an RS-232 implementation with DTR and CTS control. Just three lines make computer-to-computer working extremely difficult. The interface is configured for a printer with a buffer.
- There is no parallel printer facility without the hardware which is an add-on extra.
- It is an expensive games machine, without the huge library of software available to some of its rivals. As a business machine it still cannot run CP/M. For this you need the 128K Lynx and that is £445 and not yet available.
- One of the problems of expandability and longevity is that previous system failings tend to be perpetuated in order to sustain the idea of an expandable system. It may be more politic to remove some of the design restraints and go for a more user-friendly approach.

■

Spot the difference. The two-tone grey Elan in the foreground is the original wooden dummy, while the dark grey machine in the background is the finished product.

As the countdown continues till the £200 Elan hits the shops Meirion Jones finds out how a new computer is designed

PANIC HIT the Elan team just three days before the press launch of their new computer. A vital component of the keyboard, a rubber mat cushioning the plastic keys, was not ready but the show still had to go on.

Geoff Hollington and Nick Oakley who designed the case and keyboard spent 72 hectic hours chopping up rubber membranes from old intercoms and supergluing them into place beneath the keyboards of the demonstration machines. As often as not they found themselves glued to the keyboard, the case or the table but with the help of an out of work designer they dragged off the street, by the morning of the launch they were able to get themselves unstuck and turn up with enough machines to show the press.

What made the biggest impression though, was not the stylish looks of the Elan but the specification. No wonder Robert Madge the team leader of the whole Elan project was smiling as he outlined the capabilities of his micro.

With 64K RAM, full size keyboard, built-in word processor, four-channel stereo sound, the highest resolution and choice of colours of any home micro, 80-column display plus a built-in joystick and all the interfaces you could want for £200 even the most hardened computer journalists were impressed. It was only when Madge announced that the machine would not be on sale till April that the cynical smiles returned to their faces.

Nick Oakley, a man who sticks to the case.



Until the press launch the Elan had been the best kept secret in home computing. The story started in the Summer of 1982 soon after Sinclair launched the Spectrum. David Levy of Intelligent Software, IS, was approached by a bank on behalf of a mystery backer which wanted IS to design a home computer to rival the Sinclair.

Intelligent Software is best known for producing programs like Cyrus IS Chess which is the toughest chess game on any home computer, and no wonder since David Levy made his name as a chess grandmaster. But IS has produced programs for all the popular home computers and also has considerable hardware design expertise.

Past work includes designing a pocket chess game for Computer Games Limited and the massive Electronic Challenger chess robot. IS had also designed the Biztek pocket calculator, which includes an electronic diary, for

THE ELAN STORY



Robert Madge, left, is the project leader of the Elan development team most of which was drawn from Intelligent Software, IS. Although IS had not produced a computer before it had written popular home micro programs like Cyrus, IS Chess and designed products like the Biztek electronic diary, and Chess King and Electronic Grand Master chess machines which are on the table. While IS designed the insides Geoff Hollington, below, designed the outside.



Domicrest, an Anglo-Indian trading company which is involved in the Elan project.

When the approach came from the bank IS had to ask themselves "could we design a successful mass-market home computer". They had already drafted an outline for a video games machine and in the course of rewriting programs for different computers had worked out their own ideas for what they would and would not like to see in a micro.

"Could we design a successful home computer?"

As Madge says "the Spectrum is a very good product indeed"; so the first idea was to produce something like a Spectrum but with a better keyboard and interfaces for around £100. Madge found himself "going down the same sort of path Oric went down" but felt that by the time his machine came out it would be outdated.

Having rejected the Oric-style solution the IS team thought things through from scratch — "if we could have everything what would we have." Obviously such an ideal machine would be too expensive for most buyers but by making a few compromises Madge felt that there was still "a technological window for a product which answered most people's complaints about existing home computers at a reasonable price." Interfaces and expandibility were a priority from the outset because IS wanted to make a machine "which would still be wanted four or five years after the original design decisions were taken."

"We had reverse engineered many machines" says Madge "so we could learn the lessons of other people's successes or mistakes." For instance "the Apple had a few too few keys and we had seen the advantage of products like the Atari which give a wide colour choice. We are a programming house so we wanted a nice machine to program with."

By October 1982 the project had a code name, DPC — Damp Proof Course, in case anyone dropped the plans on a bus, and an outline specification, The DPC which was eventually to become the Elan would have at least 64K of RAM, full-travel keyboard, built-in joystick, ultra-high resolution graphics and as many colours displayed on screen as possible. A 64-track connector would be linked to an expansion box capable of running twin microfloppy disc drives or taking add on RAMpacks.

In great secrecy the outline was taken to three teams of designers to put forward their ideas for what the "DPC" should look like. "It was shrouded in mystery" says Geoff Hollington, who was impressed by the masonic air of conspiracy of the whole proceedings "it could have been P2". Madge asked how long it would take Hollington's firm to produce initial sketches. "We very stupidly said seven days".

That week Geoff and his associate Nick Oakley found themselves working all hours. Neither of them had ever designed a computer before but they were both convinced that it was time to get away from "current bun" designs. Hollington calls them current buns because most home computers are just a "printed circuit board sandwiched between two sheets of cream plastic, with a few keys sticking out of the top."

"We're coming out of that phase. I cannot see the next Acorn being a boring old box with keys on like the Electron." Hollington thinks that computers are now becoming an ordinary household item which people expect to look good around the house. He wanted to make the appearance of the "DPC" seduce people into buying the machine yet say a little about the technology."

His approach paid off when he and Oakley returned to show their sketches. Although they were so tired that "neither of us was capable of coherent conversation" Madge told them "you have got the job."

(continued on page 81)

SITUATIONS AVAILABLE AT

IMAGINE SOFTWARE LTD is the largest and most successful game software house outside of the U.S.A. with more than 100 staff occupying 19,000 square feet of premises throughout Liverpool. Imagine Software are at the forefront of todays exciting software industry. As a result of Imagines' advanced and imaginative expansion program the following positions have become available. In all cases renumeration is commensurate with ability and seniority and is above industry standards. In many cases a new car and numerous fringe benefits will be part of the package. Relocation assistance will be given to successful candidates wherever needed.

SENIOR SOFTWARE MANAGER

A position exists for a Senior Manager who will be responsible for several departments working in diverse areas of software design and production. Applicants must have proven experience in commercially orientated software environments and a wide range of technical knowledge and skills.
This is a very senior position with many exciting and rewarding aspects. Career prospects are excellent.

SOFTWARE MANAGERS

Two positions exist to manage large software departments at the forefront of the games industry.
Applicants must have a proven knowledge and interest in computer games. A wide range of software skills and experience in managing programming staff.

SOFTWARE ARTISTS/GAMES PROGRAMMERS

Eight positions are available for programmers with both the technical ability and the creative skills needed to invent and code best selling games.
Fluency in at least one assembly language, artistic ability plus proven experience are the necessary qualifications. The successful applicants will be working in an innovative environment with the best available development software and equipment and will be provided with a high level of technical back up. This is the ultimate career opening for games programmers.

SYSTEMS SOFTWARE PROGRAMMERS

Two positions exist for systems software programmers working on very advanced products. Both positions are exciting and innovative.
For the first, applicants must be fluent in the 'C' language and MCS68000 assembler and be familiar with Unix type operating systems.
Applicants must be able to demonstrate a wide knowledge of advanced development tools.
The second position requires a fluency in pascal and MCS68000 assembler and familiarity with the UCSD operating system.
Experience of computer graphics and general business orientated applications software will be an advantage.

PROGRAMMERS

Thirty positions exist for programmers working in a team environment on many diverse aspects of microcomputer software, including the conversion and adaption of games to new microcomputers.
Applicants should be fluent in at least, one assembly language and have great familiarity with at least one currently popular consumer microcomputer. Experience is not necessary but provable ability is a qualifying factor.

GRAPHICS PROGRAMMERS

Two positions are available for programmers with skills, experience and knowledge of microcomputer graphics as applied to games software.
Applicants must be fluent in at least one popular microcomputer assembly language and preferably have a working knowledge of one other, plus familiarity with currently available microcomputer capability. Provable experience and/or ability essential.

COMPUTER MUSICIANS

Two openings are available for programmers who have the ability to write music and sound effects for popular micros.
The applicants must have a good knowledge of an assembly language and proven musical skills.

GAME DESIGNERS

Two positions exist for game designers to design a wide variety of entertainment software. Applicants will have both experience in general games design and theory plus a working knowledge of microcomputers.

TECHNICAL WRITER

An opening exists for a technical writer to prepare software manuals for both commercial products and internal development tools.
A recognised writing qualification will be necessary for applicants as will a very wide working knowledge of microcomputers.

GRAPHIC ARTISTS

There are six positions available for artists working on games design and production using computer based graphic tools.
A knowledge of microcomputer graphics plus excellent artistic skills are the qualifications for these positions.

Applicants should in the first instance send thier C.V. to:

PERSONNEL DEPARTMENT, IMAGINE SOFTWARE LIMITED
IMAGINE HOUSE, 5 SIR THOMAS STREET, LIVERPOOL L1 6BW

or ring for an application form:– **051-236 8100 (20 lines)**

(continued from page 79)

The "DPC" project was still being run from the IS office — the gnomes in Tottenham Court Road — as Hollington calls them, although by now the team involved was quite large. They had opted for a Z-80 central processor on the grounds of compatibility because it would allow them the option in future of running CP/M business software.

They wanted to use standard components wherever possible "there is no point in reinventing the wheel" as Madge says but they found that there was no good chip set which would allow them to do everything they wanted on graphics and sound. Madge regards the MSX chip set for instance as a "low-quality standard" which may allow the Japanese to break in at the bottom end of the market but which is "fundamentally limiting".

Instead he used Nick Toop, who helped create the Acorn Atom, to design a custom graphics chip. The idea was to create a "soft chip" which could be controlled as easily as possible from programs. Fixed items were kept as small as possible.

This "Nick" chip as Elan now calls it allows the machine to display up to 256 colours on screen and gives a resolution of up to 672×512 — although not at the same time. It is possible to mix modes on screen and to create windows on to areas of text or graphics as on the Atari. With one exception the "Nick" chip has allowed Madge to achieve his ambition of combining "good graphics on different systems and putting them all together."

You can use character mapped or pixel mapped graphics or parallel attributes as on the Spectrum. The only thing missing is sprites. Madge explains that they had the choice of ultra-high resolution or sprites and in the end they decided to make sprites available later as an add-on cartridge.



Thumper — chip man Dave's micromouse.

"Your're always making compromises" as Madge says, and although the original idea was to build both an asembler and a simple word processor into ROM limitations of space led to the assembler being left out. The word processor takes advantage of the Elan's 80-column display while the assembler will be available later on cartridge.

While Nick Toop was working on the "Nick" chip Dave Woodfield was designing the sound chip which needless to say was

"With obsolescence built out" is Elan's slogan emphasizing expandability — unfortunately this mixed bunch of IS programmers who worked on the Enterprise only help to obscure the message.

christened "Dave", Stereo sound was one of the features built-in — you do not need a stereo television — a pair of Sony Walkman headphones will plug straight into the back.

Dave Woodfield last appeared in the pages of *Your Computer* as 1981 Micromouse Champion returning to defend his title at our 1982 Computer Fair. Unfortunately his Micromouse, "Thumper", after setting an "unofficial lap record" in practice mistook a piece of tape for a wall of the maze and failed to reach the centre.

"The "DPC" meanwhile needed a name of its own. After much debate it was decided to call it the "Samurai home computer". Although the general appearance and specification of the machine had been settled there were still details which needed sorting out. The keyboard was a particular problem.

A conventional typewriter keyboard with 69 individually sprung keyswitches would have pushed the price of the Samurai over the £200 mark yet Spectrum style rubber keys would not be good enough for word processing. The eventual solution was to use relatively cheap injection mouldings for the keys on top of a carefully designed rubber mat with a sprung section underneath each plastic key. Surprisingly this feels like a real keyboard.

The cartridge port was another difficult area. Hollington thought about slotting cartridges in on top or perhaps under a pop up plastic lid. In the end, fear of coffee being spilt into the machine led him to opt for a recessed port at the side.

By February 1983 the shape was settled and a model maker was commissioned to produce a wooden mock-up of the finished product, painted two-tone grey — dark at the back, light at the front — which was supposed to symbolise the difference between the heavy processing power of the micro and the friendly interface with the user.

Meanwhile the "DPC", now the Samurai, was about to change its name again. Although Madge says they had gone through "all the correct procedures — registering a trademark and so on" another company started using the name for computers.

In a desperate attempt to get in before they did Madge placed teaser adverts in April's *Your Computer* saying "The Samurai home computer is coming" but in the end decided to change the name — first provisionally to Oscar and then finally to Elan.

Technically the machine itself is called the Enterprise and it will be made in two versions, 64K for £200 and 128K for £300. "It is a model range" says Madge "just like the Ford Sierra".

Over a long Easter weekend Oakley produced drawings for the model maker to produce moulds for final production of the case. The model maker, "he understands shape" says Oakley, has to carve the form of the computer out of solid blocks of graphite which then go to the toolmakers.

The job was too big for any one toolmaker so Nick Oakley had to commute between seven different firms checking that the bits that each was producing would all fit together in the end and expecting disaster at any moment "I was living in a car, thinking when's it going to happen?".

Sure enough it did — the base component was nearly a quarter inch too long and it was too late to get the mould remade. Fortunately the toolmaker was able to shave a section out of the mould and the only sign that all is not quite as the designer intended in the finished machines is that one of the ridges on the base is slightly wider than the others.

"Learn the lessons of other people's mistakes"

As the workload increased Geoff Hollington and Nick Oakley delegated more of the technical jobs to Beverley Hobson. In all areas the team working on the Elan project increased in size until before the press launch there were 50 people working on it.

Elan brought in a graphic design consultant to advise on colours for the keys and the case. He advised against the two tone grey because it looked "too specialist" for a home computer. He picked out the eight programmable keys in blue, the Stop key in red, the main keyboard dark grey like the case, and other keys in green.

From the outside the Elan Enterprise looked

(continued on page 85)

PROGRAMS WANTED SEND NOW

BLABY COMPUTER GAMES

FOR SPECTRUM AND DRAGON SOFTWARE

PROGRAMS WANTED SEND NOW

SPECTRUM

CONFUSION
You are totally confused and are being attacked from both sides by the most nastiest Aliens known in the Universe. 48K M/C £4.95

GOLD DIGGER
Dig your way through the Mine and find the Gold Nuggets, but keep away from the 'Nugget Cnashers'. 48K M/C £4.95

CHOPPER RESCUE
Scientists are being entombed under Radio Active waste, can you as a Helicopter Pilot, rescue them all in time! 48K M/C £5.50

KOSMIC PIRATE
Guise your Pirate Vessel through the massive fleet of Space Craft that has encircled the planet Verox and try to steal your essential needs. 48K M/C £5.50

DRAGON 32

PLANET CONQUEST
Land your Frieghter Ship safely and then you may return to your next Solar System. (Skill levels etc.) £5.95

DODO
Starring Dodo and the Snow Bees — You are the last surviving bred of Dodos alone in the Antarctic, surrounded by Ice Blocks and Snow Bees. Slide the Ice Blocks onto the Snow Bees or electrify the walls to kill them. £5.95

BARMY BURGERS
Baps, Burgers, Cheese and Lettuce — they are all there, all you have to do is put them together. It sounds easy doesn't it, but not when you are being chased by a fried Egg and Sausages! 48K M/C £5.50

HIGHRISE HARRY
Featuring Harry Highrise and the Rust Bugs — Guide Harry the Painter along the Girders, up the Ladders, onto the Lifts, but mind the Slides. Five Whacky screens. 48K M/C £5.50

PLUGGIT
Young Percy Pluggit must get back to his Circuit Board in time, please help him to find the right keys. 48K M/C £5.50

GOTCHA
After escaping from the local Nick, Ernie is soon back up to his old tricks again! 48K M/C £5.50

DODO
Starring Dodo and the Snow Bees — You are the last surviving breed of Dodo's alone in the antarctic surrounded by Ice Blocks and Snow Bees. Slide the Ice Blocks onto the Snow Bees or electrify the walls to kill them. 48K M/C £5.50

LASER RUN
Fly the trench to destroy the T.I.E. fighters. This game is shown in 3D perspective. £5.95

KILLER KONG
Featuring five screens of arcade action — Elevators — Kong — Mario Barrels — Hamburgers — and even Mario's Girl. 48K M/C £5.50

SHUTTLE
Guide your Shuttlecraft down to the surface of Planet Nexon, rescue the stranded Space Patrol and return them one by one to the safety of the Mothership. 48K M/C £4.95

DISTRIBUTORS
Centre Soft
Birmingham
021 520 7591

Lighting Records
London
01 969 5255

PCS South West
Exeter
0392 50434

RETAIL OUTLETS
WH Smiths
Crash Micros
and all
major software
outlets

DEPT CY · BLABY COMPUTER GAMES CROSSWAYS HOUSE · LUTTERWORTH ROAD · BLABY · LEICESTER ·
TEL: 0533 77364 · TELEX 342629 JRHHG

DEALERS PLEASE ASK ABOUT OUR VIDEO TAPE WHICH CONTAINS OUR FULL RANGE OF GAMES

CHAMPIONS!

Take your team from the 4th Division to the European Cup! Features 4 divisions, promotion, relegation, transfers, injuries, suspensions, weekly results and league tables, reserve team, crowd trouble, and all the fun, drama and frustation of managing a league club.

48k Spectrum,
Dragon 32, BBC B, Electron,
Commodore 64 £6.95

From retailers nationwide - or by return of 1st class post. Just note your name, address, computer and programs required on the back of your cheque or postal order.

'Makes Virgin's Yomp look amateur' - Dragon's Teeth

DRAGON 32
£6.95

PEAKSOFT
7 Hawthorn Crescent
Burton-on-Trent

You're the last survivor - and it's a long way home. Can you survive the minefields, the helicopter gunships & the armed patrols? Who dares, wins!

ROSE SOFTWARE

EDUCATIONAL SOFTWARE FOR THE SPECTRUM (16K or 48K)

LEARNING TO READ MUSIC
4 teach and test programs: Treble Clef, Scale Position, Note Values and Keyboard. All with excellent graphics and help facilities.

£5.95 per cassette (inc p&p)

YOUNG LEARNERS 1
4 programs for the young computer user: Abacus, Telling the Time, Shopping and Snakes. An easy introduction to computer aided learning.

INTERMEDIATE ENGLISH 2
6 programs: Idioms, Opposites 1, Opposites 2, Group Terms, Odd Word Out and Spellings. Questions are multiple choice. Each program has an incentive jackpot game with moving graphics.

We have a large range of educational programs for the Spectrum and ZX-81 from infants to "O" level.

Send sae for catalogue of all our products to:

ROSE SOFTWARE
148 Widney Lane, Solihull,
West Midlands B91 3LH

SINCLAIR ADD-ONS

DAVID HUSBANDS NEW ZX81 FORTH ROM SUPER CHIP!!
Operate more than 10 programs at a time, makes your ZX81 faster and better, easy to fit, excite your ZX81. Comes complete with 73 page instruction manual. **£28.75 plus 60p P + P**

1. COMPUTER CASE
Attractively designed, hardwearing Spectrum / ZX81 computer case. Houses computer, printer, tape recorder etc. Only **£11.95 plus £2.50 P + P.**

2. WEARSAVER
This compact unit (4" x 3" x 1½") has a SAVE/LOAD switch and a 9 volt ON/OFF switch for screen clearing. Simply plug in your EAR and MIC plugs and your power plug.
SPECTRUM Ref WSS **£9.75**
ZX81 Ref ZXS **£9.50 plus P + P 60p**

3. COMPUTER STANDS
POWER BASE
Raised stand for ZX81 and Spectrum. Fitted LOAD/SAVE switch, and power ON/OFF for screen clearing. Saves wear and tear on connections. Front lip holds computer in place. No soldering, comes complete with all necessary plugs and cables.
ZX81 Ref. PBZX81 **£13.25**
With built-in wobble stopper PBZX81W **£17.25**
Spectrum Ref. PBS1 **£13.50**

4. NEW Spectrum Sound, with built-in variable sound amplifier PBS2 **£19.90 plus 95p P + P**

5. 16K and 64K Memory extension
FABULOUS SINCLAIR ADD-ON OFFER FOR ZX81 OWNERS
These are the real thing. ZX81 memory extensions made for the USA and specifically screened to stop radio interference.
• no soldering • easy to fit • simply plug in • no loss of memory through wobble or white out
Fully Guaranteed for 12 months
ME1 16 USA **£15.99**
ME1 64 USA **£44.25**
plus 60p P + P

6. WOBBLE STOPPERS
At last, a fool proof method of avoiding ZX81 white outs caused by Ram-Pack wobble. Simply turn the plastic thumbscrew until the Ram-Pack is held firmly against the ZX81. No soldering, no stick-on pieces, just common sense! Flat or tilted models.
Large, flat or tilted for ZX81 and Ram-Pack and Printer Ref. LW **£5.75** flat
LTW **£6.75** tilted **plus 60P P + P**
Small tilted for ZX81 and Ram-Pack Ref. STW **£6.25 plus 60p P + P**
Small flat ZX81 and Ram-Pack Ref. SW. **£5.25 plus 60p P + P**

7. TAPE LOAD ANXIETY?
Vu load takes the frustration out of loading your ZX81 or Spectrum programmes.
• helps to ensure programme load ever time • monitors tape output level • gives positive save indication • detects blank tape without disconnecting cassette wire • ready to use — no wiring
TL **£19.99 plus 60p P + P**

8. STACKPACKS
MICROCARE STACKPACKS have been designed to be used independently or in conjunction with 'Interface 1'. The STACKPACK has a neat housing for the Sinclair Transformer and has room enough for cable stowage.
All STACKPACKS have SAVE/LOAD and ON/OFF switches to simplify these tasks and save needless wear and tear on plugs and sockets.
STACKPACK ONE — The complete BACKPACK for the Spectrum — SAVE/LOAD, ON/OFF, fully variable sound amplification — three built-in 13 amp sockets with mains switch and neon indicator, plus mains cable and plug. Ref BP1 **£26.00 plus £1.50 P + P**

9. FANTASTIC ZX81 & SPECTRUM SPEECH SYNTHESISER
- Making amazing speech effects with your ZX Spectrum.
- Specially designed for use with your Spectrum. Just plugs in, no dismantling or soldering. Size 3½" x 5¾" x 1".
- No power pack, leads, batteries or other extras.
- Ample volume from built-in loudspeaker, Manual Volume Control on panel. Can be plugged in to existing hi-fi system.
- uses no memory addresses.
- Free Dictionary of Sounds.

SS1 Speech Synthesiser
£39.00 plus 75p P + P

NEW LOW PRICE Series B ONLY **£20.50!**
SPECTRUM 16K-48K
With our ME48 memory expansion add-ons your Spectrum can increase its capacity by up to three times.
• no soldering • easy to fit • simple to plug in • fully guaranteed • no loss of memory through wobble or white out
N.B. Before ordering your Spectrum add-on please check which Spectrum you have in your possession. At the back of the ZX Spectrum the metallic contact strips can be clearly viewed. In the series A the space separating the strips is the same width as the strips. In the series B the strips are twice as wide as the space between.

SPECTRUM
ME16-48 Series A **£34.50 plus 60p P + P**
ME16-48 Series B **£20.50 plus 60p P + P**
FITTING / TESTING SERVICE. While you wait, personal callers Monday-Friday 9.30-5.00, **£3.00**. By return of post **£7.00**.

COMPUTER ADD ONS

7-9 Thane Works, Thane Villas, London N7. Tel: 01-609 7919

Please send ..... ref .....
Name .....
Address .....
Occupation ..... Date .....
I enclose cheque / postal order for .....
made out to MicroCare or I would like to pay by Access or Barclay Card

Trade enquiries welcome.

Prices are correct at time of going to press



Unlock Your Imagination

SCOPE

Computer Graphics Language

- ★ A VERY POWERFUL, TRUE MULTITASK LANGUAGE
- ★ AS FAST AS MACHINE CODE
- ★ SIMPLER THAN BASIC

Write Machine Code in a fraction of the time currently required

SCOPE is available from most good quality dealers and selected branches of WHSMITH

For details of how to get your games published commercially contact ISP Marketing

PRICE **£11.95**

TECHNICAL DETAILS SCOPE is a fully structured multitask language specifically for writing *graphics, animation* and *sound.* Being fully compatible with BASIC it is ideal for writing both arcade and adventure style games. Additionally, with SCOPE present in high memory it can be used as an assembler with SCOPE words as plain language mnemonics. Therefore no knowledge of machine code is required. The language is extremely easy to comprehend and is very powerful indeed providing many features not available from BASIC.

SCOPE HAS TO BE USED TO BE BELIEVED

48K SPECTRUM

CLIP THE COUPON NOW AND UNLOCK YOUR IMAGINATION

Post to: ISP Marketing Ltd, Crown House, 38b High Street, Godalming, Surrey
Tel: Godalming(04868)24151 Please rush me . . . copies of the SCOPE computer graphics language tape and instruction manual at £11.95 (p&p free).
(Cheques payable to ISP Marketing Ltd)

Block capitals please

Name

Address

F

Dealer Enquiries Welcome

(continued from page 81)
complete by the beginning of September and it was time for the press launch which went smoothly — apart from the crisis caused by the late arrival of the rubber membranes.

But although the case and the hardware inside were ready at the launch there was a limit to what could be demonstrated beyond the range of colours available on screen and how smoothly they could be scrolled. The Basic, which has taken two years to write to try to meet the specifications of the American National Standards Institute, was running on other machines but had not yet been implemented on the Elan.

"There is a shortage of design expertise"

It is more structured than most Basics and it also has a higher level of arithmetical accuracy. Again there has been a trade off between these advantages and speed. The Elan Basic will not be as fast as BBC Basic. On the other hand Elan expects to have Forth, Lisp and assembler available when the Enterprise is launched together with a clever piece of software which will convert programs for the BBC and Electron to run on the Elan.

At the moment Elan is trying to implement the Basic on the first few prototype machines. The peripherals which will be available by late Summer are being prepared also. The original idea of connecting the peripherals side by side next to the computer was rejected because by the time you had the expansion box and disc drives "you were off the end of the table."

Instead Hollington opted for a stacked hi-fi solution. The expansion box which should you ever need it can take up to 4 megabytes of RAM would act as a base unit with the twin 3.5 in. Sony disc-drives on top and further units — such as a Modem on top again.

One of the most difficult problems when you are designing a new computer is allowing for what machines other companies might release in the time between you sketching out your plans and finally producing a micro. It can take as little as nine months for a computer to move from the drawing board to the point of sale but a year is more common.

The specification of Acorn's Electron, for instance, was known in computing circles in April 1982 and *Your Computer* published an exclusive photograph of it in December 1982 yet it was August 1983 before the machine was launched and there are still production difficulties.

Robert Madge has been pleasantly surprised how few new computers have been launched in the 18 months since the Elan project started. "There is a shortage of design expertise".

Beverley Hobson, another of Hollington's team.

The Elan Enterprise appears to have met the original design criteria of being able to "play the best video games around yet still be respectable for education and home use" and the specification looks tremendous today yet no-one can predict what it will look like in April when it goes on sale.

Sinclair's long-awaited ZX-83 may be out by then and commodore has a new 64-style machine on the stocks called the 444.

The Japanese MSX machines could also be on sale by Spring and though none of them appear to match the Elan head on it will be a nailbiting few months for the Elan team. ■

NEW

FOR THE
* ORIC (48K)
* DRAGON 32
* TANDY
Color Computer

FULL SOUND AND COLOUR GRAPHICS

WHITsoft

ORDER NOW

FROM WHITSOFT — NOT WHIZ BAM POW ZAP, BUT . . .

HIGH POWER STRATEGY GAMES

. . . . . RESULTS ARE COMING IN WITH . . . . .

ELECTION FEVER

Have you chosen the right Party Leader — How well did you spend Campaign Funds — Can you survive the scandals — Will your nerve hold on the Election Night Special T.V. show!

RACE AGAINST TIME AND THE ELEMENTS WITH . . . . .

OIL BARON

Haggle with shipyards to buy your Oil Rig — Tow out your Platform — Race your competitors to lay your Pipeline — Watch the tickertape of World Oil Prices — Can you make enough money to avoid Demotion!

All Dragon and Tandy @ £6.95 Oric @ £7.95 (including post and packing)
Please rush me..... copies of ELECTION FEVER and .....copies of OIL BARON for the:—
☐ Oric 48K ☐ Dragon 32 ☐ Tandy Color Computer
Name:.....
Address:.....
.....Post Code:.....
I enclose cheque/postal order value £ ..... made payable to:
WHITTINGTON HOUSE INTERNATIONAL LTD.
42-45 New Broad Street, London, EC2

DESIGN YOUR

HOWEVER GOOD your computer is there must be times when you wish it had a little more memory, a better keyboard or more flexible graphics. Well now is the chance to design the computer of your dreams.

You can take the competition as seriously or as lightly as you want. We are as interested in wax crayon sketches from eight-year olds as we are in fully-documented designs from teams with technical training. The decision tree with sample prices is only meant as a guide to some of the ideas you might want to build in to a micro.

If you add up all the costs of the components you would need and then add a few pounds for all the little pieces that would have cluttered up the tree you will have an approximate cost for your micro.

You will have to at least double this cost to get a realistic price for what your micro might cost in the shops if it went on sale in the middle of next year. The competition is split into three categories to give everyone the best possible chance.

Individual or Group

You can either enter as an individual — junior if you are under 14 on December 31, 1983 or Open if you are older — or you can enter as a Group.

Groups could be a class or computer club or just an informal team made up of your friends. The advantage of a group entry is that you can take advantage of individual skills much as a real computer design team would.

One person can concentrate on the external design of the machine while another looks at the Basic and built-in software and others choose which processors to go for, how much memory is required and what additional features to build in.

In addition to all the peripherals mentioned in the tree you might also want to build in others — a printer for instance.

In terms of the costs quoted in the tree you should allow around £40 for a simple printer, £80 for a four colour min-Biro printer and £100 for an A4 plain paper printer. All these costs obviously double by the time you get to the shops.

If you want to go into more detail — say specifying a TMS — 9918 chip for graphics — we will be interested. You might want to give an outline of what you would like the Basic to be capable of or perhaps some other language you would want to build in.

The competition entries will be assessed by a team of experts who are well used to the difficult decisions that have to be taken when you are trying to build a successful microcomputer. Who knows some of you may go on from drawing up a sketch and a specification for this competition to becoming full-fledged computer designers in your own right.



OWN MICRO


Idea
Hardware
Keyboard
Case
Built-in peripherals
Interfaces
CPU
Colour and sound chips
Simple
£2
Styled
£5
8 bit
16 bit
Z-80
6502
68000
8088
Joystick
£4
Displays
Tape recorder
Light pen
£5
Sinclair compatible
CP/M
IBM compatible
Mouse
£20
Disc drive
Atari compatible
BBC compatible
TV
Floppy
£80
Hard
£290
Acoustic modem
£30
Colour
£70
Flat screen
£40
LCD
Microfloppy
£20
Cassette
£8
Graphics
Sound
8 line
£40
1 line
£5
Low resolution
£2
ULA
£1
Off the shelf
£2
Ultra high
£20
Membrane
£1
Typewriter
£10
Moving key
£3
RGB
£1
TV
£1
Video
£1
RS 232
£1
Network
£1
Cartridge
£2











THE MOST IMAGINATIVE GRAPHICS PROGRAMMING SOFTWARE FOR YOUR SPECTRUM.





There's now one piece of software that's a *must* for every 48K SPECTRUM owner.

It's called "PAINTBOX".

If you wish to exploit the full graphics capability of your machine, you can do so . . . simply and easily with "PAINTBOX".

"PAINTBOX" is produced by Print 'n' Plotter Products — the company that has pioneered (and led) the field of graphics aids for ZX Computers.

With our name and reputation you are assured of quality and immense graphics capability!

Take a look at the actual screen prints opposite. They are the sort of thing you could produce on your SPECTRUM.

With a little practice — and "PAINTBOX" — you could be planning, producing, and utilizing these sort of graphics in your programs — producing software that will come alive with originality!

Just look at some of the facilities available from "PAINTBOX":

UDG EDITOR:

Giving you the facility to define (and re-define) up to 84 graphics characters which can be held in memory, stored in your BASIC programs for instant recall from its own built-in machine code!

UDG DRAWING BOARD:

A fully integrated UDG Planner for up to 4 Banks of user-defined characters. Planning facilities include MIRROR IMAGE, ROTATE, INVERSE, and FILE.

SKETCHPAD:

An experimentation "window" that allows you to try-out your UDG ideas during development of the 84 graphic character set.

PRECISION PLOTTER:

An amazingly versatile high-resolution drawing board which includes PAPER choice, INK choice, PLOT, DRAW, DRAW RADIALLY, CIRCLE, ARC, OVER, FILL, instant change of INK colours (including BRIGHT), ERASE, and STORE in permanent memory during development!

All cursor movements can be controlled by Joystick or Keyboard operations, with choices which include FAST or SLOW movement and "Crosswire" or single Pixel cursor!

SCREEN PLANNER!

Combining the best of both worlds! PRECISION PLOTTER **and** UDG Characters! For complete screen planning of graphics. A multi-purpose graphics facility to enable you to produce screen graphics that are the equal of those seen in best-selling software!

All graphic results can be sent to the Printer, saved as SCREEN$ or SAVED as CODE with its built-in machine code routines for instant recall from BASIC.

"PAINTBOX" is such a comprehensive graphics toolkit that it is impossible to describe it all in one advertisement!

The program comes complete with a cassette demonstration of what you could produce with "PAINTBOX" including a 28 page booklet describing in easy-to-understand language how to use it for best results and many tips for storing and using your graphics in BASIC programs.

Of course, "PAINTBOX" is ideally suited for use with Print 'n' Plotter's other great graphics aids.

The dedicated programmer will want to use it in conjunction with our ZX SPECTRUM JOTTER PAD — THE ORIGINAL (AND BEST) GRAPHICS PLANNING PAD!

So why not place your order today?

Write now. Phone your Credit Card. Ask at your local computer shop.

At only £7.50 (plus p&p) it's a marvellous investment for all ZX SPECTRUM owners . . . of all ages!

SO SIMPLE A CHILD COULD USE IT!

01-660 7231

24 HOUR CREDIT CARD ORDERING

Post to: Dept YC Print 'n' Plotter Products Ltd., 19 Borough High Street, London SE1 9SE. Please send me:

. . . . "PAINTBOX" SOFTWARE @ £7.50 (+75p p+p total £8.25)

. . . . SPECTRUM JOTTER PADS @ £7.50 (£1.50 p+p total £9)

. . . . SPECTRUM KEYBOARD OVERLAYS @ £2.60 (35p p+p total £2.95)

. . . . 5 ROLLS ZX PRINTER PAPER @ £11.55 (95p p+p total £12.50)

. . . . SELF-ASSEMBLY CONSOLE (SPECTRUM) @ £4.50 (75p p+p total £5.25)

☐ I enclose remittance in full

☐ Please bill my Access/Barclaycard/Visa/Mastercard No:

Overseas orders please add 25% for additional surface mail rate.

NAME _____

ADDRESS _____

_____

_____

_____

DEALERS:
Phone 01-403 6644 for enquiries

Print 'n' Plotter Products

THE MICROD

Kathleen Peel takes the lid off Sinclair's Microdrive and Interface 1.



NOW THAT INTERFACE 1's and Microdrives are beginning to reach users, it is becoming clear that more information on how to use them is required.

I will present a series of short guides on the various aspects of using the two new Sinclair products. The guides will take a simplistic view of each device in terms of hardware and software, trying to provide an overall understanding of operation and use of Sinclairs new Extended Basic.

Let us first take a simple view of the Interface. Fix it to the base of the Spectrum and all that has happened is that the keyboard slopes at a more convenient angle. You can not communicate with other equipment in a local area network, talk through the RS-232 interface or even Save or Load files to the Microdrives.

In order to do any of the above you need to make some hardware connections *and* tell the

DRIVE FILE

Figure 1. Colour screen dump program using the RS-232 Interface.

```
1000 FORMAT "b";600: REM full screen dum
P
1002 GO SUB 3000: REM Picture
1003 LET u=0
1010 OPEN #3;"b"
1020 LPRINT CHR$ (18)
1030 FOR y=175 TO 0 STEP -1
1040 FOR x=0 TO 255

1050 IF POINT (x,y)<>0 THEN  GO SUB 2000
: LPRINT "J1,0": GO TO 1070
1060 LPRINT "R1,0"
1070 NEXT x
1080 LPRINT "R-256,-1"
1090 NEXT y
1100 LPRINT "A"
1110 CLOSE #3: STOP
2000 REM Colour dump
2010 LET w=INT ((x+1)/8): LET v=INT ((17
6-y)/8)
2020 LET z=ATTR (v,w): LET a=256
2022 LET a=a/2: IF a<=4 THEN  GO TO 2028
2024 LET z=z-a: IF z>0 THEN  GO TO 2022
2025 LET u=z
2026 LET z=z+a: GO TO 2022
2028 IF z=u THEN  RETURN
2029 LET u=z
2030 IF z=1 THEN  LPRINT "C1": RETURN
2040 IF z=2 THEN  LPRINT "C3": RETURN
2050 IF z=4 THEN  LPRINT "C2": RETURN
2060 LPRINT "C0": RETURN
```

Figure 2. Control codes.

Control code	Function
7	Bell
8	Backspace
10	Linefeed
11	Reverse linefeed
12	Formfeed
13	Return
27	Escape mode
+14	Double width
+15	Single width

Figure 3. Printer connections.

Spectrum 9 way D-shell plug
PIN 3 DATA
PIN 4 DTR
PIN 7 GND
Printer 25 way D-shell plug
PIN 3 DATA (EP-22) BROTHER
PIN 20 DTR
PIN 7 GND
Printer 4 Pin DIN plug
PIN 4 DATA (TP-10) TANDY
PIN 2 DTR (CGP-115)
PIN 3 GND (CGP-220)
Printer 5 Pin DIN plug
PIN 1 DATA (GP-250) SEIKOSHA
PIN 2 DTR
PIN 3 GND

Typical output from figure 1 of a full screen colour dump from a Spectrum display.

The program that produced the screen dump.

```
10 INK 0: PAPER 7:
BORDER 7: CLS
20 CIRCLE 128,54,50
22 CIRCLE 55,54,50
24 CIRCLE 200,54,50
26 CIRCLE 92,121,50
28 CIRCLE 164,121,50
29 PRINT *128,90,0
31 PRINT *164,120,1
32 PRINT *92,120,1
35 PRINT *46,80,2
50 PRINT *211,80,2
60 PRINT *92,84,0
65 PRINT *164,82,0
70 PRINT *128,50,4
```

computer how to pass the information to and from the communicating devices.

This is what you do every time you Load or Save a program onto tape, first making the ear or mic lead connection followed by either the command Save or Load and information as to whether the file is data or program.

Until you try and use one of the new Extended Basic commands, the Microdrive maps and network channel additional system variables are not created. This is the reason why virtually all the commercial software will run if loaded prior to using any of the Extended Basic commands.

Try listing the catalogue of drive 1 and then attempt to load the same software, quite a high proportion will not now run because the additional system variables created have moved the program up in memory, not a problem with Basic which works from line numbers but it will prevent machine code programs, which use RAM addresses relative to the first line of Basic i.e., machine code in Rem's from running.

Some programmers specifically used Rems for this reason as in the early Spectrum days nobody knew what if any limitations would be put on Microdrive file manipulations.

To employ the RS-232 interface, either use the Sinclair RS-232 lead to connect to equipment with the 25-way D type connector or make/buy a suitable interface lead for your

(continued on next page)

(continued on previous page)

peripheral.

Once the hardware connection has been made, the commands are simply:

```
FORMAT 't';baud rate
OPEN#3;'t'
```

This is the what and how required to tell the computer its next instruction. assuming that why is because it is the next instruction then:

Format defines the what we are going to transmit, the 't' in this instance means text and baud rate is the speed at which we are going to send the data.

The 't' — text — could be 'b' — binary — and represents the language of the data being sent and baud rate gives the speed of the data transmission. It is quite difficult to understand a 45 rpm record at 16 rpm, the computer has the same problem and needs to know not only what the type of data is but also the speed at which it is being sent.

The Open command is the how and tells the computer the route being used to send the data. an analogy is perhaps the following:

```
POST     - Letter  Stream # 4 - text
PIDGEON  - Letter  Stream # 5 - text
PHONE    - Data    Stream # 6 - binary
```

The Spectrum allows for 15 different streams, those above number three are user definable. The following meanings are associated with streams 0 to 3:

```
Stream 0    output lower tv and
Stream 1    input from keyboard
Stream 2    output to tv
Stream 3    output to ZX printer
```

To communicate with the Tandy CGP-115



requires the following:

```
CLOSE#3              initialise channle
FORMAT 't' ;600      text @ 600 baud
OPEN#3;'t'           ZX printer channel
```

Whatever would normally have gone to the ZX printer will now be sent via the RS-232 connection providing an LList and LPrint facility. Changing the 't' to a 'b' will change from text to binary transmission.

All this means is that instead of sending code 216 as CIRCLE — page 188, Spectrum manual — the ASCII code 216 will be sent to the printer, which in all probability will not be understood, but more importantly the control codes — those codes below 32 — can also be sent and some of these are extremely useful in formatting text.

To go from text to binary, close the stream to remove the old instruction and then re-open with the new instructions.

```
CLOSE# 3
FORMAT 'b';600
OPEN# 3;'b'
```

This will allow the passing of control information to the peripheral

```
LPRINT CHR$ (17);CHR$ (29)
```

will provide the command to change the pen colour on the CGP-115 printer. And to change back

```
CLOSE# 3
FORMAT 't';600
OPEN# 3;'t'
```

for more text.

A degree of standardisation exists among printers in the use of control codes. Figure 2 gives a list of the usual meaning of the more common controls.

These may be used to manipulate the text and to provide graphics capabilities.

The program in figure 1 is a very, very slow colour screen dump program using the RS-232 Interface. It could be made a great deal faster by drawing each colour in turn rather than plotting each line sequentially as shown.

Some of the common RS-232 Interface connections are provided in figure 3. ■

Temptation Software Limited

NEW

The 3 fastest playable 100% machine code arcade games for the VIC 20 unexp

SINCLAIR ZX 81 16K
SPECTRUM 48K
BARON
by Simon Mansfield

Baron is a complex simulation game for up to four players
Step back in time when the country was divided into huge estates
Could you accept the responsibilities of a Barony? Farm your lands, maintain workers, hire mercenaries, wage feudal wars?
Yearly analysis of success or failure of your decisions
There are unexpected events in store for you – to find out, why not play the game?
Graphics

SINCLAIR ZX 81 16K
SPECTRUM 48K
ADMIRAL GRAF SPEE
by Simon Mansfield

An original game of strategy based on historically accurate records of the Graf Spee's formidable presence in the North and South Atlantic
As her Captain use full graphic instrumentation to calculate speed, compass bearings, fuel, distance, ammunition states: locate and manoeuvre into visual range and destroy enemy ships which can also evade, seek and destroy you! Attacked targets can only be destroyed by the same number of salvos or torpedoes as were necessary for the tonnage during the original action
7 levels of difficulty –

SINCLAIR ZX 81 16K
SPECTRUM 48K
DUNGEONS OF DOOM
by Simon Mansfield

Two challenging adventure games – to travel through the labyrinths, descending to the lowest dungeons where the treasures are hidden or play "ESCAPE FROM THE UNDERWORLD" and save yourself from incarceration in the dungeons by fighting you way up the endless levels
Graphics show your position – status reports – different layout with each new game – 4 players can search different levels – 400 rooms – 600 corridors – 1000 locations to explore
Objective – to score highest points and STAY ALIVE

SPECTRUM 16K
LAS VEGAS
by Neil Streeter

A Temptation games double

1. FRUIT MACHINE – must be the best full feature "Pub" Fruit Machine. Spin the symbols, use the "nudge" "hold" "gamble" facility – win or lose with true percentage payouts

2. BLACK JACK – break the bank with a five card trick. This game follows the rules of Pontoon. The Spectrum croupier deals the cards with skill and is after your stake money!

Superb graphics

SPECTRUM 16K
CHALLENGE
by Neil Streeter

A Temptation games double

1. MASTER CODE DELUXE – all the features of the well known game 6 skill levels – any code or no repeated colours. Good clear graphics show the success or failure of your logic as the computer assesses each line

2. HIGHER AND LOWER – skill, hunches and sixth sense are needed to beat this fast dealing machine. Graphically as realistic as a certain television series. Will you be able to get to the end of the row of five cards, guessing whether the next card will be HIGHER or LOWER?

SPECTRUM 16K
GODZILLA AND THE MARTIANS
by Neil Streeter

The Martians have invaded, destroying the molecular structure of earth's atmosphere to make it compatible with their own planet. "The girl of your dreams" is trapped at the top of a building site but for the moment protected from the evil invaders by a friendly Dinosaur! Leap over deadly Martian invaders – scale ladders – jump the man traps – rescue her before the oxygen is totally absorbed
Kong type game for SUPERHUMANS

ARCADE

VIC 20 unexp
SWARM
by Andrew Hainsley

As a pilot testing the latest star ship, breakdown in your guidance systems causes you to materialise in the breeding grounds of the Psigophorus, an unbelievably nasty insect life form which kills anything entering its space. Survival depends on destruction of the eggs before they hatch to form a SWARM. They can use your laser energy to mutate at an alarming rate and the only escape from the devastating attack of a Swarm is by destroying the Psigophorus in only one brief stage of its life cycle
CAN YOU SURVIVE this high scoring game?

ARCADE

VIC 20 unexp
ALIEN VORTEX
by Andrew Hainsley

It is the 23rd Century – unemployment 99.9% – due to 300% inflation, money replaced by credit discs – to relieve boredom the I.R.S.P. sets up huge gambling arcades – dibbs run high – inhabitants who cannot pay take part in "THE GAME" Transported to Launch Base 3 they are sealed into a Zelton Earth Defender and attacked by waves of mutant birds, specially bred on the Space Station Alien. Moneylenders bet on the length of the ill-fated player's survival, so recovering their losses
SET your body modulator to HYPERDRIVE, PRIME your firing fingers and HANG LOOSE
High scoring game

ARCADE

VIC 20 unexp
THUNDERFLASH
by Andrew Hainsley

The year 2589 A.D. has produced a problem: space Rats are using humanoids for experimentation! Their technical skills include impenetrable defence systems. A Royal Space Fleet Pilot sent to destroy them has been killed. YOU ARE INVITED TO TAKE HIS PLACE
You will be bombarded by zig-zagging steel arrows – if not destroyed they turn into Thunderflashes which explode when hit. Being unstable they release sparks which you must destroy before they hit you. Your survival angers the Rats who increase the speed and fury of the attack
High scoring game

VIC 20 16K
DRAGON 32K
MICROPOLY
by Richard Fry & Simon Lacey

Play this version of the family board game with a competent and challenging microbanker and property tycoon. State of game and board on instant recall – or the game saved
Game for up to four players AND the computer

VIC 20 Unexp
COBUS MAZ
by Dave Gibson

A series of ridiculously impossible layouts which our self-destructing Programmer has devised for VICtims! Just get from "A" to "B" without being blown up or eaten by a COBUS – simple? You are given five lives and five ZOGS to hyperSpace a COBUS when you are cornered. Successful exit brings the reward of greater challenge with progressively difficult layouts and hidden complications. Keys require collecting in a correct order to open the door; devilish invisible mines and

TI 99/4A Ext. BASIC
HOUSE OF BUGS
by Tony Frampton

The Bugs in this game will raise your blood pressure to the limits and drive spectators into a frenzy!
In this high scoring game killer bugs roam the top floors. Stay alive by clinging to the ceiling whilst they pass beneath, but you cannot seek refuge on their square again. BUNGE a Bug and gain 50 points, but he may return for his revenge – a vicious ritual followed by your paralysis and death! WATCH the Bugs go hopping mad when target scores give you the services of a Plasterer
Fantastic graphics and sound

TI 99/4A Ext. Basic
TANK BATTLE
by Tony Frampton

Can you hold back a merciless army of tanks, sometimes in convoy but often slipping in under the cover of their barrage of gunfire as they try to penetrate your anti-tank barriers?
Manoeuvre your tank controlling its gun barrel for accurate range. WATCH your salvos disintegrate the enemy BUT BEWARE the deadly return fire
Realistic graphics and sound. Five skill levels – strategy to desperation

TI 99/4A Ext. Basic
SPECIAL MISSION
by Tony Frampton

TOP SECRET – save the world from destruction – HOW? WHY? WHEN?
Your mission starts in a large briefing room: there is a door to the East. You can see a blood stained envelope and a cold strong box, you are carrying nothing at all! TIME is running out the robots have been activated – WHAT ARE YOU GOING TO DO?
Only a T.I. trained special adventure agent has a chance of saving millions from annihilation.

NEW

DRAGON 32K
SEARCHWORD
by Ian A. Macey

A WORD PUZZLER'S PARADISE!
CREATE your own word puzzles by the thousand
An irresistible game for word puzzle enthusiasts, this program offers endless permutations. The computer will accept any list of words containing from 3 to 12 letters and conceal them within a letter grid until the player identifies them by giving the correct start position co-ordinates and direction. Program also includes two demonstration files and word save facility. Hours of enjoyment for one or more players

To: Temptation Software Ltd.,
27 Cinque Ports St.,
Rye, E. Sussex.

GAMES
£5.95
1st Class postage and packing and our unique lifetime replacement guarantee
Overseas add £1.00 to each Game

Dealer/Trade enquries & New programmes welcomed
phone Dave Clements
(07974) 2225

Name
Address

Postcode
Game
Computer
I enclose cheque. p.o. for £



Herman Hirsch presents a fast and very difficult to play version of that old arcade favourite, Pac-Man, for the Vic 20.

VICMAN

SOME MONTHS ago I saw the program Pac-Man on an Atari games-computer. So if got the idea of writing a similar program on the Vic-20. The result is a simpler game than the original one but I think it is still rather good. To run the program you need a Vic-20 with at least 8K expansion and a joystick.

The Vicman, directed by the player, eats the biscuits he will find on his way. He has a hard life because three monsters are chasing him.

One player has three Vicmen for one game. It is however, possible to get one or more extra Vicmen if all biscuits are eaten.

The number of biscuits the Vicman has eaten is shown at the top left. On the top right the high score will be displayed. On the middle of the top- and the bottom line there are holes to escape. When the Vicman goes out, the monsters will no longer move, but wait until he comes back.

There is a sum-function integrated in the

Machine code program.

```
1200 A0 00 12 0A 00 9E 34 36
1208 35 36 00 00 00 97 34 30
1210 39 30 AA 49 2C 30 3A 82
1218 00 23 12 14 00 9E 34 36
1220 30 30 00 00 00 00 00 00
1228 00 00 00 00 00 00 00 00
1230 A0 2C 89 00 21 99 00 10
1238 00 10 F7 4C 50 12 00 00
1240 C6 82 D0 05 A9 00 8D 0A
1248 90 4C BF EA 31 C3 38 C7
1250 A9 00 85 C1 85 C2 A9 03
1258 85 01 A9 00 85 00 85 B1
1260 A9 0A 85 AA A9 0F 85 AB
1268 A9 54 85 A3 A9 11 85 A4
1270 A9 00 85 A8 85 A9 85 AD
1278 8D 18 12 8D 19 12 8D 1E
1280 12 8D 28 12 8D 29 12 8D
1288 2E 12 8D 38 12 8D 39 12
1290 8D 3E 12 85 AC A9 18 8D
1298 1C 12 A9 20 8D 2C 12 A9
12A0 38 8D 3C 12 A9 18 85 89
12A8 A9 D1 8D 13 12 8D 23 12
12B0 8D 33 12 A9 18 8D 14 12
12B8 8D 24 12 8D 34 12 A9 08
12C0 8D 1A 12 8D 2A 12 8D 3A
12C8 12 A9 09 8D 1B 12 8D 2B
12D0 12 8D 3B 12 A9 00 85 00
12D8 A5 01 09 30 8D 8B 18 78
12E0 A9 40 8D 14 03 A9 12 8D
12E8 15 03 58 A6 2C 09 00 21
12F0 99 00 18 A9 01 99 00 94
12F8 C8 D0 F2 89 00 22 99 00
1300 11 A9 01 99 00 95 C8 D0
1308 F2 A9 6E A0 00 99 0F 96
1310 A8 C0 99 05 90 A9 06 8D
1318 37 94 8D EF 95 A5 01 29
1320 30 8D 00 18 A0 2C A9 01
1328 99 00 94 88 D0 FA A9 60
1330 8D 17 12 8D 27 12 8D 37
1338 12 A9 00 85 18 65 1C 85
1340 1D 4C 38 10 82 CD 35 C6
1348 32 CA 80 C7 3A C1 3D C4
1350 A9 FE 85 FE A9 CF 8D 08
1358 90 A9 00 85 FF 20 EC 20
1360 A9 D8 8D 08 90 A9 00 20
1368 EC 20 A9 D1 8D 00 90 A9
1370 00 85 FF 20 EC 20 A0 03
1378 A9 D7 8D 08 90 A9 90 05
1380 FF 4C AA 13 A9 00 8D 08
1388 90 60 A9 FA 85 FD 00 08
1390 90 A9 FF 85 FE A5 FC 85
1398 FF 20 EC 20 C6 FD A5 FD
13A0 C9 AA D0 EA A9 00 8D 08
13A8 90 60 20 EC 20 A9 00 8D
13B0 00 90 A9 90 85 FF 20 EC
13B8 20 00 D0 BC 60 BC 17 C1
13C0 20 20 20 20 20 20 20 20
13C8 20 20 20 20 20 20 12 85
13D0 01 84 19 2C 20 20 20 20
13D8 20 20 20 20 20 20 20 20
13E0 20 20 20 20 20 20 20 20
13E8 20 20 20 20 20 20 20 20
13F0 20 20 20 20 20 20 20 20
13F8 20 20 42 02 0C 10 00 10
1400 00 00 00 00 00 00 00 00
1408 3C 7E DB FF FF FF AA AA
1410 3C 7E DB FF FF FF 55 55
1418 00 00 00 3C 3C 00 00 00
1420 78 24 22 22 22 24 78 00
1428 7E 40 40 78 40 40 7E 00
1430 7E 40 40 78 40 40 40 00
1438 1C 22 40 4E 42 22 1C 00
1440 42 42 42 7E 42 42 42 00
1448 1C 08 08 08 08 08 1C 00
1450 0E 04 04 04 04 44 38 00
1458 42 44 48 70 48 44 42 00
1460 40 40 40 40 40 40 7E 00
1468 42 66 5A 5A 42 42 42 00
1470 42 62 52 4A 46 42 42 00
1478 18 24 42 42 42 24 18 00
1480 7C 42 42 7C 40 40 40 00
1488 18 24 42 42 4A 24 1A 00
1490 7C 42 42 7C 48 44 42 00
1498 3C 42 40 3C 02 42 3C 00
14A0 3E 08 08 08 08 08 08 00
14A8 42 42 42 42 42 42 3C 00
```

simple monitor that generates a checksum between two addresses.

Function C is for entering the code. You give the start-address and then the corresponding byte is displayed. Now you can either change the byte by typing the new hex number or increment the address by pressing F7 or decrement by pressing F1. In the last two cases, the contents of memory is displayed and will not be changed. By pressing Return you can give a new start address. Pressing any other key except those between 0 and F and those, just described, you return to the mini menue.

If everything has gone in the right way you will have a stand-alone machine-code program, which can be loaded and started like a Basic program. No Peeks and Pokes, before running.

You should type in the simple monitor, even if you have a better one because the checksums are generated with this program.Using a complete monitor with Save and Load routine you only must know the start address of 1200 hex for the machine program. The following points are only important for those people who want to use my simple monitor.

Type in direct mode, after powering on your Vic;

POKE 642,35:SYS64824.

Load 'simple monitor' and run it.

Function 'C' startadr. 1200 — later your last entered plus 1 — enter machine code as much as you can.

Stop the monitor program, type in direct mode

POKE 44,18:POKE 46,35: POKE 45,0:
POKE 43,1: SAVE "VICMAN"

If you want to come back to the game later switch on your Vic; load "Vicman"; type in direct mode: POKE 642,35:SYS 64824; Load "simple monitor"; enter code starting at the last address plus 1. Type in as much as you can again; Stop the monitor; Type in direct mode:

POKE 44,18:POKE46,35:POKE 45,0:POKE 43,1:
SAVE "VICMAN".

When all the code is typed in do not forget to control the checksums before starting the program. Before you can run the program the first time you must Save it, because it is not restartable.

```
1400 42 42 42 24 24 18 18 00
1408 42 42 42 5A 5A 66 42 00
1410 42 42 24 18 24 42 42 00
1418 22 22 22 1C 08 08 08 00
1420 7E 02 04 18 20 40 7E 00
1428 3C 3C 3C 3C 3C 3C 3C 3C
1430 00 00 FF FF FF FF 00 00
1438 08 08 3F 3F 3F 3F 3C 3C
1440 00 00 FC FC FC FC 3C 3C
1448 3C 3C 3F 3F 3F 3F 00 00
1450 00 00 00 00 00 00 00 00
1458 3C 3C FC FC FC FC 00 00
1460 3C 3C FF FF FF FF 3C 3C
1468 00 00 00 3C 3C 00 00 00
1470 3C 3C 3F 3F 3F 3F 3C 3C
1478 3C 3C FC FC FC FC 3C 3C
1480 3C 3C FF FF FF FF 00 00
1488 00 00 FF FF FF FF 3C 3C
1490 3C 7E FF F8 F8 FF 7E 3C
1498 03 06 0F 0F 0F 0F 07 03
14A0 3C 6C FF 0F 0F FF 7E 3C
14A8 C0 E0 F0 F8 F0 F8 E0 C0
14B0 00 00 00 00 3C 7E FF FF
14B8 FF FF 7E 3C 00 00 00 00
14C0 00 00 00 00 00 18 18 00
14C8 00 02 04 08 10 20 40 00
14D0 3C 42 46 5A 62 42 3C 00
14D8 08 18 28 08 08 08 3E 00
14E0 3C 42 02 0C 30 40 7E 00
14E8 3C 42 02 1C 02 42 3C 00
14F0 04 0C 14 24 7E 04 04 00
14F8 7E 40 78 04 02 44 38 00
1500 1C 20 40 7C 42 42 3C 00
1508 7E 42 04 08 10 10 10 00
1510 3C 42 42 3C 42 42 3C 00
1518 3C 42 42 3E 02 04 38 00
1520 00 00 00 00 00 00 00 10
1528 00 00 00 00 00 00 00 10
1530 0E 10 30 60 30 10 0E 00
1538 00 00 7E 00 7E 00 00 00
1540 70 18 0C 06 0C 18 70 00
1548 3C 42 02 0C 10 00 10 00
1550 00 4A 4A 7A 4A 4A 4A 00
1558 00 E3 94 E2 C1 A4 93 00
1560 00 18 A5 21 21 A5 18 00
1568 00 20 20 E0 20 20 20 00
1570 00 40 40 78 44 44 48 00
1578 00 DC 12 DC 10 14 D2 00
1580 00 51 AA 88 8A 8A 8A 00
1588 00 52 52 0A 56 52 52 00
1590 00 90 90 00 00 90 90 00
1598 01 00 01 02 00 01 3F 7F
15A0 28 A4 FF 87 1F FE FC FC
15A8 7F 7F 7F 5F C0 00 00 00
15B0 F0 F0 E0 A0 20 20 20 20
15B8 00 40 20 10 00 04 02 01
15C0 01 02 04 08 10 20 40 00
15C8 FF 00 00 00 00 00 00 00
15D0 FF 01 01 01 01 01 01 01
15D8 00 3C 7E 7E 7E 7E 3C 00
15E0 00 00 00 00 00 00 FF 00
15E8 36 7F 7F 7F 3E 1C 00 00
15F0 40 40 40 40 40 40 40 40
15F8 00 00 00 00 03 04 08 08
1600 81 42 24 18 18 24 42 81
1608 00 3C 42 42 42 42 3C 00
1610 00 1C 26 77 26 00 00 00
1618 02 02 02 02 02 02 02 02
1620 08 1C 3E 7F 3E 1C 08 00
1628 00 00 00 00 FF 00 00 00
1630 A0 50 A0 50 A0 50 A0 50
1638 00 00 00 00 00 00 00 00
1640 00 00 01 3E 54 14 14 00
1648 FF 7F 3F 1F 0F 07 03 01
1650 3C 7E DB FF FF FF AA AA
1658 1E 3F 6D 7F 7F 7F 2A 2A
1660 00 00 00 00 00 00 00 00
1668 0F 1F 3B 3F 3F 3F 2A 2A
1670 00 00 C0 C0 C0 C0 00 00
1678 07 0F 1B 1F 1F 1F 0A 0A
1680 A0 C0 E0 E0 E0 E0 A0 A0
1688 03 07 0D 0F 0F 0F 0A 0A
1690 C0 E0 B0 F8 F0 F8 A0 A0
1698 01 03 06 07 07 07 02 02
16A0 E0 F0 D8 F8 F0 F8 A0 A0
16A8 00 01 03 03 03 03 02 02
16B0 F0 F0 6C FC FC FC A0 A0
16B8 00 00 01 01 01 01 00 00
16C0 70 FC B6 FE FE FE AA AA
16C8 00 00 00 00 00 00 FF FF
16D0 3C 7E DB FF FF FF AA AA
16D8 7E DB FF FF FF 55 55 00
16E0 00 00 00 00 00 00 00 3C
16E8 DB FF FF FF AA AA 00 00
16F0 00 00 00 00 00 00 3C 7E
16F8 FF FF FF 55 55 00 00 00
1700 00 00 00 00 00 3C 7E DB
1708 FF FF AA AA 00 00 00 00
1710 00 00 00 00 3C 7E DB FF
1718 FF 55 55 00 00 00 00 00
1720 00 00 00 3C 7E DB FF FF
1728 AA AA 00 00 00 00 00 00
1730 00 00 3C 7E DB FF FF FF
1738 55 00 00 00 00 00 00 00
1740 00 3C 7E DB FF FF FF 05
1748 F0 F0 F0 F0 0F 0F 0F 0F
1750 3C 7E DB FF FF FF 55 55
1758 7E DB FF FF FF 55 55 00
1760 DB FF FF FF AA AA 00 00
1768 FF FF FF 55 55 00 00 00
1770 FF FF 55 55 00 00 00 00
1778 FF 55 55 00 00 00 00 00
1780 55 00 00 00 00 00 00 00
1788 00 00 00 00 00 00 00 00
1790 00 00 00 00 00 00 00 00
1798 00 00 00 00 00 00 00 00
17A0 00 00 00 00 00 00 00 00
17A8 00 00 00 00 00 00 00 00
17B0 00 00 00 00 00 00 00 00
17B8 00 00 00 00 00 00 00 00
17C0 00 00 00 00 00 00 00 00
17C8 00 00 00 00 00 00 00 00
17D0 00 00 00 00 00 00 00 00
17D8 00 00 00 00 00 00 00 00
17E0 00 00 00 00 00 00 00 00
17E8 00 00 00 00 00 00 00 00
17F0 00 00 00 00 00 00 00 00
17F8 00 00 00 00 00 00 00 00
1800 00 00 00 00 00 00 00 00
1808 00 00 00 00 00 00 00 00
1810 00 00 00 00 00 00 00 00
1818 00 00 00 00 00 00 00 00
1820 00 00 00 00 00 00 00 00
1828 00 00 00 00 00 00 00 00
1830 00 00 00 00 00 00 00 00
1838 00 00 00 00 00 00 00 00
1840 00 00 00 00 00 00 00 00
1848 00 00 00 00 00 00 00 00
1850 00 00 00 00 00 00 00 00
1858 00 00 00 00 00 00 00 00
1860 00 00 00 00 00 00 00 00
1868 00 00 00 00 00 00 00 00
1870 00 00 00 00 00 00 00 00
1878 00 00 00 00 00 00 00 00
1880 00 00 00 00 00 00 00 00
1888 00 00 00 00 00 00 00 00
1890 00 00 00 00 00 00 00 00
1898 00 00 00 00 00 00 00 00
18A0 00 00 00 00 00 00 00 00
18A8 00 00 00 00 00 00 00 00
18B0 00 00 00 00 00 00 00 00
18B8 00 00 00 00 00 00 00 00
18C0 00 00 00 00 00 00 00 00
18C8 00 00 00 00 00 00 00 00
18D0 00 00 00 00 00 00 00 00
18D8 00 00 00 00 00 00 00 00
18E0 00 00 00 00 00 00 00 00
18E8 00 00 00 00 00 00 00 00
18F0 00 00 00 00 00 00 00 00
18F8 00 00 00 00 00 00 00 00
1900 00 00 00 00 00 00 00 00
1908 00 00 00 00 00 00 00 00
1910 00 00 00 00 00 00 00 00
1918 00 00 00 00 00 00 00 00
1920 00 00 00 00 00 00 00 00
1928 00 00 00 00 00 00 00 00
1930 00 00 00 00 00 00 00 00
1938 00 00 00 00 00 00 00 00
1940 00 00 00 00 00 00 00 00
1948 00 00 00 00 00 00 00 00
1950 00 00 00 00 00 00 00 00
1958 00 00 00 00 00 00 00 00
1960 00 00 00 00 00 00 00 00
1968 00 00 00 00 00 00 00 00
1970 00 3C 6E FF 07 07 07 FE
1978 FF FF FF FF FF FF 00 00
1980 D8 A5 A9 F0 03 4C 30 1D
1988 A0 00 A6 A8 D0 3E 18 A5
1990 A3 69 01 85 A5 A5 A4 69
1998 00 85 A6 20 30 1C E0 0E
19A0 F8 11 E8 8A 65 A7 91 A3
19A8 E8 8A 65 A7 91 A5 06 A9
19B0 4C 30 1D A2 00 86 A9 A5
19B8 A7 91 A5 A5 A0 91 A3 A5
19C0 A5 85 A3 A5 A6 85 A4 E6
19C8 AA 4C 30 1D A5 A4 C5 A6
19D0 38 CC A5 A3 C5 A5 30 C6
19D8 E0 E6 0E 18 18 8A 65 A7
19E0 91 A5 E8 8A 65 A7 91 A3
19E8 86 A9 4C 30 1D A2 00 86
19F0 A9 A5 A7 91 A3 A5 A0 91
19F8 A5 4C 30 1D D8 A5 A9 F0
1A00 03 4C 30 1D A9 00 A6 A9
1A08 D8 46 38 A5 A3 E9 01 85
1A10 A5 A5 A4 85 A6 86 02 C6
1A18 A6 A2 18 28 30 1C EA EA
1A20 CA CA CA E0 01 30 18 8A
1A28 85 A7 91 A5 E8 8A 65 A7
1A30 91 A3 86 A9 4C 30 1D A2
1A38 00 86 A9 A5 A7 91 A5 A5
1A40 A0 91 A3 A5 A5 85 A3 A5
1A48 A6 85 A4 C6 A9 4C 30 10
1A50 A5 A6 C5 A4 30 CC A5 A5
1A58 C5 A3 30 C4 CA CA CA E8
1A60 01 30 18 8A 65 A7 91 A3
1A68 E8 8A 65 A7 91 A5 06 A9
1A70 4C 30 1D A2 00 86 A9 A5
1A78 A7 91 A3 A5 A0 91 A5 4C
1A80 30 1D 00 00 D8 A5 A9 F0
1A88 03 4C 30 1D A9 00 A6 A9
1A90 D8 3E 38 A5 A3 E9 18 85
1A98 A5 A5 A4 E9 00 85 A6 20
1AA0 30 1C E0 0E F0 11 E8 8A
1AA8 65 A7 91 A3 E8 8A 65 A7
1AB0 91 A5 86 A9 4C 30 1D A2
1AB8 00 86 A9 A5 A7 91 A5 A5
1AC0 A0 91 A3 A5 A5 85 A3 A5
1AC8 A6 85 A4 C6 A9 4C 30 1D
1AD0 A5 A6 C5 A4 30 CC A5 A5
1AD8 C5 A3 30 C6 E0 E0 0E 18
1AE0 18 8A 65 A7 91 A5 E8 8A
1AE8 65 A7 91 A3 86 A9 4C 30
1AF0 1D A2 00 86 A9 A5 A7 91
1AF8 A3 A5 A0 91 A5 4C 30 1D
1B00 00 00 D8 A5 A9 F0 03 4C
1B08 3D 1D A9 20 A6 A3 D0 46
1B10 18 A5 A3 E9 18 85 A5 A5
1B18 A4 E9 00 85 A6 EA EA A2
1B20 18 28 30 1C EA EA CA CA
1B28 CA E0 01 30 18 8A 65 A7
1B30 91 A5 E8 8A 65 A7 91 A3
1B38 86 A9 4C 30 1D A2 00 86
1B40 A9 A5 A7 91 A5 A5 A0 91
1B48 A3 A5 A5 85 A3 A5 A6 85
1B50 A4 E6 A8 4C 30 10 A5 A4
1B58 C5 A6 30 CA A5 A3 C5 A5
1B60 38 C4 CA CA CA E0 01 30
1B68 18 8A 65 A7 91 A3 E8 8A
1B70 65 A7 91 A5 86 A9 4C 30
1B78 1D A2 00 86 A9 A5 A7 91
1B80 A3 A5 A0 91 A5 4C 30 10
1B88 00 00 00 00 00 00 00 00
1B90 00 00 00 00 00 00 00 00
1B98 00 00 00 00 00 00 00 00
1BA0 A0 00 A2 00 09 03 12 85
1BA8 A3 E8 8C F8 04 E8 C8 10
1BB0 F3 A5 00 29 00 D0 00 A5
1BB8 00 09 00 85 00 A9 00 85
1BC0 A7 4C 00 19 A5 00 29 10
1BC8 D0 00 A5 00 09 10 85 00
1BD0 A9 90 85 A7 4C FC 13 A5
1BD8 00 29 04 D0 0D A5 00 09
1BE0 04 85 00 A9 A0 85 A7 4C
1BE8 84 1A A5 00 29 00 D0 0D
1BF0 A5 00 09 00 85 00 A9 A0
1BF8 85 A7 4C 02 18 A5 00 EA
1C00 EA EA EA EA EA EA EA EA
1C08 EA EA EA EA A9 00 00 13
1C10 91 A9 7F 0D 22 91 AD 11
1C18 91 29 7F 48 AD 20 91 29
1C20 80 85 00 60 85 00 85 00
1C28 4C 3D 1D 00 8E F5 F5 F5
1C30 A0 00 A5 A7 30 27 81 A5
1C38 30 78 C9 84 18 12 48 A5
1C40 AC 4A 4A 4A 4A A8 B1 1A
1C48 85 AD 68 91 1A A0 00 60
1C50 8A E8 E0 0A C9 7F 18 50
1C58 85 AE 4C 38 1D A0 00 81
1C60 A5 00 81 00 C9 03 D0 48
1C68 A9 DC 8D 0A 90 A9 8F 8D
1C70 0E 90 A9 00 85 82 E6 00
1C78 1D F0 A5 81 C9 01 85 81
1C80 A5 80 69 00 85 80 D0 48
1C88 48 A5 81 48 48 A0 04 00
1C90 68 29 0F 00 30 99 02 1D
1C98 00 60 4A 4A 4A 4A 69 30
1CA0 99 02 1D 98 D0 E9 D0 60
1CA8 8A E8 E0 0A B1 A5 C9 60
1CB0 10 03 4C 30 1D C0 01 D0
1CB8 4E A5 C1 C5 80 30 17 D0
1CC0 06 A5 C2 C5 81 30 0F A0
1CC8 03 A9 FE 85 FC 20 8A 13
1CD0 00 D0 F0 4C 56 12 28 50
1CD8 13 A5 00 85 C1 A5 81 85
1CE0 C2 A5 00 D0 48 48 A5 81
1CE8 48 48 A0 04 00 60 29 0F
1CF0 09 30 99 1D 1D 00 60 4A
1CF8 4A 4A 4A 09 30 99 1D 1D
1D00 98 D0 E9 00 4C 56 12 A9
1D08 F8 85 FC 20 8A 13 4C 00
1D10 12 44 49 20 45 51 55 20
1D18 24 31 30 4D 45 4C 4F 44
1D20 F5 F5 F5 F5 F5 F5 F5 F5
1D28 F5 F5 F5 F5 F5 F5 F5 F5
1D30 A9 FA 85 FF A2 7F CA D0
1D38 FD E6 FF D0 F9 EA A5 00
1D40 F8 04 A4 A7 30 00 A9 FA
1D48 85 FF A6 00 CA D0 FD E6
1D50 FF D0 F9 A2 00 A4 AC 85
1D58 A3 99 03 12 E0 8C F0 04
1D60 E8 C8 10 F3 A5 AC D0 00
1D68 A5 00 C9 A0 D0 03 4C 60
1D70 12 A5 00 D0 03 4C A8 1B
1D78 A5 AB C9 16 F0 00 C9 02
1D80 F0 5C A5 00 C9 40 D0 04
1D88 A9 10 85 00 A4 00 A2 00
1D90 B5 03 12 95 A3 E8 C0 E8
1D98 00 D0 F5 18 A5 00 69 10
1DA0 85 00 A9 00 00 D1 10 A5
1DA8 AA C9 00 D0 00 A5 A8 C9
1DB0 00 D0 07 A9 00 85 AE 4C
1DB8 00 19 A5 A9 F0 00 C9 0F
1DC0 30 06 A9 00 85 A9 F0 03
1DC8 4C A3 20 A5 A9 F0 00 C9
1DD0 0F 30 F5 A9 00 85 A9 A5
1DD8 AE F0 69 4C 00 1E A5 A9
1DE0 D0 0C A9 00 85 FF AA E8
1DE8 D0 FD E6 FF D0 F9 A9 00
1DF0 00 13 91 AD 11 91 85 00
1DF8 29 04 D0 21 A5 A9 D0 1A
1E00 A9 10 85 A8 A9 EF 85 A3
1E08 A5 11 85 A4 A0 00 A9 37
1E10 85 A5 A5 10 85 A6 A9 00
1E18 51 A5 4C 94 1A A5 00 23
1E20 00 D0 CB A5 A9 D0 1A A9
```

(listing continued on page 97)

Can you rise from the void to meet the challenge of the

Maziacs

HAIL THE HERO
The most ingeniously animated little fellow ever seen on a Spectrum screen. Running in all directions fighting, blinking, tapping his feet and sitting down for a well earned rest.

MEET THE MAZIACS
Correction! DON'T meet the Maziacs. Herds of nasty spidery beetly things with long hairy legs and lethal jaws.

MANAGE THE MAZE
And what a maze – Full of Maziacs, Food, Swords, Prisoners, and a endless succession of dead ends and false trails. But don't despair — you have lots of help in your search for a single box of treasure buried deep in the maze of heavily defended passageways.

NOBBLE THE NASTIES
A top Hollywood stunt man was specially flown in to stage the numerous fight sequences needed to defeat the evil guardians of the treasure.

HEAD FOR HOME
Face a return journey with a burden of treasure and unable to carry a sword.

FEATURES
MACHINE CODED COLOURFUL HIGH RES GRAPHICS · PAGE SELECT INSTRUCTIONS, INFORMATION, KEY CHANGE OPTIONS AT ANY STAGE — EVEN DURING A GAME! · KEMPSTON TYPE JOYSTICK OPTION · LEVELS OF DIFFICULTY OPTION · STRATEGY PLANNING VIEWS OF MAZE DURING THE GAME · COMPLETELY NEW RANDOM MAZE FOR EVERY GAME

This game must be seen to be belleved. One of the best uses of Spectrum In all aspsects that I have seen.
HOME COMPUTING WEEKLY 27 SEPTEMBER 1983

Available from BOOTS, W.H. SMITH, LASKY'S, SPECTRUM, JOHN MENZIES and good computer software stockists throughout the UK or direct for only £6.95 + 50p post and packing.
DK Tronics Ltd., Unit 6, Shire Hill Industrial Estate, Saffron Walden, Essex CB11 3AQ. Telephone: (0799) 26350 (24 hrs) 5 lines

dk'tronics

```
10 REM A SIMPLE BUT VERY USEFULL TOOL
   TO ENTER A MACHINE PROGRAM
20 REM    BY HERMANN HIRSCH
30 REM       WIGBERTSTR.47
40 REM     D 4904 ENGER
50 FORI=834TO900:READR:POKEI,R:NEXT
60 DATA169,0,141,64,3,141,65,3,160,0,
   173,60,3,133,0,173,61,3,133,1
62 DATA177,0,24,42,109,64,3,141,64,3,77,
   65,3,141,65,3,24,238,60,3,208,3,238,61,3
64 DATA173,63,3,205,61,3,240,3,76,74,3,173,
   62,3,205,60,3,208,200,96,0,0
100 PRINT"■■    SIMPLEMONITOR"
110 PRINT:PRINT"  ONLY TWO FUNCTIONS":
    PRINT:PRINT"ALL NUMBERS ARE IN HEX
115 PRINT"ALSO YOUR INPUTS MUST BE SO":PRINT
120 PRINT"■C■HANGE MEMORY  ":PRINT
130 PRINT"■S■UM(BUILDS A CHECKSUM)"
135 GETA$:IFA$=""THEN135
140 IFLEFT$(A$,1)="C"THEN200
150 IFLEFT$(A$,1)<>"S"THEN100
154 PRINT"START ADR.:";:INPUTSA$
156 PRINT:PRINT"END   ADR.:";:INPUTEA$
158 H$=SA$:GOSUB1000:REM HEX -> DEC
160 HB=INT(D/256):LB=D-HB*256
162 POKE828,LB:POKE829,HB
164 H$=EA$:GOSUB1000
166 HB=INT(D/256):LB=D-HB*256
168 POKE830,LB:POKE831,HB
170 SYS834
182 CS=PEEK(832)+PEEK(833)*256:FORI=0TO21:
    PRINT"*";:NEXT
184 PRINT"CHECKSUM = "CS:FORI=0TO21:
    PRINT"*";:NEXT:PRINT:GOTO120
200 REM INPUT
210 PRINT"START ADR.:";:INPUTSA$
220 H$=SA$:GOSUB1000
230 AA=D
240 AD=AA:L=3:GOSUB1100
250 PRINTH$;:AA=AD:AD=PEEK(AD):
    L=1:GOSUB1100:PRINTTAB(7)H$:H$=""
255 FORY=1TO2
260 POKE650,128:GETA$:IFA$=""THEN260
270 IFASC(A$)=136THENAA=AA+1:GOTO240
280 IFASC(A$)=133THENAA=AA-1:GOTO240
290 POKE650,0:IFASC(A$)=13THEN210
295 IFA$("0"ORA$)"9"ANDA$("A"ORA$)"F"THEN100
300 H$=H$+A$:PRINT"□"TAB(10)"->  "H$
310 NEXT:GOSUB1000
320 POKEAA,D:AA=AA+1:GOTO240
1000 D=0:IFH$=""THENFORI=1TOLEN(H$):
     A=ASC(MID$(H$,I,1))-48:D=D*16+A+(A>9)*7:NEXT
:RETURN
1100 ZD=AD:H$=""
1110 FORI=1TO0STEP-1
1120 Z1%=ZD/(16↑I)
1130 H$=H$+CHR$(Z1%+48-(Z1%>9)*7):
     ZD=ZD-Z1%*(16↑I):NEXT:RETURN
2000 REM HERE ARE THE CHECKSUMS FOR 'VICMAN'
2010 REM FROM 1200-1300->48235
2020 REM FROM 1200-1400->45674
2030 REM FROM 1200-1500->33748
2040 REM FROM 1200-1600->47188
2050 REM FROM 1200-1700->16690
2060 REM FROM 1200-1800->41196
2070 REM FROM 1200-1900->27972
2080 REM FROM 1200-1A00->49377
2090 REM FROM 1200-1B00->16503
2100 REM FROM 1200-1C00->18947
2110 REM FROM 1200-1D00-> 9620
2120 REM FROM 1200-1E00->11713
2130 REM FROM 1200-1F00->46006
2140 REM FROM 1200-2000->11739
2150 REM FROM 1200-2100->41732
2160 REM FROM 1200-2200->45422
2170 REM FROM 1200-2300->55408
2180 REM IF YOU ARE A LUCKY MAN THE LAST
     CHECKSUM IS CORRECT AT THE FIRST ATTEMPT
```

(listing continued from page 95)

```
1E20  37 85 A3 A9 10 85 A4 A9
1E28  82 85 A8 A0 00 A9 EF 85
1E30  A5 A9 11 85 A6 A9 00 91
1E38  A5 4C 82 1B 38 A0 00 12
1E40  E5 AB 10 06 38 A5 AB ED
1E48  00 12 05 64 38 A0 0A 12
1E50  E5 AA 10 26 38 A5 AA ED
1E58  0A 12 05 65 C5 64 10 34
1E60  A5 AF C9 00 F0 11 C9 10
1E68  F0 0D A0 00 12 C5 A8 38
1E70  E3 4C E1 20 4C D6 28 A5
1E78  AA CD 0A 12 F0 EC 38 A5
1E80  64 E5 65 C9 03 10 E9 A5
1E88  AA CD 0A 12 38 03 4C C8
1E90  28 4C C6 28 A5 AF C9 04
1E98  F0 04 C9 00 D0 E9 A5 AB
1EA0  CD 00 12 F0 E2 38 A5 65
1EA8  E5 04 C9 03 30 D9 10 DA
1EB0  A0 00 C9 04 D0 03 4C 66
1EB8  1F C9 00 D0 03 4C 35 1F
1EC0  C9 00 F0 30 C9 10 F0 03
1EC8  4C 97 1F 38 A5 A3 E9 01
1ED0  85 A5 A5 A4 E9 00 89 00
1ED8  A0 04 D1 A5 30 07 A9 00
1EE0  85 AE 4C CB 28 C5 AF D0
1EE8  03 4C D6 28 A5 AF C9 00
1EF0  D0 03 4C E1 20 A9 00 85
1EF8  AE 4C 30 1D 18 A5 A3 69
1F00  01 85 A5 A5 A4 69 00 85
1F08  A6 A9 04 D1 A5 30 07 A9
1F10  20 85 AE 4C C0 28 A5 AF
1F18  C9 04 D0 03 4C D6 28 C9
1F20  00 D0 03 4C E1 20 A9 00
1F28  85 AE 4C 30 1D 18 A5 A3
1F30  69 16 85 A5 A5 A4 69 00
1F38  85 A6 A9 04 D1 A5 30 07
1F40  A9 00 85 AE 4C E1 20 A5
1F48  AF C9 00 D0 03 4C C8 28
1F50  AF C9 00 D0 03 4C C8 28
1F58  C9 10 D0 03 4C C8 28 A9
1F60  00 85 AE 4C 30 1D 38 A5
1F68  A3 E9 16 85 A5 A5 A4 E9
1F70  00 85 A6 A9 04 D1 A5 30
1F78  07 A9 00 85 AE 4C D6 28
1F80  A5 AF C9 00 D0 03 4C C8
1F88  20 C9 10 D0 03 4C C8 28
1F90  A9 00 85 AE 4C 30 1D A5
1F98  AF C9 04 D0 03 4C 65 28
1FA0  C9 00 D0 03 4C 27 28 C9
1FA8  00 F0 3E A5 10 85 AE A5
1FB0  AB CD 00 12 38 1D 38 A5
1FB8  A3 E9 16 85 A5 A5 A4 E9
1FC0  00 85 A6 B1 A5 C9 04 10
1FC8  03 4C D6 28 A9 00 85 AE
1FD0  4C C8 28 18 A5 A3 69 16
1FD8  85 A5 A5 A4 69 00 85 A6
1FE0  B1 A5 C9 04 10 D0 4C E1
1FE8  28 A9 00 85 AE A5 AB CD
1FF0  00 12 38 1D 38 A5 A3 E9
1FF8  16 85 A5 A5 A4 E9 00 85
2000  A6 B1 A5 C9 04 10 03 4C
2008  D6 28 A9 00 85 AE 4C C8
2010  28 18 A5 A3 69 16 85 A5
2018  A5 A4 69 00 85 A6 B1 A5
2020  C9 04 10 D0 4C E1 28 A9
2028  00 85 AE A5 AA CD 0A 12
2030  38 1D 38 A5 A3 E9 01 85
2038  A5 A5 A4 E9 00 85 A6 B1
2040  A5 C9 04 10 03 4C C8 28
2048  A9 00 85 AE 4C D6 28 18
2050  A5 A3 69 01 85 A5 A5 A4
2058  69 00 85 00 B1 A5 C9 04
2060  10 D0 4C C8 28 A9 04 85
2068  AE A5 AA CD 0A 12 38 1D
2070  38 A5 A3 E9 01 85 A5 A5
2078  A4 E9 00 85 A6 B1 A5 C9
2080  04 10 03 4C C8 28 A9 00
2088  85 AE 4C E1 20 18 A5 A3
2090  69 01 85 A5 A5 A4 69 00
2098  85 A6 B1 A5 C9 04 10 D0
20A0  4C C8 28 A9 52 85 FE A9
20A8  FF 85 FF 20 EC 20 A5 AF
20B0  C9 00 F0 0C C9 10 F0 13
20B8  C9 04 F0 1A C9 00 F0 21
20C0  A9 00 85 AF A9 00 85 A7
20C8  4C 00 19 A9 10 85 AF A9
20D0  00 85 A7 4C FC 19 A9 04
20D8  85 AF A9 70 85 A7 4C 04
20E0  1A A9 00 85 AF A9 70 85
20E8  A7 4C 02 1B 85 FF A6 FE
20F0  CA D0 FD E6 FF D0 F7 60
20F8  F7 FD FD FD FD FD FD FD
2100  20 20 20 20 20 20 20 20
2108  20 20 20 20 20 49 4A 20
2110  20 20 20 20 20 20 20 44
2118  45 46 47 48 49 41 42 43
2120  20 20 20 48 4C 20 20 20
2128  20 20 20 20 20 1D 1C 1C 1C
2130  1C 1C 1C 1C 27 1C 21 00
2138  1F 27 1C 1C 1C 1C 1C 1C
2140  1C 1E 1B 03 03 03 03 03
2148  03 03 1B 03 03 03 03 1B
2150  03 03 03 03 03 03 03 1B
2158  1B 00 1C 00 1B 00 1C 00
2160  1B 00 1C 1C 00 1B 00 1C
2168  00 1B 00 1C 00 1B 1B 03
2170  03 03 1B 03 03 03 03 03
2178  03 03 03 03 03 03 03 1B
2180  03 03 03 1B 24 1C 00 1C
2188  21 00 1C 1C 1E 00 1C 1C
2190  00 1D 1C 1C 00 1F 1C 00
2198  1C 25 1B 03 03 03 03 03
21A0  03 03 1B 03 03 03 03 1B
21A8  03 03 03 03 03 03 03 1B
21B0  1B 00 1C 00 1B 00 1C 00
21B8  1B 00 1C 1C 00 1B 00 1C
21C0  00 1B 00 1C 00 1B 1B 03
21C8  03 03 1B 03 03 03 03 03
21D0  1B 60 00 03 03 03 03 1B
21D8  03 03 03 1B 24 1C 00 1C
21E0  21 00 1C 1C 1E 00 1F 1C
21E8  00 1D 1C 1C 00 1F 1C 00
21F0  1C 25 1B 03 03 03 03 03
21F8  03 03 1B 03 03 03 03 1B
2200  03 03 03 03 03 03 03 1B
2208  1B 00 1C 00 1B 00 1C 00
2210  1B 00 1C 1C 00 1B 00 1C
2218  00 1B 00 1C 00 1B 1B 03
2220  03 03 1B 03 03 03 03 03
2228  03 03 03 03 03 03 03 1B
2230  03 03 03 1B 24 1C 00 1C
2238  21 00 1C 1C 1E 00 1C 1C
2240  00 1D 1C 1C 00 1F 1C 00
2248  1C 25 1B 03 03 03 03 03
2250  03 03 1B 00 00 00 00 1B
2258  03 03 03 03 03 03 03 1B
2260  1B 00 1C 00 1B 00 1C 00
2268  1B 00 1C 1C 00 1B 00 1C
2270  00 1B 00 1C 00 1B 1B 03
2278  03 03 1B 03 03 03 03 03
2280  03 03 03 03 03 03 00 1B
2288  03 03 03 1B 24 1C 00 1C
2290  21 00 1C 1C 1E 00 1C 1C
2298  00 1D 1C 1C 00 1F 1C 00
22A0  1C 25 1B 03 03 03 03 03
22A8  03 03 1B 03 03 03 03 1B
22B0  03 03 03 03 03 03 03 1B
22B8  1B 00 1C 00 1B 00 1C 00
22C0  1B 00 1C 1C 00 1B 00 1C
22C8  00 1B 00 1C 00 1B 1B 03
22D0  03 03 1B 03 03 03 03 03
22D8  03 03 03 03 03 03 03 1B
22E0  03 03 03 1B 1F 1C 1C 1C
22E8  26 1C 1C 1C 1C 1C 1E 00
22F0  1D 1C 1C 1C 1C 26 1C 1C
22F8  1C 21 33 A9 30 80 13 D6
```

2600 000

THE BIG CATALOGUE

of Home Computer Software

TRADE ONLY

Visit your local specialist computer store to choose from our vast range of software.

PCS DISTRIBUTION

WHOLESALE DISTRIBUTORS
IN MICROCOMPUTERS
& SOFTWARE

PERSONAL COMPUTER SERVICES
UNIT 6 SCOTSHAW BROOK, BRANCH RD:,
LOWER DARWEN, DARWEN BB3 0PR

0254 691211/2

IN ADDITION WE OFFER A RELIABLE

24 HOUR DELIVERY SERVICE

ANYWHERE IN THE BRITISH ISLES (INC. SATURDAYS)

LOCAL OFFICES NATIONWIDE:
LONDON · SOUTH EAST · THAMES VALLEY · SOUTH WEST · HOME COUNTIES · EAST · SOUTH WALES · WEST MIDLANDS · EAST MIDLANDS · LANCASHIRE · YORKSHIRE · NORTH EAST · NORTH WEST · SCOTLAND · IRELAND

Telex 635165/PCS. Answer back code: CHACOM G.



PLANE ANNOYING

Kriss Buddle taxes your thinking and perceiving facilities with a tantalisingly mind blowing puzzle for the ZX-81. A worthy rival for Rubik's cube.

SOME TIME AGO, before taking my first plunge into the world of machine code, I played a pub Pac-Man machine and was startled to find myself suddenly faced with one side of a scrambled Rubik's cube and being told to sort it out! You probably know the one I mean. This gave me the idea for a slightly more complex game, based on the Cube.

Having sweated over a Basic program I found it to be slow and requiring vast amounts of memory. I therefore decided that machine code was the only answer. During the time it took me to translate the original program the inevitable happened — someone released an almost identical game for the Spectrum.

However, it is still a good game and, as I have never seen a ZX-81 implementation, here it is in all its glory.

Basically you are presented with a 16 by 16 plane each 8 by 8 corner of which is composed of a different character. You may choose how many smaller squares the plane is to be split into and also have the choice of an easy or a difficult mode to play in.

The machine then scrambles the plane by randomly scrolling rows and columns, thus mixing the characters up. Your not inconsiderable task is to restore the plane to its original pattern. If you manage to do this you are given the number of moves it took. The whole object is to take as few moves as possible.

The machine code section occupies 652



bytes, so you will have to create a Rem statement followed by at least 652 X's or any other character. To check that you have the correct number of bytes in the Rem type

```
PRINT PEEK 16511 +
256*PEEK 16512-2 ( + NEWLINE)
```

This should give a value of 652 or more. If you obtain less, then keep on typing. Fast mode is less tiresome.

Having reserved the space, use one of the many hex loaders, previously published in this and other magazines and books, to enter the code in the hex dump. Remember there are no spaces between the pairs of hex digits when entering the code.

The machine code has been written in the form of a series of subroutines, each performing a specific task. Not only does this make debugging easier — especially without the help of an assembler, compiler or monitor — but also simplifies the disassembly and understanding of the code.

The main module is a keyboard scanner which calls the ROM routine at 02BB (hex), decides which key is being pressed and then calls the relevant subroutine.

The Decimal addresses in listing 1 mark the beginning of each subroutine in the program and by Peeking these addresses the following values should be obtained, thereby proving that the code is probably correct:

```
16514 = 118
16618 = 205
16677 = 42
16718 = 42
16771 = 42
16807 = 42
16850 = 237
16887 = 237
16951 = 237
16997 = 237
17042 = 42
17121 = 6
17134 = 33
17160 = 62
```

If all these values are correct then delete the

(continued on next page)

(continued from previous page)

Hex loader line by line and type, as a direct command

POKE 16510, 0

This will give you a non-erasable Rem line. Then Save the Rem statement to tape as a precaution.

The Basic part of the program is a lot friendlier than the machine code. Keeping your Rem statement in memory, type in listing 2 as written and again Save the entire thing to tape by typing

RUN 5000 (+ NEWLINE)

The program should now auto-run and the invitation to see the instructions or play the game should be on the screen. Until you have actually seen the plane the instructions could be a little confusing, unless you have a vivid imagination, hence the short demonstration at the end of the instruction pages.

The puzzle is simple to play but difficult to



describe and to finish. The demonstration is in easy mode where the cursors control individual rows and columns on the plane.

In difficult mode the cursors are twice as wide and can only move adjacent pairs of rows and columns, but still maintain the smaller units into which the plane has been split. I said it was easier to play than to explain.

Lines 290 and 2000 are identical and very important. Not only do they provide a visual clue as to which corner the characters belong in, but the machine code uses them to prevent the cursors running off the screen and causing an irrevocable crash.

Variables.

A$	Holds various messages and is used to store values in string form for use in several parts of the program.
1$	Used as input from player and temporarily holds option choices.
X	Holds the size of division selected by the player.
L	Used to call USR routines (LET L = USR) instead of RAND USR, as that way a randomness is preserved, otherwise the random numbers always start from the same seed.
N + F	Loop control variables.

Basic listing.

```
  5 CLS
  10 PRINT TAB 8;"PLANE ANNOYIN
G"
  20 PRINT ,,,"PRESS -";,,,"1)
FOR INSTRUCTIONS.",,,"2) TO STAR
T GAME."
  30 GOSUB 1000
  40 IF I$="2" THEN GOTO 500
  50 CLS
  55 LET A$="******PRESS N/L TO
CONTINUE******"
  60 PRINT "THE OBJECT OF THE GA
ME IS TO",,,"UN-SCRAMBLE A 16 X
16 GRID OF",,,"CHARACTERS INTO I
TS ORIGINAL",,,"PATTERN (EACH S
X S CORNER BEING",,"COMPOSED OF
A DIFFERENT",,,"""CHARACTER"")"
  70 PRINT ,,"THE COMPUTER WILL
SCRAMBLE THE",,,"PLANE IN FULL V
IEW, ACCORDING",,,"TO THE LEVEL
OF DIFFICULTY",,,"CHOSEN."
  80 PRINT ,,A$
  85 IF INKEY$="" THEN GOTO 85
  90 CLS
 100 PRINT "AT THE MOST DIFFICUL
T LEVEL THE",,,"PLANE IS DIVIDED
 INTO ITS 256",,,"SEPARATE SQUAR
ES, (IE. 16 X 16)",,,"AND, AT IT
S SIMPLEST, INTO 16",,,"SQUARES,
 (IE. 4 X 4)."
 110 PRINT ,,"THERE ARE ALSO TWO
 ""MODES"" TO",,,"CHOOSE FROM. M
ODE 1 PUTS EACH",,,"ROW OR COLUM
N UNDER INDIVIDUAL",,,"CONTROL A
ND COMPLETING THE PLANE",,"IS QU
ITE PAINLESS."
 115 PRINT ,,A$
 120 IF INKEY$="" THEN GOTO 120
 125 CLS
 130 PRINT "MODE 2 ALLOWS YOU ON
LY TO MOVE",,,"ROWS AND COLUMNS
 IN ADJACENT",,,"PAIRS, MAKING TH
E PLANE MUCH",,,"MORE DIFFICULT
TO COMPLETE."
 140 PRINT ,,"THE CURSORS ARE MO
VED WITH",,,"""SHIFTED"" CURSOR
CONTROL KEYS",,,"(IE. SHIFTED ""
8"" = RIGHT)."
 150 PRINT ,,"UNSHIFTED KEYS 5-8
 WILL SCROLL",,,"THE ROW OR COLU
MN POINTED TO",,,"BY THE CURSOR
IN THE RELEVANT",,"DIRECTION."
 160 PRINT A$
 165 IF INKEY$="" THEN GOTO 165
 170 CLS
 180 PRINT "THE PLANE HAS ""WRAP
-AROUND"",,,"SO THAT ANYTHING SCR
OLLING OFF",,,"TO THE LEFT OR RI
GHT RE-APPEARS",,,"AT THE OTHER
SIDE.",,,,"TO RESIGN FROM THE G
AME PRESS",,,"""SHIFTED"" 1. THI
S WILL TELL YOU",,,"HOW MANY MOV
ES IT TOOK TO BE",,,"DEFEATED. I
F YOU COMPLETE THE",,,"PLANE YOU
 WILL GET A MOVE COUNT",,,"AND A
N OPTION TO PLAY AGAIN."
 190 PRINT ,,A$
 195 IF INKEY$="" THEN GOTO 195
 200 CLS
 210 PRINT "PRESS -",,,,"""D"" F
OR A DEMONSTRATION.",,,"ANY OTHE
R KEY TO PLAY."
 220 IF INKEY$="" THEN GOTO 220
 230 IF INKEY$()"D" THEN GOTO 50
0
 240 LET X=4
 250 POKE 17158,X
 260 POKE 17159,X
 270 CLS
 280 PRINT AT 0,0;"EASY MODE WIT
H 4 X 4 DEFINITION."
 290 PRINT AT 1,6;"▒▒";TAB 24;"▒
▒";TAB 6;"▒▒";TAB 25;"▒▒";AT 19,6;
"▒▒";TAB 25;"▒▒";TAB 6;"▒▒";TAB 24
;"▒▒"
 300 LET L=USR 16516
 310 LET A$="57575757"
 320 FOR N=1 TO X
 330 FOR F=1 TO RND*8+1
 340 POKE 17161,CODE A$(INT (RND
*8+1))
 345 LET L=L+*N
 350 LET L=USR 17160
 360 NEXT F
 370 POKE 17161,115
 380 LET L=USR 17160
 390 POKE 17161,113
 400 LET L=USR 17160
 410 NEXT N
 420 PRINT AT 21,0;"*****PRESS N
/L TO START GAME*****"
 430 IF INKEY$="" THEN GOTO 430
 500 FOR N=16514 TO 17165 STEP 8
 505 LET A$="124"
 510 LPRINT N;" ";
 520 FOR B=0 TO 7
 530 LET C=PEEK (B+N)
 540 LPRINT CHR$ (28+INT (C/16))
;CHR$ (28+C-16*INT (C/16));" ";
 550 LET X=VAL A$(VAL I$)
 560 IF (B+N)=17165 THEN STOP
 570 NEXT B
 580 LPRINT
 590 NEXT N
 595 STOP
 600 POKE 17158,X+X*(I$="2")
 610 POKE 17159,X
 620 CLS
 630 GOSUB 2000
 635 PRINT AT 20,11;"          "
 640 IF L THEN GOTO 700
 650 PRINT AT 0,0;"COMPLETED IN;
 ";PEEK 16448+256*PEEK 16449;"
MOVES."
 660 PRINT AT 21,0;"***PRESS N/L
 FOR ANOTHER GAME***"
 670 IF INKEY$()"" THEN GOTO 670
 680 GOTO 0+680*(INKEY$="")
 700 PRINT AT 0,0;PEEK 16448+256
*PEEK 16449;" MOVES.(UNFINISHED)
"
 710 GOTO 660
1000 LET I$=INKEY$
1010 IF I$<"1" OR I$)"3" THEN GO
TO 1000
1020 RETURN
2000 PRINT AT 1,6;"▒▒";TAB 24;"▒
▒";TAB 6;"▒▒";TAB 25;"▒▒";AT 19,6;
"▒▒";TAB 25;"▒▒";TAB 6;"▒▒";TAB 24
;"▒▒"
2005 LET A$="57575757"
2010 LET L=USR 16516
2020 FOR N=1 TO 16/X-2*(I$="2")-
(I$="1")
2030 GOSUB 3000
2040 POKE 17161,113
2045 LET L=USR 17160
2050 GOSUB 3000
2060 POKE 17161,115
2070 LET L=USR 17160
2080 GOSUB 3000
2090 NEXT N
2095 PRINT AT 20,11;"SCRAMBLED"
2100 LET L=USR 17134
2110 RETURN
3000 FOR F=1 TO RND*8+1
3010 POKE 17161,CODE A$(INT (RND
*8)+1)
3020 LET L=USR 17160
3030 NEXT F
3040 RETURN
5000 SAVE "PLANE ANNOYIN▒"
5010 RUN
A001 ▒▒▒▒▒▒▒▒
```

Hex dump.

```
16514 76 76 2A 0C 40 01 6C 00
16522 09 3E 08 32 21 40 3E 97
16530 32 7B 40 11 11 00 06 02
16538 C5 0E 08 3A 21 40 06 08
16546 77 23 10 FC 3A 7B 40 05
16554 08 77 23 10 FC 19 0D 20
16562 EA 3E B4 32 21 40 3E 98
16570 32 7B 40 C1 10 DA 2A 0C
16578 40 11 2A 00 19 22 3C 40
16586 11 40 00 19 22 3E 40 3E
16594 05 ED 4B 06 43 41 11 21
16602 00 77 19 10 FC 2A 3C 40
16610 3E 03 41 77 23 10 FC C9
16618 CD BB 02 2C 20 FA CD BB
16626 02 E5 C1 2C 28 F8 CD BD
16634 07 7E FE 70 CC 25 41 FE
16642 71 DC 46 41 FE 72 DC 83
16650 41 FE 73 DC A7 41 FE 83
16658 CC D2 41 FE 22 CC 02 42
16666 FE 21 CC 37 42 FE 24 CC
16674 85 42 C9 2A 3E 40 ED 4B
16682 06 43 11 21 00 C5 AF ED
16690 52 7E FE 08 28 14 10 F6
16698 22 3E 40 3E 05 C1 77 19
16706 0D 20 F8 FE 01 D8 AF 48
16714 18 F4 C1 C9 2A 3E 40 ED
16722 4B 06 43 11 21 00 C5 0D
16730 26 04 19 00 20 FC C1 C5
16738 19 7E FE B4 28 19 10 F3
16746 AF 3E 05 C1 77 ED 52 0D
16754 20 FA 19 FE 01 D8 22 3E
16762 40 AF ED 52 48 18 ED C1
16770 C9 2A 3C 40 ED 4B 06 43
16778 C5 28 7E FE 08 28 14 10
16786 F8 22 3C 40 C1 3E 03 77
16794 23 0D 20 F8 FE 01 D8 AF
16802 48 18 F4 C1 C9 2A 3C 40
16810 ED 4B 06 43 2B C5 23 0D
16818 20 FC 23 7E FE 97 28 16
16826 10 F8 C1 3E 03 77 2B 0D
16834 20 F8 FE 01 D8 23 22 3C
16842 40 AF 2B 43 18 EF C1 C9
16850 ED 4B 06 43 C5 2A 3C 40
16858 11 21 00 19 19 E5 E5 7E
16866 32 21 40 06 0F 19 7E E3
16874 77 19 19 10 F9 AF ED 52
16882 3A 21 40 77 E1 E1 23 0D
16890 20 E3 C1 10 D7 C3 92 42
16898 ED 4B 06 43 C5 2A 3C 40
16906 11 31 02 19 11 21 00 E5
16914 E5 7E 32 21 40 06 0F AF
16922 ED 52 7E E3 77 AF ED 52
16930 ED 52 10 F6 19 3A 21 40
16938 77 E1 E1 23 0D 20 E0 C1
16946 10 D2 C3 92 42 ED 4B 06
16954 43 11 21 00 C5 2A 3E 40
16962 23 23 E5 E5 7E 32 21 40
16970 06 0F 23 7E E3 77 23 23
16978 10 F9 2B 3A 21 40 77 E1
16986 E1 19 0D 20 E5 C1 10 DC
16994 C3 92 42 ED 4B 06 43 C5
17002 2A 3E 40 11 11 00 19 11
17010 21 00 E5 E5 7E 32 21 40
17018 06 0F 28 7E E3 77 28 28
17026 10 F9 23 3A 21 40 77 E1
17034 E1 19 0D 20 E5 C1 10 D7
17042 2A 0C 40 01 6C 00 09 1E
17050 06 0E 08 CD E1 42 FE FE
17058 28 35 0E 97 CD E1 42 FE
17066 FF 28 2C 01 11 00 09 10
17074 20 E7 1E 08 0E B4 CD E1
17082 42 FE FF 28 1A 0E 98 CD
17090 E1 42 FE FF 28 11 01 11
17098 00 09 10 20 E7 2A 40 40
17106 23 22 40 40 3E FF CD 96
17114 40 40 23 22 40 40 CD 96
17122 06 7E 39 28 03 3E FF CD
17130 23 10 F6 C9 21 00 00 22
17138 40 40 CD E9 40 FE 75 28
17146 03 FE FE 20 F5 01 00 00
17154 C9 0E 0E C9 02 01 3E 73
17162 CD FC 40 C9
```

YOUR PARENTS DID THEIR BEST FOR YOU...WILL YOUR CHILDREN BE ABLE TO SAY THE SAME?

"Now...I've got two oranges in my left hand and one in my right, how many oranges...?"

IN THE LAST FIVE YEARS, THE MICROCHIP HAS EXTENDED ITS REVOLUTIONISING INFLUENCE TO OUR SCHOOLS. TODAY, EVEN THE YOUNGEST CLASSES TAKE COMPUTERS AS MUCH FOR GRANTED AS WE DID OUR WOODEN RULERS.

WITH THESE IMPLICATIONS IN MIND, GOOD HOUSEKEEPING SOFTWARE WAS CREATED, ITS AIM BEING TO DEVELOP A COMPREHENSIVE RANGE OF CAREFULLY STRUCTURED EARLY LEARNING SOFTWARE FOR YOUR HOME COMPUTER.

A NEW WAY TO PLAY AND LEARN

DESIGNED NOT JUST BY SOFTWARE SPECIALISTS, BUT ALSO BY EDUCATIONAL EXPERTS, EACH PACKAGE GOES FAR BEYOND THE POPULAR IMAGE OF COMPUTER ASSISTED LEARNING.

IT PROVIDES A FRAMEWORK FOR YOU AND YOUR CHILD TO LEARN AND PLAY TOGETHER. IT ALSO ENCOURAGES YOUR CHILD TO DISCOVER THE REWARDS OF INDEPENDENCE AND CONCENTRATION AS HE OR SHE EXPLORES THE PROGRAM ALONE, OR WITH A FRIEND.

EACH PACKAGE INCLUDES GAMES. BUT UNLIKE MOST OTHER SOFTWARE FOR CHILDREN, THESE ARE NEITHER TRIVIAL NOR COMPETITIVE. THEY ARE DESIGNED TO ENCOURAGE LEARNING THROUGH STRUCTURED PLAY, COLOURFUL EYE-CATCHING GRAPHICS OF THE HIGHEST QUALITY, AND A VARIETY OF REALISTIC SOUND EFFECTS.

YOU CAN ALSO ADJUST THE SPEED AND DIFFICULTY OF EACH GAME TO SUIT YOUR CHILD. OR LET THE COMPUTER ADJUST ITSELF AUTOMATICALLY AS YOUR CHILD PROGRESSES.

LEARNING WITH MR T

MR T, GOOD HOUSEKEEPING'S LIVELY ANIMATED CHARACTER, WILL HELP YOUR CHILDREN EXPLORE ALL SORTS OF PREVIOUSLY DIFFICULT EDUCATIONAL AREAS. NOW THEY CAN LEARN TO TELL THE TIME, OR COPE WITH REAL MONEY, IN AN EXCITING AND ENTERTAINING WAY.

MR T WILL ALSO HELP YOUR CHILDREN COME TO TERMS WITH THE WHOLE IDEA OF COMPUTERS AS AN INTEGRAL PART OF THEIR FUTURE LIVES.

THE PARENTS' HANDBOOK

A PARENTS' HANDBOOK IS INCLUDED IN EACH PACKAGE, CONTAINING SIMPLE OPERATING INSTRUCTIONS AND A STEP-BY-STEP GUIDE TO HELP YOU AND YOUR CHILD GET THE BEST OUT OF EACH PROGRAM. IT ALSO CONTAINS A WEALTH OF FOLLOW-UP ACTIVITIES FOR YOU BOTH TO ENJOY AWAY FROM THE COMPUTER.

YOUR CHILDREN'S FUTURE BEGINS HERE

PUT YOUR HOME COMPUTER TO WORK FOR YOUR CHILDREN NOW. SEND FOR YOUR GOOD HOUSEKEEPING EARLY LEARNING PACKAGES BY CUTTING THIS COUPON.

HARDWARE COMPATIBILITY: BBC MICRO B (O.S 1.0 OR ABOVE)
SINCLAIR SPECTRUM 48K, DRAGON AND COMMODORE 64
AVAILABLE AT LEADING COMPUTER STORES AND SPECIALIST COMPUTER DEPARTMENTS OF MAJOR HIGH STREET RETAILERS

TO: EBURY SOFTWARE, 72 BROADWICK STREET, LONDON W1V 2BP.
PLEASE SEND ME THE GOOD HOUSEKEEPING SOFTWARE PACKAGE(S) THAT I HAVE INDICATED.

		BBC MICRO B (O.S 1.0 OR ABOVE)	SINCLAIR SPECTRUM 48K
MR T TELLS THE TIME	£12.95 EACH		
MR T'S MONEY BOX	£12.95 EACH		
MR T'S ALPHABET GAMES	£12.95 EACH		AVAILABLE 1984
MR T'S NUMBER GAMES	£12.95 EACH		
MR T'S MEASURING GAMES	£12.95 EACH		
MR T'S SHAPE GAMES	£12.95 EACH		
	TOTAL		

DRAGON AND COMMODORE 64 VERSIONS AVAILABLE 1984
I ENCLOSE MY CHEQUE/P.O. FOR THE AMOUNT ABOVE INCLUDING VAT AND P & P. MADE PAYABLE TO EBURY SOFTWARE. OR CHARGE MY ACCESS/VISA/DINERS/AMERICAN EXPRESS.

A/C NO._____

SIGNED_____ DATE_____

NAME MR/MRS/MS_____
(BLOCK LETTERS)

ADDRESS_____

TOTAL NUMBER OF PACKAGES ORDERED_____

REMITTANCE SHOULD BE MADE PAYABLE TO EBURY SOFTWARE AND SHALL BE HELD ON BEHALF IN THIS ACCOUNT UNTIL THE GOODS ARE DESPATCHED. PLEASE ALLOW UP TO DAYS FOR DELIVERY. OFFER APPLIES TO U.K. AND EIRE ONLY.
EBURY SOFTWARE (A DIVISION OF THE NATIONAL MAGAZINE CO LTD).
REGISTERED NUMBER: 102955. YC

GOOD HOUSEKEEPING SOFTWARE · EARLY LEARNING

PUBLISHED BY EBURY SOFTWARE (A DIVISION OF THE NATIONAL MAGAZINE CO LTD) FOR GOOD HOUSEKEEPING, NATIONAL MAGAZINE HOUSE, 72 BROADWICK STREET, LONDON W1V 2

Out of th



is world!

BBC 32K

180! £6.90 2 PLAYER DARTS
Be a top darts champion and enjoy the hazards of 180, Shanghai and other games to beat your equally keen opponent.

BOUNCER £8 ARCADE GAME Thank your lucky stars for the anti matter scoop to catch the BEEBOIDS before they drain the universe into oblivion.

CYLON ATTACK* £7.90 Real time three dimensional space battle. Protect your mother ship from hordes of attacking CYLONS.

SPECTRUM

CHUCKIE EGG £6.90 ARCADE GAME Collect the eggs before the nasties get out and eat up all your corn!

DASHING DOUGGIE £6.90 ARCADE GAME Supersonic Dashing Douggie orbits the world delivering liquid nourishment. He must be quick to stop it getting cold.

JUNGLE FEVER £6.90 ARCADE GAME (Ramwise TM) It's got everything, with an exotic horror array of nasty natives, man-eating spiders and crocodiles too.

DRAGON



DEADWOOD £6.90 1-4 PLAYER ADVENTURE GAME An ideal family game for everyone who can decide where to invest their bank roll in the long slog to millions.

SWASHBUCKLERS £6.90 1-4 PLAYER ADVENTURE GAME Up to four pirate ships laden with treasure that you want. Scurvy knaves and smallpox too don't help. And is Leper Island the best place to go?

SHRINKING PROFESSOR £6.90 ADVENTURE GAME You're only an inch high. How are you going to survive in the garden with all those monstrous spiders. The crystals do it.

ORIC

DEATH SATELLITE £6.90 ADVENTURE GAME You've run out of fuel on an orbiting satellite near a forbidding robot planet with mutant monsters guarding your vital fuel supply Can your wits help you to survive?

ZODIAC £6.90 ADVENTURE GAME An intricate game with pit falls to surprise, frustrate and kill you before you find your successful way. But you can be resurrected.

WATCH THIS SPACE

HOWSZAT! **£6.90 1-2 PLAYER CRICKET**
Be a cricket star and enjoy all the hazards of cricket to beat your equally keen opponent.

HORROR CASTLE **£8 ADVENTURE GAME**
A beautiful princess waits for you to save her. But how can you get into the castle? The clues lead you to the hidden guarded prison.

SHRINKING PROFESSOR **£8 ADVENTURE GAME**
You're only an inch high how are you going to survive in the garden with all those monstrous spiders, ants and other giant horrors. The crystals do it.

PHARAOH'S TOMB **£8 ADVENTURE GAME**
Pick up the gold but don't be scared penniless by the mummy. Be quick, it's in real time, so work out those magic words.

PLANES **£8 ARCADE GAME***
Fast or slow, skill and speed are needed to beat the enemy aircraft attack.

A&F SOFTWARE
SOFTWARE
SOFTWARE ©

AVAILABLE FROM YOUR LOCAL DEALER AND MOST COMPUTER BOOK SHOPS.

Also at:
JOHN MENZIES
***W.H. SMITH**
(starred items only)

BARCLAYCARD VISA

A&F software

Unit 8, Canal Side Industrial Estate, Woodbine Street East, Rochdale, Lancashire OL16 5LB. Direct from our mail order dept. Tel: (0706) 341111

Christmas prices have never been this good.

64K SPECIAL OFFER PACKAGES

Commodore 64 computer

NOW £184.95 plus over 2 year guarantee

64 STARTER PACK
Commdore 64
Cassette deck
Intro to Basic (part 1)
Quickshot joystick
Game
ONLY £245.00

64 HOME /BUSINESS PACK
Commodore 64
1541 disc drive
Box of 10 diskettes
FREE SOFTWARE
Easy script (word processor) and diskette containing 6 games
ONLY £385.00

64 BUSINESS PACK
Commodore 64
1541 disc drive
1525 dot matrix printer
Box of 10 Diskettes
Pox of paper
FREE SOFTWARE
Easy script (word processor) and diskette containing 6 games.
ONLY £585.00

We stock a range of books and software for all the computers that we supply. Why not visit our shop and brouse around or just try out some software.

C2N Cassette deck	£39.10
1541 Disc drive	£195.95
Free Software	
Easy script and 6 games on a disk	
1701 Colour monitor	£195.95
Quickshot joystick	£8.95
Pair of Quickshot joysticks	£16.95
Introduction to Basic (part 1)	£13.50
Programmers reference guide	£9.95
Easy script (word processor)	£69.95
Superbase (data management)	£115.00
1525 Dot matrix printer	£195.95
1526 Dot matrix printer	£295.95
1520 Printer/Plotter	£149.95
RX80 Dot matrix printer	£259.95
RX F/T Dot matrix printer	£299.95
FX80 Dot matrix printer	£399.95
FX100 Dot matrix printer	£545.95
Centronics interface cable	£19.95
Software for above cable	£7.95
JUKI Daisy wheel printer	£395.95

BBC SPECIAL OFFERS

BBC Model B computer £399.00

BBC Model B with disc interface £469.00

TORCH Z80 Disc Pack
2×400K (formatted floppy disc drives Z80 second processor and the following FREE software
1. Perfect Wrtier (Word processor)
2. Perfect Filer (database management)
3. Perfect Calc (Financial shpreadsheet)
4. Perfect Speller (spelling checker)

ALL THIS FOR ONLY £839.50

CS100 Cumana 100K S/S 40 track disk	£239.95
CS400S Cumana 400K 80 track disk switchable to 40 track	£579.95

All Cumana discs are complete in a BBC Beige cabinet with its own power supply, connecting cable, format disc and user manual.

Microvitec Colour Monitor	£247.25
BMC Green Monitor	£119.95
BBC to Centronics cable	£11.95

BBC BUSINESS PACK
BBC Model B with disc interfaces Torch Z80 disc pack with FREE software (as shown above).
BMC Green Screen Monitor
RX80F/T printer with cable
ONLY £1,675.00

ACORN ELECTRON
Not available at time of going to press £199.00

SPECIAL OFFER PACKAGE commodore VIC 20

VIC 20 starter pack

NOW £134.95 plus over 2 year guarantee

included: VIC 20 computer, cassette deck, Intro to Basic (part 1) and 4 game cassette

16K RAM PACK £28.95
32K RAM PACK £47.95

All 64 peripherals, disk drives, printers, joysticks work with the VIC 20.

Send SAE for FREE hardware/software booklet.

DRAGON 32

Free Basic Training Manual supplied

Dragon 32 Computer	£157.50
DRAGON 64 Computer Not available at time of going to Press	£225.00
Dragon Single disk drive with controller card (180K)	£275.00
Dragon to Centronics printer cable	£11.95
Telewriter (Word processor)	£49.95
Tele-Tutor	£25.00
Dragon Joysticks (pair)	£14.95

Official DRAGON sales and service agents for the whole Greater London Area.

MEDIA SUPPLIES

Diskettes by Verbatim (supplied in boxes of 10)
Single sided, Double density, 40 track £17.95
Single sided, Quad density, 80 track £24.75
Double sided, Quad density, 80 track £32.75

Library cases (Hold 10+) £1.35
C12 Blank programming cassettes 50P each or 10 for £4.50
Plain computer paper (supplied in 2,000 sheets)
11×8 £13.80 11×9½ £12.65
11×15 5/16 £15.52

Prices correct at time of going to press

Our Guarantee (2 years on 64's)
1 full year for labour and parts on all Hardware.

We have a wide range of dust covers for the computers and printers etc., that we sell. please phone for details.

We guarantee all our products for 1 year, accept 64 and VIC which is 2 years. We are an approved service centre for Commodore, Dragon and BBC. Payment may be made by Access, Barclaycard, Bankers Draft, Building Society cheques or cash. Sorry, cheques need 4 days clearance.

POSTAGE AND PACKING — Please allow £5 for computer, disk drive or printer, this price also covers insurance.

ALL PRICES ARE INCLUSIVE OF VAT.

CHROMASONIC
PERSONAL COMPUTERS

48 Junction Road, Archway, London N19 5RD
TEL: 01-263 9493 or 5

- FREE ADVICE on all aspects of Personal Computers. You only have to ask.
- DELIVERY: On P.O.'s, Access or Barclaycard, dispatch usually within 24 hrs. Or we'll advise by return. On cheques allow about 5 days.

If not completely satisfied, return the goods to us undamaged within 14 days for a full refund including p&p. VAT included in all prices.

MUSIC

Play bars with Gavin Rummery's Oric music program.

THIS PROGRAM ALLOWS you to enter notes from sheets of music. When it loads, four staves are drawn onto the screen. You are then asked the maximum number of notes you need, the length of the crotchets — about 30 is normal — the octave and volume of the notes.

The prompt 'What note do you want next?' will then appear. There are various replies to this question. They are as follows:

1. 'c'-'g' give notes from bottom C to G.
2. 'A'-'G' gives notes from A to top G.
3. Typing 'C#' etc give C# etc.
4. '}' gives a period of silence lasting as long as a crotchet.
5. '.' — full stop — then Return and then entering the note gives a minim.
6. Typing '/' then Return will cause the prompt "How many notes do you want to join?". A number from 2 to 1 should then be entered.

You will then be allowed to enter that number of notes, which will be joined together. Two notes joined together will be played as quavers, four notes will give semi-quavers etc.

7. '?' will tell you how many notes you have used.
8. 'r' will draw up a repeat sign — 11:.
9. 'u' will show the end of the section to be repeated — :11 — Note. You cannot repeat a section inside another section that is being repeated.
10. 's' will erase the last note entered.
11. Finally 'p' will play your master-piece!

After entering each letter or symbol you must press Return.

When you fill the four staves, the screen will be cleared and four more drawn up.

Once the tune has played through you will be asked if you want to add notes and if you want the tune replayed.

Lines 2-190 ask the initial question and draw up the staves.
Lines 200-997 are the main loop.
Lines 1000-1080 define the treble-clefs.
Lines 110-1150 draw the repeat sign.
Lines 1300-1359 repeat the notes between the start and end repeat signes and also draw the end repeat sign.
Lines 2000-3020 play the tune
Lines 500-5020 ask how many notes to be joined.
Lines 5100-5150 join the notes.
Lines 6000-6030 involve the silent '}'.
Lines 8000-8080 rub out the last note entered.

```
2 CLS
4 O=1:R=-1
10 TEXT:GOSUB1000
20 INK0:PAPER6:HIRES:INK0:PAPER4
30 PRINTCHR$(17)
35 IFTM=0THENPRINTCHR$(20);CHR$(6)
40 Z=1
45 FORF=0TO150STEP50
50 FORX=10TO30STEP7
60 CURSET20,X+F,3
70 DRAW200,0,1
80 NEXT
90 NEXT
95 IH=7
100 FORF=0TO150STEP50
120 FORX=8TO32STEP8
130 CURSET22,X+F,3
140 CHARX/8+90,0,1
150 NEXT:NEXT
160 X=30:Y=10
161 XX=X:YY=Y
165 IFTM=1THENTM=0:TM=0:RETURN
170 IFTM=1THENGOTO190
171 INPUT"Number of notes(1TO2000)";NN:IFNN>2000THEN17
1
180 DIMND(NN):DIML(NN):DIMKD(NN)
181 INPUT"Time Gap";LE
182 INPUT"Octave (0TO5)";OK
184 IFOK>5THENGOTO182
185 INPUT"Volume (0TO15)";VO
186 IFVO>15THENGOTO185
190 TM=0
200 PRINT: PRINT:INPUT"What note do you want next";X$
205 IFX$="?"THENPRINTD:GETX$:GOTO200
209 IFX$="s"THENGOTO8000
210 IFX$="r"THENGOTO1100
211 IFX$=")"THENGOTO4000
216 IFX$="p"THENGOTO2000
220 IFX$="u"THENGOTO1300
230 IFRIGHT$(X$,1)="C"THENGH=1
240 IFX$="."THEND=1:GOTO200
245 IFX$="/"AND11=0THENJD=1:GOTO5000
250 IFASC(X$)<65ORASC(X$)>71ANDASC(X$)<99ORASC(X$)>103
THENGOTO200
255 OCTA=OK
260 IFX$="c"THENN=1
261 IFSH=1ANDRIGHT$(X$,1)<>"C"THENX$=X$+"C"
265 IFX$="cC"THENN=2
270 IFX$="d"THENN=3
280 IFX$="dC"THENN=4
290 IFX$="e"THENN=5
300 IFX$="f"THENN=6
310 IFX$="fC"THENN=7
320 IFX$="g"THENN=8
330 IFX$="gC"THENN=9
340 IFX$="A"THENN=10
345 IFX$="AC"THENN=11
350 IFX$="B"THENN=12
360 IFASC(X$)>64ANDASC(X$)<72THENOCTA=OCTA+1:X$=CHR$(A
SC(X$)+32):GO
TO260
370 X=X+6:IFX>220THENX=30:Y=Y+50:IFY>170THENTM=1:TN=1:
GOSUB20
371 IFOCTA<>OKTHENX$=CHR$(ASC(X$)-32)
373 XX=X:YY=Y
375 D=ASC(X$)-99:IFD<0THEND=ASC(X$)-60
376 D=Y+36-D*3.5
380 CURSETX+3,D,1
390 IFDO=1THENCIRCLE2,1:CIRCLE1,0
400 IFDO<>1THENCIRCLE2,1:CIRCLE1,1
405 IFJD=1THENX=PD:D=0:IFD<0ITHENH=0
410 CURSETX+4,D,1:DRAW0,-7,1
411 IFSH=1THENCURSETX,D+3,3:CHAR35,0,1
412 ND(O)=N:KD(O)=OCTA
413 LP=LE:IFDO=1THENLP=LE*2
414 IFJD>0THENLP=LE/DH
416 L(O)=LP
417 MUSIC1,OCTA,ND(O),VO:WAITLP:MUSIC1,0,1,0:O=O+1
419 X1=X+3:D1=D
420 PO=PO+1:IFPO=DHTHENGOSUB5100
430 IFJD=1THENGOTO460
440 X=X+6:IFX>220THENX=30:Y=Y+50:IFY>170THENTM=1:GOTO4
5445 IFDE=1THENGOTO445A
450 BAR=BAR+1
455 IFBAR=4THENCURSETX,Y,1:DRAW0,28,1:BAR=0
456 IFDO=1THENDO=2:GOTO440
457 JD=0
460 SH=0:DO=0
470 OCTA=OK
480 IFTM=1THENGOTO20
490 IFO=NN+1THENGOTO2000
500 DE=0
997 GOTO200
998 PRINTCHR$(20);CHR$(6)
999 END
1000 FORZ=46808TO46839
1010 READA
1020 POKEZ,A
1030 NEXT
1040 RETURN
1050 DATA12,18,18,17,9,9,9
1060 DATA10,6,4,12,20,38,45,45
1070 DATA45,45,37,37,21,14,4,4
1080 DATA4,7,7,7,7,26,26,14,12
1100 IFR<>1THENGOTO200
1101 R=0
1110 FORC=0TO1
1120 CURSETX+C+2,Y,1:DRAW0,28,1
1130 CURSETX+4,Y+10+C*6,1
1140 NEXT
1150 GOTO200
1300 IFR=-1THENGOTO200
1301 FORW=RTO0
1305 ND(O+W-R)=ND(W)
1306 KD(O+W-R)=KD(W)
1307 L(O+W-R)=L(W)
1308 NEXT
1309 O=O+W-R-1
1310 R=-1
1320 FORC=0TO1
1330 CURSETX+C*2,Y,1:DRAW0,28,1
1340 CURSETX-2,Y+10+C*6,1
1345 NEXT
1346 XX=X:YY=Y
1350 GOTO200
2000 PRINT:PRINT:PRINT"HERE GOES..."
2010 FORW=1TOO-1
2015 IFKD(W)=10THENWAITL(W):GOTO2035
2016 PLAY1,0,0,0
2020 MUSIC1,KD(W),ND(W),VO
2030 WAITL(W)
2035 PLAY0,0,0,0
2040 NEXT
2045 MUSIC1,0,1,0
3000 PRINT:PRINT:INPUT"Repeat";X$
3010 IFX$="y"THENGOTO2000
3011 IFO=NN+1THENGOTO990
3015 PRINT:PRINT:INPUT"Want to add notes";X$
3016 IFX$="y"THENPLAY1,0,0,0:GOTO200
3017 TEXT
3020 GOTO998
5000 PRINT:PRINT:INPUT"How many notes do you want to j
oin";DH
5005 IFDH>1:DROM<2THENGOTO5000
5015 II=1
5016 PO=0
5017 IFX+(DH)*6>220THENX=30:Y=Y+50:IFY>170THENTM=1:GOT
020
5018 HI=Y+40
5020 GOTO200
5100 IFIHCY-5THENGOTO5109
5105 CURSETX-(DH-1)*6+4,IH-7,0:DRAW(DH-1)*6,0,0
5109 FORHO=0TODH-1
5110 CURSETX-(DH-1)*6+HO*6+4,CX(HO),1
5120 DRAW0,(HI-7)-CX(HO),1
5130 NEXT
5140 CURSETX-(DH-1)*6+4,HI-7,1:DRAW(DH-1)*6,0,1
5145 II=0
5146 IH=HI
5150 JD=0:RETURN
6000 IFJD=1THENGOTO200
6010 KD(O)=10
6015 L(O)=LE
6016 X=X+6:IFX>220THENX=30:Y=Y+50:IFY>170THENTM=1:TN=1
:GOSUB20
6020 CURSETX,Y+10,3:CHAR125,0,1
6025 O=O+1
6026 XX=X:YY=Y
6030 GOTO440
8000 IFX=XANDY=YYANDJD<>1THENGOTO200
8010 FORZ=EXTOXX+5
8020 CURSETZ,YY-10,0:DRAW0,50,0
8030 NEXT
8040 FORZ=YYTOYY-20STEP7
8050 CURSETXX,Z,1:DRAW6,0,1
8060 NEXT
8065 XX=XX-6
8070 Y=YY:X=XX:O=O-1
8072 IFO=0THENGOTO8080
8075 IFL(O)=LE/DHTHENJD=1:PO=PO-1
8080 DE=1:GOTO200
```



PSEUDOSPRITES

A NUMBER OF home computers are now provided with sprite graphics, usually via special hardware such as the VIC chip in the Commodore 64. The ZX Spectrum unfortunately lacks such hardware, and so I have written a machine-code routine to emulate this feature. A sprite is a user-defined graphic character up to 16 by 16 points which can be positioned anywhere upon the screen and made to move very easily.

Normally a program in which a number of objects are required to move about the screen will be heavily involved in the mundane operations of erasing at the old position, updating co-ordinates, printing at the new position, checking for collisions, testing for the edge of the screen etc. One advantage of sprite graphics is that all of these operations are carried out automatically by the sprite mover routine, so that your program is free to get on with its other tasks.

The routine can handle up to eight sprites at a time. Associated with each sprite is a set of attributes which tell the routine how far to move the sprite at each step, how fast to move it, how many moves to make, and what to do if the sprite hits the edge of the screen or another object.

Each sprite has a collision flag which can be tested to check whether it has hit anything. Movement of the sprites is made independent of the user program because the machine-code routine is driven by interrupts.

Every 1/50 second the Z-80 microprocessor receives an interrupt which makes it stop whatever it is doing and carry out an interrupt service routine which normally just increments system variable frames and scans the keyboard. However, the interrupt can be diverted — as described by Nigel Dore in the May 1983 issue of *Your Computer* — and in this case it is made to include the sprite mover routine.

By doing this, your Basic program will be slowed down somewhat, according to how many sprites are being moved, and how fast they are moving. In spite of this, a program which uses sprite graphics will run faster than one which relies upon normal printing to achieve the same effects.

The machine code, sprite attributes and graphics characters occupy about 1.4K, and I have chosen to locate them below the Sinclair user-graphics. The machine code — listing 1 or 2 depending upon memory size — can be entered via the program in listing 3.

Take care, since a single mistake in the

Listing 1. Machine-code dump — 16K.

```
42  135 126 34  147 126 58  126
126 50  144 126 221 70  14  197
58  144 126 254 255 32  4   221
54  19  175 58  125 126 50  143
126 42  147 126 86  35  94  35
34  147 126 237 75  143 126 205
170 34  50  140 126 50  145 126
47  230 7   60  50  142 126 50
145 126 221 134 18  50  143 126
221 54  16  0   205 169 124 237
75  143 126 175 50  140 126 50
141 126 221 54  17  8   205 170
34  78  205 193 124 58  143 126
198 8   50  143 126 237 75  143
126 205 170 34  58  145 126 50
142 126 58  146 126 50  141 126
221 54  15  0   78  205 162 124
221 53  19  193 16  129 201 78
58  140 126 254 0   40  5   203
1   61  32  251 58  142 126 254
0   40  53  254 8   32  21  122
221 203 24  70  32  4   47  161
24  6   161 196 0   125 122 177
79  83  113 201 203 35  203 18
56  4   203 1   24  15  221 203
24  70  40  7   203 17  220 0
125 24  2   203 33  61  32  228
58  141 126 254 0   40  5   203
1   61  32  251 113 201 221 203
9   254 201 221 54  9   0   221
203 2   126 40  16  58  150 126
254 0   40  63  221 190 0   40
28  48  56  24  24  58  125 126
221 134 13  50  145 126 58  150
126 221 134 13  254 255 40  35
221 190 20  56  30  221 203 3
126 32  8   58  151 126 254 175
48  64  201 58  151 126 221 150
14  60  254 0   40  52  254 176
48  48  201 221 203 9   198 221
203 5   79  32  216 175 221 203
2   126 32  5   62  255 221 150
13  50  150 126 221 203 5   79
32  6   175 50  132 126 24  189
56  127 126 237 68  50  127 126
24  179 221 203 9   198 221 203
5   79  32  36  62  175 221 203
3   126 40  5   62  255 221 134
14  50  151 126 221 203 5   79
32  5   175 50  132 126 201 58
126 126 237 68  50  126 126 201
58  151 126 254 176 216 198 80
221 203 3   126 40  2   198 96
50  151 126 201 33  164 126 17
15  0   6   8   197 213 229 229
221 225 221 203 8   70  32  11
221 203 12  254 225 209 193 25
16  234 201 221 203 12  126 40
43  205 80  126 221 54  24  1
205 26  124 221 203 9   126 40
10  221 203 6   70  32  4   221
54  7   0   58  129 126 50  137
126 221 229 225 209 193 197 213
237 176 24  200 221 53  12  32
195 221 126 7   254 0   40  201
254 255 40  3   221 53  7   205
80  126 58  125 126 221 134 2
50  150 126 58  126 126 221 134
3   50  151 126 221 54  24  0
205 26  124 205 5   125 42  150
126 34  125 126 24  158 17  125
126 1   15  0   213 221 225 237
176 201 243 245 197 213 229 221
229 205 198 125 221 225 225 209
193 241 195 56  0   62  40  237
71  237 94  201 62  62  237 86
237 71  201
```

Listing 2. Machine-code dump — 48K.

```
42  148 254 34  160 254 58  139
254 50  157 254 221 70  14  197
58  157 254 254 255 32  4   221
54  19  175 58  138 254 50  156
254 42  150 254 86  35  94  35
34  160 254 237 75  156 254 205
170 34  50  153 254 50  158 254
47  230 7   60  50  155 254 50
159 254 221 134 18  50  156 254
221 54  16  0   205 182 252 237
75  156 254 175 50  153 254 50
154 254 221 54  17  8   205 170
34  78  205 206 252 58  156 254
198 8   50  156 254 237 75  156
254 205 170 34  58  158 254 50
155 254 58  159 254 50  154 254
221 54  15  0   78  205 195 252
221 53  19  193 16  129 201 78
58  153 254 254 0   40  5   203
1   61  32  251 58  155 254 254
0   40  53  254 8   32  21  122
221 203 24  70  32  4   47  161
24  6   161 196 13  253 122 177
79  83  113 201 203 35  203 18
56  4   203 1   24  15  221 203
24  70  40  7   203 17  220 13
253 24  2   203 33  61  32  228
58  154 254 254 0   40  5   203
1   61  32  251 113 201 221 203
9   254 201 221 54  9   0   221
203 2   126 40  16  58  163 254
254 0   40  63  221 190 0   40
28  48  56  24  24  58  138 254
221 134 13  50  158 254 58  163
254 221 134 13  254 255 40  35
221 190 20  56  30  221 203 3
126 32  8   58  164 254 254 175
48  64  201 58  164 254 221 150
14  60  254 0   40  52  254 176
48  48  201 221 203 9   198 221
203 5   79  32  216 175 221 203
2   126 32  5   62  255 221 150
13  50  163 254 221 203 5   79
32  6   175 50  145 254 24  189
56  140 254 237 68  50  140 254
24  179 221 203 9   198 221 203
5   79  32  36  62  175 221 203
3   126 40  5   62  255 221 134
14  50  164 254 221 203 5   79
32  5   175 50  145 254 201 58
141 254 237 68  50  141 254 201
58  164 254 254 176 216 198 80
221 203 3   126 40  2   198 96
50  164 254 201 33  176 254 17
15  0   6   8   197 213 229 229
221 225 221 203 8   70  32  11
221 203 12  254 225 209 193 25
16  234 201 221 203 12  126 40
43  205 90  254 221 54  24  1
205 39  252 221 203 9   126 40
10  221 203 6   70  32  4   221
54  7   0   58  142 254 58  150
254 221 229 225 209 193 197 213
237 176 24  200 221 53  12  32
195 221 126 7   254 0   40  201
254 255 40  3   221 53  7   205
90  254 58  138 254 221 134 2
50  163 254 58  139 254 221 134
3   50  164 254 221 54  24  0
205 39  252 205 16  253 42  163
254 34  138 254 24  158 17  138
254 1   15  0   213 221 225 237
176 201 243 245 197 213 229 221
229 205 211 253 221 225 225 209
193 241 195 56  0   62  9   237
71  237 94  201 62  62  237 86
237 71  201
```

Listing 3. Machine-code loader.

```
  10 CLEAR 31199+(PEEK 23733=255
) *32800
  20 LET K48=PEEK 23733=255
  30 LET st=31770+K48*32781
  40 FOR j=st TO st+610
  50 INPUT n: POKE j,n: PRINT n
  60 NEXT j
  70 PRINT "ADDRESS contents"
  80 FOR j=st TO st+610
  90 PRINT j;TAB 10;PEEK j
 100 NEXT j
```

machine code will almost certainly make the computer crash when you try to run it. Check the data after entry — you can make a note of any mistakes and correct them with a Poke — and Save the routine with the command:

SAVE "spmov48k" CODE 64551,611

or

SAVE "spmov16K" CODE 31770,611

You can now enter the sprite demonstration program in listing 4. This sets up the graphic character and programs the sprite attributes so that the eight sprites move away from the centre of the screen in random directions with different speeds.

At first they will bounce off the edges of the screen, but by pressing Enter you can make them wrap-around. Thus a sprite disappearing off the left hand edge of the screen will reappear at the right hand side. Then, by pressing Enter again you can make them stop moving as soon as they collide with each other.

I will now explain how to use the routine in your own programs. To do so, you need to Poke values into two areas of memory — the graphic character and sprite attribute areas.

In the graphics area you can store up to 16 different user-defined graphics, each made up of 16 by 16 points. When designing your characters you will need to use a grid.

If your character does not fill the grid, make sure that the unused areas come at the right hand side and the bottom, and make a note of the area that you have used — width × height — because you will need these values later. Now divide each line of the grid into two halves. The left-hand group gives you a value for the first byte of data for each line, the right hand group gives the second data byte.

Chapter 14 of the user manual tells you how to work out the value for each byte. You can either work with binary numbers or convert to decimal.

Each character takes up 32 bytes, and these should be stored line by line, with the top line first. As stated earlier, the graphics area can hold 16 characters. On the 48K machine character number 1 would be stored in addresses 64000 — 64031, character 2 from 64032 — 64063 etc.

In order to simplify the process of designing your sprite graphic characters, I have written the Basic program in listing 5. This program lets you design your sprite graphics, store them in the graphics area of memory, retrieve characters from memory and edit them, and Save your sprite graphics to tape.

The cursor keys are used to move around with the 16 by 16 grid, and by pressing I you can ink in a particular square. Pressing P will change an inked square back to paper. At the right hand side of the screen, the contents of the graphics area is displayed so that you can see all the characters that you have set up.

The sprite attribute area consists of eight sets of 15 bytes. On the 48K machine the attributes for sprite 1 are stored from 65200 to 65214, sprite 2 from 65215 to 65229 etc. The meaning of each byte is described below addresses given are for sprite 1 add 15 for sprite 2, 30 for sprite 3 etc.

X position (65200/32420): This is the x co-ordinate of the top left hand corner of the sprite. Values range from 0 to 255. You should set this to wherever you wish the sprite to appear. Once the sprite starts moving the value is updated to reflect its actual position.

Y position (65201/32421): Y co-ordinate of the top left hand corner of the sprite. Possible values range from 0 to 175.

X movement (65202/32422): This tells the routine how many points to move the sprite in the X direction at each step. Values up to 127 move it from left to right. Values from 128 to 255 move it right to left, but the value is interpreted in 2's complement — so 255 means -1, 254 means -2 etc. If you are unsure of 2's complements, you can use negative numbers in a Poke statement to obtain the correct value — thus POKE 65202,-2. To avoid jerky motion I would advise you to use values between -10 and +10.

Y movement (65203/32423): As above, but for displacements in the Y direction. Positive values move it upwards, negative ones downwards.

Speed (65204/32424): This tells the routine how many interrupts should occur before the sprite is moved. Values may range from 1 to 255, and low values give fastest motion. Too low a value might make the sprite flicker, however.

Edge action (65205/32425): This tells the routine what to do when the sprite hits the edge of the screen: 0 = stop moving; 1 = continue, with wrap-around; 2 = bounce.

Collision action (65206/32426): This tells the routine what to do when the sprite hits another object: 0 = stop moving; 1 = continue moving.

Number of move (65207/32427Z): Values from 1 to 254 will move the sprite by that

(continued on next page)

(continued from previous page)

many steps. A value of 0 means that the sprite remains stationary. A value of 255 means keep moving continually. However, if the sprite hits the edge of the screen when edge action = 0 or another object when collide action = 0, the sprite will stop and the number of moves will be set to 0.

Off/on (65208/32428): A value of 0 means that the sprite is switched off. A value of 1 switches it on. You should only switch a sprite on after all its other attributes have been set.

Collision flag (65209/32429): This byte can be Peeked, and it returns values of : 0 = no collision; 1 = sprite is at the edge of the screen; 128 = sprite has hit another object; 129 = sprite is at edge, and has hit something.

Graphic character address (65210, 11/32430,31): These two bytes contain the address where the sprite graphic character is stored. 65210/32430 contains the low byte of the address i.e., remainder from (address/256), 65231/32431 contains the high byte i.e., INT(address/256).

65212/32432: This byte is used by the mover routine and should not be Poked.

Width (65213/32433): This tells the routine how wide — 1 to 16 points — the sprite graphic character is. It needs to know this so as to tell when it has reached the edge.

Height (65214/32434): This tells the routine how many lines you have used in the sprite graphic character — 1 to 16 — so that it knows when it hits the bottom of the screen.

After setting up your graphics characters and attributes, you can switch on the sprite mover routine with the command:

RAND USR 65148 (or 32367)

This diverts the interrupt service routine so as to include the machine code. Sprites can be switched off, and interrupts restored to normal with RAND USR 65155 (or 32374)

There is no provision within the routine for selecting sprite colours. Instead, the sprites are printed in Ink 9, Paper 9 — they take their colour from whatever is already on the screen. For example, when passing over an area of the screen which had been printed in blue ink on yellow paper, the sprite would appear blue. Note also that while sprites are switched on, you can clear the screen without erasing the sprites. You can use this fact to change sprite colours as is done in the demonstration program in listing 4.

This routine offers a number of advantages to Basic programmers, providing features which can only be obtained from machine code. The speed of movement and ability to use high resolution graphics mean that arcade action games can now be written in Basic.

If anyone would like a cassette tape which contains a copy of the machine code and sprite graphic character generator, together with a number of demonstration programs, they should send £3 to 47 Wellingborough Road, Broughton, Kettering, Northants. ■

Listing 4. Sprite demonstration.

```
  10 REM ** sprite demo ********
  20 LET k48=PEEK 23733*255
  30 LET sg=31200+k48*32800: REM
 start of graphics area
  40 LET sa=32420+k48*32700: REM
 start of attributes area
  50 LET spon=32367+k48*32781 :
REM address to switch on sprite
mover routine
  60 LET spoff=spon+7: REM
address to restore normal
interrupts
  70 REM *** set up graphic 1 **
  80 FOR j=sg TO sg+31
  90 READ n: POKE j,n
 100 NEXT j
 110 DATA 192,12,32,16,19,32,63,
240,84,168,247,168,95,232,80,240
,24,96,0,0,0,0,0,0,0,0,0,0,0,0,0
,0
 120 BORDER 1: PAPER 4: INK 1: C
LS
 130 RANDOMIZE 0
 140 REM *** set up attributes *
 150 FOR j=sa TO sa+105 STEP 15
 160 POKE j,100: REM x position
 170 POKE j+1,100: REM y posn
 180 POKE j+2,1+RND*3: REM
random x movement
 190 POKE j+3,1+RND*4: REM
random y movement
 200 POKE j+4,1+RND*4: REM
random speed
 210 POKE j+5,2: REM edge action
=bounce
 220 POKE j+6,1: REM collision
action = continue
 230 POKE j+7,255: REM continual
movement
 240 POKE j+8,1: REM sprite on
 250 POKE j+10,sg-256*INT (sg/25
6): REM low byte of address for
graphic number 1
 260 POKE j+11,INT (sg/256): REM
high byte of address
 270 POKE j+13,13: REM width
 280 POKE j+14,9: REM ht
 290 NEXT j
 300 RANDOMIZE USR spon: REM **
divert interrupts to include
sprite mover routine
 310 INPUT "ENTER to see wrap ar
ound";a$
 320 PAPER 0: INK 2: BORDER 4: C
LS : REM CLS does not erase
active sprites
 330 FOR j=sa+5 TO sa+110 STEP 1
5
 340 POKE j,1: REM edge action=1
 350 NEXT j
 360 INPUT "ENTER for stop at co
llision";a$
 370 PAPER 5: INK 0: BORDER 2: C
LS
 380 FOR j=sa+6 TO sa+111 STEP 1
5
 390 POKE j,0: REM set collide
action=0 (stop)
 400 NEXT j
 410 REM when all sprites have
  stopped restore interrupts to
  normal
 420 LET c=0
 430 FOR j=sa+9 TO sa+114 STEP 1
5
 440 IF PEEK j>127 THEN LET c=c+
1
 450 NEXT j
 460 IF c<8 THEN GO TO 420
 470 RANDOMIZE USR spoff
```

Example screen.

```
The arrow keys move cursor (+)
I = ink.          P = paper.
G = get graphic.  C = clear grid
S = store grid.   T = tape save.
Z = stop.
```



Listing 5.

```
  10 REM ************************
  20 REM sprite designer program
     © Robert Newman Sep 1983
  30 REM
  40 REM ************************
  50 LET K48=PEEK 23733*255
  60 LET sc=31200+K48*32800
  70 DIM a(8)
 100 POKE USR "a",255
 110 FOR j=1 TO 7: POKE USR "a"+
j,i: NEXT j
 120 POKE USR "b"+1,0
 130 FOR j=2 TO 6: POKE USR "b"+
j,16: NEXT j
 140 POKE USR "b"+4,124
 200 INK 0: PAPER 5: BORDER 3: C
LS
 210 PRINT "This program lets yo
u design    sprite graphic chara
cters and    store them in the me
mory, and ontape."
 220 PRINT '"You can also get ch
aracters frommemory and edit the
m."
 230 PRINT '"Keys to use are sho
wn at the topof the next screen.
"
 240 PRINT '"Before starting, do
 you want to load a set of chara
cters from    tape?"
 250 INPUT "y/n? ";a$
 260 IF a$<>"y" AND a$<>"Y" THEN
 GO TO 1000
 270 LOAD ""CODE sc
1000 REM ** sprite designer ****
1005 BORDER 6: INK 0: PAPER 4: C
LS
1010 GO SUB 1800: GO SUB 4000
1020 PRINT AT 0,0;"The arrow key
s move cursor (+)   I = ink.
     P = paper."
1030 PRINT "G = get graphic. C =
 clear grid S = store grid.  T =
 tape save."
1035 PRINT "Z = stop."
1040 RESTORE 1060
1050 FOR j=1 TO 8: READ a(j): NE
XT j
1060 DATA 255,254,253,251,247,23
9,243,235
1070 IF IN 61438<223 THEN FOR j=
1 TO 8: LET a(j)=a(j)-64: NEXT j
1100 IF IN 65278=a(1) AND IN 650
22=a(1) AND IN 64510=a(1) AND IN
 63486=a(1) AND IN 61438=a(1) AN
D 57342=a(1) THEN GO TO 1100
1105 IF IN 65278=a(3) THEN STOP
1110 IF IN 64510=a(6) THEN GO SU
B 3000
1120 IF IN 65278=a(5) THEN GO SU
B 1800
1130 IF IN 65022=a(6) THEN GO TO
 5000
1140 IF IN 65022=a(3) THEN GO TO
 6000
1150 LET x2=x1: LET y2=y1
1155 LET a=IN 57342
1160 IF a=a(4) OR a=a(7) OR a=a(
8) THEN PRINT AT y1,x1;"■";AT y1
,x1; OVER 1;"+": GO TO 1100
1170 IF a=a(2) THEN PRINT AT y1,
x1;"┐";AT y1,x1; OVER 1;"+"
1180 IF IN 63486=a(8) THEN LET x
2=x1-(x1<>0)
1190 LET a=IN 61438
1200 IF a=a(4) THEN LET x2=x1+(x
1<>15)
1210 IF a=a(5) THEN LET y2=y1-(y
1<>6)
1220 IF a=a(6) THEN LET y2=y1+(y
1<>21)
1230 IF a=a(7) THEN LET x2=x1+(x
1<>15): LET y2=y1-(y1<>6)
1240 IF a=a(8) THEN LET x2=x1+(x
1<>15): LET y2=y1+(y1<>21)
1250 IF x1<>x2 OR y2<>y1 THEN PR
INT AT y1,x1; OVER 1;"+";AT y2,x
2;"+"
1260 LET x1=x2: LET y1=y2
1270 GO TO 1100
1300 REM ************************
1800 FOR j=6 TO 21
1810 PRINT AT j,0;"┌┬┬┬┬┬┬┬┬┬┬┬
┬┐";: NEXT j
1820 LET x1=0: LET y1=6
1830 PRINT AT y1,x1; OVER 1;"+"
1840 RETURN
3000 REM **** save sprites *****
3010 PRINT AT 5,0; PAPER 2; INK
7; FLASH 1;"Insert data tape."
3020 SAVE "spchars"CODE 31200+K4
8*32800,512
3030 PRINT AT 5,0;"
                  "
3040 RETURN
4000 REM **** display sprites **
4005 PRINT AT 5,19; PAPER 1; INK
 7;"GRAPHIC AREA"
4010 LET no=1
4020 FOR a=6 TO 18 STEP 4
4030 FOR b=19 TO 28 STEP 3
4040 PRINT AT a,b;no: GO SUB 450
0
4050 LET no=no+1
4060 NEXT b
4070 NEXT a
4080 RETURN
4090 REM ************************
4500 LET ts=sc+(no-1)*32
4510 FOR z=0 TO 15
4520 POKE USR "c"+z,PEEK ts: LET
 ts=ts+1
4530 POKE USR "e"+z,PEEK ts: LET
 ts=ts+1
4540 NEXT z
4550 LET l=INT ((no-1)/4): LET c
=no-4*l
4560 LET l=(4*l)+7: LET c=(3*c)+
16
4570 PRINT AT l,c; PAPER 7; INK
0;"■■";AT l+1,c;"■■"
4580 RETURN
4590 REM ************************
5000 REM *** get graphic *******
5010 PRINT AT y1,x1; OVER 1;"+"
5020 INPUT "Get which graphic(1
-16)? ";no
5030 IF no<1 OR no>16 THEN GO TO
 5020
5040 LET ts=sc+(no-1)*32
5050 FOR j=6 TO 21
5060 PRINT AT j,0;"┌┬┬┬┬┬┬┬┬┬┬┬
┬┐";AT j,0;
5070 FOR k=1 TO 2
5080 LET n=PEEK ts: LET b=128
5090 IF n=0 THEN GO TO 5150
5100 FOR a=1 TO 8
5110 IF n<b THEN PRINT "┐";: GO
TO 5130
5120 PRINT "■";: LET n=n-b
5130 LET b=b/2
5140 NEXT a
5150 LET ts=ts+1
5160 NEXT k
5170 NEXT j
5180 LET x1=0: LET y1=6: PRINT A
T y1,x1; OVER 1;"+"
5190 GO TO 1040
5300 REM ************************
6000 REM **** store grid *******
6010 PRINT AT y1,x1; OVER 1;"+"
6020 INPUT "Store in which graph
ic(1-16)?";no
6030 IF no<1 OR no>16 THEN GO TO
 6020
6040 PRINT AT 5,2; PAPER 2; INK
7; FLASH 1;"PLEASE WAIT"
6050 LET ts=sc+(no-1)*32
6060 FOR y=122 TO 2 STEP -8
6070 FOR k=0 TO 1
6080 LET n=128: LET b=0
6090 FOR x=64*k TO 56+(64*k) STE
P 8
6100 LET b=b+POINT (x,y)*n: LET
n=n/2
6110 NEXT x
6120 POKE ts,b: LET ts=ts+1
6130 NEXT k
6140 NEXT y
6150 GO SUB 4500
6160 PRINT AT y1,x1; OVER 1;"+"
6170 PRINT AT 5,2;"              "
6180 GO TO 1040
6190 REM ************************


NB. In line 4570, the graphics
characters are "CE" ,then "DF".
```



Take a giant step closer to reality with New Generation Software. The 3D Graphics of New Generation programs bring the screen alive and makes other games look as flat as snakes and ladders.

Spectrum owners will find that seeing is believing when they open the door on 'THE CORRIDORS OF GENON', the latest creation from New Generation. You will be saving the Universe from the evil that now controls all things. But beware – the sound of footsteps approaching could be Bogul!

Hurtle into a void leaving a trail for your unseen pursuers in 'KNOT IN 3D'. Weave your way through up to five trails but be careful, you could get knotted! Or travel through the depths of a moving tunnel full of bats, rats, spiders and toads in '3D TUNNEL', with a special surprise in the 48K version.

Stamina is the vital ingredient of 'ESCAPE', as you'll be venturing into the maze pursued by walking and flying dinosaurs.

ZX81 owners must be prepared for the shock of coming face to face with the T. Rex that leaps out from '3D MONSTER MAZE'. '3D DEFENDER' takes you out of this world and plunges you into space in a fast moving game to defend your home planet against alien spacecraft in a blitz of explosions, plasma blasts and photon beams.

All these exciting 3D games have been designed by Malcolm Evans, the 3D expert. They'll have you leaping out of your seat because you don't just play New Generation games, you live them.

Corridors of Genon for 48K Spectrum £5.95
'It is a superb program, and a well conceived plot. Brilliant!' 'Value for money 100%' Home Computing Weekly

Knot in 3D for 48K Spectrum £5.95
'Addictive, playable game' C&V Games

3D Tunnel for 16K/48K Spectrum £5.95
'A masterpiece of programming' C & V G

Escape for 16K Spectrum £4.95
'One of the best and most original games we have seen for the Spectrum' Sinclair User

3D Monster Maze for 16K ZX81 £4.95
'Brilliant, Brilliant, Brilliant . . .' Popular Computing Weekly

3D Defender for 16K ZX81 £4.95
'Another 3D Winner' Sinclair User

New Generation Software

Available from W H Smith, Boots, Menzies, Spectrum Group and all leading computer stores.

FREEPOST Bath BA2 4TD Tel 0225-316924
Mail order by return

THERE IS ONLY ONE KING OF THE SOFTWARE JUNGLE !

Joe the lion

Joe the lion Rules OK.



Bimbo **£5·45**
Any Spectrum

Loki **£6·45**
48 K Oric

Challenger **£7·45**
BBC B

Distributors please contact Laurence Holt Tel :-061-366-7431. Available from good software outlets.

THE WALL

DE MUUR — Dutch for the Wall — is an arcade type machine code game. You are the commander of a starcruiser and you have to shoot your way through the defences of your enemy. Your arms? A powerful laser-gun and plenty of energy! You can use a joystick or the keyboard to control your starcruiser. Both allow very quick reactions. Fire as fast as you can using either the joystick button or one of the keys.

If you can avoid all the enemy bombs and shoot a gap the size of your cruiser in the wall before it crushes you, you will take off to another level — even more difficult and faster. After the fifth level, the program does not speed up anymore. You can, however, change this by replacing the 4 in 390 by another number.

I do not think the game is too easy. On the contrary! It is a marvelous test for your reflexes. The game itself is completely written in machine code and uses highly detailed graphics — PMode 4 — and sound effects. You start with three starcruisers but you receive an extra one at the 6000 points' score.

The number of cruisers left and your level are indicated on top of the screen. If you cleared one level, the program returns for a short while to Basic to show your score. The program keeps track of five high scores. Each new level means 1000 points bonus for you. A hole in the wall is worth 2 points; destroying a bomb 10 points.

If you use the keyboard, you can control your star-cruiser with the arrow keys but if you want some other keys for movement, just define them. Use the list of ASCII codes in the manual on page 136. Poke the values you want — from the column "with shift key" — in 32277 = left and 32284 = right. e.g., Q and W would result in this extra line:

```
105 POKE 32277,81:POKE 32284,87
```

All the keys which aren't used for movement will fire your laser gun. You can also change the speed of the downcoming wall by replacing 37 in line 160. The higher the number, the slower the wall comes down.

To enter this game, first type in the small Basic listing and Save it on tape. Then type in the long machine-code listing which contains the game in the form of data statements. If you entered it completely just run it. The program will warn you if you made an error and will give you the line number of the incorrect line.

If no error messages appear on your screen and if you see the word 'Done' then you can Save the game on tape behind the Basic listing you already Saved. To do this use:

```
CSAVEM"WALL",31060,32760,0
```

To be sure in case of any undetected errors; Save the Basic loading program somewhere on tape. If you followed these instructions, then you can load the Basic program of Wall — De Muur — and run it. If everything works fine, you will be at the controls of your star-cruiser ready to fight. You can break out of the program at any moment by pressing the Reset button.



(continued on next page)

Basic listing.

```
10 '************************
20 '***                  ***
30 '***     DE MUUR      ***
40 '***                  ***
50 '***     T.FIERS      ***
60 '***  1983  BELGIUM   ***
70 '************************
80 CLEAR1000,31000:PCLEAR5
90 CLS:PRINT@76,"DE MUUR": PRINT@192,"READING MACHINE LANGUAGE PART...":PRINT@45
7,"T.FIERS 1983":SCREEN0,1
100 CLOADM
110 CLS2:PRINT@225,"": INPUT" KEYBOARD OR JOYSTICK (K/J)";A$
120 IF A$="K"THEN 410 ELSE 420
130 A1=0:A2=0:A3=0:A4=0:A5=0:A6=0
140 '***scoreboard***
150 A1=0:F=1:POKE31999,1:POKE31997,0:POKE32003,0:POKE32004,0:POKE32005,3
160 POKE32006,37:IF A$="K"THEN POKE32045,0:POKE31996,0 ELSE POKE 32043,1:POKE319
96,7
170 '***level***
180 POKE32050,1:POKE32014,0:POKE32015,0:POKE32003,0:POKE31035,0
190 GOSUB 360:PMODE4,1:PCLS:SCREEN1,1:EXEC31188
200 IF PEEK(32050)=0 THEN 180
210 '***score***
220 A1=PEEK(32003)*256+PEEK(32004)
230 SCREEN0,0:CLSRND(8):PRINT@48,"FINAL SCORE WAS";A1;
240 IF A1>A6 THEN PRINT@96,"": INPUT"YOUR NAME";A$ ELSE 270
250 IF A1>A2 THEN A6=A5:A5=A4:A4=A3:A3=A2:A2=A1:F$=E$:E$=D$:D$=C$:C$=B$:B$=A$ :G
OTO270 ELSE IF A1>A3 THEN A6=A5:A5=A4:A4=A3:A3=A1:F$=E$:E$=D$:D$=C$:C$=A$:GOTO27
0 ELSE IF A1>A4 THEN A6=A5:A5=A4:A4=A1:F$=E$:E$=D$:D$=A$:GOTO270
260 IF A1>A5 THEN A6=A5:A5=A1:F$=E$:E$=A$:GOTO270 ELSE A6=A1:F$=A$
270 PRINT@170,A2" BY "B$;:PRINT@234,A3;" BY "C$;:PRINT@298,A4;" BY ";D$;:PRINT@3
62,A5;" BY ";E$;:PRINT@426,A6;" BY ";F$;
280 PRINT@488,"ANOTHER GAME (Y OR N) ?";
290 SCREEN0,1
300 A$=INKEY$:IF A$="" THEN 320
310 IF A$="N"THENCLS:END ELSE 150
320 READZ$:IF Z$="ZZ"THEN RESTORE:GOTO320
330 PLAY Z$:GOTO300
340 DATA O2E,F,E,C,O1,B,O2C,D,E,O,E,O,C,O,C,O1B,ZZ
350 '***print*at*level*&score***
360 SCREEN0,0:CLSF:PRINT@170,"LEVEL ";PEEK(31998);:PRINT@327+32,"SCORE IS ";PEEK
(32003)*256+PEEK(32004);
370 F=F+1:IF F=9 THENF=1
380 IF PEEK(32006)<15 THEN POKE32006,14
390 SCREEN0,1:IF PEEK(31998)<4 THEN POKE31996,PEEK(31996)-1
400 PLAY"O2T5V15CV10CV5CP100V15FV10FV5FP200V15EV15EV5EP200V15GV10GV5GV15FV10FV5F
P200V15AV10AV5AO3P100V15CV10CV5CV2CV10":RETURN
410 CLS2:PRINT@160,"KEYBOARD VERSION"::PRINT@225,"THE ARROW KEYS CONTROL YOUR "
::PRINT@257,"MOVEMENT. ANY OTHER KEY FIRES":PRINT@289,"THE LASER GUN OF YOUR BA
SE . ";
420 PRINT@76,"GOOD LUCK";:PRINT@453,"PRESS ANY KEY TO START";
430 SCREEN0,1
440 IF INKEY$=""THEN440ELSE130
450 END
```

(continued from previous page)

Machine code listing.

```
10 '### DE MUUR T.FIERS M/C ###
20 '
30 F=0:CLS
40 CLEAR1000,31000:PCLEAR5
50 FOR T=31060 TO 32750 STEP10
60 FOR T1=0 TO 9
70 READ H
80 POKE T+T1,H
90 F=F+H
100 NEXT T1
110 READ H2
120 IF H2<>F THEN 150
130 F=0:NEXT T
140 CLS:PRINT"DONE.":END
150 D=PEEK(&H3)*256+PEEK(&H32)
160 PRINT:PRINT"ERROR IN LINE "D
170 END
```



```
200 DATA 121 , 96 , 224 , 224 , 224 , 224 , 224 , 224 , 224 , 224 , 2089
210 DATA 16 , 64 , 2 , 16 , 1 , 32 , 8 , 8 , 1 , 32 , 160
220 DATA 32 , 8 , 1 , 128 , 128 , 1 , 32 , 4 , 4 , 8 , 346
230 DATA 16 , 224 , 224 , 224 , 224 , 224 , 224 , 224 , 224 , 224 , 2832
240 DATA 142 , 7 , 128 , 191 , 125 , 1 , 134 , 254 , 167 , 128 , 1277
250 DATA 140 , 12 , 8 , 38 , 249 , 142 , 4 , 126 , 191 , 125 , 1027
260 DATA 18 , 182 , 125 , 6 , 128 , 7 , 128 , 1 , 34 , 2 , 624
270 DATA 134 , 8 , 183 , 125 , 6 , 134 , 15 , 183 , 125 , 8 , 921
280 DATA 189 , 125 , 65 , 127 , 125 , 7 , 127 , 125 , 54 , 190 , 1134
290 DATA 125 , 7 , 48 , 137 , 28 , 127 , 189 , 122 , 136 , 182 , 1101
300 DATA 124 , 254 , 183 , 125 , 68 , 142 , 6 , 0 , 85 , 16 , 1085
310 DATA 142 , 127 , 58 , 129 , 5 , 37 , 9 , 16 , 142 , 127 , 784
320 DATA 38 , 128 , 4 , 183 , 125 , 68 , 166 , 160 , 167 , 132 , 1163
330 DATA 48 , 137 , 8 , 32 , 92 , 193 , 12 , 37 , 243 , 48 , 842
340 DATA 137 , 254 , 129 , 16 , 142 , 127 , 58 , 122 , 125 , 68 , 1162
350 DATA 182 , 125 , 68 , 39 , 3 , 95 , 32 , 224 , 32 , 38 , 822
360 DATA 142 , 8 , 8 , 16 , 138 , 125 , 7 , 49 , 169 , 28 , 726
370 DATA 127 , 204 , 8 , 8 , 237 , 164 , 49 , 169 , 8 , 32 , 982
380 DATA 48 , 137 , 8 , 1 , 140 , 8 , 12 , 38 , 241 , 57 , 674
390 DATA 189 , 128 , 18 , 182 , 125 , 49 , 39 , 73 , 182 , 1 , 996
400 DATA 90 , 129 , 58 , 34 , 6 , 129 , 5 , 37 , 32 , 32 , 532
410 DATA 116 , 190 , 125 , 7 , 140 , 8 , 31 , 36 , 189 , 189 , 942
420 DATA 121 , 244 , 190 , 125 , 7 , 48 , 137 , 8 , 1 , 191 , 1064
430 DATA 125 , 7 , 48 , 137 , 28 , 127 , 189 , 122 , 136 , 32 , 951
440 DATA 86 , 190 , 125 , 7 , 140 , 8 , 1 , 35 , 78 , 189 , 851
450 DATA 121 , 244 , 190 , 125 , 7 , 48 , 137 , 255 , 255 , 191 , 1573
460 DATA 125 , 7 , 48 , 137 , 28 , 127 , 189 , 122 , 136 , 32 , 951
470 DATA 56 , 127 , 125 , 48 , 189 , 187 , 229 , 16 , 142 , 255 , 1374
480 DATA 255 , 16 , 191 , 1 , 60 , 16 , 191 , 1 , 82 , 16 , 849
490 DATA 191 , 1 , 84 , 16 , 191 , 1 , 86 , 16 , 191 , 1 , 778
500 DATA 88 , 126 , 126 , 28 , 39 , 161 , 32 , 19 , 16 , 142 , 769
510 DATA 125 , 28 , 236 , 161 , 237 , 132 , 48 , 137 , 8 , 32 , 1128
520 DATA 16 , 140 , 125 , 44 , 38 , 242 , 57 , 189 , 122 , 160 , 1133
530 DATA 32 , 189 , 124 , 125 , 16 , 182 , 125 , 16 , 129 , 18 , 868
540 DATA 37 , 31 , 127 , 125 , 16 , 16 , 138 , 125 , 1 , 49 , 717
550 DATA 189 , 4 , 126 , 236 , 164 , 73 , 137 , 8 , 89 , 281 , 1139
560 DATA 8 , 237 , 164 , 49 , 169 , 255 , 254 , 16 , 188 , 125 , 1457
570 DATA 1 , 36 , 236 , 246 , 125 , 9 , 92 , 241 , 125 , 6 , 1117
580 DATA 36 , 4 , 247 , 125 , 9 , 57 , 95 , 247 , 125 , 9 , 854
590 DATA 190 , 125 , 1 , 48 , 137 , 4 , 126 , 16 , 174 , 132 , 953
600 DATA 16 , 175 , 137 , 8 , 32 , 48 , 137 , 255 , 254 , 188 , 1242
610 DATA 125 , 1 , 36 , 233 , 79 , 16 , 142 , 8 , 8 , 138 , 828
620 DATA 125 , 1 , 16 , 175 , 129 , 76 , 129 , 16 , 37 , 246 , 952
630 DATA 190 , 125 , 1 , 48 , 137 , 8 , 32 , 191 , 125 , 1 , 830
640 DATA 57 , 16 , 190 , 125 , 14 , 16 , 140 , 8 , 8 , 38 , 596
650 DATA 44 , 16 , 190 , 125 , 1 , 49 , 169 , 4 , 127 , 16 , 741
660 DATA 140 , 21 , 124 , 16 , 36 , 8 , 150 , 190 , 121 , 84 , 882
670 DATA 166 , 128 , 140 , 121 , 114 , 37 , 3 , 142 , 121 , 94 , 1866
680 DATA 191 , 121 , 84 , 183 , 124 , 255 , 183 , 125 , 8 , 252 , 1518
690 DATA 125 , 7 , 253 , 125 , 45 , 252 , 125 , 1 , 185 , 4 , 1132
700 DATA 127 , 243 , 125 , 45 , 243 , 125 , 14 , 31 , 1 , 16 , 978
710 DATA 190 , 125 , 14 , 16 , 140 , 8 , 8 , 39 , 25 , 284 , 753
720 DATA 8 , 8 , 237 , 137 , 8 , 32 , 237 , 132 , 237 , 137 , 1149
730 DATA 255 , 224 , 237 , 137 , 255 , 192 , 237 , 137 , 255 , 168 , 2089
740 DATA 237 , 137 , 255 , 128 , 252 , 124 , 255 , 237 , 137 , 8 , 1762
750 DATA 32 , 237 , 137 , 8 , 64 , 237 , 137 , 8 , 96 , 237 , 1177
760 DATA 137 , 8 , 128 , 31 , 18 , 49 , 169 , 8 , 128 , 16 , 676
770 DATA 140 , 29 , 76 , 37 , 38 , 16 , 142 , 8 , 8 , 16 , 486
780 DATA 175 , 137 , 8 , 32 , 16 , 175 , 137 , 8 , 64 , 16 , 752
790 DATA 175 , 137 , 8 , 96 , 16 , 175 , 137 , 8 , 128 , 16 , 888
800 DATA 191 , 125 , 14 , 32 , 12 , 16 , 198 , 125 , 14 , 49 , 769
810 DATA 169 , 8 , 128 , 16 , 191 , 125 , 14 , 142 , 8 , 8 , 785
820 DATA 48 , 137 , 8 , 1 , 188 , 124 , 252 , 37 , 247 , 198 , 1224
830 DATA 125 , 7 , 48 , 137 , 28 , 127 , 16 , 174 , 137 , 255 , 1854
840 DATA 224 , 16 , 140 , 8 , 8 , 39 , 3 , 126 , 126 , 62 , 706
850 DATA 16 , 190 , 125 , 1 , 16 , 140 , 24 , 8 , 37 , 3 , 552
860 DATA 126 , 127 , 63 , 252 , 125 , 3 , 16 , 191 , 23 , 112 , 878
870 DATA 37 , 57 , 16 , 191 , 27 , 8 , 34 , 51 , 195 , 3 , 551
880 DATA 232 , 253 , 125 , 3 , 124 , 125 , 5 , 189 , 125 , 65 , 1246
890 DATA 127 , 125 , 47 , 134 , 63 , 183 , 255 , 35 , 127 , 255 , 1351
900 DATA 32 , 134 , 255 , 115 , 255 , 32 , 31 , 137 , 98 , 38 , 1119
910 DATA 253 , 74 , 38 , 245 , 134 , 55 , 183 , 255 , 35 , 124 , 1356
920 DATA 125 , 47 , 182 , 125 , 47 , 129 , 5 , 37 , 228 , 182 , 1039
930 DATA 125 , 49 , 39 , 33 , 182 , 125 , 48 , 246 , 255 , 8 , 1102
940 DATA 193 , 255 , 38 , 6 , 127 , 125 , 48 , 126 , 122 , 18 , 1058
950 DATA 193 , 127 , 38 , 6 , 127 , 125 , 48 , 126 , 122 , 18 , 930
960 DATA 129 , 8 , 39 , 13 , 126 , 122 , 18 , 126 , 126 , 48 , 739
970 DATA 129 , 8 , 38 , 3 , 126 , 8 , 18 , 134 , 1 , 183 , 632
980 DATA 125 , 48 , 190 , 125 , 7 , 48 , 137 , 28 , 63 , 16 , 787
990 DATA 190 , 125 , 1 , 49 , 169 , 4 , 128 , 236 , 132 , 16 , 1858
1000 DATA 191 , 8 , 8 , 38 , 33 , 138 , 1 , 202 , 128 , 237 , 814
1010 DATA 132 , 48 , 137 , 255 , 224 , 188 , 125 , 1 , 36 , 233 , 1379
1020 DATA 189 , 124 , 142 , 126 , 122 , 18 , 236 , 132 , 132 , 254 , 1475
1030 DATA 190 , 127 , 237 , 132 , 48 , 137 , 8 , 32 , 140 , 28 , 1077
1040 DATA 95 , 37 , 233 , 57 , 16 , 191 , 125 , 62 , 188 , 125 , 1135
1050 DATA 62 , 34 , 53 , 31 , 2 , 132 , 1 , 136 , 128 , 129 , 766
1060 DATA 1 , 38 , 16 , 193 , 128 , 38 , 12 , 236 , 132 , 16 , 812
1070 DATA 138 , 125 , 1 , 49 , 169 , 4 , 126 , 32 , 182 , 31 , 911
1080 DATA 32 , 16 , 190 , 125 , 3 , 49 , 169 , 8 , 2 , 10 , 682
1090 DATA 191 , 125 , 3 , 48 , 137 , 255 , 128 , 189 , 124 , 142 , 1342
1100 DATA 189 , 125 , 223 , 126 , 122 , 18 , 126 , 125 , 150 , 8 , 1212
1110 DATA 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8
1120 DATA 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8 , 8
1130 DATA 8 , 8 , 8 , 8 , 8 , 8 , 4 , 8 , 11 , 64 , 79
1140 DATA 64 , 24 , 8 , 66 , 128 , 1 , 7 , 8 , 17 , 8 , 307
1150 DATA 4 , 126 , 255 , 255 , 8 , 8 , 6 , 255 , 255 , 255 , 1411
1160 DATA 1 , 128 , 1 , 128 , 1 , 128 , 3 , 192 , 23 , 232 , 807
1170 DATA 25 , 152 , 63 , 252 , 69 , 162 , 85 , 170 , 209 , 139 , 1326
1180 DATA 255 , 255 , 248 , 31 , 255 , 8 , 8 , 5 , 8 , 1 , 1058
1190 DATA 1 , 255 , 255 , 18 , 8 , 24 , 176 , 255 , 255 , 255 , 1486
1200 DATA 8 , 255 , 28 , 36 , 8 , 126 , 126 , 249 , 204 , 8 , 1804
1210 DATA 8 , 237 , 129 , 148 , 7 , 128 , 37 , 249 , 142 , 125 , 1184
1220 DATA 28 , 16 , 142 , 6 , 38 , 182 , 125 , 5 , 129 , 4 , 659
1230 DATA 39 , 43 , 129 , 3 , 39 , 28 , 129 , 2 , 39 , 1 , 444
1240 DATA 57 , 236 , 129 , 237 , 164 , 49 , 169 , 8 , 32 , 16 , 1883
1250 DATA 148 , 7 , 115 , 35 , 242 , 57 , 236 , 129 , 237 , 164 , 1362
1260 DATA 237 , 169 , 255 , 253 , 49 , 169 , 8 , 32 , 16 , 140 , 1328
1270 DATA 7 , 115 , 35 , 238 , 57 , 236 , 129 , 237 , 164 , 237 , 1455
1280 DATA 169 , 255 , 253 , 237 , 169 , 255 , 250 , 49 , 169 , 8 , 1806
1290 DATA 32 , 16 , 140 , 7 , 115 , 35 , 234 , 57 , 132 , 1 , 769
1300 DATA 136 , 128 , 16 , 131 , 8 , 8 , 16 , 39 , 255 , 13 , 794
1310 DATA 204 , 8 , 8 , 253 , 124 , 255 , 253 , 125 , 14 , 16 , 1244
1320 DATA 142 , 8 , 8 , 16 , 175 , 137 , 255 , 168 , 167 , 137 , 1185
1330 DATA 255 , 153 , 48 , 137 , 8 , 32 , 92 , 193 , 12 , 37 , 965
1340 DATA 238 , 48 , 137 , 255 , 128 , 189 , 124 , 142 , 189 , 125 , 1575
1350 DATA 243 , 252 , 125 , 3 , 195 , 8 , 18 , 253 , 125 , 3 , 1215
1360 DATA 126 , 122 , 18 , 134 , 63 , 183 , 255 , 35 , 142 , 132 , 1218
1370 DATA 208 , 166 , 128 , 138 , 128 , 183 , 255 , 32 , 140 , 137 , 1515
1380 DATA 128 , 37 , 244 , 134 , 55 , 183 , 255 , 35 , 57 , 134 , 1262
1390 DATA 63 , 183 , 255 , 35 , 136 , 18 , 127 , 255 , 32 , 115 , 1273
1400 DATA 255 , 32 , 134 , 255 , 74 , 38 , 253 , 98 , 38 , 245 , 1414
1410 DATA 134 , 55 , 183 , 255 , 35 , 57 , 129 , 8 , 38 , 3 , 697
1420 DATA 126 , 122 , 63 , 129 , 9 , 38 , 3 , 126 , 122 , 39 , 783
1430 DATA 183 , 125 , 48 , 126 , 122 , 155 , 182 , 125 , 48 , 39 , 1153
1440 DATA 11 , 182 , 124 , 91 , 38 , 9 , 124 , 124 , 91 , 126 , 928
1450 DATA 124 , 93 , 127 , 124 , 91 , 126 , 122 , 18 , 127 , 125 , 1077
1460 DATA 53 , 134 , 63 , 183 , 255 , 35 , 138 , 2 , 127 , 255 , 1085
1470 DATA 32 , 115 , 255 , 32 , 134 , 255 , 74 , 38 , 253 , 98 , 1278
1480 DATA 38 , 245 , 134 , 55 , 183 , 255 , 35 , 142 , 6 , 0 , 1093
1490 DATA 166 , 132 , 67 , 167 , 128 , 140 , 38 , 28 , 37 , 246 , 1133
1500 DATA 124 , 125 , 53 , 246 , 125 , 53 , 133 , 18 , 37 , 287 , 1173
1510 DATA 182 , 125 , 54 , 39 , 22 , 138 , 125 , 55 , 16 , 142 , 958
1520 DATA 8 , 8 , 16 , 175 , 132 , 48 , 137 , 8 , 32 , 140 , 688
1530 DATA 38 , 2 , 37 , 244 , 127 , 125 , 54 , 182 , 125 , 5 , 931
1540 DATA 74 , 129 , 8 , 38 , 1 , 57 , 183 , 125 , 5 , 189 , 881
1550 DATA 125 , 65 , 138 , 125 , 1 , 16 , 142 , 7 , 128 , 236 , 1035
1560 DATA 129 , 237 , 161 , 16 , 140 , 12 , 8 , 37 , 246 , 142 , 1128
1570 DATA 12 , 8 , 16 , 142 , 8 , 8 , 16 , 175 , 129 , 140 , 688
1580 DATA 38 , 8 , 35 , 248 , 79 , 183 , 125 , 5 , 16 , 191 , 916
1590 DATA 125 , 14 , 183 , 125 , 7 , 142 , 8 , 15 , 48 , 137 , 796
1600 DATA 28 , 127 , 189 , 122 , 136 , 16 , 142 , 8 , 8 , 142 , 982
1610 DATA 8 , 8 , 48 , 137 , 8 , 1 , 140 , 156 , 64 , 37 , 583
1620 DATA 247 , 49 , 169 , 8 , 1 , 16 , 148 , 8 , 6 , 37 , 665
1630 DATA 234 , 142 , 7 , 128 , 191 , 125 , 1 , 134 , 15 , 183 , 1168
1640 DATA 125 , 8 , 126 , 122 , 18 , 142 , 6 , 24 , 16 , 142 , 729
1650 DATA 8 , 8 , 16 , 175 , 132 , 16 , 175 , 137 , 8 , 3 , 654
1660 DATA 16 , 175 , 137 , 8 , 6 , 48 , 137 , 8 , 32 , 140 , 691
1670 DATA 7 , 128 , 37 , 234 , 126 , 125 , 78 , 254 , 8 , 8 , 989
1680 DATA 73 , 137 , 11 , 8 , 8 , 145 , 53 , 147 , 145 , 14 , 731
1690 DATA 60 , 66 , 129 , 189 , 161 , 189 , 133 , 133 , 189 , 129 , 1378
1700 DATA 66 , 60 , 64 , 112 , 124 , 126 , 127 , 126 , 124 , 112 , 1041
1710 DATA 64 , 64 , 64 , 64 , 64 , 255 , 198 , 125 , 7 , 48 , 137 , 1818
1720 DATA 28 , 127 , 134 , 50 , 183 , 125 , 55 , 134 , 255 , 183 , 1274
1730 DATA 125 , 56 , 48 , 137 , 255 , 224 , 236 , 132 , 16 , 131 , 1360
1740 DATA 8 , 8 , 39 , 11 , 134 , 1 , 183 , 125 , 54 , 191 , 738
1750 DATA 125 , 55 , 126 , 126 , 62 , 16 , 142 , 125 , 28 , 236 , 1033
1760 DATA 161 , 237 , 132 , 48 , 137 , 8 , 32 , 16 , 140 , 125 , 1028
1770 DATA 44 , 37 , 242 , 16 , 142 , 8 , 8 , 16 , 175 , 132 , 884
1780 DATA 48 , 169 , 8 , 1 , 16 , 148 , 7 , 228 , 37 , 246 , 870
1790 DATA 246 , 125 , 55 , 183 , 8 , 35 , 3 , 122 , 125 , 55 , 967
1800 DATA 122 , 125 , 56 , 134 , 63 , 183 , 255 , 35 , 246 , 125 , 1344
1810 DATA 55 , 127 , 255 , 32 , 115 , 255 , 32 , 182 , 125 , 56 , 1234
1820 DATA 74 , 38 , 253 , 98 , 38 , 244 , 134 , 55 , 183 , 255 , 1364
1830 DATA 35 , 16 , 142 , 8 , 8 , 48 , 137 , 254 , 36 , 148 , 868
1840 DATA 6 , 32 , 37 , 2 , 32 , 142 , 79 , 16 , 142 , 8 , 488
1850 DATA 8 , 49 , 169 , 8 , 1 , 16 , 148 , 156 , 64 , 37 , 632
1860 DATA 246 , 76 , 129 , 3 , 37 , 237 , 142 , 6 , 8 , 16 , 892
1870 DATA 142 , 8 , 8 , 16 , 175 , 129 , 148 , 38 , 28 , 37 , 689
1880 DATA 248 , 124 , 124 , 254 , 252 , 125 , 3 , 195 , 3 , 232 , 1560
1890 DATA 253 , 125 , 3 , 127 , 125 , 58 , 57 , 85 , 93 , 85 , 1003
```

ATTENTION ALL ZX81 AND SPECTRUM OWNERS

Introducing the new Ricoll compatibles

Guaranteed quality and reliability at sensationally low prices

Keyboard RIKB1



Just imagine how good it would be to turn your ZX81 or Spectrum into this attractive model with its professional typewriter keyboard (full 41 keys plus spacebar) and rugged all metal body.

It's not only good looking, there's a list of features beneath the gleaming black finish and the price shows how easy we've made it turn the dream into reality.

- Adjustable fixing of P.C.B. virtually eliminates the famous 'wobble' and provides a complete choice of add-on parts.
- Simple connection, no soldering, no special skills. All you need is a screwdriver and pliers.
- Complete with full instructions.
- Double shift key.
- Switches have gold-plated contacts and a guaranteed life of 10^6 operations.
- Ergonomically shaped front ensures easy operation.

Be sure to state whether ZX81 or Spectrum type required.

All metal rugged construction

£37.95 inc. VAT
p & p £2.00

Sound Generators

RISG

Now you'll be able to add those exciting sounds you've always wanted. Our new sound generator RISG, specially developed for the Spectrum is programmable to produce virtually any sound; animals, birds, explosives, bomb blasts, trains etc.

- Completely programmable.
- Uses the popular GI Chip AY3-8910.
- COMPLETE WITH DEMONSTRATION CASSETTE.
- Sturdy plastic case.
- Own speaker and amplifier.
- Fits neatly into the back of your computer - no soldering.

RIFG

Our super sound generator has everything that the RISG offers plus programmable high quality low pass, high pass, or band pass filter. This additional circuitry offers a much wider range and control of the generated sounds.
Additional feature: the provision of two 8 bit input/output ports.

★ **Special introductory prices on generators** ★

Sound Generator Software

To help you get the most from your sound generator we've developed a more comprehensive cassette which offers a wider range of sounds. **£3·50 plus 40p p&p**

Buffered Motherboard

Of special interest to educational establishments and serious hobbyists

Eight slot expansion **buffered** motherboard for the Spectrum enables up to eight add-on boards to be fitted and operated with complete security.

Full data sheet available soon

16K RAM Pack RI161

Increase the power and potential of your ZX81 with our 'state of the art' 16k RAM pack. We've used the latest technology to reduce the number of I.Cs and give you better efficiency and improved operation.

- Very low power feature when used with our keyboard RIKBI, the dreaded 'wobble', overheating and memory loss become things of the past.
- Easily expandible to 32k by simply plugging in extra RAM chips - no soldering! See our special offer!
- Sturdy plastic case.
- Fits neatly into rear of computer.

'state of the art' technology

£22.95 inc. VAT
p & p £1.25

Special Introductory Offer

If you upgrade to 32k within six months of purchase, we will supply the necessary chips for your RI161 at a special price of only £13.75 inclusive of VAT (p&p £1.00).

RICOLL ELECTRONICS

Ricoll Electronics Limited
48 Southport Road Ormskirk
Lancs L39 1QR
Tel: 0695 79101/4 Telex: 627 827

Personal Callers Welcome

Please send me: — *(Please tick box to ensure correct type)*

- ☐ Keyboard RIKBI at £37.95 plus £2.00 p&p — My computer is ☐ ZX81 ☐ SPECTRUM
- ☐ 16k RAM pack RI161 for ZX81 at £22.95 plus £1.25 p&p
- ☐ Extra RAM Special Offer for RI161 at £13.75 plus £1.00 p&p
- ☐ Sound generator RISG special discount price £27 plus 75p p&p
- ☐ Sound generator RIFG special discount price £35 plus 75p p&p
- ☐ Sound cassette £3.50 plus 40p p&p

I enclose cheque/P.O. payable to Ricoll Electronics total £ .....

Signature _____

Name _____

Address _____

_____

Post to: Ricoll Electronics Limited, 48 Southport Road, Ormskirk, Lancs. L39 1QR
Please allow 28 days for delivery — YC1

Explore strange new worlds. Seek out new life and new civilisation in Matthew Seeman's adventure for the CBM-64.



PYRAMID OF DOOM

THIS PROGRAM is an adventure. It is called Escape from Pyramid of Doom. It is an all text adventure where you start off stuck in a pyramid and you have to collect certain objects and solve problems using the objects, your own wit and general knowledge.

The program will run on a Commodore 64 in just under 9K. All the characters in italic print are characters which should be shifted. This is because the adventure itself runs in lower case and therefore when the program is run the shifted characters appear in upper case.

The funny graphic character in line 80 should be the inversed heart for clr/home. The game itself has various rooms and objects with plenty of problems to overcome. There is a wide vocabulary including nearly all standard adventure verbs plus some extras.

All commands should be entered in two word form ie. get key or look box. All commands should be typed with one space between the two words. If you want to save yourself some typing then only the first three letters of each word are looked at.

Escape from Pyramid of Doom should be easily convertable to other systems taking into consideration the Commodore 64's 40 by 24 column screen and also the colour and cursor controls. Any Pokes are just for screen and border colour or for zeroing the number of keys pressed and can be omitted.

```
5 CLR:RESTORE
10 DIMOB$(7,14),R$(7),X$(7),OG(5)
20 FORI=1TO7:READR$(I):NEXT
30 FORI=1TO7:READOB$(I,1):NEXT
40 FORI=1TO7:READOB$(I,2):NEXT
60 FORI=1TO7:READX$(I):NEXT
65 A=0:Y$="I SEE SOMETHING !":Y2$="I'M NOT CARRYING IT !":B=0:CO=0:PR=0
70 R=1:PRINTCHR$(14):PRINTCHR$(8):POKE53280,8:POKE53281,1:K=0:T=0:R3=0:FT=3
80 PRINT"$":IFR=6THENPRINT"{RED}I'M BY AN EXIT.":GOTO100
90 PRINT"{RED}I'M IN A "R$(R)"."
100 PRINT:PRINT:PRINT"{PUR}THINGS I SEE.{BLU}"
110 PRINT:PRINTOB$(R,1)"     "OB$(R,2)
120 FORI=3TO12:IFOB$(R,I)<>""THENPRINTOB$(R,I):NEXT
130 IFOB$(R,I)=""THENNEXT
140 PRINT
150 PRINT"{GRN}EXITS: ";X$(R)
155 A$="":B$="":C$=""
160 PRINT:PRINT"{ORA}"M$:PRINT:PRINT"WHAT SHALL'I DO NOW";:INPUTA$
170 L=LEN(A$):FORI=1TOL
180 B$=LEFT$(A$,I):B2$=RIGHT$(B$,1):IFB2$=" "THENL2=L-I:I=L+1:NEXT:GOTO200
190 NEXT
200 B$=LEFT$(B$,3):C$=RIGHT$(A$,L2):C$=LEFT$(C$,3)
210 IFB$="LOO"ORB$="SEA"ORB$="EXA"ORB$="REA"THEN400
220 IFB$="DRO"ORB$="LEA"THEN500
230 IFB$="UNL"THEN600
240 IFB$="OPE"THEN700
250 IFB$="KIL"THEN800
260 IFB$="INV"THEN900
```

```
270 IFB$="GET"ORB$="TAK"THEN1100
280 IFB$="GO "ORB$="RUN"THEN1300
283 IFB$="HEL"THEN1560
285 IFB$="LIG"THEN1520
286 IFB$="SAY"THEN1600
287 IFB$="QUI"THEN23000
290 M$="HUH.":POKE198,0:GOTO80
400 IFC$="COF"ANDR=4ANDCO=0THENM$="IT'S GOT A HEAVY LID !":GOTO80
401 IFC$="COF"ANDR=4THENF=9:GOSUB20100
402 IFC$="COF"ANDR=4ANDRE=0THENM$="IT'S TOO DARK TO SEE INSIDE !":GOTO80
403 IFC$="COF"ANDR=4ANDCO=5ANDRE=1THENF$="PARCHMENT":GOSUB20000:M$=Y$:CO=7
404 IFC$="COF"ANDR=4ANDCO=7THENCO=8:GOTO80
405 IFC$="WOO"THENC$="BOX"
410 IFC$="BOX"ANDR=1ANDK=0THENM$=Y$:F$="KEY":GOSUB20000:K=1:GOTO80
415 IFC$="MIN"ANDR=6THEN21000
420 IFC$="ALT"ANDR=3ANDA=0THENM$=Y$:F$="DRAWER":GOSUB20000:A=1:GOTO80
430 IFC$="PAR"THENF=1:GOSUB20100:IFRE=0THENM$=Y2$:GOTO80
440 IFC$="PAR"ANDRE=1THEN20200
450 IFC$="DRA"ANDA=1ANDR=3THENM$=Y$:F$="METAL BAR":GOSUB20000:A=2
460 IFC$="DRA"ANDA=2ANDR=3THENM$=Y$:F$="KNIFE":GOSUB20000:A=3:GOTO80
465 F$=RIGHT$(OB$(2,1),4)
467 R3=0:IFC$="TRE"THENC$="CHE"
470 IFC$="CHE"ANDF$="OPEN"THENF$="BAG OF GOLD":GOSUB20000:R3=5
475 IFC$="CHE"ANDR3=5THENOB$(2,1)="TREASURE CHEST-EMPTY":M$=Y$:GOTO80
480 M$="I SEE NOTHING SPECIAL.":GOTO80
500 IFC$="PAR"THENF=1
510 IFC$="BAG"ORC$="GOL"THENF=2
520 IFC$="MET"ORC$="BAR"THENF=3
530 IFC$="KNI"THENF=4
540 IFC$="KEY"THENF=5
550 IFC$="TOR"THENF=6
555 IFC$="LIT"THENF=9
560 IFC$="MAT"THENF=7
570 IFC$="SIL"ORC$="SHI"THENF=8
575 GOSUB20100:IFRE=0THENM$="NOT CARRYING IT !":GOTO80
580 FORI=1TO5:IFOG(I)=FTHENOG(I)=0:M$="OK."
581 NEXT
582 IFF=1THENF$="PARCHMENT"
583 IFF=2THENF$="BAG OF GOLD"
584 IFF=3THENF$="METAL BAR"
585 IFF=4THENF$="KNIFE"
586 IFF=5THENF$="KEY"
587 IFF=6ANDTF=0THENF$="TORCH"
588 IFF=7THENF$="MATCHES"
589 IFF=8THENF$="SILVER SHIELD"
590 IFF=9THENF$="LIT TORCH"
592 GOSUB20000:IFR<>6THEN80
593 F$="BAG":GOSUB20300:IFRE=0THEN80
594 F$="SIL":GOSUB20300:IFRE=0THEN80
596 M$="THE MINOTAUR GRABS THE GOLD AND THE     SHIELD AND RUNS "
597 M$=M$+"OFF LAUGHING.":OB$(6,1)="":X$(6)=X$(6)+"  NORTH"
598 F$="BAG":GOSUB20500:F$="SHI":GOSUB20500:GOTO80
600 IFC$<>"TRE"ANDC$<>"CHE"THEN630
605 IFC$="TRE"ORC$="CHE"ANDR=2THENF=5:GOSUB20100
610 IFRE=0ORR<>2THENM$="NOT YET.":GOTO80
620 IFRE=1THENM$="OK."
621 FORI=1TO14:IFOB$(R,I)="TREASURE CHEST-LOCKED"THENOB$(R,I)="TREASURE CHEST"
622 NEXT:GOTO80
630 IFC$<>"DOO"THENM$="I DONT FOLLOW YOU !":GOTO80
640 IFC$="DOO"ANDR=1THENF=5:GOSUB20100:IFRE=0THENM$="LNOT YET.":GOTO80
650 M$="OK.":OB$(1,1)="DOOR":GOTO80
700 IFC$="DOO"ANDOB$(1,1)="LOCKED DOOR"ANDR=1THENM$="NOT YET.":GOTO80
710 IFC$="DOO"ANDOB$(1,1)="DOOR"ANDR=1THENM$="OK.":OB$(1,1)="OPEN DOOR"
720 IFC$="DOO"ANDOB$(1,1)="OPEN DOOR"ANDR=1THENX$(1)=X$(1)+"  WEST":R9=1
725 IFC$="DOO"ANDR9=1ANDR=1THENF$="FIERCE WARRIOR":B=1:GOSUB20000:GOTO80
730 IFC$<>"TRE"ANDC$<>"CHE"ORR<>2THEN770
735 TR=0
740 IFOB$(2,1)="TREASURE CHEST-LOCKED"THENM$="NOT YET.":GOTO80
750 IFOB$(2,1)="TREASURE CHEST"THENOB$(2,1)=OB$(2,1)+"-OPEN":M$="OK.":GOTO80
760 M$="IT'S ALREADY OPEN !":GOTO80
770 IFC$<>"COF"ORR<>4THENM$="I DONT FOLLOW YOU !":GOTO80
772 F=3:GOSUB20100
774 IFRE=0THENM$="NOT YET.":GOTO80
776 IFRIGHT$(OB$(4,1),4)="OPEN"THENM$="IT'S ALREADY OPEN !":GOTO80
778 IFCO=0ORCO=5THENOB$(4,1)=OB$(4,1)+"-OPEN":M$="OK.":IFCO=0THENCO=3:GOTO80
800 RE=0
805 IFC$="WAR"ANDR=1ANDB=1THENF=4:GOSUB20100:IFRE=0THENM$="NOT YET.":GOTO80
810 IFRE=1THENM$="OK.":F$="DEAD WARRIOR":B=5:I=1
815 I=I+1
820 IFRE=1ANDOB$(R,I)="FIERCE WARRIOR"THENOB$(R,I)="DEAD WARRIOR":GOTO80
830 IFI<14THEN815
835 I=0
840 IFC$="MIN"THEN21000
850 M$="I DONT FOLLOW YOU !":GOTO80
900 FORI=1TO5:F$(I)="":NEXT
909 FORI=1TO5
910 IFOG(I)=1THENF$(I)="PARCHMENT"
920 IFOG(I)=2THENF$(I)="BAG OF GOLD"
930 IFOG(I)=3THENF$(I)="METAL BAR"
940 IFOG(I)=4THENF$(I)="KNIFE"
950 IFOG(I)=5THENF$(I)="KEY"
960 IFOG(I)=6THENF$(I)="TORCH"
970 IFOG(I)=7THENF$(I)="MATCHES"
980 IFOG(I)=8THENF$(I)="SILVER SHIELD"
985 IFOG(I)=9THENF$(I)="LIT TORCH"
990 NEXT
1000 PRINT"{ORA}I HAVE :{BLU}"
1010 PRINTF$(1)"   "F$(2)"   "F$(3)
1020 PRINTF$(4)"   "F$(5)
1030 M$="OK.":GOTO155
1100 IFC$="BOX"THENC$="WOO"
1101 IFC$="WOO"THENM$="I CANT,ITS NAILED TO THE FLOOR !":GOTO80
1102 IFC$="GOL"THENC$="BAG"
1103 IFC$="WAR"THENC$="FIE"
1104 IFC$="BAR"THENC$="MET"
1105 IFC$="CHE"THENC$="TRE"
1106 IFC$="SHI"THENC$="SIL"
1107 IFC$="DOO"THENC$=LEFT$(OB$(1,1),3)
1108 F$=C$:GOSUB20300
1110 IFRE=0THENM$="I DONT SEE IT HERE !":GOTO80
1140 F=0
1150 IFC$="PAR"THENF=1:PR=1
1160 IFC$="BAG"ORC$="GOL"THENF=2
1170 IFC$="MET"ORC$="BAR"THENF=3
1180 IFC$="KNI"THENF=4
1190 IFC$="KEY"THENF=5
1200 IFC$="TOR"THENF=6
1210 IFC$="MAT"THENF=7
1220 IFC$="SIL"ORC$="SHI"THENF=8
1223 IFC$="LIT"THENF=9
1225 IFF=0THENM$="I CANT DO THAT !":GOTO80
1230 GOSUB20400:IFRE=0THENM$="I'M CARRYING TOO MUCH !":GOTO80
1240 F$=C$:GOSUB20500:IFRE=0THENM$="I DONT FOLLOW YOU !":GOTO80
1250 M$="OK.":GOTO80
1300 Y4$="I CANT GO THAT WAY !":M$=""
1301 ONRGOTO1310,1370,1410,1430,1450,1480,1500
1310 IFC$="EAS"THENM$="OK.":R=2:GOTO80
1320 IFC$="NOR"THENM$="OK.":R=7:GOTO80
1330 IFRIGHT$(X$(1),4)="WEST"ANDC$="WES"ANDB<>5THENM$="WARRIOR WONT LET ME !"
1340 IFM$="WARRIOR WONT LET ME !"THEN80
1350 IFRIGHT$(X$(11,4)="WEST"ANDC$="WES"ANDB=5THENM$="OK.":R=5:B=5:GOTO80
1355 IFC$="DOO"THENM$="SORRY.":GOTO80
1360 M$=Y4$:GOTO80
1370 IFC$="EAS"THENR=3:M$="OK.":GOTO80
1380 IFC$="WES"THENR=1:M$="OK.":GOTO80
1390 IFC$="SOU"THENR=4:M$="OK.":GOTO80
1400 M$=Y4$:GOTO80
1410 IFC$="WES"THENR=2:M$="OK.":GOTO80
1420 M$=Y4$:GOTO80
1430 IFC$="NOR"THENR=2:M$="OK.":GOTO80
1440 M$=Y4$:GOTO80
1450 IFC$="EAS"THENR=1:GOTO80
1460 IFC$="NOR"THENR=6:GOTO80
1470 M$=Y4$:GOTO80
1480 IFC$="SOU"THENR=5:M$="OK.":GOTO80
1483 IFC$="EXI"ANDOB$(6,1)="MINOTAUR"THEN21000
1485 IFC$="EXI"THENM$="SORRY.":GOTO80
1486 IFC$="NOR"ANDOB$(6,1)=""THEN22000
1490 M$=Y4$:GOTO80
1500 IFC$="SOU"THENR=1:M$="OK.":GOTO80
1510 IFC$="NOR"ORC$="SOU"ORC$="EAS"THENM$="OK.":R=7:GOTO80
1515 M$="I DONT FOLLOW YOU !":GOTO80
1520 IFC$<>"TOR"THENM$="I DONT FOLLOW YOU !":GOTO80
1530 F$=LEFT$(OB$(6,1),4):IFRE=0THENM$="NOT CARRYING IT !":GOTO80
1540 M$="OK TORCH LIT.":CO=5:FT=3
1550 FORI=1TO5:IFOG(I)=6THENOG(I)=9
1555 NEXT:GOTO80
1560 F=1:GOSUB20100:IFRE=0THENM$="EXAMINE THINGS,EXPERIMENT.":GOTO80
1570 IFPR=0THENM$="READ THE PARCHMENT ?":GOTO80
1580 IFPR=1THENM$="THE MAGIC WORD MIGHT GET YOU SOMEWHERE.":GOTO80
1590 M$="EXAMINE THINGS,EXPERIMENT.":GOTO80
1600 IFC$<>"SIL"THENM$="OK...NOTHING HAPPENS.":GOTO80
1605 IFPR<>1THENM$="OK.SILVER SHIELD...NOTHING HAPPENS":GOTO80
1610 IFPR=1THENM$="A SHIELD MATERIALISES !":F$="SILVER SHIELD":GOSUB20000
1620 IFR<>6THENPR=5:GOTO80
1630 F$="BAG":GOSUB20300:IFRE=0THEN80
1640 PRINT"{DWN}"M$:PRINT"{2DWN}THE MINOTAUR GRABS THE GOLD AND THE ":M$="OK."
1650 PRINT"SHILED AND RUNS OFF LAUGHING.":OB$(6,1)="":X$(6)=X$(6)+"  NORTH"
1660 F$="BAG":GOSUB20500:F$="SIL":GOSUB20500:GOTO155
20000 FORI=1TO14
20005 IFOB$(R,I)=F$THENI=15:NEXT:RETURN
20010 IFOB$(R,I)=""THENOB$(R,I)=F$:I=15:NEXT:RETURN
20020 NEXT:RETURN
20100 FORI=1TO5:IFOG(I)=FTHENRE=1:I=6:NEXT:RETURN
20110 NEXT:RE=0:RETURN
20200 PRINT"{ORA}PARCHMENT SAYS :"
20210 PRINT"MAGIC WORD IS '{BLU}SILVER SHIELD{ORA}'."
20220 PRINT"{DWN}{ORA}ADVICE: STAY CLEAR OF THE MINOTOUR.":GOTO155
20300 FORI=1TO14
20310 IFLEFT$(OB$(R,I),3)=F$THENRE=1:I=15:NEXT:RETURN
20320 NEXT:RE=0:RETURN
20400 FORI=1TO5:IFOG(I)=0THENOG(I)=F:I=6:NEXT:RE=1:RETURN
20410 NEXT:RE=0:RETURN
20500 FORI=1TO14:IFLEFT$(OB$(R,I),3)=F$THENOB$(R,I)="":I=15:NEXT:RE=1:RETURN
20510 NEXT:RE=0:RETURN
21000 PRINT"{BLU}THE MINOTAUR DIDN'T LIKE THAT IDEA."
21010 PRINT"{DWN}IT TURNED NASTY ON ME.IM DEAD."
21020 INPUT"{2DWN}ANOTHER GO (Y/N) ";F$
21030 IFLEFT$(F$,1)="Y"THENRUN
21040 IFLEFT$(F$,1)<>"N"THEN21020
21050 PRINT"{DWN}{LI-BLU}THANKS FOR PLAYING.":END
22000 PRINT"{BLU}YOU'VE DONE IT !"
22010 PRINT"{DWN}YOU'VE HELPED ME ESCAPE !"
22020 PRINT"{DWN}THANK YOU."
22030 INPUT"{2DWN}{LI-BLU}ANOTHER GO (Y/N) ";F$
22040 IFLEFT$(F$,1)="Y"THENRUN
22050 IFLEFT$(F$,1)<>"N"THEN22030
22060 PRINT"{DWN}{BLU}THANKS FOR PLAYING.":END
23000 PRINT"{BLU}{DWN}MANY TRY,BUT FEW SUCCEED !!":GOTO22030
30000 DATACORRIDOR,HOLD,CHAPEL,TOMB,NARROW TUNNEL,EXIT,MAZE
30010 DATALOCKED DOOR,TREASURE CHEST-LOCKED,ALTER,LARGE STONE COFFIN,,MINOTAUR,
30020 DATAWOODEN BOX,,,,TORCH,,
30030 DATANORTH  EAST,EAST  WEST  SOUTH,WEST,NORTH,NORTH  EAST,SOUTH
30040 DATANORTH  WEST  EAST  SOUTH
```





As you may have already discovered, buying a computer is simple, but buying the peripherals for a computer, that can be a real headache.

They're always going to arrive at the shop next month, and next month never comes.

Even worse, some computer companies don't even bother to produce a complete range of peripherals.

The good news is that Commodore dealers have a complete range of peripherals available now.

What do you want, promises or peripherals?

The 1541 disk drive stores over 170,000 characters of data on each diskette giving you access to any part of the diskette in seconds. £229.00.

The 1530 cassette unit runs pre-recorded programs and stores data. £44.95.

The 1701 colour monitor. Its' 14" screen gives far better resolution and picture quality than a TV. £230.00.

Dot matrix printers. The MPS801 printer prints alphabetic, numeric or graphic characters at 50 per second. £230.00. The 1526 prints at 60 characters per second, has friction feed and takes standard



stationery. £345.00.

The 1520 printer plotter draws in 4 colours, and prints characters and numbers. £169.99.

Each of these will help you get even more enjoyment out of your Commodore 64 or VIC 20.

And that's one promise we're more than happy to make.

FREE SOFTWARE OFFER

Buy the 1541 disk drive and you will receive free Commodore 64 software worth over £100.

Comprises Easyscript (word processing program) and a compilation of games including Stellar Wars, Sooper Froot, Labyrinth, Patience, Depth Charge and The Quest.

(Offer applicable while stocks last.)

Details correct at time of going to press

Please send me information on:
1541 disk drive ☐ 1530 cassette unit ☐
1701 colour monitor ☐ 1520 printer plotter ☐ MPS801, 1526 printers ☐
VIC 20 ☐ Commodore 64 ☐
(Please tick appropriate box.)
The Commodore Information Centre, 675 Ajax Avenue, Slough, Berkshire SL1 4BG.
Telephone Slough (0753) 79292.

Name _____

Address _____

_____

_____

Postcode _____

PE YOC 0184

commodore

THE DAN DIAMOND TRILOGY

My name is Diamond, Dan Diamond,
and this is my story. A story of beautiful mermaids, bored robots and dank, dark dungeons. A story that started one muggy day in New York, and like the Big Apple, it's rotten to the core.



The Dan Diamond Trilogy is three separate adventure games. Each game may be played on its own, but clues may be found in the earlier adventures which may help later on. Each game comes with a lavishly illustrated 20-page case file, and hints (both helpful and misleading) which have been hidden in the illustrations.

Part I. Franklin's Tomb, in which our hero receives a mysterious plea for help which leads him to a hidden tomb and the mystery of the stargate.

Part II. Lost in Space, in which our hero finds himself stranded on a derelict spacecraft, doomed to travel endlessly through space, or find a way out.

Part III. Fishy Business, in which our hero lands on a watery planet, discovers the source of the plea for help and saves the day.

"It must be the most consistently enjoyable adventure game I've ever played"
– Computer Choice (Program of the Month) –

All three programs cost £9.95 each and are available for the DRAGON 32, BBC MODEL B and 48k ORIC-1 microcomputers. (note: Fishy Business for the BBC and ORIC will be available February 1984).

Cheques or postal orders payable to:

Salamander SOFTWARE

17 Norfolk Road, Brighton, East Sussex, BN1 3AA.

Look out for Dan Diamond's next Adventure Series "Franklin in Wonderland" Available Spring 1984



Chris Carr gets his own back with a BBC micro.

ONE BIG ADVANTAGE of the BBC Micro is its ability to translate 6502 mnemonics straight into machine code with its built in assembler. The program listed here, which will run on any 32K BBC Micro uses the assembler to create a fast-action machine code arcade game. On execution, a title page is displayed, which explains the controls and prompts any key to start.

A special screen handling routine is used to generate the multi-coloured graphics characters which swoop down and attack your laser base, dropping bombs as they go. You must use all your skill and a rapid-firing laser to blast the aliens out of the sky. The program also features envelope-defined sound effects, on screen scoring and mutant aliens for extra points.

Each alien hit scores 10 points with a bonus of 50 points when a screen is cleared, after

(continued on next page)

```
   10REM*** AVENGER ***
   20REM*** BY CHRIS CARR 1
983 ***
   30REM*** READ DATA ***
   40DIM BASE 409
   50FORJ%=BASE TO BASE+397
   60READD%:?J%=D%:NEXT
   70CHARS=BASE:R=BASE+80:N
UMBERS=BASE+208:LTRS=BASE+2
00:DFENV=BASE+384
   80VCHAR=BASE+408:X=BASE+
420
   90Y=BASE+432:XMOT=BASE+4
44
  100YMOT=BASE+456:VBOMB=BA
SE+468
  110XBOMB=BASE+474:YBOMB=B
ASE+480
  120VMISSILE=BASE+486
  130XMISSILE=BASE+492:YMIS
SILE=BASE+498
  140SND=BASE+504
  150SCREEN=BASE+512
  160CODE=BASE+1100
  170FORJ%=VCHAR TO CODE:?J
%=0:NEXT
  180?SND=0:?(SND+2)=1:?(SN
D+3)=0:?(SND+6)=1:?(SND+4)=
3
  190PROCSCR
  200REM*** CODE ***
  210FOR PASS=0TO2 STEP2
  220P%=CODE
  230[
  240OPTPASS
  250.START
  260JSR DENV
  270JSR TITLES
  280JSR ZPAGE
  290JSR RESET
  300JSR TLINE
  310.MLOOP2
  320JSR SETUP
  330\MAIN LOOP
  340.MLOOP
  350JSR RINC
  360LDA &71
  370BEQ LABEL2
  380LDA #00
  390STA &71
  400JMP LABEL3
  410.LABEL2
  420LDA #01
  430STA &71
  440.LABEL3
  450LDX #06
  460CMP #00
  470BNE LABEL4
  480LDX #12 \CHANGE BACK T
  490.LABEL4
  500LDY #06
  510.LOOP6
  520DEY
  530BPL CONT
  540JMP PBOMBS
  550.CONT
  560DEX
  570LDA VCHAR,X
  580BEQ LOOP6
  590LDA X,X
  600STA &72
  610LDA Y,X
  620STA &73
  630STY &76
  640STX &77
  650JSR ERASE
  660LDX &77
  670LDY &70
  680LDA R,Y
  690CMP #50
  700BCS LABEL5
  710JSR RINC
  720LDY &70
  730LDA R,Y
  740CMP #64
  750BCC LABEL6
  760LDA #01
  770JMP LABEL7
  780.LABEL6
  790LDA #255
  800.LABEL7
  810STA XMOT,X
  820.LABEL5
  830LDY &76
  840\WORK OUT NEW LOCATION
  850CLC
  860LDA X,X
  870ADC XMOT,X
  880STA &72
  890CLC
  900LDA Y,X
  910ADC YMOT,X
  920STA &73
  930\ON EDGES ?
  940LDA &72
  950CMP #01
  960BCS LABEL8
  970LDA #01
  980STA XMOT,X
  990.LABEL8
 1000LDA &72
 1010CMP #39
 1020BCC LABEL9
 1030LDA #255
 1040STA XMOT,X
 1050.LABEL9
 1060\ON TOP OR BOTTOM
 1070LDA &73
 1080\CMP #01
 1090BNE LABEL0
 1100LDA #01
 1110STA YMOT,X
 1120.LABEL0
 1130LDA &73
 1140CMP #31
 1150BNE LABELA
 1160LDA #255
 1170STA YMOT,X
 1180.LABELA
 1190CLC
 1200LDA X,X
 1210ADC XMOT,X
 1220STA &72
 1230CLC
 1240LDA Y,X
 1250ADC YMOT,X
 1260STA &73
 1270\STORE FINAL VALUE
 1280LDA &72
 1290STA X,X
 1300LDA &73
 1310STA Y,X
 1320STY &76
 1330STX &77
 1340LDA #15
 1350STA &70
 1360JSR SPRINT
 1370\** BOMBS **
 1380.BOMBS
 1390\REGISTER AVAILABLE
 1400LDX #05
 1410.LOOPC
 1420LDA VBOMB,X
 1430BEQ LABELB
 1440DEX
 1450BPL LOOPC
 1460LDX &77
 1470LDY &76
 1480JMP LOOP6
 1490.LABELB
 1500TXA
 1510TAY
 1520LDX &77
 1530LDA X,X
 1540STA XBOMB,Y
 1550LDA Y,X
 1560CLC
 1570ADC #01
 1580STA YBOMB,Y
 1590LDA #01
 1600STA VBOMB,Y
 1610LDY &76
 1620JMP LOOP6
 1630\PRINT BOMBS
 1640.PBOMBS
 1650LDX #06
 1660.LOOPD
 1670DEX
 1680BPL CONT1
 1690JMP SHIP
 1700.CONT1
 1710LDA VBOMB,X
 1720BEQ LOOPD
 1730LDA XBOMB,X
 1740STA &72
 1750LDA YBOMB,X
 1760STA &73
 1770STX &77
 1780JSR ERASE
 1790LDX &77
 1800LDA YBOMB,X
 1810CMP #31
 1820BNE CONT3
 1830LDA #00
 1840STA VBOMB,X
 1850JMP CHECK3
 1860.CONT3
 1870LDA YBOMB,X
 1880CLC
 1890ADC #01
 1900STA YBOMB,X
 1910STA &73
 1920LDA XBOMB,X
 1930STA &72
 1940STX &77
 1950LDA #47
 1960STA &78
 1970JSR SPRINT
 1980LDX &77
 1990\CHECK FOR BOMB
 2000\HITTING MISSILE
 2010LDY #07
 2020.LOOPI
 2030DEY
 2040BPL CONT9
 2050JMP CHECK3
 2060.CONT9
 2070LDA VMISSILE,Y
 2080BEQ LOOPI
 2090LDA XBOMB,X
 2100CMP XMISSILE,Y
 2110BNE LOOPI
 2120LDA YBOMB,X
 2130CMP YMISSILE,Y
 2140BNE LOOPI
 2150LDA #00
 2160STA VMISSILE,Y
 2170STA VBOMB,X
 2180LDA XBOMB,X
 2190STA &72
 2200LDA YBOMB,X
 2210STA &73
 2220STX &77
 2230JSR ERASE
 2240LDX &77
 2250\CHECK FOR BOMB
 2260.CHECK3
 2270\HITTING BASE
 2280LDA YBOMB,X
 2290CMP #31
 2300BEQ CONTA
 2310JMP LOOPD
 2320.CONTA
 2330LDA XBOMB,X
 2340CMP &79
 2350BEQ CONTB
 2360JMP LOOPD
 2370.CONTB
 2380\BASE HIT
 2390LDA &79
 2400STA &72
 2410LDA #31
 2420STA &73
 2430LDA #79
 2440STA &78
 2450STX &77
 2460JSR SPRINT
 2470LDA #03
 2480STA SND+4
 2490.LOOPK
 2500LDX &84
 2510LDY &85
 2520LDA #07
 2530JSR &FFF1
 2540LDA SND+4
 2550CLC
 2560ADC #24
 2570STA SND+4
 2580CMP #11
 2590BNE LOOPK
 2600LDA #01
 2610STA SND+6
 2620LDA #00
 2630STA &79
 2640DEC &87
 2650BEQ LABELG
 2660JSR WAIT2
 2670JSR WAIT2
 2680JSR WAIT2
 2690JSR ERASE
 2700LDA #15
 2710LDX #00
 2720JSR &FFF4
 2730LDX &77
 2740JMP LOOPD
 2750.LABELG
 2760JSR WAIT2
 2770JSR WAIT2
 2780JSR WAIT2
 2790JSR WAIT2
 2800LDA #15
 2810LDX #00
 2820JSR &FFF4
 2830JMP START
 2840\SHIP
 2850.SHIP
 2860\ERASE SHIP
 2870LDA &79
 2880STA &72
 2890LDA #31
 2900STA &73
 2910JSR ERASE
 2920\INPUT FROM KEYBOARD
 2930LDA #129
 2940LDX #&9E
 2950LDY #&9E
 2960JSR &FFF4
 2970CPY #00
 2980BEQ RIGHT
 2990LDA &79
 3000CLC
 3010ADC #255
 3020BMI CONT4
 3030STA &79
 3040JMP CONT4
 3050.RIGHT
 3060LDA #129
 3070LDX #&8D
 3080LDY #&8D
 3090JSR &FFF4
 3100CPY #00
 3110BEQ CONT4
 3120LDA &79
```

(listing continued on next page)

(continued from previous page)

which the stock of aliens is replenished and the speed of the game increases.

The program should be typed in exactly as it appears except for the title page — lines 8090 to 8120. As the incorrect number of spaces could be disastrous, asterisks have been substituted in the listing. The title page also uses teletext control characters. These should be printed in direct mode onto the screen — not in Mode 7 — then copied into the program, or they can be left out.

In the listing of the title page 1 represents the non-printing ASCII code equivalent to CHR$ 129; 2 represents CHR$ 141; 3 represents CHR$ 131; 4 represents CHR$ 133.

When the program has been completely typed in it should be Saved before running in case of any typing errors, which could crash the program. On running, two identical hex numbers are printed. This is the execution address of the machine code and is equal to the variable Start.

If you wish to Save just the machine code and not all the mnemonics, then the manual explains how in the section on file handling.

(listing continued from previous page)

```
3130CLC
3140ADC #01
3150CMP #39
3160BEQ CONT4
3170STA &79
3180.CONT4
3190\PRINT BASE
3200LDA &79
3210STA &72
3220LDA #31
3230STA &73
3240LDA #31
3250STA &78
3260JSR SPRINT
3270.MISSILES
3280\CHECK FOR MISSILE KEY
3290LDA #129
3300LDX #255
3310LDY #&FF
3320JSR &FFF4
3330CPY #00
3340BEQ EXERASE
3350\REGISTER AVAILABLE
3360LDX #05
3370.LOOPE
3380LDA YMISSILE,X
3390BEQ LABELE
3400DEX
3410BPL LOOPE
3420JMP EXERASE
3430.LABELE
3440LDA &79
3450STA XMISSILE,X
3460LDA #30
3470STA YMISSILE,X
3480LDA #01
3490STA VMISSILE,X
3500\PRINT OUT EXPLOSION
3510.EXERASE
3520LDA &83
3530BEQ PMISSILES
3540LDA &81
3550STA &72
3560LDA &82
3570STA &73
3580JSR ERASE
3590LDA #00
3600STA &83
3610.PMISSILES
3620LDX #06
3630.LOOPF
3640DEX
3650BPL CONT5
3660JMP ALLDONE
3670.CONT5
3680LDA YMISSILE,X
3690BEQ LOOPF
3700LDA XMISSILE,X
3710STA &72
3720LDA YMISSILE,X
3730STA &73
3740STX &77
3750JSR ERASE
3760LDX &77
3770LDA YMISSILE,X
3780BNE CONT6
3790LDA #00
3800STA VMISSILE,X
3810JMP LOOPF
3820.CONT6
3830LDA YMISSILE,X
3840CLC
3850ADC #255
3860STA YMISSILE,X
3870STA &73
3880LDA XMISSILE,X
3890STA &72
3900STX &77
3910LDA #&3
3920STA &78
3930JSR SPRINT
3940LDX &77
3950\CHECK FOR MISSILE
3960\HITTING AVENGER
3970LDY #13
3980.LOOPG
3990DEY
4000BMI CHECK2
4010LDA VCHAR,Y
4020BEQ LOOPG
4030LDA XMISSILE,X
4040CMP X,Y
4050BNE LOOPG
4060LDA YMISSILE,X
4070CMP Y,Y
4080BNE LOOPG
4090STY &76
4100STX &77
4110LDA #180
4120STA &86
4130JSR MSOUND
4140LDX &77
4150LDY &76
4160LDA #00
4170STA VCHAR,Y
4180STA VMISSILE,X
4190LDA XMISSILE,X
4200STA &72
4210STA &81
4220LDA YMISSILE,X
4230STA &73
4240STA &82
4250STX &77
4260LDA #79
4270STA &78
4280JSR SPRINT
4290LDA #01
4300STA &83
4310LDX &77
4320JSR SCORE
4330\CHECK FOR MISSILE
4340\HITTING BOMB
4350.CHECK2
4360LDY #7
4370.LOOPH
4380DEY
4390BPL CONT8
4400JMP LOOPF
4410.CONT8
4420LDA VBOMB,Y
4430BEQ LOOPH
4440LDA XMISSILE,X
4450CMP XBOMB,Y
4460BNE LOOPH
4470LDA YMISSILE,X
4480CMP YBOMB,Y
4490BNE LOOPH
4500LDA #00
4510STA VBOMB,Y
4520STA VMISSILE,X
4530LDA XMISSILE,X
4540STA &72
4550LDA YMISSILE,X
4560STA &73
4570STX &77
4580JSR ERASE
4590LDX &77
4600JMP LOOPF
4610.ALLDONE
4620JMP CHECKAVD
4630.ENDCHECK
4640JSR WAIT
4650JMP MLOOP
4660JMP FINISH
4670\** SUB ROUTINES **
4680\** SET VARIABLES **
4690.SETUP
4700LDX #05
4710LDY #10
4720.LOOP
4730TYA:STA X,X
4740DEY:DEY:DEX
4750BPL LOOP
4760\2ND RANK X
4770LDX #05
4780LDY #31
4790.LOOP1
4800TYA:STA X+6,X
4810DEY:DEY:DEX
4820BPL LOOP1
4830\Y
4840LDY #05
4850LDX #08
4860.LOOP2 TXA:STA Y,Y
4870DEX:DEY:BPL LOOP2
4880LDY #05
4890LDX #03
4900.LOOP3 TXA:STA Y+6,Y
4910INX:DEY:BPL LOOP3
4920\X & Y MOTION
4930LDX #23
4940.LOOP4
4950LDY &70
4960LDA R,Y
4970CMP #64
4980BCS GREATER
4990LDA #255
5000JMP LABEL
5010.GREATER
5020LDA #01
5030.LABEL
5040STA XMOT,X
5050JSR RINC
5060DEX
5070BPL LOOP4
5080\SET TO ZERO
5090LDA #01
5100LDX #11
5110.LOOP5
5120STA VCHAR,X
5130DEX
5140BPL LOOP5
5150RTS
5160\** INC **
5170.RINC
5180INC &70
5190LDA #129
5200CMP &70
5210BNE LABEL1
5220LDA #00
5230STA &70
5240.LABEL1
5250RTS
5260\** ERASE **
5270.ERASE
5280\CALC POSITION
5290LDX #03
5300LDA &72
5310STA &74
5320LDA #00
5330STA &75
5340.LOOP7
5350CLC
5360ASL &74
5370ROL &75
5380DEX
5390BNE LOOP7
5400LDX &73
5410.LOOP8
5420CLC
5430LDA &74
5440ADC #64
5450STA &74
5460LDA &75
5470ADC #01
5480STA &75
5490DEX
5500BNE LOOP8
5510\ADD HIMEM
5520CLC
5530LDA &75
5540ADC #&8
5550STA &75
5560LDY #15
5570LDA #0
5580.LOOP9
5590STA (&74),Y
5600DEY
5610BPL LOOP9
5620RTS
5630\** PRINT **
5640.SPRINT
5650\CALC POSITION
5660LDX #03
5670LDA &72
5680STA&74
5690LDA #00
5700STA &75
5710.LOOP0
5720CLC
5730ASL &74
5740ROL &75
5750DEX
5760BNE LOOP0
5770.DX &73
5780.LOOPA
5790CLC
5800LDA &74
5810ADC #64
5820STA &74
5830LDA &75
5840ADC #01
5850STA &75
5860DEX
5870BNE LOOPA
5880\ADD HIMEM
5890CLC
5900LDA &75
5910ADC #&8
5920STA &75
5930LDY #15
5940LDX &70
5950.LOOPB
5960LDA CHARS,X
5970STA (&74),Y
5980DEX
5990DEY
6000BPL LOOPB
6010RTS
6020\WAIT
6030.WAIT
6040LDY &78
6050.LOOPW
6060LDX #255
6070.LOOPW1
6080DEX
6090BNE LOOPW1
6100DEY
6110BNE LOOPW
6120RTS
6130\MAKE SOUND
6140.MSOUND
6150LDA &86
6160STA SND+4
6170LDA #07
6180LDX &84
6190LDY &85
6200JSR &FFF1
6210RTS
6220\WAIT2
6230.WAIT2
6240LDY #255
6250.LOOPWW
6260LDX #255
6270.LOOPWW1
6280NOP
6290NOP
6300NOP
6310NOP
6320DEX
6330BNE LOOPWW1
6340DEY
6350BNE LOOPWW
6360RTS
6370\SCORE INCREMENT
6380\AND PRINT
6390.SCORE
6400INC &8A
6410LDA #10
6420CMP &8A
6430BNE PSCORE
6440LDA #00
6450STA &8A
6460INC &89
6470LDA #10
6480CMP &89
6490BNE PSCORE
6500LDA #00
6510STA &89
6520INC &88
6530.PSCORE
6540LDX #03
6550LDY #23
6560.LOOPL
6570DEX
6580STX &8D
6590LDA 136,X
6600ASL A
6610ASL A
6620ASL A
6630CLC
6640ADC #07
6650TAX
6660LDA #07
6670STA &8E
6680.LOOPM
6690LDA NUMBERS,X
6700STA 22528+64,Y
6710DEX
6720DEY
6730DEC &8E
6740BPL LOOPM
6750LDX &8D
6760BNE LOOPL
6770RTS
6780\*** TITLES ***
6790.TITLES
6800LDA #240
6810STA &88
6820LDA #124
6830STA &89
6840LDA #(SCREEN MOD 256)
6850STA &8A
6860LDA #(SCREEN DIV 256)
6870STA &8B
6880LDA #22
6890JSR &FFEE
6900LDA #07
6910JSR &FFEE
6920LDA #124
6930STA &7
6940LDX #02
6950LDY #00
6960.LP1
6970LDA (&8A),Y
6980STA (&88),Y
6990INY
7000BNE LP1
7010INC &89
7020INC &8B
7030DEX
7040BNE LP1
7050JSR &FFE0
7060LDA #22
7070JSR &FFEE
7080LDA #05
7090JSR &FFEE
7100LDA #&8
7110STA &7
7120RTS
7130\CHECK FOR ALL
7140\DESTROYED
7150.CHECKAVD
7160LDX #11
7170.LOOPD
7180LDA VCHAR,X
7190BNE CONTE
7200DEX
7210BPL LOOPD
7220\NEW
7230\SCREEN
7240LDA #&9
7250STA &86
7260LDA #01
7270STA SND
7280.LOOPR
7290JSR MSOUND
7300INC &86
7310INC &86
7320INC &86
7330INC &86
7340BNE LOOPR
7350LDA #00
7360STA SND
7370LDA &7B
7380SEC
7390SBC #05
7400STA &7B
7410LDA #&0
7420STA &79
7430LDA #12
7440JSR &FFEE
7450LDA #15
7460LDX #&0
7470JSR &FFF4
7480JSR TLINE
7490JSR SCORE
7500JSR SCORE
7510JSR SCORE
7520JSR SCORE
7530JSR SCORE
7540JMP MLOOP2
7550.CONTE
7560JMP ENDCHECK
7570\ZERO PAGE
7580.ZPAGE
7590LDA #&0
7600STA &70
7610STA &88
7620STA &89
7630STA &8A
7640STA &79
7650LDA #03
7660STA &87
7670LDA #50
7680STA &7B
7690LDA #(SND MOD256)
7700STA &84
7710LDA #(SND DIV256)
7720STA &85
7730RTS
7740\SET TOP LINE
7750\OF DISPLAY
7760.TLINE
7770LDX #95
7780.LP4
7790LDA LTRS,X
7800STA 22528,X
7810DEX
7820BPL LP4
7830RTS
7840\RESET BOMBS
7850\AND MISSILES
7860.RESET
7870LDX #05
7880LDA #00
7890.LP5
7900STA VBOMB,X
7910STA VMISSILE,X
7920DEX
7930BPL LP5
7940RTS
7950\DEFINE ENVELOPE
7960.DENV
7970LDY #(DFENV DIV256)
7980LDX #(DFENV MOD256)
7990LDA #08
8000JSR &FFF1
8010RTS
8020\** FINISH **
8030.FINISH
8040RTS:1
8050NEXTPASS
8060END
8070REM*** DATA FOR TITLES

8080DEFPROCSCR
8090*SCREEN="**************
*12AVENGER**************
**************12AVENGER****
****************************
****************************
***********3By*Chris*Carr**
***********"
8100*|SCREEN+160|="*******
****************************
****************************
****************************
*******4Z...Left***********
****************************
******************"
8110*|SCREEN+320|="*******
*******4X...Right**********
****************************
****************************
***4&*SHIFT*to*Fire*********
*****"
8120*|SCREEN+440|="*******
****************************
******************Any*Key*to
*Start***********"

8130ENDPROC
8140REM*** DATA ***
8150REM*** CHARS (80) ***
8160DATA0,192,209,231,231,
209,192,0,0,48,184,126,126,
184,48,0,0,17,17,17,209,227
,199,143,0,136,136,136,184,
124,62,31

8170DATA0,3,1,3,1,3,1,0,0,
0,8,0,8,0,8,0,0,0,16,33,33,
16,0,0,0,0,128,72,72,128,0,
0,8,4,2,112,16,16,20,8,1,13
0,132,128,224,4,2,1
8180REM*** (120) ***

8190DATA83,65,96,9,110,40,
125,51,114,72,16,2,120,82,1
28,98,108,70,99,77,11,22,12
1,13,53,58,17,31,122,88,3,6
7,64,111,42,73,50,123,56,28
,127,101,113,19,91,27,115,7
4,80,97,70,5,79,45,100,126,
47,94,24,21,01,33,7

8200DATA48,20,75,55,102,41
,4,34,49,29,37,105,104,8,10
7,60,46,89,39,92,59,84,35,2
3,57,52,69,30,61,18,95,90,6
6,116,36,87,109,32,76,112,8
6,93,44,117,25,38,12,103,6,
14,26,71,62,85,119,63,15,54
,10,68,124,43,118,129,106
8210REM*** NUMBERS (80)

8220DATA119,85,85,85,85,85
,119,0,17,17,17,17,17,17,17
,0,119,17,17,34,68,68,119,0
,119,17,17,51,17,17,119,0,6
8,68,68,68,119,34,34,0,119,
68,68,119,17,17,119,0,119,6
8,68,119,85,85,119,0
8230DATA119,17,17,17,17,17
,17,0,119,85,85,119,85,85,1
19,0,119,85,85,119,17,17,17
,0
8240REM*** LETTERS (64)

8250DATA119,68,68,119,17,1
7,119,0,119,68,68,68,68,68,
119,0,119,85,85,85,85,85,11
9,0,119,85,85,119,102,85,85
,0,119,68,68,102,68,68,119,
0,0,0,0,0,0,0,0,0,0,0,119,0
,119,0,0,0,0,0,0,0,0,0,0,0,0
8260DATA119,85,85,85,85,85
,119,0,119,85,85,85,85,85,1
19,0,119,85,85,85,85,85,119
,0,119,85,85,85,85,85,119,0
,1,3,1,-1,1,1,1,1,121,-23,-
12,-6,120,120
```

HISOFT PASCAL DEVPAC

Quality ZX SPECTRUM* Software

HISOFT PASCAL 4T

"... 'I haven't seen any other compiler that could match Hisoft's Pascal" ... *Using the Spectrum Micro – Autumn 1983*
"This is a very impressive product ... of benefit to any Spectrum programmer ..." *David Bolton ZX COMPUTING Aug/Sept 1983*
Just two comments from full length reviews of our powerful and virtually full implementation of Standard Pascal. The advantages of using Pascal are well-known – fast, self-documenting, and above all, structured programs and now, with Hisoft Pascal, you can reap all these benefits on a wide range of home computers, including the 48K Sinclair Spectrum!
Hisoft Pascal produces programs that run typically 40 times faster than equivalent ZX BASIC programs and, sometimes, up to 1,000 times faster!
Hisoft Pascale supports FOR ... DO, WHILE ... UNTIL, CASE ... OF, INTEGERs, REALs, CHARacters, RECORDs, POINTERs, SETs, ARRAYs etc. etc. – it is not a Tiny Pascal but a virtually full implementation of the language allowing the user to develop true high-level language skills while attaining execution speed close to that of machine code. Complete with a 70-page manual.
Hisoft Pascal is also available in a variety of disk formats, including sequential FILE handling.

HISOFT DEVPAC 3

"... DEVPAC is most highly recommended. The documentation is first class." *Your Computer May 1983*
"... if you write programs in machine code, buy DEVPAC – it is the best currently on the market." *Adam Denning, ZX SOFT in Which Micro September 1983*
Two comments from reviews of earlier versions of DEVPAC – now we have DEVPAC 3 available: a powerful Z80 assembler with conditional assembly, assembly from tape (to enable generation of very large code files), ORG, EQU, DEFB, DEFS, DEFW, DEFM, labels of any length – in fact all you need for fast (3,000 line per minute) and powerful assembly programming. But it doesn't stop there: DEVPAC 3 also includes an incredible debugger/dis-assembler giving you a 'front panel' display of the Z80 system and allowing extensive debugging of your machine-code program, including single-stepping programs **EVEN IN ROM**!! Open up the secrets of low-level programming with DEVPAC 3.

Prices:
Hisoft Pascal 4T (ZX SPECTRUM) £25 inclusive
(NewBrain, SHARP MZ700 etc) £35 plus VAT
Hisoft Pascal 4D, many disk formats £46 inc.
Hisoft DEVPAC 3 (ZX SPECTRUM) £14 inclusive
(NewBrain) £25 inclusive
STOP PRESS Hisoft Pascal for the SPECTRUM now comes complete with a Turtle Graphics package allowing fast and easy production of complex graphic displays.
Hisoft Pascal and Hisoft Devpac also available on ZX Microdrive please write for details

HISOFT
13 Gooseacre, Cheddington
Leighton Buzzard, Beds. LU7 0SR
Tel: (0296) 668995

***and others**

SPECTRUM & ZX81 EDUCATIONAL SOFTWARE

CALPAC LEARNING SERIES

Use our Computer Assisted Learning PACks to help your children with their school work. The programs in the series use moving colour graphics and sound to make learning more enjoyable. Each pack contains four programs and is suitable for use with the 16K or 48K Spectrum. Program notes are supplied.

VOLUME 1 (from 6 years) **£9.50**
Tens and units addition and subtraction with detailed help facilities; powerful, easy to use drawing program; English comprehension applied to American Indians.

VOLUME 2 (from 7 years) **£9.50**
Roman history; spelling tester with easy entry of your own lists; flexible table-tester; homophones.

VOLUME 3 (from 9 years) **£9.50**
Nouns, verbs, adjectives and adverbs; tenses of verbs; biology of the flower; long division tutor.

Additional features of the CALPAC LEARNING SERIES include:
- Spelling checkers
- "Help" call up routine
- Easy insertion of subject material of your own choice into the programs

CALPAC C1 O-LEVEL CHEMISTRY £7.50

Four clearly presented revision/programs. The subject matter has been carefully structured to cover the most important aspects of:

- Elements, compounds and mixtures.
- Structure, bonding and properties.
- Redox, electrolysis and the activity series.
- Acids, bases and salts.

48K Spectrum and 16K ZX81 versions of the cassette are available. Please specify which you require.

Our software is available by direct mail from:

CALPAC COMPUTER SOFTWARE
108 Hermitage Woods Crescent
St Johns, WOKING, Surrey GU12 1UF.

For further details please telephone 048 67 2584.
We have a demonstration cassette available for retailers or schools.

HIRE SPECTRUM SOFTWARE

CHOOSE FROM OUR VAST RANGE

FREE 20 page CATALOGUE with full details of our range of over 180 different programs for the ZX SPECTRUM. All hired with the consent of the publishers. Whether you prefer to ZAP aliens, get lost in an adventure game, EDUCATE your children, CALCULATE the family finances or COMPILE machine code programs WE HAVE THE RIGHT TAPES FOR YOU TO HIRE.

FAST SERVICE

We stock several manufacturers original copies of each tape, and can normally despatch your tapes the day we receive your order, and we always use first class post.

LOWEST PRICES

We believe our prices are the lowest of any library, yet we offer the LARGEST range of titles. TWO WEEKS HIRE OF ANY TAPE COSTS JUST 80p (plus 40p p&p).

FREE TAPE HIRE

For a limited period, we will send your first tape (your choice) FREE, so join our library now. You can't afford NOT to!!! If you've tried another library and are wary of our claims send a stamp and we'll gladly send you a copy of our catalogue - we're confident you'll join when you see it!!!

NATIONAL SOFTWARE LIBRARY
200 Mulgrave Road,
Cheam, Surrey SM2 6JT

I enclose cheque for £6.00 for LIFE MEMBERSHIP and I understand that my first tape hire will be FREE. If, within 28 days, I'm not delighted with your service you'll refund my membership fee.

Name _____

Address _____

_____

_____ YC 1

LETTER DROP

Bryn Phillips with a Vic-20 program to help you expand your vocabulary.



LETTER DROP is a word game which runs on a Vic-20 with 8K or more expansion. It is a multilevel game which can be played by primary school children to improve their spelling and vocabulary, and by adults who are word fanatics, Scrabble players or crossword fanatics. The level of play is up to you.

It requires rapid thinking, but not nimble fingers. The action is in your head. The idea is simple — the computer takes a word jumbles up the letters, and then slowly reconstructs the word as it randomly moves the letters round a specified area of the screen. Your task is to get to the word before the computer gets too far. Not too bad . . . until you realise that the letters of lips for example also spells slip and lisp. With longer words the problems increase.

You can either run the program in upper or lower case mode by pressing the Commodore and Shift keys together. Your first option is Easy or Hard. This determines the length of the word. Easy gives a maximum of five letters, and hard a maximum of 10 letters. You then select either a one player or two player game. In the one player game the computer chooses 20 random words, and in the two player game each player chooses 10 words — with the other player out of the room.

Can let computer choose

If desired either or both of the players may let the computer choose the words for them. If the words are entered by the players, they are checked for length and gaps by the computer. Any illegal words must be re-entered.

When the words have been selected the game begins. An area of the screen is drawn out for the letters, and within that area a rectangle is drawn which exactly fits the word. The letters of the word then move about randomly, and if a letter lands in its correct position in the rectangle it changes colour and is fixed. In the one player game the computer gets 1 point for each letter it fixes in this way. When you think you know the word press the space bar — one player game — or Z or / — two player game. The letters then freeze and you are invited to enter your word in a second rectangle.

After you have entered it, press Y to

```
 10 READN$
 20 IFN$="END"THEN50
 30 TT=TT+1:GOTO10
 50 DIM N$(20):DIMW(20)
 60 P1=8164:P2=38884:IFPEEK(644)>32THENP1=4580:P2=30372
 70 R=RND(-TI)
 80 S1=36875:V=36878:S2=36876
 90 POKE36879,26
100 PRINT"■■■■■■LETTER DROP"
102 PRINT"■■CHOOSE OPTION..."
110 PRINT"■■■■■E■SY OR ■■RD"
120 GETA$
130 IFA$="E"THENMX=5:MN=2:S$="EASY":GOTO160
140 IFA$="H"THENMX=10:MN=6:S$="HARD":GOTO160
150 GOTO120
160 PRINT"■■■■■1■ PLAYER GAME"
170 PRINT"■■■■2■ PLAYER GAME"
180 GETA$:IFA$=""THEN180
190 G=VAL(A$):IFG<1ORG>2THEN180
200 ONGOTO570,210
210 PRINT"■■■■■■LETTER DROP"
220 PRINT"■■EACH PLAYER MUST      ENTER 10 WORDS."
230 PRINT"■■EACH WORD MUST BE     LESS THAN"MX"LETTERS   LONG"
240 PRINT"■■PLAYER 1 KEY = Z"
250 PRINT"■PLAYER 2 KEY = /"
260 PRINT"■■■■PRESS C TO CONTINUE"
270 GETA$:IFA$<>"C"THEN270
280 PRINT"■■■■■■■■PLAYER 1■"
290 PRINT"■■■1■ COMPUTER CHOICE"
300 PRINT"■■■2■ YOUR CHOICE■"
310 GETA$:IFVAL(A$)<1ORVAL(A$)>2THEN310
320 IFA$="2"THENGOTO370
330 N1=1:N2=10:GOSUB2140
340 PRINT"■■■PRESS C TO CONTINUE"
350 GETA$:IFA$<>"C"THEN350
360 GOTO410
370 FORI=1TO10
380 PRINTI;:INPUTN$(I)
390 NEXTI
400 N1=1:N2=10:GOSUB1410
410 PRINT"■■■■■■■■PLAYER 2■"
420 PRINT"■■■1■ COMPUTER CHOICE"
430 PRINT"■■■2■ YOUR CHOICE■"
440 GETA$:IFVAL(A$)<1ORVAL(A$)>2THEN440
450 IFA$="2"THENGOTO500
460 N1=11:N2=20:GOSUB2140
470 PRINT"■■■PRESS C TO CONTINUE"
480 GETA$:IFA$<>"C"THEN480
490 GOTO540
500 FORI=11TO20
510 PRINTI;:INPUTN$(I)
520 NEXTI
530 N1=11:N2=20:GOSUB1410
540 PRINT"■■■■■■■■■■PRESS S.TO START"
550 GETA$:IFA$<>"S"THEN550
560 GOTO740
570 PRINT"■■■■■COMPUTER LOOKING FOR  SOME "S$" WORDS■"
580 FOR I=1TO20
590 PRINT"■■FOUND"I"■"
600 RESTORE
610 R=INT(RND(1)*TT-1)+1
620 IFR=0THEN660
630 FORJ=1TOR
640 READN$
650 NEXTJ
660 READN$(I)
670 IFLEN(N$(I))>>MXORLEN(N$(I))<MNTHEN600
680 FORH=1TOI-1
690 IFN$(H)=N$(I)ANDI>1THENTS=1
700 NEXTH
710 IFTS=1THENTS=0:GOTO600
720 NEXTI
```

```
730 REM MAIN PROGRAM
740 IF0=1THENT1$="HUMAN":T2$="COMPUTER"
750 IF0=2THENT1$="PLAYER 1":T2$="PLAYER 2"
760 PRINT"■■"TAB(2)T1$;TAB(12)T2$
770 FORX=3TO17
780 FORY=2TO10
790 POKEP1+X-22*Y,102:POKEP2+X-22*Y,2
800 NEXTY,X
810 FORX=4TO16
820 FORY=3TO9
830 POKEP1+X-22*Y,32
840 NEXTY,X
850 FORWN=1TO20
860 PRINT"■■■■■■■■■■■■NORD "WN
870 R=INT(RND(1)*20)+1
880 TS=0
890 FORJ=1TOWN
900 IFR=W(J)THENTS=1
910 NEXTJ
920 IFTS=1THEN870
930 W(WN)=R
940 W$=N$(R)
950 LN=LEN(W$)
960 FORI=1TOLEN(W$)
970 L$(I)=MID$(W$,I,1)
980 L(I)=ASC(L$(I))-64
990 NEXTI
1000 X1=9-INT(LN/2):X2=X1+LN+1
1010 POKEP1+X1-22*6,103:POKEP2+X1-22*6,5
1020 POKEP1+X2-22*6,101:POKEP2+X2-22*6,5
1030 FORX=X1+1TOX2-1
1040 POKEP1+X-7*22,100:POKEP2+X-7*22,5
1050 POKEP1+X-5*22,99:POKEP2+X-5*22,5
1060 NEXTX
1070 BS=0
1080 FORI=1TOLN
1090 IFL(I)=32THEN1190
1100 X(I)=INT(RND(1)*11)+4:Y(I)=INT(RND(1)*4)+4
1110 PK=PEEK(P1+X(I)-22*Y(I))
1120 IFPK<>32THEN1100
1130 POKEP1+X1(I)-22*Y1(I),32
1140 IFY(I)=6ANDX(I)=I+X1THENGOSUB1640
1150 IFBS=1THENBS=0:GOTO1180
1160 X1(I)=X(I):Y1(I)=Y(I)
1170 POKEP1+X(I)-22*Y(I),L(I):POKEP2+X(I)-22*Y(I),2
1180 GETA$
1190 IFA$=" "THENGOSUB1820
1200 IFA$="Z"ORA$="/"THENGOSUB2260
1210 IFEN=1THENI=LN
1220 NEXTI
1230 IFEN=1THENEN=0:GOTO1250
1240 GOTO1000
1250 FORX=4TO16
1260 FORY=3TO9
1270 POKEP1+X-22*Y,32
1280 NEXTY,X
1290 NB=0
1300 FORI=1TOLN
1310 X1(I)=0:Y1(I)=0
1320 NEXTI
1330 PRINT"■■■■■■                    "
1340 FORI=1TO6:PRINT"                              ":NEXTI
1350 NEXTWN
1360 PRINT"■■■■■■■■■■AME OVER"
1370 PRINT"■■■■PRESS SPACE BAR"
1380 GETA$:IFA$<>" "THEN1380
1390 RUN
1400 REM CHECK INPUT
1410 ER=1
1420 FORI=N1TON2
1430 LN=LEN(N$(I))
1440 IFLN>MXTHENE$(ER)=N$(I):E(ER)=I:ER=ER+1:GOTO1490
1450 FORJ=1TOLN
1460 MD$=MID$(N$(I),J,1)
1470 IFASC(MD$)<65ORASC(MD$)>90THENE(ER)=I:E$(ER)=N$(I):
     ER=ER+1:J=LN
1480 NEXTJ
1490 NEXTI
1500 IFER=1THENRETURN
1510 PRINT"■■■■PLEASE CHANGE THE      FOLLOWIND■■"
1520 FORI=1TOER-1
1530 PRINTE(I)","E$(I)
1540 INPUT"■■";N$(E(I))
1550 LN=LEN(N$(E(I)))
1560 IFLN>MXTHEN PRINT"TOO LONG":GOTO1540
1570 FORK=1TOLN
1580 IFMID$(N$(E(I)),K,1)=" "THENOP=1
1590 NEXTK
1600 IFOP=1THENPRINT"NO GAPS!":OP=0:GOTO1540
1610 NEXTI
1620 RETURN
1630 REM**FIX LETTERS*
1640 GOSUB2610
1650 POKEP1+X(I)-22*Y(I),L(I):POKEP2+X(I)-22*Y(I),0
1660 BS=1
1670 FORK=1TO100:NEXT
1680 L(I)=32
1690 CS=CS+1
1700 IFG=1THENPRINT"■■■■■■■■■■■■■■■■"CS
1710 NB=NB+1
1720 RETURN
1730 LN=LEN(N$(E(I)))
1740 IFLN>6THENPRINT"■■TOO LONG AGAIN!!":GOTO1540
1750 FORJ=1TOLN
1760 MD$=MID$(N$(E(I)),J,1)
1770 IFASC(MID$)<65ORASC(MID$)>90THENFL=1
1780 NEXTJ
1790 IF FL=1THENFL=0:PRINT"NO SPACES ALLOWED!!":GOTO1540
1800 NEXTI
1810 RETURN
1820 IFG=2THENRETURN
1830 GOSUB2810
1840 FORK=1TO5
1850 PRINT"■■■■■■■■■■■■■■■■                    "
1860 POKES1,240:POKES2,200:POKEV,15
1870 PRINT"■■■■■■■■■■■■■■■■ENTER WORD"
1880 FORF=1TO100:NEXTF
1890 POKES1,0:POKES2,0:POKEV,0
1900 NEXTK
1910 X=X1+1
1920 IFX>X2-1 THEN1980
1930 GETL$:IFL$=""THEN1930
1940 LT=ASC(L$)-64:IFLT<0THEN1930
1950 G$=G$+L$
1960 POKEP1+X-22*13,LT:POKEP2+X-22*13,6
1970 X=X+1:GOTO1920
1980 PRINT"■■■■■■■■■■■■■■CONFIRM (Y/N)"
1990 GET A$
2000 IFA$="Y"THEN2050
2010 IFA$="N"THEN2030
2020 GOTO1990
2030 GOSUB2070
2040 G$="":GOTO1910
2050 IFG$=W$THENPS=PS+LN-NB:PRINT"■■■■"PS:EN=1:G$="":GOSUB2690:RETURN
2060 IFG$<>W$THENCS=CS+5:PRINT"■■■■■■■■■■■■■■■■■■"CS:G$="":
     GOSUB2070:GOSUB2750:RETURN
2070 FORX=X1+1TOX2-1
2080 POKEP1+X-22*13,32
2090 NEXTX
2100 PRINT"■■■■■■■■■■■■                    "
2110 PRINT"                                "
2120 RETURN
2130 REM**VIC WORD-SEARCH*
2140 FORI=N1TON2
2150 RESTORE
2160 R=INT(RND(1)*104)
2170 IFR=0THEN2210
2180 FORJ=1TOR
2190 READN$
2200 NEXTJ
2210 READN$(I)
2220 IFLEN(N$(I))>MXORLEN(N$(I))<NBTHEN2150
2230 PRINTI;TAB(4)N$(I)
2240 NEXTI
2250 RETURN
2260 IFG=1THENRETURN
2270 IFA$="Z"THENP$="PLAYER 1":PL=1
2280 IFA$="/"THENP$="PLAYER 2":PL=2
2290 GOSUB2810
2300 FORK=1TO5
2310 PRINT"■■■■■■■■■■■■■■■■                    "
2320 POKES1,240:POKES2,200:POKEV,15
2330 PRINT"■■■■■■■■■■■■■■■■"P$
2340 FORF=1TO100:NEXTF
2350 POKES1,0:POKES2,0:POKEV,0
2360 NEXTK
2370 X=X1+1
2380 IFX>X2-1 THEN2440
2390 GETL$:IFL$=""THEN2390
2400 LT=ASC(L$)-64:IFLT<0THEN2390
2410 G$=G$+L$
2420 POKEP1+X-22*13,LT:POKEP2+X-22*13,6
2430 X=X+1:GOTO2380
2440 PRINT"■■■■■■■■■■■■■■CONFIRM (Y/N)"
2450 GET A$
2460 IFA$="Y"THEN2510
2470 IFA$="N"THEN2490
2480 GOTO2450
2490 GOSUB2070
2500 G$="":GOTO2370
2510 IFPL=2 THEN2560
2520 IFG$=W$THENGOSUB2690:GOTO2540
2530 M2=M2+5:PRINT"■■■■■■■■■■■■■■■■"M2:G$="":GOSUB2070:GOSUB2750:RETURN
2540 IFR>10THENM1=M1+2*(LN-NB):PRINT"■■■■■"M1:EN=1:G$="":RETURN
2550 IFR<11THENM1=M1+(LN-NB):PRINT"■■■■■"M1:EN=1:G$="":RETURN
2560 IFG$=W$THENGOSUB2690:GOTO2580
2570 M1=M1+5:PRINT"■■■■■"M1:G$="":GOSUB2750:GOSUB2070:RETURN
2580 IFR<11THENM2=M2+2*(LN-NB):PRINT"■■■■■■■■■■■■■■■■"M2:EN=1:G$="":RETURN
2590 IFR>10THENM2=M2+(LN-NB):PRINT"■■■■■■■■■■■■■■■■"M2:EN=1:G$="":
     RETURN
2600 REM SOUND EFFECTS
2610 FOREF=5TO50STEP5
2620 POKES2,128+EF+L(I)
2630 FORVL=15TO0STEP-2
2640 POKEV,VL
2650 NEXTVL
2660 NEXTEF
2670 POKES2,0
2680 RETURN
2690 POKEV,15
2700 FORSN=0TO30
2710 POKES2,180+SN
2720 NEXTSN
2730 POKES2,0:POKEV,0
2740 RETURN
2750 POKEV,15
2760 FORSN=50TO0STEP-1
2770 POKES1,128+SN
2780 NEXT SN
2790 POKES1,0:POKEV,0
2800 RETURN
2810 POKEP1+X1-22*13,103:POKEP2+X1-22*13,2
2820 POKEP1+X2-22*13,101:POKEP2+X2-22*13,2
2830 FORX=X1+1TOX2-1
2840 POKEP1+X-22*14,100:POKEP2+X-22*14,2
2850 POKEP1+X-22*12,99:POKEP2+X-22*12,2
2860 NEXTX
2870 RETURN
```

confirm. If you have made a mistake, press n which will clear the word, and allow you to re-enter it. If you are wrong your opponent gets a 5 point bonus, and play resumes. If you are correct, your score increases by the number of letters left unfixed on the screen.

In the two player game you get double the point score if you get your opponent's word. The computer then selects the next word and play continues. The game ends when 20 words have been played.

The program is written entirely in Basic and should present no problems in typing in. The Data statements should be regarded as example words and can be changed if desired, and the list extended to the limit of the computers available memory. It is important to make sure that "END" does not appear anywhere in the list, as this is used at the end of the Data to allow the computer to count up the available words.

If you do not want to type the program in I will send you a cassette containing a copy of the program with a particularly nasty list of words if you send a cheque of P.O. for £3 to: B M Phillips, 12 Eden Drive, Moresby Parks, Whitehaven, Cumbria, CA28 8XA. ■

TERMINAL O.I.C.!!

Build a serial (RS232 & BBC423) linked, full or half duplex 'Glass Teletype', remote VDU & Keyboard terminal. This single-board system will drive either a TV or a monitor with 16 rows of 64 ACII characters in Monochrome. Has hardware selectable BAUD rate and extra functions to drive cassette, bell, and reverse video etc...

Full and straightforward construction details are given.

AND

BUYER'S GUIDE TO MONITORS FOR HOME COMPUTERS

Select the monitor which suits your computer and your pocket!

Plus Monitor specs. explained in plain English.

It's all in

PRACTICAL

ORDER YOUR COPY NOW

ELECTRONICS

FEBRUARY ISSUE IN YOUR NEWSAGENTS EARLY JANUARY 90p

THE MICRO WORKSHOP

MICRO COMPUTER SPECIALISTS

Software and hardware over the counter for Sinclair Spectrum, ZX-81, BBC, Vic-20, CBM-64 etc.

* COMPUTERS
* JOYSTICKS
* KEYBOARDS
* TAPES
* RAMPACKS
* BOOKS
* DISCS
* LIGHT PENS
* COMPONENTS *

Business/Serious Programs available

Located directly opposite Epsom Mail Line Station. Visit us or ring for friendly service. See and try before you buy.

12 STATION APPROACH
EPSOM, SURREY.
EPSOM 21533

MICRO—X

your

EXPORT

specialist for

ALL MICRO COMPUTERS - SOFTWARE & PERIPHERALS - INCLUDING ORIC - SINCLAIR - TEXAS - LYNX COMMODORE & MANY MORE !!



Please Contact:

MICRO-X LIMITED
5 COVERDALE ROAD,
BRONDESBURY, LONDON NW2 4DB
TELEPHONE 01-459 1089
TELEX 295931 UNICOM G.

South London's Largest Specialist Micro Computer Centres

VISION STORE offer

INTEREST FREE CREDIT

ON Micro Computers and Peripherals

from

BBC · Acorn · Commodore · Sinclair · Atari · Dragon · Texas · Oric · Epson · Seikosha · Star · Shinwa · etc ...

Call in or phone for full details.

South London's Largest Stockists of Micro Computer Software. Continuous Demonstrations

GAMES — EDUCATIONAL — BUSINESS

Just a small selection of our vast inventory of software is shown here. We carry all the popular titles of arcade games for Sinclair · Commodore · BBC · Atari · Dragon · Oric · Texas · etc ... Educational programs for children from 5 years old to 'O' level standard are kept in stock. Foreign languages, maths and general knowledge are just a few of the subjects we cover.

Let us advise you on your Business application for your micro computer. Word Processing, Forecasting, Accounting, Stock Control, you name it we've probably got it. We always have several systems on demonstration.

TOP SELLING SOFTWARE

Program	Supplier	Machine	
Atic ATAC	Ultimate	Spectrum	£5.50
Planetoids	Acornsoft	BBC	£9.95
Kong	Anirog	CBM64	£7.95
Snooker	Acornsoft	BBC	£9.95
Flight Zero-one-seven	AVS	VIC-20	£6.95
Jumpman	Epyx	Atari/CBM64 (Cass/Disk/ROM)	£29.95
Gridrunner	Llamasoft	Atari	£7.50
Daredevil Dennis	Vision	BBC	£7.95
Crazy Caveman	Merlin	CBM64	£7.95
Crypt	Camell	Spectrum	£4.95
Tempest		Atari	£29.95
Fort Apocalypse	Showcase	Atari/CBM64	£24.95
Sharnus	Showcase	Atari/CBM64	£24.95
Zork I/II/III	Infocom	Atari (Disk)	£29.95
Temple of Apshai	Epyx	Atari/CBM64 (Disk/Cass)	£29.95
Cuddly Cubet	Interceptor	CBM64	£7.95
Valhalla	Legend	Spectrum	£14.95
Lunar Jetman	Ultimate	Sepctrum	£5.50
Manic Miner	Bug-Byte	Spectrum	£5.50
3-D Ant Attack	Quicksilva	Spectrum	£6.95
Splat!	Incentive	Spectrum	£5.50
Kong	Ocean	Spectrum	£5.95
Jet Pac	Ultimate	VIC-20	£5.50
Hovver Bovver	Llamasoft	CBM64	£7.50
Bugaboo	Quicksilva	Spectrum	£6.95
Siren City	Interceptor	CBM64	£6.95
Metagalactic Llamas at the Edge of Time	Llamasoft	VIC-20	£6.00
Transylvanian Tower	Richard Shepherd	Spectrum	£5.95
Jet Pac	Ultimate	Spectrum	£5.50
The Fabulous Wanda & the Secret of Life the Universe & Everything	Games Machine	CBM64	P.O.A.
Penetrator	Melbourne House	Spectrum	£6.95
Zzoom	Imagine	Spectrum	£5.50
Pyramid	Fantasy	Spectrum	£5.50
Purple Turtles	Quicksilva	CBM64	£7.95
Vortex Raider	Interceptor	CBM64	£6.95
Hustler	Bubblebus	CBM64	£7.95
H-Expert	Anirog	CBM64	£7.95
Tranz Am	Ultimate	Spectrum	£5.50
747 Flight Simulation	Doctorsoft	BBC	£7.95
Hamer Attack	Martech	Oric	£7.95
Skynawk	Quicksilva	VIC-20	£6.95
Arcadia	Imagine	Spectrum	£5.50
Attack of the Mutant Camels	Llamasoft	CBM64	£7.50
Moon Buggy	Anirog	CBM64	£7.95
Games Designer	Quicksilva	Spectrum	£14.95
Hungry Horace 64	Melbourne House	CBM64	P.O.A.
Crazy Kong	Interceptor	VIC-20	£6.00
Gridrunner	Quicksilva	Spectrum	£6.95
Arcadia	Imagine	VIC-20	£5.50

All the above software is available on cassette unless otherwise stated.

All Prices Include VAT

VISION STORE

VISIONSTORE KINGSTON
3 Eden Walk Precinct, Kingston,
Surrey. Tel: 01-546 8974

VISIONSTORE CROYDON
96-98 North End, Croydon,
Surrey. Tel: 01-681 7539

Get rich quick with G S Fairall's maze game for the Atari. But watch out for the guard and his dog. If they catch you then you will explode on contact.

```
1 DIM P(4),M$(32)
2 GRAPHICS 0
5 ? :? :? "LOADING DATA FOR":? :? "          S W A G ":? :? "BY GRAHAME FAIRALL"
10 FOR I=1 TO 32:READ A:M$(I)=CHR$(A):NEXT I
11 DATA 104,104,133,204,104,133,203,104,133,206,104,133,205,162,4,160,0,177,203,
145,205,136,208,249,230,204
12 DATA 230,206,202,208,240,96
20 P=PEEK(106)-4:FOR I=1 TO 4:P=P-4:P(I)=P:NEXT I
22 FOR I=1 TO 4:P=P(I)*256:A=USR(ADR(M$),57344,P):NEXT I
25 RESTORE 9000:FOR I=0 TO 111:READ A:POKE P(1)*256+I,A:NEXT I
30 FOR I=0 TO 111:READ A:POKE P(2)*256+I,A:NEXT I
35 FOR I=0 TO 111:READ A:POKE P(3)*256+I,A:NEXT I
40 FOR I=0 TO 111:READ A:POKE P(4)*256+I,A:NEXT I
100 GRAPHICS 17:POKE 708,12:POKE 709,54:POKE 710,252:POKE 711,70:POKE 756,P(1)
110 ? #6;"!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!";
111 ? #6;"!!!!!!!!!!!!!!!!!!!!!!!!";
112 ? #6;"by grahame fairall";
113 ? #6;" SWAGMAN ) GUARDWITH KEY %WITH GOLD,  DOB ";
114 ? #6;" KEYHOLE   KEY (SAFE ZONE%SAFE GOLD" GOLD ";
115 ? #6;"1  GET KEY 2 OPEN LOCK3 TAKE GOLD4 GOTO ZONE";
116 ? #6;"please wait";
200 FOR I=1 TO 4:POKE 756,P(I):FOR J=1 TO 20:NEXT J:NEXT I:X=X+1:IF X<=20 THEN G
OTO 200
210 POKE 764,12:CLOAD
9000 DATA 238,0,187,0,238,0,187,0
9001 DATA 54,28,50,111,71,111,99,62
9002 DATA 0,224,160,191,165,229,0,0
9003 DATA 255,231,195,195,195,231,231,255
9004 DATA 24,44,124,60,24,20,162,68
9005 DATA 24,52,62,60,24,40,69,34
9006 DATA 56,84,124,108,56,104,8,12
9007 DATA 0,0,0,24,24,0,0,0
9008 DATA 28,52,28,4,4,4,42,17
9009 DATA 56,44,56,32,32,32,84,136
9010 DATA 62,42,62,8,127,8,22,48
9011 DATA 0,0,50,97,190,126,38,37
9012 DATA 0,0,76,134,125,126,100,164
10000 DATA 221,0,119,0,221,0,119,0
10001 DATA 54,28,50,111,71,111,99,62
10002 DATA 0,224,160,191,170,234,0,0
10003 DATA 255,231,195,195,195,231,231,255
10004 DATA 24,44,124,60,24,24,20,52
10005 DATA 24,52,62,60,24,24,36,22
10006 DATA 56,84,124,108,56,44,32,96
10007 DATA 0,0,24,36,36,24,0,0
10008 DATA 28,52,28,4,12,4,22,10
10009 DATA 56,44,56,32,48,32,104,80
10010 DATA 62,20,62,104,28,11,52,6
10011 DATA 0,0,50,97,190,126,36,36
10012 DATA 0,0,76,134,125,126,36,36
11000 DATA 187,0,238,0,187,0,238,0
11001 DATA 54,28,50,111,71,111,99,62
11002 DATA 0,224,160,191,164,228,0,0
11003 DATA 255,231,195,195,195,231,231,255
11004 DATA 24,44,124,60,24,24,8,24
11005 DATA 24,52,62,60,24,24,16,24
11006 DATA 56,84,124,108,56,104,8,12
11007 DATA 0,24,36,66,66,36,24,0
11008 DATA 28,52,28,4,28,4,4,12
11009 DATA 56,44,56,32,56,32,32,48
11010 DATA 62,42,62,8,127,8,52,6
11011 DATA 0,0,49,97,190,126,37,72
11012 DATA 0,0,140,134,125,126,164,18
12000 DATA 119,0,221,0,119,0,221,0
12001 DATA 54,28,50,111,71,111,99,62
12002 DATA 0,224,160,191,170,234,0,0
12003 DATA 255,231,195,195,195,231,231,255
12004 DATA 24,44,124,60,24,24,36,32
12005 DATA 24,52,62,60,24,24,36,22
12006 DATA 56,84,124,108,56,44,32,96
12007 DATA 24,36,66,129,129,66,36,24
12008 DATA 28,52,28,4,12,4,22,10
12009 DATA 56,44,56,32,48,32,104,80
12010 DATA 62,20,62,11,28,104,22,48
12011 DATA 0,0,49,97,190,126,36,36
12012 DATA 0,0,140,134,125,126,36,36
```



See letters page for explanation of graphics characters in the first listing.

HOW TO STEAL. A million dollars: this is computer crime with a difference — you play the part of a burglar who is a nonchalant and nondescript as a man can be when he is bright purple. When you are carrying nothing you are purple, when you are carrying a key you will be red, and when you are carrying gold you will be yellow.

Swag is a maze game. The object is to get the gold from the top of the screen to the bottom where there are flashing safe zones. A lot of factories have signs outside them saying "Guard dog patrol" and it is just a big bluff. It turns out to be for real in this case.

The game, which requires a joystick, uses four sets of redefined characters which are alternated to give the effect of movement in a graphics 1/2 screen. The program is in two parts. The first redefines the character set, the second is the actual game. Type in the first program first, Save it by typing:

SAVE":C"

Type in the second program. Save it with:

CSAVE

```
1 DIM C(15),P(4),C712(14)
3 FOR I=1 TO 15:C(I)=135:NEXT I:C(5)=134:C(6)=134:C(7)=134:C(9)=133:C(10)=133:C(
11)=133
10 RESTORE 12:FOR I=1 TO 14:READ A:C712(I)=A:NEXT I
12 DATA 0,42,90,170,250,219,122,186,100,58,160,106,234,26
20 P=PEEK(106)-4:FOR I=1 TO 4:P=P-4:P(I)=P:NEXT I:GOTO 100
50 IF SK<0.4 THEN RETURN
51 FOR I=1 TO (SK-0.9)*10:X=RND(0):COLOR 11
52 XX=RND(0)*10+1:YY=RND(0)*14+3:LOCATE XX,YY,ZZ:IF ZZ=0 OR ZZ=32 THEN PLOT XX,Y
Y:NEXT I:RETURN
53 GOTO 52
99 INPUT A:POKE 712,A:GOTO 99
100 GRAPHICS 17:POKE 756,P(3)
101 POKE 708,54:POKE 709,12:POKE 710,252
105 LI=5:A=10:B=3:SK=0.1:SC=0:CO=0:COL=1:EM=15000:POKE 712,C712(COL)
110 POKE 712,C712(COL):COLOR 32:PLOT 0,0:DRAWTO 19,0:DRAWTO 19,22:DRAWTO 0,22:DR
AWTO 0,0
111 POSITION 1,1:? #6;"▝▘▝▘▝▘▝▘▝▘▝▘▝▘▝▘▝▘▝▘":POSITION 1,2:? #6;"▚▞▚▞▚▞▚▞▚▞▚▞▚▞▚▞▚▞
▚▞"
112 POSITION 2,4:? #6;"!!!! ! !!!! ! !!!!":POSITION 2,5:? #6;"!  ! !!!! !  !":PO
SITION 10,3:? #6;"B"
113 POSITION 4,6:? #6;"!!!! !!!! !!!!":POSITION 2,7:? #6;"!  !!  !":POSITI
ON 2,8:? #6;"!! !!! !! !!! !!!"
114 POSITION 5,9:? #6;"!  ▛▜  !":POSITION 1,10:? #6;"! !!! !!!!! !!! !":POSITI
ON 3,11:? #6;"!  !!  !"
115 POSITION 2,12:? #6;"!!! !! !!!! !! !!":POSITION 5,13:? #6;"!  !!  !":POSITI
ON 1,14:? #6;"! !!!! ! !! ! !!!!"
116 POSITION 7,15:? #6;"! !! !":POSITION 1,16:? #6;"!!!!!!!! !! !!!!!!!!"
117 POSITION 2,18:? #6;"! !!!!  !!!!! !!":POSITION 2,19:? #6;"!  ▗  ▗  !"
118 POSITION 2,20:? #6;"!! ! ! !! ! ! !!":POSITION 1,21:? #6;"▟▙▟▙▟▙▟▙▟▙▟▙▟▙▟▙▟▙"
119 POSITION 0,23:? #6;"!!!!!!!!!!!!!!!!!!!!!!!!":IF SK>0.1 THEN GOSUB 50:GOTO 126
120 POSITION 4,11:? #6;"press  start"
121 FOR I=1 TO 4:POKE 756,P(I):FOR J=0 TO 4:IF PEEK(53279)=6 THEN 126
122 IF I=3 THEN SOUND 0,200,8,10
125 NEXT J:SOUND 0,0,0,0:NEXT I:GOTO 121
126 COLOR 165:FOR I=1 TO LI:PLOT 10+I,23:NEXT I:POSITION 1,23:? #6;SC
130 POSITION 4,11:? #6;" get  ready ":RESTORE 135:FOR I=1 TO 11:READ J:SOUND 0,J
,10,10:FOR K=1 TO 40:NEXT K:NEXT I
132 X=9:Y=9:K=0:M=0:D=0:Q=0:U=10:V=11:II=1:DOO=9:DD=-1:CD=172:DC1=0:F1=11:V1=11:
F1A=12:F2A=11:W1=0
133 O=0
134 COLOR 135:PLOT X,Y:COLOR 11:PLOT U,V:COLOR CD:PLOT DOO,17:COLOR 35:PLOT A,B
135 DATA 81,91,96,108,121,121,81,81,121,121,0
140 POSITION 5,11:? #6;"  "
200 S=STICK(0):X1=(S=5 OR S=6 OR S=7)-(S=9 OR S=10 OR S=11):Y1=(S=13)-(S=14)
202 SOUND 1,0,0,0:Q=Q+1:POKE 756,P(Q):IF Q=4 THEN Q=0:SOUND 1,200,8,10
```



```
205 IF X1=0 AND Y1=0 THEN S=SS:GOTO 230
210 LOCATE X+X1,Y+Y1,Z:IF Z<>0 AND Z<>32 THEN SOUND 1,0,0,0:GOSUB 300
220 COLOR 0:PLOT X,Y:X=X+X1:Y=Y+Y1:COLOR C(S)+D:PLOT X,Y:SS=S:SC=SC+5
222 POSITION 1,23:? #6;SC
230 DOG=DOG+DD:LOCATE DOG,17,DC:COLOR DC1#(W1<9 OR W1>11):PLOT DOG-DD,17
231 IF DOG>=16 OR (DOG<14 AND RND(0)<0.1) THEN DD=-1:CD=172
232 IF DOG<=3 OR (DOG>5 AND RND(0)<0.1) THEN DD=1:CD=173
233 IF X=DOG AND Y=17 THEN 500
234 COLOR CD:PLOT DOG,17:DC1=DC
240 U1=(INT(U)<X)-(INT(U)>X):IF U1=0 THEN V1=(INT(V)<Y)-(INT(V)>Y)
241 LOCATE U+U1,V+V1,W:IF W=33 THEN GOSUB 280
242 LOCATE U+U1,V+V1,W:IF W=35 THEN Z=W:GOSUB 350:COLOR 0:PLOT U+U1,V+V1:W=0
243 COLOR W1#(W1<9 OR W1>11)#(W1<>CD):PLOT U,V:U=U+U1:V=V+V1:COLOR (U1>0)#10+(U1
<0)#9+(V1<>0 AND U1=0)#11
244 PLOT U,V:W1=W:F1A=F1:F2A=F2:F1=U1:F2=V1:IF INT(U)=X AND INT(V)=Y THEN 500
245 GOTO 200
280 IF RND(0)<0.01 THEN COLOR 0:PLOT A,B:Z=35:GOSUB 350
281 LOCATE U+1,V,W:IF W<>33 AND U+1<>F1 AND U+1<>F1A THEN U1=SK:V1=0:RETURN
282 LOCATE U-1,V,W:IF W<>33 AND U-1<>F1 AND U-1<>F1A THEN U1=-SK:V1=0:RETURN
284 LOCATE U,V+1,W:IF W<>33 AND V+1<>F2A THEN U1=0:V1=SK:RETURN
286 LOCATE U,V-1,W:IF W<>33 AND V-1<>F2A THEN U1=0:V1=-SK:RETURN
290 GOTO 200
300 IF Z=33 THEN X1=0:Y1=0:POP :GOTO 230
301 IF Z=36 AND K=1 AND MK>1 AND D=0 THEN FOR I=1 TO 10:SOUND 0,I,8,10:NEXT I:SO
UND 0,0,0,0:D=0:K=0:D=1:RETURN
302 IF (Z=36 AND K<>1) OR (Z=8 AND MK>1) OR (Z=36 AND M=1) OR (Z=36 AND D=1) OR
Z=4 THEN X1=0:Y1=0:GOTO 230
303 IF Z=35 THEN K=1:FOR I=100 TO 0 STEP -10:SOUND 0,I,10,10:NEXT I:GOSUB 350:D=
-96+(M=1)#128:RETURN
304 IF Z=162 THEN M=1:FOR I=-20 TO 20:SOUND 0,20-ABS(I),10,10:NEXT I:D=32:SC=SC+
100:RETURN
305 IF Z=8 AND M=1 THEN COLOR 162:PLOT X,Y+Y1:COLOR 4:PLOT X,Y:Y=Y-1:Y1=0:D=0+(K
=1)#-96:M=0:D=0:GOSUB 352:RETURN
310 IF Z=9 OR Z=10 OR Z=11 OR Z=CD THEN 500
349 RETURN
350 A=RND(0)#18+1:B=RND(0)#19+1:LOCATE A,B,C:IF C=0 OR C=32 THEN COLOR 7:PLOT A,
B:RETURN
351 GOTO 350
352 SC=SC+200:POSITION 1,23:? #6;SC:RESTORE 355:FOR I=1 TO 9:READ J:SOUND 0,J,10
,10:FOR L=1 TO 20:NEXT L:NEXT I
353 CD=CD+1:IF CD=8 THEN POP :POP :GOTO 600
354 RETURN
355 DATA 136,102,76,68,68,76,68,68,0
500 COLOR 135:PLOT X,Y:FOR I=50 TO 200 STEP 2:SOUND 0,I,8,10:SOUND 1,I-40,8,10:P
OKE 711,I:NEXT I
510 SOUND 0,0,0,0:SOUND 1,0,0,0:POKE 711,70:IF M=1 THEN CD=CD+1
512 COLOR 33:PLOT 10+LI,23:LI=LI-1:IF CD=8 THEN 600
515 IF LI=0 THEN 550
520 COLOR 0:PLOT X,Y:PLOT U,V:PLOT DOG,17:PLOT A,B
530 GOTO 130
550 POSITION 5,11:? #6;"game  over":RESTORE 560:FOR I=1 TO 27:READ J:SOUND 0,J,1
0,10:FOR K=1 TO 20:NEXT K:NEXT I
552 IF SC>HI THEN HI=SC
555 POSITION 0,22:? #6;" score ";SC:POSITION 0,23:? #6;" high  ";HI
560 DATA 60,53,47,47,60,60,53,47,45,45,53,53,40,42,40,42,40,42,40,42,40,40,64,64
,60,60,0
570 FOR I=0 TO 1000:NEXT I:GOTO 100
600 COLOR 0:PLOT X,Y:PLOT U,V:PLOT DOG,17:PLOT A,B
602 PO=4:POSITION 4,11:? #6;"BONUS X 1000":FOR I=1 TO 19:LOCATE I,21,J
603 IF J=162 THEN PO=PO+1:POSITION PO,17:? #6;"":SOUND 0,60,8,10:FOR J=0 TO 20:
NEXT J:SOUND 0,0,0,0:GOSUB 610
605 NEXT I:GOTO 615
610 POSITION I,21:? #6;" ":SC=SC+1000:POSITION 1,23:? #6;SC:FOR J=0 TO 30:NEXT J
:RETURN
615 POSITION 4,11:? #6;" lives left "
620 FOR I=1 TO LI:COLOR 33:PLOT 10+I,23:COLOR 133:PLOT I#2+2,3:FOR J=50 TO 0 STE
P -5:SOUND 0,J,10,10:NEXT J
621 SOUND 0,0,0,0:SC=SC+(SK#2000-100):POSITION 1,23:? #6;SC:FOR J=1 TO 50:NEXT J
:NEXT I
622 IF SC>EM THEN LI=LI+1:GOSUB 630:EM=EM+15000:GOTO 622
625 SOUND 0,0,0,0:SOUND 1,0,0,0:CD=0:SK=SK+0.1:R=10:B=3:GOTO 650
630 POSITION 4,11:? #6;" extra life ":FOR I=50 TO 10 STEP -1:SOUND 0,I,10,10:SOU
ND 1,I+10,10,10:NEXT I
640 RETURN
650 COL=COL+1:IF COL=15 THEN COL=1
652 COLOR 0:FOR I=0 TO 23:PLOT 0,I:DRAWTO 19,I:FOR J=0 TO 2:NEXT J:NEXT I:IF LI=
0 THEN 550
654 GOTO 110
```

PARAMOUNT SOFTWARE

A Registered Trading Name of Workstations Ltd.

VIC 20 16K Expansion.

CHOCABLOC – *A fast moving, pure Machine Code action game, with Chocabloc our hero trying to sort out some Real Cool Choc Bars – until everything goes crazy and the action is on! Arcade standard. Fully featured. Excellent sound and graphics. Keyboard or Joystick.*

£6.50

OUTBACK – *Can you use the very sophistocated defence set-up to beat off the cunning Swagmen ? How long will you survive ? Pure Machine Code action. Fully featured. Superb colour and graphics. Agame A game with a difference. Joystick.*

£5.50

Any VIC 20

VIC 20 8K or 16K Expansion.

COUNTDOWN – *Time is important. Accuracy essential. Courage mandatory. But above all, Nerve is the prime attribute needed for your mission as an agent in the crack S.M.U. A Superb Arcade/Graphical Adventure. Keyboard or Joystick.*

£5.50

MEGAWARZ– *Where does your fantasy go when your mind leaves your body? Megawarz will take you there you can be sure. High resolution, multi-colour graphics. Sprite graphics. Synthysound. Pure Machine Code action. Arcade standard. A magical planetary trip. Keyboard or Joystick.*

£7.50

Commodore 64

Dragon 32

CASTLE OF DOOM *Fully implemented graphical adventure. A compelling and devious plot which retains excitement and interest to the end – if you ever reach the end ! An experience in adventuring not to be missed. It's user freindly too !*

£6.50

JOGGER – *Truly a jogger amongst joggers. If you have trotted with the rest, now run with the best. Machine Code àction Superlative sound. Creative colour. A quality programme from Paramount. Joystick.*

£5.50

Any VIC 20.

TRADE ENQUIRIES

Tel: (0642) 604470

WRITING MARKETABLE PROGRAMMES?

Hitch your wagon to PARAMOUNT. Send for evaluation and terms.

Paramount Software, 67 Bishopton Lane, Stockton, Cleveland, TS18 1PU. (England)

Chocabloc	£6.50 ☐	Name.....
Outback	£5.50 ☐	Address.....
Countdown	£5.50 ☐	.....
Jogger	£5.50 ☐	.....
Castle of Doom	£6.50 ☐	.....
Megawarz	£7.50 ☐	.....

I enclose cash/cheque/P.O. for £.....

Overseas orders add £1.00 for airmail.

MICRO—→X

your **EXPORT** specialist for

ALL MICRO COMPUTERS - SOFTWARE & PERIPHERALS - INCLUDING ORIC - SINCLAIR - TEXAS - LYNX COMMODORE & MANY MORE !!

Please Contact:

MICRO-X LIMITED
5 COVERDALE ROAD,
BRONDESBURY, LONDON NW2 4DB
TELEPHONE 01-459 1089
TELEX 295931 UNICOM G.

HAVEN HARDWARE & HAVENSOFT

Retail outlet office:
85 Scotch Street, Whitehaven, Cumbria. Tel: 0946 66586
4 Asby Road, Asby, Workington, Cumbria CA14 4RR
SAE for catalogue etc. Trade enquiries welcome.
Access and Barclaycard accepted.

SOFTWARE: At least £1.00 off software for following computers: ZX Spectrum, ZX81, Dragon, Vic 20, BBC, Oric. All Ultimate and Imagine games only £4.50 inc postage.

WONDERWORM: For ZX Spectrum 48K. Special price £4.50. Can you guide wonderworm past the hazards to his uncle's wormhole?
'...A good adventure...well worth the money...
Extract from the Five-Star review by Home Computing Weekly.
Includes 'Fru Machine', the best version of fruit machine ever, with various bonus games such as Shoot the Bars, is recorded on the reverse side.

PATIENCE: For ZX Spectrum 16K or 48K. Special price £4.50.

SPECTRUM HARDWARE:
INPUT/OUTPUT PORT (8 inputs and 8 outputs). Kit £12.95 Built £16.95. Edge Connector £3.50. Edge Card £1.75. Sound Amp Kit £5.95 Built £7.95.

ZX-81 HARDWARE: Available from the Buffer Micro Shop at Streatham SW16. Prices in brackets are for built versions.

Repeating Key Module £3.95 (£5.95)
Keyboard Beeper Module £6.95 (£8.50)
3K Memory built for only £12.00
Full size keyboard £19.95 (£23.95)
Inverse Video Module £3.50 (£4.95)
Keyboard Entry Module £2.95 (£4.50)
Programmable Character Gen. Kit £9.95 (requires two 2114s)
Repeat key £1.00 (£1.00)

JUPITER ACE HARDWARE:
INPUT/OUTPUT PORT Kit £13.95 built £17.95
Inverse Video, Beeper, Edge Connectors and Edge Cards same prices as for ZX-81.

JUPITER ACE MICROCOMPUTER ONLY £75.00

ONLY £5.50

GOT A SPECTRUM? Don't just play it...



..FLY IT!

Zzoom's ever changing scenario offers the most realistic 3D flight ever seen on the ZX Spectrum. Zzoom is the ultimate aerial dog-fight, the most deadly ground attack combat which separates the pilots from the mere players! *Fly it now from W.H. Smiths, John Menzies, Boots or one of our dealers nationwide – it's Zzupersonic! – NOMEN LUDI.*

"Without doubt the best combat game so far on the Spectrum"
– Home Computer Weekly

..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)



BLOCKMAN

Variables.
x$ and Y$ = Data for Funeral March
1v = Lives
1 = Level
hs = High score
sc = Current score
x = X position of man
y = Y position of man
b$ = Possible key presses (line 50)
i = Initial time on linear scale
j = Time left on linear scale
a$ = Last key pressed
d = Numerical representation of key press
n = 0 used to Save memory

Program layout.
1 to 116 = Set up screen
117 to 300 = Main program
1000 = Wrap around screen calculation subroutine
4000 to 4110 = Stage Two subroutine
5000 to 5020 = Time up
6000 to 6040 = TNT defused
7000 to 7070 = Landed on skull
8000 to 8220 = Instructions
8230 to 8270 = Set level
9000 to 9300 = Initialisation of graphic characters and machine code

Graphics characters.
A to D = Man
E to G = Skull
H to L = Flag
M to P = Tomb

Line 70 — Graphics MO & NP
Line 75 — Graphics EG & FH
Line 100 — Graphics IK & JL
Line 115 — 32 × Graphics Shift 8
Line 120 — Graphics AB & CD
Line 4000 — 16 × (Graphics EG) & 16 × (Graphics FH)
Line 4005 — Graphics MO & NP
Line 4050 — Graphics AB & CD
Line 4100 — Graphics AB & CD
Line 6000 — Graphics EG & FH
Line 7010 — Graphics QS & RT

Written by J M Stidwill copyright
Graphics by P A Booth copyright

THIS ADDICTIVE game is written for the 16/48K ZX Spectrum. Your man has been placed on the game grid and has to defuse the TNT which explodes when the linear scale shows that your time is up. If your man has not reached the TNT by then, he will lose one of his three lives.

Placed around the grid are various obstacles and bonuses. These are in the form of deadly skulls and flags. On colliding with a skull you will lose a life to the sound of Chopin's Funeral March, and a tomb will put in his place. The flags gain you 150 points each.

At the end of stage 1 five bombs have been defused for 1000 points each. Stage 2 is then reached. This involves very quick reactions!! You must guide your man to the flag, avoiding the skulls. This is done by pressing any key when he is above the flag. All the time, your man is moving across the screen from left to right getting lower and lower, however, the longer you take the lower your bonus — up to a maximum of 4000 points.

The controls are: Z-left; X-right; P-up; L-down.

With these controls, your man destroys the blocks that he passes over, and thus cannot travel over the holes left behind him. When you do not want to destroy the blocks you pass over — for passing over a block you get 10 points — so that you do not hit a skull, or if you have cut yourself off, then you can use two special controls. These are A which scrolls the whole row left and S which scrolls the whole row right.

The game contains three machine-code routines controlling the scrolling movements described above. The first is stored at address 32084. This controls the two other machine code routines, one which scrolls to the right — from address 32000 — and the other which scrolls to the left — from address 32042.



So that this program will run on a 16K ZX Spectrum, economising techniques must be used. The two methods used are:

■The replacement of all occurrences of the number 0 with the letter variable n — given te value of 0. This Saves five bytes each time it is used as it takes just one byte as opposed to the six needed to store a real number.

■This involves replacing all large numbers with its exponential value. For example 4e3=4×10 to the power of 3.

ERRATA: The last four numbers of Line 9050 should reach: 96, 96, 120, 124 and not: 96, –4, 120, 124.

```
1 LET n=0: GO SUB 9e3
5 GO SUB 8e3: LET hs=n
10 LET l=3: LET hs=n
20 LET b$="11111331101": LET y
RIGHT n: PAPER 6: INK 4: OVER n: INVER
FLASH n: PAPER 8: INK 0: OVER n: INVER
b=10 TO 21: PRINT AT b,0;"
20 FOR a=n TO 240 STEP 16: FOR
1: DRAW n,-13: DRAW 13,n: PLOT a/2,
DRAW 13,n: DRAW n,-13: DRAW
DRAW n,-13
NEXT b: NEXT a
LET x=16: LET
FOR a=1 TO 4: LET
=2*INT (RND*10): LET
67 IF p=r AND q=s THEN GO TO 6
5 TO PRINT AT r,s; INK 2; PAPER
5; AT r+1,s; INK 0; PAPER
5; PRINT AT p,q;
80 NEXT a
85 FOR t=1 TO 5
90 LET a=2*INT (RND*10): LET b
=2+INT (RND*16)
100 IF a=y AND b=x THEN GO TO 9
0
110 PRINT AT a,b; BRIGHT 1; FLA
SH 1;" "; INK 4; PAPER n;" "; AT a+1
,b;" "; INK 3;" "
115 PRINT AT 20,n; INK 3;" "( TO
1)
116 PAUSE 100
117 FOR j=i-1 TO n STEP -1
120 PRINT AT y,x;" "; INK 1; PAPER
6;" "; AT y+1,x;" "
130 PRINT AT 21,n;"SCORE=";sc;"
"LIVES=";l
135 PRINT AT 20,j;" "
140 LET a$=INKEY$
150 FOR c=1 TO 12
155 IF a$="" THEN LET d=c-(5
AND c>6): GO TO 170
160 NEXT c
165 NEXT j: GO TO 5e3
170 IF d>2 THEN PRINT AT y,x; I
NK 5;" "; AT y+1,x;" "
175 LET x=x+2*(d=6)-2*(d=4)-2*(d=3): LE
y=y+2*(d=5)
180 IF d<>2 THEN FOR v=n TO 1
ET g=USR 32084: PRINT AT y+v,n
+(42 AND d=1)): NEXT v: NEXT u
```

```
LET x=x+(2 AND d=2)-(2 AND d=1):
N GO SUB 1e3: LET j=j-1: IF j THE
195 TO 135
200 IF d<>2 THEN GO TO 5e3
205 GO SUB 1e3
210 LET a=ATTR (y,x)
IF a=54 THEN LET x=x+2*(d=3
)-2*(d=4): LET y=y+2*(d=5)-2*(d=
5)
207 GO SUB 1e3
BEEP 210 IF a=42 THEN BEEP .005,30:
220 IF a>63 THEN LET sc=sc+140
230 IF a=48 THEN GO TO 6e3
240 LET sc=sc+10
250 BEEP .01,(12 AND d=6)+(d<>5
)+(5 AND d=3)+(17 AND d=4)
300 NEXT j: GO TO 5e3
1000 LET x=x+(32 AND x=-2)-(32 A
ND x=32): LET y=y+(20 AND y=-2)-
(20 AND y=20): RETURN
4000 CLS : PRINT AT 20,0; INK 0;
PAPER 6;"
4005 LET b=2+INT (RND*15): PRINT
INK 2; PAPER 5; AT 20,b;"  "; AT
21,b;"  "
1010 PRINT AT 10,1;"Press any ke
y when man appears
er the flag"
4020 FOR a=1 TO 250: NEXT a
4030 PRINT AT 10,0;"
4040 FOR y=n TO 18 STEP 2: FOR x
=n TO 30 STEP 2
4050 PRINT AT y,x;"  "; AT y+1,x;
"  "
4060 FOR a=n TO 1: IF INKEY$<>"" T
HEN GO TO 4100
4070 NEXT a
4080 PRINT AT y,x;"  "; AT y+1,x;
"  "
4083 PRINT AT 10,n;"
ILED! FAILED! FAILED! FLASH 1;" FA
4085 FOR a=255 TO n STEP -5: BEE
P .01,a: OUT 31,a: NEXT a
4087 FOR a=1 TO 50: NEXT a
4090 RETURN
4100 PRINT AT y,x;"  "; AT y+1,x;
"  "
4110 IF x=b THEN FOR a=y+1 TO 20: PRINT AT
a-1,x;" "; BEEP .01,a: NEXT a
50+y: PRINT AT 10,n;"
BONUS! BONUS! BONUS! FLASH 1;"
FOR b=1 TO 5: FOR a=30 TO 15 STEP -1: BEEP .005,a: NEXT a: NEX
T b: FOR a=1 TO 50: NEXT a: RETU
RN
4120 GO TO 4083
```

```
5000 PRINT AT 20,n;" "; FOR a=n
T 255 STEP 5: BEEP .01,a/10: OU
T 254,a: NEXT a
5020 GO TO 7020
6000 PRINT INK n;AT y,x;"  "; AT
y+1,x;"  "
5005 FOR b=1 TO 5: FOR a=30 TO 1
STEP -1: BEEP .005,a: NEXT a:
NEXT b
6010 LET sc=sc+1e3
5025 LET x=x+2-(1 AND x=30)
5027 PAUSE 50
5030 NEXT i: LET i=i-(i>14): LET
l=l+1
5035 GO SUB 4e3
5040 GO TO 5
7000 FOR a=1 TO 50: LET b=(a/2=I
NT (a/2)): PRINT INVERSE b;" "; OVER
1;" "; AT y,x;" "; AT y+1,x;" "; NE
XT a
7010 PRINT AT y,x;" "; INK 7; PAPER
0;" "; AT y+1,x;" "
7015 FOR a=1 TO 11: BEEP VAL (ys
(a))/4,VAL (xs(a))-1: NEXT a
7020 LET l=l-1: IF l THEN GO
TO 5
7030 IF sc>hs THEN PRINT AT 21,1
7;hs;" "; LET hs=sc: PRINT AT 21,1
0;" NEW HIGH SCORE!! "
7040 PRINT AT 20,n; FLASH 1;" P
ress any key to play again "
7050 IF INKEY$<>"" THEN GO TO 70
50
7060 IF INKEY$="" THEN GO TO 705
0
7070 GO SUB 9230: GO TO 3
8000 BORDER n: PAPER n: BRIGHT n
: INVERSE n: OVER n: FLASH n: IN
K 7: CLS
8010 PRINT TAB 10; INK 2; PAPER
5; FLASH 1;"  "
8020 PRINT TAB 10; INK 2; PAPER
5; FLASH 1;"BLOKMAN"; PAPER 8; INK
n; FLASH 1;"  "
8030 PRINT TAB 10; INK 2; PAPER
5; FLASH 1;"  "
8040 PRINT "  The object of this
game is to defuse the TNT befo
re the linearscale at the bottom
indicates timeup and the bomb
explodes. If this happens you wi
ll lose one of your three lives
"
9050 PRINT "After 5 screens of
avoiding skulls,gaining point
s by landingon flags and defusin
g bombs, stage 2 is reached "
5060 PRINT "You must press a ke
y when the man is over the flag
for a bonusof up to 4000-the qu
icker you are the greater the
bonus! "
8070 PRINT "Stage 1 then begins
again but now with less time!"
8080 PRINT "Good Luck!!!"; PAUSE
8200 PRINT #1;" FLASH 1;"Press an
y key to begin"
8210 IF INKEY$<>"" THEN GO TO 82
10
8220 IF INKEY$="" THEN GO TO 822
0
9230 CLS
9240 PRINT AT 5,5; FLASH 1;"ENTE
R LEVEL (0 TO 9)"; FLASH n;"
9245 PRINT AT 15,n;"0=EASY 9=HARD"
;"----------CONTROLS----------"
,"P=UP L=DOWN A=LEFT SCROLL"
,"Q=LEFT X=RIGHT"
9247 PRINT "S=RIGHT SCROLL"
9250 LET a$=INKEY$: IF a$<"0" OR
a$>"9" THEN GO TO 9250
9260 LET l=32-2*(VAL a$)
9270 RETURN
9000 RESTORE 9050: FOR a=USR "a"
TO USR "t"+7: READ b: POKE a,b:
NEXT a
9010 RESTORE 9100: FOR a=32000 T
O 32138: READ b: POKE a,b: NEXT
a
9030 RETURN
9050 DATA 15,79,63,9,11,30,60,63
,240,242,-4,144,178,120,60,-4,63
,63,b,47,5,b,30,82,-4,b,b,244,243
,251,120,124
9051 DATA 7,31,b,57,b,60,28,7,10
3,242,-4,31,7,-1,-4,96,60,28,7,10
,156,b,-4,184,224,230,175,53,248,
224,127,63,6
9052 DATA 0,1,3,15,63,119,99,247
,244,245,b,117,3,15,63,119,99,247
,28,192,240,-4,238,198,192,126,62
,175,171,-1,-4,62,124,-4,60,-4,60
n,b,b,b,b,b,12,b,b,124,b,b,b,b,b
-4,b,b,124,12,b,b,b,63,b,127,99,
9054 DATA 1,3,15,63,119,99,247,1
09,99,103,1,107,109,63,b,127,99,1
92,240,248,-4,-4,-2,70,85,70,94,1
b,b,-2,b,b,b,b,b,b,b,b,b,b,b,b,b
9100 DATA b,31,64,213,225,43,1,3
1,0,26,237,17,201,184,135,50,2,11
9,225,43,1,254,71,40,5,60,50,2,12
5,58,2,43,1,24,229,1,7,31,88,213
,225,43,1,31,0,25,237,184,135,50,
9200 DATA 119,201,254,71,40,5,60
,50,2,125,58,2,43,1,31,0,25,237,1
7,0,98,107,201,64,213,225,43,125,
176,32,243,60,50,43,119,58,2,43,1
9300 DATA 24,229,125,254,71,40,5
,60,50,2,125,58,2,43,1,31,0,25,23
125,98,7,50,60,0,111,6,5,41,25,
2,71,62,24,144,38,0,25,34,28,125,17,22
6,-3,17,31,88,25,34,70,125,201
5,-1,25,34
```



With the vast range of games now available for home computers each holds a different challenge. Now the Kempston Competition-Pro Joystick will come to your aid and improve your playing capabilities. Your movements will become quicker, your finger poised over the fire button at the ready, your scores will be out of this world. Playng will be easier.

If you're serious about the challenge your computer presents then you shouldn't be without the Kempston Competition-Pro Joystick.

Compatible with any Atari 400/800, Vic-20, Commodore 64.

Now Available separately the Kempston Joystick Interface for the ZX Spectrum **ONLY £14.99**

Allows the use of any Atari/Commodore type Joystick with the popular ZX Spectrum computer. A must for any Spectrum owner who wants the power of a joystick added to the power of the Spectrum. Simply plugs into the edge connector at the back of the Spectrum. No modifications necessary. Only £14.99

Exclusive offer to mail order customers – a *FREE* Conversion Tape of your choice (value £4.95) if you order either the Spectrum Joystick or Spectrum Interface. Limited offer so order NOW!

If you have the hardware you'll want the software ...

LATEST RELEASE FROM KEMPSOFT

MISSION MARS Rescue the martians from their crumbling planet and transport them through the meteor belt to safety in the mother ship

48K Spectrum Only £4.95

Joystick Compatible Software for the ZX Spectrum

Aquaplane (48K)	£6.95	Meteoroids	£5.95
Aquarius	£5.95	Missile Defence	£5.95
Armegeddon	£5.95	Night Flite	£5.95
Astro Blaster	£4.95	Ostron	£5.95
Atic Atac (48K)	£5.50	Phoenix	£5.50
Blind Alley	£4.95	Pssst	£5.50
Bozy Boo	£5.95	Punchy (48K)	£6.90
Cookie	£8.50	Repulsar	£5.95
Combat Zone	£5.95	Rescue (48K)	£5.90
Corridors of Genon (48K)	£5.95	Robotics	£5.90
Cosmic Guerilla	£5.95	Sheepwalk (48K)	£7.95
Cosmos	£5.95	Skip Dab	£5.95
Crazy Golf (48K)	£6.90	Slippery Sid	£5.95
Cyber Rats	£5.95	Spectipede	£5.50
ETX	£5.95	Spectra Smash and Break Out	£6.99
Froggy	£5.95	Splat (48K)	£5.50
Frog Run	£4.95	Spookyman	£5.95
Galactic Abductor	£7.90	Terror Daktil 4D (48K)	£6.95
Galactic Trooper	£5.99	Time Gate (48K)	£6.95
Galaxians	£4.95	Transversion	£5.90
Gnasher	£4.95	Tranz Am	£5.50
Gulpman	£4.95	Violent Universe	£5.95
Harlequin	£6.90	Mr Wimpy (48K)	£5.90
Jet Pac	£5.50	Wizzard Warriors (48K)	£4.95
Knot in 3D (48K)	£5.95	Zip Zap (48K)	£5.50
Kong (48K)	£5.90	ZZoom (48K)	£5.50
Krazy Kong	£5.95	3D Maze of Gold	£5.95
Lunar Jetman (48K)	£5.50	3D Monster Maze	£5.95
Manic Miner (48K)	£5.95	3D Painter	£6.95
Mazeman	£5.95	3D Spacer Wars	£5.95
		3D Tunnel (16K/48K)	£5.95

All games 16K unless otherwise stated

All the above games simply load and play with the Kempston range of Joysticks. However, some games available were produced before Joysticks were available for the ZX Spectrum. With the aid of Kempston Conversion Tapes these games can now be played with the Kempston Joysticks.

Conversion Tape I – Converts: Horace Goes Skiing, Hungry Horace, Flight Simulation (Sinclair), Arcadia, Penetrator, Spectres.

Conversion Tape II – Converts: Orbiter, Escape, Tanx, Centipede, Spectral Invaders, Cruising on Broadway, Frenzy.

Conversion Tape III – Converts: Ah Diddums, Jumping Jack, Molar Maul, Androids, Horace And The Spiders, Space Raiders, Winged Avenger, Muncher.

ALL £4.95 each

Most items are available from W H Smith, Boots, Spectrum Computer Centres and good computing shops or direct from:

KEMPSTON
MICRO ELECTRONICS LTD

Unit 30 Singer Way Woburn Road Industrial Estate
Kempston, Bedford, MK42 7AF. Tel: (0234) 856633
Telex: 826078 KEMPMI G

TRADE ENQUIRIES WELCOME

ZX81 LABORATORY

B Sheard helps you to understand machine code.



ZX-81 READ

Basic program.

```
1 REM 126 ZEROS THEN LOAD M/C
2 REM DATA,DATA,DATA,.
3 DIM A$(?)
4 LET RESTORE=16534
5 LET READ=16541
6 LET A=USR RESTORE
7 LET WORD=16522
        TO READ
        -------
10 LET A=USR READ
20 LET C$=A$(TO PEEK WORD)
C$ THEN CONTAINS THE DATA
        TO RESTORE
        ----------
10 LET A=USR RESTORE
THE DATA POINTER IS NOW SET TO
THE BEGINING OF DATA
```

THIS ARTICLE IS designed to help readers who are learning machine code to a better understanding of the principles behind the language.

By using Restore at the beginning of the Basic program this program first sets memory locations 16520/16521 to the beginning of the data in the second Rem statement via Reg Pair HL.

When you give the instruction to read data the program then loads the beginning of the variable area into Register Pair DE.

DE is then incremented six times so that they point to the first memory location for the word in a$. Memory locations 16518/16519 are then loaded ith DE so leaving registers D and E free.

Register A is then loaded with 0 and memory location 16522 which is the count for how many letters are in the word being read is then loaded with A thus setting the count to 0.

HL is then loaded with the start location of data in the second Reh statement then Reg D is loaded with the byte of data pointed to by HL, Reg A is loaded with the code for a comma and compared with register D, if a match is found the program then adds one to the Register Pair HL which then points to the first letter of the next word of data, the location is then loaded into memory locations 16520/16521.

If no match is found the program goes to the next instruction which loads Register A with the code for a full stop and then compares with Register D.

(continued on next page)

(continued from previous page)

If a match is found the program then jumps to a routine that loads Register Pair HL with locations 16396/16397 which hold the last memory location of Basic. Then HL is incremented to point to the first screen location where the program then goes on to print out of data in the top left-hand corner of the screen before returning to Basic.

If a match is not found the program then loads Register Pair DE with the start location of A$ from memory locations 15516/16519. Register A is loaded with memory location 16522 which is the count for the number of 'letters in the word being read. Register A is then incremented by one and loaded back into memory location 16522.

Register A is loaded with the letter pointed to by HL. The letter in Register A is then loaded into the memory location pointed to by DE which is a memory location in A$, both DE and HL are then incremented to point to the next memory location to be worked on and the registers are loaded into their respective memory locations to be Saved.



The program jumps to location 16560 to start the whole checking process over.

After entering 1 Rem followed by 126 zeros enter the loader program and load the machine code listing. Get rid of the machine code loaded by entering 10 then Newline to the end of the machine-code loader. The next step is to put in line 2 Rem followed by the data. At the end of each word of data put a comma e.g.: Rem Brian, Lyn, The Cat Sat On The Mat'. A data list should always have a full stop after the last comma.

Set up variables

The next thing to do is to dim A$ with the number of letters in the longest word or phrase including the spaces in the phrase. Set up three variables restore with 16534 read with 16541 word with 16522: from then on instead of remembering which memory locations to send USR to just use the appropriate instruction. You must then use line 6 to set the program to the beginning of data, the program is now ready. ■

Machine code loader.

```
10 LET A=16514
20 INPUT C$
30 IF C$="S" THEN STOP
40 PRINT A;"25PC";C$,
50 POKE A,16*CODE C$+CODE C$(2)-
476
60 LET A=A+1
70 GOTO 20
```

Machine code listing.

```
16514 TO 16533      00
16534 LD HL,16646   21 06 41 RES-
16537 LD(16520)HL   22 88 40 TORE
16540 RET           C9
16541 LD DE(16400)  ED 5B 10 40 R
16545 INC DE        13          EAD
16546 INC DE        13
16547 INC DE        13
16548 INC DE        13
16549 INC DE        13
16550 INC DE        13
16551 LD(16518)DE   ED 53 86 40
16555 LD A,0        3E 00
16557 LD(16522)A    32 8A 40
16560 LD HL(16520)  2A 88 40
16563 LD D(HL)      56
16564 LD A,26       3E 1A
16566 CPD           BA
16567 JRZ +29       28 1D
16569 LD A,27       3E 1B
16571 CPD           BA
16572 JRZ +29       28 1D
16574 LD DE(16518)  ED 5B 86 40
16578 LD A(16522)   3A 8A 40
16581 INC A         3C
16582 LD(16522)A    32 8A 40
16585 LD A(HL)      7E
16586 LD(DE)A       12
16587 INC DE        13
16588 INC HL        23
16589 LD(16520)HL   22 88 40
16592 LD(16518)DE   ED 53 86 40
16596 JR -36        18 DA
16598 INC HL        23
16599 LD(16520)HL   22 88 40
16602 RET           C9
16603 LD HL(16396)  2A 0C 40
16606 INC HL        23
16607 LD(HL)52      36 34
16609 INC HL        23
16610 LD(HL)58      36 3A
16612 INC HL        23
16613 LD(HL)57      36 39
16515 INC HL        23
16516 LD(HL)0       36 00
16618 INC HL        23
16619 LD(HL)52      36 34
16621 INC HL        23
16622 LD(HL)43      36 28
16624 INC HL        23
16525 LD(HL)0       36 00
16527 INC HL        23
16528 LD(HL)41      36 29
16530 INC HL        23
16631 LD(HL)38      36 26
16633 INC HL        23
16634 LD(HL)57      36 39
16636 INC HL        23
16637 LD(HL)36      36 26
16639 RET           C9
```



DEATH CRUISER
AN ARTIFICIAL INTELLIGENCE GAME
ai
"...you enter an alarmingly different world, in which the awesome new adversarial potential of true artificial intelligence seeks to dominate."
£5.95
INC. VAT + P&P
For overseas orders please add 50p
48K SPECTRUM
cramble! – you're the Zarghat commander of a cosmic battleship of fearful power and destructiveness, the 'Death Cruiser.' You're entrusted with the task of defending the galactic corridors of your home planet against a new kind of alien invader – a super intelligent breed of biotechnical beings whose prodigious capacity for strategical logic make them potent adversaries indeed! 'Death Cruiser' is more than just a game. In it you enter an alarmingly different world, in which the awesome new adversarial potential of true Artificial Intelligence seeks to dominate.
SPECIFICATIONS: 48K Spectrum, 100% Machine Code, arcade action ★ Ultrasmooth hi-res graphic animation ★ Kempston Joystick compatible ★ Unique multimode intelligence routines; omnidirectional firing ★ Hi-score, on-screen display.
Design by Portland Artists
To: NOBLE HOUSE SOFTWARE, 29 Kingbrude Terrace, Inverness, Sco
Please send me [ ] Death Cruiser
Name
Address
Signature
Access No.
I enclose *cheque/*P.O. payable to NOBLE HOUSE SOFTWARE: £
*Delete as applicable. TRADE ENQUIRIES WELCOME
NOBLE HOUSE SOFTWARE
29 Kingbrude Terrace
Inverness
Scotland
NHS

More than fun and games!

FIRST STEPS with the Mr. Men

by PrImer Educational Software

The ever-popular Mr. Men help prepare young children for reading with four simple and absorbing games designed to exercise essential skills as well as entertain.

An easy-to-use, colour-coded key guide is included with an illustrated introductory book, featuring the Mr. Men. For ages 4 to 8 years. Available now on cassette for the BBC B, Spectrum 48K and Electron. **£8.95**

QUICK THINKING!

by Widgit Software

Two mind-stretching, space-age games to test mental arithmetic and nimble fingers.

In **Sum Vaders** alien robots invade the earth. Only quick thinking and fast reactions can prevent them. Several levels of difficulty and a two-player game with a handicap option make Sum Vaders equally testing for all family members, from 8 years to adult.

Robot Tables challenges the young player to make a series of perfect robots.

Knowing your multiplication tables is the key to controlling the robot-making machine. With a learning mode and a testing mode, Robot Tables is a fun way for early learners, and more advanced children, to master an important and often neglected skill.



Available now on cassette for the Spectrum 48K, Commodore 64, BBC B and Electron. **£6.95**

CAESAR THE CAT

by Andromeda Software

Meet Caesar, a cheeky young cat on duty in a well-stocked larder. He's kept busy chasing a gang of hungry mice eating the family's food. Playing against the clock, you guide Caesar along crowded shelves to pounce on the mice.

A fast, colourful, all-action, arcade-style game with catchy music and a best-score record. Challenging for high-scoring arcade addicts as well as great fun to play for the novice.

Available on cassette for the Commodore 64 **£8.95**

Prices include VAT and post and packaging.
MIRRORSOFT programs will be available soon from selected branches of W.H. Smith and Boots, and other leading software stockists.
Trade enquiries welcome: phone 01-822 3580.

MIRRORSOFT

SOFTWARE FOR ALL THE FAMILY

To MIRRORSOFT, PO Box 50, Bromley, Kent, BR2 9TT

Please send me the following (enter number required of each item in the space provided):

	Price	Spectrum 48K (01)	BBC B (03)	Electron (04)	CBM 64 (05)
First Steps with the Mr. Men (MM01)	£8.95				
Quick Thinking (QT01)	£6.95				
Caesar the Cat (CC01)	£8.95				

I enclose a cheque/PO for £..... made payable to "Readers' Account: Mirror Group Newspapers Ltd".

I understand that my remittance will be held on my behalf in the bank account named above until the goods are despatched.

Or please debit my ACCESS/BARCLAYCARD for the sum of £..... YC2

card no

Signature.....

Name.....

Address.....

.....Postcode.....

Offer applies to Great Britain and Eire only. Please allow up to 28 days for delivery in the UK. MIRRORSOFT is a registered trade mark of Mirror Group Newspapers Ltd., Co. Reg No: 168660. Reg. Office: Holborn Circus, London EC1.

HERE COMES HORACE!

Just when you thought microcomputer games had nothing more to offer, here comes Horace!

It has been said that Horace games are in a class of their own: in fact, Horace is almost a legend.

Horace is a cute, lovable, animated character who races through adventures, creating havoc wherever he goes, and the good news is that Horace games are now available for most microcomputers.

When Horace was first introduced to computer owners in the game "Hungry Horace", he immediately became a cult figure, winning the hearts of thousands of computer owners. Now, you too can enjoy the hair-raising adventures of Horace.

The Horace series of games brings you splendid graphics, addictive games and a lovable mischievous character, for only £5.95 per cassette.

HUNGRY HORACE

The original Horace adventure. Horace creates havoc in the park as he picks the flowers, annoys the guards and steals their lunch.
Patently ridiculous, but great fun.

HORACE GOES SKIING

Our hero attempts winter sports: First of all he must get to the ski shop, then lumbered with a pair of skis, he has to dodge the traffic once again to reach the snow. Skiing is complete with slalom flags, trees and moguls. So watch out, Horace!

HORACE AND THE SPIDERS

Horace's task is to rid the mountain caves of spiders. But before he can do that he must climb the mountain and reach the dreaded spider bridge. To cross it, Horace must swing from spider thread to spider thread! This game is challenging and fun with some amazing animation.

MELBOURNE HOUSE

Melbourne House Publishers

Spectrum

Spectrum version of Horace games are available from selected branches of WH Smith, Boots and Menzies or directly from Sinclair Research Ltd.

Commodore 64

Commodore 64 Hungry Horace	£5.95 ☐
Commodore 64 Horace Goes Skiing	£5.95 ☐

Dragon 32

Dragon 32 Hungry Horace	£5.95 ☐

All prices include VAT where applicable. Please add 80p for post and pack.

I enclose my cheque/money order for £

Please debit my Access Card No. Expiry date

Signature

Name

Address

Postcode

£

£ + p/p .80

Total £

YC1C

Orders to:
Melbourne House
131 Trafalgar Road
Greenwich, London SE10

Correspondence to:
Melbourne House
Church Yard
Tring, Hertfordshire HP23 5LU

Trade enquires welcome

All Melbourne House cassette software is unconditionally guaranteed against malfunction. Access orders can be telephoned through on our 24 hr ansafone (01) 858 7397.

Experience CDS yourself....

This is 'Spectrum Safari' a brand new Adventure game from CDS. Just one of a new range of exciting programs for 1984.... Arcade action.... 3D Space adventures.... Education and pure fantasy....



ONLY £5·95 each at W.H.Smiths, *Boots, John Menzies and other leading Computer Store

Available direct from CDS Micro Systems
Send Cheque or P.O. To CDS Dept. YC1, 10, Westfie

S programs for



ZX81

DODGEMS/CONNECT 4	XXX	2001
CASTLE ADVENTURE	XXX	2003
BREAKOUT	XXX	2004
BRICK-STOP	XXX	2005
REVERSI	XXX	2006

ORIC

BOZY BOA	XXX	3001
REVERSI	XXX	3002

SPECTRUM

GOBBLE A GHOST	XXX	1001
CATERPILLAR	XXX	1002
LEAPFROG	XXX	1003
REVERSI	XXX	1004
3 D PAINTER	XXX	1005
BOZY BOA	XXX	1006
POOL	XXX	1007

NEW

WINGED WARLORDS	XXX	1008
SPECTRUM SAFARI (48K)	XXX	1009
MAGIC MEANIES	XXX	1010
TIME BOMB	XXX	1012
FRENCH IS FUN (48K)	XXX	1501
GERMAN IS FUN (48K)	XXX	1502

new.... Spectrum Education

new.... Spectrum Arcade action

* Selected titles only

tores, or...

(Trade enquiries welcome)

stfield Close, Tickhill, Doncaster DN11 9LA. Tel: (0302) 744129.

ONLY £5.50

SPECTRUM

HAVE YOU THE NERVE...



FOR THIS DRILLING EXCITEMENT?

Imagine ..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

UNBELIEVABLE SOFTSOLID 3D ANT ATTACK

MADE ON EARTH

SUPPLIED TO SENTIENT BEINGS THROUGHOUT THE UNIVERSE

COMMODORE 64 GAMES

QUINTIC WARRIOR
Stand alone against Sinister Crabmen and Mangled Mutants.
Author: T. P. Watts.

RING OF POWER
Search thru' the kingdom for the mystical ring.
Graphics/Text Adventure.
Commodre 64.
Authors: Fred Preston & Bob McClemont.

AQUAPLANE
Ski thru' Marine Maniacs but beware the deadly snapping Sharks.
Commodore 64 (Joystick or Keyboard).
Designer: John Hollis & Programmer Steve Hickman.

PURPLE TURTLES
Turtle bobbing with the cute Purpilius Turtiliorum.
Commodore 64 (Joystick or Keyboard).
Authors: Mark & Richard Moore.

BEEB-ART
High Quality Art/Design program for versatile manipulation of the BBC's graphics ability.
BBC model B 32K.
Author: Dave Mendes.

THE GENERATORS
Superb Character + Teletext Utility.
BBC model B 32K.
By the author of Beeb-Art: David Mendes.

BBC PROGRAMES

MINED-OUT
Save Bill The Worm from Certain Death.
BBC model B 32K.
(1.0 + 1.2 operating systems only).
Authors: I. Andrew & I. Rowlings.

SPECTRUM GAMES

VELNOR'S LAIR (Adventure)
Battle of Denizens of the Goblin Labyrinth and the Evil Wizard Velnor.
Spectrum 48K.
By Derek Brewster of Neptune Computing.

GRIDRUNNER
Spectrum version of VIC 20 No. 1 best seller.
Spectrum 48K (16K).
Designer: Jeff Minter.

AQUAPLANE
Aquatic Action!
Spectrum 48K.
Author: John Hollis.

XADOM
Battle through a sophisticated alien maze on this Arcade/Adventure.
Spectrum 48K.
Author: Mike Muscoff.

3D STRATEGY
A battle of Nerves and Wits. Faster than a speeding bullet!
Spectrum 16K.
Author: Freddy Vachha.

BUGABOO (THE FLEA)
No fleas on This Program!!
Itchy Action!!
Spectrum 48K
Author: Indescomp.

SMUGGLERS COVE
You are caught in a fable full of horror and Black Beard's Treasure . . .
Spectrum 48K.
Author: John Keneally.

TRAXX
Pilot your way thru' the Grid.
Spectrum 48K
Designer: Jeff Minter.

SOFTSOLID 3D ANT ATTACK
Battle the ants in the walled city of Antescher.
Spectrum 48K.
Authors: Sandy White

URGENT
Join the QUICKSILVA Game Lords Club send for details

QS™ THE GAME LORDS

Quintic Warrior Commodore 64	£7.95	☐
Purple Turtles Commodore 64	£7.95	☐
Aquaplane Commodore 64	£7.95	☐
Ring of Power Commodore 64	£9.95	☐
Mined-Out BBC model B 32K	£6.95	☐
Beeb-Art BBC model B 32K	£14.95	☐
The Generators BBC model B 32K	£6.95	☐
Velnor's Lair Spectrum 48K	£6.95	☐
Smugglers Cove Spectrum 48K	£6.95	☐
Traxx Spectrum 48K	£6.95	☐
Gridrunner Spectrum 16K/48K	£6.95	☐
Aquaplane Spectrum 48K	£6.95	☐
Xadom Spectrum 48K	£6.95	☐
3D Strategy Spectrum 16K	£6.95	☐
BugaBoo (The Flea) Spectrum 48K	£6.95	☐
Softsolid 3D Ant Attack Spectrum 48K	£6.95	☐

Please send order to
QUICKSILVA MAIL ORDER:
55 Haviland Road
Ferndown Industrial Estate
Wimborne, Dorset

PLEASE SEND ME THE GAMES AS TICKED SUPPLIED ON CASSETTE

Total cheque/P.O. enclosed _____
Cheque payable to Quicksilva Limited
NAME _____
ADDRESS _____
YC1

Send S.A.E. for Catalogue. QS Games are available through Boots, J. Menzies, Smiths, Hamleys, and all leading computer stores.

CREDIT CARD TELE SALES: 0202-891744

Access VISA

WARNING: These programs are sold according to QUICKSILVA Ltd's terms of trade and conditions of sale. Copies of which are available on request.

GSH

HEAD OFFICE: QUICKSILVA LIMITED, PALMERSTON PARK HOUSE, 13 PALMERSTON ROAD, SOUTHAMPTON SO1 1LL

We're not quite sure whether the World's ready for these games . . . but we've released them just the same.

VOYAGER SOFTWARE

The Marcon Empire have invaded Earth and enslaved the population. An endless stream of stellafreighters flow, plunder the earth's mineral wealth, draining the very lifeblood of the planet.

A small band of freedom fighters are still operating from an abandoned mining station on the Moon. One of them is you.

As you set out from your secret base your first objective is to manoeuvre through the barrage of lethal space mines to one of the enemy re-charging stations to re-charge your decelerator lasers, then you will be able to carry on with your mission of destroying the approaching stellafreighters.

There is rumour of a Marcon munition station near by, heavily defended by missiles. If only you could locate and plunder it your heroic band of avengers would then have enough fire power to strike a massive blow for freedom . . . or die in the attempt . . .

Avenger is for the Dragon 32.



Available soon

Tension mounts as your stellafighter enters the patrol area. Enemy Skytreight Convoys are increasing as their need for fuel and raw materials grows in the arms race against you.

Your raydon missile sight locks on as you enemy convoy entering your quadrant. You select hyperdrive and are slammed back in your seat. Fingers hover over firing buttons as enemy fighters peel away from the convoy to engage you. As your epic battle begins the enemy Skytreighters unleash wave after wave of air to air missiles against you. The battle rages on and your will to survive and determination to win increases. The convoy must be destroyed: your people are depending on you.

Night falls and glaring explosions fill the sky: don't let your concentration wander. If the convoy gets through your people are doomed, you must succeed: you must!

Attack Attack is for the Commodore 64.



Your mission: destroy the Hyon rocket base on the planet Rexon.

Piloting the most sophisticated space fighter yet conceived you know that if your mission fails the awesome Hyon rocket attack will destroy your galaxy.

Entering the hyperspace gate marks the start of Hyon's most sophisticated defence systems: a vast galaxy of asteroids, space mines and Hyon fighters that have been alerted by those alien spacecraft, Astrotrackers, some hurtling towards you. As you battle your way to the edge of the cluster you begin to realise just how vast and this mission could be.

Zooming through Hyon's defensive asteroid belt, your concentration intensifies, you have only a fraction of a second to differentiate between asteroids, space mines and Hyon rockets as they flash toward you.

Hugging the planet's surface, dodging defence pods and keeping to deal with everything else the Hyon's throw at you, you remind yourself that the fate of an entire galaxy rests on the outcome of your mission: you must succeed . . . Quasar is for the Commodore 64.

Any of these games for just

£5.99 each

including a lifetime guarantee and dispatch back to you by return of post

Trade enquiries welcome, ring Roy Butler on 051-647 8616 NOW!!

Please supply the following games:

	No. of copies
Avenger	☐
Quasar	☐
Attack Attack	☐

I enclose a cheque/ P.O. payable to: Voyager Software

for £.....

Name .....

Address .....

.....

Voyager Software, Business Centre, Claughton Road, Birkenhead, Merseyside, L41 6ES. Tel: 051-647 8616.

Voyager Software, Business Centre, Claughton Road, Birkenhead, Merseyside, L41 6ES. Telephone: 051-647 8616.

THE DRAGON 32 does not have lower case text built into ROM, and allows only 512 characters on the text screen. This can be a little restrictive, and the inverse display of characters that will be printed as lower case is not ideal.

This routine takes characters which have been stored in the RAM addresses 13500 onwards, looks up a character table giving the bit configuration of each character, and Pokes it onto the high-resolution screen. This is primarily intended as an extension to the word processor program, but could be used by any text-handling or file-storing routine.

The program recognises the left and right square brackets as indications for a new line and paragraph repectively — CHR$(91) and (93) — The format chosen is limited by the number of pixels available: 256 wide by 192 high in PMode4. It is difficult to devise a legible character set with fewer than 5 by 7 dots per character, and allowing a blank line of pixels between each character and each line, this gives 6 by 8 dot format. This allows 42 characters per line, and 24 lines per screen, up to 1,008 characters in all.

The program requires the starting address of the stored text to be Poked into addresses 12818 and 12819 before running, and returns the address reached during that screen display in addresses 12816 and 12817. To call the lower case routine, use Exec 12500.

Note that the word processor has to be moved upwards in memory to allow the new routine access to the high-resolution screens. A revised Basic listing as well as reassembled machine code is provided. The lower case display is called by pressing E and N displays the next screenful, while R returns to the main program. The word processor has another new feature: L will now allow a search for a character string of length 1 to 8, and will

(continued on page 145)

Assembly listing for lower case program.

```
3804                    00100          ORG     12500
                 320A   00110 FLAG     EQU     12810
                 320B   00130 TIMCTR   EQU     12811
                 320C   00140 COLCTR   EQU     12812
                 3212   00150 STORE    EQU     12818
                 3134   00160 TSTART   EQU     12596
                 320D   00170 ROWCTR   EQU     12813
                 320E   00175 LINADR   EQU     12814
                 0600   00180 BEGSCR   EQU     1536
                 1DFF   00185 ENDSCR   EQU     7679
                 3210   00186 TEXEND   EQU     12816
3804 BD          31A5   00190          JSR     CLEARS
3807 8E          0600   00210 INIT     LDX     #BEGSCR
380A BF          320E   00215          STX     LINADR
380D 7F          320C   00220          CLR     COLCTR
3810 7F          320B   00230          CLR     TIMCTR
3813 10BE        3212   00240          LDY     STORE
3817 E6          A0     00250 LOOP2    LDB     ,Y+
3819 C1          5B     00260          CMPB    #91
381B 1027        00C3   00270          LBEQ    NL
381F C1          5D     00280          CMPB    #93
3821 1027        00F3   00290          LBEQ    PARA
3825 86          07     00300          LDA     #7
3827 3D                 00310          MUL
3828 C3          3134   00320          ADDD    #TSTART
382B 1F          03     00330          TFR     D,U
382D 7F          320D   00340          CLR     ROWCTR
3830 A6          C4     00350 LOOP1    LDA     ,U
3832 F6          320B   00360          LDB     TIMCTR
3835 C1          01     00370          CMPB    #1
3837 27          66     00380          BEQ     SECOND
3839 C1          02     00390          CMPB    #2
383B 27          78     00400          BEQ     THIRD
383D C1          03     00410          CMPB    #3
383F 1027        0089   00420          LBEQ    FOURTH
3843 A7          84     00430          STA     ,X
3845 30          88 20  00440 BACK     LEAX    32,X
3848 33          41     00445          LEAU    1,U
384A 7C          320D   00450          INC     ROWCTR
384D 86          07     00455          LDA     #7
384F B1          320D   00460          CMPA    ROWCTR
3852 26          DC     00470          BNE     LOOP1
3854 86          00     00480          LDA     #0
3856 A7          84     00490          STA     ,X
3858 30          89 FF21 00500         LEAX    -223,X
385C 7C          320B   00510          INC     TIMCTR
385F 86          04     00520          LDA     #4
3861 B1          320B   00530          CMPA    TIMCTR
3864 26          05     00540          BNE     GOON
3866 30          1F     00545          LEAX    -1,X
3868 7F          3208   00550          CLR     TIMCTR
386B 7C          320C   00560 GOON     INC     COLCTR
386E 86          2A     00570          LDA     #42
3870 B1          320C   00580          CMPA    COLCTR
3873 26          8A     00590          BNE     GOON2
3875 30          89 00E0 00600         LEAX    224,X
3879 7F          3208   00605          CLR     TIMCTR
387C BF          320E   00606          STX     LINADR
387F 86          54     00610 GOON2    LDA     #84
3881 B1          320C   00620          CMPA    COLCTR
3884 26          8D     00630          BNE     CARRON
3886 7F          320C   00640          CLR     COLCTR
3889 7F          3208   00645          CLR     TIMCTR
388C 30          89 00E0 00650         LEAX    224,X
3890 BF          320E   00655          STX     LINADR
3893 8C          1DZ1   00660 CARRON    CMPX    #7457
3896 1025 FF7D   00670          LBLO    LOOP2
389A 10BF 3210   00680          STY     TEXEND
389E 39          00690          RTS
389F 48          00700 SECOND   LSLA
38A0 48          00710          LSLA
38A1 1F  89      00720          TFR     A,B
38A3 A6  C4      00730          LDA     ,U
38A5 44          00740          LSRA
38A6 44          00750          LSRA
38A7 44          00760          LSRA
38A8 44          00770          LSRA
38A9 44          00780          LSRA
38AA 44          00790          LSRA
38AB EA  84      00800          ORB     ,X
38AD E7  84      00810          STB     ,X
38AF AA  82      00820          ORA     ,-X
38B1 A7  80      00830          STA     ,X+
38B3 20  90      00850          BRA     BACK
38B5 44          00860 THIRD    LSRA
38B6 44          00870          LSRA
38B7 44          00880          LSRA
38B8 44          00890          LSRA
38B9 1F  89      00900          TFR     A,B
38BB A6  C4      00910          LDA     ,U
38BD 48          00920          LSLA
38BE 48          00930          LSLA
38BF 48          00940          LSLA
38C0 48          00950          LSLA
38C1 EA  82      00960          ORB     ,-X
38C3 E7  80      00970          STB     ,X+
38C5 AA  04      00980          ORA     ,X
38C7 A7  84      00990          STA     ,X
38C9 16  FF79    01010          LBRA    BACK
38CC 44          01020 FOURTH   LSRA
38CD 44          01030          LSRA
38CE AA  82      01040          ORA     ,-X
38D0 A7  80      01050          STA     ,X+
38D2 16  FF70    01060          LBRA    BACK
                 01070
                 01080
                 01090
38D5 8E  0600    01100 CLEARS   LDX     #BEGSCR
38D8 86  00      01110          LDA     #0
38DA A7  80      01120 LOOP3    STA     ,X+
38DC 8C  1DFF    01130          CMPX    #ENDSCR
38DF 25  F9      01140          BLO     LOOP3
38E1 39          01150          RTS
38E2 7C  320C    01160 NL       INC     COLCTR
3BE5 86  2A      01180          LDA     #42
3BE7 B1  320C    01190          CMPA    COLCTR
3BEA 26  89      01200          BNE     GOON3
3BEC FC  320E    01202          LDD     LINADR
3BEF C3  0100    01204          ADDD    #256
3BF2 FD  320E    01206          STD     LINADR
3BF5 86  54      01220 GOON3    LDA     #84
3BF7 B1  320C    01230          CMPA    COLCTR
3BFA 26  E6      01240          BNE     NL
3BFC 7F  320C    01260          CLR     COLCTR
3BFF 7F  3208    01265          CLR     TIMCTR
3C02 FC  320E    01266          LDD     LINADR
3C05 C3  0100    01267          ADDD    #256
3C08 FD  320E    01268          STD     LINADR
3C0B 1F  01      01269          TFR     D,X
3C0D 86  01      01270          LDA     #1
3C0F B1  320A    01280          CMPA    FLAG
3C12 1026 FF7D   01290          LBNE    CARRON
3C16 20  07      01300          BRA     CONTPR
3C18 86  01      01310 PARA     LDA     #1
3C1A B7  320A    01320          STA     FLAG
3C1D 20  C3      01330          BRA     NL
3C1F 7F  320A    01340 CONTPR   CLR     FLAG
3C22 7C  320C    01350 CONTP2   INC     COLCTR
3C25 7C  320C    01360          INC     COLCTR
3C28 7C  320C    01370          INC     COLCTR
3C2B 7C  320C    01380          INC     COLCTR
3C2E 30  03      01390          LEAX    3,X
3200 16  FF60    01400          LBRA    CARRON
                 0000   01410          END
00000 TOTAL ERRORS

BACK    3115
BEGSCR  0600
CARRON  3163
CLEARS  31A5
COLCTR  320C
CONTP2  31F2
CONTPR  31EF
ENDSCR  1DFF
FLAG    320A
FOURTH  319C
GOON    3138
GOON2   314F
GOON3   31C5
INIT    3807
LINADR  320E
LOOP1   3100
LOOP2   38E7
LOOP3   38AA
NL      38E2
PARA    31E8
ROWCTR  320D
SECOND  316F
STORE   3212
TEXEND  3210
THIRD   3185
TIMCTR  3208
TSTART  3134
```

WANTED

PROGRAMS

Top Quality Machine Code Games Programs
for All The Home Micros, including:—

ZX SPECTRUM
COMMODORE 64
ACORN ELECTRON
BBC
DRAGON
VIC 20
ORIC
etc



We also require freelance M/C Programmers.

We distribute throughout the U.K.,
U.S.A. and Europe.

Write in confidence to:
THE SOFTWARE DEVELOPMENT MANAGER **NOW!**

THOR (Computer Software) Co. Ltd.
Erskine Industrial Estate
Liverpool
L6 1AP

OR TELEPHONE:
051 - 256 7666

HUGE

REWARD

(continued from page 143)

highlight every occurrence of it in the text — N for next occurrence, R to return to main program.

To load the new word processor, first switch off then on to reset the machine. Then Clear 192,12000. Then CloadM followed by Cload to load the machine code and Basic from tape. Lastly, Run for new text, or Goto 100 for existing text.

Finally, you may like to devise your own character set. This is stored at 12820 to 13491, and each character has seven successive bytes. The eight byte is put in by the routine as it is always a zero. To find a character, multiply its ASCII code by seven and add to 12596. For example, ! is code 33 and so starts at 12596+33*7=12827. You must put in zeros or similar packing characters for the codes not available from the keyboard, e.g. codes 123 127. ■

Hex loader. Erase when data stored.

```
10 REM DATABD,31,A5 etc.
20 REM Put all the data in lines 1 - 99
100 INPUT"NUMBER OF BYTES";B
110 INPUT"STARTING ADDRESS DECIMAL";S
120 FORN=S TO S+B-1:READA$:POKEN,VAL("&H"+A$):NEXT
130 CLS:PRINT"DONE"
```

Lower case text.

```
12500 BD 31 A5 8E 6 0 BF 32 E 7F
12510 32 C 7F 32 B 10 BE 32 12 E6
12520 A0 C1 5B 10 27 0 C3 C1 5D 10
12530 27 0 F3 86 7 3D C3 31 34 1F
12540 3 7F 32 D A6 C4 F6 32 B C1
12550 1 27 66 C1 2 27 78 C1 3 10
12560 27 0 89 A7 84 30 88 20 33 41
12570 7C 32 D 86 7 B1 32 D 26 DC
12580 86 0 A7 84 30 89 FF 21 7C 32
12590 B 86 4 B1 32 B 26 5 30 1F
12600 7F 32 B 7C 32 C 86 2A B1 32
12610 C 26 A 30 89 0 E0 7F 32 B
12620 BF 32 E 86 54 B1 32 C 26 D
12630 7F 32 C 7F 32 B 30 89 0 E0
12640 BF 32 E 8C 1D 21 10 25 FF 7D
12650 10 BF 32 10 39 48 48 1F 89 A6
12660 C4 44 44 44 44 44 44 EA 84 E7
12670 84 AA 82 A7 80 20 90 44 44 44
12680 44 1F 89 A6 C4 48 48 48 48 EA
12690 82 E7 80 AA 84 A7 84 16 FF 79
12700 44 44 AA 82 A7 80 16 FF 70 8E
12710 6 0 86 0 A7 80 8C 1D FF 25
12720 F9 39 7C 32 C 86 2A B1 32 C
12730 26 9 FC 32 E C3 1 0 FD 32
12740 E 86 54 B1 32 C 26 E6 7F 32
12750 C 7F 32 B FC 32 E C3 1 0
12760 FD 32 E 1F 1 86 1 B1 32 A
12770 10 26 FF 7D 20 7 86 1 B7 32
12780 A 20 C3 7F 32 A 7C 32 C 7C
12790 32 C 7C 32 C 7C 32 C 30 3
12800 16 FF 60 E 12 12 2 2 2 2
12810 2 0 0 7 1E 0 38 AC 34 BC
```

Character set.

```
12820 0 0 0 0 0 0 0 10 10 10
12830 10 0 10 0 28 28 28 0 0 0
12840 0 28 28 7C 28 7C 28 28 38 54
12850 50 30 18 54 38 64 68 10 10 10
12860 2C 4C 38 44 48 30 34 48 34 10
12870 10 10 0 0 0 0 0 20 40 40 40
12880 40 40 20 8 4 4 4 4 4 8
12890 10 10 7C 10 28 44 0 0 10 10
12900 7C 10 10 0 0 0 0 30 10 20
12910 0 0 0 0 7C 0 0 0 0 0
12920 0 18 18 0 0 4 4 8 10 20
12930 40 40 38 4C 54 54 64 38 0 10
12940 30 10 10 10 38 0 38 44 4 8
12950 30 4C 0 78 4 38 4 44 3C 0
12960 8 18 28 48 7C 8 0 7C 40 38
12970 4 4 78 0 1C 20 78 44 44 38
12980 0 7C 4 8 10 20 40 0 38 44
12990 38 44 44 38 0 38 44 44 3C 4
13000 38 0 0 0 10 0 10 0 0 0
13010 0 10 0 10-10 0-8 10 20 40
13020 40 20 18 0 0 0 7C 0 7C 0
13030 20 10 8 4 4 8 10 38 44 44
13040 8 10 0 10 7C 44 44 5C 5C 40
13050 7C 10 28 44 7C 44 44 0 78 44
13060 78 44 44 78 0 38 44 40 40 44
13070 38 0 78 44 44 44 44 78 0 7C
13080 40 78 40 40 7C 0 7C 40 78 40
13090 40 40 0 38 44 40 5C 48 38 0
13100 44 44 7C 44 44 44 0 7C 10 10
13110 10 10 7C 0 7C 10 10 50 30 10
13120 0 44 48 50 70 48 44 0 40 40
13130 40 40 40 7C 0 44 6C 54 44 44
13140 44 0 44 64 54 54 4C 44 0 38
13150 44 44 44 44 38 0 78 44 44 78
13160 40 40 0 38 44 44 54 4C 38 0
13170 78 44 44 78 48 44 0 38 44 30
13180 C 44 38 0 7C 10 10 10 10 10
13190 0 44 44 44 44 44 38 0 44 44
13200 44 44 28 10 0 44 44 44 54 6C
13210 44 0 44 28 10 28 44 44 0 44
13220 28 10 10 10 10 0 7C 8 10 20
13230 40 7C 0 0 0 0 0 0 0 0
13240 0 0 0 0 0 0 0 0 0 0
13250 0 0 0 0 10 38 54 10 10 10
13260 0 0 10 20 7C 20 10 0 0 0
13270 0 0 0 0 0 0 0 38 4C 54
13280 24 0 40 40 78 44 44 78 0 0
13290 0 38 40 40 38 0 4 4 1C 24
13300 24 1C 0 0 0 38 48 70 78 0
13310 38 44 40 70 40 40 0 0 0 38
13320 44 3C 4 38 40 40 78 44 44 44
13330 0 10 0 30 10 10 38 0 8 0
13340 8 8 8 48 30 40 40 78 44 78
13350 44 0 40 40 40 40 50 20 0 0
13360 0 68 54 54 54 0 0 0 58 64
13370 44 44 0 0 0 38 44 44 38 0
13380 0 0 78 44 78 40 40 0 0 38
13390 44 38 8 C 0 0 58 64 40 40
13400 0 0 0 18 24 54 48 0 40 40
13410 78 40 40 38 0 0 0 44 44 44
13420 38 0 0 0 44 44 28 10 0 0
13430 0 44 44 54 28 0 0 0 6C 10
13440 28 44 0 0 0 44 44 3C 4 38
13450 0 0 3C 8 10 3C 0 0 0 0
13460 0 0 0 0 0 0 0 0 0 0
13470 0 0 0 0 0 0 0 0 0 0
13480 0 0 0 0 0 0 0 0 0 0
13490 0 0 FF FF EF EF FF FF FF FF
```

Revised machine code for word processor.

```
12000 BE 4 0 10 BE 30 C8 CE 2 0
12010 A6 A0 81 20 27 2D 81 21 27 29
12020 81 27 27 25 81 2C 27 21 81 2E
12030 27 1D 81 3A 27 19 81 3B 27 15
12040 81 3F 27 11 81 61 24 11 A7 80
12050 33 5F 11 83 0 0 27 2 20 CE
12060 39 8B 40 20 EF 80 60 20 EB FE
12070 30 C4 BE 30 C2 A6 80 81 5D 27
12080 26 81 5B 27 1E 81 5E 27 12 81
12090 5F 27 12 BD 80 F 33 5F 11 83
12100 0 0 27 2 20 E1 39 86 E 20
12110 EE 86 F 20 EA 86 A 20 E6 86
12120 A BD 80 F 86 20 BD 80 F 86
12130 20 BD 80 F 86 20 BD 80 F 86
12140 20 BD 80 F 86 20 20 C9 FE 30
12150 D2 BE 30 CC FC 30 CC F3 30 D2
12160 FD 30 CC 30 1 10 BE 30 C6 A6
12170 A0 A7 80 33 5F 11 83 0 0 27
12180 2 20 F2 39 FC 30 CC B3 30 CA
12190 1F 3 33 41 BE 30 CC FC 30 CC
12200 C3 0 1 FD 30 CC 10 BE 30 CC
12210 30 1 31 21 A6 82 A7 A2 33 5F
12220 11 83 0 0 27 2 20 F2 FC 30
12230 D2 83 0 1 FD 30 D2 CC 0 0
12240 10 B3 30 D2 27 2 20 C0 39 FC
12250 30 CA C3 0 1 FD 30 CA FC 30
12260 CC B3 30 CA 1F 3 33 42 FC 30
12270 CC 83 0 1 FD 30 CC BE 30 CA
12280 FC 30 CA 83 0 1 FD 30 CA 10
12290 BE 30 CA A6 80 A7 A0 33 5F 11
12300 83 0 0 27 2 20 F2 FC 30 D2
12310 83 0 1 FD 30 D2 CC 0 0 10
12320 B3 30 D2 27 2 20 BB 39 FE 30
12330 D2 BE 30 D0 10 BE 30 CE A6 80
12340 A7 A0 33 5F 11 83 0 0 27 2
12350 20 F2 39 FE 30 D2 BE 30 CA 10
12360 BE 30 C6 A6 A0 A7 80 33 5F 11
12370 83 0 0 27 2 20 F2 39 8E 34
12380 BC 86 20 A7 80 8C 7F FE 24 2
12390 20 F7 39 CE 0 65 10 8E 30 B8
12400 E6 A0 F7 30 B4 BE 30 B0 C6 0
12410 A6 80 B1 30 B4 27 7 8C 30 AE
12420 27 1E 20 F0 36 30 A6 A0 B7 30
12430 B2 5C F1 30 B6 27 D A6 80 B1
12440 30 B2 27 EE 20 0 37 30 20 D6
12450 37 30 BF 30 B0 39 DF DF DF DF
12460 5F DF DF DF F7 DF DF DF DF DF
12470 F7 FF DF DF FF FF FF FF FF FF
12480 10 0 0 0 10 0 2E C0 34 BC
12490 0 0 34 D8 0 0 0 0 0 1D
```

Word processor instructions.

1. Switch off then on.
2. CLEAR 192,12000.
3. CLOADM.
4. CLOAD.
5. RUN (or GOTO 100 for old text).

New Basic for word processor.

```
10 POKE12492,52:POKE12493,187
20 GOSUB2020
100 DB=INKEY$:IFDB<>""THENCLS
105 IFDB="S"ORDB="s"THENGOSUB1600
110 IFDB="I"ORDB="i"THENGOSUB1400
120 IFDB="D"ORDB="d"THENGOSUB1200
130 IFDB="T"ORDB="t"THENGOSUB1000
140 IFDB="F"ORDB="f"THENGOSUB600
150 IFDB="C"ORDB="c"THENGOSUB200
160 IFDB="O"ORDB="o"THENGOSUB800
170 IFDB="M"ORDB="m"THENGOSUB1800
180 IFDB="H"ORDB="h"THENGOSUB2000
190 IFDB="W"ORDB="w"THENGOSUB2200
191 IFDB="E"ORDB="e"THENGOSUB3200
195 IFDB="Z"ORDB="z"THENGOSUB2600
196 IFDB="L"ORDB="l"THENGOSUB2800
197 IFPEEK(12492)>126 THEN CLS:PRINT"FULL":STOP
199 GOTO100
200 INPUT"CERTAIN (Y)";A$
210 IF A$="Y" THEN EXEC12378
220 RETURN
400 H=JOYSTK(0):V=JOYSTK(1)
410 H=H/2:V=INT(V/4)
420 CU=(1024+32*V+H):POKECU,159
430 CR=13580+(SC-1)*512+CU-1024
440 POKE12490,INT(CR/256):POKE12491,CR-(PEEK(12490)*256)
445 GOSUB1610
447 LI=256*PEEK(12492)+PEEK(12493)
450 DB=INKEY$:IFDB="R"ORDB="r"THENRETURNELSE400
600 INPUT"START PRINTING AT BEGINNING OF  SCREEN NO. ";N
605 N=13500+512*(N-1)
610 POKE12402,INT(N/256):POKE12403,N-(PEEK(12402)*256)
620 INPUT"NUMBER OF SCREENS I SHOULD PRINT ";N
630 POKE12404,N*2:POKE12405,0
640 EXEC12059
650 RETURN
800 FR=1:PRINT"OVERWRITE":GOSUB1000
810 GOSUB1600:GOSUB400:IF CR>=LI THENGOSUB2400:RETURN
820 EXEC12353
830 FR=0:A$="":RETURN
1000 LINE INPUT "TEXT-";A$
1005 IF A$="" THEN 1000
1010 L=LEN(A$):IF L>160 THEN PRINT:PRINT
     "TOO LONG":RETURN
1020 A=VARPTR(A$)+2:B=PEEK(A)+3
1030 POKE12486,PEEK(A):POKE12487,PEEK(B)
     POKE12488,0:POKE12489,L
1035 IF FR=1 THEN RETURN
1040 EXEC12140
1050 A$="":RETURN
1200 INPUT"NUMBER TO DELETE";N:IFN=0 THEN N=1
1205 GOSUB1600
1210 POKE12499,INT(N/256):POKE12499,N-(PEEK(12498)*256)
1220 GOSUB400
1225 IF CR>=LI THEN GOSUB2400:RETURN
1226 IF N>=(CR-13500) THEN GOSUB2400:RETURN
1230 EXEC12243
1240 RETURN
1400 FR=1:PRINT"INSERT":GOSUB1000
1410 GOSUB1600:GOSUB400:IF LI<>CR THEN GOSUB2400:RETURN
1420 EXEC12184
1430 POKE12498,0:POKE12499,L:EXEC12353
1440 FR=0:A$="":RETURN
1600 INPUT"SCREEN ";SC:IFSC=0 THEN SC=1
1605 IFSC>37THENSC=37
1610 SP=13500+(SC-1)*512:POKE12488,INT(SP/256):
     POKE12489,SP-(PEEK(12488)*256)
1620 EXEC12000
1650 RETURN
1800 INPUT"MOVE HOW MANY";N
1810 POKE12498,INT(N/256):POKE12499,N-(PEEK(12498)*256)
1820 PRINT"SET CURSOR FOR SOURCE":GOSUB1600:GOSUB400
1830 POKE12495,PEEK(12498):POKE12497,PEEK(12497):CLS
1840 PRINT"SET CURSOR FOR DESTINATION":GOSUB1600:GOSUB400
1850 POKE12494,PEEK(12498):POKE12496,PEEK(12497)
1860 EXEC12328
1870 RETURN
2000 CLS
2010 PRINT"C TO CLEAR MEMORY":PRINT"I TO LOAD TEXT":
     PRINT"P TO PRINT OUT":PRINT" S TO DISPLAY":PRINT"W FOR
     CURRENT SCREEN":PRINT"I TO INSERT":PRINT"D TO DELETE"
     PRINT"M TO MOVE BLOCK":PRINT"O TO OVERWRITE"
     PRINT"H FOR HELP":PRINT"Z FOR CODE".
2015 PRINT"L TO SEARCH","E TO PROC TEXT"
2020 PRINT:PRINT"R TO RETURN FROM CURSOR"
2030 RETURN
2200 IF SC=0 THEN SC=1
2210 GOSUB1610
2220 RETURN
2400 CLS:PRINT"YOU CAN'T":RETURN
2600 INPUT"CODE";C:A$=CHR$(C)
2610 FR=1:GOSUB1010:FR=0
2620 GOSUB810:A$="":RETURN
2800 PRINT"N FOR NEXT, R TO RETURN"
2810 A$="":INPUT"SEARCH FOR";A$
2820 IFLEN(A$)=0 OR A$="" THEN 2810
2830 POKE12478,LEN(A$)
2835 FORN=1 TO LEN(A$):C=ASC(MID$(A$,N)):POKE(12471+N),C:NEXT
2840 INPUT"SCREEN ";PR:PR=PR-1
2850 T4=13500+PR*512:EP=T4+520
2860 POKE12464,(T4/256):POKE12465,(T4-PEEK(12464)*256)
2870 POKE12462,(EP/256):POKE12463,(EP-PEEK(12462)*256)
2880 EXEC12393
2882 T4=256*PEEK(12464)+PEEK(12465)
2884 IFT4>32767THENCLS:PRINT"DONE":RETURN
2885 IFT4>=EP THENGOTO3000
2890 SC=PR+1:GOSUB1610
2900 CP=T4-12477-PR*512:POKECP,159
2910 DB=INKEY$:IFDB="N"ORDB="n"THEN T4=T4+1:GOTO2880
2920 IFDB="R"ORDB="r"THEN CLS:PRINT"?":RETURN
2930 DB="":GOTO2890
3000 CLS:PR=PR+1:PRINT"SCREEN ";PR+1
3010 FORD=1TO500:NEXT
3020 GOTO2850
3200 PRINT"N FOR NEXT","R TO RETURN"
3210 POKE12818,52:POKE12819,188
3220 PMODE4:SCREEN1,1
3230 EXEC12580
3240 DB=INKEY$:IFDB="R"ORDB="r"THENCLS:PRINT"AND NEXT"
     SCREEN0:RETURN
3250 IFDB="N"ORDB="n"THENPOKE12818,PEEK(12818)+
     POKE12819,PEEK(12819)+(PEEK(1/0)
     0)>127 THENSCREEN0:CLS:PRINT"THAT'S ALL":RETURNELSE3230
3260 GOTO3240
```

screenplay

134 St. Vincent Street, Glasgow G2 5JU. Telephone 041-248 2481

CHICKAROO: A word recognition game for children. Find the missing letter is the name of this game which can be used by up to four players.

PIRATES: A childrens game based on word recognition. Identify the concealed word before you reach the end of the plank or else face the perils of the deep.
A vocabulary of 100 words is supplied with both of these games, however, parents have the option of adding their own data files.

BBC EDUCATIONAL

THE ILLUSTRATOR: A graphics design package which can be used in a graphics Modes 1 or 2 to generate full colour illustrations on the screen of your micro. This package allows graphics and text to be mixed on screen and saved on tape for later use.

MAD MONTY: A fast and furious version of the snake in the garden game for the MODEL B BBC MICRO. Monty — the well known python — lives in a garden inhabited by juicy flowers. Help him munch his lunch but mind those rocks and walls!

BBC GAMES AND UTILITIES

MAD MONTY: It's mealtime for MONTY the MAD python and frogs are on the menu! Guide him round the garden gulping frogs and munching magic mushrooms — beware those toadstools and if you keep your cool mouse may be on the menu.

THE ANIMATOR: The perfect DRAGON graphics tool allows you to define your own characters and then make them spring to life on the screen. The animated routine can then be saved on tape and combined with others to create your own games.

DRAGON 32

MAD MONTY: This version of the snake game has 7 screen layouts and five speeds from sublime to ridiculous. Monty munches frogs for lunch and is partial to the odd mouse for afters.

COMING SOON: Complete machine code toolkit for the 64. Assembler, Disassembler, Monitor, Hex dump.

COMMODORE 64

SCREENPLAY SOFTWARE MORE FUN THAN GAMES

Our range of software includes games but we believe that your micro should do more than test your reflexes. For example, **CHICKAROO** and **PIRATES** are educational products designed to help you extend your childrens' vocabulary.
THE ILLUSTRATOR turns your TV screen into an electronic canvas. The only limit is your imagination.
DRAGON users are you bored with other people's games? Let **THE ANIMATOR** help you create your own.

LIBERATE YOUR MICRO WITH SCREENPLAY SOFTWARE

BBC	TICK	PRICE
CHICKAROO	☐	£7.95
PIRATES	☐	£7.95
THE ILLUSTRATOR	☐	£9.95
MAD MONTY	☐	£7.95
DRAGON 32		
THE ANIMATOR	☐	£9.95
MAD MONTY	☐	£7.50
COMMODORE 64		
MAD MONTY	☐	£6.50

Please send me the products I have marked.
Send to:
Name .....
Address .....
.....
.....
I enclose Cheque/P.O. to the value of £ .....
made payable to Screenplay.

SCREENPLAY, 134 St. Vincent St., Glasgow G2

ALLOW 14 DAYS FOR DELIVERY.

OPENING, CLOSING

There are two commands on your Spectrum which are for the Microdrive alone. Richard Taylor says "So what?"

Program 1.

```
  10 LET a=PEEK 23631+256*PEEK 2
3632
  20 IF PEEK a=128 THEN STOP
  30 PRINT "CHANNEL ";CHR$ (PEEK
 (a+4))
  40 PRINT "Output address=";PEE
K a+256*PEEK (a+1)
  50 PRINT "Input address =";PEE
K (a+2)+256*PEEK (a+3)
  60 PRINT ' LET a=a+5: GO TO 20
```

Listing 1.

```
23760 - 38    93    196   21
23764 - 0     124   75    204
23768 - 204   204   125   75
23772 - 204   204   204   126
23776 - 76    204   204   204
23780 - 126   127   255   255
23784 - 255   127   25    153
23788 - 153   153   127   127
23792 - 255   255   255   128
23796 - 64    0     0     0
23800 - 0     0     1     0
23804 - 0     129   64    0
23808 - 0     0     0     0
23812 - 2     0     0     45
23816 - 55    0     10    20
23820 - 25    35    50    55
23824 - 5     15    20    30
23828 - 40    175   50    212
23832 - 92    33    233   92
23836 - 34    176   92    33
23840 - 27    0     34    20
23844 - 92    201   217   197
23848 - 213   229   217   205
23852 - 52    93    217   225
23856 - 209   193   217   201
23860 - 254   33    216   40
23864 - 74    254   42    40
23868 - 70    254   35    40
23872 - 61    205   141   44
23876 - 208   203   239   254
23880 - 104   208   214   97
23884 - 33    7     93    253
23888 - 203   119   126   40
23892 - 3     33    14    93
23896 - 6     0     79    9
23900 - 78    33    110   4
23904 - 9     253   203   119
23908 - 190   205   180   51
23912 - 239   56    58    212
23916 - 92    134   119   239
23920 - 192   2     56    42
23924 - 176   92    203   188
23928 - 205   180   51    195
23932 - 74    4     253   203
23936 - 119   254   201   50
23940 - 14    92    17    140
23944 - 93    195   128   10
23948 - 17    38    93    205
23952 - 128   10    205   27
23956 - 45    216   79    56
23960 - 14    92    254   33
23964 - 40    13    121   214
23968 - 48    33    213   92
23972 - 205   6     52    34
23976 - 176   92    201   62
23980 - 203   129   50    212
23984 - 92    201
```

Listing 2.

```
   1 REM 000000000000000000000000
0000000000000000000000000000000000
0000000000000000000000000000000000
0000000000000000000000000000000000
0000000000000000000000000000000000
0000000000000000000000000000000000
0000000000000000000000000000000000
0000000000
  10 LET a=0
  20 FOR b=23760 TO 23985
  30 INPUT c: POKE 23692,-1
  40 LET a=a+c: POKE b,c
  50 PRINT b;PEEK b
  60 NEXT b
  70 IF a<>24976 THEN PRINT "ERR
OR": BEEP 1,-25
```

Listing 3.

```
1000 FOR a=23760 TO 23985
1010 POKE 23692,-1: PRINT a;" =
";PEEK a
1020 IF INKEY$="" THEN GO TO 102
0
1030 NEXT a
```

Listing 4.

```
2000 CLEAR : LET a=0
2010 INPUT "Which duration numbe
r? ";b
2020 IF b<0 OR b>9 OR b<>INT b T
HEN GO TO 2010
2030 LET b=23765+b*5
2040 INPUT "Length of duration (
1<=x<=9)? ";a
2050 IF a<0 OR a>10 THEN GO TO 2
040
2060 LET c=1+(PEEK 23627+256*PEE
K 23628)
2070 FOR d=0 TO 4: POKE b+d,PEEK
 (c+d): NEXT d
```

Listing 5.

```
  10 RANDOMIZE USR 23629
  20 LET a$="!"+4C$+3DD+4BB+3BG+
5GB!6+3DD+4C!5B+2A+4AB!6+3CC!5+4
BA+3BG+4GB+3AD+4FAA+2C"
  30 PRINT #4;a$;a$: GO TO 30
```

Listing 6.

```
  10 LET b=PEEK 23631+256*PEEK 2
3632
  20 FOR a=23574 TO 23605 STEP 2
  30 PRINT "Stream ";(a-23574)/2
;TAB 9;"=";
  40 IF PEEK a+256*PEEK (a+1)=0
THEN PRINT "CLOSED": NEXT a: STO
P
  50 LET c=(PEEK a+256*PEEK (a+1
))+b+5
  60 PRINT "POINTS TO CHANNEL ";
CHR$ PEEK c: NEXT a
```

A SUBJECT COMPLETELY neglected in the Sinclair ZX Spectrum programming manual is the operation of the Open# and Close# commands. Sinclair claims that these commands are designed for use with its Microdrive. Much of their power, however, can be realised without a Microdrive. To illustrate this untapped power I include, as an example, a routine which will emulate the Play command found, in one form or another on the majority of computers with sound generators. It saves you the time consuming job of converting music into the complicated decimal numbers required by Sinclair's rather feeble Beep command.

The way in which your Spectrum communicates with the devices in the outside world, namely the screen, keyboard and printer, is complicated but extremely powerful. From page 165 of the Basic manual you will find a memory allotment called the channel information area, sandwiched between the system variables and the Basic program area in the memory map.

This area holds information about the input/output devices connected to the system. This memory section can be broken down into smaller units, each unit holding information about a particular I/O device. This is termed a channel.

The Spectrum has four channels, denoted s, p, k and r. Channel s is an abbreviation for the screen and as you might expect, handles output to the display. Channel p stands for printer and handles output to this device, if connected. If you do not own a printer then this information is still stored but is obviously not used. Channel k stands for keyboard but handles both input and output. It inputs from the keyboard but also outputs to the bottom of the screen.

This is the area where lines are entered and edited. Channel r is not directly accessible to the user since it is used by the Spectrum for its own internal purposes. Now here's where the powerful bit comes in. For instance, when you use the Print command the output goes through channel s to the main part of the screen. You can, however, change their behaviour by cautious use of the Open# command which can make its output go through any other channel.

In addition to channels there are things termed streams which are associated with a particular channel. There are 16 streams, each one represented by a unique number from 0 and 15 inclusive. When you use the Print command its output goes through stream 2 which directs it towards channel s. The trick is to make stream 2 point to a different channel, not channel s. This is where the Open# command comes in.

This instruction has two arguments, the first is numeric and the second is a string type. The first one tells the computer which stream you are altering and the latter one gives the single character abbreviation of the channel you want

(continued on page 151)

Spectrum

JUMBLY

A brand new original all scrolling super colour animated tuneful multipicture puzzle program

A masterpiece of ingenuity to keep the whole family amused absorbed and enthralled until the next blue moon.

A puzzle for all puzzle haters! You'll be amazed as picture after picture unfolds as reward for your skill, patience and luck.

You'll be staggered by the number of pictures shoe-horned into Spectrum, but you'll never know how many until Jumbly itself tells you and rewards you efforts with the Jumbly Code.

COMPETITION

The Jumbly Code entitles you to enter the Jumbly Competition to design a picture for Jumbly II, due out in 1984. Winners will receive over £150 and have their design and name included in the new program.

£6.95 + 50p p&p

Available from BOOTS, W.H. SMITH, LASKY'S, SPECTRUM, JOHN MENZIES and good computer software stockists throughout the UK or direct for only £6.95 + 50p post and packing.

dk'tronics

DK Tronics Ltd., Unit 6, Shire Hill Industrial Estate, Saffron Walden, Essex CB11 3AQ. Tel: (0799) 26350 (24 hrs) 5 Lines

JUMBLY 48K Spectrum (joystick compatiable)

DOCTOR SOFT
ADVANCED SOFTWARE

DOCTOR SOFT
258 CONEYGREE ROAD
PETERBOROUGH
PE2 8LR



747
Cockpit view, pilot written, instrument & visual 747 Flight Simulator. Banking & pitching 3D outside view of Horizon/Runway (Heathrow/Gatwick). 7 Nav points with continuous Navigation computation. Joysticks or Keyboard option, briefing program, map, notes & flight plan. Demonstration approach, 4 colour — mode graphics & sound.

Only £8.95 inc. VAT & PP (Disc £11.95)

GORF
(PURE MACHINE CODE, ARCADE QUALITY)
The first BBC version of this superb machine code Arcade favourite! 4 widely different screens of high speed action: Invaders, Laser attack, Firebird, & Mothership, all in smooth 16 colour-mode graphics!

Only £7.95 inc VAT & PP (Disc £10.95)

MISSILE ATTACK
(PURE MACHINE CODE, ARCADE QUALITY)
Another well known arcade favourite, 2 player/ Joystick options, remote target designation of incoming ballistic missiles & attack craft. Protect your cities! Incredible Armageddon graphics & sound! £7.95

DOUBLE ACTS
2 GAMES, 1 THEME,

Amazing value at only £6.95 per pair:

SPOOK, SPOOK:
MUNCHER 2 ghosts, 20 mazes, 3 skill levels, hall of fame GHOST MINE Dig for gold, watch for spooks & snakes.

SPACE, SPACE:
WOLFPACK 3 starships, 1 space station, 4 galaxies, unlimited motion in space! MISSION ALPHA 3D High speed action, hall of fame & music!

SPY, SPY:
KREMLIN Escape through the endless 3D corridors of the Kremlin, aided by map & compass, but watch for the Gremlins!
BONDSKI Lethal action as James skies down the slope & parachutes into the void!

WORD PROCESSOR:
WORD PERFECT £8.95 cassette £11.95 Disc
Full facility 40/80 column word processor, wrap around, block move, justification, word replace, etc. With full instructions & Key insert.

ONE DISK HOME OFFICE:
Complete Menu driven home office system including WORD PERFECT, WORDKIT, LETTER, CALCULATE (mini spread-sheet), & DIRECTORY (expandable card file system). Supplied with detailed manual. We believe this to be the best value package of its kind ever offered.

Only £15.95 Disc only.

EDUCATIONAL SOFTWARE:
TALKING TABLES TEACHER (7-14yr old) Speaks when Speech ROM fitted, teaches multiplication with colourful games & questions. £6.95
COLOUR SHAPE MATCH (2-6yr old) Beautiful suit of 3 programs teaching shape & colour recognition with delightful graphics & sound. £6.95

DEALERS CONTACT (0903) 206 076

MAIL ORDER

ALL PRICES INCLUDE VAT, POSTAGE + PACKING FREE
TITLES .....
.....
QUANTITY .....
.....
DISK ☐ CASSETTE ☐
I ENCLOSE CHEQUE/PO, VALUE .....
NAME .....
ADDRESS .....
.....
.....

WE WELCOME HIGH QUALITY PROGRAM SUBMISSIONS AND PAY TOP ROYALITY RATES

ONLY £5.50 EACH

TREAT YOUR VIC-20...



Catcha Snatcha – Now you can play your part in cutting the crime rate. But be on your toes, your performance could lead to promotion or the sack!

Bewitched – This is the game that makes Hampton Court maze look an absolute doddle. If you think you know your way around, you're in for a surprise.



Wacky Waiters – Take a tip from us, this is the game that makes Fawlty Towers' look sane. A game for everyone, very addictive and very funny.

AND TREAT YOURSELF.

Isn't it about time you treated your computer and yourself to one of Imagine's famous games? There is one to suit everyone, and there is one to suit you. Available now from W. H. Smith, John Menzies, Boots and our nationwide dealer network.

Imagine ..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

(continued from page 147)

that stream to succeedingly point to. For example, type:

```
OPEN #2, k
```

This will make all Print statements output through channel k to the lower part of the screen. Now, to test this type:

```
PRINT "hello" : PAUSE 0
```

The pause 0 command prevents the production of an error report until you press a key as this would immediately obliterate the Printing. You will also find that the List command also uses stream 2 so it tries to list the program in the lower part of the screen, but this is not particularly successful. Printer owners may find it useful to write printer programs with output initially going to the screen while still using the LPrint or LList commands by entering:

```
OPEN #3, s
```

Stream 3 primarily points to channel p and is used by LPrint and LList. When you are positive that the program is debugged you can type:—

```
OPEN #3, p
```

This will revert stream 3 back to normal. This is a useful technique since it saves a good deal of time and printer paper. At switch on, only four of the 16 streams are used or opened.

Stream 0	#0	Points to channel k
Stream 1	#1	Points to channel k
Stream 2	#2	Points to channel s
Stream 3	#3	Points to channel p

The Spectrum operating system is protected against your upsetting the way in which the editor works — the routine which allows you to enter or edit lines in a program — and the automatic lister. Whatever is done to the streams, automatic listings will appear in the main part of the screen and lines will be entered or edited via the keyboard in the lower part of the screen. A stream which does not point to any channel at all is termed closed.

Closing down a stream

The Close # command's single numeric argument denotes the number of the stream which you want to close. The command makes that stream point to what it did on power-up, including nowhere at all. As you can see, you cannot actually close the first four streams.

For instance, in the last example, instead of typing

```
OPEN #3, p
```

you could have simply typed

```
CLOSE #3
```

which is certainly a much neater way. In Print, LPrint, List, LList, Input and Inkey$ commands you can alter the stream that is used by the command. For example, Print usually outputs on stream 2, its default stream. If you type:

```
PRINT #0; "Hello" : PAUSE 0
```

this will perform the same function as the first example did. The hash — # — symbol indicates to the computer that you wish to change the stream and must be followed by an integer value between 0 and 15 inclusive. Again, the Pause 0 is to prevent the word being immediately destroyed by the production of an error report. Printing in stream 0 gives you access to the previously forbidden lower two lines of the display. LPrint #2 is the same as Print and Print #3 is the same as LPrint.

You cannot use streams which are closed that is,

```
PRINT #12;"a
```

will produce error "0 Invalid stream". You can, however, easily open them using the Open # statement. The Input command uses a default of stream 0. Although it is possible to change the stream used by this command, only a stream pointing to channel k can be used. Any other does not allow input from the keyboard which is obviously essential. If you do try then error "J Invalid I/O device" will result.

Inkey$ works in a similiar way. As you can see, the use of streams in I/O statements, the Open # command and the Close # are very powerful. Perhaps the most useful thing is the ability to create new channels and make previously unused streams point to them. This method is used in the Play example.

The machine code for Play is held in a line 1 Rem statement. This is unusual since most Spectrum machine code is stored above RAMtop but this necessitates a different version for each memory size of machine. By storing the machine code in a Rem statement this problem is eliminated and so this program will run on both 16K and 48K machines. The machine code is represented by a decimal dump shown in listing 1. It is 226 bytes long. Type in a line 1 Rem followed by at least 226 0's. Now enter the rest of listing 2 which is a decimal loader program. Then carefully enter the decimal code from the first listing.

If you have made a mistake then the computer will tell you so when all the code has been entered. If this happens then enter the program given in listing 3 which will allow you to check your code against the original. You can then Poke in the correct values into locations in which you made a mistake. Delete the loader program and Save a copy of the program on tape.

To initialise the new channel a

```
RAND USR 23829
```

instruction is needed at the beginning of any program which uses Play. Now everytime you print through stream 4 — PRINT #4 — the Play routine will be called. It expects a string of characters which describe the tune to be played. This mainly consists of notes represented by the letters a to g. This, like the other parameters, can be in upper or lower case, it does not matter. If you want to play a sharp note then prefix the appropriate note with a hash character, for example:

```
RAND USR 23829: PRINT #4; "#ab"
```

This plays A sharp and then B. It is possible to change the octave by incorporating an exclamation mark followed by a number from 0 to 9. Middle C — represented by the number 0 in a Beep command — is in octave 5. Only the middle few octaves are any good for producing music as the others are so low in frequency that you can hear the individual clicks or so high that they can hardly be heard at all. The duration of the notes is controlled by the asterisk symbol, also followed by a number between 0 and 9 since there are 10 definable durations. They are defined as in table 1.

You can change these durations if you wish, using the short program given in listing 4. It will first prompt you for the duration number

Table 1.

Duration number	Length (seconds)
0	0.05
1	0.1
2	0.2
3	0.25
4	0.3
5	0.5
6	0.75
7	1
8	1.5
9	2

— 0 to 9 — you want to change. You will then be prompted for the new duration value in seconds. Anything from 0 to 10 is legal.

After using the

```
RAND USR 23829
```

the octave number is set to 5, the central octave. The duration is set to 4, which is initially 0.3 seconds. An example of the routine's use is given in listing 5. You will find that the machine code Rem statement will only partly list and then stop, preventing the rest of the listing. To circumvent this behaviour, type:

```
POKE 23660,10
```

and do not deliberately try to list the first line.

The information for each channel occupies five bytes. The first two bytes tell the computer the address of the routine that channel should use for output, this normally points to a routine in ROM. The next two bytes point to the address of the routine used for input. In all but channel k, this points to a routine which will produce error J. In channel k, however, this points to a routine which calculates which key is being pressed. The remaining byte is the code of the character which represents that channel. Program 1 prints information on all four channels.

Output routine addresses

Notice how channels k, s and p all have the same output routine address. The difference between each channel is shown by flags, in the system variables, which are conditioned in a certain way for each individual channel. After all outputting to the two halves of the screen or to the printer is very similar except for a few small details. The stream information is held in the system variables between locations 23568 and 23605 inclusive.

Each stream occupies two bytes. Since there are 16 streams you might expect this area to be two bytes long but instead it is 38 bytes in length. This is because there are three extra streams which are not available to the user but are utilised by the editor and automatic listing routines to make sure that their output goes to the right place.

Anyway, each of these two bytes contains a relative displacement, from the byte before the channel information area, to the channel that is to be used. If the displacement is 0 then the stream is closed. The Play routine works by setting up five bytes of information for a new channel just at the beginning of the Rem statement. This is made to be pointed to by stream 4.

The computer unwittingly thinks that it is just printing to an ordinary channel in the proper information area. The potential applications of this are very powerful. ■

BBC

J C Cottrell explains the principles of Forth and describes a program for the BBC to imitate it.



FORTH

BEFORE YOU BEGIN to use Forth, it helps to have some undertanding of how it differs from Basic. Forth is a compiled language — the computer takes your input, translates it into machine code, and stores the machine code, so that by the time you have entered the program, a complete machine language program is resident in memory. Basic is an interpreted language — the lines you type in are stored as they are typed, then when the program is executed, it is translated a line at a time to machine code, but the resultant code is not stored. This means that each line of program is translated as it is met and so considerably slows down execution. The important fact here is simply that Forth runs faster than Basic.

A fundamental point of any language is the method it uses to handle arithmetic. Forth uses a system known as Reverse Polish Notation or RPN. This method will be immediately familiar to anyone who has used a Hewlett Packard calculator. At any time a number is encountered in a line input by the user, it is placed in a position in memory known as the stack.

Any number being placed on the stack goes on the top, above all the other items; also when numbers are taken from the stack, these numbers come from the top. Therefore, the last number on the stack will be the first one off, and for this reason the stack is known as a last-in-first-out structure — LIFO structure.

A number is placed on the stack simply by typing this number and pressing Return. Typing 3 followed by Return would leave the number 3 on the stack. Now typing 4 and pressing Return will place 4 on top of the 3 already there. Incidentally, typing 3 4 followed by Return would produce the same effect. Note the importance of a space between the 3 and 4. This is an important convention in Forth — all words and separate numbers must be separated by at least one space, unlike Basic where spaces can often be omitted.

To print the top number on the stack in Forth a full stop is used. So typing 3 . followed by Return — remember the space between the 3 and the full stop — will place the 3 on top of the stack, and the full stop will print it, so 3 OK will appear on the screen. OK is the normal Forth response when no error has occurred.

Most Forth words remove any numbers from the stack that they use so that in the above example there would be nothing on the stack, the 3 having been removed from the stack by the full stop.

Now onto arithmetic. This is handled in Forth by the four words + * — / which perform the same functions as in Basic. Each one of these words expects two numbers on the stack, and the operation is applied to these two numbers. As is normal, the two numbers are removed from the stack. The result of the operation is stored on the stack.

For instance, 3 4 + followed by Return would place the 3 on the stack, and the 4 on top of it, the + would remove the 4 and the 3 and add them together and then leave the answer ,7, on top of the stack. Note that nothing would appear on the screen apart from the usual OK message. To print the answer, a . must be used to print the top number on the stack. The dot of course could have been included in the first line, to give 3 4 + . followed by Return, which would have printed 7 OK immediately.

Multiplication acts in a similar fashion, so 3 4 * . followed by Return would print 12 OK. But what about division and subtraction where the order of the two numbers is clearly important? The second number on the stack is either divided by, or subtracted from, the top number on the stack. So 4 3 — . would produce 1 OK, and 12 3 / . would produce a 4 OK.

In Forth, arithmetic is integer only, and numbers are rounded down to the nearest whole number after division. In the sort of application for which Forth is chosen, however, this is not as much of a problem as it might appear. There is also a group of words whose purpose is to directly manipulate the contents of the stack. These words are:

DUP. This makes a copy of the top number on the stack, and puts it on top of the original. Thus to calculate the square of a number: 3 DUP * . 9 OK is the response.

SWAP. This literally swaps over the top two numbers on the stack. For instance, if the top two numbers are 4,2 — in this and other examples, I place the top number on the left — after the SWAP, these numbers would be 2,4.

OVER. This will take a copy of the second item on the stack and put it on top of the top item e.g., before OVER: 3,4 after OVER: 4,3,4.

ROT. This goes further by rotating the top three items on the stack. The first item is removed, and pushed on top of the two to become the new top of stack e.g., before ROT: 1,2,3 after ROT: 3,1,2.

DROP. This simply removes the top item and forgets about it.

As well as the full stop to print a number, there is the word ." to print text. Spaces are very critical in Forth and this word is no

```
10REM FORTH:MODE7
20FOR I=&75 TO &8F:READ A:?I=A:NEXT
30?&1A7A=96:END
40DATA 113,23,124,26,0,239,39,0,0,0,0,0,122,26,0,0,
36,122,26,0,0,0,16,0,0,31,35
```

exception — it must be followed by a single space. So to print "HELLO" the sequence ."HELLO" will do the job. The last quote is not a Forth word, just a delimeter, so it needs no preceding space.

Forth has the words If and Then to handle conditionals. The usage of these words differ from Basic. The word If expects to find a flag on top of the stack. If this flag is true, then the computer will continue execution of the code following the If. A false result will send the computer on a search for the next Then. As soon as this is found, execution continues with the next word after Then.

The flags expected on the stack are produced by a series of words. These words are:

> takes the top two numbers on the stack. If the top number is greater than the second number, a true flag is placed on the stack, otherwise a false flag is placed there.

< is the logical inverse of >.

= compares the top two numbers. If they are equal, a true flag is left on the stack, otherwise a false flag is left there.

=0 takes the top number on the stack and compares it to zero. If it is zero, a true flag is left on the stack, otherwise a false flag is left there.

> gives a true flag if the top number on the stack is non-zero, otherwise gives a false flag.

As an example, type in two numbers, then the following sequence:

```
IF . SAME THEN
```

This will print SAME if the two numbers were equal. The = compares the top two numbers and leaves a flag on the stack. The If tests the flag. If it is false, a branch is made to the word following Then. Since this is the last word, however, control returns to the user. If the flag is true, execution continues with the printing of the word SAME.

Forth has three types of loop. There is the Begin . . Until loop, Begin . . While . . Repeat loop, and the Do . . Loop loop.

The Begin . . Until loop is used in a line such as:

```
BEGIN 1  0 .  ' UNTIL
```

The word Begin initialises the loop and has no other function. The Until will expect a flag on top of the stack, in this case placed there by the =0. The flag here will always be false, since one will never be equal to nought. The Until tests the top flag. If it is false, execution branches to the corresponding Begin. If the flag is true, execution continues with the next word.

Begin...While...Repeat

Begin . . While . . Repeat are enclosed in a program line in a smaller fashion to Begin . . Until. The Begin is again just a pointer. When the word While is encountered, the top flag on the stack is tested. If it is false, execution continues with the first word after Repeat. If it is true, execution continues with the next word after While. The Repeat will cause execution to continue with the next word after the corresponding Begin.

The Do . . Loop loop is Forth's equivalent of Basic's For . . Next loop. The Do expects two numbers on the stack. The first is the loop index, the second is the initial value of the loop index. The Loop will increment the loop index. If it exceeds the finish value, execution will proceed with the next word after Loop, otherwise the computer will branch to the word following the corresponding Do. There is a variation on this — the word +LOOP may be used instead of LOOP; Instead of incrementing the loop index, this adds the top number on the stack to the loop index, but otherwise functions as Loop.

There are various miscellaneous words present in this implementation of Forth. These are:

EMIT which takes the top number on the stack and prints the character with this ASCII code;

VDU which acts as the VDU statement in Basic. It takes as many numbers as necessary off the stack, from the top downwards;

! which is equivalent to Poke in most Basics. It stores the top number on the stack at the address pointed to by the second number on the stack;

@ which will fetch the contents of the address pointed to by the top number on the stack, and place this value on the stack;

+! which adds the top number on the stack to the address pointed to by the second number on the stack;

?KEY which expects a number on the stack. The word will wait for the length of time represented by this number in hundredths of a second, continually testing to see if a key is being pressed. When a key is pressed, its ASCII code is left on the stack. If no key is pressed before the time expires, 0 is left on the stack;

CMOVE which expects three numbers on the stack. These will be referred to as n1,n2,n3 with n1 coming from the top of the stack. The routine moves n3 bytes starting at the address n1 to the block of memory starting at address n2.

MOVE which acts as CMOVE except that it moves 16 bit words;

CR which prints a carriage-return, linefeed sequence on the screen;

SPACE which prints a single space on the screen;

(continued on next page)

Hex dump and ASCII (Forth 2).

```
1E98 : 00 2E 22 20 E8 86 71 B4 .." ..q.
1EA0 : 72 A0 00 B1 71 C9 22 F0 r...q.".
1EA8 : 07 20 EE FF C8 4C A3 1E . ...L..
1EB0 : 60 FF 2B 20 A4 7E C0 04 `.+ .~..
1EB8 : B0 05 A9 01 4C 5B 13 B9 ....L[..
1EC0 : D6 16 88 88 18 79 D6 16 .....y..
1EC8 : 8D A6 15 88 B9 D6 16 C8 ........
1ED0 : C8 79 D6 16 88 88 99 D6 .y......
1ED8 : 16 C8 AD A6 15 99 D6 16 ........
1EE0 : B4 7E 60 00 2D 20 A4 7E .~`.- .~
1EE8 : C0 04 B0 05 A9 01 4C 5B ......L[
1EF0 : 13 B9 D6 16 8D A6 15 88 ........
1EF8 : 88 B9 D6 16 38 ED A6 15 ....8...
1F00 : 8D A6 15 88 B9 D6 16 C8 ........
1F08 : C8 F9 D6 16 88 88 99 D6 ........
1F10 : 16 C8 AD A6 15 99 D6 16 ........
1F18 : B4 7E 60 FF 2A 20 A9 00 .~`.* ..
1F20 : 8D A8 15 8D A9 15 A4 7E .......~
1F28 : C0 04 B0 05 A9 01 4C 5B ......L[
1F30 : 13 B9 D6 16 8D A6 15 88 ........
1F38 : B9 D6 16 8D A7 15 88 B9 ........
1F40 : D6 16 AA 20 58 1F 88 B9 ... X...
1F48 : D6 16 A8 C0 00 F0 25 A2 ......%.
1F50 : 00 20 58 1F 88 4C 4B 1F . X..LK.
1F58 : AD A8 15 18 6D A6 15 8D ....m...
1F60 : A8 15 AD A9 15 6D A7 15 .....m..
1F68 : 8D A9 15 CA E0 00 F0 03 ........
1F70 : 4C 58 1F 60 A4 7E 88 88 LX.`.~..
1F78 : AD A8 15 99 D6 16 88 AD ........
1F80 : A9 15 99 D6 16 C8 B4 7E .......~
1F88 : 60 FF 2F 20 A9 00 8D 65 `./ ...e
1F90 : 19 8D 66 19 A4 7E C0 04 ..f..~..
1F98 : B0 05 A9 01 4C 5B 13 B9 ....L[..
1FA0 : D6 16 8D A8 15 88 B9 D6 ........
1FA8 : 16 8D A9 15 88 B9 D6 16 ........
1FB0 : 8D A6 15 88 B9 D6 16 8D ........
1FB8 : A7 15 AD A6 15 38 ED A8 .....8..
1FC0 : 15 8D A6 15 AD A7 15 E9 ........
1FC8 : 00 CD A7 15 D0 15 8D A7 ........
1FD0 : 15 CD A9 15 90 14 38 ED ......8.
1FD8 : A9 15 8D A7 15 20 FA 1F ..... ..
1FE0 : 4C BA 1F C9 FF F0 03 4C L.......L
1FE8 : D1 1F AD 66 19 99 D6 16 ...f....
1FF0 : C8 AD 65 19 99 D6 16 84 ..e.....
1FF8 : 7E 60 AD 65 19 18 69 01 ~`.e..i.
2000 : 8D 65 19 AD 66 19 69 00 .e..f.i.
2008 : 8D 66 19 60 FF 2E 20 A4 .f.`.. .
2010 : 7E C0 02 B0 05 A9 01 4C ~......L
2018 : 5B 13 A9 00 A2 00 9D 6C [......l
2020 : 17 E8 E0 06 D0 F8 B9 D6 ........
2028 : 16 C9 00 F0 21 AD 71 17 ....!.q.
2030 : 18 69 01 C9 0A 90 08 A2 .i......
2038 : 05 20 A1 20 4C 42 20 8D . . LB .
2040 : 71 17 B9 D6 16 38 E9 01 q....8..
2048 : 99 D6 16 4C 29 20 88 B9 ...L) ..
2050 : D6 16 C9 00 F0 69 A9 06 .....i..
2058 : 18 6D 71 17 C9 0A 90 08 .mq.....
2060 : A2 05 20 A1 20 4C 6B 20 .. . Lk
2068 : 8D 71 17 A9 05 18 6D 70 .q....mp
2070 : 17 C9 0A 90 08 A2 04 20 .......
2078 : A1 20 4C 80 20 8D 70 17 . L. .p.
2080 : A9 02 18 6D 6F 17 C9 0A ...mo...
2088 : 90 08 A2 03 20 A1 20 4C .... . L
2090 : 95 20 8D 6F 17 B9 D6 16 . .o....
2098 : 38 E9 01 99 D6 16 4C 52 8.....LR
20A0 : 20 38 E9 0A 9D 6C 17 CA  8...l..
20A8 : BD 6C 17 18 69 01 C9 0A .l..i...
20B0 : F0 04 9D 6C 17 60 A9 00 ...l.`..
20B8 : 9D 6C 17 CA 4C A8 20 A2 .l..L. .
20C0 : 00 BD 6C 17 C9 00 D0 08 ..l.....
20C8 : E8 E0 06 F0 1A 4C C1 20 .....L.
20D0 : BD 6C 17 18 69 30 20 EE .l..i0 .
20D8 : FF E8 E0 06 D0 F2 88 B4 ........
20E0 : 7E A9 20 20 EE FF 60 A9 ~.  ..`.
20E8 : 30 20 EE FF 88 B4 7E A9 0 ....~.
20F0 : 20 20 EE FF 60 00 44 55   ..`.DU
20F8 : 50 20 A4 7E C0 02 B0 05 P .~....
2100 : A9 01 4C 5B 13 B9 D6 16 ..L[....
2108 : AA 88 B9 D6 16 C8 C8 99 ........
2110 : D6 16 C8 8A 99 D6 16 84 ........
2118 : 7E 60 FF 53 57 41 50 20 ~`.SWAP
2120 : A4 7E C0 04 B0 05 A9 01 .~......
2128 : 4C 5B 13 B9 D6 16 8D A6 L[......
2130 : 15 88 B9 D6 16 8D A7 15 ........
2138 : 88 B9 D6 16 AA 88 B9 D6 ........
2140 : 16 C8 C8 99 D6 16 C8 8A ........
2148 : 99 D6 16 AD A6 15 88 88 ........
2150 : 99 D6 16 AD A7 15 88 99 ........
2158 : D6 16 60 00 4F 56 45 52 ..`.OVER
2160 : 20 A4 7E C0 04 B0 05 A9  .~.....
2168 : 01 4C 5B 13 88 88 B9 D6 .L[.....
2170 : 16 AA 88 B9 D6 16 A4 7E .......~
2178 : C8 99 D6 16 C8 8A 99 D6 ........
2180 : 16 84 7E 60 00 52 4F 54 ..~`.ROT
2188 : 20 A4 7E C0 06 B0 05 A9  .~.....
2190 : 01 4C 5B 13 B9 D6 16 8D .L[.....
2198 : A6 15 88 B9 D6 16 8D A7 ........
21A0 : 15 88 B9 D6 16 8D A8 15 ........
21A8 : 88 B9 D6 16 8D A9 15 88 ........
21B0 : B9 D6 16 AA 88 B9 D6 16 ........
21B8 : 86 83 AA A5 83 A4 7E 99 ......~.
21C0 : D6 16 88 8A 99 D6 16 88 ........
21C8 : AD A6 15 99 D6 16 88 AD ........
21D0 : A7 15 99 D6 16 88 AD A8 ........
21D8 : 15 99 D6 16 88 AD A9 15 ........
21E0 : 99 D6 16 60 00 44 52 4F ...`.DRO
21E8 : 50 20 A4 7E C0 02 B0 05 P .~....
21F0 : A9 01 4C 5B 13 88 88 84 ..L[....
21F8 : 7E 60 00 3D 20 20 AE 13 ~`.=  ..
2200 : AD A6 15 CD A8 15 D0 13 ........
2208 : AD A7 15 CD A9 15 D0 0B ........
2210 : A4 7E C8 A9 01 99 D6 16 .~......
2218 : 84 7E 60 A9 00 A4 7E C8 .~`...~.
2220 : 99 D6 16 84 7E 60 FF 3E ....~`.>
2228 : 20 20 AE 13 AD A7 15 CD   ......
2230 : A9 15 F0 0D B0 15 A9 00 ........
2238 : A4 7E C8 99 D6 16 84 7E .~.....~
2240 : 60 AD A6 15 CD A8 15 F0 `.......
2248 : ED 90 E8 A9 01 4C 38 22 .....L8"
2250 : 60 00 3C 20 20 AE 13 AD `.<  ...
2258 : A7 15 CD A9 15 F0 0D 90 ........
2260 : 13 A9 00 A4 7E C8 99 D6 ....~...
2268 : 16 84 7E 60 AD A6 15 CD ..~`....
2270 : A8 15 B0 ED A9 01 4C 63 ......Lc
2278 : 22 60 00 3D 30 20 20 92 "`.=0  .
2280 : 13 AD A6 15 C9 00 D0 12 ........
2288 : AD A7 15 C9 00 D0 0B A9 ........
2290 : 01 A4 7E C8 99 D6 16 84 ..~.....
2298 : 7E 60 A9 00 4C 91 22 60 ~`..L."`
22A0 : FF 3E 30 20 20 92 13 AD .>0  ...
22A8 : A6 15 C9 00 D0 12 AD A7 ........
22B0 : 15 C9 00 D0 0B A9 00 A4 ........
22B8 : 7E C8 99 D6 16 84 7E 60 ~.....~`
22C0 : A9 01 4C B7 22 60 FF 49 ..L."`.I
22C8 : 46 20 A4 7E C0 01 B0 05 F .~....
22D0 : A9 01 4C 5B 13 B9 D6 16 ..L[....
22D8 : 88 84 7E C9 00 F0 01 60 ..~....`
22E0 : A9 20 8D 92 15 A5 8E 8D . ......
22E8 : 93 15 A5 8F 8D 94 15 A9 ........
22F0 : 0D 8D 95 15 68 85 81 68 ....h..h
22F8 : 85 82 A9 63 85 8A 20 AF ...c.. .
2300 : 0F A9 00 85 8A A5 81 85 ........
```

(listing continued on next page)

(continued from previous page)

SPACES which takes the top number on the stack, and prints this number of spaces on the screen.

Variable handling is achieved in Forth in the following way: A variable is set up using the word Variable. For example:

```
VARIABLE JIMMY
```

creates Jimmy as a variable, and assigns it an address to store its contents. Executing the word Jimmy puts this address on the stack. Thus variables are read using @, written to using !, and added to using +!. So to set Jimmy to 23, the sequence

```
23 JIMMY
```

will do the job. Similarly, to print the contents of Jimmy, use JIMMY @. and to add 12 to Jimmy use

```
12 JIMMY +!
```

String handling is rather complex. The separate bytes of a text string are stored in memory, preceded by a length counter, indicating length of string. To set up a string, the word Variable is used, followed by the name of the string, followed by the maximum length of string, followed by the word Allot. So to set up a string Fred with a maximum length of 10 characters, use the sequence

```
VARIABLE FRED 10 ALLOT
```

The contents of the string must either be moved from somewhere else in memory using Move, or else stored byte by byte using !. There is, however, an easier way to print out the string than removing it byte by byte using @ and then printing each byte using Emit. Instead, the word Type may be used. To set up the parameters for Type, the word Count is used. Count expects the address of the start of the string on the stack. It is assumed that this is the address of the length byte and that the string itself starts at this address plus one.

When Count has been used in this manner, Type will print a string on the screen. Finally, to remove any trailing spaces on the end of the string, the word — Trailing is used. It expects the address of the first character of the string on top of the stack, and the length count of the string just below this. When it has altered the length count to exclude trailing spaces, the string address is left on top of the stack, followed by the new length count.

Any word sequence

The above section has dealt simply with the actions of words. Any sequence of words may be used, and any results will be displayed as soon as you press Return. This is not programming. A program in Forth consists of a list of defined words. An analogy may be helpful at this stage.

A program consists of a number of actions, referred to as words. These words are combined in further definitions until the whole program consists of a single word. The program is run by typing in this word.

To write a program, the specification of the task must be decided upon. This single action is broken down into groups of smaller actions, and each action in these groups itself broken down, until the stage is reached when the list may be easily converted to Forth code.

As an example, take brushing your teeth in the morning. The whole action could be regarded as one word, Teeth. In pseudo-Forth the code would look something like this:

```
: TEETH
    BRUSH PASTE CLEAN;
```

In Forth, a colon indicates a word definition and a semi-colon an end of word definition. Each word could be defined as follows:

```
:BRUSH
OPEN-CUPBOARD GET-BRUSH
CLOSE-CUPBOARD;

:PASTE
GET-PASTE SQUEEZE-TUBE
DROP-PASTE;

:CLEAN
SCRUB RINSE;
```

and each word in these definitions could be defined themselves, until the only words in the definitions are those provided in the Forth system. The only other thing you need to know to write programs is the format of a word name. It must be no more than 20 characters long and may include any character except a space — upper and lower case letters, numbers and symbols are all equally acceptable.

For storing your Forth programs, the two words Load and Save are provided. These act as in Basic except that files are numbered rather than named. Numbers should be in the

(continued on page 156)

Use this hex loader to type in the hex dump (Forth 2) listing. Enter the two-character hex numbers row by row, beginning with the 2E (at addres &1E99) in the top row. Press <RETURN> after each entry.

```
   10  REM HEX LOADER
   20  CLS:PRINT"Start at the beginning? (Y/N)";X=GET
AND &DF
   30  IF X=89 THEN aX=&1E99 ELSE PROCno
   40  FOR N=aX TO &2777
   50    IF N MOD 8=0 PRINT''CHR$134;"Next row ";~PRO
Csound(157)
   60    REPEAT
   70      ONERROR GOTO260
   80      PRINT''"Address &";~N;": ";
   90      INPUT"Input hex data, &"b$
  100      IF LEN(b$)<>2 THEN PROCsound(129):GOTO80
  110      b$="&"+b$:bX=EVAL(b$)
  120      UNTIL bX<&100
  130    ?N=bX
  140    NEXT
  150  PRINT''CHR$131;CHR$134;"That's the lot!";PROCso
und(85)
  160  END
  170  DEFPROCno
  180  REPEAT
  190    INPUT "Where would you like to start? &"a$
  200    a$="&"+a$:aX=EVAL(a$)
  210    UNTIL aX>&1E99 AND aX<&2778
  220  ENDPROC
  230  DEFPROCsound(sX)
  240  SOUND1,-10,sX,5
  250  ENDPROC
  260  IF ERR<>17 THEN PROCsound(45):PRINT ERR:END
```

(listing continued from previous page)

```
2308 : 8C A5 82 85 8D A5 86 85 ........
2310 : 81 A5 87 85 82 6C BC 00 .....l..
2318 : 60 FF 54 48 45 4E 20 60 '.THEN `
2320 : FF 42 45 47 49 4E 20 68 .BEGIN h
2328 : AA 68 48 A8 8A 48 AE 8B .hH..H..
2330 : 19 E8 9D 8C 19 98 E8 9D ........
2338 : 8C 19 8E 8B 19 60 FF 55 .....`.U
2340 : 4E 54 49 4C 20 AE 8B 19 NTIL ...
2348 : 68 68 BD 8C 19 48 CA BD hh...H..
2350 : 8C 19 48 60 00 57 48 49 ..H`.WHI
2358 : 4C 45 20 A4 7E C0 01 B0 LE .~...
2360 : 03 4C 5B 13 B9 D6 16 8B .L[.....
2368 : 84 7E C9 00 D0 47 AE 8B .~...G..
2370 : 19 CA CA 8E 8B 19 A9 20 .......
2378 : 8D 92 15 AD 5D 1A 8D 93 ....]...
2380 : 15 AD 5E 1A 8D 94 15 A9 ..^.....
2388 : 0D 8D 95 15 68 85 81 68 ....h..h
2390 : 85 82 A9 63 85 8A 20 AF ...c.. .
2398 : 0F A9 00 85 8A A5 81 18 ........
23A0 : 69 02 85 81 A5 82 69 00 i.....i.
23A8 : 48 A5 81 48 A5 86 85 81 H..H....
23B0 : A5 87 85 82 EA 60 FF 52 .....`.R
23B8 : 45 50 45 41 54 20 AE 8B EPEAT ..
23C0 : 19 68 68 BD 8C 19 48 CA .hh...H.
23C8 : BD 8C 19 48 60 00 44 4F ...H`.DO
23D0 : 20 AE 8B 19 E8 E8 E8 A4  .......
23D8 : 7E B9 D6 16 9D 8C 19 88 ~.......
23E0 : E8 B9 D6 16 9D 8C 19 88 ........
23E8 : E8 B9 D6 16 9D 8C 19 88 ........
23F0 : E8 B9 D6 16 9D 8C 19 88 ........
23F8 : 84 7E 68 AA 68 48 A8 8A .~h.hH..
2400 : 48 AE 8B 19 E8 9D 8C 19 H.......
2408 : 98 E8 9D 8C 19 8E 8B 19 ........
2410 : AD 8B 19 18 69 04 8D 8B ....i...
2418 : 19 60 FF 41 4C 4C 4F 54 .`.ALLOT
2420 : 20 A4 7E B9 D6 16 18 65  .~....e
2428 : 77 85 77 88 B9 D6 16 65 w.w....e
2430 : 78 85 78 88 84 7E 60 FF x.x..~`.
2438 : 45 4D 49 54 20 A4 7E B9 EMIT .~.
2440 : D6 16 20 EE FF 88 88 84 .. ....
2448 : 7E 60 00 21 20 A4 7E B9 ~`.! .~.
2450 : D6 16 8D A6 15 88 B9 D6 ........
2458 : 16 8D A7 15 88 B9 D6 16 ........
2460 : 85 71 88 B9 D6 16 85 72 .q.....r
2468 : 88 84 7E A0 00 AD A6 15 ..~.....
2470 : 91 71 C8 AD A7 15 91 71 .q.....q
2478 : 60 00 40 20 A4 7E B9 D6 `.@ .~..
2480 : 16 85 71 88 B9 D6 16 85 ..q.....
2488 : 72 84 7E A0 00 B1 71 8D r.~...q.
2490 : A6 15 C8 B1 71 A4 7E 99 ....q.~.
2498 : D6 16 AD A6 15 C8 99 D6 ........
24A0 : 16 84 7E 60 FF 2B 21 20 ..~`.+!
24A8 : A4 7E B9 D6 16 8D 6A 1A .~....j.
24B0 : 88 B9 D6 16 8D 69 1A 88 .....i..
24B8 : B9 D6 16 8D A8 15 88 B9 ........
24C0 : D6 16 8D A9 15 C8 84 7E .......~
24C8 : 20 7C 24 A4 7E B9 D6 16  |$.~...
24D0 : 18 6D 6A 1A 8D 6A 1A 88 .mj..j..
24D8 : B9 D6 16 6D 69 1A 8D 69 ...mi..i
24E0 : 1A AD A8 15 99 D6 16 C8 ........
24E8 : AD A9 15 99 D6 16 C8 AD ........
24F0 : A6 15 99 D6 16 C8 AD A7 ........
24F8 : 15 99 D6 16 84 7E 20 4D .....~ M
2500 : 24 60 00 3F 4B 45 59 20 $`.?KEY
2508 : A4 7E B9 D6 16 AA 88 B9 .~......
2510 : D6 16 84 7E A8 A9 81 20 ...~... 
2518 : F4 FF C0 00 D0 0F A9 00 ........
2520 : A4 7E 99 D6 16 8A C8 99 .~......
2528 : D6 16 84 7E 60 A2 00 4C ...~`..L
2530 : 1E 25 60 FF 43 4D 4F 56 .%`.CMOV
2538 : 45 20 A4 7E 88 88 88 88 E .~....
2540 : B9 D6 16 8D A6 15 88 B9 ........
2548 : D6 16 8D A7 15 AD A7 15 ........
2550 : C9 00 D0 0F AD A6 15 C9 ........
2558 : 00 D0 08 A5 7E 38 E9 06 ....~8..
2560 : 85 7E 60 A4 7E B9 D6 16 .~`.~...
2568 : 85 71 88 B9 D6 16 85 72 .q.....r
2570 : A0 00 B1 71 8D A8 15 A4 ...q....
2578 : 7E 88 88 B9 D6 16 85 71 ~......q
2580 : 88 B9 D6 16 85 72 A0 00 .....r..
2588 : AD A8 15 91 71 A4 7E B9 ....q.~.
2590 : D6 16 18 69 01 99 D6 16 ...i....
2598 : 88 B9 D6 16 69 00 99 D6 ....i...
25A0 : 16 88 B9 D6 16 18 69 01 ......i.
25A8 : 99 D6 16 88 B9 D6 16 69 .......i
25B0 : 00 99 D6 16 AD A6 15 38 .......8
25B8 : E9 01 8D A6 15 AD A7 15 ........
25C0 : E9 00 8D A7 15 4C 4D 25 .....LM%
25C8 : 60 00 4D 4F 56 45 20 A4 `.MOVE .
25D0 : 7E 88 88 88 88 B9 D6 16 ~.......
25D8 : 8D A6 15 88 B9 D6 16 8D ........
25E0 : A7 15 AD A6 15 18 6D A6 ......m.
25E8 : 15 8D A6 15 AD A7 15 6D .......m
25F0 : A7 15 8D A7 15 4C 4D 25 .....LM%
25F8 : 60 00 43 4F 55 4E 54 20 `.COUNT
2600 : A4 7E B9 D6 16 18 85 71 .~.....q
2608 : 69 02 8D A6 15 88 B9 D6 i.......
2610 : 16 85 72 69 00 8D A7 15 ..ri....
2618 : A9 00 99 D6 16 C8 84 7E .......~
2620 : A0 00 B1 71 A4 7E 99 D6 ...q.~..
2628 : 16 C8 AD A7 15 99 D6 16 ........
2630 : C8 AD A6 15 99 D6 16 84 ........
2638 : 7E 60 FF 43 52 20 20 E7 ~`.CR  .
2640 : FF 60 FF 53 50 41 43 45 .`.SPACE
2648 : 20 A9 20 20 EE FF 60 00  .  ..`.
2650 : 53 50 41 43 45 53 20 A4 SPACES .
2658 : 7E B9 D6 16 AA E0 00 F0 ~.......
2660 : 09 A9 20 20 EE FF CA 4C ..  ...L
2668 : 5D 26 88 88 84 7E 60 00 ]&...~`.
2670 : 54 59 50 45 20 A4 7E B9 TYPE .~.
2678 : D6 16 85 71 88 B9 D6 16 ...q....
2680 : 85 72 88 B9 D6 16 8D A6 .r......
2688 : 15 88 88 84 7E A0 00 CC ....~...
2690 : A6 15 F0 09 B1 71 20 EE .....q .
2698 : FF C8 4C 8F 26 60 FF 2D ..L.&`.-
26A0 : 54 52 41 49 4C 49 4E 47 TRAILING
26A8 : 20 A4 7E B9 D6 16 85 71  .~....q
26B0 : 88 B9 D6 16 85 72 88 B9 .....r..
26B8 : D6 16 18 8D A6 15 65 71 ......eq
26C0 : 85 71 A5 72 69 00 85 72 .q.ri..r
26C8 : 88 84 7E AE A6 15 A0 00 ..~.....
26D0 : B1 71 C9 00 D0 11 CA A5 .q......
26D8 : 71 38 E9 01 85 71 A5 72 q8...q.r
26E0 : E9 00 85 72 4C D0 26 A4 ...rL.&.
26E8 : 7E 8A 99 D6 16 C8 C8 84 ~.......
26F0 : 7E 60 00 56 44 55 20 A4 ~`.VDU .
26F8 : 7E B9 D6 16 AA 88 88 84 ~.......
2700 : 7E 20 EE FF C9 20 B0 1E ~ ... ..
2708 : BD 77 1E A8 C0 00 F0 16 .w......
2710 : 88 8C A6 15 A4 7E B9 D6 .....~..
2718 : 16 88 88 84 7E 20 EE FF ....~ ..
2720 : AC A6 15 4C 0C 27 60 FF ...L.'`.
2728 : 53 41 56 45 20 A9 8C 85 SAVE ...
2730 : 71 A9 60 85 72 A4 7E B9 q.`.r.~.
2738 : D6 16 88 88 84 7E 18 69 .....~.i
2740 : 30 8D A6 15 A2 A6 A0 15 0.......
2748 : A9 0D 8D A7 15 A9 80 20 .......
2750 : CE FF 8D A8 15 A0 00 B1 ........
2758 : 71 AC A8 15 20 D4 FF A5 q... ...
2760 : 71 C5 7A F0 10 A5 71 18 q.z...q.
2768 : 69 01 85 71 A5 72 69 00 i..q.ri.
2770 : 85 72 4C 55 27 A5 72 C5 .rLU'.r.
```

'Get it right at Laskys...

Games, business, education, word processing, accounting... The amazing potential of micro computers is virtually limitless, so you need the right advice in order to find exactly the right machine for you. At Laskys we have a specialist micro department called Micropoint, where we can help you to analyse your requirements and experiment with everything from the simplest to the most sophisticated equipment.
A choice of easy ways to pay, free 2 year guarantee, a commitment to exchange products if you are not completely happy and, of course, a nationwide after sales service. You can't buy micro anywhere better than Laskys – who else offers you so much?

Micropoint
at Laskys

ATARI 400

£129.90

Home computer with 16K memory. Spill proof keyboard. Superb graphics. Colour and sound, includes Basic program kit.

FREE ATARI 410 CASSETTE PROGRAM RECORDER FOR LOADING AND STORING PROGRAMS. USUAL PRICE £49.90

SPECIAL ATARI 400 SOFTWARE PACK OFFER
AVAILABLE WHEN YOU PURCHASE THE ATARI 400
Buy Pacman or Star Raiders cartridge @ £29.90 get FREE 'Invitation to Programming' cassette, usual price £19.90.

APPLE IIe PROFESSIONAL HOME COMPUTER PACK

PLUS VOUCHERS WORTH OVER £100 FOR PROGRAMS & ACCESSORIES.

£998

A sophisticated micro with amazing scope for home and office.
64K memory, disk drive, RF modulator enabling you to use your existing TV as monitor, includes Owners Pack.

LYNX 96K

Compact powerful 96K home unit at a budget price. Colour, sound and graphics. Compatible with most cassette players. £298

Lynx Parallel Printer Interface £49.90
Lynx Serial Printer Interface £3.90

Recommended Epson printers for Lynx
Epson FX80 £498
Epson MX100/3 £539
Epson RX80 £349

EASY WAYS TO PAY
ASK IN STORE FOR DETAILS

All prices correct at time of going to press, but subject to change without notice. 17/11/83

'All credit offers subject to acceptance by Lasky's Credit Brokers. Ask for written details. Prices correct as at time of going to press, but may be subject to variation. All offers subject to availability. Prices include 15% VAT. * Except portable equipment one year. Computer peripherals/programs one year. (Commercial use on computers/VDU one year. Peripherals programs 6 months.)

LASKYS
The Home Entertainment Specialists

ALL MAJOR CREDIT CARDS ACCEPTED

XMAS & NEW YEAR OPENING HOURS
(Mon 5th Dec – Mon 9th Jan)
ALL STORES
9am – 7pm (Mon-Fri)
9am – 6pm (Sat)
Sat 24th Dec closes 4pm
Open Mon 2nd Jan
QUEENSWAY & GOLDERS GREEN
OPEN EVERY SUNDAY
11 am-7pm

LONDON & HOME COUNTIES
Queensway
Oxford Street
Edgware Road
Tottenham Court Road
Brent Cross Shopping Centre
Bromley
Colchester
Croydon
Enfield
Golders Green Road
Bexleyheath
Kingston
Luton
Reading
Richmond
Romford
Slough
Watford
Basildon
Southend
Chatham
Gloucester
Maidstone
Southampton
Brighton
Bristol
Cambridge
Chester
Leeds
Leicester
Liverpool
Manchester
Newcastle upon Tyne
Northampton
Nottingham
Oxford
Peterborough
Preston
Sheffield
Wolverhampton
York
SCOTLAND
Edinburgh
Glasgow
WALES
Cardiff

New store opening in Exeter late December

(continued from page 154)

range 1-15. So to Save the current user-defined vocabulary with a file number of 6.

6 SAVE

will achieve the desired result. And to load this back again, use

6 LOAD

This brief summary should have got you to the point where it is possible for you to write programs in Forth, so I will move on to the machine-specific features of my BBC compiler.

As a start, enter the first, short program, and Save it on tape. Next, enter the second program. Save this on a separate tape. Now insert the tape you used to Save the first program and position it after this program. Type Run. Now type

*SAVE FORTH1 4700 578D 4700

Press play and record on your tape recorder, and press Return. Stop the tape when the computer has finished recording.

Now enter the final program. Save this after the text of the second program on your second tape. These copies are not functional; their purpose is to help you to correct any mistakes. Run the program as before, then insert your original tape, and Save the code using

*SAVE FORTH2 5790 606E 5790

You can now use the program from this tape. Use

CHAIN

to load the first part,

LOAD FORTH

for the second part, and

*LOAD * 1E99

for the last part. When the last part has loaded

CALL &E00

will start the program. ■



Forth 1 listing.

```
 10 P%=&0E0D:[:LDX #&00:LDA &1A6B,X:CMP #&0D:BEQ P%+&09
 20 JSR &FFEE:INX:JMP &0E0F:JSR &FFE7:JSR &FFE7:TSX:STX &70
 30 LDA #&00:STA &7E:LDA #&4F:JSR &FFEE:LDA #&4B:JSR &FFEE
 40 JSR &FFE7:JSR &FFE7:LDA #&5D:JSR &FFEE:LDX #&00:JSR &FFE0
 50 CMP #&1B:BNE P%+&05:JMP &0F50:CMP #&3A:BNE P%+&08:LDA #&63
 60 STA &79:LDA #&3A:CMP #&3B:BNE P%+&08:LDA #&00:STA &79
 70 LDA #&3B:CMP #&7F:BNE P%+&09:DEX:JSR &FFEE:JMP &0E41
 80 CMP #&09:BNE P%+&13:LDA #&20:JSR &FFEE:JSR &FFEE:JSR &FFEE
 90 JSR &FFEE:JMP &0E41:JSR &FFEE:STA &15AA,X:INX:CMP #&0D
100 BNE P%-&47:JSR &FFE7:LDA &79:CMP #&63:BNE P%+&0C:DEX
110 LDA #&20:STA &15AA,X:INX:JMP &0E41:DEX:LDA #&20:STA &15AA,X
120 INX:LDA #&0D:STA &15AA,X:LDX #&00:LDA &15AA,X:CMP #&3A
130 BNE P%+&05:JMP &11B8:CMP #&0D:BEQ P%+&52:CMP #&20:BNE P%+&06
140 INX:JMP &0EAB:CMP #&30:BCC P%+&49:CMP #&3A:BCS P%+&45
150 STX &84:JSR &1039:LDX &7D:LDA #&A2:STA &1640,X:INX:LDA &80
160 STA &1640,X:INX:LDA #&A0:STA &1640,X:INX:LDA &7F:STA &1640,X
170 INX:LDA #&20:STA &1640,X:INX:LDA &85:STA &1640,X:INX:LDA &8B
180 STA &1640,X:INX:STX &7D:LDX &84:INX:LDA &15AA,X:CMP #&20
190 BNE P%-&06:JMP &0EBD:JMP &0F3F:LDA #&32:STA &1A58:JSR &13CD
200 LDA &1A23:CMP #&63:BEQ P%-&5C:JSR &0F56:LDX &83:DEX:DEX
210 LDA &15AA,X:CMP #&2E:BNE P%+&0D:INX:LDA &15AA,X:CMP #&22
220 BEQ P%+&0A:JMP &0F35:INX:INX:JMP &0EBD:JSR &1137:JMP &0EBD
230 LDX &7D:LDA #&60:STA &1640,X:LDA #&00:STA &7D:JSR &1640
240 JMP &0E2A:LDA #&7E:JSR &FFF4:RTS:LDY #&00:LDA &15AA,X
250 CMP #&20:BEQ P%+&0A:STA &1592,Y:INX:INY:JMP &0F58:LDA #&0D
260 STA &1592,Y:STX &83:JSR &0FAF:LDX &7D:LDA #&20:STA &1640,X
270 INX:LDY #&00:JSR &0F8A:LDA (&81),Y:CMP #&20:BNE P%-&07
280 JSR &0F8A:JMP &0F98:LDA &81:CLC:ADC #&01:STA &81:LDA &82
290 ADC #&00:STA &82:RTS:LDA &81:STA &1640,X:INX:LDA &82
300 STA &1640,X:INX:STX &7D:LDA &86:STA &81:LDA &87:STA &82:RTS
310 LDY #&00:LDA &8A:CMP #&63:BEQ P%+&0E:LDA (&81),Y:CMP #&60
320 BEQ P%+&38:JSR &0FD0:JMP &0FB7:LDA (&81),Y:CMP &1592
330 BEQ P%+&58:JSR &0FD0:JMP &0FC3:LDA &81:CMP #&FF:BEQ P%+&0D
340 ADC #&01:STA &81:LDA &82:ADC #&00:STA &82:RTS:LDA &82
350 CMP &7B:BEQ P%+&07:LDA &81:JMP &0FD6:LDA #&00:STA &82
360 JMP &135B:JSR &0FD0:JSR &0FD0:LDA &8A:CMP #&63:BNE P%+&06
370 CPY #&03:BEQ P%+&1E:LDA (&81),Y:CMP #&20:BEQ P%+&11
380 CMP &1592,Y:BNE P%+&06:INY:JMP &0FF9:JSR &0FD0:JMP &0FAF
390 LDA &1592,Y:CMP #&0D:BNE P%-&0B:RTS:INY:JMP &0FF9:STX &80
400 STY &7F:LDA &80:LDX &7E:INX:STA &16D6,X:LDA &7F:INX
410 STA &16D6,X:STX &7E:RTS:LDA #&00:STA &80:INX:LDA &15AA,X
420 CMP #&20:BNE P%-&06:LDY #&01:LDA #&00:DEX:CPY #&06
430 BEQ P%+&09:STA &176C,Y:INY:JMP &104A:DEY:CPX #&FF:BEQ P%+&14
440 LDA &15AA,X:CMP #&20:BEQ P%+&0D:SEC:SBC #&30:STA &176C,Y:DEX
450 DEY:JMP &1056:LDX #&01:LDA &176C,X:CMP #&00:BNE P%+&29:INX
460 LDA &176C,X:CMP #&00:BNE P%+&21:INX:LDA &176C,X:CMP #&03
470 BCS P%+&19:CMP #&02:BCC P%+&1B:INX:LDA &176C,X:CMP #&06
480 BCS P%+&0D:INX:LDA &176C,X:CMP #&06:BCS P%+&05:JMP &109F
490 JMP &10CB:LDA &176F:TAY:LDA #&00:CPY #&00:BEQ P%+&09:CLC
500 ADC #&64:DEY:JMP &10A5:TAX:LDA &1770:TAY:TXA:CPY #&00
510 BEQ P%+&09:CLC:ADC #&0A:DEY:JMP &10B6:CLC:ADC &1771:STA &7F
520 RTS:LDA &15AA,X:LDA &80:CLC:ADC #&01:STA &80:LDA &1771:SEC
530 SBC #&06:STA &1771:CMP #&0A:BCC P%+&0D:CLC:ADC #&0A
540 STA &1771:LDY #&04:JSR &1120:LDA &1770:SEC:SBC #&05
550 STA &1770:CMP #&0A:BCC P%+&0D:CLC:ADC #&0A:STA &1770
560 LDY #&03:JSR &1120:LDA &176F:SEC:SBC #&02:STA &176F:CMP #&0A
570 BCS P%+&05:JMP &106C:CLC:ADC #&0A:STA &176F:LDY #&02
580 JSR &1120:JMP &106C:LDA &176C,Y:CMP #&00:BEQ P%+&09:SEC
590 SBC #&01:STA &176C,Y:RTS:LDA #&09:STA &176C,Y:DEY:JMP &1120
600 LDA &7A:STA &1987:LDA &7B:STA &1988:LDY &7D:LDA &1989
610 STA &7A:LDA &198A:STA &7B:JSR &115D:STY &7D:LDA &1987
620 STA &7A:LDA &1988:STA &7B:RTS:DEY:LDA (&7A),Y:STA &80:DEY
630 LDA (&7A),Y:STA &7F:DEY:LDA #&A2:STA (&7A),Y:INY:INX:STY &84
640 LDY #&00:LDA &15AA,X:STA (&75),Y:CMP #&22:BEQ P%+&07:INX:INY
650 JMP &1172:INY:STY &74:LDY &84:LDA &75:STA (&7A),Y:INY
660 LDA #&A0:STA (&7A),Y:INY:LDA &76:STA (&7A),Y:INY:LDA #&20
670 STA (&7A),Y:LDA &7F:INY:STA (&7A),Y:INY:LDA &80:STA (&7A),Y
680 INX:INY:LDA &74:CLC:ADC &75:STA &75:LDA &76:ADC #&00:STA &76
690 LDA #&00:STA &80:STA &7F:RTS:LDY #&00:INX:JSR &12A5
700 LDA &15AA,X:CMP #&3B:BEQ P%+&05:JMP &11CB:JMP &12B7
710 LDA &15AA,X:CMP #&20:BNE P%+&06:INX:JMP &11BE:CMP #&30
720 BCC P%+&3A:CMP #&3A:BCS P%+&36:STY &84:STX &83:JSR &1039
730 LDX &83:LDY &84:LDA #&A0:STA (&7A),Y:INY:LDA &7F:STA (&7A),Y
740 INY:LDA #&A2:STA (&7A),Y:INY:LDA &80:STA (&7A),Y:INY
750 LDA #&20:STA (&7A),Y:INY:LDA &85:STA (&7A),Y:INY:LDA &8B
760 STA (&7A),Y:INY:JSR &1237:JMP &11D2:LDA #&64:STA &1A58
770 STY &1A69:JSR &13CD:LDA &1A23:CMP #&63:BEQ P%-&50:STY &84
780 LDY #&00:LDA &15AA,X:CMP #&20:BEQ P%+&15:STA &1592,Y:INX:INY
790 JMP &1228:LDX &83:INX:LDA &15AA,X:CMP #&20:BNE P%-&06:RTS
800 LDA #&0D:STA &1592,Y:STX &83:JSR &0FAF:LDX &83:LDY #&00
810 JSR &125F:LDA (&81),Y:CMP #&20:BNE P%-&07:JSR &125F
820 JMP &126D:LDA &81:CLC:ADC #&01:STA &81:LDA &82:ADC #&00
830 STA &82:RTS:LDY &84:LDA #&20:STA (&7A),Y:INY:LDA &81
840 STA (&7A),Y:INY:LDA &82:STA (&7A),Y:INY:LDA &86:STA &81
850 LDA &87:STA &82:DEX:DEX:LDA &15AA,X:CMP #&2E:BNE P%+&0D:INX
860 LDA &15AA,X:CMP #&22:BEQ P%+&0A:JMP &129B:INX:INX:JMP &11D2
870 JSR &115D:JMP &11D2:INY:LDA &15AA,X:STA (&7A),Y:CMP #&20
880 BEQ P%+&07:INX:INY:JMP &12A6:INY:NOP:RTS:LDA #&60
890 STA (&7A),Y:INY:TYA:CLC:ADC &7A:STA &7A:LDA &7B:ADC #&00
900 STA &7B:JMP &0E2A:STY &84:LDY #&00:INX:LDA &15AA,X
910 STA (&77),Y:CMP #&20:BEQ P%+&06:INY:JMP &12CF:INY:LDA #&20
920 STA (&77),Y:INY:LDA &1A67:STA (&77),Y:INY:LDA &1A68
930 STA (&77),Y:INY:LDA #&60:STA (&77),Y:INY:INY:INY:STA (&77),Y
940 INY:INY:TYA:CLC:ADC &77:STA &77:LDA &78:ADC #&00:STA &78
950 LDY &84:NOP:NOP:NOP:NOP:NOP:NOP:NOP:NOP:NOP:NOP:NOP:NOP:NOP
960 NOP:RTS:PLA:TAX:PLA:PHA:TAY:TXA:PHA:CLC:ADC #&02:TAX:TYA
970 ADC #&00:LDY &7E:INY:STA &16D6,Y:INY:TXA:STA &16D6,Y:STY &7E
980 RTS:JSR &12CB:RTS:JSR &12CB:PLA:PLA:JMP &0EBD:STX &1A6A:PLA
990 PLA:LDX &7D:LDA #&60:STA &1640,X:LDA #&00:STA &7D:JSR &1640
1000 LDX &1A6A:LDY &1A69:JMP &11D2:LDX #&00:STA &1967:CMP #&00
1010 BEQ P%+&1B:LDA &1968,X:CMP #&0D:BEQ P%+&06:INX:JMP &1364
1020 LDY &1967:DEY:STY &1967:TYA:JMP &1360:INX:INX:LDA &1968,X
1030 CMP #&0D:BEQ P%+&0B:JSR &FFEE:JMP &137B:JSR &FFE7:LDX &70
1040 TXS:JMP &0E26:LDY &7E:CPY #&02:BCS P%+&07:LDA #&01:JMP &135B
1050 LDA &16D6,Y:STA &15A6:DEY:LDA &16D6,Y:STA &15A7:DEY:STY &7E
1060 RTS:LDY &7E:CPY #&04:BCS P%+&07:LDA #&01:JMP &135B:JSR &139D
1070 LDA &16D6,Y:STA &15AB:DEY:LDA &16D6,Y:STA &15A9:DEY:STY &7E
1080 RTS:STY &84:STX &83:LDY #&00:STY &1A22:LDA &1A24,Y
1090 CMP &15AA,X:BEQ P%+&21:CMP #&0D:BEQ P%+&13:CMP #&20
1100 BNE P%+&0B:LDA &1A22:CLC:ADC #&02:STA &1A22:INY:JMP &13D6
1110 LDX &83:LDY &84:LDA #&00:STA &1A23:RTS:INX:STX &15A6
1120 STY &15A7:INY:LDA &15AA,X:CMP #&20:BEQ P%+&19:CMP &1A24,Y
1130 BNE P%+&06:INX:JMP &1404:LDX &83:LDY &15A7:INY:LDA #&00
1140 STA &1A23:JMP &13D6:LDA &1A24,Y:CMP #&20:BNE P%-&13:STX &83
1150 LDX &1A22:LDA &1A4C,X:STA &8C:INX:LDA &1A4C,X:STA &8D
1160 LDA #&63:STA &1A23:LDY &84:LDX &83:JMP (&008C):LDA &1A5B
1170 STA &15A6:LDA &1A5C:STA &15A7:LDA &1A59:STA &15A8:LDA &1A5A
1180 STA &15A9:JSR &149A:RTS:LDA &1A61:STA &15A6:LDA &1A62
1190 STA &15A7:LDA &1A65:STA &15A8:LDA &1A66:STA &15A9:JSR &149A
1200 RTS:LDA &1A63:STA &15A6:LDA &1A64:STA &15A7:LDA &1A68
1210 STA &15A8:LDA &1A66:STA &15A9:JSR &149A:RTS:LDA &1A58
1220 CMP #&64:BEQ P%+&2A:LDY &7D:LDA &7A:STA &1987:LDA &7B
1230 STA &1988:LDA &1989:STA &7A:LDA &198A:STA &7B:JSR &14C9
1240 STY &7D:LDA &1987:STA &7A:LDA &1988:STA &7B:LDX &83:RTS
1250 LDA #&20:STA (&7A),Y:INY:LDA &15A6:STA (&7A),Y:INY:LDA &15A7
1260 STA (&7A),Y:LDA #&20:INY:STA (&7A),Y:INY:LDA &15A8
1270 STA (&7A),Y:INY:LDA &15A9:STA (&7A),Y:INY:RTS:LDY &7E
1280 LDA &16D6,Y:DEY:STY &7E:CMP #&01:BNE P%+&16:PLA:CLC:ADC #&03
1290 TAX:PLA:ADC #&00:PHA:TXA:PHA:LDX &198B:DEX:DEX:STX &1988:RTS
1300 RTS:LDY &7E:LDA &16D6,Y:STA &15A6:DEY:LDA &16D6,Y:STA &15A7
1310 DEY:STY &7E:LDX &198B:DEX:DEX:DEX:LDA &198C,X:CLC:ADC &15A6
1320 STA &198C,X:INX:LDA &198C,X:ADC &15A7:STA &198C,X:INX:INX
1330 CMP &198C,X:BEQ P%+&07:BCS P%+&13:JMP &1552:DEX:DEX:DEX
1340 LDA &198C,X:INX:INX:CMP &198C,X:BCS P%+&03:RTS:PLA:CLC
1350 ADC #&03:STA &15A6:PLA:ADC #&00:PHA:LDA &15A6:PHA:LDA &198B
1360 SEC:SBC #&06:STA &198B:RTS:LDY &7E:INY:LDA #&00:STA &16D6,Y
1370 INY:LDA #&01:STA &16D6,Y:STY &7E:JMP &150D:LDX &198B:DEX:DEX
1380 DEX:DEX:PLA:PLA:LDA &198C,X:PHA:DEX:LDA &198C,X:PHA:RTS:]
```

...nobody sells micros better.'

Micropoint
at Laskys

ATARI 600XL

£159.90

New Home Computer with 16K memory. Full size keyboard plus help key (for additional information and menu screen) superb graphics, colour and sound. Compatible with all Atari home computer Software.

VIC 20 STARTER PACK



£139.90

Includes VIC 20 5K computer, C2N cassette recorder for loading & storing programs, & cassette software which includes Introduction to Basic Part 1, Blitz, Hoppit, Race & Type-a-Tune!

COMMODORE 64K

A home computer with a full size keyboard. Powerful 64K memory, sprite graphics, colour and sound.

£199.90

ORIC 48K

A home computer with 48K memory, ergonomic keyboard, colour/sound graphics.

FREE SOFTWARE STARTER PACK
inc; Teach Yourself Basic, Home Finance, Flight Simulation & Games Pack.

£139.90

Oric MCP40 Printer £169.90.

DISK DRIVE 1541 £229

WITH FREE EASY SCRIPT WORD PROCESSING AND GAMES SOFTWARE. (USUAL PRICE £105.)

LASKYS SOFTWARE SELECTION

DISCOVER OUR MASSIVE RANGE OF SOFTWARE IN STORE! ALL THE LATEST TOP TITLES FOR ALL THE POPULAR FORMAT MACHINES

EASY WAYS TO PAY
ASK IN STORE FOR DETAILS

All prices correct at time of going to press, but subject to change without notice. 17/11/83

*All credit offers subject to acceptance by Lasktys Credit Brokers. Ask for written details. Prices correct as at time of going to press, but may be subject to variation. All offers subject to availability. Prices include 15% VAT. **Except portable equipment one year. Computer peripherals programme one year. (Commercial use on computers YOU one year. Peripherals programs 6 months.)

LASKYS
The Home Entertainment Specialists

ALL MAJOR CREDIT CARDS ACCEPTED

XMAS & NEW YEAR OPENING HOURS
(Mon 5th Dec – Mon 9th Jan)
ALL STORES
9am – 7pm (Mon-Fri)
9am – 6pm (Sat)
Sat 24th Dec closes 4pm
Open Mon 2nd Jan
QUEENSWAY & GOLDERS GREEN
OPEN EVERY SUNDAY
11 am-7pm

LONDON & HOME COUNTIES
Gooks Green Road NW11
BEXLEYHEATH 15-16 The Broadway
BRENT CROSS Shopping Centre
BROMLEY 22 Market Square
COLCHESTER 12 Trinity Square
CROYDON 77-81 North End
ENFIELD 46-48 Palace Gardens
KINGSTON Eden Street
LUTON 192 Arndale Centre
READING Friar Street
RICHMOND Hill Street
ROMFORD South Street
SLOUGH Queensmere Centre
WATFORD Charter Place

SOUTHERN ENGLAND
BRIGHTON 151-2 Western Road
BRISTOL 16-20 Penn Street
CHATHAM 8 The Pentagon
GLOUCESTER 25 Eastgate Street
MAIDSTONE 79-81 Week Street
SOUTHAMPTON 92-93 East Street
SOUTHEND 205-206 Churchill West
MIDLANDS AND NORTH
BIRMINGHAM 19-21 Corporation St
CAMBRIDGE 27-28 The Grafton Centre
CHESTER 7 The Forum
LEEDS 28-34 Albion Street
LEICESTER 45 Market Place South
LIVERPOOL 33 Dale Street
157 St John's Precinct
MANCHESTER
13-14 St Mary's Gate
NEWCASTLE-UPON-TYNE
6 Northumberland St
NORTHAMPTON 78 Abington Street
NOTTINGHAM 1-4 Smithy Row
OXFORD 16 Westgate
PETERBOROUGH Queensgate Centre
PRESTON Guild Hall Arcade
SHEFFIELD 58 Leopold Street
WOLVERHAMPTON 2 Wulfrun Square
YORK 10a Coney Street
SCOTLAND
EDINBURGH 4-6 St James Centre
GLASGOW 98-10 Buchanan Street
WALES
CARDIFF 122 Queen Street

New store opening in Exeter late December

AGF

PROGRAMMABLE JOYSTICK INTERFACE for Spectrum or ZX81

ONLY 32-95 +£1·00pp

MICRODRIVE COMPATIBLE

ABOUT OUR INTERFACE

The AGF Programmable Joystick Interface is a unique design offering the use of any Atari-compatible joystick with absolutely all software, whether it is cassette or ROM cartridge, with the Sinclair Spectrum or ZX81.

The hardware programmable interface requires no additional software and accurately replicates the keys of the computer in a manner which is responsive to absolutely *ALL* key reading methods, both BASIC and Machine Code.

The interface does not interfere with key operation and can therefore be used simultaneously with the keyboard.

There is no need to remove the interface once fitted as the rear extension connector will accommodate further expansion, i.e printers or RAM packs etc. This important feature avoids excessive wear to the expansion port.

The key replication principle pioneered by AGF means that your own programs can use eight directional joystick movement by utilising simple key reading BASIC.

Two joystick sockets are provided which share the same keys, for use with the majority of two player games. Several interfaces may be used on the same computer for multiple joystick applications.

The interface is programmed by a two digit code, which is looked up on a programming chart supplied, for each direction and firing button. The two numbers are then selected on a pair of leads which are clipped onto appropriately numbered strips on the interface.

Once configured this can be marked on a Quick Reference Programming Card for storing with the game. As the programming is *not* power dependent the interface retains the last configuration made and can be immediately used when next switched on.



KEY FEATURES

- ★ Programmable design gives TOTAL software support.
- ★ Accepts Atari, Competition Pro, Wico, Starfighter, Quick Shot, Le Stick etc.
- ★ Rear extension connector for all other add-ons.
- ★ Free demo program and instructions.

PACKAGE CONTENTS SUPPLIED

- Programmable Interface Module as illustrated, complete with clip-on programming leads.
- Self adhesive programming chart detailing how to define which key is simulated by UP, DOWN, LEFT, RIGHT, and FIRE. This can be fixed on to the case of your computer or if preferred the protective backing can be left on. The chart is made of a very durable reverse printed plastic and is extremely easy to read.
- One pack of ten Quick Reference Programming Cards for at-a-glance setting to your games requirements. The card allows you to mark the configuration in an easy to read fashion with space to record the software title and company name.
- Video Graffiti demonstration program which is written totally in BASIC to illustrate how all eight directions and fire can be read. This is also a useful high resolution drawing program.
- 12 months guarantee and full written instructions.

JOYSTICKS

CONTROLLERS

FOR USE WITH OUR INTERFACE Module or VIC 20, Commodore 64, Atari VCS, Atari 400, Atari 800

If you require extra Joysticks for our original interface module mark order 'OLD' Joysticks

ONLY £7.54 inc VAT + P&P

FROM: MR/MRS/MISS

ADDRESS

SEND C.W.O. (NO STAMP NEEDED) TO: A.G.F. HARDWARE, DEPT. **YC,**

FREEPOST, BOGNOR REGIS, WEST SUSSEX, PO22 9BR

QTY	ITEM	ITEM PRICE	TOTAL
	PROGRAMMABLE INTERFACE	33.95	
	JOYSTICK(S)	7.54	
	PACK(S) QUICK REFERENCE CARDS	1.00	
ONE	VIDEO GRAFFITI	FREE	
ZX81 ☐ ZX SPECTRUM ☐ Please tick		FINAL TOTAL	

DEALER ENQUIRIES WELCOME *EXPORT PRICES ON APPLICATION*

...O.K. on all issue Spectrums...

FORTH SPECTRUM

David Millington presents a program to develop Forth on your Spectrum.



THIS VERSION OF the computer language Forth will run on the 48K Spectrum, but because of many of the Poke addresses used, it is not compatible with Microdrives and the Interface 1 operating system.

It consists of two distinct parts; a compiler and editor written in Basic and a set of Forth words in machine code. The main advantage of Forth as a language is its very fast execution speed and this implementation will run typically 50 times faster than Basic.

The speed increase is due to the fact that a Forth program is converted directly into machine code, and the modular nature of Forth makes the process of compilation very easy. Since the compiler in my version is in Basic, it compiles quite slowly, but the code produced will run as fast as commercial Forths.

The theory of simple programming in Forth has been covered in previous issues of *Your Computer*, but I will recap the simple concepts for those who are new to the language. My implementation is mostly standard Forth and includes all the usual structures, but it differs in its use of variables and strings and is less flexible in the methods of defining words. However, it should serve as an introduction to the advantages of the language and can be used for applications such as graphic games as I hope to show in a future article.

Before we can begin to use Forth though there is the daunting task of entering the listings. Figure 1 is the compiler which should be typed in and secured on tape with the command

```
SAVE "forth LINE 8500
```

Special care should be taken with the string handling and Poke statements since any errors will be difficult to trace later causing much frustration. Figure 2 will create the block of machine code word definitions using extensive checksumming, and when the hex data is bug-free, it will Save the machine code on tape after the compiler.

Rewind the tape and type

```
LOAD "forth
```

and both parts of the program will load. You should be presented with the title and after a short pause, a question mark prompt and a flashing blank cursor will appear at the bottom, awaiting your commands.

The main feature of Forth is the stack which is simply a pile of numbers. A number can be added to the top of the stack and later the top number can be removed. These two simple operations are the basis of Forth. You should now type in 23 and press enter, and this number will be placed on top of the stack. If you now type a full stop and enter, the top number on the stack will be removed and printed. The full-stop is an example of a Forth word, many of which do something to the stack as shown. The word + will fetch the top two numbers from the stack, add them together, and place the sum back on top. You should now be able to use Forth to add together two numbers and print the result. One way is to enter

```
23 45 + .
```

and the answer 68 will appear. This also illustrates how several items can be entered together separated by spaced. Similarly the words - , / , * are available for arithmetic, and complex expressions can be evaluated. Consider the Basic statements

```
PRINT (5 + 11)/(5 3)
```

The equivalent in Forth is

```
5 11 + 5 3 - / .
```

Both will yield the answer 8. If the Forth version seems strange, study figure 3 which details the effect upon the stack as each command is executed. Forth simply requires each operation to be placed after the operands instead of in between, whether they are numbers or other expressions. This is known as postfix notation, and it automatically removes the need for brackets.

You should experiment with various expressions until you are sure what is happening and how the stack is being used. Sooner or later you will discover that Forth

(continued on page 161)

Figure 1

```
  1 REM ************************
  2 REM *FORTH COMPILER/EDITOR*
  3 REM *                      *
  4 REM * © D.MILLINGTON 1983 *
  5 REM ************************
  6:
  7:
 50 DEF FN h(a$)=CODE a$-48-(39
 AND a$>="a")
 100 LET addr=44016: LET addr1=a
ddr
 105 LET end=addr
 110 LET vars=43000
 120 GO SUB 6000: GO SUB 7000
 130 PRINT AT 21,0;
 140 LET ed=0: LET sp=1: DIM s$(
3004)
2000 REM MAIN KEYBOARD LOOP
2090 LET def=0
2100 IF ed THEN RETURN
2102 IF NOT ed THEN POKE 23617,1
58: INPUT "? "; LINE l$: PRINT l
$
2105 IF l$="" THEN GO TO 2102
2107 IF l$(1)="*" AND def=0 THEN
 GO TO 3000
2108 IF def OR l$(1)=":" THEN LE
T s$(sp TO )=CHR$ LEN l$+l$: LET
 sp1=sp: LET sp=sp+LEN l$+1
2110 IF l$(1)=":" THEN GO TO 250
0
2120 IF l$(LEN l$)=";" THEN GO T
O 2600
2130 IF def THEN GO TO 2700
2200 LET addr=end: GO SUB 5000
2210 POKE addr,201: LET x=USR en
d: GO TO 2100
2510 LET pos=1: GO SUB 6000: LET
 w$=w$(2 TO )
2520 LET def=1: LET no=no+1: LET
 d$(no)=w$: LET a(no)=addr
2530 LET l$=l$(pos+1 TO ): GO TO
 2120
2600 IF LEN l$>1 THEN LET l$=l$(
 TO LEN l$-1): GO SUB 5000
2603 POKE addr,201: LET addr=add
r+1: LET end=addr
2605 LET def=0
2610 GO TO 2100
2700 GO SUB 5000: GO TO 2100
3000 REM COMPILER COMMANDS
3010 LET l$=l$(2 TO )
3015 IF l$="list" THEN GO TO 330
0
3017 IF l$="del" THEN LET sp=1:
LET s$="": GO TO 2100
3020 IF l$( TO 5)="edit " THEN G
O TO 3200
3025 IF l$="pr on" THEN OPEN #2,
"p": GO TO 2100
3030 IF l$="pr off" THEN CLOSE #
2: GO TO 2100
3035 IF l$="dlist" THEN FOR i=1
TO no: PRINT d$(i),a(i): NEXT i:
 GO TO 2100
3040 IF l$="reset" THEN RUN
3050 IF l$( TO 5)="dsave" THEN L
ET a(81)=end: LET a(82)=no: SAVE
 l$(7 TO ) DATA a(): SAVE l$(7 T
O ) DATA d$(): SAVE l$(7 TO )COD
E 44016,end-44015: GO TO 2100
3055 IF l$( TO 5)="dload" THEN L
OAD l$(7 TO ) DATA a(): LET end=
a(81): LET no=a(82): LOAD "" DAT
A d$(): LOAD ""CODE : LET sp=1:
LET s$="": GO TO 2100
3060 IF l$( TO 5)="ssave" THEN L
ET s$(3001 TO )=STR$ sp: SAVE l$
(7 TO ) DATA s$(): GO TO 2100
3065 IF l$( TO 5)="sload" THEN L
OAD l$(7 TO ) DATA s$(): LET sp=
VAL s$(3001 TO ): LET p=1: GO TO
 3260
3070 IF l$( TO 5)="asave" THEN S
AVE l$(7 TO )CODE 43200,end-4319
9: GO TO 2100
3100 GO TO 2100
3200 LET a$=l$(6 TO ): LET p=1
3210 IF s$(p+1)=":" THEN GO TO 3
220
3215 LET p=p+CODE s$(p)+1: IF p>
=sp THEN LET e=1: GO TO 9530
3216 GO TO 3210
3220 IF s$(p+2 TO p+1+LEN a$)<>a
$ THEN LET p=p+CODE s$(p)+1: GO
TO 3210
3225 LET p1=p
3230 LET e$=s$(p+1 TO p+CODE s$(
p)): LET sp=sp-LEN e$: GO SUB 71
00: LET sp=sp+LEN e$: LET s$(p T
O )=CHR$ LEN e$+e$+s$(p+CODE s$(
p)+1 TO )
3235 PRINT e$
3240 IF e$(LEN e$)<>";" THEN LET
 p=p+LEN e$+1: GO TO 3230
3250 LET w$=a$: FOR i=1 TO no: I
F d$(i)<>w$( TO 10) THEN NEXT i:
 LET e=1: GO TO 9530
3255 LET end=a(no): LET no=i-1:
LET p=p1
3260 LET addr=end: LET ed=1
3270 LET l$=s$(p+1 TO p+CODE s$(
p))
3280 GO SUB 2110: LET p=p+CODE s
$(p)+1: IF p<sp THEN GO TO 3270
3290 LET ed=0: GO TO 2100
3300 LET p=1: PRINT
3310 PRINT s$(p+1 TO p+CODE s$(p
)): IF s$(p+CODE s$(p))=";" THEN
 PRINT
3315 LET p=p+CODE s$(p)+1: IF p<
sp THEN GO TO 3310
3320 GO TO 2100
5000 REM COMPILE L$ AT ADDR
5010 LET addr1=addr: DIM w$(32)
5020 IF l$(1)="(" THEN RETURN
5100 LET pos=1: LET last=0
5110 IF last THEN RETURN
5115 GO SUB 6000
5120 IF w$(1)>="0" AND w$(1)<="9
" OR w$(1)="-" AND w$(2)<>" " TH
EN GO TO 5500
5130 IF w$(2)="0" THEN GO TO 560
0
5140 IF w$(2)="!" THEN GO TO 570
0
5160 IF w$(1)="#" THEN GO TO 585
0
5170 IF w$(1)="""" THEN GO TO 59
00
5200 FOR i=1 TO no: IF w$( TO 10
)<>d$(i) THEN NEXT i: LET e=1: G
O TO 9530
5210 POKE addr,205: LET addr=add
r+1: LET dd=a(i): GO SUB 5100
5220 GO TO 5110
5505 LET dd=VAL w$: IF dd<0 THEN
 LET dd=65536+dd
5510 POKE addr,33
5520 LET addr=addr+1: GO SUB 610
0
5525 GO SUB 6200
5530 GO TO 5110
5610 LET v=CODE w$-97
5615 IF v<0 OR v>25 THEN LET e=7
: GO TO 9530
5620 POKE addr,42: LET addr=addr
+1
```

(listing continued on page 161)

SIR COMPUTERS

Sir Research presents:

our range of peripherals for the new Acorn Electron

SIR ELECTRON 8-ROM BOARD

- Provides for up to 128K of ROM space.
- Fully buffered design.
- Easy to install, just plugs in, no soldering necessary.
- Allows further expansion via rear edge-connector.
- Permits use of most BBC ROM-based software (such as VIEW, PASCAL, FORTH, etc).
- Price: £40.00 + VAT.

SIR ELECTRON PRINTER & JOYSTICKS INTERFACE

- CENTRONICS printer interface.
- Analogue-to-Digital Converter (ADC) allows use of any BBC-compatible joysticks.
- Full firmware support.
- No soldering, plug-in design.
- Built-in, versatile edge-connector provides for further expansion.
- Price: £45.00 + VAT.

AVAILABLE SOON: INPUT/OUTPUT PORT, RS423 INTERFACE, and more!

BBC ROM EXPANSION BOARD



THE ROM BOARD FOR THE BBC MICRO

- Easy to install, no soldering, full instructions provided.
- 12 extra sockets allow up to 256K ROM space.
- Fully buffered.
- Fits easily inside BBC case.
- Price (Model 1): £35 + VAT.
- NEW MODEL 2 (with facilities for up to 16K RAM): £40 + VAT.

NOW WITH RAM!

We also stock a complete range of BBC Micro peripherals and software, many at unbeatable prices! The following are just a small sample:

BBC MICROCOMPUTER

BBC Model B	£399.00
BBC Model BD	£469.00

MONITORS

Sanyo B/G	£85.00
Microvitec RGB	£249.00

PRINTERS

Dot Matrix:	
Epson FX-80	£399.00
Epson RX-80	£275.00
RX-80 F/T	£299.00
Shinwa CP-80	£263.35
Daisywheel:	
Juki 6100	£399.00

DISC DRIVES

Single 100K	£199.00
Dual 100K	£349.00
Dual 400K	£669.00
TORCH Z80 DISC PACK: (Now with FREE £1000 worth of software!)	£839.50

Please add £1 P&P (small items); £10 P&P (large items).
Access/Barclaycard telephone orders welcome.

SIR COMPUTERS LTD.
91 Whitchurch Road, Cardiff CF4 3JP
Telephone: Cardiff (0222) 621813

(listing continued from page 159)

```
5630 LET dd=vars+v*2: GO SUB 610
0
5635 GO SUB 6200
5640 GO TO 5110
5710 LET v=CODE w$-97
5715 IF v<0 OR v>25 THEN LET e=7
: GO TO 9530
5720 GO SUB 6250
5730 POKE addr,34: LET addr=addr
+1
5740 LET dd=vars+v*2: GO SUB 610
0
5750 GO TO 5110
5855 LET w$=w$(2 TO )
5860 IF w$(1)=" " THEN GO TO 511
0
5865 POKE addr,FN h(w$(1))*16+FN
 h(w$(2)): LET addr=addr+1
5870 LET w$=w$(3 TO ): GO TO 586
0
5902 POKE addr,33: LET addr=addr
+1: LET dd=addr+7: GO SUB 6100:
GO SUB 6200
5905 POKE addr,24: LET i=2
5910 LET w$=w$(2 TO ): IF w$(1)=
"""" THEN GO TO 5920
5915 POKE addr+i,CODE w$: LET i=
i+1: GO TO 5910
5920 POKE addr+i,13: POKE addr+1
,i-1: LET addr=addr+i+1
5940 GO TO 5110
6000 REM PICK UP NEXT WORD
6005 LET last=0
6010 IF l$(pos)=" " THEN LET pos
=pos+1: GO TO 6010
6015 IF l$(pos)="""" THEN LET po
s=pos+1: GO TO 6040
6020 FOR z=pos TO LEN l$: IF l$(
z)<>" " THEN NEXT z: LET z=z-1:
LET last=1
6030 LET w$=l$(pos TO z): LET po
s=z: RETURN
6040 FOR z=pos TO LEN l$: IF l$(
z)<>"""" THEN NEXT z: LET z=z-1:
 LET last=1
6045 IF z=LEN l$ THEN LET last=1
6050 LET w$="""+l$(pos TO z): L
ET pos=z+1: RETURN
6100 REM STORE DD AT ADDR
6110 POKE addr,dd-256*INT (dd/25
6)
6120 POKE addr+1,INT (dd/256)
6130 LET addr=addr+2: RETURN
6199 REM STORE A CALL PUSH COMMA
ND
6200 POKE addr,205: LET addr=add
r+1: LET dd=40010+3198: GO SUB 6
100: RETURN
6249 REM STORE A CALL POP COMMAN
D
6250 POKE addr,205: LET addr=add
r+1: LET dd=40022+3198: GO SUB 6
100: RETURN
7000 IF PEEK 43100=229 THEN GO T
O 7090
7010 REM SET UP EDITOR/ERROR TRA
P ROUTINES
7020 RESTORE 7050: FOR i=1 TO 3:
 READ e
7030 READ c: IF c<>-1 THEN POKE
e,c: LET e=e+1: GO TO 7030
7040 NEXT i
7050 DATA 43100,229,42,176,92,12
6,35,34,176,92,225,55,201,-1
7060 DATA 43120,253,203,1,222,20
5,166,10,245,254,7,40,10,254,10,
40,6,254,11,40,2,241,201,241,62,
0,167,201,-1
7070 DATA 43150,50,56,92,58,129,
92,205,176,22,62,255,205,1,22,62
,253,215,62,01,215,195,160,10,24
,231,-1
7080 POKE 23562,11: POKE 23745,9
2: POKE 23747,168
7090 LET e=PEEK 23613+256*PEEK 2
3614: POKE e,142: POKE e+1,168:
LET q=9500
7095 RETURN
7100 REM EDIT e$
7110 LET x=USR 5808: PRINT #4;e$
7115 PRINT #0;"? ";: POKE 23736,
112: POKE 23737,168
7120 POKE 23617,168: POKE 23643,
PEEK 23641: POKE 23644,PEEK 2364
2: LET x=USR 3864
7125 POKE 23726,PEEK 23641: POKE
 23729,PEEK 23642
7130 INPUT #4; LINE e$
7140 RETURN
8000 REM LOAD DICTIONARY ENTRIES
8010 DIM d$(62,10): DIM a(62): R
ESTORE 8090: READ no
8020 FOR i=1 TO no: READ d$(i),a
(i): NEXT i
8030 RETURN
8090 DATA 35
8100 DATA "+",43232,"-",43245,"d
rop",43260,"dup",43264,"*",43276
,"emit",43309,".",43316
8110 DATA "/",43419,"clear",4352
8,"swap",43536,"over",43557,"=",
43576,"<",43603,">",43609
8120 DATA ">",43616,"+",43637,"?
",43648,"!",43658,"@",43672,"key
",43683,"get",43711
8130 DATA "g",43741,"begin",4375
2,"until",43755,"while",43768,"d
o",43780,"loop",43792,"+loop",43
812
8140 DATA "ind",43864,"if",43874
,"else",43885,"then",43890,"repe
at",43949,"allot",43997,"abort",
44014
8500 CLEAR 42999: LOAD "words"CO
DE
8510 PRINT AT 4,0; INVERSE 1;"**
**********************************
";TAB 31;"**                    ZX FORTH
**        © D.MILLINGTON 1
983       **";TAB 31;"**********
**********************"
8520 POKE 23658,0: GO TO 100
9499 REM ERROR HANDLING
9500 IF PEEK 23661=16 THEN GO TO
 9999
9510 LET e=PEEK 23613+256*PEEK 2
3614: POKE e,142: POKE e+1,168
9520 LET e=PEEK 23661
9530 PRINT : IF e=255 THEN PRINT
 "Program ABORTed": GO TO 9550
9532 IF e<>12 AND e<>26 THEN PRI
NT "ERROR-";
9535 RESTORE 9600: FOR i=1 TO 10
: READ x,e$: IF x<>e THEN NEXT i
: GO TO 9550
9540 PRINT e$;,
9550 BEEP .1,17
9560 LET addr=addr1: IF ed THEN
LET p=p1: GO TO 3225
9565 IF def THEN LET sp=sp1
9590 GO TO 2100
9600 DATA 1,"Undefined word",2,"
Bad line",5,"Division by zero",7
,"Bad variable",10,"Number out o
f range",11,"Invalid number",12,
"BREAK",14,"Invalid name",19,"In
valid colour code",26,"Tape load
ing ERROR"
9999 CLOSE #2: CLS : PRINT "Exit
 from ZX FORTH"
```

(continued from page 159)

operates only on integers. Try

```
20 6 / .
```

and the answer 3 is produced. The range of numbers which can be handled is 32768 to 32767 although any between 32768 and 65535 can be entered and they will be converted to negatives. If you try to enter anything outside this range then the error message 'Number out of range' will appear. A full list of the systems error messages is given in figure 4 for reference.

So far we have done only simple calculations in direct mode and you are probably waiting to try a full program. The main point to realise is that a Forth program bears little resemblance to either Basic or machine code. There are no line numbers and there is no sequential order of instructions that constitute an actual program.

Instead we store instructions by defining words. You have met five words so far and those which you define yourself can be used in exactly the same way. Suppose we wish to define a word called average which will calculate the average of three numbers. Enter

```
:average + + 3 / .;
```

There will be a delay while the word is compiled, and then the prompt and cursor will reappear. The syntax for defining a word is a colon followed by the name we wish to use followed by a sequence of operations and terminated with a semicolon. There is no space after the colon or before the semicolon. If you now enter 10 14 3 average then 9, the average of these three numbers will be printed.

The word average is now as much a part of the computer's Forth vocabulary as the built in or 'core' words, and all are stored in an area of memory called the dictionary. You can define further words using both core words and your own, and the idea is to evolve a program consisting of nested word definitions until typically only a single word is needed to execute your program.

This makes program development easier than in Basic since tasks can be subdivided and appropriate words written and tested separately. The importance of the stack becomes apparent since it is used to pass parameters to and from words, as was demonstrated with the word average.

Figure 5 lists and briefly explains most of the Forth words supported. Those already familiar with the language should be able to try some larger programs, but before embarking on anything too adventurous you will need to know how to edit your work in case of errors. Forth is just as prone to program bugs and typing errors as Basic but, like any compiled language, errors take a long time to correct.

There are several commands for editing and using peripherals and these are listed in figure 6. It should be noted that these are not part of the Forth language and are by no means standard in any other Forth systems which instead use screens for editing. To indicate a system command you should begin the line with an asterisk. Enter * edit average and you should find the definition brought to the bottom of the screen just as you first entered

(continued on page 163)

Figure 2

```
  1 REM ************************
  2 REM *  FORTH MACHINE CODE  *
  3 REM *                      *
  4 REM * © D.MILLINGTON 1983 *
  5 REM ************************
  6 REM ACKNOWLEDGEMENTS
  David Threlfall July '83 for
  several useful integer
  arithmetic routines;
  Nigel Dore October '83 for
  method of extensively check-
  summing the hex data.
  9:
 10:
100 DATA "E8FDE8FDE8DDE8DDE82AC
2A0237023702202A0C202A0C2A0552A5E"
110 DATA "2202C2A0EDC9CDD4A0444
0CDD4A0444DCDD4"
120 DATA "ABA7ED42CDC8A6CDDD4A
6CDD4A6E6CDC6A6E1CDC6A6C9CDD4A"
130 DATA "A8545DD5CDD4A6D1061E4
A7BEB210000C0391F3001119EB29EB10"
140 DATA "F5CDC8A6C9CDD4A67DD7C
9CDD4A6CB7C2806E2DD7CD93A911107"
150 DATA "27CD60A9301811E603CD6
0A9301611640CD60A9301411640CD"
160 DATA "60A9301210C378A9CD65A91
1E603CD65A9116400CD65A9110A00CD"
170 DATA "60A9110100CD65A9AFC9E
5A7EDBAE1C93E30A7EDB23003C16F9"
180 DATA "19D7C97C2F677D2F6F23C
9CDD4A6B4BDD5CDD4A6D17B5220D5ACD"
190 DATA "F3A9C57C6207365148421
10000D5EB2329EB597995769CEB30F8"
200 DATA "EBEBAF7C1F677D1F6FB4A
816EBAFCB11CCB1D7995769CFAC6A979"
210 DATA "954F789C47E319E318DDE
1C1CB780493A9CDC8A6C9447C17DC93"
220 DATA "A9EB7CA647CB7CCD60A9C
9CF052AC0A922C2A622AC4A622C6A6C9"
230 DATA "CDD4A6E5CDD4A6E444DE1C
DC8A6B069CDC8A6C922AC2A6225B285E"
240 DATA "23562323737223722BC3A
8C9CD46AA2A8C1838CD46AA362B1820"
250 DATA "CDD4A67CEE8474DCDD4A
67CEE8067A7ED42C9CD46AA3608180F"
260 DATA "CD46AA360A2B361808210
100C3C6A621000EC3C6A6CDD4A6E5CD"
270 DATA "D4A67DE177C9CDD4A6E2
600CDC6A6C9CDD4A6E5CDD4A6E444DE1"
280 DATA "7123730C9CDD4A6E2356E
5CDC6A6C9CDD6E0E0E00200CCD1E0330"
290 DATA "0715EFCD0330180023E000
F2600CDC6A6C9FDCB01AEFDCB0166E28"
300 DATA "FAFD6ECE2600CDC6A6180
0FD56FF61C000CD6503C9CDD4A67EFE"
310 DATA "0DC0D72318F8E1E5E9CDD
4A67CD5E1D1200EE9E5E5E9CDD4A67C"
320 DATA "B5C0E1D1CDB1A8E9C1C5C
5D4A8E8CDD4A8E8C8C9DDE1C1E1E545D"
330 DATA "10A7ED422805E1E5D5C5E
9E1DDE9DDE1C1C9E60A047CDD4A0545D"
340 DATA "E119CB12F8E545D3E00AC6
7F1388DA7ED423000200071000EA7ED42"
350 DATA "2000E1E5D5C5E60A047C5E
9E1DDE9D1C1E1E6C8D5CDC8A6C9CDD4"
360 DATA "A67CB5C0E1CD73A8E9E1C
D73A8E9C9160003ECD0100004EDB14E23"
370 DATA "4623E5216DA8A7ED422861
7217ADA7ED422815216DA8A7ED42286"
380 DATA "03E110D9E11410D5E17AA
7200D0C9E17AA7CB1518C8E1E1E5E916"
390 DATA "003ECD0100004EDB14E234
623E521F8AAA7ED422800211DA8A7ED"
400 DATA "422807E116E114E116DDE
17AA7CB1518D8CDD4A6E8E8AC6A6E619"
410 DATA "22C6A8E1CDC8A6C9CFFF0
0000000000000000000000000000000"
500 DATA 45205,57439,59335,3191
0,45248,29097,37372,44343,51962,
42946,49200,55993,50479,46448,30
579,41992,46047,58299,33425
510 DATA 41955,52972,62560,5527
6,56701,03627,59552,40787,30361,
54357,44498,58046,11256,24428314
1000 CLEAR 43199: LET a=43200: D
IM a(32): LET f=0
1010 RESTORE 500: LET c=0: FOR i
=1 TO 32: READ a(i): LET c=c+a(i
): NEXT i: READ v: IF c<>v THE
N PRINT "Error in lines 500 or 5
10": STOP
1020 FOR i=100 TO 410 STEP 10: R
ESTORE i: LET c=0: READ a$
1030 FOR n=1 TO 51 STEP 2: LET (
=CODE a$(n+1): LET h=CODE a$(n)
1040 LET v=((-48-((h>57)*7)+(h-48
-((h>57)*7))*16: LET c=c+v*((n+1)/
2)
1050 POKE a,v: LET a=a+1: NEXT n
: IF c<>a(i/10-9) THEN PRINT "Er
ror in line ";i: LET f=1
1060 NEXT i
1070 IF f THEN PRINT "Correct mi
stakes and rerun": STOP
1080 SAVE "words"CODE 43200,617
```

Figure 3.

Expression	5	11	+	5	3		
Stack					3		
		11		5	5	2	
	5	5	16	16	16	16	8

Calisto Computers Ltd.

119 JOHN BRIGHT STREET, BIRMINGHAM. Tel: 021-632 6458

BEST OF ATARI

ATARI SPECIAL OFFERS

KEYBOARD 400 CS			39.95
HELLCAT ACE	C	32K	17.50
FLOYD OF THE JUNGLE	C	32K	17.50
CHOPPER RESCUE	C	32K	17.50
THORN EMI NURSERY RHYMES	C	16K	6.00
STORY MACHINE	D	48K	15.00
FACE MAKER	D	48K	15.00
SNOOPER TROOPS 1	D	48K	15.00
SNOOPER TROOPS 2	D	48K	15.00
SHOOTING ARCADE	C	16K	15.00
PACIFIC COAST HIGHWAY	C	16K	15.00
CLOWNS & BALLOONS	C	16K	15.00
KAYOS	C	16K	9.95
ZORK I	D	32K	29.95
ZORK II	D	–	–
ZORK III	D	–	–
DEADLINE	D	–	37.95
STARCROSS	D	–	29.95
WITNESS	D	–	37.95
SUSPENDED	D	–	37.95
REPTON	D	48K	27.95
THE BLADE OF BLACK POOLE	D	48K	27.95
ZAXXON	C	16K	29.95

ADVENTURE INTERNATIONAL

ADVENTURES 1-12	each	C	24K	17.99
SAGA 1,2,3 & 6	each	D	48K	28.99
SEA DRAGON		C	16K	25.49
SEA DRAGON		D	32K	25.49
STRATOS		C	16K	25.49
STRATOS		D	32K	25.49
THE CURSE OF CROWLEY MANOR			16K	17.99
ESCAPE FROM TRAAM			16K	17.99
PREPPIE I		C/D	16K/32K	21.99
PREPPIE II		C/D	16K/32K	25.49
BASIC ROUTINES		C	16K	17.99
BASIC ROUTINES		D	32K	17.99
DISKEY		D	32K	35.99
REAR GUARD		C	16K	14.49
REAR GUARD		D	32K	17.99
ELIMINATOR		C	16K	17.99
ELIMINATOR		D	32K	17.99
BUG OFF		C	16K	7.99
BUG OFF		D	32K	9.99
TUTTI FRUTTI		C	16K	7.99
TUTTI FRUTTI		D	16K	9.99
STONE OF SISYPUS		D	40K	28.99
M.U.L.E.		D	48K	29.95
WORMS		D	48K	29.95
PIN BALL CONSTRUCTION SET		D	48K	29.95
HARD HAT MACK		D	48K	29.95
ARCHON		D	48K	29.95
D BUG		D	48K	29.95
AXIS ASSIN		D	48K	29.95
MURDER ON THE ZINDERNEUS		D	48K	29.95
PLANET FALL		D	48K	37.95

BBC

Home Accounts		9.95
Mathsgolf		7.95
RealBase		9.95
Business Accounts		14.95
Disassembler		6.95
Tornatrek		7.95
Astro Navigator		5.95
Star Trek		5.95
Spacemaze		6.95
World Geography		6.95
Eldorado Gold		6.95
Junior Maths		6.95
Where		6.95
Laser Command		7.95
Folks in the Factory		7.95
Folks and the Fruit Monsters		7.95
Bandits at 3 o'Clock		7.95
Bug Blaster		7.95
Lunar Rescue		5.95
Cosmic Asteroids		5.95
Fruit Machine		5.95
Dimon	cassette	7.95
Dimon	disc	11.95
Revitower	cassette	9.95
Revitower	disc	13.95
Hunchback		7.95
Q*Bert		7.95
Cuthbert		7.95
Centipede		7.95
Road Runner		7.95
Spacefighter		7.95
Frogger		7.95
Alien Dropout		7.95
Galaxians		7.95
Invaders		7.95
Fruit Machine		7.95
Cribbage		6.95
Pontoon		6.95
Valley of the Pharoahs		6.95
Space Adventure		6.95
Starforce Leader		6.95
Star Trader		6.95
747 Landing Simulator		7.95
Wordsworth	cassette	17.25
Wordsworth	disc	22.50
Moonraider		7.95
Swoop		7.95
Alien Destroyers		7.95
Galactic Commander		7.95
Chemistry		6.95
Killer Gorilla		7.95
Croaker		7.95
Chess		7.95
Wall		5.95
Physics		6.95
Danger UXB		7.95
Escape from Moonbase Alpha		7.95
Asteroid Storm		7.95
Alien Swarm		6.95
Barrage BBC		7.95
Bomb Time		6.95
Caverton Adventure		6.95
The Labyrinths of LaCosta		7.95
Beebmon		7.95
Zeus		6.95
Chinese		7.50
Sea Lord		7.50
Graphics Package		6.50
Music Synthesizer		6.50
Shrinking Professor		6.00
Horror Castle		6.00
Bounce		6.00
Hovercat		6.00
Bug Bomb		7.95
Landfall		7.95
Space Adventure		7.95
Star Maze		6.50
Pres Co		6.50
Connect 4		7.50
Davis Causeway		6.50

SPECTRUM

Aspect	6.95
Armageddon	5.95
Kong	5.95
Robotics	5.95
Digger Dan	5.95
Transversion	5.95
Grid Run	5.50
Raider of the Cursed Mine	5.50
Detective	5.50
Last Sunset for Lattica	5.50
Ah Diddums	5.50
Molar Maul	5.50
Sidewinder	5.50
Arcadia	5.50
Jumpin Jack	5.50
Zoom	5.50
Zip Zap	5.50
Halls of the Things	7.50
The Dungeon Master	7.50
Cosmic Guerrilla	5.50
Golden Baton	5.95
Circus	5.95
Chuckie Egg	5.90
Lunar Jetman	5.50
Atic Atac	5.50
Valhalla	14.95
Styx	5.95
Pool	5.95
Manic Miner	5.95
Aquarius	5.95
Gen Election	6.95
Cards	6.95
Jungle Fever	6.50
Tutor Chess	6.95
Adventure E "Golden Apple"	6.95
Krakit	7.95
3D Quadracube	4.95
Galaxians	4.95
3D Combat Zone	5.95
Cosmic Debris	4.95
Invasion Force	4.95
Gobbleman	4.95
Jet Pack	5.50
Pssst	5.50
Transam	5.50
Cookie	5.50
Ysmp	7.95
Starfire	7.95
Sheepwalk	7.95
Golf	7.95
Frenzy	5.50
Caterpila	5.50
Road Frog	5.50
Monster Muncher	5.50
Black Hole	5.50
Violent Universe	5.50
Black Crystal	7.50
Volcanic Dungeon	5.00
Artic Atac	5.50
Pyramid	5.50
Wally Kong	5.95
Sybo Run	5.95
Gob Stopper	5.95
Mutant Ant Attack	5.95
Ten Little Indians	9.95
Perseus and Andromeda	9.95
Wizard of Akyrs	9.95

To: CALISTO COMPUTERS LTD, 119 JOHN BRIGHT STREET, BIRMINGHAM.
PLEASE ACCEPT MY ORDER FOR THE FOLLOWING PROGRAMS:

1. .....
2. .....
3. .....
4. .....
5. .....

Cheque No. ..... for £ ..... enclosed.

Please debit my credit card ACCESS/VISA No. .....

Phone orders welcome on 021-632 6458. Signed .....

POSTAGE AND PACKING TO BE CHARGED ON OVERSEAS ORDERS

Calisto Computers Ltd.

Despatch to:

Name: .....

Address: .....

.....

SPECIALISTS IN MICROCOMPUTERS AND SOFTWARE
119 JOHN BRIGHT STREET, BIRMINGHAM B1 1BE
Telephone: 021-632 6458

(continued from page 161)

it. It can be altered using standard cursor controls and entered when finished. Alter it to

```
:average + + + 4 / .;
```

to allow the average of four numbers to be found. On pressing enter you will hear a stange squeek which is an effect of the Sinclair editor being used at high speed. After several seconds the cursor will reappear with the amendment made to average.

In general, the more words you have defined, the longer the delay will be since a lot of recompiling must be done. Every definition you enter is stored in a source code buffer in case editing is required later. The command *list will list ever definition in the buffer. However, if you type *del then the source buffer is cleared and you will be unable to edit average although it can still be used in Forth. This explains why you cannot edit the core words.

There are Save and Load commands for both the source buffer and the Forth dictionary, again described in figure 6. After a *sload command there will be a long delay while the source code is compiled. The command *reset will delete everything and start Forth from the beginning again. If you have a ZX printer then it can be turned on with *pr on, allowing all output to be printed, *pr off will cancel this facility.

As stated before, figure 5 contains brief explanations of the more common Forth words. Emit is used for printing single characters, and on the Spectrum it is especially useful since it can handle the usual colour and position control characters. For instance

```
16 emit 4 emit 42 emit
```

will print a green star. There are two words which deal with keyboard input, but only at the single character level. Get will wait for a key or shifted key to be pressed, and returns its code on the stack. It will produce the standard key click, and when it is called rapidly, it will allow keys to repeat. The other word is key, and this works like Inkey$ in Basic.

It will return the code of the key which is being pressed, or 0 if none is pressed. There is no implied wait as there is with Get.

There are four words for manipulating the stack and these are illustrated diagramatically in figure 5b. The most useful is dup, as it will duplicate the top number, allowing one copy to be used and the other preserved for later use.

In any computer language, the ability to perform repeated operations using loops, and to make decisions are very important. You may think that the absence of line numbers and Goto will make this difficult but, in fact, Forth provides several useful control words and these allow clearer program structures to be set up than in Basic.

There are direct equivalents of Basic's For-Next statements and these are do and loop. The actual layout of this and the other structures are shown in figure 5. The word ind will place the index counter of the loop on the stack where it can be used.

In standard Forth this word is simply I, but I have altered it to avoid confusion with the variable I. The word +loop will allow steps of other than 1. The following direct lines illustrate how different step sizes and directions are catered for, and should be entered individually:

```
20 1 do ind . loop
1 20 do ind . loop
100 1 do ind . 17 + loop
30 30 do ind . -2 + loop
```

Figure 7 contains the definition of a word called count, which uses a loop to show the speed of Forth. Two points are shown from this listing. A Forth word definition can span several lines providing the : and ; mark the beginning and end, and also comments can be included providing they are on a separate line and surrounded by brackets.

Enter the definition and execute it by typing count, and you should see the numbers from 1 to 10000 being rapidly printed in the top left of the screen. You should also try editing count to see how each line is presented

(continued on page 166)

Figure 4. Forth compiler error messages.

Undefined word	A word is either undefined in the dictionary or in the case of *edit, the source code of the definition is unavailable.
Bad line	The line entered generally does not make sense. This error may also be produced if you exceed the memory reserved for the compiler.
Bad variable	An illegal variable name has been used.
Division by zero	1 0 / has been attempted, for example.
Number out of range	A number outside the range 32768 to 65535 has been entered.
Invalid number	A number contains a non-numeric character.
BREAK	Break was pressed when using tape, printer or 'scroll ?'
Invalid name	Illegal file name in cassette commands.
Invalid colour code	Same as in Basic.
Tape loading error	Same as in Basic.
Program ABORTed	The word abort has been executed.

After any error message, the line containing the error must be entered again in full. If any error occurs after editing a word, the word will automatically be presented again for editing, starting from the beginning, and you must skip through it by pressing enter, until you reach the offending line.

Figure 5. Summary of main Forth words.

Arithmetic operators:

+	Add two numbers and place result on stack
-	Subtract top number from second number
*	Multiply top two numbers
/	Divide top number into second number. Result is rounded to lowest integer

Input/Output:

.	Print top number in decimal form
emit	Print character whose code is on stack
get	Wait for a key to be pressed and return its character code
key	return code of key being pressed, or 0 if none

Conditional operators:

=, <>, <, >	Compare top two numbers according to specified condition, and return 1 if the condition holds, otherwise 0

Stack manipulation: (see Figure 5b)

drop	Remove top number from stack
dup	Duplicate top number on stack
swap	swap top two numbers around
over	copy second number on stack to the top, over the original top number

Control structures:

In the following descriptions, the items in brackets refer to any appropriate block of Forth words. All structures can be nested within themselves and others to any level, but all the words at any one level of nesting must be in the same word definition. (finish) (start) do (code) loop

Perform an indexed loop, with index starting at (start) and counting up or down by one until (finish) is reached. (code) is repeated appropriate number of times.

(finish) (start) do (code) (increment) +loop

Same as previous, except size of increment is specified.

begin (code) (condition) until

(code) is repeated until (condition) gives a true (non zero) value.

begin (condition) while (code) until

(code) is repeated as long as (condition) gives a true value. If (condition) is false the first time, then (code) is skipped altogether.

(condition) if (true code) else (false code) then

If (condition) is true then (true code) is executed, otherwise (false code) is executed. Both parts continue executing after then.

(condition) if (true code) then

Same as previous, except the false condition is not treated separately, and else and the (false code) are omitted.

ind	Place index counter of innermost do loop on stack.
abort	Return to command mode, clearing all nested loops and words.

Figure 5b. Effects of stack operations.

Initial state of stack	dup	drop	swap	over
	30			20
30	30		20	30
20	20	20	30	20
10	10	10	10	10





BBC MICRO

REGISTERED REFERRAL CENTRE FOR THE BBC PROJECT

BEEBUG FOR THE BBC MICRO

BRITAIN'S LARGEST SINGLE-MICRO USER GROUP

MEMBERSHIP NOW EXCEEDS 20,000

20,000 members can't be wrong — **BEEBUG** provides the best support for the BBC Micro. **BEEBUG** Magazine — now 64 pages including new product guide supplement — devoted exclusively to the BBC Micro, Programs — Hints & Tips — Major Articles — News — Reviews — Commentary. **PLUS** members discount scheme with National Retailers. **PLUS** members Software Library. 10 Magazines a Year. First issue April 1982. Reprints of all issues available to members.

October Issue — GAMES — **Munch-Man**, a Snapper type game with super graphics, Illusions graphics and sound you won't believe. A Versatile **Renumber** program for Basic, **Fabric Patterns**, an invisible **Alarm Clock**, **Disc Sector String Search** and a program for drawing **3D Surfaces**. Articles on the **Teletext Mode** for beginners, **Compilers and Interpreters**, using **Joysticks**, using the **Speech Synthesizer** and more. Reviews of two **Cassette Recorders** (Marantz Superscope C190 and Acorn Data Recorder), three **Printers** (NEC pc-8023B, Star DP840 and CP-80), and lots of new games software (and we've arranged **SPECIAL OFFERS** for members). Plus a review of the new **Acorn Electron** and news of our new magazine for Electron users called **ORBIT**. Plus all our usual features like Hints and Tips, Postbag, and a new Brainteaser.

December Issue — Program Features: Killer Dice game, **Galactic Invasion**, a fast moving space invasion game, **LINK**, a very useful disc utility for program development, **ASTAAD**, a really excellent program for **Computer Aided Design**, the **Percussion Machine**, moving **Chequer Board** display, **Screen Freezer**, a routine to freeze your favourite game in mid-play, and a musical rendering of the **Twelve Days of Christmas** to add a seasonal flavour. Plus articles on the **Teletext Mode** (part 3) and **Fitting an External Speaker**. Plus **Disc Drive Reviews**, **Book Reviews**, Hints and Tips.

STOP PRESS
BEEBUG has negotiated a deal with ACORN over the new 1.2 OPERATING SYSTEM ROM. BEEBUG members are offered the ROM at around half-price. See BEEBUG Feb. Issue for details.

SOFTWARE DETAILS
BEEBUGSOFT: BEEBUG SOFTWARE LIBRARY
offers members a growing range of software from £3.50 per cassette. 1. Starfile (32K). 2. Moonlander (16K). 3D Noughts and Crosses (32K). 3. Shape Match (16K). **Mindbinder** (16K). 4. Magic Eel (32K). 5. Cylon Attack (32K). 6. Astro-Tracker (32K). **Utilities:** 1. Dissembler (16K). Redefine (16K). Mini Text Ed (32K). **Applications:** 1. Superplot (32K). 2. Masterfile (32K).

Magazine programs now available on cassette to members at £3.50 inc: VAT & p+p — see April/May issue for details.
13% DISCOUNT TO MEMBERS ON THE EXCELLENT WORDWISE WORD PROCESSING PACKAGE — THIS REPRESENTS A SAVING OF OVER £5.00.
Send £1.00 for SAE for Sample
membership: UK £5.40 for six months, £9.90 for one year.
Overseas one year only: Europe £16.00, Middle East £19.00, Americas & Africa £21.00, Other Countries £23.00
Make cheque to BEEBUG, Dept 4, PO Box 109, Baker Street, High Wycombe Bucks. HP11 2TD
For editorial material send to The Editor, BEEBUG, PO Box 50, St Albans, Herts AL1 2AR.

Send £1.00 for SAE for Sample
membership UK £5.40 for six months £9.90 for one year
Overseas one year only Europe £16.00 Middle East £19.00 Americas & Africa £21.00 Other Countries £23.00
Make cheque to BEEBUG Dept 4, 374 Wandsworth Rd London SW8 4TW
For editorial material send to The Editor BEEBUG, PO Box 50 St Albans Herts AL1 2AR

A QUALITY LIGHT PEN

Versions available for:
BBC, VIC-20, CBM 64 and DRAGON 32
- Absolutely insensitive to ambient lighting.
- Responds to different colours and screen intensities without any adjustment of TV or monitor.
- Red LED readout showing that data is available.
- Switch for program control (allows pen to approach the screen without erroneous data capture)
- All features are program accessible.

Free Software includes:
- Handbook
- Good Documentation
- Tape storage of your work
- User routines provided on tape and printout
- 'Freehand' drawing program
- 'Library menu' drawing program (define your own library o shapes)
- Example programs illustrating uses of the pen and its features

£25
inclusive

All versions are the same price. Send cheque or P.O. for £25 to:
Dept. YC1, Datapen Microtechnology Ltd., Kingsclere Road, Overton, Hants.

When ordering please state which micro you have. Now also available from good computer dealers.

GET IT ALL TOGETHER WITH MICRO BUREAU



ALWAYS NEAT & TIDY ★
BIG STORAGE AREA ★
COMFORTABLE TO USE ★
SPACE SAVING ★
— SLIDING SHELF

Roomy enough for your Computer TV/ Monitor, Cassette recorder/Disk drive **plus** Magazines, Books and Tapes, this fun to assemble kit in rich mahogany veneer gives you that well organised feeling.

Please allow 21 days for delivery

ONLY £39.95 + £4.95 P & P

Please send me a Micro Bureau for my.....(micro).

I enclose a cheque/P.O. for £44.90 (inclusive).

Name.....

Address.....

.....Post Code.....

Send to:
Micro Bureau, 52 Brown Avenue, Church Lawton, Cheshire ST7 3EP
(or send S.A.E. for further information).

"BY FAR AND AWAY THE BEST MAIL ORDER FIRM FOR SOFTWARE"

(M. PANKHURST, CRANLEIGH)

SOFTWARE SUPERMARKET

At Software Supermarket, we play all the programs we can get for the Spectrum and BBC micro and put just the best of each type into our ads and catalogues. We do not have the biggest list of programs, just the best - from many different companies, large and small, famous and just-about-to-be-famous. We produce no programs ourselves, so our choice is completely impartial.

We quote reviews from all the magazines to help you decide and we tell you if your joystick will work. (All programs run with keyboard, too.) We choose the best, which saves you money. And we send them fast, which saves you hunting round the shops From over 40 countries you write praising our same-day despatch. Mail order or telephone credit card orders only please. You can now phone VISA or ACCESS credit card orders to us at any time, from anywhere in the world. Call 01-789 8546.

48K SPECTRUM ONLY

VALHALLA *"100 different locations and 36 characters, all of whom have different personalities...Valhalla isn't like anything else" (PopCompWkly)* Valhalla is the only adventure where you can watch the animated characters play out the story. Join in if you wish! Six adventures in one: print out graphics and text: it can even cope with your spelling. Spellbinding state-of-the-art adventure. (Legend) £14.95.

CHUCKIE EGG *"Destined to become an all-time Spectrum classic...the graphics are brilliant and the sound is excellent" (PopCompWkly).* Great, loony game. Run your farmyard, collect 12 eggs, watch out for the nasties and the crazy duck. Up to 4 players: choose your own keys: no joysticks: 10-man Hall of Fame. (A & F) £6.90.

ANT ATTACK *"Exciting and intriguing...impressss chiefly because of its graphics and 3D, which are truly admirable" (YrComp).* The most amazing 3D animation we've seen lately, with rave reviews all round. The 3D is so involving it's being patented. 12 command keys and a game to impress your friends as you defeat the City of the Ants. No joysticks. (Quicksilva) £6.95.

GROUCHO Find the Hidden Star - and win a trip to Hollywood! A mad adventure with lots of good tunes and great cartoon-type animation. Follow Groucho and the Piman around the USA. Discover the 22 clues, name the Hidden Star, and win the Trip. (Closes 1/6/84) A brilliant follow-up to PIMANIA. No joysticks. (Automata) 48K SPECTRUM: £10.00.

MANIC MINER *"Certainly the best arcade game around for the Spectrum." (PopCompWkly)* Based on the USA arcade chart-topper 'MINER 2049er'. Superb graphics and sound as you search through 20 screens - each one a different arcade game. 20 screen demo mode: good jokes. Kempston joysticks. (Bug-Byte) 48K SPECTRUM: £5.95.

HALLS OF THE THINGS *"For me this is THE game of '83... hours and hours of sheer pleasure." (ZX Comp)* Explore an 8-storey maze, find treasure, avoid nasties. BUT this time you can see exactly where you are and what you're doing: the maze scrolls as fast as you can move. Brilliant graphics (try waving your sword about!) and 19 command keys. No joysticks. (Crystal) 48K SPECTRUM: £7.50.

32K BBC ONLY

DANGER UXB *"Makes full use of the BBC's graphics and sound capabilities...it's a mixture of tactics, timing and reflexes and it had me glued to the screen for hours." (PersCompGames)* Defuse the time bombs before they explode: avoid the skulls and stomping boots. Great animated graphics, and the sight of the bombs counting themselves down may make you panic as much as us! Wraparound screen: 3 skill levels, 5 screens on each: Hall of fame. No joysticks. 32K BBC (Program Power) £7.95.

HUNCHBACK *"An extremely good version of the arcade game... thoroughly recommended" (Beebug)* Rescue Esmeralda from her Tower. It's pretty difficult, what with the boulders hurled along the battlements, the arrows and the spears. Maybe you'll make it through all 12 screens (before it gets faster). Practice on any screen: Hall of Fame: 3 skill levels: superb graphics. Joysticks O.K. 32K BBC (Program Power) £7.95.

SPACE ADVENTURE *"One of the best of the new generation of adventures...challenging and exciting...excellent graphics and a very real sense of atmosphere." (BBC File)* Explore a strange drifting spaceship (all in graphics) to find 4 power crystals. But first find the keys to the rooms where they are hidden - and kill the many different astroid guarding the ship. 90 rooms: 3 skill levels: 10 command keys: fluid 8-way movement. Excellent! Joysticks O.K. 32K BBC (Virgin) £7.95.

TRANSISTORS REVENGE An astounding new game: original: great sound and action: good full-screen graphics. The game is set inside your computer as you guard the CPU from the attacks of the chips! 50 alien chips on each sheet: every 4 levels, life gets harder! You choose whether to continue with a game or enter the Hi-score ladder. No joysticks. 32K BBC. (SoftSpot) £6.95.

48K SPECTRUM / 32K BBC

SNOWBALL The greatest ever text adventure. Over 7,000 locations (it took 9 months to produce!) As Kim Kimberley, agent extraordinary, you must safeguard Snowball 9 - a starship that could actually work! 700 messages: vocabulary over 200: everything has a purpose! Written in super-compact a-code. Helpful manual. No joysticks. (Level 9) 32K BBC/48K SPECTRUM £9.90.

PIMANIA *"This game can damage your brain." (PersCompGames) "An original and amusing game" (PersCompNews).* **AT PRESS-TIME, YOU CAN STILL WIN THE £8,000 GOLDEN SUNDIAL OF PI** by solving this wonderfully witty adventure. Brilliant use of music and graphics. (Automata) 32K BBC/48K SPECTRUM £10.00.

THE HOBBIT *"Superior to any other adventure game available" (Yr Comp) "Takes first place...for quality and value for money." (S. User)* The adventure that made 1983 famous is now also available for the 32K BBC. Free 285-page illustrated book with clues to this unique real-time adventure. 80 locations: massive vocabulary: 16-page manual: it took 4 people 18 months to write! No joysticks. (Melbourne) 32K BBC/48K SPECTRUM: £14.95.

3D DEEP SPACE **WITH FREE 3D GLASSES!** *"Not just a game with a new gimmick, it's also a classic game in its own right." (Comp&VidGames)* The first ever true 3D program. To destroy the enemy, you must move IN and OUT as well as normal 2D moves! No joysticks. (Postern) 33K BBC/48K SPECTRUM: £7.95.

CALL 01-789 8546 (24 hrs)
CHARGE PROGRAMS TO VISA/ACCESS CARD

To: SOFTWARE SUPERMARKET, 87 Howards Lane London SW15 6NU.

If you do not want to cut this magazine, write your order out carefully on plain paper and quote this number: **YC11**

I own a ..... K computer which is a SPECTRUM/BBC I enclose a cheque/PO made payable to Software Supermarket OR Charge my VISA/ACCESS/EUROCARD/MASTERCARD number

Signature .....

Please write clearly. If we can't read it, you won't get it.

Name .....

Address .....

..... Postcode .....

Phone, if any, in case of query .....

COMPUTER	PROGRAM NAME	Price
		£
		£
		£
		£
		£
		£
POSTAGE AND PACKING	U.K. Add 55p only per order	£0.55p
	EUROPE Add 55p for each program	£
	OUTSIDE EUROPE Add £1 for each - program airmail	£
	OUTSIDE EUROPE, ADD £1 TO TOTAL FOR REGISTERED MAIL TOTAL	£

(continued from page 163)

separately at the bottom.

In many cases you will need to make decisions or set up a loop which is exited from only when a certain condition is met.

The begin-until loop will allow a block of instructions to be repeated until the condition at the end of the loop is true, and the begin-while-repeat structure will cause looping as long as the condition at the beginning is true. Both these loops will be useful in different circumstances.

The conditions are the results of the oprators <, >, <> and = which all require the two numbers to be compared to be on the stack, and they will return a true value — 1 — or a false value — 0. Until and while both expect such a condition code to be on the stack.

They use this value to decide whether to exit or to continue looping. The following line uses a loop to wait for the a key to be pressed.

```
begin key 97 = until
```

The if-else-then structure will allow two different sections of code to be executed depending on whether a condition is true or false, before resuming with the normal flow of execution. The actual layout of these structures is again explained in figure 5.

It must be emphasised that while all of the control structures can be mixed and nested to any depth, they must not cross or be jumped out of other than by a normal exit. Also, all of the loop must be in the same word definition. The word ind will return the index of the inner most do loop, and will only give the correct value if it occurs in the same word definition as the start and finish of the loop.

If you do cross your structures, then a crash is likely. The ease of crashing Forth is a penalty of its high speed and closeness to machine code.

Figure 6. Compiler operating commands.

All command lines must be prefixed with an asterisk.

*edit 'word'	Allows 'word' to be edited one line at a time, if the source code is available, then recopiles 'word' and everything after it.
*list	Lists all word definitions in source code buffer
*del	Clears source code buffer, but leaves Forth dictionary intact.
*reset	Clears everything and restarts Forth.
*dsave 'filename'	Save entire Forth dictionary in three parts
*dload 'filename'	Loads dictionary, and clears source code buffer.
*ssave 'filename'	Saves source code buffer on tape.
*sload 'filename'	Loads source code buffer and compiles it into dictionary. There will be a long delay while this is done. Note that the filename is NOT placed in quotation marks, and if it is omitted in a load command, then the first file found will be loaded.
*pr on	Sends all further output to ZX printer.
*pr off	Uses screen again for output.
*dlist	Lists contents of dictionary, and the address of the machine code routine for each word.
*msave	Saves Forth program as an independent machine code routine.

You can place the following instructions in a loop if you think that it might not exit:

```
key 32 = if abort then
```

Pressing the space key will stop the program with no ill effects, and the message

```
Program ABORTed
```

will appear. Abort is the one word which will safely stop execution and jump out of all the nested loops and words.

The rest of figure 7 shows some example of word definitions to illustrate different aspects of simple programming. Type will allow you to enter a line of text onto the screen, terminated by enter. It shows a begin-until loop in action, and also illustrates the use of Get. Fill is a simple utility to fill the screen with the character of your choice. For example

```
35 fill
```

will fill the screen with hash signs. This may be slightly slower than you expected, but this is due to the slowness of Sinclair's print routine.

The next word, square, will calculate and print the square of the number on the stack. It is called by the final word, squares, which will print a formatted table of square numbers upto any specified value. When you have entered all these definitions, you may like to Save them on tape, to try out the cassette commands.

It is important that you should experiment with Forth and the facilities of the compiler.

A sheet of special techniques such as error trapping is available for 75p, and also I can supply a cassette of the Forth language and several Forth programs for £3.50. Both are available form D Millington, 13 Willow Crescent, Padgate, Warrington, Cheshire.

Figure 7

```
*list

:count 10000 1 do
(set up the loop)
22 emit 0 emit 0 emit
(move print pos. to top left)
ind .
(print the loop index)
loop;

:type begin
(set up loop)
get dup
(get a character from the keyboa
rd and make another copy on the
 stack)
emit
(print the character)
13 = until
(continue with the loop until th
e character is enter-code 13)
;

:fill (the code of a character i
s already on the stack)
22 emit 0 emit 0 emit
704 1 do
(set up loop)
dup emit
(duplicate the character on the
stack and print the top copy)
loop
drop
(the character is removed from t
he stack)
;

:square dup * .
(print the square of the number
on the stack)
;

:squares 1 do
(the upper limit of the loop is
already on the stack)
ind .
(print the number)
6 emit
(this is a COMMA control charact
er)
ind square
(calculate the square using the
previous word we defined)
13 emit
(print on a new line)
loop;

20 squares
1                    1
2                    4
3                    9
4                    16
5                    25
6                    36
7                    49
8                    64
9                    81
10                   100
11                   121
12                   144
13                   169
14                   196
15                   225
16                   256
17                   289
18                   324
19                   361
20                   400
```

ONLY £5.50

SPECTRUM

Ah diddums

CAN YOU BEAR THE SUSPENSE?

Imagine ...the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

For the Commodore 64

SOFTWARE you can afford!

Ltd. Mondatta

Software from the States.





SUPER COPTOR

Fly Super Coptor in a Mission to Save your Country from destruction. Beware of "Air Missiles", "Radar Baloons", "Laser Screens". Control your "Super Coptor" with split second timing — are you up to it — 9 nerve popping, action packed levels of play.

ONLY £5.65.

TAX MAN

You are on the run, gathering as much money as possible while being pursued by Taxmen with tax bills in their hands. Ready to pounce on you and make you bankrupt. Can you outsmart them or will they amubush you by hiding in the background.

6 exciting "Arcade Action" levels of play. A completely new version of this "nerve popping" game.

ONLY £5.65.

DO YOU WANT A SHARE OF THE ACTION - £55,000

Mondatta will pay up to £55,000 for good quality games software. Send details to the Software Development Manager at the nearest address below.

DEALER INQUIRIES WELCOME.

POST COUPON NOW

Please rush me _____ Tax Man at £5.65 each
_____ Super Coptor at £5.65 each
\+ 50p post & packing.

I enclose Cheque/P.O. for £ _____
(Make payable to Mondatta.)

Post to: Mondatta Ltd., 38 Cuddington Avenue, Worcester Park, Surrey KT4 7DB, England. Tel: 01-3370806.
Mondatta Ltd., Darwen House, 200 Rathfarnham Road, Dublin 14, Ireland. Tel: 01-963250.
Mondatta Ltd., 888 Seventh Avenue, New York, N.Y. 10106, U.S.A.

Name _____

Address _____

FREE ENTRY TO A DRAW FOR C.B.M. 64 DISK DRIVE & PRINTER.

HEARTSTOP

BBC

John Dawson continues his hospital program series with a recap of the story so far and a problem overcome.

SLAGTHORPE MEMORIAL Hospital is an Ordinary District General Hospital — DGH — somewhere in the North of England. Like all DGHs, it accepts patients from the doctors working in primary care — general practitioners or family doctors — in the surrounding countryside. It has an Accident and Emergency department — A&E — and a number of wards.

The A&E department has been added recently because I forgot to include it in the original hospital plan procedure. Heartstop is a game where you are asked, as a weekend locum doctor, to look after the patients in the hospital, curing and healing from dawn to dusk and beyond.

Figure 1 is a partial listing of Heartstop to its present stage of construction. I have not included the whole program as much of it remains unchanged from the listing in *Your Computer* — November '83. The complete program and a cassette version will be available at the end of this series.

Last month I wrote enthusiastically about Roy Atherton's book *Structured Programming with BBC Basic*. At one stage he writes:

"It is not easy to reproduce exactly, mistakes and all, every thought and decision on the way to completing a non-trivial program". How true; the slick presentation of a completed program, accompanied by the tedious macho utterance "it was nothing really", is unlikely to help anyone who is attempting to learn about the solution of problems using a computer. In his book he asks:

"Does the package work, week after week, year after year, reliably? Can it work when used by non specialists? Is it sufficiently well documented to enable anyone to take over maintenance or updating should the originator leave? Is the planning, analysis, program design and coding of such a quality that someone else would find it easy to work on? Have details been published or assessed by competent reviewers not otherwise connected with the project?"

Developing reliable software to the standards suggested by Roy Atherton is not easy.

The sort of small bug that causes alarm and despondency at the end of program development is illustrated by the PROCdisplaytime procedure in Figure 1. Line 20 20 originally read:

```
2020 AA% = AA%+1: TIME = 0
```

The purpose of lines 2010 and 2020 is to change the day index — AA% — from Friday to Saturday, or from Saturday to Sunday, when the game clock reaches midnight — 24:00:00. At the same time I intended that the variable Time, used by BBC Basic to store the internal clock count, should be reset to zero to start counting the seconds of a new day.

Unfortunately, I forgot that I want to use the procedure PROCaddtime to advance the game time according to how long it takes to examine a patient, read an ECG or move to another ward. The game might well go a couple of hours past midnight in one bound, only to be reset when the time is displayed.

A correct answer is to subtract the number of seconds in a day from time. However, line 2020 is still wrong and will eventually read:

```
2020 AA% = AA%+1: TIME = TIME
(360000*24)
```

The brackets are not strictly necessary but make the line easier to understand. The program step in the second instruction in the

(continued on page 171)

Q.E.D. Systems

experts in business systems now bringing professionalism into the home market for the SPECTRUM, ORIC, DRAGON and APPLE II micro-computers.

NEW GAME FOR THE **SPECTRUM**

100% MACHINE CODE

* * * * * * * * * * * * * * * * * * * *

MILLIPEDE

* * * * * * * * * * * * * * * * * * * *

THE BEST VERSION OF THIS EVER POPULAR ARCADE GAME. SOFTWARE YOU WILL NOT BE DISAPPOINTED WITH!! **£6.95**

NEW UTILITY FOR THE **SPECTRUM ORIC** and **DRAGON**

* * * * * * * * * * * * * * * * * * * *

Q.E.D. TOOLKIT

* * * * * * * * * * * * * * * * * * * *

A MUST FOR EVERY SERIOUS DESIGNER. THE TOOLKIT CONTAINS A HOST OF INVALUABLE MACHINE CODE ROUTINES TO ASSIST YOU WITH YOUR PROGRAM DEVELOPMENTS

. . . . . £5.95

UTILITIES

* * * * * * * * * * * * * * * * * * * *

THE DRAGON 6809 ASSEMBLER/EDITOR
With this powerful software realise the full potential of this splendid micro by writing your own machine code programs and routines. Full operating instructions are included £7.95

* * * * * * * * * * * * * * * * * * * *

THE ORIC 6502 ASSEMBLER/EDITOR
Probably the best ORIC program on the market. With this powerful software the full potential of the ORIC can be realised by writing your own machine code programs and routines. Full operating instructions are included £7.95

* * * * * * * * * * * * * * * * * * * *

HOME MANAGEMENT

HOME ACCOUNTS MANAGEMENT
Plan all your financial affairs with this Q.E.D. quality system.
Features include budget creation, maintenance and balance of all accounts (including credit cards). Full monitoring of expenses against budget and complete expense reporting. The system is supplied with full documentation and operating instructions.
Spectrum, ORIC, Dragon £10.95
Apple II . . . . . (disc) £14.95

GAMES

THE VIDEO CHALLENGE SUITE
These are not just any games but Q.E.D. quality action packed programs. Award yourself the VC!

Spectrum VCI — Photon, Apes & Ladders, Microthello and Phantoms £6.95
Spectrum VCII — Towers of Logic, Bugblaster, Link-four and Awari £6.95

ORIC VCI — Photon, Link-four, Microthello and Phantoms £6.95

Apple II VCI — Grand National, Star Trek, Link-four and Microthello . . . . . (cassette) £6.95
. . . . . (disc) £8.95

Dragon VCI — Photon, Link-four, Microthello and Phantoms £6.95
Dragon VCII — Dragons Domain, Cards, Draxit and Awari £6.95

NEW FOR THE DRAGON — ATLANTIS
An exciting and challenging game where your mission is to destroy the city of ATLANTIS. But beware, as the game progresses your mission becomes increasingly more complex £5.95

THE VARIETY PACK 25 specially selected programs to realise the potential of your new micro. The best value around today!
Spectrum, ORIC, Dragon, Apple II £5.95
(LESS THAN 24p per program!)

DESPATCH WITHIN 48 HOURS

OVERSEAS please add £1.00 carriage

OFFER — BUY ANY TWO AND GET £1 OFF!

(All programs are supplied on qualtiy cassette, unless otherwise stated)

Please send me on cassette/disc . . . . . .

. . . . . .

for my . . . . . MICRO with . . . . . memory.

I enclose my cheque/postal order for £. . . . . payable to Q.E.D Systems.

Name . . . . . Telephone No. . . . . .

Address . . . . . .

Q.E.D. SYSTEMS, LIVER HOUSE, 96 BOLD ST., LIVERPOOL, ENGLAND.

Figure 1. Partial program for Heartstop.

```
1970
1980 DEF PROCdisplaytime (XX%,YY%)
1990 IF TI% > TIME THEN ENDPROC
2000 TI% = TIME+100
2010 IF (TIME DIV 360000) < 24 THEN 2030
2020 A0% = A0%+1: TIME = TIME - 360000
2030 Sec = (TIME DIV 100) MOD 60
2040 IF Sec = 0 THEN PRINT TAB(XX%,YY%) STRING$(20," ");
2050 Min = (TIME DIV 6000) MOD 60
2060 Hrs = (TIME DIV 360000) MOD 24
2070 PRINT TAB(XX%,YY%);Date$(AA%);":";Hrs;":";Min;":";Sec;
2080 ENDPROC
2090
2100 DEF PROCdoctor
2110 VDU19,0,6,0,0,0
2120 VDU19,1,1,0,0,0
2130 VDU28,5,31,39,0
2140 VDU20
2150 PRINT TAB(0,6) "What do you want to do next?"
2160 PRINT TAB(10,8) "You may carry out any of the "
2170 PRINT"following actions"
2180 PRINTTAB(0,11) "A  Move to a new location"
2190 PRINT"B  Talk to & examine a patient"
2200 PRINT"C  X-ray a patient"
2210 PRINT"D  Order an ECG"
2220 PRINT"E  Prescribe drugs"
2230 PRINT"F  Make a diagnosis"
2240 PRINT"G  Talk to the relatives"
2250 PRINT"H  Send a patient home"
2260 PRINT"I  Review your diagnosis"
2270 PRINT"J  Change the treatment"
2280 PRINT"K  Sign a death certificate"
2290 PRINTTAB(0,26) "Select A - K  "
2300 ENDPROC
2310
2320 DEF PROCD (TX,TY)
2330 REPEAT D$ = INKEY(-74)
2340   PROCdisplaytime (TX,TY)
2350   UNTIL D$
2360 ENDPROC
2370
2380 DEF PROCaddtime (A0)
2390 TIME = TIME + A0*6000
2400 ENDPROC
2410
2420 DEF PROCmakepatient
2430 DATA John,Fred,Thomas,Sam,Bertrand,Kevin,
Michael,Bill,Charles,Jack
2440 DATA Roger,Christopher,Jeremy,Andy,Ron
2450 DATA Julie,Mary,Elizabeth,Kate,Anne,Sharon,
Hilly,Jacqueline,Alison
2460 DATA Marjorie,Sarah,Meriel,Florence,Briony
2470 DATA Major,Dassett,Newton,Smith,Jones,Kent,
Burton,Crosthwaite,Shaw,Woods
2480 DATA Furlong,Palmer,Campbell,Billiat,Cratchet,
Charlbury,Appleby,Dean
2490 DATA Hoffenberg,Black,Munro,Rees,Stevenson,
Hewitt,Hunt,Blythe,Cartwright
2500 DATA Delaware,Leighton,Mann,Russell,Robinson,
Sanders,Scroggie,Barron
2510 PT = PT + 1
2520 SEX = RND(2)
2530 IF SEX = FEMALE THEN SEX$ = "F" ELSE SEX$ = "M"
2540 AGE = RND(80)+10
2550 AGE$ = STR$(AGE)
2560 COND$ = "S"
2570 TREAT$ = "T"
2580 IF SEX = FEMALE THEN RESTORE 2450 ELSE RESTORE 2430
2590 NN = RND(14)
2600 FOR NN1 = 1 TO NN
2610   READ firstname$
2620   NEXT NN1
2630 RESTORE 2470
2640 NN = RND(34)
2650 FOR NN1 = 1 TO NN
2660   READ lastname$
2670   NEXT NN1
2680 MI$(PT) = AGE$ + SEX$ + COND$ + TREAT$ + " " +
firstname$ + " " + lastname$
2690 ENDPROC
2700
2710 DEF PROCconsult
2720 CLS
2730 %% = &00000202
2740 PRINT TAB(0,4) "SLAGTHORPE MEMORIAL HOSPITAL"""Current
In-patients:""
2750 FOR SD = 1 TO PT
2755   NAME = LEN(MI$(SD))-5
2760   PRINT SD;"  ";RIGHT$(MI$(SD),NAME)
2770   NEXT SD
2780 PRINT TAB(0,25) "Press 0 to print this list"
2790 INPUT TAB(0,27) "Which patient do you"
"want to examine?" SD1
2800 IF SD1 <> 0 THEN 2940
2810 *FX5,1
2820 *FX6,0
2830 VDU2
2840 VDU21
2850 PRINT "          SLAGTHORPE MEMORIAL HOSPITAL"
"     MANAGEMENT INFORMATION SERVICE""
2860 PRINT Date$(AA%);" ";Hrs;" ";Min;" ";Sec;" - Current
In-patients"
2870 PRINT ""
2880 FOR I1 = 1 TO PT
2885   NAME = LEN(MI$(I1))-5
2890   PRINT I1;"  ";RIGHT$(MI$(I1),NAME)
2900   NEXT I1
2910 PRINT """END OF REPORT"
2920 VDU6
2930 VDU3
2940 %% = 10
2950 EXIT = TRUE
2960 ENDPROC
2970
```

(continued from page 169)

line is quite difficult to test because it is only incorrect in some circumstances. If there is no activity in the hospital at midnight and the BBC internal clock ticks past the hour undisturbed then the original statement would have been quite adequate.

When you have to deal with the range of time necessary to complete some activity, however, program testing becomes more difficult. For example, it takes perhaps 30 to 100 minutes to examine a patient and I expect that the line:

```
PROCaddtime (RND(70)+30)
```

will do what I want at the end of the patient consultation routine, but adding a random number to the Time variable would have made the effects of the PROCdisplaytime mistake unpredictable and hard to check.

A DGH may serve a population of anywhere between 50,000 and 200,000 people. Clearly it will be impossible to provide Heartstop with a representative model of such a community. Family relationships, the geography of the hospital catchment area, housing conditions, types of local industry and cultural variations will all contribute to the patterns of disease in a population.

Patients must be provided for the game both at the beginning and at random intervals throughout the weekend. PROCmakepatient — lines 2420 to 2690 — is the start of this function. It is of central importance to the whole game as the record for each patient determines and records the doctor's work.

The master index array MI$ is dimensioned in PROCinit at the start of the game using the following lines:

```
beds = 20
DIM MI$(beds)
```

to reflect the maximum number of in-patients at any one time. Despite the NHS cuts it is still considered good practice to try and give each patient a bed of their own. At present it is a single dimension array holding the information shown in line 2680.

The variable PT, line 2510, is also very important as it records the number of patients in the hospital. The sex and age of the patient are chosen by lines 2520 to 2550 and then the first and last names are obtained from the data stored at the beginning of the procedure. The 'make patient' procedure will also have to generate a disease and some presenting symptons and signs and these will probably take up one or two more dimensions to the master index array.

The current state of the patient will be stored in COND$ and this will tell you whether the patient's condition is stable, improving or deteriorating. Unlike the disease, which must be kept secret until it is diagnosed by the doctor, the condition is open information that can be accessed at any time.

PROCmakepatient can be used as a general purpose section of code that will create people for all sorts of purposes. The first and last names for the person are attached to a number of attributes such as age and sex, and these can be varied to fit the needs of whatever program the procedure is built into. The procedure could just as well produce a sum of money to be given to players at the start of a game in which you play pontoon against fictional characters made up by the computer.

Figure 2. Slagthorpe Memorial Hospital Management Information Service.

```
Friday 18 0 2  -  Current In-patients
1 Christopher Sanders
2 Florence Rees
3 Thomas Shaw
4 Alison Woods
5 Meriel Campbell
6 Mary Cartwright
END OF REPORT
Friday 19 15 16  -  Current In-patients
1 Kate Smith
2 Charles Appleby
3 Jacqueline Major
4 Roger Crosthwaite
5 Briony Rees
6 Charles Palmer
END OF REPORT
Friday 18 0 3  -  Current In-patients
1 Mary Shaw
2 Roger Mann
3 Julia Black
4 Sam Major
5 Christopher Russell
6 Alison Appleby
END OF REPORT
```

PROCconsult is the start of the function "Talk to and examine a patient" displayed in PROCdoctor — lines 2100 to 2300. As it stands at the moment the fixed length information about the age, sex, condition and treatment of the patient is stripped off by line 2755 before the patient's name is printed in line 2760.

Line 2730 changes the format in which numbers are printed to stop the patient number from occupying the first 10 columns of the screen. Line 2940 restores the normal format before the procedure ends. If you press zero when the current in-patients are displayed, a printed 'Management Information Report' is produced. I was quite unable to find a way of turning lines 2810 to 2930 into procedure. I would like to use a similar set of instructions to produce a printed list of bleep messages.

I cannot pass the name of the MI$ array into the procedure without generating an error message. Figure 2 shows the format of the report. Three reports were printed to show how the 'makepatient' procedure fills up the hospital beds that are occupied at the start of the game. The names in the data lists are combined successfully to generate different patients for each new game.

The creation of new patients when the game is run raises a further problem. What happens when a parent says that it is bedtime and means it, or the 'phone rings and you have to set out on an emergency night visit to a real patient. Many games that take more than a few minutes to complete offer a way to Save the current state of the game on tape or disc. Placing isolated variables and strings on to tape by one is inefficient and no fun. Before the program gets unmanageably large I shall want to rationalise the variables into a smaller number of arrays so that the data for the whole program can be read on to tape using a simple loop construction. ■

WANTED * dealers * WANTED



AZTEC Software

NEW

HAVE YOU GOT A BEEB?
— THEN YOU NEED ONE OF THESE!

THE PRO-LINK..

ONLY £9.99! inc VAT & P&P

programmable joystick interface for the BBC model B

1. **PRO-LINK** allows 9 different functions to be programmed into the joystick, these include the four directional movements, fire, and even the ability for combinations such as: fire & up, fire & down, etc. This means that 9 different keys can be simulated from the joystick at the same time! (Great for PLANETOID). Diagonal movement is also provided if normally allowed for in the game.

2. The **PRO-LINK** package contains two parts, the hardware adapter used to connect an ATARI style joystick to the user port and a cassette containing software which allows the use of the above joystick with existing games. The hardware adapter, when connected to the B.B.C. user port, will accept ATARI, COMMODORE, GRANDSTAND, LE STICK, SPECTRAVISION (QUICKSHOT), and any other ATARI compatible joysticks.

EXamples of **PRO-LINK** compatible games:

ACORNSOFT	-ALL GAMES INCLUDING: PLANETOID, MONSTERS, SNOOKER, SNAPPER, ROCKET RAID
PROGRAM POWER	-KILLER GORILLA, S W O O P, M O O N R A I D E R
A & F SOFTWARE	-PAINTER, PLANES
SUPERIOR SOFTWARE	-FROGGER, ROAD RUNNER, ALIEN DROPOUT
VIRGIN GAMES	-SPACE ADVENTURE
BUG-BYTE	-

PRO-LINK — Allows you to get the most from your games.

WANTED

TOP QUALITY MACHINE CODE PROGRAMS FOR ANY OF TODAYS POPULAR MICRO'S e.g. BBC, ORIC, COMMODORE 64, ELECTRON
WE OFFER HIGH REWARDS!

TOP QUALITY ORIC SOFTWARE
ONLY £6.90 inc VAT & P&P.

SQUIRM	-Fast moving arcade type game, can you control Squirm in his forage for food avoiding being bitten by Boris.
BATTLESHIPS	-The best computer version of the popular board game. Hi-Res graphics, realistic sound effects!
ELEMENTARY MATHS	-Help improve your child's maths ability. Learning made fune for the under 12's

CENTRONICS INTERFACE FOR THE COMMODORE 64 NEW
ONLY **£29.90** inc VAT & P&P
CENTRONICS PRINTER CABLES FOR:
BBC/ORIC/DRAGON
ONLY £12.99 inc VAT & P&P

AZTEC SOFTWARE
18 Gregory Springs Lane, Mirfield
West Yorkshire, WF14 8LE

TRADE & EXPORT ENQUIRIES WELCOME tel. 0942 492826.

WANTED * dealers * WANTED

RESPONSE FRAME

Do you have a problem? Your manual is incomprehensible or you just cannot get the hang of that programming trick you tried — whatever it is, Tim Hartnell will do his best to answer your queries. Please include only one question per letter and mark them "Response Frame".

BREAK DISABLE

I wish to give copies of my Spectrum programs to my friends — and perhaps, in due course, sell them. I wish to make it so that my friends cannot see my program. Can I disable the Break key?

Alan Purchard,
Dunfermline,
Fife.

IT IS POSSIBLE to make the computer crash if an error — such as "Break" — is generated. The program should have been Saved with Line — i.e., authorstart — then the first program line should alter the item on the machine stack to be used as the error return — see Sinclair manual page 174 under sysvar 23623, ERR SP. This contains the address of the two bytes to be Poked to change the address — either make it point to an infinite machine-code loop or point to address 0, so that the program self-destructs upon attempting to Break out to Stop from an Input.

This, unfortunately, falls down with cassettes in two ways. Merge will foil this autostart. As well, if the Break out before loading is complete, you can get a sizeable chunk of the Basic program, although it is incomplete since the Spectrum does not do a New on an incomplete load as the ZX-81 did.

● *Answer supplied by Dilwyn Jones.*

INPUT PROBLEM

I own a Sharp MZ-80A and after several months of dabbling with Basic would like to progress onto machine code. I hope this will help me overcome a problem I have with the computer concerning the Input statement. I have written a program that requires a word to be entered up to a maximum of 15 letters. However, if a nul string is returned — i.e., CR or ENT — then the input prompt moves down to the first print position of the next line, and waits for the input again. This completely ruins the screen display. Is there any way that the Input command can be error-trapped so that a nul string is ignored?

J H Weaver,
RAF Gutersloh.

JEREMY RUSTON SUGGESTS the following lines should help:

```
1000 A$=""
1010 GET B$
1020 IF B$=CHR$(B) THEN RETURN
1030 A$=A$+B$
1040 IF LEN(A$)=15 THEN RETURN
1050 GOTO 1010
```

The book *Software Secrets, Input, Output and Data Storage Techniques* by Graham Beech (Sigma Technical Press) was written mainly for the MZ-80K and a great deal of the information should help you in developing programming and simple machine-code skills.

SPECTRUM LOGO?

I have heard a lot about the programming language Logo, and want to be able to learn it on my 16K Spectrum. Where can I get Logo for the Spectrum, and how can I learn more about it?

Simon Shaw,
London EC2.

YOU CAN GET Logo for many computers — including the TI-99/4A, the Commodore 64, the Apple IIe, the Research 380Z, the Tandy Colour Computer, the IBM PC, and the Atari range, among others. However, at the time of writing, Logo is not available for the Spectrum. Both Sinclair Research and Acorn — who do not support the language for the BBC or the Electron, although privately-produced Logo versions are available — have come in for heavy criticism for not putting their weight behind the language. Sinclair at the moment seems to be favouring Prolog. I have been unable to locate a Logo for the Spectrum.

There are many books which will help you learn about this fascinating language. The most important is *Mindstorms*, written by Seymour Papert, the inventor of Logo. It is available for £4.95, and published by Harvester Press. A paperback version from Fontana is expected shortly. Addison-Wesley's *Logo Programming*, by Peter Ross (£7.95) is also very good. *Discovering Apple Logo*, David D Thornburg, also published by Addison-Wesley (£9.95), is a useful introduction, which is not limited to those who own Apples.

IN SCANNING

In the October issue of Your Computer I gave a reply to C Bradley about the use of In for keyboard scanning in multi-player games. I quoted from the book Delving Deeper into your ZX Spectrum by Dilwyn Jones. Dilwyn has since been in touch with me regarding the answer. He points out that keyboard scanning with In on issue-three Spectrums — the most recent — may not be as simple as I indicated it was in earlier issue machines.

If you are used to 255 meaning no key pressed, that may not be true any more. As Sinclair Research says, you should only check the lower five bits — bits 0 to 4 — of the keyboard ports.

Bit masks are not feasible in Sinclair Basic, so this is what Dilwyn suggests could be done. In Delving Deeper, a method of resolving the ATTR components was suggested. Use this to mask the bits:

```
LET value =IN port number:LET
value=value-(INT(value/32*32)
```

A LONG WAIT

Since Christmas 1982 I have been waiting for the Acorn Electron to appear. I first heard about it from your magazine in December 1982. I realised this was the computer for me. I had the money, so all I had to do was wait. To pas the time, I began to learn BBC Basic as I heard the Electron ran it. I have more or less got the hang of it, but it is very frustrating being able to program and not having a computer. Could you please tell me when it is going to appear?

Nigel Johnson,
Ripley, Derbyshire.

IN THE ARTICLE called *User's Column* in *Byte* magazine, Jerry Pournell often talks about the "Coming Real Soon" syndrome. He suggests, and I concur, that you should never make purchasing decisions in the computer field in terms of things which will be available shortly. "Shortly" nearly always, as in this case, means longly. You are right, however, to learn BBC Basic as much of it — with the major exception of the Teletext Mode 7 — is applicable to the Electron. You have a single touch entry system for keywords as on the Spectrum, or you can type in words in full, as you choose. The Electron should be widely available by the time you read this reply.

BUY AMERICAN

I am a foreign student currently studying here in Britain. I am planning to buy a TI-99/4A computer to take back to the Philippines next year. However, the TV system in the Philippines is different from the British one. It is the same as the American system? What should I do?

Kenneth Cheng,
Cambridge.

I SUGGEST YOU should buy an American machine, thus sidestepping the very real problems inherent in converting the British output to work on your own TV system. You should get hold of an American computing magazine and write to one of the computer mail order companies. I would write before sending money to make sure they are willing to supply you over here.

CLEAR PICTURE

I am a complete novice in microcomputing and I have just bought a ZX Spectrum 48K. My problem is that I can not get a good clear image on my colour TV screen. The image I get is like a TV station which is not tuned in correctly. It is fuzzy, unclear, and with a slight ghosting. I have a Grundig Super Colour Teletext TV set and I have tuned it to channel 36 as per the Spectrum instruction book. In fact, I have been through all the channels to see if I can find a better one. I get a good clear image on the black and white portable that I have, but I can not get the same results on my colour set. I have tried changing the Border, Paper and Ink colours as well, without any improvement. I would be grateful if you could help.

W Wabe,
Newton,
Nottingham.

YOUR TELEVISION set should work perfectly with the Spectrum. Although there have been problems with some cheaper brands of colour TV, your set is a very high standard one indeed and should produce a very good picture. It sounds to me as if you haven't tried the fine tuning. The reference to channel 36 is only an indication. You are expected to adjust the channel tuning slightly until the picture improves. The picture will never be as perfect as one produced by a good television signal, but later model Spectrums — such as yours — produce far more steady displays than some of the earlier ones.

HOT ZX-81

Response Frame has received a number of letters regarding ZX-81's failing when they get hot. Eric Curling, from Tilehurst, Reading, has had this experience, and suggests some ways to improve matters:

"For about a year now, my ZX-81 with 16K has had an infuriating habit of locking up after about an hour of use.

"The display remained. However, the keyboard became disabled. I spoke to Sinclair several times, and the company kindly sent me some new chips — ROM and ULA. I replaced these, and within an hour the keyboard locked up again.

"In despair I went out and purchased a Spectrum which satisfied my fingers for a while. However, I still had a use for my ZX-81 and decided to retrieve it from the dustbin. I remembered reading an article about the way the internal 1K of RAM was disabled when the 16K RAM was fitted. I noticed that the address bus remains unbuffered and connected to the 2x2114 chips.

"When the 16K RAMpack was connected, I decided that removal of the surplus chips would be a good idea, just in case they were getting in the way. Hey presto! I can now Enter and Run very long programs, without a hint of keyboard lockup."

More sensational software for your Sinclair

"The top quality professional product is what I've come to expect from Mikro-Gen"
'Home Computing Weekly'

Latest in the range from

MIKRO-GEN



Pat the Postman
Really original. All Pat has to do is collect parcels whilst avoiding obstacles – like cars, fires, trains, etc. Skill level and Hall of Fame.
48K Spectrum. £6.95

Deffendar
Earth is under attack from mutant aliens in an accurate implementation of a top arcade game – and one of the most difficult to survive in!
48K Spectrum. £6.95

Cruise Attack
Save the city from annihilation in this wonderful version of an arcade favourite. Nine skill levels, bonus points for attack ships.
48K Spectrum. £6.95

Nanas
Catch the bananas, miss the coconuts. Easy? Try it and see. Simple in concept, hilariously entertaining – it'll drive you bananas.
16K Spectrum. £5.95

Timequest
A warp-space accident spreads your capsule across time. As you land in each new era, fresh perils face you. A very skillful graphic adventure
48K Spectrum. £6.95

One Hundred & Eighty
That famous shout tells you what it's all about! A good implementation of a difficult game – doubles, trebles, twenty-five and bull all possible.
48K Spectrum. £6.95

Land of Sagan
A quest to find the long lost Staff of Health. Is it in one of the castles? Or in the Tower? There are plenty of problems – and plenty of opponents – in this great graphic adventure.
48K Spectrum. £6.95

Creepy Crawler
An authentic version of one of the most addictive arcade games devised. All the usual features (Centipede, Spider, Bug, etc) with full use of Spectrum graphics and sound.
16K Spectrum. £5.95



Mad Martha II
Great sequel to the best-selling Mad Martha. Hilarious graphic adventure, with hero Henry in sunny Spain, beset by wacky waiters, mad bulls and the wrathful Martha.
48K Spectrum. £6.95

SAS Assault
Your mission – rescue the Russian ambassador from terrorist kidnappers, before the Kremlin declares war. Loads in two parts – your rating in the second depends on your skill in the first.
48K Spectrum. £6.95

Star Trek
Defend the star systems against the Klingon attack. Runs in real time – so you have to make the right decisions fast!
48K Spectrum. £6.95

Drakmaze
Find your way round Dracula's domain. A game to get your teeth into!
48K Spectrum. £6.95

Laserwarp
Invaders, Aliens, this game has the lot – and you have to survive to destroy the Master! Simple controls, far from simple task.
48K Spectrum. £6.95

Knockout
No aliens, lasers, invaders or rockets – just simple but absorbing fun which up to 4 players can enjoy.
48K Spectrum. £6.95

Galakzions
Watch out as the Galakzions break formation to attack in such force that no mere human can survive!
16K Spectrum £5.95

See them at Lightning, PCS, Tiger, Co-op, Menzies, W H Smith & other leading retailers

PHONE YOUR VISA OR ACCESS NUMBER

Other great new Mikro-Gen programs coming soon – watch out for them!

Please make cheques/PO payable to 'Mikro-Gen' and add 40p post & packing per order.

MIKRO-GEN

Mikro-Gen, 1 Devonshire Cottages, London Rd, Bracknell RG12 2TQ Tel: 0344 27317

TWO GREAT TITLES from COMPUTASOLVE

MRS MOPP

Spectrum 48K

(Author: Tina Billett)

A new and totally original game for the 48K ZX Spectrum.
The Mopp household is yet again in a turmoil. Mrs. Mopp springs into action attempting to clear the debris which her untidy family have left in their wake. The frantic pace of the clear up takes its toll on Mrs. Mopp who occasionally succumbs to the pressure and resorts to the bottle for a little refreshment, with hilarious results!
The game features 8 directional movement from keyboard or Kempston joystick, increasing difficulty, great graphics, sound effects and high score feature, for just

£5·95 inc. VAT

BIRDIE BARRAGE

BBC Model B

(Author: Eddie Miles)

Welcome to Acorn Park Golf Club, a picturesque course set in the heart of Cambridgeshire. For those straying from the fairways there is plenty of difficult rough, numerous water hazards and crater-like bunkers to make life difficult.
We have a number of vacancies for new members (including ladies, juniors and senior citizens), at the very special price of £7·95 inc. VAT.
Please do not delay, membership is limited to BBC model "B" users only. Electron owners will be welcome in the very near future.
Superb graphics, excellent sound effects and a truly addictive quality make this a must for anybody hooked on the great and ancient game of golf.

£7·95 inc. VAT

COMPUTASOLVE LTD.

8 Central Parade, St. Marks Hill, Surbiton, Surrey.
Telephone: 01-390 5135
Open 9.30–18.30 Monday–Saturday

SOFTWARE FILE

Software File gives you the opportunity to have your programs, ideas and discoveries published. We will accept contributions for any home computer provided they are submitted to *Your Computer* exclusively. Please double-check your programs and specify the memory they require before sending them, preferably on cassette. We pay between £6 and £36 for contributions published.

Doom Church

Mark Bristow,
St Peter Port,
Guernsey.

SPECTRUM



YOU PLAY THE part of Charlie the church carpenter. The idea is to build the church tower before the "thing" on the roof moves across to the end, and also without being hit by the demolition ball.

To do this you must collect a ladder from the right and take it to scaffolding on the left. When you have built all four ladders up, you must go to the top and release the tower.

Once this is done the "thing" on the roof stops moving. But you still have to place the clock in the right place on top of the church.

This is simply done by pressing 0 when you think it is over the right place on the church.

Use the graphics machine-code loader to enter data for the user graphics. Then type in the main program. Save the main program and code for graphics by entering Goto 9000. Then rewind tape and press play to Verify it.

In lines 220, 1050, 2040 and 5000 the inverse letters should simply be typed in as normal letters, but the normal looking letters should be typed in as the graphics of those letters.

Program notes.
Lines 10 to 75 print initial screen display.
Line 80 sets up variables.
Line 90 waits for keypress and sets up loop for number of ladders.
Line 100 prints new position of Charlie and demolition ball.
Line 102 checks if Charlie has been hit.
Line 103 checks if Charlie has climbed up to clock.
Lines 105 to 130 move demolition ball.
Line 140 picks ladder up, then decreases loop containing number of ladders.
Line 150 puts ladder down if you are in the right place and if you are carrying a ladder.
Line 200 moves Charlie horizontally depending on keypress.
Line 210 moves Charlie vertically depending on keypress and where he is.
Line 215 moves the thing on the church across depending on time.
Line 220 increases time and checks to see if time is up.
Line 230 prints thing on the church.
Line 490 prints thing in one of the windows of the church.
Line 500 Goto 100.
Lines 1000 to 1050 you are hanged.
Lines 2000 to 2030 move clock across checks, and to see if 0 is pressed to release clock.
Line 2040 checks if clock is in right place.
Lines 2050 to 2080 church tower built.
Lines 5000 to 5050 give final assessment and ask for another go.
Lines 9000 to 9010 Saves and Verifies a copy of Doom Church.
Line 9050 where program auto Runs from.

Machine code for graphics.

```
 "A" -,255,0,255,15,15,255,0,255
 "B" -,66,66,126,66,66,66,126,66
 "C" -,56,56,16,238,254,198,222,
222
 "D" -,198,124,68,64,64,64,64,23
8
 "E" -,56,100,226,242,250,124,56
,0
 "F" -,3,14,30,59,127,111,254,15
8
 "G" -,128,224,240,184,188,108,2
54,242
 "H" -,254,111,127,59,30,14,3,0
 "I" -,126,156,228,184,240,224,1
28,0
 "J" -,256,1,1,1,255,16,16,16
 "0" -,24,36,36,36,36,36,24,0
 "K" -,24,36,24,16,8,4,36,24
 "L" -,56,124,250,242,226,100,56
,0
 "M" -,189,255,219,255,189,153,1
29,255
 "N" -,129,129,129,129,129,129,1
29,255
 "O" -,255,231,231,195,195,129,1
29,129
 "P" -,24,24,126,126,24,24,24,24
```

Graphics machine-code loader

```
  10 LET total=0: FOR n=USR "a"
TO USR "q"+7
  20 INPUT "    CODE :--> ";code
  30 PRINT n,code
  40 POKE n,code
  45 LET total=total+PEEK n
  50 NEXT n
  60 CLS : PRINT AT 10,10;("***
OK ***" AND total=15893);("*** E
RROR IN DATA ***" AND total<>158
93)
```

The graphics.

A - J - T
B - H K - 0
C - L - 3
D - M -
E - N -
F - O - U
G - P - W
H - Q -
I -

- Charlie
- Demolition ball

- Church clock

The main program.

```
  10 PAPER 7: INK 0: BORDER 6: C
LS
  20 FOR n=0 TO 1: FOR f=5 TO 21
: PRINT INK 5; PAPER 1;AT f,4+n+
2;"H": NEXT f: NEXT n
  30 PRINT INK 2;AT 0,0;"
                        ";AT 21
,0;"
  "
  40 FOR n=1 TO 20: PRINT INK 2;
AT n,0;"I";AT n,31;"I": NEXT n
  50 FOR n=1 TO 4: PRINT INK 1;
PAPER 5;AT n+4+1,0;"
                    ": N
EXT n
  60 PRINT INK 2; PAPER 6;AT 1,2
;"
  ";AT 2,2;"T T";AT 3,2;"T
T";AT 4,2;"
  "
  65 FOR n=12 TO 7 STEP -1: PRIN
T AT n,10; PAPER 7; INK 2;"
  ";AT n+1,10; INK 2;
 PAPER 6;"
                    ": N
EXT n
  66 FOR n=11 TO 25 STEP 2: PRIN
T PAPER 1; INK 7;AT 9,n;"M";AT 1
0,n;"U": NEXT n
  67 LET v=RND*16+10: PRINT AT 1
2,v; PAPER 0; INK 6;"M";AT 13,v;
"U"
  70 FOR f=16 TO 20: PRINT INK 2
;AT f,27;"    ": NEXT f
  75 FOR n=1 TO 8: PRINT INK 1;A
T n,28;"0";AT 9,28;"$";AT 15+INT
 (RND*3)-1,2+n+8;"†": NEXT n: PR
INT INK 1;AT 13,8;"††"
  80 LET o=19: LET p=13: LET x=1
0: LET y=28: LET x1=-1: LET y1=1
: LET time=0: LET a=x: LET b=y:
LET c=o: LET d=p
  90 PAUSE 0: LET ladder=0: FOR
n=4 TO 0 STEP -1: LET dist=4+n+3
  100 LET v=INT (RND*8)*2+11: PRI
NT AT a,b;" ";AT c,d;" ";AT c+1,
d;" ";AT o,p;"R";AT o+1,p;"H": P
RINT INK 1;AT x,y;"O"; INK 7; PA
PER 1;AT 10,v;"*": LET c=o: LET
d=p: LET a=x: LET b=y
  102 IF ATTR (o,p)<>56 OR ATTR (
o+1,p)<>56 THEN GO TO 1000
  103 IF o=3 AND p=6 THEN GO TO 2
000
  105 LET a1=x1: LET b1=y1
  110 IF ATTR (x+y1)<>56 THEN L
ET y1=(y1=-1)-(y1=1)
  120 IF ATTR (x+x1,y)<>56 THEN L
ET x1=(x1=-1)-(x1=1)
  122 BEEP .003,2+time
  125 IF a1=x1 AND b1=y1 AND ATTR
 (x+x1,y+y1)<>56 THEN LET x1=(x1
=-1)-(x1=1): LET y1=(y1=-1)-(y1=
1)
  126 PRINT INK 1;AT x,y;"O"
  130 LET x=x+x1: LET y=y+y1
  140 IF p=30-n AND ladder=0 THEN
 PRINT AT a,b;" ": BEEP .1,10: L
ET ladder=1: FOR f=16 TO 20: PRI
NT AT f,31-n;" ": NEXT f: NEXT n
  150 IF p=9 AND ladder=1 AND o=n
+4+7 THEN BEEP .1,5: LET ladder=
0: FOR f=n+4+5 TO 20: PRINT INK
2;AT f,8;"H": NEXT f
  200 LET p=p+(INKEY$="3" AND p<3
0-n AND o=19)-(INKEY$="5" AND (o
=3 OR (o=19 AND p>9)))
  210 IF p=9 THEN LET o=o+(INKEY$
="6" AND o<19)-(INKEY$="7" AND o
>dist): BEEP .005,10
  215 PRINT AT 7,time+10; PAPER 7
; INK 2;"U"
  220 LET time=time+.085: IF time
>=17 THEN LET a$="  T H E  T H I N G  I S
T H E  S C R A P  O F T H E  U": GO TO 5000
  230 PRINT AT 7,time+10; PAPER 7
; INK 0;"R"
  490 PRINT PAPER 1; INK 7;AT 10,
v;"U"
  500 GO TO 100
  999 REM          T H I N G I N G
 1000 FOR n=10 TO 0 STEP -.2: BEE
P .005,n: NEXT n: FOR n=0 TO 18:
PRINT AT n,p; PAPER 8;"0": NEXT
n
 1010 FOR n=15 TO 0 STEP -1: BEEP
 .005,n: BEEP .005,n+5: PRINT AT
 n,p; PAPER 8;"0";AT n+1,p;"$";A
T n+2,p;"T";AT n+3,p;"K";AT n+4,
p;" ": NEXT n
 1050 LET a$="    T H E  O E M O L I T I O N  B
A L L  H A S  F A L L E N  O N  Y O U R  H E A D": GO TO 5000
 1999 REM  M A K I N G  C L O C K
 2000 FOR n=18 TO 1 STEP -1: PRIN
T AT n,28;"0";AT n+1,28;"$";AT n
+2,28;" ": BEEP .01,n: NEXT n
 2010 FOR n=28 TO 6 STEP -1: PRIN
T AT 1,n;"0 ";AT 2,n;"$ ": BEEP
.01,n: NEXT n
 2020 FOR n=1 TO 24: PRINT AT 1,n
;" "; PAPER 6; INK 2;"
  "; PAPER 7;"0";AT 2,n;" "; PAPER 6;"T
T"; PAPER 7;"$";AT 3,n;" "; PAPER 6;"T
T"; PAPER 7;" ";AT 4,n; PAPER 7;" ";
 PAPER 6;"
  "
 2030 IF INKEY$<>"0" THEN BEEP .0
1,n: NEXT n: FOR f=1 TO 4: PRINT
 AT f,24;"                ": NEXT f: GO TO
```

(continued on page 179)

YOUR TOP 100 PROGRAMS

» KUMA « COMPUTERS Ltd.,

Unit 12, Horseshoe Park, Horseshoe Road, Pangbourne, Berks RG8 7JW
Tel: (073 57) 4335 Telex: 849462 TELFAC.KUM

THE SOFTWARE LIST

Please add 15% VAT to all prices.

sinclair SPECTRUM

LOGOS £8.65
The 'Turtle' Graphics language
MAP OF THE UK £10.40
Educational U.K. Geography
HORSE RACE FORECAST £13.04
FOOTBALL FORECAST £13.04
SCEPTRE £8.00
New Adventure Game
ZEN EDITOR/ASSEMBLER £12.50
XANAGRAM £6.91
Superb blend between crosswords and anagrams

commodore 64

DATABASE £21.30
255 pages of 10 items
SIMPLE ACCOUNTS £21.30
Up to 80 entries/month
EASIVAT £34.34
VAT accounts program
STOCK CONTROL £24.50
Keep track of your stock
BC BASIC t.b.a.
The Ultimate Basic Extension ROM
HORSE RACE FORCAST £17.34
FOOTBALL FORECAST £17.34

SIRIUS 1

FORTH £185.00
Full FIG Forth
CHEDIT £24.50
Character set editor
ISLES OF ARTUAN £19.50
Extensive Adventure game
OTHELLO £19.50
With fine graphics
MAZE RUNNER £14.50
Thinking Man's Maze Game
RX £80.00
File Transfer Program

NewBrain

MODEMS/COMMS £99.00
For Electronic Mail
EDITOR/ASSEMBLER £29.50
The first Z80 Ed/Ass for the NewBrain
DISASM £14.50
Disassembler
HISOFT PASCAL £35.00
Compiling Pascal
CARD INDEX £30.43
Multipurpose data management program

FILE MANAGER £20.00
Creates and maintains records
GOBBLER £8.00
Negotiate a maze filled with hazards
FOOTBALL FORECAST £25.00
Sophisticated Pools Forecasting
STAR TREK £8.00
Save the galaxy from the Klingons!
NDUMP £14.50
Dump graphics on Epson printers
ALIEN INVADERS £8.00
High Speed arcade game
HORSE RACE FORECASTING £24.50 The Serious Punter's Aid

SHARP MZ 80A 80B 80K

Send for catalogue — an outstanding selection of programs available

SHARP MZ 700

PAKMAN/MILLIPEDE £8.65
Superb graphics and sound effects
QUEST £6.04
An addictive testing adventure game
COMPETITION £8.65
An amazing challenge game
BASMOD TOOLKIT £12.61
Sharp Basic extension
PASCAL COMPILER £34.35
Professional, proven and reliable software tool
KUMA FORTH £25.65
Full fig forth
ZEN EDITOR/ASSEMBLER £14.35
The complete system for the Z80 programmer
CASTLE QUEST £6.91
An adventure you'll never forget
BUG ZAPPER £6.04
Arcade style game
MAZE MINDER £6.04
Superb graphics and sound effects
BEGINNERS CHESS £8.65
The ideal way to learn, practise and become proficient
ELECTRON 22622 £6.04
Fast and furious space game
MUSIC COMPOSER £8.65
Write and display music visually and audibly
FUN PACK £6.04
Six exciting games for the price of one Superfire, Evasion, Gun, 3-D, Towers of Hanoi, Zrimm.

FIENDISH ENIGMA £8.65
Decipher the coded message
DATABASE £10.43
Electronic Card Index System
NON-VAT ACCOUNTS £10.43
Makes light work of necessary accounts
EASIVAT ACCOUNTS £25.65
Up to 75 entries per month
HOMEBUDGET £8.65
Keep track of your home finance
EASIDATA £17.35
Superb Database written M/C
XANAGRAM £8.65
Superb blend between crosswords and anagrams
STOCKCONTROL £29.50

Another 20 programs in New Catalogue

SHARP PC 'TANDY PC-2' 1500

PC-CALC 3 £19.50
Spreadsheet
PC-PLOT 3 £12.50
Graphics for Calc3
PC-CALC 4 £19.50
More powerful Spreadsheet with graphics
PC-DATABASE £19.50
PC-MACRO £29.50
Macro Assembler/Disassembler
PC-WORD £24.50
Word Processor

BBC - B.

XANAGRAM £6.91
Superb blend between crosswords and anagrams

EPSON HX-20

DESK MASTER 1 £29.50
Office Aid Calculator program
DESK MASTER 2 £29.50
Word Processor
DESK MASTER 3 £29.50
Spread Sheet Calculator
DESK MASTER 4 £29.50
The Friendly Terminal
DESK MASTER 5 £39.50
The Editing Terminal
DESK MASTER 6 £19.50
Decision Maker
DESK MASTER 7 £19.50
Editor/Assembler
DESK MASTER 8 £19.50
Mail Lister
DESK MASTER (£29.50
RAM Database
DESK MASTER 10 £19.50
Labeller
DESK MASTER £29.50
Mobile Stock Recorder
DESK MASTER 12 £49.50
Computerised Payroll
DESK MASTER 14 £29.50
Expenses (32 K)
DESK MASTER 15 £29.50
Stock Control
DESK MASTER 16 £39.50
Bar Stock Control
DESK MASTER 17 £49.50
Pert and Critical Path Analysis
HOME BUDGET £17.35
Home Accounting System
HORSE RACE FORECAST £24.50
Win or place — it's a winner!
COMPUTAX £49.50
Personal Income Tax Planning
TINY PASCAL COMPILER £39.50
CHEMLABEL £149.00
Pharaceutical Labelling
DISASSEMBLER-PROLOG £19.50
Disassembler with adifference
SALES ORDER ENTRY £29.50
Sales/Order Records
ASTRONOMY 1 £19.50
Geocentric Planetary Ephemeris
ASTRONOMY 2 £17.50
Heliocentric Planetary Ephemeris
FFOSSWRITER £95.00
Wordprocessor
NAVIGATIONAL ALMANAC £19.50
For Expanded HX-20
CURRENCY CONVERSION £149.00
Worldwide currency calculation.
GAMES COMPENDIUM £14.50
Bandit, Hangman, Dice
AIRLINE £17.50
Run your own airline!
USER DEFIN GRAPHICS £17.50
CASH EXCHANGE £19.50

+ BOOKS

Plus lots more . . .

TERMS: Please add £1.00 post and packing to orders under £20.00 carriage free on all cash, cheque or credit card orders over £20.00 in the U.K. Telephoned credit card orders accepted on our 24 hour ansaphone service.

Please tick box ☑ for information required, and send coupon to:
Kuma Computers Ltd., Unit 12, Horseshoe Park, Horseshoe Road, Pangbourne, Berks RG8 7JW

Hardware	Software	Hardware	Software
☐ SHARP PC-5000	☐	☐ APRICOT	☐
☐ SIRIUS	☐	☐ EPSON HX-20	☐
☐ SAGE	☐	☐ EPSON QX-10	☐
☐ SHARP 700	☐	☐ NEWBRAIN	☐
☐ SHARP A	☐	☐ COMMODORE 64	☐
☐ SHARP 3541	☐	☐ ELECTRONIC MAILBOX	☐
☐ SHARP PC1500	☐	☐ PRINTERS	☐

NAME .....
ADDRESS .....
..... POST CODE .....
I use a ..... micro-computer.

(continued from page 177)

```
 2020
2040 IF n<>9 THEN LET a$="[redacted]
[redacted]": GO
TO 5000
2050 FOR n=5 TO 8: PRINT AT n,10;
;: PAPER 6; INK 2;"[redacted]": NEXT n
2060 PRINT AT 5,11; INK 6; PAPER
 1;"[redacted]";AT 6,11;"[redacted]"
2070 FOR f=1 TO 5: FOR n=1 TO 10
: BEEP .01,n*f: NEXT n: NEXT f
2080 LET a=0: LET a$="YOU HAVE B
UILT THE CHURCH TOWER "
5000 FOR n=0 TO 2 STEP .08: PRIN
T AT 3,10; BRIGHT 1; INK n;"HARD
 LUCK...";AT 3,9;("[redacted]
[redacted]$" AND a=0)*a$;AT 18,12;"ANOTHE
R GO ?"
5010 IF INKEY$="y" OR INKEY$="Y"
 THEN RUN
5050 IF INKEY$<>"n" AND INKEY$<>
"Y" THEN NEXT n: GO TO 5000
5060 STOP
9000 SAVE "<<DOOM>>" LINE 9050:
SAVE "<<CHURCH>>"CODE USR "a",18
48
9010 VERIFY "": VERIFY ""CODE :
RUN
9050 CLS : PRINT AT 11,0;"Bytes:
";AT 9,7;"<<<DOOM>>>": OVER 1: L
OAD ""CODE : PAUSE 200: OVER 0:
RUN
```

Heli-rescue

DRAGON

C J Davies and M E Wilson,
Bishop's Cleve,
Cheltenham.

THE HELI-RESCUE program was written to run on a standard Dragon 32 with one joystick. The aim is to rescue the raft from the sea using the helicopter.

The game starts with the helicopter on the helipad, from which you must fly the helicopter and position it over the raft, allowing its ski just to touch the raft. The raft will then disappear signifying that it has been picked up. Do not allow the helicopter to touch the sea or you will be swamped and crash. You must then fly back to the helipad and land safely.

The helicopter is controlled by using the right joystick, the up and down movement of which controls the throttle. Under the helipad is a tilt indicator showing the angle of the rotor blades, which will divert some of the vertical thrust into horizontal thrust, enabling the helicopter to move forwards and backwards. The tilt is controlled by the left and right movement of the joystick.

The animation is achieved by using all the high-resolution graphic pages and creating two screens. By writing to one screen while displaying the other and swapping the two screens at the end of the write leads to a much smoother motion effect.

Remember; the helicopter has inertia and its motion will not respond instantaneously to the controls.

```
100 POKE &HFFD6,0
110 REM ************************
120 REM *                      *
130 REM * HELICOPTER  FLIGHT   *
140 REM *     SIMULATOR        *
150 REM *                      *
160 REM * WRITTEN ON:  3/4/83  *
170 REM *      BY:             *
180 REM *        M.E.WILSON    *
190 REM *     &  C.J.DAVIES    *
200 REM *                      *
210 REM ************************
220 CLS1:PRINT:PRINT "  HELICOPTER FLIGHT SIMULATOR":PRINT@100,"BY:      C.J.DAV
IES":PRINT@139,"& M.E.WILSON":PRINT@260,"DO YOU WANT":PRINT@295,"INSTRUCTIONS(Y/
N)";
230 D$=INKEY$:IF D$="" THEN 230 ELSE IF D$="N" THEN 470
240 IF LEFT$(D$,1)<>"Y" THEN 220
250 CLS:PRINT "  HELICOPTER FLIGHT SIMULATOR"
260 PRINT:PRINT " THE OBJECT OF THE GAME IS TO   RESCUE THE RAFT FROM THE SEA."
270 PRINT:PRINT "TO DO THIS YOU HAVE TO FLY THE  HELICOPTER, BY MEANS OF THE
 JOYSTICK, UNTIL YOU JUST TOUCH  THE RAFT WITH THE SKI OF THE    HELICOPTER."
280 PRINT:PRINT "THE RAFT WILL DISAPPEAR AS YOU  PICK IT UP AND THEN YOU HAVE TO
 LAND WITH IT BACK AT THE HELIPAD"
290 GOSUB 1000
300 CLS:PRINT:PRINT " TO FLY THE HELICOPTER YOU NEED  THE RIGHT JOYSTICK."
310 PRINT:PRINT " TO INCREASE THE LIFT USE MORE  THROTTLE. I.E.PUSH THE JOYSTICK
 UP."
320 PRINT " TO COME DOWN REDUCE THE POWER  BY PULLING THE JOYSTICK DOWN"
330 PRINT:PRINT "remember THE HELICOPTER HAS              INERTIA AND WON'T
        RESPOND IMMEDIATELY."
340 GOSUB 1000
350 CLS:PRINT " TO DO LEFT OR RIGHT USE THE    TILT INDICATOR UNDER THE HELIPADT
HIS SHOWS THE ANGLE OF THE     ROTOR BLADES."
360 PRINT:PRINT " WHICHEVER WAY THE BLADES ARE   TILTED WILL DIVERT SOME OF THE
 DOWN THRUST TO SIDE THRUST TO   ENABLE THE HELICOPTER TO FLY    BACWARDS OR FOR
WARDS."
370 PRINT:PRINT" TO STOP MOVING IN ONE DIRECTIONYOU WILL HAVE TO APPLY THRUST IN
THE OTHER DIRECTION UNTIL THE   HELICOPTER IS STOPPED."
380 GOSUB 1000
390 CLS:PRINT "           SUMMARY"
400 PRINT:PRINT "JOYSTICK                ACTION"
410 PRINT "POSITION"
420 PRINT:PRINT "  UP                MORE THRUST"
430 PRINT:PRINT " DOWN               LESS THRUST"
440 PRINT:PRINT " LEFT             TILT BLADES LEFT"
450 PRINT:PRINT " RIGHT            TILT BLADES RIGHT"
460 GOSUB 1000
470 CLS:PRINT@267,"GOOD LUCK";
480 PLAY "T60L2.BL4BD3L4CCP4O2L4BO3L4CO2L4BAGL1F#P4D3L2DCO2L8BGD3L8CO2L8AO3L4DC
O2L2BAL1G;"
490 POKE &HFFD7,0
500 PCLEAR8:PMODE 3,1:COLOR 5,7:PCLS
510 DIM H(19,9),B(19,9):DIM N#(20)
520 GET(0,0)-(19,9),B,G
530 DRAW "BM0,0;R6NR7D1R1D1L1D1L4R17D1L17D1R9D1L9;R2D1R1BM+3,+0;R1BM+2,+1;L1;BM-
7,+0;L1D1L2R1J;BM+5,-0;R1D1L1D3R1D1L1;"
540 GET (0,0)-(19,9),H,G
550 PCLS:COLOR 6,7:LINE(0,192)-(255,170),PSET,BF
560 COLOR 8,7:LINE(215,192)-(255,152),PSET,BF
570 COLOR 5,7:LINE(180,169)-(110,160),PSET,BF
580 CIRCLE(235,172),15:PAINT(235,172),5,5
590 FOR P=8 TO 5 STEP -1:PCOPY (P-4) TO P:NEXT
600 FOR X=0 TO 214 STEP 16:FOR X1=0 TO 8:FOR Y1=0 TO 1:PSET(X+X1,170+Y1,7):NEXT
Y1,X1,X
610 PMODE 3,5:FOR X=0 TO 214 STEP 16:FOR X1=0 TO 8:FOR Y1=0 TO 1:PSET(X+X1,170+Y
1,7):NEXT Y1,X1,X:PMODE 3,1
620 M=5:T=0:X=225:Y=141:VH=0:VV=0:FLAG=0:LA=225:LB=172:LX=245:LY=172:MA=LA:MB=LB
:MX=LX:MY=LY:TX=X:TY=Y
630 COLOR 5,7:LINE(LA,LB)-(LX,LY),PRESET
640 PUT(X,Y)-(X+19,Y+9),H,PSET
650 SCREEN 1,1
660 PMODE 3,M:M=6-M:COLOR 5,7
670 PUT(TX,TY)-(TX+19,TY+9),B,PSET
680 LINE(MA,MB)-(MX,MY),PSET
690 DT=JOYSTK(0):TH=JOYSTK(1)
700 T=T+(32-DT)*0.001:ST=SIN(T):CT=COS(T)
710 MA=LA:MB=LB:MX=LX:MY=LY:LA=235-10*CT:LB=172-10*ST
720 LX=235+10*CT:LY=172-10*ST
730 LINE(LA,LB)-(LX,LY),PRESET
740 VV=VV-(63-TH)*CT/32+1:VH=VH+ST
750 TX=X:TY=Y:X=X-VH:Y=Y+VV
760 IF PPOINT(TX+10,TY+10)=8 AND Y>TY THEN Y=TY:X=TX
770 IF X<0 THEN X=0:VH=0
780 IF X>235 THEN X=235:VH=0
790 IF Y<0 THEN Y=0:VV=0
800 PUT (X,Y)-(X+19,Y+9),H,PSET
810 IF PPOINT(X+10,Y+10)=7 THEN 650
820 SCREEN 1,1
830 P=PPOINT(X+10,Y+10):IF P=6 THEN 910
840 IF P=5 THEN FLAG=1:LINE(180,169)-(110,160),PRESET,B:PMODE 3,M:COLOR 5,7:LINE
(180,169)-(110,160),PRESET,B:PMODE3,6-M:COLOR 5,7:GOTO 650
850 IF VV>2 OR ABS(VH)>2 THEN 910
860 IF FLAG=0 THEN VV=0:VH=0:GOTO 650
870 CLS:PRINT@256,"C O N G R A T U L A T I O N S !"
880 FOR I=1 TO 4:PLAY"T50V30O2CDEFGABC3CDEFGAB;":NEXT
890 PRINT:PRINT:PRINT"     YOU HAVE LANDED SAFELY":PRINT"          WITH THE RAFT"
900 GOTO 970
910 FOR N=1 TO 10
920 SCREEN 1,0:FOR DL=1 TO 100:NEXT
930 SCREEN 1,1:FOR DL=1 TO 100:NEXT
940 NEXT
950 FOR N=1 TO 4:CLS5:PRINT@256,"! ! ! ! D I S A S T E R ! ! ! ! ";:PLAY"T100V30
O2BAGFEDCO1BAGFEDC;":FOR DL=1 TO 250:NEXT:CLS5:FOR DL=1 TO 150:NEXT DL,N
960 CLS
970 PRINT@448,"ANOTHER GAME (Y/N)";:D$=INKEY$:IF D$=""THEN 970
980 IF D$="Y" THEN RUN
990 CLS:POKE&HFFD6,0:END
1000 PRINT@480,"HIT ANY KEY TO CONTINUE";
1010 D$=INKEY$:IF D$="" THEN 1010 ELSE RETURN
```

Snake.

```
  1 LET H5=0
  5 CLS
 10 LET A=30
 30 LET SCORE=0
 40 LET SH=0
 90 POKE 16418,0
 95 LET A=A+INT (RND*16)+7
 96 CLS
 97 DIM S(1200)
 98 LET N=0
100 LET A$="[redacted]
[redacted]"
110 LET B$="[redacted]
[redacted]"
120 PRINT A$
130 FOR B=1 TO 22
140 PRINT B$
150 NEXT B
160 PRINT A$
161 LET H$=STR$ H5
162 FOR B=1 TO LEN H$
163 LET H$(B)=CHR$ (CODE (H$(B)
)+128)
164 NEXT B
170 PRINT AT 23,10;"[redacted]
[redacted]";H$
180 FOR B=1 TO A
181 LET W=INT (22*RND+1)
182 LET Z=INT (30*RND+1)
183 PRINT AT W,Z;
184 IF PEEK (PEEK 16396+256*PEE
K 16399)<>0 THEN GOTO 181
185 IF W=9 AND Z<4 THEN GOTO 18
1
190 PRINT AT W,Z;"*"
200 NEXT B
210 LET X=(PEEK 16396+256*PEEK
16397)+300
220 LET M=1
230 LET Y=X
280 FOR T=1 TO 1200
285 LET S(T)=X
300 IF INKEY$()"" THEN LET N=(I
NKEY$="8")+(INKEY$="6")*33-(INKE
Y$="5")-(INKEY$="7")*33
305 IF N<>0 THEN LET M=N
310 IF PEEK (X+M)>40 THEN GOTO
570
320 IF PEEK (X+M)<>0 THEN LET S
CORE=SCORE+1
323 POKE X,52
324 POKE (X+M),40
330 POKE (S(T-SCORE+SH)),0
370 IF A=SCORE-SH THEN GOTO 500
380 IF T=1200 THEN GOTO 550
395 LET X=X+M
400 NEXT T
500 LET SH=SCORE
510 PRINT AT 0,0;"YOUR SCORE IS
NOW: ";SCORE
520 FOR B=1 TO 60
530 NEXT B
540 GOTO 95
550 PRINT AT 0,0;"SORRY YOU RAN
OUT OF TIME ;"
570 IF PEEK (X+M)=52 THEN PRINT
AT 0,0;"YOU SHOULD NOT BITE YOU
RSELF"
```

(continued on next page)

Snake

P J Martyn,
Chippenham,
Wiltshire.

ZX-81

```
THOSE BRICKS HURT YOUR TEETH
                                  *  **
      *           *
YOU SCORED: 1     *
PRESS ANY KEY TO PLAY AGAIN
*
*           *                    OC
      *
        * *
            *
                *
```

SNAKE IS ALL Basic but uses Poke to speed up the action. The object is to eat all the food pellets — * — without biting yourself or the bricks of the pit. The cursor keys are used to move the snake, and a time limit in the For-Next loop with variable T will stop the game. The high score is always displayed.

(continued from previous page)

```
 580 IF PEEK (X+M)=128 THEN PRIN
T AT 0,0;"THOSE BRICKS HURT YOUR
TEETH          "
 600 PRINT AT 5,0;"YOU SCORED:  "
;SCORE;"     "
 605 IF SCORE>HS THEN LET HS=SCO
RE
 610 POKE 16418,2
 620 PRINT "PRESS ANY KEY TO PLA
Y AGAIN"
 625 IF INKEY$<>"" THEN GOTO 625
 630 IF INKEY$="" THEN GOTO 630
 635 COPY
 640 GOTO 5
```

Pin Ball

Andy Duffin,
Scunthorpe,
South Humberside.

VIC-20

PIN BALL is for the unexpanded Vic-20. The game is really a cross between Breakout and Pinball. The program is in two parts. Part 1 gives brief instructions and also defines the graphics.

Part 1 should always be loaded and run before part 2. Part 2 is the main program and makes full use of colour and also contains an 80-byte machine-code subroutine that moves the bat.

You must control the boat that is at the bottom of the screen, to rebound the moving ball.

Points are gained when the ball hits the targets that are on the screen. You have only two chances and each ball has a number on it.

There are four keys that can be used: left, Z and '; right, C and /.

Part 1

```
 10 PRINT"■■■■":POKE36879,255
 20 PRINT"■■■          ■IN          ■";
 30 PRINT"■■■          /ALL         ■";
 40 PRINT"          ■■■ /"
 50 PRINT"     ■■■NDY ■UFFIN"
 51 FORA=1TO5000:NEXT:PRINT"■"
 60 PRINT"■■■ THIS IS A VERSION OF  THE POPULAR ARCADE    GAME,■■■h/
■ ■■■■."
 70 PRINT"■■■ USE KEYS ■ AND - OR   , AND / TO REBOUND    THE BALL."
 80 PRINT"■■■    ■■■■■ ■/■■■ - LEFT"
 90 PRINT"     ■■■■■ ■/■■■ - RIGHT"
 100 PRINT"■■■ YOU HAVE ONLY TWO    CHANCES."
 110 PRINT"■■■ SCORES RANGE FROM 10  POINTS TO 40 POINTS"
 121 V=36878:FORR=1TO3:RESTORE
 122 FORA=1TO12
 123 READN,T
 124 FORL=1TON:POKE36874,T:POKEV,S:NEXTL
 125 POKEV,0
 126 NEXTA,R
 127 DATA20,195,20,195,45,209,45,215,20,219,45,219,20,195,20,209,20,
209,20,215,20,215
 128 DATA45,219
 130 POKE52,28
 140 FORA=7168TO7679:POKEA,PEEK(A+25600):NEXT
 150 FORA=7168TO7168+8*9-1:READB:POKEA,B:NEXT
 160 DATA255,255,255,255,255,255,255,255:REM BAT @
 170 DATA255,255,255,255,255,255,255,255:REM BAT A
 180 DATA255,255,255,255,255,255,255,255:REM BAT B
 190 DATA60,66,153,137,137,137,66,60:REM BALL 1 C
 200 DATA60,66,185,137,145,189,66,60:REM BALL 2 D
 210 DATA24,102,153,165,165,153,102,24:REM POINTS 10 E
 220 DATA255,195,165,153,153,165,195,255:REM POINTS 20 F
 230 DATA153,90,60,255,255,60,90,153:REM POINTS 30 G
 240 DATA153,36,90,165,165,90,36,153:REM POINTS 40 H
 250 FORR=0TO5000:NEXT
 251 POKE56,28:POKE52,28:POKE51,0:POKE55,0
 257 DATA244,29,96
 300 PRINT"■■/ON LOAD ■RT ■■■":END
```

Part 2

```
 0 REM(C)A.DUFFIN 1983
 1 HS=0:GOSUB5000:PRINT"■"
 2 SC=0:P=10
 5 FORBL=3TO4
 6 POKE350,160:POKE351,10:POKE352,96:SYS350
 10 POKE36879,29:PRINT"■":DX=-1:DY=-1:P=9:BA=8143:POKE36869,255
 11 POKE36874,0:POKE36875,0:POKE36876,0:POKE36877,0:POKE36878,0
 15 X=20
 17 Y=4
 20 FORA=7702TO7723:POKEA+30720,2:POKEA+462+30720,2
 30 POKEA,0:POKEA+462,0:NEXT
 40 FORA=7724TO8142STEP22
 50 POKEA+30720,2:POKEA+21+30720,2
 60 POKEA,0:POKEA+21,0:NEXT
 65 PRINT"■■■■■■■■■■PIN BALL■"
 70 PRINT"■■■■■■    H   ■ EE    ■H"
 80 PRINT"■■■■■■■    ■G      G"
 90 PRINT"■■■■■■■■   G    ■ FF     G"
 100 PRINT"■■■■■■■■■■■■■    ■■    ■■G   ■■  ■  "
 110 PRINT"■■■■■■■■■■■■■■■■■■■■ A   A   A   A"
 120 PRINT"■■■■■■■■■■■■■■■■■■■
```


ONLY
£5.50
SPECTRUM
THE WRONG ZIP
AND...
ZIP ZAP
YOU'RE ZAPPED!
Imagine
..the name of the game
5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

(continued from page 180)

```
6120 IF PEEK(A+1)=32 THEN D2=1:AC=1:RETURN
6140 F=1:GOTO 20000
6190 IF AC=-1 THEN 6110
10000 A=48220:B=48820:D1=-40:D2=40:J=1
10002 D=INT(RND(1)*4):IF D=0 THEN D2=-40:
10003 IF D=1 THEN D2=1:J=0
10004 IF D=2 THEN D2=-1:J=0
10005 PING
10006 S=500:L=1
10010 POKE 618,10
10100 CLS:PAPER0:INK6
10190 FOR I=46080+((ASC("!"))*8) TO 46080+((ASC("!"))*
8)+7:POKE I,6
3:NEXT I
10200 FOR I=0 TO 26:PLOT 1,I,"!":PLOT 38,I,"!":NEXT I
10210 FOR I=1 TO 37:PLOT I,0,"!":PLOT I,26,"!":NEXT I
10220 PLOT 2,13,"!":PLOT 37,13,"!"
10300 POKE A,254:POKE B,255
10400 PRINT"!!!!!!YOU!!!!!!!!!!!!!!!!!!!!ORIC!!!!!!"
10410 POKE 48055,YOU+48:POKE 48064,ME+48
10999 RETURN
20000 EXPLODE
20001 IF F=1 THEN YOU=YOU+1:POKE 48055,YOU+48
20010 IF YOU=10 THEN 20500
20020 IF F=2 THEN ME=ME+1:POKE 48064,ME+48
20030 IF ME=10 THEN 20600
20040 EXPLODE:WAIT 100
20045 S=500
20050 GOTO 500
20500 A$="  WELL DONE"
20510 B$="YOU BEAT ME 10:"+STR$(ME)
20520 GOTO 30000
20600 A$=" TOUGH LUCK"
20610 B$=" I BEAT YOU 10:"+STR$(YOU)
30000 PLOT 10,5,10:PLOT 10,6,10
30010 PLOT 13,5,A$:PLOT 13,6,A$
30020 PLOT 7,13,10:PLOT 7,14,10
30030 PLOT 10,13,B$:PLOT10,14,B$
30040 PLOT 7,21,10:PLOT 7,22,10
30050 PLOT10,21,"PLAY AGAIN ? (Y/N)"
30060 PLOT10,22,"PLAY AGAIN ? (Y/N)"
30100 GET Z$
30110 IF Z$="Y"THEN RUN
30120 IF Z$<>"N" THEN 30100
30130 END
```

Meteors

John Wilson,
Benfleet,
Essex.

BBC

METEORS IS A game for the BBC Micro Model B or Model A with 32K RAM. The idea of the game is to avoid the meteors as you fly through a storm. You gain points by staying alive, or bonus points can be gained by collecting the crosses. You gain more points the lower you descend into the storm, or even more points for reaching the bottom of the screen.

The controls used are as follows: A for left; D for right; X for thrust.

The thrust control only works when you have collected enough fuel — the crosses — to enter hyperdrive. This allows you to reach the bottom of the screen, and the next stage, very quickly. The further you get in the storm the more fuel you require to thrust. You start off with three ships, and will lose one every time you hit a meteor.

Although it sounds a very simple game, it is quite difficult to master and the graphics are excellent. The program is relatively short and should pose no problems when typing it in. To help with converting the program to a different computer, I will give a description of what the different parts of the program do.

Line	*Use*
10 to 20	Set up envelope statements.
30 to 280	Print out instructions in double-height lettering.
300 to 340	Set up high-score table.
410	Read the character at cursor position. Please change the £ to a #.
440 to 620	Set up colours, user-defined characters, and make the cursor invisible.
640 to 670	Print up and increment score.
680 to 730	Your movement.
740 to 750	Background stars.
760 to 790	Keep you on the screen.
800	Have you crashed into an asteroid?
810	Have you collected a cross?
820 to 830	Print your spaceship.
840	Add a cross to the screen.
850 to 880	Add an asteroid.
890 to 970	Print an asteroid of random size.
980 to 1100	You have hit a meteor, explosion routine.
1120 to 1150	Any ships left?
1160 to 1180	Print your score.
1190 to 1230	Is it good enough to be put in the hig- score table?
1240 to 1350	Print high-score table.
1360 to 1390	Find the character at the given screen co-ordinates.
1400 to 1540	Completed a stage.
1550 to 1690	Enter your name into the high score table.
1700 to 1760	Error in program.
1770 to 1800	Print string in double-height.

Variables.

H%	Position in memory where list of high scores are kept.
N%	Position in memory where the list of names are stored.
STAGE	Stage number.
L%	Amount of fuel so far collected.
ST%	General counter.
SHIP	Number of ships left.
Y	Y co-ordinate of ship.
O%	Start of read character at cursor position routine.
SC	Score.
X	X co-ordinate of ship.
K	Movement direction of ship.
T	Size of asteroid to be printed.
X1	X co-ordinate of asteroid.
Y1	Y co-ordinate of asteroid.
I	General loop.
FL	Where your score is placed in the high-score table.
A	General delay, local variable.
B	Local variable.
A$	Your name, local variable.

```
  10 ENVELOPE 1,3,-10,-10,-10,1,1,1,-1,-1,-1,-1,50,12
8
  20 ENVELOPE 2,22,16,12,8,1,1,1,10,-10,0,-10,100,50
  30 MODE 7
  40 PROCL("          M E T E O R S")
  50 PROCL("   Dodge the advancing meteors and")
  60 PROCL("collect the crosses before you are")
  70 PROCL("destroyed.Head for the bottom of the")
  80 PROCL("screen and collect bonus points for")
  90 PROCL("completing the stage.The computer")
 100 PROCL("will inform you when you have enough")
 110 PROCL("energy to go into hyperdrive.")
 120 PROCL("You have three ships to your disposal")
 130 PROCL("But they don't last long in the meteor")
 140 PROCL("storm.")
 150 PROCL("Press the SPACE BAR to contine.")
 160 REPEAT UNTIL GET$=" "
 170 CLS
 180 PROCL("The following keys control your craft:")
 190 PROCL("    A for left")
 200 PRINT
 210 PROCL("    D for right")
 220 PRINT
 230 PROCL("    X for thrust.")
 240 PRINT
 250 PROCL("   More points are gained,the further")
 260 PROCL("you travel into the storm.")
 270 PROCL("Press the SPACE BAR to start.")
 280 REPEAT UNTIL GET$=" "
 290 ON ERROR GOTO 1700
 300 H%=2560
 310 N%=2600
 320 FOR I=0 TO 4
 330 IF VAL($(H%+I*7))=0 THEN $(H%+I*7)="000000":$(N%
+I*20)="******************"
 340 NEXT
 350 STAGE=0
 360 L%=0
 370 ST%=0
 380 SHIP=3
 390 Y=5
 400 DIM O% 10
 410 P%=O%:[OPT0:LDA#135:JSR &FFF4:ST%%70:RTS:]
 420 SC=0
 430 MODE 1
 440 VDU 19,2,2,0,0,0
 450 VDU 23;8202;0;0;0;
 460 VDU 23,225,0,48,248,252, 254,124,24,0
 470 VDU 23,226,0,0,2,7,15,15,31,63
 480 VDU 23,227,0,0,0,128,240,248,248,252
 490 VDU 23,228,127,63,127,127,63,31,15,7
 500 VDU 23,229,252,252,252,248,240,224,192,128
 510 VDU 23,230,0,0,0,7,15,15,31,31
 520 VDU 23,231,0,28,124,255,255,255,255,255
 530 VDU 23,232,0,0,0,128,192,224,240,248
 540 VDU 23,233,63,63,127,127,127,127,63,63
 550 VDU 23,234,255,255,255,255,255,255,255,255
 560 VDU 23,235,248,252,252,248,248,240,240,248
 570 VDU 23,236,31,15,15,7,3,1,0,0
 580 VDU 23,237,255,255,255,255,227,224,192,0,0
 590 VDU 23,238,248,240,240,240,224,0,0,0
 600 VDU 23,239,0,62,65,34,34,20,20,8
 610 VDU 23,240,0,24,44,68,98,50,13,3
 620 VDU 23,241,0,24,52,34,70,76,176,192
 630 X=20:K=1
 640 ST%=ST%+1
 650 COLOUR 3
 660 PRINT TAB(X,Y);" ";TAB(0,31)'TAB(0,0);"SCORE = "
;SC
 670 SC=SC+Y
 680 K=1
 690 IF INKEY(-66) THEN K=3:X=X-1
 700 IF INKEY(-51) THEN K=2:X=X+1
 710 IF L%<(STAGE+1)*5 THEN 740
 720 IF L%=(STAGE+1)*5 THEN SOUND 3,1,100,20:L%=L%+1
 730 IF INKEY(-67) THEN Y=Y+1:SOUND 0,17,6,1
 740 GCOL 0,RND(3)
 750 PLOT 69,RND(1280),0
 760 IF ST% MOD 100=0 THEN Y=Y+1
 770 IF Y>=26 THEN PROCbonus
 780 IF X<1 THEN X=1
 790 IF X>39 THEN X=39
 800 IF FNP(X,Y)>224 THEN PROChit
 810 P%70=45 THEN SOUND 3,17,100,3:SC=SC+STAGE*50+
50:L%=L%+1
 820 COLOUR 3
 830 PRINT TAB(X,Y);CHR$(238+K);
 840 IF RND(5)=1 THEN PRINT TAB(RND(39),30);"+";
 850 T=RND(3)
 860 X1=RND(40-T):Y1=30-T
 870 COLOUR RND(3)
 880 ON T GOTO 890,910,940
 890 PRINT TAB(X1,Y1);CHR$(225)
 900 GOTO 640
 910 PRINT TAB(X1,Y1);CHR$(226);CHR$(227);
 920 PRINT TAB(X1,Y1+1);CHR$(228);CHR$(229)
 930 GOTO 640
 940 PRINT TAB(X1,Y1);CHR$(230);CHR$(231);CHR$(232);
 950 PRINT TAB(X1,Y1+1);CHR$(233);CHR$(234);CHR$(235)
;
 960 PRINT TAB(X1,Y1+2);CHR$(236);CHR$(237);CHR$(238)
 970 GOTO 640
 980 DEFPROChit
 990 PRINT TAB(X-1,Y-1);"\!/"
1000 PRINT TAB(X-1,Y);"-X-"
1010 PRINT TAB(X-1,Y+1);"/!\"
1020 FOR I=0 TO 7
1030 VDU 19,I,6-I,0,0,0
1040 SOUND 0,17,I MOD 2+5,2
1050 NEXT
1060 FOR I=0 TO 7
1070 VDU 19,I,I,0,0,0
1080 SOUND 0,17,I MOD 2+5,2
1090 NEXT
1100 VDU 20
1110 CLS
1120 SHIP=SHIP-1
1130 Y=5
1140 VDU 19,2,2,0,0,0
1150 IF SHIP>0 THEN ENDPROC
1160 MODE7
1170 PRINT '''''Your score was ";SC
1180 *FX 15,1
1190 FL=-1
1200 FOR I=4 TO 0 STEP -1
1210 IF SC>VAL($(H%+I*7)) THEN FL=I
1220 NEXT
1230 IF FL>=0 THEN PROChighscore:GOTO 1260
1240 *FX15,1
1250 A=INKEY(300)
1260 CLS
1270 PRINT ''CHR$141;"Todays top five scores are:"
1280 PRINT CHR$141;"Todays top five scores are:"
1290 FOR I=0 TO 4
1300 PRINT 'CHR$141;$(H%+I*7);"   ";$(N%+I*20)
1310 PRINT CHR$141;$(H%+I*7);"   ";$(N%+I*20)'
1320 NEXT
1330 *FX15,1
1340 A=INKEY(300)
1350 RUN
1360 DEF FNP(A,B)
1370 PRINT TAB(A,B);
1380 CALL O%
1390 =?&700R224
1400 DEF PROCbonus
1410 Y=5
```

(continued on page 189)

your WINNING DEAL

- **Britain's No 1 range of products**
- **Check our UK dealer network for your nearest outlet**
- **After sales service from our own factory and engineers**

It's our aim to provide satisfaction at the sign of the Big 'M'. By providing local distributors, best prices and service, we offer you the most. If you don't see it in our ad ask your local distributor, or write to our Head Office for full list.

All prices include VAT
All prices correct at time of going to press, but subject to change

All products normally in stock but to prevent a wasted journey phone your local dealer first before calling.

LOW PRICE
&
BEST DEAL

The Apple Professional Home Computer Pack

What will you get?

The heart of the system is the Apple *IIe* microcomputer. It's the latest version of the famous Apple II personal computer. It incorporates the latest in L.S.I. technology and other state-of-the-art advances. Its unique modular design incorporates 8 slots which allow user expansion capabilities no other personal computer can match. In addition, you'll get the Apple II disk drive – disk, of course, gives you access to information more quickly and reliably than cassette tape which is why disk-based systems are the standard for business. A high quality TV and sound modulator which lets you use our Apple with your home TV set. (Also available at a special price with this package is the New Monitor II – for those who need to view text as their main concern. This special complete pack contains: Apple *IIe* Personal Computer, disk drive and controller.

TV Modulator (colour and sound)
£25 Apple Software rebate certificates
£100 Training Voucher
£25 Apple Monitor rebate certificate
Micronet/Prestel discount voucher – £68 off
'Windfall' Apple user magazine
Apple Sports Bag
Software Certificates
Catalogue of Hardware and Software

Price £999.

BBC HARDWARE

Electron
Son of the BBC
at selected
retailers
NOW

A full colour 32K ROM computer with text and graphics modes up to 640 x 256 graphics and 80 column text screen, extended Microsoft basic, built in assembler 1 MHZ and tube interface, sideways ROM, RS 423, A/D converter.

BBC Model B £399

ALSO AVAILABLE
BBC Model B + Econet
BBC Model B + Disk Interface
BBC Model B + Disk Interface + Econet

DATA BASE RETRIEVAL AND INFORMATION PACKAGE

BBC and Disk Interface Disk Drive, Green Monitor, Dot Matrix printer, Data Base program complete with all cables, manuals and formatting disk.

£1075

MEMOTECH MTX Series

The MTX Series is a new departure in micro-computer technology. Whether your needs as a user are for personal programming, games playing, scientific or process control, educational or business use the MTX Series is already capable or very easily adaptable to almost every application. Glance through the standard features below – you'll see what we mean.

Hardware – 32K RAM on the MTX500, 64K on the MTX512.

The MTX500 has 32K of user RAM as standard (64K on the 512), expandable to 512K plus 16K of video RAM, controlled by a separate Video Processor. Sixteen colours, 40 column text, 256 x 192 high resolution graphics with all sixteen colours available, and 32 easily moveable user defined graphics characters (Sprites) combine to make effective screen displays quick and simple to achieve. Standard outputs are centronics printer port, two joystick ports, an uncommitted I/O port, 2400 Baud Cassette port, separate TV and Video Monitor ports, 4 channel sound with hifi output plus a dedicated cartridge port. Other standard features include the Z80A processor running at 4MHz, real time clock, full moving key keyboard with 79 keys including eight 2-function keys and separate numeric pad.

Software

The MTX's 24K ROM contains several languages and routines which enable the novice or the experienced programmer to make full use of the machine. Standard languages are MTX BASIC, MTX LOGO commands, NODDY. ROM routines include an ASSEMBLER/DISASSEMBLER with screen display of the Z80 CPU registers, memory and program, which can be manipulated from the keyboard. Machine code programs can be stepped through one instruction at a time, and easily called from within BASIC programs. A further feature is the Virtual Screen facility which enables the programmer to split the screen into a maximum of eight sections to work independently whilst maintaining all full screen facilities. Pascal is available as an add-on ROM pack.

The Disc Based Computers from Memotech

Designed to use the full power of the MTX computers the FDX and HDX make perfect business systems at prices which make perfect business sense. Both feature the CP/M operating system, giving instant access to a wide range of proven application software. Available in October these feature:

- Full Western Digital floppy disc controller set with SASI interface for 4 drives, CP/M types 0-13.
- minimal latency, very high data transfer rates
- optional Colour 80 Column Board
- optional Silicon Discs (¼ Mb) which dramatically increase the efficiency of 8 bit software to those of 16/32 bit software; increases life and reliability of mechanical drive
- permits single disc CP/M operation

FDX – Floppy Disc System

1 or 2 5¼" Qume drives 500K unformatted, 347K formatted

HDX – Hard Disc System

5¼" Qume drive, 500K unformatted, 347K formatted, 5¼" Winchester which may be 5, 10, or 20 Mb

MTX500 £275 MTX512 £315

Disk Drives

100K disk drive	**£201.25**
200K single disk drive	**£241.50**
400K single disk drive	**£396.75**
800K dual disk drive	**£711.85**

Software

UK's No. 1 range of software. Check availability with your local dealer.

SINCLAIR SOFTWARE – SEND FOR LIST

Printers

SEIKOSHA GP100	**£214.99**
SEIKOSHA GP250	**£276.00**
EPSON RX80	**£339.25**
EPSON FX80 160 cps	**£454.25**
OLIVETTI SPARKJET PRINTER	**£419.75**
SMITH CORONA D/WHEEL	**£459.00**
TEC STARWRITER 40 cps	**£1265.00**
JUKI 6100 D/WHEEL	**£458.85**
STAR MCP40 COLOUR PRINTER	**£171.35**
STAR DP510	**£275.00**

TORCH Z80 DISK PACK

Twin disk can store up to 800K.
Disks can be used for storage under ACORN DFS systems or for CP/M programs.

£839.50

NEW

CONCHESS

This remarkable chess game comes in 3 different finishes. Warning . . . try it once and you're sure to buy it.
Models available:

ESCORTER	**£179.99**
AMBASSADOR	**£229.99**
MONARCH	**£279.99**

LYNX

LYNX 96K	**£299.00**
JOYSTICK INTERFACE	**£13.95**
SERIAL INTERFACE	**£3.99**
CENTRONICS INTERFACE	**£49.95**

Workstation

Designed to take computer, disk drive, printer and paper. Robustly built for school, business or home use.

700mm **£118.00**
1100mm **£138.00.**

£5 GIFT VOUCHERS

Want to buy a present but don't know exactly what to get?

Big 'M' Gift Vouchers are the answer, in £5, £10 and £20 denominations. Available at your local Big 'M' dealer – check out list for your local store.

RGB Colour, standard resolution. As used by Acorn Computers. This is a top quality monitor, also comes in high resolution.

RGB Colour HIGH/RES	RGB STD/RES
£632.50	**£247.25**

NEW

MASTER CLASS VIDEO

Finding it hard to come to terms with user manuals. Master Class videos will take you step by step and make first time computing much more enjoyable. Hire or buy for a very low cost.

SINCLAIR

SPECTRUM

16K and 48K, basic, colour, text and graphics, vast range of software including education, printer, built-in speaker. You can build a very good system at a very good price.

ZX SPECTRUM 48K **£129.95**

ZX SPECTRUM 16K **£99.95**

COMMODORE

COMMODORE 64

-64K RAM,

colour, sophisticated ROM/RAM user, full business applications, disk drives available, sound, UHF/composite video, proven basic language, exceptional value, high resolution graphics, many "add-ons" available, printers.

£229.00



ORIC

48K, colour, high resolution graphics 240 × 200, text 28 + 40, pre-programmed sound, user-defined keyboard/graphics, non touch-sensitive keyboard, microsoft type basic with powerful extensions, RGB/UHF, standard cassette interface, parallel printer output, several periferals available, printers available modems and PRESTEL (coming).

ORIC-1 48K **£139.95**

FIDELITY MTV 1400 Monitor/TV

NEW

- No tuning necessary when switching TV to computer
- Uses new Scart plug
- Cable & satelite facilities
- Fantastic graphics
- RGB composite video in one
- Audio facilities
- Compatable with:
  - BBC Model B
  - Commodore
  - Dragon
  - Oric
  - Atari

£247.25

DRAGON

DRAGON 32

32K RAM, colour, extended basic, sound 5 octaves 255 tones, vast software range, typewriter keyboard, standard cassette drive, high resolution graphics, 256 × 192, text 16 + 32, looks like a British worldbeater.

£174.99

SPECIAL OPPORTUNITY

£1 OFF

PURCHASES OVER £20

Use this coupon to get even better value at your local Big 'M' dealer. Check our list for your nearest dealer.

This coupon can be used at any official Micro Management dealer. The bearer is entitled to a £3 reduction on purchases over £75. Only one coupon per person can be redeemed. Valid until January 30th 1984. Micro Management 16 Princes Street, Ipswich, Suffolk.

Up to £1000 instant credit available through selected Big 'M' dealers. Ask for written details.

AGENTS

Aberdeen
Microcomms
372-374 George St. 0224 633385

Abergele
Abergele Computer Centre
8 Water St. 0745 826234

Altrincham
M Copeland Ltd
37 Stanford New Rd. 061 928 0087

Ballymoney
Everyman Computers
Charlotte St. 02656 62116

Bedford
The Software Centre
52a Bromham Rd. 0234 44733

Bishop's Stortford
Computers of East Anglia
3 Church St. 0279 506801

Blackpool
Blackpool Computer Store
179 Church St. 0253 27091

Bridgend
Automation Services
31 Wernleys Rd. Penyfai 0656 720959

Brighton
Gamer
24 Gloucester Rd. 0273 698424

Bristol
Brensall Computers Ltd
24 Park Row. 0272 294188

Brixham
Computer Systems (Torbay)
Pump St. 08045 6565

Bromley
Datastore
6 Chatterton Rd. 01 460 8991

Cardiff
Steves Computer Co. Ltd
Castle Arcade. 0222 41905

Chelmsford
Essex Computer Centre
Moulsham St. 0245 358702

Clacton-on-Sea
Clacton Computer Centre
Pier Avenue. 0255 422644

Colchester
Capricorn Computer Centre
32 North Hill. 0206 68471

Croydon
Universal Micro Peripherals
233 London Rd. W Croydon
01 683 0060

Derby
First Byte Computers
10 Main Centre
London Rd. 0332 365280

Dover
Dover International Computer Centre
18-19 The Charlton Arcade
High St. 0304 212433

Co Durham
Knowledge Computer Centre
15 North Burns
Chester-le-Street. 0385 888144

Gloucester
The Model Shop
79 Northgate St. 0452 410693

Guildford
The Model Shop
23 Swan Lane. 0483 39115

Hastings
The Computer Centre
37 Robertson St. 0424 439190

Haverfordwest
The Computer Centre (BS)
22 Market Courtyard Shops
Haverfordwest, Dyfed. 0437 68228

Heckmondwike
Thoughts and Crosses
37 Market St. Heckmondwike.
W Yorks. 0924 402337

Hemel Hempstead
Faxminster
25 Market Square 0442 55044

Hornchurch
Channel One
174 High St. 04024 75613

Horsham
Microstore
13b West St. Horsham. 0403 52297

Orchard Computer Centre
34 East St. 0403 68461/54707

Hull
Computer Centre (Humberside)
26 Anlaby Rd. 0482 26297

Ilfracombe
Bits'n Bytes
44 Fore St. Ilfracombe
N. Devon. 0271 62801

Ipswich
Brainwave Micro's
Crown St. 0473 50965

Lancaster
Castle Computers
5 Frances Passage. 0524 61133

London
Computers of Wigmore St.
87 Wigmore St. W1. 01 486 0373

London
The Advanced Technology Centre
207 Eltham High St.
London SE9. 01 859 7696

Merseyside
Source Computers Ltd
230 Crow Lane East
Newton-le-Willows. 09252 4394

Nederland
Micro Management (Holland)
Raad Huisstraat 98
2406 An Alphen-ann-den-rijn.
01720 72580

Norwich
Richard Pank
Anglia Square, Norwich. 0603 27963

Norwich
Abacus Micro Computers
12A Potter Gate. 0502 715061

Nottingham
Computer Market
27 Goose Gate. 0602 586454

Plymouth
The Model Shop
11 Old Town St. 0752 21851

Preston
4MAT Computing
67 Friar Gate. 0772 561952

Scunthorpe
Ashby Computer Centre
298 Ashby High St. 0274 871756

Sheffield
Just Micro
22 Carver St. 0742 752732

Shetland
Tomorrows World
Esplanade. 0595 2145
Lerwick

Southend-on-Sea
Estuary Software
261 Victoria Ave. 0702 43568

Stamford
Burghley Computers Ltd
Hanover Court. 0780 54444

Stirling
Micro Store
Unit 3, The Arcade. 0786 64571

Stoke on Trent
Town Computer Store
30 Town Rd., Hanley. 0782 287540

Stroud
The Model Shop
22 High St. 04536 5920

Surbiton
Computasolve
8 Central Parade, St. Marks Hill
01 390 5135

Uxbridge
J.K.L. Computers
7 Windsor St. 0895 51815

Welling
Bureau Computer Services Ltd
52-54 Bellegrove Rd. 01 301 2677

Weymouth
Silicon Chip Computers
39 Park St. 0305 787592

Wolverhampton
Wolverhampton Computer Centre
17-19 Lichfield St. 0902 29907

Think you're good enough to become a Big 'M' distributor? Full back up given. Write for details and application forms to **Steve Macfarlane**

Micro Management Head Office: 16 Princes Street Ipswich Suffolk Tel: 0473 219461

Calisto Software

SPECTRUM 48K

MUTANT ANT ATTACK

Your miniaturised laser tank is under attack from marauding mutant super ants. Your mission is to destroy them wave after wave as they relentlessly march towards you bent on your total destruction.

The unique game engineering and high resolution graphics make this game highly challenging and enjoyable.

WARNING this product is highly addictive.

Kempston compatible.

THE NEW NAME IN SPECTRUM SOFTWARE

SPECTRUM 48K

WALLY KONG

Battle your way to the top of the screen avoiding the numerous cannonballs rolling towards you. Use all your skill and judgement to avoid Wally Kong's efforts to stop you, while you attempt to negotiate all four levels of this excellent high resolution graphics arcade style game, which includes ladders, lifts, moving platforms and numerous other hazards.

Kempston compatible.

SPECTRUM 48K

GOBSTOPPER



Battle your way through crazy confectionery, zapping marauding gobstoppers as you desperately try to escape from the sadistically sticky, killing effects of the dreaded mutant toffees.

Gracefully glide manoeuvring yourself between the coaches of the runaway trains while avoiding the electric security bars which guard your path.

Should you survive this far, surely the slippery strikes of Sam, the demented Ice-cream salesman will bar you from ultimate triumph. Good luck, you are going to need it.

GOBSTOPPER is an original high speed action arcade game, employing high resolution colour graphics and sound effects.

Kempston compatible.

Calisto Software Ltd is a rapidly expanding software company and is actually seeking talented new programmers. If you are an undiscovered genius, contact us now.

Many new titles to be released shortly including: Drac Attack, Roller Run, The Quest, Dungeons, Micky the Bricky and Barracuda.

ALL PROGRAMS ONLY

£5.95

INCLUDING V.A.T.
POSTAGE & PACKING

SPECTRUM 48K

CYBO RUN



Can you survive the frenzied attacks of the deadly robots as they home in on you firing their deadly lasers. You will need your wits about you as their attacks get faster, but watch out for the deadly gas cloud, you have only seconds to escape to yet another room full of the homicidal metal maniacs. No one knows how many rooms you have to negotiate to obtain freedom, maybe there is no escape, and you are doomed to roam the passages for ever, never to be free, but always to be in mortal danger.

Kempston compatible.

Calisto Software

DEALER & DISTRIBUTOR
Enquiries Welcome

119, JOHN BRIGHT STREET, BIRMINGHAM B1 1BE
Telephone: 021-643 5102
Exclusive distributor of SCOTT ADAMS PRODUCTS

Post to: Calisto Computers Limited, 119 John Bright St., Birmingham B1 1BE. Tel: 021-643 5102

QUANTITY	ITEM	PRICE
	Total	

PAYABLE BY ACCESS OR BARCLAYCARD

I enclose my Cheque/P.O. for £
Please debit my Access/Barclaycard no:

Name:

Address:

YC1.

(continued from page 182)

```
1420 STAGE=STAGE+1
1430 SC=SC+STAGE*1000
1440 CLS
1450 PRINT '''Y O U  H A V E  C O M P L E T E D
                                        S T A G E
";STAGE
1460 PRINT ''"Bonus = ";STAGE*1000
1470 SOUND 3,2,100,50
1480 PRINT '''Your score =";SC
1490 FOR I=0 TO 500:NEXT
1500 *FX15,1
1510 A=INKEY(300)
1520 CLS
1530 LX=0
1540 ENDPROC
1550 DEF PROChighscore
1560 PRINT ''"This is one of the highest scores today
"
1570 PRINT ''"Well done!"
1580 PRINT ''"Please enter your name.(Max 10 letters.
)"
1590 INPUT A$
1600 IF LEN A$>10 THEN 1590
1610 FOR I=3 TO FL STEP -1
1620 $(NZ+I*7+7)=$(NX+I*7)
1630 $(NZ+I*20+20)=$(NX+I*20)
1640 NEXT
1650 SC$=STR$(SC)
1660 IF LEN SC$<6 THEN SC$="0"+SC$:GOTO 1660
1670 $(NZ+FL*7)=SC$
1680 $(NZ+FL*20)=A$
1690 ENDPROC
1700 IF ERR=17 THEN RUN
1710 IF ERR=25 THEN GOTO ERL
1720 MODE7
1730 PRINT '''
1740 REPORT
1750 PRINT " in line ";ERL
1760 END
1770 DEF PROCL(A$)
1780 PRINT CHR$141;A$
1790 PRINT CHR$141;A$
1800 ENDPROC
```

```
[■■]                : LIST
[■■]                : RUN + [■■■■■■]
[■■]                : SAVE
[■■]                : VERIFY + [■■■■■■]
[■■]                : READ
[■■]                : DATA
[■■]                : GOSUB
[■■]                : RETURN
[■■■]               : INPUT
[■■■]               : RESTORE
[■■■]               : PEEK(
[■■■]               : POKE
[■■■■■■■■■]         : CHR$(
[■■■■■■■■■]         : MID$(
[■■■■■■■■■]         : LEFT$(
[■■■■■■■■■]         : RIGHT$(
[■■■■■■■■]          : ASC(
[■■■■■■■■]          : STR$(
[■■■■■■■■]          : VAL(
[■■■■■■■■]          : TAB(
[■■■■■■■]           : Change Border colour
[■■■■■■■]           : Change Background colour
[■■■■■■■]           : Copy screen on Printer
(large characters & narrow line spacing)
[■■■■■■■■]          : Copy screen on Printer
(small characters & normal line spacing)
```

CBM-64 Toolkit figure 1.

Toolkit

Stephen Lockyer,
Abingdon,
Oxfordshire.

CBM-64

THIS IS A toolkit program which defines the function keys, allows a copy of the screen to be dumped to the printer, and allows the listing to be paused by pressing the ← key and then restarted by pressing the Return key. Also a joystick plugged into port 2 can be used to control the cursor in and out of a program. The demo program shows how this makes programming joystick control into a program much easier. The Fire button sends the cursor to the top left of the screen.

The function keys are defined as shown in figure 1. These can easily be changed by altering the Data statements, lines 60 to 70. Putting a ← at the end of the word gives an automatic return when the key is pressed. Each word assigned must not be longer than eight characters.

After running the program you need to activate the toolkit, you do this by typing in:

SYS 156*256

but before you do this make sure you have Saved it as any typing error could cause the computer to crash, and so lose the program.

The machine code will stay in memory until the computer is switched off.

The demonstration program

```
5 SYS156*256:PRINT"□"
10 SC=1024:CL=55296:X=0:Y=0
20 GETA$:IFA$=""THEN20
30 IFA$="■"ANDX>0THENX=X-1
40 IFA$="▶"ANDX<39THENX=X+1
50 IFA$="□"ANDY>0THENY=Y-1
60 IFA$="▚"ANDY<24THENY=Y+1
70 POKESC+X+(Y*40),42:POKECL
+X+(Y*40),1
80 GOTO20
```

```
10 FORI=0TO19:READK$:K=LEN(K$)
15 FORJ=0TOK-1:W=ASC(MID$(K$,J+1,1))
20 IFW=95 THEN W=13
25 POKE157*256+I*8+J,W
30 NEXTJ
35 FORK=KTO7:POKE157*256+I*8+K,0:NEXTK
40 NEXTI
50 FORI=0TO252:READA:POKE156*256+I,A:NEXT
55 FORI=160TO496:READA:POKE157*256+I,A:NEXT
60 DATALIST,RUN←,INPUT,CHR$(,SAVE,VERIFY←,RESTORE,MID$(
65 DATAREAD,DATA,PEEK(,LEFT$(,GOSUB,RETURN,POKE,RIGHT$(
70 DATAASC(,STR$(,VAL(,TAB(
100 DATA72,138,72,152,72,169,156,133,52,133,56,169,0,133,51,133,55
110 DATA120,169,85,141,20,3,169,156,141,21,3,58
120 DATA162,0,189,50,156,240,8,32,210,255,232,224,255,208,243
130 DATA76,231,156,170,104,96
140 DATA147,32,32,32,32,32,32,32,42,42,42,42,32,67,66,77,32
150 DATA54,52,32,84,79,79,76,75,73,84,32,42,42,42,42,13,13,0
155 DATA72,138,72,152,72,165,197,197,2,208,5,133,2,76,220,157,133,2
160 DATA201,57,208,3,76,220,157,201,7,144,3,76,220,157,201,3
170 DATA176,3,76,220,157,174,141,2,224,4,208,3,76,207,156,201,3
180 DATA240,6,168,136,136,136,136,152,10,10,10,10,10,224,1,208,3,24,105,8
185 DATA224,2,208,3,24,105,16,224,5,208,3,24,105,24,224,6,208,5,74,74,24,105,128
190 DATA133,252,169,157,133,253,160,0,177,252,153,119,2
200 DATA200,192,8,208,246,132,198,104,168,104,170,104,76,49,234
210 DATA201,4,208,3,76,160,157,201,5,208,3,76,176,157
220 DATA201,6,208,3,76,211,158,76,227,158
225 DATA120,169,192,141,40,3,169,157,141,41,3
226 DATA169,4,133,255,88,104,168,104,170,104,96
230 DATA173,32,208,41,15,170,232,138,41,15,141,32,208,76,220,157
240 DATA173,33,208,41,15,170,232,138,41,15,141,33,208,76,220,157
250 DATA165,197,201,57,240,3,76,237,246,165,197,201,1,240,6
260 DATA201,63,240,243,208,244,169,0,133,198,76,237,246
270 DATA173,0,220,201,127,208,3,76,199,156,201,126,208,5,162,145
280 DATA76,22,158,201,125,208,5,162,17,76,22,158,201,123,208,5,162,157
290 DATA76,22,158,201,119,208,5,162,29,76,22,158,201,111,208,5,162,19
300 DATA76,22,158,76,199,156,138,166,255,202,134,255,240,3,76,199,156,162,4
310 DATA134,255,160,1,132,198,141,119,2,76,199,156
320 DATA72,152,72,138,72,120,169,0
330 DATA32,189,255,173,24,208,160,255
340 DATA162,4,41,2,240,2,160,7
350 DATA169,4,32,186,255,32,192,255
360 DATA162,4,32,201,255,176,113,169
370 DATA0,133,251,169,4,133,252,32
380 DATA237,255,134,254,134,253,132,255
390 DATA160,0,169,14,32,210,255,177
400 DATA251,201,128,144,9,41,127,72
410 DATA169,18,32,210,255,104,201,34
420 DATA208,2,169,39,201,32,144,8
430 DATA201,64,144,7,9,128,208,3
440 DATA24,105,64,32,210,255,169,146
450 DATA32,210,255,200,208,2,230,252
460 DATA198,254,208,203,198,255,240,27
470 DATA169,8,32,210,255,169,13,32
480 DATA210,255,169,15,32,210,255,169
490 DATA14,32,210,255,166,253,134,254
500 DATA24,144,172,169,13,32,210,255
510 DATA32,231,255,104,170,104,168,104
520 DATA88,76,220,157
530 DATA169,14,141,106,158,141,183,158
540 DATA169,8,141,168,158,76,47,158
550 DATA169,15,141,106,158,141,183,158
560 DATA141,168,158,76,47,158
```

Music maker

Nick Carter,
London NW1.

SPECTRUM

EASY ENTRY OF MELODIES using simple cursor controls is possible with this program. Thus calculation of Beep values is avoided. Several facilities are included, enabling editing, transposition and Saving and Loading on tape.

On running the program, the display will appear and in order to enter a note, the following procedure should be followed. Firstly, in order to enter the pitch of the note, use the cursor control keys 6 and 7 — without Caps Shift — to move the note which will have appeared on the middle ledger line up or down as required. Then, when it is in the desired position, press the Enter key to fix that note in the memory.

A prompt will then appear, enquiring whether this note is a flat, sharp, or natural or whether you do not require a note but a rest instead. You should reply with the first letter of the relevant word except in the case of a natural where for convenience any key except f, s or r will do, the Enter key being the best choice.

On answering the prompt, an arrow will appear below the crotchet in the row of notes in the top right-hand corner of the screen. This can be moved right or left, again using the cursor control keys — this time 5 and 8 — and, when the Enter key is pressed, the duration of the note printed will be stored in memory. The computer then returns to the pitch entry routine, ready to repeat the process or to accept any of the commands listed on the screen. The procedure for each of these is as

(continued on page 193)

THREE EXCITING NEW GAMES
IN THE LIVEWIRE SERIES FOR THE 64
FROM SUMLOCK MICROWARE





GRIDTRAP 64

We promise you won't be able to turn it off! It's a real skill tester and loads of fun to play!

Play with the Keyboard or Joystick. Choose your own operating keys with our **User Definable System.** Compete with an opponent by selecting **Two Player Mode...** Great graphics, super sound effects in the Livewire tradition including a selectable Melody Mode where the tune is available at the touch of a key and Melody On is indicated by a quaver graphic.

Program No. LWO4 £8.95

Not just a game... an Experience!

IT HAS IT ALL!...EXCITEMENT... HUMOUR... STRATEGY

Jumpin' Jack leaps into a totally new look for the 64 created by **Three Dimensional Graphics** giving **Full Perspective** to the game... PLUS... hosts of features never seen before!

Submerging Turtles — Snakes — Crocodiles — Otters — Lady Frog — Dragonfly!!!

It's Fun ★★★

IT'S **FROGRIFFIC** ★★★

Program No. LW02 £8.95

JUMPIN JACK 64



TRIAD 64

NEVER BEFORE HAS A COMPUTER GAME LOOKED SO EXCITING...

...FELT AND PLAYED SO EXCITING...

Watch astonished as the Triad hurl themselves towards your craft in a remorseless battle against your intrusion.

Feel the heat blast of their anti-matter fields.

Your pulse laser will have to turn white hot before this encounter is over...

Featuring:-

A new DIMENSION...

Into the realm of TOTAL PERSPECTIVE GRAPHICS...

Program No. LW03 £8.95

Clip the coupon below and return to Sumlock Microware Dept. YC-S1
198 Deansgate, Manchester M3 3NE.
or Telephone: 061-834 4233

AMERICAN EXPRESS · BARCLAYCARD VISA

Please send me the following Software

_____

I enclose Cheque/P.O. for £ _____ inc. P + P U.K. only.

To: Name _____

Address _____

_____ Post Code _____

Also available from good computer dealers and bookshops nationwide.

SUPERB SOFTWARE FOR THE VIC 20

SP.04 GRIDTRAP Defuse the bombs, watch out for the mines and wandering boot. Joystick or Keyboard M/code **£7.95**

SP.01 SKRAMBLE Destroy the enemy installations and missiles in their underground silo. Joystick or keyboard M/code **£7.95**

SP.02 JUMPIN JACK Cross a busy road and treacherous river to get Jack home. Joystick or keyboard. Multi-colour Hi-Res Gr. M/code **£7.95**

SP.03 TRIAD Defend your base against the suicidle fleets of alien hoverships. Joysticks or keyboard. M/code. **£7.95**

SP.13 STARSHIP ESCAPE A compelling and exciting real time graphic space adventure game. Joystick or keyboard M/code. **£9.95**

SP.16 MULTITRON The biggest alien encounter of all time. Wave after wave of invasion action. Joystick or keyboard M/code **£7.95**

SP.06 ASTRO FIGHTERS A space duel played by two players at once. Requires Joystick. M/code. **£6.95**

SP.07 CHOPPER Attack and destroy the enemy base but watch out for guided missiles. Joystick or keyboard M/code. **£6.95**

SUMLOCK MICROWARE

Trade enquiries welcome. Trade distribution nationwide ring 061-834 4233 for details.

LUNA CRABS
By M.J. ESTCOURT



HAUNTED HEDGES
By DEREK BREWSTER

DEATH CHASE
By M.J. ESTCOURT
Kempston Joystick Compatible

MICROMEGA

For any Spectrum

ALL TITLES £6.95 INC VAT.
SELECTED MICROMEGA PRODUCTS THROUGH: BOOTS, GREENS, ASDA, JOHN MENZIES, LASKYS, WIGFALLS, RUMBELOWS, HMV, SELFRIDGES, WH SMITHS, SPECTRUM SHOPS EVERYWHERE AND ALL OTHER GOOD SOFTWARE STOCKISTS

Trade Enquires

PRISM 01 253 2277
WEBSTERS SOFTWARE 0486 84152
LIGHTNING RECORDS AND VIDEO 01 969 5255
MICRO DEALER UK - ST ALBANS 34351

STARCLASH
By DEREK BREWSTER
Kempston Joystick Compatible

NEW SOFTWARE FOR A NEW DIMENSION

Micromega · Personal Computer Division · Quantec Systems and Software Ltd 230 Lavender Hill London SW11 1LE

ONLY £5.50

SPECTRUM (Best Seller)

Jumping Jack



Now let him

Leggit!

around on your Dragon, and Atari

..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

(continued from page 189)

follows:

■Play — A prompt will appear asking the speed in crotchet beats per minute. As a very rough guide, the following may help: Largo/Adagio — Slow (40-75); Andante/Moderato — Moderately (75-120); Allegro — Fast (120-170); Presto — Very fast (170-210). Obviously, this depends very much on the piece in question, so experimenting may prove to be the best method.

■Alter — A prompt will appear asking for the number of the note in the tune to be altered. When this has been answered, the Editing message will indicate that the new note can be entered — in the same way as any other — but in this case it will overwrite the incorrect note. The computer will then return to the pitch entry routine so that the next note entered will be added to the end of the melody.



■Transpose — A prompt will ask the required change in semitones — the answer to which should be a positive or negative integer. If the transposition is possible, control will be returned to the pitch entry routine, otherwise the prompt will re-appear. Entering 0 will leave the tune unaffected.

■Save — This will run the Play routine. When the tune has finished playing, press any key and, in reply to the prompt, enter the name of the tune. Follow the commands to Save the bytes and then, after the OK message, rewind the tape and play it so that the bytes can be verified.

■Load — This will load the first bytes on the tape and then pass control to the pitch entry routine, so that the next note entered will be added to the end of the new melody.

The program is written for a 16K Spectrum with a maximum tune length of roughly 50 notes, requiring 100 bytes of storage space. In order to use the program on a 48K machine, or to have tunes in excess of 50 notes, the following lines will have to be changed: 50, 60, 505, 615, 715, 730, 815, 855,860. If required, the delay time — specified by the maximum value of F in line 1000 — can be shortened to speed up entry, but the purpose of this is to prevent one key-press being read by two consecutive subroutines, so beware!

```
  10 REM Music © N.P.Carter 1983
  50 CLEAR 32499
  55 DIM n(9): DIM d(9)
  60 LET x=23: LET t=32500
  65 LET m=0: LET l=8
 100 FOR i=144 TO 164
 105 FOR j=0 TO 7
 110 READ k: POKE USR CHR$ i+j,k
 115 NEXT j
 120 NEXT i
 125 DATA 96,144,144,144,144,144
,160,160
 130 DATA 0,0,0,1,2,4,8,8
 135 DATA 0,128,128,128,128,128,
128,128
 140 DATA 0,16,32,32,64,64,128,1
28
 145 DATA 0,129,130,132,136,136,
136,136
 150 DATA 0,224,152,132,130,130,
129,129
 155 DATA 0,68,64,64,32,16,8,7
 160 DATA 0,129,130,130,132,136,
144,224
 165 DATA 0,0,0,0,8,8,5,2
 170 DATA 0,128,128,128,128,128,
0,0
 175 DATA 0,15,16,32,64,64,128,1
28
 180 DATA 0,248,60,14,7,7,7,3
 185 DATA 0,96,112,32,0,0,0,0
 190 DATA 0,3,3,3,2,6,6,4
 195 DATA 0,12,8,8,16,16,32,32
 200 DATA 0,0,0,1,2,4,8,16
 205 DATA 0,64,128,0,0,0,0,0
 210 DATA 0,60,126,255,255,255,1
26,60
 215 DATA 0,0,0,0,0,60,126,255
 220 DATA 0,255,126,60,0,0,0,0
 225 DATA 0,60,66,129,129,129,66
,60
 250 FOR i=3 TO 9
 255 READ k: LET n(i)=k
 260 NEXT i
 265 DATA 11,9,7,5,4,2,0
 270 FOR i=1 TO 9
 275 READ k: LET d(i)=k
 280 NEXT i
 285 DATA 24,16,12,8,6,4,3,2,1
 290 GO SUB 900
 300 IF INT l=l THEN PRINT AT l,
6;"▼";AT l-1,6;" "
 305 IF INT l<>l THEN PRINT AT I
NT l,6;"●"
 310 IF INKEY$="" THEN GO TO 310
 315 LET c=CODE INKEY$
 320 IF m=1 THEN GO TO 350
 325 IF c=112 THEN GO SUB 500
 330 IF c=97 THEN GO SUB 600
 335 IF c=100 THEN GO SUB 700
 340 IF c=115 THEN GO TO 800
 345 IF c=108 THEN GO TO 850
 350 IF c=13 THEN GO SUB 400: IF
m=1 THEN RETURN
 355 IF c<>54 AND c<>55 THEN GO
TO 310
 360 IF INT l=l THEN PRINT AT l,
6;"▼";AT l-1,6;" "
 365 IF INT l<>l THEN PRINT AT I
NT l,6;"●"
 370 LET l=l+.5*((c=54 AND l<15)
-(c=55 AND l>1.5))
 375 GO TO 300
 400 GO SUB 1000
 405 PRINT AT 21,0;"Flat,sharp,n
atural or rest?"
 410 IF INKEY$="" THEN GO TO 410
 415 PRINT AT 21,0;"Flat,sharp,n
atural or rest?"
 420 LET c=CODE INKEY$
 425 IF c=114 THEN POKE t+1,99
GO TO 445
 430 LET z=l: LET o=0
 435 IF z>4.5 THEN LET z=z-3.5:
LET o=o+1: GO TO 435
 440 POKE t+1,((3-o)*12+n(z+2)+(
c=115)-(c=102))
 445 GO SUB 1000
 450 PRINT AT 5,x;"↑"
 455 IF INKEY$="" THEN GO TO 455
 460 LET c=CODE INKEY$
 465 IF c<>56 AND c<>53 AND c<>1
3 THEN GO TO 455
 470 PRINT AT 5,x;"↑"
 475 IF c=13 THEN POKE t,d((x-11
)/2): LET t=t+2: GO SUB 1000: RE
TURN
 480 LET x=x+(c=56 AND x<29)-(c=
53 AND x>13)
 485 GO TO 450
 500 POKE t,0: POKE t+1,99
 505 LET i=32500
 510 INPUT "Beats per minute?";b
: LET s=15/b
 515 BEEP s*PEEK i,PEEK (i+1)-24
: LET i=i+2: GO TO 515+(PEEK (i+
1)=99)
 516 PAUSE 50*s*PEEK i: LET i=i+
2: GO TO 515+2*(PEEK (i-2)=0)
 517 RETURN
 600 INPUT "Which note to be alt
ered?";n
 605 GO SUB 1000
 610 LET u=t
 615 LET t=32498+2*n: LET m=1
 620 PRINT AT 18,0;"Editing"
 625 GO SUB 310
 630 PRINT AT 18,0;"Editing"
 635 LET m=0
 640 LET t=u
 645 LET c=0
 650 RETURN
 700 INPUT "Change in pitch in s
emitones";y
 705 GO SUB 1000
 710 IF INT y<>y THEN GO TO 700
 715 LET i=32501
 720 IF PEEK i+y>93 OR PEEK i+y<
0 THEN GO TO 700
 725 IF i<t-1 THEN LET i=i+2: GO
TO 720
 730 FOR i=32501 TO t-1 STEP 2
 735 POKE i,PEEK i+y
 740 NEXT i
 745 RETURN
 800 GO SUB 500
 805 INPUT "Name?";a$
 810 CLS
 815 SAVE a$CODE 32500,t-32500
 820 VERIFY a$CODE
 825 RUN
 850 CLS
 855 LOAD ""CODE 32500
 860 LET t=32500
 865 IF PEEK t=0 AND PEEK (t+1)=
99 THEN GO TO 290
 870 LET t=t+2: GO TO 865
 900 OVER 0: CLS
 905 FOR a=71 TO 119 STEP 48
 910 FOR i=a TO a+32 STEP 8
 915 PLOT 8,i: DRAW 80,0
 920 NEXT i
 925 NEXT a
 930 FOR i=55 TO 159 STEP 8
 935 PLOT 44,i: DRAW 16,0
 940 NEXT i
 945 OVER 1
 950 PRINT AT 2,3;"▯";AT 3,2;"/"
;AT 3,3;"▯";AT 4,2;"/";AT 4,3;"▯
";AT 5,2;"▯/";AT 5,3;"▯";AT 6,2;"
▯";AT 6,3;"▯";AT 7,2;"▯";AT 7,3;
"▯"
 955 PRINT AT 9,2;"/";AT 9,3;"\"
;AT 10,2;"•";AT 10,3;"/";AT 11,3
;"/";AT 12,2;"/";AT 12,3;"  ";AT
9,4;".";AT 10,4;"."
 960 PRINT AT 4,13;"O.O O.O ●.●
●.● ●"
 965 FOR i=0 TO 96 STEP 16
 970 PLOT 143+i,141: DRAW 0,16
 975 IF i>63 THEN DRAW 7,-7: IF
i>95 THEN PLOT 240,151: DRAW 8,-
8
 980 NEXT i
 985 PRINT AT 6,21;"3   3 1 1";A
T 7,13;"6 4 3 2 / 1 / / /";AT 8,
21;"2   4 2 4"
 990 PRINT AT 10,13;"P-Play";AT
12,13;"A-Alter";AT 14,13;"D-Tran
spose";AT 16,13;"S-Save";AT 18,1
3;"L-Load"
 995 RETURN
1000 FOR f=1 TO 50: NEXT f: RETU
RN
```

Dynvars

Alan Wagstaff,
Richmond,
North Yorkshire.

BBC

THIS ASSEMBLY language program produces a machine-code routine starting at D01 hex. The code, when called, prints the names of all dynamic variables used by a Basic program.

To use it, enter the listing and Run it. Then enter the Basic program and Run it. Entering

CALL &D01

will list the Basic programs variables.

```
10FORF%=0TO1
20P%=&D01
30[OPT F%*2
40    LDA#65
50    STA&75
60    LDA#&82
70    STA&70
80    LDA#4
90    STA&71
100.L LDY#1
110   LDA(&70),Y
120   BEQ N
130   STA&81
140   LDY#0
150   LDA(&70),Y
160   STA&80
170.Q LDA#13
180   JSR&FFE3
190   LDA&75
200   JSR&FFE3
210   LDY#2
220.M LDA(&80),Y
230   BEQ R
240   JSR&FFE3
250   INY
260   CLC
270   BCC M
280.R LDY#1
290   LDA(&80),Y
300   BEQ N
310   TAX
320   DEY
330   LDA(&80),Y
340   STA&80
350   STX&81
```

(continued on next page)

(continued from previous page)

```
360     CLC
370     BCC Q
380.N   LDA#2
390     CLC
400     ADC&70
410     CMP#&F6
420     BEQ Z
430     STA&70
440     INC&75
450     CLC
460     BCC L
470.Z   LDA#13
480     JSR&FFE3
490     RTS:]
500NEXT
510REM A WAGSTAFF
520REM     1983
```

Wordsearch

Lee Butchart,
Whitchurch,
Bristol.

SPECTRUM

ANY SPECTRUM can be used in this program to generate random Wordsearches — the puzzle in which you have to try and find words hidden within a grid.

The size of the grid in this program is 20 by 20 — letters. You enter 10 words into the Spectrum which can be a maximum of 10 letters in length each. Then the Spectrum will generate a Wordsearch using your words.

When the grid appears, your words will be printed next to the grid. There will also be a Menu:

Answers — Will you give the answers.
Quit — Will quite the Program.
Copy — Will copy grid and words to printer.
Restart — Allows you to enter new words, and hence a new wordsearch.
Shuffle — Generates a new Wordsearch, but uses the same words currently in use.

```
  0>REM  WORDSEARCH GENERATOR
       BY LEE.BUTCHART  ©1983

  5 REM      INTRODUCTION

  10 PAPER 0: INK 7: BRIGHT 1: B
ORDER 0: CLS
  20 LET a$="       WORDSEARCH GE
NERATOR       ": FOR a=1 TO 31: P
RINT AT 0,0;a$(32-a TO ): BEEP .
01,0: NEXT a: LET A$="
    BY                ": FOR A=1
 TO 31: PRINT AT 1,0;a$(32-a TO
): BEEP .01,0: NEXT a
  30 LET A$="          LEE.BUTCHA
RT          ": FOR A=1 TO 31: P
RINT AT 2,0;A$(32-A TO ): BEEP .
01,0: NEXT A
  40 FOR A=1 TO 1000: NEXT A: CL
S
  50 POKE 23658,255
  55 REM   BRIEF INSTRUCTIONS

  60 PRINT AT 0,0;
  70 PRINT TAB 8; PAPER 1;"WORDS
EARCH GENERATOR"; PAPER 0;TAB 6;
 INK 6;"
  80 PRINT : PRINT "This program
 will generate a    20x20 grid o
f letters with 10    words hidden
 in it.You input     the words an
d the Spectrum will hide them,pr
int the grid on the screen,and i
f required-on the    printer.It w
ill also show you    where the wo
rds are."
  90 PRINT : PRINT TAB 8;"Press
Any Key"
 100 IF INKEY$="" THEN GO TO 100
 110 CLS
 115 REM   INPUT SECTION

 120 PRINT AT 20,0;"Please enter
 your 10 words.      Press ENTER
after each."
 130 DIM a$(10,10)
 140 FOR a=1 TO 10
 150 INPUT "Word ";(a);"=";b$: C
LS : IF LEN b$>10 THEN PRINT "MA
XIMUM OF 10 LETTERS PLEASE!": GO
 TO 150
 160 IF b$="" THEN GO TO 150
 170 LET a$(a)=b$: NEXT A: CLS
 180 PRINT AT 7,9; PAPER 1;"PLEA
SE WAIT"
 185 REM
          MAIN ROUTINE

 190 DIM g$(20,20): DIM c(20,20)
: DIM X(10): DIM Y(10)
 200 FOR a=1 TO 10
 210 FOR b=1 TO 10: IF a$(a,b TO
 b)=" " THEN NEXT b
 220 LET B=B-1
 230 LET X(A)=INT (RND*20)+1: LE
T Y(A)=INT (RND*20)+1
 235 REM
        FIND WHICH DIRECTIONS
  THE WORD CAN/CANNOT GO IN.

 240 LET d$="": LET xx=X(a): LET
 yy=y(a)
 250 LET d$=d$+("1" AND yy+b<21)
+("2" AND yy+b<21 AND xx>b)+("3"
 AND xx>b)+("4" AND xx>b AND yy>
b)+("5" AND yy>b)+("6" AND yy>b
AND xx+b<21)+("7" AND xx+b<21)+(
"8" AND xx+b<21 AND yy+b<21)
 260 LET d=VAL (d$(INT (RND*(LEN
 d$)+1)))
 265 REM
        CHECK FOR 'OVERWRITING'
  AND PUT WORD INTO THE GRID

 270 FOR c=1 TO b: IF g$(xx,yy)=
" " THEN LET xx=xx-(d>1 AND d<5)
+(d>5 AND d<9): LET yy=yy-(d>3 A
ND d<7)+(d<3 OR d=8): NEXT c: GO
 TO 290
 280 GO TO 230
 290 LET ink=INT (RND*4)+4: LET
 xx=x(a): LET yy=y(a): FOR c=1 TO
 b: LET g$(xx,yy)=a$(a,c): LET c
(xx,yy)=ink: LET xx=xx-(d>1 AND
 d<5)+(d>5 AND d<9): LET yy=yy-(d
>3 AND d<7)+(d<3 OR d=8): NEXT c
 300 NEXT A: CLS
 305 REM
        END OF MAIN LOOP
    NOW WE FILL IN ALL BLANK
    SPACES WITH RANDOM LETTERS

 310 FOR A=1 TO 20: FOR B=1 TO 2
0: IF G$(A,B)=" " THEN LET G$(A,
B)=CHR$ (64+(INT (RND*26)+1))
 320 NEXT B: NEXT A
 325 REM
        PRINT GRID AND WORDS

 330 PLOT 174,174: DRAW -4,-4: P
LOT 174,1: DRAW -4,4: PLOT 1,1:
DRAW 4,4: PLOT 1,174: DRAW 4,-4:
 PLOT 5,5: DRAW 0,165: DRAW 165,
0: DRAW 0,-165: DRAW -165,0: PLO
T 1,1: DRAW 0,173: DRAW 173,0: D
RAW 0,-173: DRAW -173,0
 340 FOR A=1 TO 20: PRINT AT A,1
;G$(A): NEXT A
 350 FOR A=1 TO 10: PRINT AT A,2
2; INK 6;A$(A): NEXT A
 355 REM
        PRINT THE MENU

 360 PRINT AT 14,22; PAPER 2;" M
ENU "
 370 PRINT AT 15,22;"A=ANSWERS"
 380 PRINT AT 17,22;"C=COPY"
 390 PRINT AT 16,22;"Q=QUIT"
 400 PRINT AT 18,22;"R=RESTART"
 401 PRINT AT 19,22;"S=SHUFFLE"
 405 REM
        OPERATE THE MENU

 410 IF INKEY$="C" THEN FOR A=14
TO 19: PRINT AT A,22;"
": NEXT A: COPY : GO TO 360
 420 IF INKEY$="R" THEN RUN 120
 430 IF INKEY$="Q" THEN CLS : ST
OP
 435 IF INKEY$="S" THEN CLS : PR
INT AT 6,10; FLASH 1; PAPER 2;"S
HUFFLING": GO TO 180
 440 IF INKEY$<>"A" THEN GO TO 4
10
 450 FOR A=20 TO 1 STEP -1: PRIN
T AT A,1; INK 2;G$(A): NEXT A
 460 FOR A=1 TO 20: FOR B=1 TO 2
0: IF C(B,A)>2 THEN PRINT AT B,A
; OVER 1; INK C(B,A);" "
 470 NEXT B: NEXT A
 480 PRINT #1;"Any Key To Return
To Normal Grid": PAUSE 1: PAUSE
0: INPUT ""
 490 GO TO 340
```

Bomber

Paul King,
Ipswich,
Suffolk.

ORIC

HAVING SEEN several listings over the past few months for Bomber-type programs for just about every computer apart from the Oric, I thought that it was time that this situation was remedied, and so, herewith, Oric-Bomber.

There is nothing spectacularly different about this program. As usual, the game consists of demolishing a city to provide a landing site for your aircraft and, should you succeed, having a new city to demolish this time with higher skyscrapers. There is a limit to the number of bombs you carry. This is set by variable BL in line 1130.

For those of you with cats, grannies or wives of a nervous disposition, I would suggest that line 2070 is modified as follows:

2070 POKE C-40,3: POKE C,124

This will eliminate the explosion caused by a bomb hitting a building.

I have written the program as a series of subroutines labelled with Rem statements so that the operation of the program can be easily understood and modifications readily made where desired.

For those of you who have played this game before, I would suggest that you omit line 35 from the listing together with lines 4000 to 4150. This should save you considerable typing-in time.

```
20 PAPER0: INK3
30 PRINTCHR$(17);CHR$(20);CHR$(6);CHR$(12)
35 GOSUB4000
40 GOSUB1000
50 GOSUB1100
60 GOSUB2000
70 IF WIN THENGOTO40
80 GOSUB3000
100 GOTO40
1000 REM*********************************
1001 REM     DEFINE CHARACTERS
1002 REM*********************************
1003 RESTORE
1010 FORY=1TO4:READW
1020 FORZ=0TO7
1030 READX
1040 POKEW+Z,X
1050 NEXTZ
```

(continued on page 196)

The problems of looking after your Micro...

As well as providing the solution to many a problem, Micro's however do present more than a few of their own.

Like how do you prevent it gathering dust when not in use, stop it from getting kicked when Mum's cleaning the lounge, divert the dog from showing it his affections, or even ensure it at least "arrives" safely when Dad decides to take it down to the local.

We at P.A.S. realising these needs, have now developed a range of three superbly made protective cases designed specifically for Micro's. Each case is constructed from Solid Resin Fibreboard has a fully protective foam lining a carrying handle internal retaining strap, a double snap-fastening lid and a price that defies even Micro logic.

HC/A £19.49 INCL. VAT and P&P

HC/1 £13.25 INCL. VAT and P&P

HC/2 £16.75 INCL. VAT and P&P

Please help, I am a long suffering Micro owner and wish to purchase ..... case/s (tick appropriate box)

HC/1 HC/2 HC/A

I enclose cheque/P.O. to the value of .....

NAME .....

ADDRESS .....

.....

Please allow 21 days for delivery. Trade enquiries welcome.

PAS

PAS COMPUTER PRODUCTS LIMITED
UNIT 18, CENTRAL TRADING ESTATE,
STAINES, MIDDLESEX TW18 4UX.
Telephone Staines (STD 0784) 62781

CASE HC/1 Takes Micro's – ZX81, ZX Spectrum, Oric 1, CGL M5. **CASE HC/2** Takes Micro's – VIC20, BBC 'B', Commodore 64, Texas TI/99, Oric 1, Dragon 32, Colour Genie, Sharp MZ700, Acorn Electron, Lynx, Tandy Colour, Atari 600XL, Acorn Atom. **CASE HC/A** Can be adapted to take any of the above computers and various accessories such as Tape Recorder, printer etc.

(continued from page 194)

```
1060 NEXTY
1070 DATA47072,92,92,72,92,126,126,92,72,46376,64,64,6
4,92,126,67,1
26,64
1071 DATA46384,64,64,112,120,95,94,79,64,46592,119,127
,93,85,95,93,
117,127
1099 RETURN
1100 REM*****************************
1101 REM            SETUP
1102 REM*****************************
1110 PRINTCHR$(12)
1120 WIN=FALSE
1130 BL=40:B=0
1140 PLOT0,25,20:PLOT1,25,"==========================
==========="
1150 FORZ=24TO15-SC STEP-1
1160 FORY=1TO38
1170 X=INT(RND(1)*(5+SC))+1
1180 IFSCRN(Y,Z+1)<>32ANDX>1THENPLOTY,Z,"@"
1190 NEXTY:NEXTZ
1200 PLOT0,1,1: PRINT" SCREEN: ";SC+1;SPC(12)"BOMBS LE
FT: ";BL
1210 PLOT9,1,2:PLOT35,1,2:PLOT12,1,1
1999 RETURN
2000 REM*****************************
2001 REM            PLAY
2002 REM*****************************
2010 A=48160
2020 POKEA+2,37:POKEA+1,38:POKEA,5
2030 IFB=1THENGOTO2070
2040 IFKEY$=""THENGOTO2100
2050 B=1:BL=BL-1:IFBL<0THENGOTO2100
2055 BL$=STR$(BL): PLOT36,1,"    ":PLOT36,1,BL$
2060 C=A
2070 POKEC-40,3: POKEC,124:IF PEEK(C+40)=64 THEN EXPLO
DE
2080 C=C+40:IFC>49040THENB=0
2090 IFB=0THENPOKEC-40,3
2100 A=A+1:IFPEEK(A+2)=64THENGOTO2130
2110 IFA<>49020THENGOTO2020
2120 SC=SC+1:WIN=TRUE
2130 RETURN
3000 REM*****************************
3001 REM           END-GAME
3002 REM*****************************
3010 EXPLODE
3015 SC=0
3020 POKEA+1,38:POKEA,3:POKEA+2,32
3030 A=A+41
3040 REPEAT
3050 POKEA,38:POKEA-40,3
3060 LETA=A+40
3070 UNTILA>49040
3080 PLOT2,10,12:PLOT3,10,1:PLOT4,10,"PRESS ANY KEY FO
R ANOTHER GAM
E"
3090 GETX$
3999 RETURN
4000 REM*****************************
4001 REM       INSTRUCTIONS
4002 REM*****************************
4010 PLOT14,1,19:PLOT14,2,19:PLOT24,1,16:PLOT24,2,16
4020 PLOT13,1,4:PLOT13,2,4:PLOT12,1,10:PLOT12,2,10
4030 PLOT16,1,"BOMBER":PLOT16,2,"BOMBER"
4040 PLOT13,5,"INSTRUCTIONS":PLOT12,5,1
4050 PRINT:PRINT:PRINT:PRINT:PRINT:PRINT
4060 PRINT"     Your mission is to bomb the city "
4070 PRINT:PRINT" to provide yourself with a suitable"
4080 PRINT:PRINT" landing site.   Should you achieve"
4090 PRINT:PRINT" this, a more difficult screen will"
4100 PRINT:PRINT" be presented.   You have a limited "
4110 PRINT:PRINT" number of bombs so don't be wasteful
."
4120 PRINT:PRINT"     Press any key to drop bombs."
4130 PLOT5,24,1:PLOT6,24,"PRESS ANY KEY TO CONTINUE"
4140 GETZ$
4150 RETURN
```

Colour change

Elloit Gingold,
Watford,
Herfordshire.

SPECTRUM

ONE FEATURE OF computers such as the BBC that is often admired by Spectrum owners is the ability to change colours of objects already on the screen. Thus using the BBC command VDU19 one is able to, say, change all the blue objects to red instanteously. Such a command also allows one to draw a complicated diagram in an "invisible" colour and then, by redefinition of the colours, make it suddenly appear in its full completion.

The Spectrum, of course, has no such feature. It is possible to do a colour change from Basic by Over 1 Printing an empty string 704 spaces long but this is rather slow and produces a display with a single colour Ink or Paper. But the organisation of the Spectrum attribute file makes almost instanteous Ink or Paper changes of specific types easy to achieve with simple machine-code routines.

The attribute file consists of 768 bytes corresponding to the positions on the screen. Each byte controls the colour of the 8 by 8 pixel square as shown:

```
BIT  7  6  5  4  3  2  1  0
          PAPER       INK
```

Thus Bits 0 to 2 hold a number from 0 to 7 corresponding to the set Ink colour with a similiar situation for bits 3 to 5 and Paper colour. To change all blue Ink to red all that is needed is to move through the 768 bytes, check bits 0-2 for the prescence of the code 1, and if this is found change it to 2. A similar look at bits 3-5 will effect selective Paper changes.

The program actually consists of three short routines that act in this way. In addition to Ink and Paper changing I have included a routine that will swap any two nominated Ink colours. This final routine is useful in producing a variety of flashing affects. Note that in the listing any pound signs should be replaced with #.

Once you have typed the program in as far as line 110 I would suggest running it to see if the checksum works — this is the variable cs. If there is no error reported you have probably made no mistakes in the Data lines. You could then Save the machine code for later use. use

```
SAVE "colour" CODE 65000,122
```

You had better Save the Basic listing as well just in case. The rest of the program just demonstrates the use of these new functions, I hope that readers will come up with better applications.

The main points to note are that the colour to be replaced is Poked into location 65000 and the new colour Poked into 65001. If you wish to change Ink colour call USR 65002, or if it is the paper you want to alter call USR 65031. The Ink Swap routine is obtained from USR 65078. To achieve a flashing effect, it is called from within a loop, the length of any Pause command determining the flash rate. Try having one of the two colours the same as the Paper; this produces a rather more sedate affect than that in the demonstration program.

The program was written on a 48K Spectrum but, with a few changes, the routines can be relocated anywhere. I have included a loader program for a 16K machine, in this case the mahine code goes in at 32000. The details of use are the same except all relevant locations start with 32 rather than 65 i.e., 65031 becomes 32031. Do not forget to Clear 64999 — or 31999 — before loading the code in future applications.

```
  5 REM Loader and demo for 48K
 10 DATA 0,0,33,0,88,62,91,188,200,126,230,7,71,58,23
2,253
 20 DATA 184,32,9,126,230,248,71,58,233,253,128,119,3
5,24,230
 30 DATA 33,0,88,58,232,253,23,23,23,50,232,253,58,23
3,253,23,23,23
 40 DATA 50,233,253,62,91,188,200,126,230,56,71,58,23
2,253,184
 50 DATA 32,9,126,230,199,71,58,233,253,128,119,35,24
,230
 60 DATA 33,0,88,62,91,188,200,126,230,7,71,58,232,25
3,184,40,15
 70 DATA 58,233,253,184,32,18,126,230,248,71,58,232,2
53,24,7,126,230
 80 DATA 248,71,58,233,253,128,119,35,24,215
 90 CLEAR 64999: LET cs=0
100 FOR f=65000 TO 65121: READ a: POKE f,a: LET cs=cs
+a: NEXT f
110 IF cs<>15179 THEN PRINT "Error in data": STOP
120 REM Demo Program
130 FOR f=1 TO 44: PRINT INK 7*RND; PAPER 7*RND;" Thi
s is a demo ";: NEXT f
140 PRINT £1;AT 0,0;"To change ink press 0, To change
paper press 1, Next demo press 2"
145 IF INKEY$<>"" THEN GO TO 145
150 LET r$=INKEY$: LET r=CODE r$: IF r<48 OR r>50 THE
N GO TO 150
155 IF r=50 THEN GO TO 300
160 INPUT "": PRINT £1;"Press 0 to 7 for old colour"
165 IF INKEY$<>"" THEN GO TO 165
170 LET o$=INKEY$: LET o=CODE o$: IF o<48 OR o>55 THE
N GO TO 170
180 INPUT "": PRINT £1;"Press 0 to 7 for new colour"
185 IF INKEY$<>"" THEN GO TO 185
```

(continued on page 201)

DEATHCHASE

3D as you have never seen before on your Spectrum! £6.95 will put you right on the saddle of the Big Bike! Ride deep into the forest through day and night, chasing the enemy riders. Weave through the trees at breakneck speed and watch out for helicopters and tanks – the greatest prizes of all!

Suitable for all spectrums

new software for a new dimension

Kempston Joystick compatible

Retail Outlets:–
John Menzies, Selfridges, HMV Shops, WH Smiths, and Spectrum shops everywhere and all other good software stockists

Trade Enquiries:
PRISM 01-253 2277
Websters Software 0486 84152
Lightning Records and Video
10-969 5255
Micro Dealer UK
St Albans 34351

MICROMEGA

Micromega, Personal Computer Division, Quantec Systems & Software Ltd, 230–236 Lavender Hill, London SW11 1LE.

NOW! SOME OF OUR OTHER SOFTWEAR



BALLOONS
IMAGINE the party fun!
10p each

CAPS IMAGINE how envious your friends will be when they see your dazzling white crowning glory!
Only £1.50 each

T-SHIRTS
Super IMAGINE T-Shirts
ADULTS £3.50 each
CHILD £2.75 each
White only

BADGES GALORE
'Cut Out' or 'Button' Badges
— a chestful of fun!
Only 30p each

POSTERS
IMAGINE how many cracks you can hide with these super 23 x 17 inch full colour posters.
ZZOOM,
STONKERS
or
ALCHEMIST
Only £1.00 each



KEY FOBS
Real leather key fobs with gold lettering and IMAGINE logo
Only 50p each

Post coupon now, to: **Imagine Software Limited, 2nd Floor, Unit 4, Mulberry House, Canning Place, Merseyside L1 8JB. Tel 051-709 6497**
Please rush me:
Amount
☐ CAPS ☐ ROUND PIN BADGES ☐ ZZOOM POSTERS
☐ BALLOONS ☐ CUT OUT PIN BADGES ☐ ALCHEMIST POSTERS
☐ KEY FOBS ☐ STONKERS POSTERS
T-SHIRTS AMOUNT CHILD ☐ SIZE 22 24 26 28 30 32 Tick
AMOUNT ADULT ☐ SIZE S M L
Please debit my ACCESS/BARCLAYCARD (delete as necessary)
CARD NUMBER
I enclose Cheque/PO for £ .....
Name .....
Address .....
.....

Imagine Software Limited,
2nd Floor, Unit 4, Mulberry House,
Canning Place, Merseyside L1 8JB
Tel: 051-709 6497

..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

PLAY IT AGAIN...
WITH AN ACE IN YOUR HAND

- 100% BRITISH MADE
- 1½ METRE CABLE
- HIGH IMPACT PLASTIC CASE
- PLASTIC STICK WITH STEEL SHAFT

PRO ACE®

COMPETITION JOYSTICK

NO MATTER WHAT THE GAME.....
NOTHING PLAYS LIKE THE PRO-ACE

COMMODORE VIC 20/64 AND ATARI COMPATIBLE PLUS NUMEROUS VIDEO GAMES MACHINES

PLUS LEFT OR RIGHT HAND FIRE BUTTON

PLUS CENTRE FIRE BUTTON

PLUS PURPOSE DESIGNED SWITCHES

PLUS NON-SLIP NON-SCRATCH BASE

A totally BRITISH designed and manufactured Joystick with a 2 year warranty!

Spectrum and BBC Interfaces available.

Manufactured and Distributed by
SUMLOCK MICROWARE
198 Deansgate, Manchester M3 3NE
Tel: 061-834 4233
Trade enquiries welcome.

Available from good computer dealers or direct from Sumlock Microware.
Please supply ☐ PRO-ACE at £12.95 each.
I enclose cheque/P.O. for £ ☐
Name
Address
YC-J1
Price includes P + P U.K. only. Telephone: 061-834 4233
Tel

Look to the stars for the best in printing

GEMINI and DELTA, a new range of Star Performers —the ideal complement to any computer system. At prices starting from £299 + VAT, the GEMINI and DELTA open up a new world of printing power — quiet, fast printing in a range of different character types, print pitches and print densities and ultra high resolution graphics and programmable down-loadable characters for good measure.

GEMINI and DELTA — professional solutions to the printer problem.

KEY FEATURES:

- ★ 120 CPS (Gemini), 160 CPS + 8K buffer (Delta)
- ★ Friction, tractor and roll feed
- ★ Ultra high resolution graphics
- ★ Normal, expanded and condensed print
- ★ Emphasized and double strike print
- ★ Superscripts and subscripts
- ★ True underlining
- ★ Italics and international characters
- ★ Downloadable character set
- ★ Interface — Gemini (parallel), Delta (parallel & RS232)
- ★ Full one year parts and labour warranty

Micro Peripherals ltd

'THE POWER BEHIND THE PRINTED WORD'

69 The Street, Basing, Basingstoke, Hants. RG24 0BY

Tel: 0256 3232 (12 lines) Telex: 859669 MICROP G

Call your local dealer now for full information on the GEMINI and DELTA printers or clip this coupon and we'll send you brochures and print samples.

Name.....

Address.....

.....

.....*Tel. No.* .....

(continued from page 196)

```
 190 LET n$=INKEY$: LET n=CODE n$: IF n<48 OR n>55 THE
N GO TO 190
 200 INPUT "": LET o=o-48: LET n=n-48: POKE 65000,o: P.
OKE 65001,n
 210 IF r=48 THEN RANDOMIZE USR 65002
 220 IF r=49 THEN RANDOMIZE USR 65031
 230 GO TO 140
 300 PAPER 0: BORDER 0
 310 CLS
 320 FOR f=0 TO 21
 330 PRINT AT f,f; INK 2;"HELLO "; INK 6;"THERE"
 340 NEXT f
 350 POKE 65000,2: POKE 65001,6
 360 RANDOMIZE USR 65078
 370 PAUSE 10
 380 GO TO 360
```

```
  5 REM Loader for 16K
 10 DATA 0,0,33,0,88,62,91,188,200,126,230,7,71,58,0,
125
 20 DATA 184,32,9,126,230,248,71,58,1,125,128,119,35,
24,230
 30 DATA 33,0,88,58,0,125,23,23,23,50,0,125,58,1,125,
23,23,23
 40 DATA 50,1,125,62,91,188,200,126,230,56,71,58,0,12
5,184
 50 DATA 32,9,126,230,199,71,58,1,125,128,119,35,24,2
30
 60 DATA 33,0,88,62,91,188,200,126,230,7,71,58,0,125,
184,40,15
 70 DATA 58,1,125,184,32,18,126,230,248,71,58,0,125,2
4,7,126,230
 80 DATA 248,71,58,1,125,128,119,35,24,215
 90 CLEAR 32999: LET cs=0
100 FOR f=32000 TO 32121: READ a: POKE f,a: LET cs=cs
+a: NEXT f
110 IF cs<>10859 THEN PRINT "Error in data": STOP
120 REM For rest of program use 48K version with 32xx
x in place of 65xxx
```

Line delete

Richard Morton,
Sutton Coldfield,
West Midlands.

VIC-20

CBM-64

THIS PROGRAM WILL work on the Vic-20 — any memory — and the Commodore 64.

Delete will delete all lines between the two you specify — including those two — but is rather slow as it must check every line number.

Auto run prints the line number at the top of the screen and you can then type in the line as normal, ending with Return.

The Sys — 65487 — in line 63130 gets characters from the keyboard and prints them on the screen with a flashing cursor.

```
 62999 STOP
 63000 POKE36879,27:PRINT"■":PRINT"■■■AUTO NUMBER ■N":PRINT
"DELETE      ■D":PRINT"FINISH      ■F"
 63010 GETA$:IFA$<>"N"ANDA$<>"D"ANDA$<>"F"THEN63010
 63020 PRINT"■■":IFA$="N"THEN63100
 63030 IFA$="F"THENEND
 63040 INPUT"FROM";A:INPUT"TO   ";B:PRINT"■"
 63050 IFA<00RB<00RA>629990RB>62999THEN63020
 63060 IFA>BTHEN63000
 63070 PRINT"■■"A
 63080 PRINT"■A="A+1":B="B":GOTO63060
 63090 POKE198,3:POKE631,19:POKE632,13:POKE633,13:END
 63100 INPUT"START     ";A:INPUT"INCREMENT";B:IFA<00RB<10RA>
629990RB>62999THEN63020
 63110 IFA>62999THEN63000
 63120 PRINT"■■"A;
 63130 SYS(65487):PRINT
 63160 PRINT"■A="A+B":B="B":GOTO63110"
 63170 POKE198,3:POKE631,19:POKE632,13:POKE633,13:END
```

Cassette labels

A N Gandy,
Leamington Spa,
Warwickshire.

ZX-81

CASSETTE LABELS uses the ZX printer to produce neat, uniform, cassette sleeves simply and quickly. The printer paper is exactly the right width to fit a standard cassette box. The completed label displays the title on the spine, centralised in a surrounding box. If the title is less than 25 characters long, a sub-title can also be displayed.

Operating notes or other text may then be entered directly to the screen and subsequently copied to the printer to form pages of information, each page being separated by a fold line.

The text entry may be of particular interest as it uses a machine-code routine to provide full screen entry, with a flashing cursor which may be moved using the arrowed keys 5, 6, 7, 8. The cursor movements, and the erase, will auto-repeat. Speed of repeat may be altered at location 16756. When each page has been completed, enter shifted A(stop) to return to Basic which will copy the screen to the printer. All printable characters, but no graphics, are available from the keyboard.

Entering the program is straightforward but will require a suitable loader to Poke the values shown into a Rem statement 280 characters long in line 1. Decimal values have been given since, although entry is slower than in hex, confusion between 'B' and '8' is avoided.

```
  4■REM
  5 CLS
 10 PRINT "ENTER TITLE"
 20 INPUT A$
 30 IF LEN A$<25 THEN GOTO 110
 40 IF LEN A$>50 THEN GOTO 9
 50 FOR N=26 TO 1 STEP -1
 60 IF CODE A$(N)=0 THEN GOTO 8
0
 70 NEXT N
 80 LET B$=A$((N+1) TO )
 90 LET A$=A$( TO N)
100 GOTO 190
110 PRINT AT 10,0;"ENTER SUB-TI
TLE"
120 INPUT B$
130 IF LEN B$<25 THEN GOTO 190
140 CLS
150 PRINT AT 5,0;"TOO LONG, PLE
ASE RE-ENTER"
160 GOTO 120
200 LPRINT
202 LPRINT
203 LPRINT
204 LPRINT TAB 5;"SINCLAIR ZX81
 PROGRAM"
205 LPRINT
206 LPRINT
207 LPRINT
208 LPRINT "┌──────────────
──────────┐"
209 LPRINT "│";TAB (16-LEN A$/2
);A$;TAB 31;"│"
210 LPRINT "│";TAB (16-LEN B$/2
);B$;TAB 31;"│"
211 LPRINT "└──────────────
──────────┘"
220 CLS
230 RAND USR 16516
240 COPY
250 CLS
260 PRINT "MORE? (Y/N)"
270 IF INKEY$="Y" THEN GOTO 300
280 IF INKEY$="N" THEN GOTO 330
290 GOTO 270
300 LPRINT "------------------
------------"
310 GOTO 220
330 LPRINT
335 LPRINT
340 LPRINT
350 STOP
9998 SAVE "CASSETTE LABEL■"
9999 RUN
```

```
16514  118  118  205   42   10
16519   62   21   50  123   64
16524   42   37   64  229  205
16529  129   65  237   75   37
16534   64  229   55  237  187  237
16539   66   40    2   12   40
16544  238   20  205  237   65   13
16549   33  191  255  187  237
16554   66   42   14   64   32
16559    3   35  126  254  118
16564   40   98   24  246  203
16569   54   32   72  203   65
16574   40   68  203   70   32
16579   10  203   78   32    6
16584  195  146   65    0    0
16589    0  203   81   40  190
16594  203   89   32    4  203
16599  104   40  190  203   97
16604   32   15  203  104   40
16609  114  203   98   40   91
16614  203   88   40   81  203
16619   72   40   53  203  105
16624   32    4  203  104   32
16629   14  203  113   32    4
16634  203  104   32    6  203
16639  121   40    2   24  140
16644  229  205  187    7  126
16649  225  119   35  126  254
16654  118   40    5   34   14
16659   64   24  236   58  123
16664   64   61  254  255   40
16669  228   58  123   64   24
16674  232   43  126  254  118
16679   32   13   58  123   64
16684  254   22   40  209  209
16689  123   64   24  237   82
16694    0  119   24   47   35
16699   24   39   43   24  254
16704   36   58  123   64   60
16709  254   22   40  185   50
16714  123   64    1   33    0
16719  167  237   66   24   22
```

(continued on page 203)

At last!
MASTER MACHINE CODE on your Spectrum

MASTERING MACHINE CODE ON YOUR ZX SPECTRUM
Toni Baker £9.95

This 315-page book is designed to teach you the essential elements of programming in machine code. Written by Toni Baker, author of the highly successful 'Mastering Machine Code on the ZX81', this new book assumes absolutely no previous knowledge of machine code whatsoever, and yet promises to take you to a level of proficiency beyond your wildest dreams. Starting with simple addition and subtraction you'll be slowly guided through the entire subject of machine code. The book explores and utilises the incredible speed of machine code, giving you real time graphics games like BREAKOUT and leads you up to a full working DRAUGHTS program. Among other useful skills you'll acquire the ability to create music in real time (impossible in BASIC) and to plot in high-resolution graphics faster than you would have believed possible.

SPECTRUM MACHINE CODE MADE EASY
Volume One — James Walsh
Volume Two — Paul Holmes

These two books provide a graduated course in machine code programming on the ZX Spectrum. Book one starts off with the basic concepts of machine code, followed by an explanation of binary maths, hexadecimal and base conversion, leading as quickly and painlessly as possible onto the rules and types of addressing the Spectrum's powerful Z80 microprocessor. Book two is designed for those who already understand the rudiments of machine code programming, and now wish to increase their skills.
Each book is just £5.95

THE SPECTRUM MACHINE CODE REFERENCE GUIDE
Microdrive, Interface 1, and ROM Disassembly
Richard Ross-Langley £4.95

This 170-page reference work for Spectrum machine code programmers contains a full disassembly of the Spectrum ROM, with details of the Microdrive and Interface 1. Features of the disassembler include: Zilog mnemonics are used, eg LD A, (HL) instead of MOV A, M; relative jumps show the signed decimal offset and the result; hex values are default and are printed without suffix; decimal values are preceded by a plus or minus sign; and some restart instructions are followed by data bytes. The absolute addresses of all system variables and several important routines have been named, using where possible the standard names shown in the manual. The chapter headings in the Microdrive/Interface 1 section of the book include the RS232 Interface; Microdrive Channel data; Local Area Network; Network Algorithms; System Variables; and a summary of functions. **This book is a must reference work for serious Spectrum machine code programmers.**

Interface Publications, Dept. YC, 44-46 Earls Court Road, London W8 6EJ

Please send me the following books. I enclose £.....

- ☐ Mastering Machine Code on your ZX Spectrum — Toni Baker — **£9.95**
- ☐ Spectrum Machine Code Made Easy, Volume One for beginners — James Walsh — **£5.95**
- ☐ Spectrum Machine Code Made Easy, Volume Two for advanced programmers — Paul Holmes — **£5.95**
- ☐ The Spectrum Machine Code Reference Guide — Richard Ross-Langley — **£4.95**
- ☐ Creating Adventures on your ZX Spectrum — Peter Shaw and James Mortleman — **£4.95**
- ☐ Putting Your Spectrum to Work (includes 15 major programs, including a word-processor and spread-sheet calculations) — Chris Callender — **£4.95**
- ☐ Creating Arcade Games on the ZX Spectrum — Daniel Haywood — **£3.95**
- ☐ Programming Your ZX Spectrum — Hartnell/Jones — **£6.95**
- ☐ 60 Games and Applications for the ZX Spectrum — David Harwood — **£4.95**
- ☐ Beyond Simple BASIC — Delving Deeper into your ZX Spectrum — Dilwyn Jones — **£7.95**
- ☐ Instant Spectrum Programming (tape and book) — Tim Hartnell — **£4.95**
- ☐ 20 Simple Electronic Projects for the Spectrum — Stephen Adams — **£6.45**
- ☐ Giant Book of Computer Games — Tim Hartnell — **£7.95**

Name:.....

Address:.....

.....

INTERFACE PUBLICATIONS
We're the experts!

All books available from computer and book stores, including W H Smiths, Menzies, and Dixons.
Trade supplied by: The Computer Bookshop, 30 Lincoln Road, Olton, Birmingham B27 6PA (021 707 7544, telex 334361).

(continued from page 201)

```
16724 58 123 64 61 254
16729 255 40 166 50 123
16734 54 1 33 0 9
16739 24 5 126 254 118
16744 40 152 34 14 64
16749 205 129 65 33 52
16754 64 62 5 119 126
16759 61 32 252 237 75
16764 37 64 195 158 64
16769 42 14 64 126 198
16774 128 119 201 42 14
16779 64 126 254 64 248
16784 24 243 58 37 64
16789 60 32 250 193 201
```

Cloning

K Burkhill,
Deeside,
Clwyd.

SPECTRUM

THIS PROGRAM WILL make exact copies of any Spectrum program up to about 41K on a 48K machine, and about 8K on a 16K machine. It can copy unstoppable programs and programs which are headerless. It is simple to use and can, once the program to be copied is loaded, be used to make copies continuously.

The program listing should be typed in, then the instructions Goto 120 Enter etc. This program should now be Saved.

As most Spectrum programs load in two or three parts, each part must be copied separately with its header if it has one. The first part will definitely have a header so, after typing Run Enter, value a should be entered and the program to be copied loaded in from the start.

When any part has loaded, the instructions will again be printed and the tape should be stopped and removed from the recorder. The tape to be copied should now be put into the recorder, and the value c — if the part has a header — entered. The part will now Save with its header and the instructions again be printed when the tape should be stopped, giving the opportunity to either make further copies of that part to other tapes or to load the next part of the original program, and repeat the above.

If any part is headerless it will not Load or Save with values a or c entered; values b and d should be used. Value d will immediately start to Save and the recorder should be recording before this is entered. Value s will stop the procedure.

```
  1 REM @@@@@@@@@@@@@@@@@@@@@@@@
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
  5 CLEAR 24450
 10 PRINT "enter "
 20 PRINT "a - load program wit
h header"
 30 PRINT "b - load program wit
hout header"
 40 PRINT "c - save program wit
h header"
 50 PRINT "d - save program wit
h out header"
 60 INPUT a$
 70 IF a$="a" THEN RANDOMIZE US
R 23782
 80 IF a$="b" THEN RANDOMIZE US
R 23795
 90 IF a$="c" THEN RANDOMIZE US
R 23821
 100 IF a$="d" THEN RANDOMIZE US
R 23831
 105 IF a$="s" THEN STOP
 110 GO TO 10
 120 RESTORE 140
 130 FOR f=23782 TO 23843
 135 READ q: POKE f,q
 140 DATA 55,62,0,221,33,210,92,
17,19,0,205,86,5,55,62,255,221,3
3,138,95,17,255,255,205,86,5,221
,229,225,17,138,95,175,237,82,34
,208,92,201
 145 DATA 33,139,95,221,33,210,9
2,195,112,9,62,255,221,33,139,95
,237,91,208,92,195,194,4
 150 NEXT f
 160 STOP
```

Programs can be made secure from this program and all similar ones available by, for instance, making them too big.

Graphics dump

David C Grindrod,
Crawley,
Oxfordshire.

THIS PROGRAM ENABLES mode 4 white on black graphics to be copied to an Epson printer in about 14 minutes. With a few modifications double-size printouts can also be obtained on the MX-100F/T3.

To understand the operation of the program you have to appreciate how the graphics display is configured on the Dragon, and how this is related to the Epson print-head. The graphics display is made up of 192 rows each containing 32 bytes, with the location address running from left to right and the MSB leftmost in the byte. The top left-hand corner of the display looks like that in figure 1.

Figure 1.

Mem. Addr.	1536	1537	1538	
1536	76543210	76543210	76543210	Bit No.
1568	76543210	765 . . .		
1600	76543210	. . . . .		

This assumes that page 1 is the first graphics page. Each bit represents a single pixel, hence a horizontal resolution of 8*32=256. In the black and white mode if a bit is set — 1 — then the pixel is illuminated, if unset — 0 — then it is clear.

The Epson print-head requires data about columns rather than rows. The data is outputted to the printer, as a series of eight bit bytes, which represent the eight print wires of the head, the top wire corresponding to the MSB. Referring to figure 1 we see that the first byte sent to the printer will represent the state of bit 7 for the first eight rows, the new byte will be for bit 6 of the first eight rows and so on until the right-hand edge of the display is reached. At this point the whole process needs to be repeated for the next eight rows down.

By using high line numbers the program can be merged on to the end of any graphics program. This is achieved by CLoading your program and then typing

?PEEK(25),PEEK(26),PEEK(27),PEEK(28)

and noting the values. Then Poke the value in 27 to 25 and the value -2 in 28 to 26. If the value in 28 is 0 or 1 then the Poke value to 25 is reduced by one and the value to 26 becomes 255 — if 28=1 — or 254 — if 27=0.

Now CLoad the graphics dump program. Finally Poke the original values of locations 25 and 26 back. List should now show the two programs merged. The End statement in the original program should be replaced by

xxxx GOSUB 40000:END

where xxxx is the line number. On execution of Run the program will behave as normal, on completion of the plot the display is copied to the printer. Extra copies can be made by typing

RUN xxxx

On an MX-100, program 2 will give a double sized printout, this is merely program 1 with a few modifications. Basically the printer is made to plot in block graphics of two by two pixels. ■

Program 1. GDUMP.

```
40000 PRINT#-2,CHR$(27);"a";CHR$(27);"A";CHR$(8);CHR$(13);
40010 POKE65495,0
40020 FORA=1536TO7679 STEP256
40030 PRINT#-2,CHR$(27);"K";CHR$(0);CHR$(1);
40040 FORB=A TOA+31
40050 C=128
40060 FORY=0TO7
40070 F=128:E=0:D=B
40080 FORZ=0TO7
40090 IF (C AND PEEK(D)) >0 THEN E=E+F
40100 D=D+32:F=F/2:NEXTZ
40110 PRINT#-2,CHR$(E);
40120 C=C/2:NEXTY
40130 NEXTB:PRINT#-2,CHR$(10);
40140 NEXTA:POKE65494,0:RETURN
```

Program 2. BGDUMP.

```
40000 PRINT#-2,CHR$(27);"a";CHR$(27);"A";CHR$(8);CHR$(13);
40010 POKE65495,0
40020 FORA=1536TO7679 STEP128
40030 PRINT#-2,CHR$(27);"K";CHR$(0);CHR$(2);
40040 FORB=A TOA+31
40050 C=128
40060 FORY=0TO7
40070 F=128:E=0:D=B
40080 FORZ=0TO3
40090 IF (C AND PEEK(D)) >0 THEN E=E+F+(F/2)
40100 D=D+32:F=F/4:NEXTZ
40110 PRINT#-2,CHR$(E);CHR$(E);
40120 C=C/2:NEXTY
40130 NEXTB;PRINT#-2,CHR$(10);
40140 NEXTA:POKE65494,0:RETURN
```

(continued from page 201)

```
16724  58 123  64  61 254
16729 255  40 166  50 123
16734  64   1  33   0   9
16739  24   5 126 254 118
16744  40 152  34  14  64
16749 205 129  66  33  52
16754  64  62   5 119 126
16759  61  32 252 237  75
16764  37  64 195 158  64
16769  42  14  64 126 198
16774 128 119 201  42  14
16779  64 126 254  64 248
16784  24 243  58  37  64
16789  60  32 250 193 201
```

Cloning

K Burkhill,
Deeside,
Clwyd.

SPECTRUM

THIS PROGRAM WILL make exact copies of any Spectrum program up to about 41K on a 48K machine, and about 8K on a 16K machine. It can copy unstoppable programs and programs which are headerless. It is simple to use and can, once the program to be copied is loaded, be used to make copies continuously.

The program listing should be typed in, then the instructions Goto 120 Enter etc. This program should now be Saved.

As most Spectrum programs load in two or three parts, each part must be copied separately with its header if it has one. The first part will definitely have a header so, after typing Run Enter, value a should be entered and the program to be copied loaded in from the start.

When any part has loaded, the instructions will again be printed and the tape should be stopped and removed from the recorder. The tape to be copied should now be put into the recorder, and the value c — if the part has a header — entered. The part will now Save with its header and the instructions again be printed when the tape should be stopped, giving the opportunity to either make further copies of that part to other tapes or to load the next part of the original program, and repeat the above.

If any part is headerless it will not Load or Save with values a or c entered; values b and d should be used. Value d will immediately start to Save and the recorder should be recording before this is entered. Value s will stop the procedure.

```
  1 REM @@@@@@@@@@@@@@@@@@@@@@@@
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
  5 CLEAR 24450
 10 PRINT "enter "
 20 PRINT "a - load program wit
h header"
 30 PRINT "b - load program wit
hout header"
 40 PRINT "c - save program wit
h header"
 50 PRINT "d - save program wit
h out header"
 60 INPUT a$
 70 IF a$="a" THEN RANDOMIZE US
R 23782
 80 IF a$="b" THEN RANDOMIZE US
R 23795
 90 IF a$="c" THEN RANDOMIZE US
R 23821
100 IF a$="d" THEN RANDOMIZE US
R 23831
105 IF a$="s" THEN STOP
110 GO TO 10
120 RESTORE 140
130 FOR f=23782 TO 23843
135 READ q: POKE f,q
140 DATA 55,62,0,221,33,210,92,
17,19,0,205,86,5,55,62,255,221,3
3,138,95,17,255,255,205,86,5,221
,229,225,17,138,95,175,237,82,34
,208,92,201
145 DATA 33,139,95,221,33,210,9
2,195,112,9,62,255,221,33,139,95
,237,91,208,92,195,194,4
150 NEXT f
160 STOP
```

Programs can be made secure from this program and all similar ones available by, for instance, making them too big.

Graphics dump

David C Grindrod,
Crawley,
Oxfordshire.

THIS PROGRAM ENABLES mode 4 white on black graphics to be copied to an Epson printer in about 14 minutes. With a few modifications double-size printouts can also be obtained on the MX-100F/T3.

To understand the operation of the program you have to appreciate how the graphics display is configured on the Dragon, and how this is related to the Epson print-head. The graphics display is made up of 192 rows each containing 32 bytes, with the location address running from left to right and the MSB leftmost in the byte. The top left-hand corner of the display looks like that in figure 1.

Figure 1.

Mem. Addr.	1536	1537	1538	
1536	76543210	76543210	76543210	Bit No.
1568	76543210	765 . . .		
1600	76543210	. . . . .		

This assumes that page 1 is the first graphics page. Each bit represents a single pixel, hence a horizontal resolution of 8*32=256. In the black and white mode if a bit is set — 1 — then the pixel is illuminated, if unset — 0 — then it is clear.

The Epson print-head requires data about columns rather than rows. The data is outputted to the printer, as a series of eight bit bytes, which represent the eight print wires of the head, the top wire corresponding to the MSB. Referring to figure 1 we see that the first byte sent to the printer will represent the state of bit 7 for the first eight rows, the new byte will be for bit 6 of the first eight rows and so on until the right-hand edge of the display is reached. At this point the whole process needs to be repeated for the next eight rows down.

By using high line numbers the program can be merged on to the end of any graphics program. This is achieved by CLoading your program and then typing

?PEEK(25),PEEK(26),PEEK(27),PEEK(28)

and noting the values. Then Poke the value in 27 to 25 and the value -2 in 28 to 26. If the value in 28 is 0 or 1 then the Poke value to 25 is reduced by one and the value to 26 becomes 255 — if 28=1 — or 254 — if 27=0.

Now CLoad the graphics dump program. Finally Poke the original values of locations 25 and 26 back. List should now show the two programs merged. The End statement in the original program should be replaced by

xxxx GOSUB 40000:END

where xxxx is the line number. On execution of Run the program will behave as normal, on completion of the plot the display is copied to the printer. Extra copies can be made by typing

RUN xxxx

On an MX-100, program 2 will give a double sized printout, this is merely program 1 with a few modifications. Basically the printer is made to plot in block graphics of two by two pixels. ■

Program 1. GDUMP.

```
40000 PRINT#-2,CHR$(27);"a";CHR$(27);"A";CHR$(8);CHR$(13);
40010 POKE65495,0
40020 FORA=1536TO7679 STEP256
40030 PRINT#-2,CHR$(27);"K";CHR$(0);CHR$(1);
40040 FORB=A TOA+31
40050 C=128
40060 FORY=0TO7
40070 F=128:E=0:D=B
40080 FORZ=0TO7
40090 IF (C AND PEEK(D)) >0 THEN E=E+F
40100 D=D+32:F=F/2:NEXTZ
40110 PRINT#-2,CHR$(E);
40120 C=C/2:NEXTY
40130 NEXTB:PRINT#-2,CHR$(10);
40140 NEXTA:POKE65494,0:RETURN
```

Program 2. BGDUMP.

```
40000 PRINT#-2,CHR$(27);"a";CHR$(27);"A";CHR$(8);CHR$(13);
40010 POKE65495,0
40020 FORA=1536TO7679 STEP128
40030 PRINT#-2,CHR$(27);"K";CHR$(0);CHR$(2);
40040 FORB=A TOA+31
40050 C=128
40060 FORY=0TO7
40070 F=128:E=0:D=B
40080 FORZ=0TO3
40090 IF (C AND PEEK(D)) >0 THEN E=E+F+(F/2)
40100 D=D+32:F=F/4:NEXTZ
40110 PRINT#-2,CHR$(E);CHR$(E);
40120 C=C/2:NEXTY
40130 NEXTB;PRINT#-2,CHR$(10);
40140 NEXTA:POKE65494,0:RETURN
```

ONLY
£5.50

SPECTRUM

STONKERS

GO BONKERS WITH STONKERS

Imagine
..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

ZX 81 Spectrum Hardware

KEYBOARD FOR USE WITH ZX 81 SPECTRUM

£45.00

Our cased keyboard has 52 keys, 12 of which form a numeric pad. This enables you to cursor with one hand — a boon for anyone entering large amounts of numeric data. The 12 keys comprise 1-9 numeric plus full stop and shift keys, all in red, to distinguish from the main keyboard keys which are in grey, the keys contrast with the black case to form a very attractive unit.
The 15" x 9" x 2½" case has been designed to take a ZX 81 or Spectrum computer. Simply remove it from its original case and screw the fitted bosses into the marked screw holes. 16K, 32K or 64K can also be fitted to the motherboard inside the case (81 model only). All connectors are at the rear i.e. Power, Mic, Ear, T.V. and the expansion port. The case is also large enough for other add-ons like the power supply to be fitted, giving a very smart self-contained unit with which other add-ons e.g. printer etc. can still be used.
Our ZX Professional keyboard offers more keys and features than any other model in its price range making it the best selling best value keyboard currently available and comes complete with simple fitting instructions

SPECTRUM MODEL

Supplied with Spectrum legends, and a slightly different base for fitting the Spectrum, again all connectors are at the rear and there is plenty of room for the power supply (and other add-ons). Please specify on your order whether you require the ZX81 or Spectrum model

£45.00

LIGHT PEN

The LIGHT PEN enables you to produce high resolution drawings on your own TV screen simply by plugging into the ear socket of your Spectrum. The controlling software supplied with the light pen has 16 pre-defined instructions, chosen from a menu positioned at the bottom of the screen next to the pen. You can change colour (Border, Paper, Ink), draw circles, arcs, boxes, lines, fill any object with any colour, and insert text onto the screen at any chosen place, you can also draw freehand. There is a feature to retain the screens and animate. On the 48K Spectrum you can retain 5 screens. You can also use the machine code on its own in your own programs, for selecting out of a menu etc. The software provided will return with the X,Y, cords for it's position on the screen. The LIGHT PEN is supplied with a control interface, to adjust the sensitivity/pen alignment. Should you require further details please send a S.A.E.

£19.95

16-64 MEMORY FOR ZX 81

16K Memory £22.95 — 16K (Uncased) £19.95
64K Memory £52.95 — 64K (Uncased) £49.95
SPECTRUM Memory MKII £30 / MKI £30

4K GRAPHICS ROM

This module unlike most other accessories fits neatly inside your computer under the keyboard. It comes ready built fully tested and complete with a 4K graphic ROM, giving an unbelieveable number of extra pre-programmed graphics and turns the 81 into a very powerful computer with a graphic set rarely found on larger more expensive machines. In the ROM are lower case letters, bombs, bullets, rockets, tanks, a complete set of invaders, graphics and that only accounts for about 50 of them, there are still approximately 400 left (that may give you an idea as to the scope of the new ROM). It also has a spare holder on the board which will accept a further 4K of ROM/RAM. This holder can be fitted with a 1K/2K/RAM and can be used for user definable graphics so you can create your own custom character sets.

NEW LOW PRICE **£19.95**

WINNING IS WITHIN YOUR GRASP

Joystick and Interface for Sinclair Spectrum with these features to give you endless hours of enjoyment.

1. Super positive response fire button.
2. Firm suction cups for stable one hand operation.
3. Snug fit hand moulded grip.
4. Additional fire button.
5. Extra long 4ft lead.

The interface supplied with the quick shot TM has the facilities for two Joysticks to be connected.

The first port simulates 6789 & 0 keys. The second port simulates in (31) command. It will run any Software.

1. Using keys 6, 7, 8, 9 and 0
2. Having redifinable key function.
3. Using in (31) i.e. Kempston.
4. Any Software you write yourself.

INTERFACE AND ONE JOYSTICK

£22.95

SPECTRA-SOUND

The so-called speaker in your Spectrum is really on a 'buzzer'. With the DK Tronics "SPECTRA SOUND" you can generate fully amplified sound through the speaker on your TV set. SPECTRA SOUND is a very simple but highly effective add-on. This means that you no longer have a faint beep but a highly amplified sound, which can be adjusted with the TV volume control. The SPECTRA SOUND fits compactly and neatly inside the Spectrum case and is connected by three small crocodile clips.

NEW AT ONLY **£9.95**

FLEXIBLE RIBBON CONNECTOR

If you have ever had white outs or system crashes this could be the answer. It stops the movement between the computer and the RAM expansion, it is supplied with a ribbon 6 inches long, with a male connector at one end and a female at the other.

ONLY **£10.00**

Please state type of machine, which ROM memory size, quantity, and place when ordering.
Please send me ..... @ £ .....
Please send me ..... @ £ .....
Please send me ..... @ £ .....
Please add on £1.25 for post and packing
I enclose cheque/P.O. payable to DK Tronics total £ .....
or debit by Access/Barclaycard No. | | | | | | | | | | | | | | | |

Signature .....
Name .....
Address .....
.....

Send to: DK Tronics Ltd., Unit 6, Shire Hill Ind. Est., Saffron Walden, Essex CB11 3AQ. Telephone: (0799) 26350 (24 hrs) 5 lines

dk'tronics

DK Tronics Ltd., Unit 6, Shire Hill Ind. Est., Saffron Walden, Essex CB11 3AQ. Telephone: (0799) 26350 (24 hrs) 5 lines

COMPETITION CORNER

If you want to set a competition for Competition Corner, remember that the simplest solution should be calculable by a short program rather than by any other form of reckoning.

COMPETITION RESULTS

IN NOVEMBER WE gave you the chance to get to grips with the latest and most prestigious add-on from Sinclair — the Microdrive. Entries ranged from rhymesters to wacky non-sequiturs, with a sturdy middle ground composed of those determined either to sing the praises of the new storage mechanism, or to make reference to those long-slumbering commands dedicated solely to its use. One entrant purred that "it would be purrfect for my purrposes". Surely this would have been more apposite to our Lynx competition?

The sentence to be completed was "The Microdrive would help my Spectrum really come alive because . . ."

Soul-brother Mr G N Ward brooks no prevariacation with his "Don't give me no jive, tell Sir Clive, I need the drive." Jive was a recurring theme, as was staying alive, as exemplified by Mr S Randles' "in order to naturally grow and survive, we rely on Sir Clive." Luckily not all of us are so dependent on Sinclair Research as this competitor and his Spectrum.

Speed is one of the basic features of the Microdrive — hence M A Griffiths' "I'd be nailing bytes in moments instead of biting nails for minutes." Perhaps psychologists who opine that rapid-eye movement or REM sleep should look at the insomnia curing possibilities of waiting for a cassette to load; Mr Keith Larter thought that the Microdrive's "higher baud rate means less bored rate; user prone to REM sleep." Speed and rhyme were combined by Mr Peter Howells in "Load time will dive, from 50 seconds to five; thanks, Sir Clive" Simon Wheeler felt sure that it would "bus my ideas in at top speed?".

Mae West was invoked by P N Millen: "It ain't the stringy-floppy in your life that matters . . .", and doubtless would have approved of K W Holmes' opinion that his Spectrum would come alive "because of the excitement of getting fresh was fast bauds."

On a festive note, Mr J Ratcliffe was "dreaming of a byte Christmas."

Microdrive catch-phrases included "the extra gear will get my stream machine into overdrive" — from T Bratley.

Choosing from among so many entries was a thorny problem indeed, but we finally plumped for Michael Bryan's, Astley, Leicester echo of the heady days of early spaceflight with his variation on Neil Armstrong's words: "It's one small drive for computers, but one giant leap for users."

At last! A micro desk that's designed for your home

Approx sizes: height 36", width 38", width 22". Price does not include computer equipment and accessories. Dealer enquiries invited Tel: 0992 56562

£39.95 incl VAT

Colour Choice Cream, Signal Red, Black, Oak-Style, and Arctic White

The DX Home Computer Desk is more than just a practical display unit for your micro system, it's a stylish piece of furniture that comes in a range of colours and finishes to ensure that it fits your lifestyle.

Available in Cream, Signal Red, Black, Oak-style and Arctic white, the DX comfortably accommodates your printer, monitor, keyboard, cassette recorder and disk drives — it also has a useful shelf for paper storage and manuals etc. The DX is delivered to your door in kit form with easy assemble instructions.

PCW 1

To: DX Marketing (EA), Unit PP, Mimram Road, Hertford, Hertfordshire SG14 1NN

Please rush me_____DX Home Computer Desk at £39.95 each (add £8.00 for delivery. VAT included).
I enclose my cheque/postal order for £_____

Signature_____

Name_____

Address_____

_____

_____ Postcode_____

Please tick colour required

Cream ☐
Signal Red ☐
Black ☐
Oak-style ☐
Arctic white ☐

HOPPER

Help FERGUS and his friends across the highway avoiding the traffic, and then over the treacherous river on the backs of turtles and logs to the safety of the lilly pond.
Features include: 6 lanes of traffic, diving turtles, crocodiles & flies.

6·95



SOFTWARE FOR THE ORIC 1

Approved by Oric Products International.

ORIC-MON

A complete disassembler and monitor to take the strain off your assembly language programming. Contains all the features of professional monitors found on much larger and more expensive machines.

8·95

LIGHT CYCLE

The MASTER CONTROL PROGRAM has ordered you to race your light cycle on the infamous grid. This is an incredibly fast, adrenalin pumping game that is very addictive. There is an option to race against either another player or the computer – but we warn you its very very good!

6·95

CENTIPEDE

You are caught in a vicious jungle of giant insects. Centipedes are attacking you from all sides. Killer fleas are dropping from the sky, and to top things off there's a venemous spider lurking in the background. You only have your trusty laser cannon as defense.

6·95

INVADERS

A superb example of this truly classic arcade game. Includes all the features of the original and much, much more.

6·95

THE ULTRA

You have been challenged to a duel to the death in outer space by the ULTRA, an evil race of mutants from the darkest depths of the galaxy. We dare you to accept their challenge!
This is a PURE arcade game and a must for all you alien zappers! 16 different screens make things really tricky.

6·95

AVAILABLE NOW DIRECT FROM P.S.S.

FOR INSTANT CREDIT CARD SALES TEL (0203)667556.
SEND CHEQUE OR P.O. TO P.S.S. 452 STONEY STANTON RD. COVENTRY CV6 5DG.
TRADE ENQUIRIES CONTACT JOHN FLETCHER, COVENTRY (0203) 81346

YOUR COMPUTER INDEX

Numbers represent volume, issue, page.

ACE
Can go faster, 3, 5, 87
Character forming, 3, 4, 82
Games, see GAMES
Music 3, 7, 101
Program chords, 3, 3, 131
Ace programs
Forth draw, 3, 2, 121
Forth surround, 3, 6, 189
Millipede, 3, 4, 141

ACORN ATOM
Accounts, 2, 12, 70
Basic condenser, 3, 2, 84
Copy Function, 3, 1, 117
Disassembler, 1, 5, 56
Errors, 3, 3, 107
File handling, 2, 8, 62
Forth, 2, 10, 48
Graphics, 1, 2, 43
In education, 1, 1, 23
Line labelling, 2, 4, 45
Magic, 2, 5, 51
Peeks and Pokes 1, 3, 35
Photographic interpretation, 2, 5, 32
Plotting power, 3, 6, 121
Programming one, 2, 2, 41
Programming two, 2, 3, 51
Atom programs
Acorn pilot, 3, 1, 111
Acorn Kong, 3, 7, 162
Atomic space battle, 1, 1, 50
Auto run tape loader, 1, 1, 49
Bit bandit, 2, 12, 105
Blitzkreig, 3, 4, 143
Cartoids drawing, 1, 1, 49
Child's play, 1, 2, 65
Contents display, 2, 6, 76
Copy function, 3, 1, 117
Doodlebug, 2, 2, 75
Error fix, 2, 12, 108
Forth connection, 3, 4, 149
Graphics search, 1, 1, 49
Information, 1, 1, 50
In the picture, 2, 7, 90
Keep fit, 2, 4, 72
Keyboard scan, 1, 2, 67
Key to understanding, 2, 1, 67
Key options, 2, 5, 83
Key routine, 2, 9, 90
Label finder, 2, 10, 89
Least squares, 1, 3, 69
Load warning, 2, 3, 66
Long line, 2, 12, 109
Mechanical music, 2, 2, 68
More in store, 1, 4, 76
No questions, 2, 8, 85
Rally racer, 3, 5, 179
Read and data, 2, 4, 75
Real time clock, 1, 5, 72
Squash, 2, 11, 104
Stock market, 3, 9, 171
Strings and arrays, 1, 3, 71
Stuntman, 3, 3, 131
Tabulation techniques, 1, 2, 66
Tape directory, 2, 6, 75
The hawk, 2, 12, 101
Through the maze, 2, 2, 73
Verse and worse, 2, 7, 86
Worm squirm, 3, 5, 168
Words of wisdom, 2, 8, 85
Zero dropper, 2, 2, 75

Quest, 2, 12, 62
Text and graphics, 2, 10, 63
Utility set, 2, 6, 46
Word processor, 3, 1, 72
Adventure games solving, 3, 9, 70
Adventure games survey, 3, 9, 68
Adventure games writing, 3, 9, 63
After the revolution, 3, 11, 131
Artificial Intelligence guessing game, 2, 7, 64
Artwork, 1, 4, 30
Asimov — how to write a word processor, 2, 5, 65
— as a database, 2, 8, 66

ATARI
Characters, 3, 1, 78
Fine scrolling, 3, 5, 115
Games, see GAMES
Interrupts, 3, 12, 158
Atari programs
Code inverter, 3, 2, 129
Graphic recall, 2, 10, 93
Random graphics, 2, 11, 101
Relocate screen, 3, 1, 118
Sea fox, 3, 10, 191
Sound editor, 3, 4, 144
Sprite write, 3, 3, 135
Screen mixtures, 3, 7, 109
Software survey, 3, 2, 50
Time trial, 3, 6, 128
Basic dictionary
A-C, 2, 10, 59
C-E, 2, 11, 91
E-I, 2, 12, 81
I-M, 3, 1, 91
M-P, 3, 2, 105
P-T, 3, 3, 111
non alphanumeric symbols, 3, 4, 127
non alphanumeric symbols, 3, 5, 151
Basic standards, 1, 1, 26
Basic translation
one, 2, 4, 40
two, 2, 5, 61
three, 2, 6, 43
four, 2, 7, 68
five, 2, 8, 58
six, 2, 9, 64

BBC
A la mode, 3, 2, 93
Assembler, 3, 3, 97
Basic v. Comal, 1, 4, 40
Christmas carols, 3, 12, 128
Colour overlay, 3, 2, 89
Control keys, 2, 10, 65
Games, see GAMES
Graphics, 2, 2, 28
Graphics, 2, 4, 42
Graphics, 2, 5, 59
Heartstop one, 3, 11, 193
Heartstop two, 3, 12, 202
Modes, 3, 4, 79
Monitor (A+B), 3, 3, 90
MOS, 3, 4, 72
On line, 1, 1, 36
Pixel plotter, 3, 7, 127
Programming, 2, 6, 39
BBC programs
Animal magic (A+B), 3, 7, 154
Auto list (A+B), 3, 3, 136
Backup (Disc Users), 3, 8, 175
Blitz (B), 3, 1, 114
Bomber (B), 3, 10, 185
Cartoon time (B), 2, 9, 91

Chuff (A+B), 2, 11, 109
Colour and sound, (A+B), 2, 5, 83
Database (A+B), 3, 6, 165
Definer (B), 3, 5, 176
Field gun (A+B), 3, 1, 110
Flight of fancy (B), 3, 5, 173
Function graphs, (B), 3, 6, 183
Hidden depths (A+B), 2, 10, 83
Lawnmower (B), 3, 4, 137
Letter puzzle (B), 3, 11, 223
Life cycle, (A+B), 3, 12, 217
Lissajous effect (A+B), 2, 11, 109
Memory display (A+B), 3, 4, 149
Memory table (A+B), 2, 6, 70
Millikan (A+B), 2, 5, 81
Millipede (A+B), 3, 5, 161
Mini synth (A+B), 3, 9, 155
Mouse trap (B), 3, 8, 161
Multicolour (B), 2, 7, 89
Othello (A+B), 3, 9, 175
Over the moon, (A+B), 2, 6, 77
Pattern memory (A+B), 2, 10, 91
Phychic asteroids (A+B), 3, 3, 124
Prisms (B), 3, 2, 127
Screen to printer dump (B) + Epson MX-80 F/T3, 3, 3, 137
Sea battle (A+B), 2, 7, 90
Scroll roles (A+B), 3, 7, 167
Soft key (A+B), 2, 11, 104
Sorcerer's castle (A+B), 2, 12, 99
Tape salvage (A+B), 2, 12, 106
Test of character (A+B), 2, 6, 67
Trace (A+B), 3, 12, 225
Three-D-barchart (A+B), 2, 12, 103
Three-D-triangle (A+B), 2, 8, 81
Typewriter (B), 3, 2, 122
Vduex (A+B), 3, 10, 199
Visual recall (A+B), 2, 12, 105
Voyager views (A+B), 2, 7, 82
Word processor (B), 2, 8, 77
Project, 1, 1, 36
Software survey, 2, 10, 38
Software survey, 3, 3, 50
Software survey, 3, 8, 52
Sound (A+B), 2, 7, 47
Sound (A+B), 2, 12, 74
Sprites, 3, 9, 97
Techniques, 2, 8, 50
Teletext editor, 2, 11, 72
Tips, 2, 9, 54
Turtle graphics (A+B), 3, 1, 64
BBC utilities
Calcsheet, 3, 11, 111
Compactor, 3, 8, 133
Drawing program, 3, 10, 141
Tape to disc, 3, 6, 141
Trace, 3, 12, 225
Books
Atom business, 1, 5, 69
Atomic theory and practice, 1, 5, 69
Gateway guide to the ZX-80/81, 1, 5, 69
Getting aquainted with your Acorn Atom, 1, 5, 69
Mastering machine code on your ZX-80/81, 1, 5, 69
Video/computers, 1, 5, 69

CBM-64
Music, 3, 9, 94
CBM-64 programs
ET, 3, 7, 177
Function Keys, 3, 12, 223
Hi-Res draw, 3, 11, 213

Pointing the way, 3, 12, 121
Synthesiser, 3, 5, 175
Software survey, 3, 9, 60
Software survey, 3, 12, 114
Utility, Sprite editor, 3, 10, 113
Chasing spectres with a Spectrum, 3, 5, 50
Chess, 2, 2, 32
Chess, 2, 3, 26
Chess program writing, 2, 5, 24
Chess survey, 2, 1, 26
Chess ZX-80/81, 1, 5, 30
Choosing a word processor, 3, 7, 70
Computer chess survey, 1, 2, 24
Computer control
one, 1, 2, 46
two, 1, 3, 50
three, 1, 4, 52
four, 1, 5, 60
five, 2, 1, 52
six, 2, 2, 56
seven, 2, 3, 56
Consult the Oracle, 1, 3, 71
Control (review MPF I), 2, 12, 88
Control
one, 3, 1, 96
two, 3, 2, 108
DRAGON
Artist, 2, 11, 46
Food, 3, 7, 122
Games, see GAMES
Graphics, 3, 2, 71
Machine code one, 3, 9, 126
Machine code two, 3, 10, 161
Machine code three, 3, 11, 179
Dragon programs
Accelerator, 3, 1, 113
Alien shoot out, 2, 11, 101
Artist, 3, 12, 226
Bat stop, 3, 2, 121
Bubbles, 3, 5, 167
Catalogue, 3, 7, 161
Doolhof, 3, 7, 171
Dream machine, 3, 4, 135
Extra colours, 3, 4, 152
Fireball, 3, 10, 205
Floral carousel, 3, 10, 194
Island of zombies, 3, 6, 168
Key click, 3, 8, 170
Labyrinth, 3, 12, 209
Lap record, 3, 8, 161
Magic circle, 2, 11, 111
Maze, 3, 11, 208
Merger, 3, 11, 231
Metronome, 3, 9, 167
Music maestro, 3, 4, 151
Orbiter, 3, 11, 216
Ratts' trap, 3, 10, 181
Rocket command, 3, 3, 122
Scramble, 3, 9, 152
Screen scroll, 3, 1, 118
Shape, 3, 11, 229
Sound graph, 3, 2, 125
The trap, 3, 5, 181
Time clock, 3, 6, 170
Puzzle, 3, 9, 106
Screen kit, 3, 12, 173
Software survey, 3, 4, 40
Dragon utilities
Monitor and disassembler, 3, 5, 119
Store and search, 3, 8, 133

(continued on page 212)



LONGMAN SOFTWARE

-THE KEY TO EARLY LEARNING

Games for the BBC B and Sinclair ZX Spectrum

Programming and graphics by Micromega

Already available

Simple adding & subtracting 4-6yrs £7.95 ZX Spectrum 16k/48k

Number recognition 4-8yrs £7.95 ZX Spectrum 16k/48k

Introduction to the alphabet & word recognition 4-6yrs £7.95 ZX Spectrum 16k/48k

When we launched our early learning software you were delighted. As last programs were available from Britain's top educational publisher that let you use your home computer to help your children learn important basic skills. Now we've added eight exciting new games that cover an even wider range. Early-learning is easy as children join in the fun with the Robot Runner, Sum Scruncher, Micro Chimp and lots more colour graphics.

NEW

Letter learning 4-6yrs £7.95 ZX Spectrum 16k/48k

Maths Practice 6yrs+ £7.95 ZX Spectrum 16k/48k

Tables Practice 6yrs+ £7.95 ZX Spectrum 16k/48k

Spelling game 6yrs+ £7.95 ZX Spectrum 16k/48k

NEW

Help with adding & subtracting 5-7yrs £9.95 BBC B

Help with adding & subtracting 7-8yrs £9.95 BBC B

A game to develop problem-solving skills 4-8yrs £9.95 BBC B

Practice in number skills 4-8yrs £9.95 BBC B

Available from W. H. Smith, Boots, Menzies, other leading chain stores and computer shops. Trade availability: Webster's Software Directory/Prism Microproducts/Lightning. In case of difficulty, or for a full colour catalogue, write to **Division GS17 (Software) Longman Group Ltd Burnt Mill Harlow Essex CM20 2JE**

LONGMAN SOFTWARE

HEWSON CONSULTANTS

bring you

Quest adventure

an enthralling adventure with graphics for the 48K spectrum

The object of QUEST ADVENTURE is to find a map, hidden in a world inhabited by gruesome monsters guarding their territory and various pieces of treasure. On the way, you must also locate an ancient scroll which will provide you with a valuable clue.

only £5.95



More from the HEWSON range

Items from this advertisement *are available through W. H. Smith.* larger branches of Boots and all leading micro computer retailers.

URGENT

We require high quality Spectrum and Dragon software. Good royalties paid. Send your samples today for fast evaluation.

Please rush me

(Tick boxes as required)

- ☐ QUEST ADVENTURE £5.95
- ☐ NIGHTFLITE £5.95
- ☐ HEATHROW A.T.C. £7.95
- ☐ SPECTRAL PANIC £5.95
- ☐ MAZECHASE £4.95
- ☐ SPECVADERS £4.95
- ☐ BACKGAMMON £5.95
- ☐ COUNTRIES OF THE WORLD £5.95
- ☐ DRAGONFLY (For Dragon 32) £6.95
- ☐ 20 BEST PROGRAMS £5.95
- ☐ 40 BEST MACHINE CODE ROUTINES £5.95

NAME _____
Block Capitals please

ADDRESS _____

_____ POSTCODE _____

Post to HEWSON CONSULTANTS 60A St Mary's Street, Wallingford, Oxon. OX10 0EL.

* I ENCLOSE MY REMITTANCE OF _____

* MY CREDIT CARD NUMBER IS _____

* (Delete as appropriate) SIGNED _____

Make cheques/PO's payable to Hewson Consultants

Telephone (0491) 36307

INDEX

(continued from page 209)

Word processor, 3, 6, 134
Education, 1, 5, 45
— Magic squares, 2, 5, 51
— on the ZX-81, 2, 1, 35
Electronic keep fit, (Atom), 2, 4, 72
Eprom and Eprom erasers, 2, 7, 72
Flexidisc
one, Othello (ZX-81), 2, 6, 32
two, Antispace (Vic), 2, 12, 25
Hitch-hiker (ZX-81), 2, 12, 25
Speedster (Spectrum), 2, 12, 25
Flow charting, 1, 3, 32
Forth for Basic users, 3, 2, 68
Future of the Micro Industry, 3, 12, 126
GAMES
Ace
Pac-man trail, 3, 3, 68
Atom
Quest, 2, 12, 62
Apple
Nim, 2, 4, 48
Atari
Balloons, 3, 11, 187
Bats, 3, 10, 95
Chicken, 2, 12, 42
Time trials, 3, 6, 128
Toad, 3, 4, 76
BBC
Barricades, 3, 9, 76
Breakthrough, 3, 5, 81
Fruitworm, 3, 12, 161
House of Cards, 3, 5, 91
Maze muncher, 2, 12, 58
Rocket screen, 3, 10, 124
Scrambler, 3, 8, 90
Snakes & Ladders, 3, 6, 111
Snoopy, 3, 11, 145
Star Trek, 3, 7, 94
CBM-64
Dam Slam, 3, 12, 168
Hell, 3, 11, 139
Dragon
Dungeon, 3, 11, 118
Explorer, 3, 10, 100
Flight Simulator, 3, 6, 86
Frogger, 3, 7, 89
Gnasher maze, 3, 8, 71
Maggots, 3, 3, 64
Maze, 3, 1, 62
Nightmare Holiday, 2, 12, 44
Rebound, 3, 4, 64
Sky Shield, 3, 12, 135
Tanks, 3, 5, 58
MZ80K
Coup d'etat, 2, 12, 48
I Ching, 1, 1, 30
Treasure House, 2, 1, 30
Oric
Centepods, 3, 8, 100
Frogger, 3, 9, 87
Invaders, 3, 11, 123
Matrix Run, 3, 10, 129
Snake, 3, 7, 121
PET
Dominoes, 2, 2, 36
Maze Attack, 2, 3, 30
Seige, 1, 4, 32
Spectrum
Balloons, 3, 9, 76
Capman, 3, 10, 88
Cross, 3, 1, 56
Death duel, 3, 4, 88
Flight Simulator, 2, 12, 38
Maggots, 3, 11, 134
Minefield, 3, 6, 72
Quazimodo, 3, 12, 132
Saturn Lander, 3, 5, 70
Star Wars, 3, 7, 106
Submarine Duel, 3, 10, 133
Submarine Mission, 3, 8, 108
Timeslider, 3, 8, 64
Vic-20
Breakout, 2, 12, 56
Catacombs, 2, 10, 56
Dambusters, 2, 9, 42
Duck Shoot, 2, 8, 42
Frogger, 3, 5, 62
Golf, 3, 9, 90
Gridmania, 3, 10, 105
Ladders, 3, 7, 98
Mars, 2, 6, 40
Minotaur, 3, 2, 64
Night Forest, 3, 10, 150
Night Racer, 2, 10, 44
SAS Assault, 3, 12, 186
Saucer Attack, 3, 8, 94
Scram-20, 3, 6, 66
Simon Challenge, 2, 7, 54
Snake, 3, 4, 60
Space Runner, 3, 1, 54
Tank Battle, 2, 5, 34
ZX-81
1K Games, 3, 6, 102
B-52 Bomber, 2, 9, 50
Cube Master, 2, 2, 16
Death Duel, 3, 8, 68
Deep Space, 3, 2, 60
Demon's Domain, 2, 8, 36
Dog Race, 2, 7, 40
Frogger, 3, 1, 61
Ground Strike, 3, 4, 84
Life, 3, 1, 75
Munchman, 3, 10, 145
Nim, 2, 4, 48
Othello, 2, 6, 32
Pinball, 2, 10, 46
Probe, 2, 12, 52
Scram-81, 3, 11, 126 and 3, 12, 191
Sea-mines, 3, 9, 124
Snakes & Ladders, 2, 3, 37
Space Invaders, 3, 7, 84
Subhunt, 3, 5, 78
Games of strategy, 1, 3, 24
Games writing, 3, 8, 140
Genie Programs
Atomic invaders, 1, 4, 68
Basic commands, 1, 4, 71
Chi-squared, 2, 2, 71
Instant execution 1, 4, 74
Key use, 2, 4, 80
Multiple response, 2, 9, 95
Permutations, 2, 8, 81
Setting memory size, 1, 2, 66
Startling display, 2, 1, 62
TRS80 compatibility, 1, 4, 71
Plotting, 2, 3, 41
History of software 1, 3, 4, 122
History of software 2, 3, 5, 152
Incredible shrinking computer, 3, 3, 70
Information graphics, 2, 7, 51
Intelligent typewriter (Atom), 2, 9, 47
Interviews
Acorn, 1, 3, 30
Acorn, 2, 9, 38
Artic Computing, 2, 5, 28
BBC, 2, 3, 24
Bug-byte, 2, 8, 40
Commodore, 1, 1, 20
Commodore, 2, 4, 28
Government, 1, 5, 28
Government, 2, 1, 24
Hitch-hiker's guide to the Galaxy, 2, 10, 42
Nascom, 2, 2, 30
Sinclair, 1, 2, 20
Sinclair, 2, 11, 38
Spectrum 2, 7, 38
Tangerine, 1, 4, 24
ZX-81, 2, 6, 36
J Checkers, 1, 3, 24
Kitbuilding 1, 1, 40
Language learning
— Dragon, 3, 3, 100
— ZX-81, (16K), 3, 3, 100
Lynx programs
Box spin, 3, 4, 152
Data storage, 3, 7, 179
New dimension, 3, 6, 187
Proc Point, 3, 8, 170
Machine code basics, 2, 1, 40
6502 Machine code
one, 3, 4, 103
two, 3, 5, 131
three, 3, 6, 153
four, 3, 7, 143
five, 3, 8, 143
six, 3, 9, 141
Micros under £100, 3, 11, 89
Micros £100 — £400 3, 12, 93
Microtan programs
Bull and cows, 1, 3, 70
Reading speed, 2, 6, 73
Resistor finder, 2, 5, 79
Status display, 2, 5, 84
Symbolic values, 1, 2, 66
Modems, 3, 9, 133
Modems, 3, 10, 169
Music
— Atari, 1, 4, 26
— MZ-80K, 1, 5, 36
— MZ-80K, 1, 4, 26
— TRS-80, 1, 5, 36
— Vic, 1, 4, 26
— ZX-81, 1, 4, 26
MZ-80K
Games see GAMES
MZ-80K programs
Array sort, 3, 1, 113
Breakout, 2, 10, 89
Card sharp, 1, 5, 73
Deep space attack, 2, 6, 71
Demon at the wheel, 1, 5, 73
Memory to screen, 2, 3, 71
Pascal functions, 2, 11, 105
Road runner, 1, 2, 67
Sharp breakout, 2, 10, 89
Sharp hints, 2, 8, 82
Sketch pad, 2, 10, 84
Test timer, 2, 8, 85
ORIC
Graphics, 3, 6, 106
Oric programs
Mower, 3, 12, 215
Organisation, 3, 5, 167
Renumber, 3, 9, 179
Screen scroller, 3, 7, 177
Secret File, 3, 12, 225
Synthesiser, 3, 11, 215
Software survey, 3, 10, 72
Oric utilities
Disassembler, 3, 12, 153
Verify, 3, 10, 153
Pascal for beginners, 2, 10, 50
Peek and Poke on the ZX-80, 1, 1, 29
PET
Games see GAMES
Pet programs
Bridge too far, 2, 7, 85
Cast the Runes, 2, 5, 85

(continued on page 215)



Specifications of the new Walters WM80

Printing method: Impact dot matrix.

Printing format: Alpha-numeric: 7 x 8 in 8 x 9 dot matrix field. Semi-graphic (character graphic): 7 x 8 dot matrix. Bit image graphic: Vertical 8 dots parallel, horizontal 640 dots serial/line.

Character size: 2.1mm w x 2.4mm h /7 x 8 dot matrix.

Character set: 228 ASCII characters. Normal and italic alpha-numeric fonts, symbols and semi-graphics.

Printing speed: 80 CPS, 640 dots/line per second.

Printing direction: Normal: Bidirectional, logic seeking. Superscript and bit image graphics: Unidirectional, left to right.

Dot graphics density: Normal: 640 dots/ 190.5mm line horizontal. Compressed characters: 1,280 dots/190mm line horizontal.

Line spacing: Normal: 4.23mm. Programmable inincrements of 0.35mm and 0.118mm.

Columns/line: Normal size: 80 columns
Double width: 40 columns
Compressed print: 142 columns
Compressed/double width: 71 columns
The above can be mixed in a line.

Paper feed: Adjustable sprocket feed and friction feed.

Paper type: Fanfold. Single sheet thickness: 0.05mm to 0.25mm.
Paper width: 101.6mm to 254mm.

Number of copies: Original plus 3 copies by normal thickness paper. (Max 0.25mm. Total thickness of 4 ply).

MTEB: 5 million lines (excluding print head life).

Dimensions: 377mm w x 295mm d x 125mm h, incl. sprocket cover.

Weight: 5.3Kg approx.

Power requirement: 240 v ac.

Data transfer rate: 4,000 CPS max.

Synchronization: By external supplied STROBE pulses.

Handshaking: By ACKNLG or BUSY signals.

The Walters Warranty

The new WM80 is supplied direct from Walters Microsystems International, the company who makes the dot matrix printer for the Department of Trade and Industry's Micros in Schools Scheme.

Under the Walters guarantee, all warranty work is carried out at our factory, normally within 48 hours of receipt of the machine at our service reception.

The first matrix Printer at a truly micro price.

£199.

Now you can have a ruggedly built, handsomely styled, highly versatile printer with a performance as impressive as its price.

The new WM80 is an 80 CPS dot matrix printer which interfaces with most popular micro and personal computers. It comes direct from Walters Microsystems International at the unprecedented price of £199 + delivery + VAT by security courier.

Impressive performance

The WM80 is bi-directional and logic seeking. It prints normal and italic, upper and lower case alpha-numeric characters at 80 columns per line, compressed characters at 142 columns, double width, plus symbols and semi-graphics.

Programmable functions

The standard interface is Centronics parallel, RS-232C (SERIAL) is available as an optional extra. Programmable functions include variable margins and line spacing, horizontal and vertical tabulation, and 7 international language character sets. In total, it offers a 228 ASCII character set and has self-test facilities.

Major control codes include NUL, buzzer, backspace, line feed, horizontal and vertical tabulation, paper advance, carriage return, shift in, shift out.

Paper transport is by adjustable sprocket feed or friction. It uses fanfold paper, from 4" to 10" wide, printing up to three clear copies from an easily changed cartridge ribbon. Life expectancy of the print head is approximately 30 million characters.

Ordering your WM80

The WM80 can be ordered by 'phone on 0494-32751; or by sending this coupon to: Walters Microsystems International, 'Matrix House', Lincoln Road, Cressex Industrial Estate, High Wycombe, Bucks HP12 3RD.

Despatch is normally within 7 days by security courier, but please allow 28 days for delivery. Alternatively, you can collect your WM80 in person from Monday to Friday, 9.30 – 5.00, Saturday 9.30 to 12.30.

80 col,
80 cps,
friction/
tractor feed

To: Walters Microsystems International Limited
'Matrix House', Lincoln Road,
Cressex Industrial Estate,
High Wycombe, Bucks HP12 3RD.

Please send me ____ WM80 printers at £199 + £10 delivery + VAT = £240.35 each

Name _____

Address _____

_____

Postcode _____

Telephone _____

Tick box for details of optional serial interface ☐

I enclose my cheque no. _____ for £ _____

Please charge my Access/Amex/Barclaycard Card No.

☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Signature _____

WALTERS MICROSYSTEMS INTERNATIONAL

SPECTRUM

ONLY £5.50

ALCHEMIST

EXPERIENCE THE VISIBLE ADVENTURE!

Imagine ..the name of the game

5 Sir Thomas Street
Liverpool, Merseyside L1 6BW
Dealer Enquiries Contact:
Colin Stokes on 051-236 8100 (20 lines)

The Top American Joystick is now available in the U.K. . . .

To fit your SPECTRUM

ONLY £19.99 + £1.50 P+P

- *Including Interface to plug straight into the Spectrum.*
- *The first Joystick to give you "Arcade" feel and control.*
- *"Jet Style" heavy duty, diamond cut grip.*
- *Fire Trigger placed under your index finger . . . the finger with the fastest reflex action.*
- *Self centreing, 360° action.*
- *Compatible with most of the latest Software including:*

☐ Flight Simulation	☐ Arcadia	☐ Penetrator	☐ Spectres
☐ Manic Miner	☐ Horace goes Skiing	☐ Atik Atak	☐ Jetman
☐ Jetpack	☐ Slippery Sid	☐ Brain Damage	☐ Frogger
☐ Cookie	☐ SS Enterprise	☐ Last Sunset. . .	☐ Blind Alley
☐ PSSST	☐ Nite Flite	☐ Mazeman	☐ Galactic Jailbreak
☐ Timegate	☐ Meteoroids	☐ Galaxians	
☐ 3D Tunnel	☐ Gulpman	☐ ETX	☐ Transam
☐ Cosmos	☐ Cosmic Guerilla	☐ Frenzy	☐ Robotics
☐ Cyber Rats	☐ Kong	☐ Astroblaster	☐ Armageddon
☐ Galaxians	☐ Armageddon	☐ Knot in 3D	☐ Exterminator
☐ Spookyman	☐ Mission Impossible	☐ Joust	☐ Detective

NOTE: THIS IS ONLY A SMALL SELECTION OF THE MANY COMPATIBLE GAMES

Also available for Commodore/ Atari/BBC/Oric/Dragon.

Item	Amount
Spectrum Trigga Command	£19.99
VIC/CBM 64 Trigga Command	£12.99
Atari Trigga Command	£12.99
BBC Trigga Command	£19.99
Oric Trigga Command	£19.99
Dragon Trigga Command	£14.99
Interface Unit only*	£11.99
* To use with your own Joysticks with Spectrum	
N.B All prices include Interfaces where required	P+P £ 1.50

ALLOW 7 DAYS
TRADE ENQUIRIES WELCOME
24 HRS CREDIT CARD LINE

ACCESS BARCLAYCARD VISA

Sole UK Distributors

DATEL ELECTRONICS 27 HOPE STREET, HANLEY, STOKE-ON-TRENT TEL: 0782 273815

INDEX

(continued from page 212)

Looney lander, 2, 8, 83
Mortgage calculator, 1, 4, 68
Paying a Mortgage, 1, 5, 78
Multiplier effect, 2, 6, 75
Punters draw, 1, 3, 69
Screen print, 2, 1, 69
Spacefire, 2, 1, 69
Picking a Micro, 2, 10, 74
Plotting
— BBC, 2, 11, 22
— Dragon, 2, 11, 22
— Spectrum, 2, 11, 22
Portable computers, 2, 6, 56
Programs for the ZX-80 2, 7, 60
Reviews
Acorn Electron, 3, 9, 56
Aquarius, 3, 7, 58
Atari personal computer, 1, 1, 17
Atari 600XL, 3, 11, 72
BBC and Spectrum graphics tablets, 3, 1, 46
BBC Buggy, 3, 4, 50
BBC Micro, 2, 1, 16
BBC Speech synthesis, 3, 6, 58
Camputers Lynx, 3, 2, 42
Chess machines and programs, 2, 3, 26
Colour Genie, 2, 10, 34
Colour printer, 3, 3, 44
Commodore 64, 2, 10, 34
Comx 35, 3, 8, 56
Discs, 3, 2, 34
Dragon 32, 2, 8, 20
Grandstand Tutor, 3, 10, 64
Jupiter Ace, 1, 11, 28
Low cost printers, 2, 11, 32
Memotech MTX-500, 3, 11, 68
Microtan 65, 1, 3, 45
Midwich MC, 2, 9, 76
MPF-I, 2, 12, 91
MPF-II, 2, 10, 28
Nascom range, 2, 3, 20
NewBrain, 2, 9, 36
Oric, 3, 2, 46
Oric v. Spectrum 3, 3, 40
Printers, 3, 12, 106
Sanyo PHC range, 2, 10, 24
Sharp MZ-700, 3, 7, 52
Sinclair Spectrum, 2, 6, 20
Sord M-5, 2, 12, 26
Spectravideo, 3, 11, 76
Spectrum add on's, 3, 2, 56
Spectrum assemblers and monitors, 3, 5, 50
Spectrum Microdrive, 3, 9, 52
Tandy CGP — 115 colour printer, 3, 3, 44
Tandy Colour computer, 1, 3, 12
Tandy MC-10, 3, 10, 68
Texas 99/4, 1, 4, 18
Texas CC-40, Compact computer, 3, 5, 42
Texet, 3, 4, 12
Vic-20, 1, 2, 12
Vic add ons, 2, 4, 20
Vic add ons, 3, 1, 40
Vic memory expansion units, 2, 8, 26
Video games machines, 1, 5, 20
ZX-81, 1, 1, 12
ZX-81 add ons, 2, 9, 22
ZX-81 colour board, 2, 7, 28
ZX-81 I/O ports, 2, 4, 32
ZX-81 Keyboards, 2, 6, 28
ZX printer, 1, 5, 24
Software shortlist
one, 3, 8, 51
two, 3, 9, 51
three, 3, 10, 59
four, 3, 11, 67
five, 3, 12, 89
Sound
— Atom, 2, 11, 50
— BBC, 2, 11, 50
— Spectrum, 2, 11, 59
Speaking tongues, 3, 10, 77
Spectrum animation, 3, 4, 111
Spectrum complex sounds, 3, 4, 117
Spectrum characters, 3, 2, 98
Spectrum games see GAMES
Spectrum Graphics, 2, 7, 24
Spectrum Interrupts, 3, 5, 102
Spectrum programs
Block Blitz, 3, 5, 162
Bricks. 3, 12, 209
Bridge builder, 3, 12, 218
Byte Transfer, 3, 11, 231
Character generator, 2, 10, 94
Corridors of fear, 3, 3, 121
Detective, 3, 8, 157
Displays, 3, 2, 128
Double Height, 2, 11, 111
Drum Beat, 3, 4, 141
Ear Hole, 3, 12, 223
File card, 3, 9, 177
Goblet, 3, 11, 205
Golf, 2, 9, 96
Grafliti, 3, 12, 231
3D Graph Plotter, 3, 11, 216
Gripe Cure, 2, 12, 101
Histograms, 3, 8, 162
Instant Command, 3, 9, 171
Interrupt — Intercept, 3, 3, 129
King Kong, 3, 10, 177
Mean Machine, 3, 10, 203
Multiplication, 3, 2, 128
Not Centipede, 3, 2, 120
Omega Invaders, 3, 7, 153
Quick Change, 3, 6, 183
Pac-man Trail, 2, 9, 91
Reversi, 3, 6, 163
3D Rotator, 3, 7, 80
Scroll Colour, 2, 10, 84
Serpent, 3, 1, 124
Slalom, 2, 11, 103
Slide Show, 3, 1, 109
Snakeman, 3, 6, 179
Space Chase, 3, 4, 133
Status, 3, 3, 136
Strange Patterns, 2, 12, 109
Sub-Attack, 2, 12, 97
Tubewars, 3, 9, 151
Weedkiller, 3, 8, 175
Wildlife, 3, 8, 165
Rom, 3, 1, 93
Sound, 2, 8, 30
Sound, 2, 11, 59
Sound, 3, 5, 54
Speech, 2, 11, 60
Toolkit, 3, 2, 77
The Voice of the Spectrum, 3, 6, 109
Spectrum utilities
Assembler, 2, 10, 66
Assembler, 3, 11, 159
Auto line numbering, 3, 12, 226
Character Generator, 2, 10, 94
Compactor, 3, 11, 229
Definer, 3, 7, 162
Disassembler, 2, 9, 62
Editor, 3, 6, 95
Extra tools, 3, 5, 181
Graphic Aid, 3, 1, 117
3D Graph Plotter, 3, 11, 216
Hi-res Mover, 3, 3, 133
Renumber, 2, 8, 79

(continued on page 217)

MICROPOWERMICROPOWERMICROPOWERMICROPOWER

MICRO POWER ARE TOP OF THE CLASS!



. . . AND WE'VE WORKED HARD TO BE THE BEST! Micro Power are an official service and information centre, and we are major suppliers to Government and educational establishments, and stock the complete range of Acornsoft and Program Power software as well as a wide range of B.B.C. Micro and general computing books. Our expert staff are always on hand to provide advice and assistance in the relaxed atmosphere of our showroom.

COMPUTERS

Electron (Carriage £5) ('Phone for availability)	199.00
BBC Model B	399.00
BBC Model B with Disk Interface	469.00

MONITORS

Microvitec 14" colour	247.25
Microvitec 20" colour	343.85
Kaga 12" b & w	123.05

PRINTERS

Epson FX80	458.85
Epson RX80	342.70
Epson MX80 IIIF/T	399.00
Olivetti Spark Jet	399.00
Seikosha GP100A	229.00
NEC PC8023	373.75
Parallel Printer Cable	15.50
Standard 10" tractor feed fanfold paper (per 1000)	9.20
Epson refill ribbons	3.39
Epson MX80 Dust Cover	4.50
Epson FX80 Dust Cover	4.50

FOUR FREE PROGRAM POWER CASSETTES WITH EVERY MODEL B

SPECIALISTS IN ECONET

DISK DRIVES

TEAC 40 track (100k)	228.85
TEAC 40 track (200k)	424.35
TEAC 80 track (200k)	327.75
TEAC 80 track (400k)	569.25
TEAC 80 track double sided (400k)	396.75
TEAC 80 track double sided double drive (800k)	711.85
TEAC CS55ES 40/80 track 100/200k (switchable)	374.90
TEAC CD55ES 40/80 track 200/400k (switchable)	626.75
TEAC connecting cable	17.25
Acorn 40 track (100k)	264.50
Acorn 80 track double sided double drive (800k)	803.85
Torch 80 track double sided double drive, 64k, Z80 & CPN operating system plus software	P.O.A.
Shugart 40 track (100k)	263.35
additional drive for above (100k)	163.30

ACCESSORIES

Concept Keyboard	79.35
Cable for above	20.70
Acorn Joysticks (pair)	13.00
Canvas cover for BBC	3.95
Vinyl cover for BBC	4.50
Complete upgrade	85.00
VIA chip	4.95
Buffer chip LS244	1.25
26-way connector	2.45
Disk interface (including fitting)	97.00
Econet Interface	70.00
3 C12 Cassettes	2.13
3 C15 Cassettes	2.24
3 C20 Cassettes	2.53
SS/SD Diskettes	2.88
DS/DD Diskettes	4.03
Wordwise	45.43
View	59.80
Speech Synthesiser	55.00
Beebpen	45.94
Kisho cassette recorder	19.95
Acorn BBC Recorder	29.90

CARRIAGE FOR ELECTRON £5, B.B.C. MODEL B, PRINTERS, MONITORS, DISK DRIVES, FREE. BOOKS AND SOFTWARE ONLY 55p PER ORDER.

Send an SAE for our complete listing of hardware, software and books. ACCESS and BARCLAYCARD welcome.

MICRO POWER YC11

MAIL ORDER ADDRESS:
DEPT.
8/8a REGENT STREET
CHAPEL ALLERTON
LEEDS LS7 4PE
Tel: (0532) 683186 or 696343

SHOWROOM ADDRESS:
NORTHWOOD HOUSE
NORTH STREET
LEEDS LS7 2AA
Tel: (0532) 458800

MICRO POWER - PUT TO THE TEST WE'LL PASS WITH HONOURS!

MICROPOWERMICROPOWERMICROPOWERMICROPOWER

INDEX

(continued from page 215)

Renumbering, 3, 1, 119
Screen Dump, 3, 12, 231
Tape Examiner, 3, 5, 176
Tracer, 3, 9, 83
User Defined Keys, 3, 10, 186
Variables, 3, 5, 135
Spectrum, Word Processor, 3, 3, 84
Tangerine Micron Membership, 1, 1, 9
Tantel Adaptor, 1, 2, 17
The Spirit of Christmas to Come, 3, 12, 121
TI-99/4A (extended Basic), Line Drawing, 2, 10, 89
TI-99/4A program
Limpopo, 3, 8, 162
UK 101 programs
Escapest solution, 1, 1, 50
Graphics entry, 1, 2, 67
Program Conversion, 2, 4, 76
VIC-20
Big screen, 2, 10, 61
Cassette, 1, 5, 53
Colour and sound, 2, 1, 38
Communications port, 2, 3, 44
Expansion, 3, 12, 197
Games see GAMES
High Resolution Graphics, 2, 4, 57
High Resolution Graphics, 1, 3, 29
Joystick control, 1, 4, 39
Multi-coloured graphics, 3, 1, 85
Multi-screen, 3, 7, 114
Music, 2, 2, 51
Polyphonic boogie, 3, 3, 81
Vic-20 programs
Alien arcade, 2, 4, 77
Alien Flashers, 3, 10, 186
Astro gladiator, 3, 6, 167
Block graphics, 2, 5, 76
Bomber, 2, 12, 99
Breaking out, 2, 4, 71
Changing goals, 3, 2, 123
Change of memory, 2, 9, 90
Character editor, 3, 7, 175
Clock, 3, 7, 179
Decimal liner, 3, 2, 137
Dodgems, 2, 11, 101 another version at 3, 12, 212
Double height, 3, 10, 205
Earth invader, 2, 8, 79
Fighter Raid, 2, 5, 83
Four routines, 3, 2, 120
Gold grabber, 3, 8, 159
Graph screen, 2, 11, 105
Guessing game, 2, 3, 70
High resolution, 2, 5, 75
Indexer, 2, 10, 85
Key to functions, 2, 6, 73
Key word definer, 3, 8, 170
Life, 3, 6, 181
Life expectancy, 2, 9, 90
Night train, 3, 11, 205
On the grid, 3, 4, 138
Peeks and Pokes, 2, 6, 67
Piano keys, 2, 3, 73
Poly-Pen music, (requires a light-pen), 2, 10, 93
Quick copy, 3, 1, 115
Racetrack, 3, 7, 157
Ragtime RAM, 2, 7, 83
Self Writing, 3, 10, 203
Sound Option, 3, 4, 137
Sounds Familiar, 3, 1, 109
Sounds of Alarm, 2, 8, 85
Sub Hunt, 3, 5, 165
Tank Killer, 3, 3, 123
Three-D-Maze (also Pet), 3, 2, 125
Tron II, 3, 9, 159
Tunnel Vision, 2, 6, 77
Vic Stick (requires a joystick), 2, 12, 106
Vic Synth, 2, 12, 103
Resolution 3, 9, 113
Tricks, 3, 12, 148
Vic utilities
Assembler, 2, 9, 58
Disassembler, 3, 6, 80
Expansion, 3, 10, 157
Extended Basic, 3, 11, 171
String Dump, 3, 12, 231
Variables, 3, 4, 95
Vector, 2, 11, 67
Voices on the Vic, 3, 5, 107
Tomorrow's Technology, 3, 1, 34
Writing a word processor, 3, 7, 76
ZX-80/81 Books, 1, 4, 49
ZX-80 Keyboard Changes, 2, 1, 61
ZX-80/81 Machine Code Programming, 1, 2, 26
ZX-80/81 Machine Code Programming, 1, 4, 57
ZX-80 Peeks and Pokes, 1, 1, 29
ZX-80/81 Software Survey, 1, 3, 16
ZX-80 ROM Switch, 1, 3, 39
ZX-81 Adventure Writing, 2, 4, 24
Animated Graphics, 2, 2, 52
Capabilities, 2, 5, 37
Cards of Fate, 3, 6, 147
Chess 1 (1K), 2, 12, 68
Chess 2, 3, 1, 81
Chess 3, 3, 2, 100
Easing Operation, 1, 4, 76
Fake DOS, 3, 10, 110
Fast Basic, 3, 7, 139
Forth Simulation, 2, 12, 84
ZX-81
Games see GAMES
Games writing (1K), 2, 11, 64
Games writing, 2, 12, 78
Graphics, 2, 1, 48
Indexer, 2, 9, 68
Joysticks, (construction), 2, 5, 46
Machine code one, 2, 8, 54
Machine code two, 2, 9, 72
Machine code three, 2, 10, 68
Machine code four, 2, 11, 83
Machine code editor (16K), 3, 3, 75
Machine code monitor, 2, 6, 50
Music, 2, 3, 34
Pinball, 2, 10, 46
ZX-81 programs
Alien Attack, 2, 7, 51
Alien search (1K), 2, 1, 62
Ark Royal, 1, 5, 79
Artful dodge, 2, 6, 76
Assault craft (16K), 2, 6, 69
As you like it (1K), 2, 7, 82
Automatic Rem (16K), 2, 9, 95
Auto Rem (1K), 3, 11, 227
Bar-graph plotter, (1K), 1, 1, 48
Basic truth (1K), 2, 3, 73
Bigger screen (1K), 1, 4, 72
Biorhythms (16K), 2, 4, 80
Boarder-line case (1K), 2, 7, 91
Board game (16K), 2, 8, 84
Bomb disposal (1K), 1, 5, 79
Bone Idle (16K), 3, 4, 151
Brahma (1K), 2, 4, 77
Calculated risk (1K), 2, 2, 74
Calculator (16K), 2, 8, 84
Card tricks (16K), 2, 3, 69
Clue to clues (1K), 2, 7, 91
Code machine, (1K), 3, 1, 119
Code storage, 2, 10, 91
Code transfer, (1K), 2, 6, 67
Column Scroll, 2, 10, 93
Complete music (16K), 1, 2, 61
Cost price, (1K), 2, 1, 70
Consult the Oracle, (1K), 1, 3, 71
Course and Time, (1K), 2, 7, 85
Cricket score, (16K), 2, 1, 64
Crossword challenge, 1, 1, 47
Cypher Breaker (1K), 2, 6, 75
Danger Man (1K), 3, 7, 153
Death Worm (1K), 3, 9, 159
Dare devil, (16K), 2, 2, 69
Dice Thrower, (1K), 2, 5, 85
Disassembling, 2, 5, 85
Double Height (+Printer), 2, 4, 81
Drawing Program (1K), 3, 6, 165
Dungeons, (1K), 2, 8, 75
Effortless index (1K), 2, 1, 61
Enterprise Rescue (1K), 2, 3, 71
Equations solved (1K), 2, 2, 74
Exam marks (1K), 1, 3, 65
External inputs (Project), 2, 1, 71
Faster graphics, 2, 8, 83
Faster Slow mode, 2, 4,79
Fighter Pilot (16K), 2, 3, 72
Figure handling, (1K), 1, 4, 74
Filing Point (3.25K), 2, 9, 95
Formula for Success, 2, 2, 75
Four × four × four, (16K), 3, 8, 167
Free memory, 1, 4, 67
Golf (16K), 3, 12, 211
Graphic Strings (16K), 2, 8, 81
Green eyed monster, 1, 3, 65
Half-Life, 1, 5, 77
Hex convert, 2, 6, 76
High resolution graph (+ Printer), 2, 10, 87
Hot pursuit, 2, 5, 79
Innocent indexing, 1, 3, 64
Intelligent Animal (1K), 3, 9, 151
Keyboard reverse, 2, 3, 72
Kong Jump (16K), 3, 6, 170
Landscape (16K), 2, 9, 89
Lateral scroll, (16K), 2, 3, 71
Latest score (16K), 1, 3, 67
Learning fun, 2, 2, 71
Line drawer, 1, 4, 68
List remedy, 3, 3, 135
List self starters, 2, 12, 106
Lower case (16K), 2, 9, 94
Lunar manoeuvre (16K), 2, 4, 75
Machine code tips, 1, 5, 71
Maths teaching, 1, 5, 75
Matrix Mover (1K), 3, 6, 187
Maze chase, 3, 2, 128
Memory economy, 2, 1, 63
Memory Man, 3, 5, 176
Micro maestro, 2, 8, 85
Molecules (16K), 2, 3, 67
Moon lander, 2, 1, 63
Moving graphics, 1, 4, 69
Music notation, 2, 12, 109
Mystery, 2, 11, 111
Mystery program, 2, 4, 72
Never a crossword, 1, 5, 77
New quirk, 2, 12, 105
Not St Georges Day (16K), 2, 5, 76
Noughts and crosses, 2, 2, 67
Number square (16K), 3, 1, 127
Organic tunes (16K), 2, 6, 70
Palindromes, 1, 5, 77
Padcalc (16K), 3, 9, 173
Pascal's Triangle, 2, 6, 69
Plotter-Planner, 2, 7, 81
Point to Point, 1, 2, 61
Polynomial Solver, 1, 1, 48
Pools Prediction, 1, 2, 65
Prime Numbers, 2, 4, 79
Program Name, 2, 11, 110
Quick Peek, 2, 12, 109
Reaction Timer, 1, 1, 47
Remember to Renumber, 1, 4, 67
Rem memory, 2, 9, 97
Revolutionary Art, 1, 4, 74
Rotating Display (16K), 3, 10, 179
Rhythm Band, 3, 2, 129
ROM Tricks, 2, 4, 72
Satellite Plot, 2, 4, 81
Silent Running, 2, 3, 65
Screen Artist, 1, 5, 79
Screen Flash (+4K), 2, 10, 95
Scroll Clear, 2, 11, 111
Scroll Roles (16K), 2, 7, 90
Search and Destroy (1K), 3, 4, 133
Search and Replace, 2, 8, 85
Security Numbers, 1, 5, 71
Sketch Pad, 1, 2, 65
Snake, 3, 2, 119
Small Enterprise, 2, 10, 83
Sound Analysis (1K), 3, 5, 165
Sounds of Alarm, 2, 5, 85
Speed Ball, 2, 8, 83
Speed Scroll, 3, 1, 119
Spiral Clear, 2, 11, 110
Standard Deviations, 2, 10, 85
Storage Technique, 2, 1, 69
Submarine, 2, 11, 99
Surround, 2, 7, 89
Surrounded (16K), 3, 5, 161
Swap (1K), 3, 7, 161
Tank Attack (16K), 3, 8, 158
Teaching Aid (16K), 1, 2, 63
Telescope Modelling, 2, 2, 74
The Dictator (16K), 2, 2, 67
The Plough, 1, 3, 67
The Real World, (16K), 2, 12, 99
The Wall (16K), 3, 3, 137
Three Games, 2, 12, 97
Tight Security, 3, 1, 118
Transposing Music, 1, 5, 78
Tunnel (1K), 3, 11, 207
Turbo (16K), 3, 3, 121
The 24 line Screen, 2, 2, 73
Under Cut, 2, 10, 95
White-Dot Destroyer, 1, 1, 48
Wild Dogs, 2, 1, 70
Windmills, (16K), 2, 9, 97
Winning Sequence, 2, 5, 81
Word Puzzle (16K), 2, 10, 94
Worry Maze, (16K), 3, 1, 107
Writing Aids (1K), 3, 6, 183
Writing Wrongs, 2, 1, 67
Software Survey, 2, 2, 24
Software Survey, 3, 4, 40
Sorting, 2, 4, 37
Toolkit, 2, 11, 76
ZXTRA wide Text (+ Printer), 3, 1, 88
ZX Memory Packs, 2, 3, 16
ZX Strings, 1, 5, 41
ZX-81 utilities
Bubble Sort, 3, 12, 183
Cassette Files, 3, 8, 105
Compiler one, 3, 7, 139
Compiler two, 3, 8, 77
Compiler three, 3, 9, 119
Disassembler, 2, 7, 56
Draw, 3, 12, 145
Ecological Modelling, 2, 8, 46
Education, 2, 1, 35
Indexer, 2, 9, 68
Machine Code Editor, 2, 3, 75
Magic Squares, 2, 5, 40
Merge, 3, 11, 169
Multiline Delete, 3, 4, 144
Padcalc (16K), 3, 9, 173
Quick Load, 3, 6, 75
Renumber, 3, 11, 153
Tape Verify, 3, 5, 65
Unifile, 3, 4, 66
Word Processor (16K), 2, 10, 52
ZX-81/Spectrum Converter, 3, 12, 176

spectrum

NEWS from SPECTRUM

DISK DRIVE for ZX SPECTRUM

Now from SPECTRUM a Disk Drive for the ZX SPECTRUM exclusive to SPECTRUM stores see our ad for full details

Super new add-on for ZX SPECTRUM

- New! SINCLAIR INTERFACE 2 and ROM CARTRIDGES plus new software -see our ad for details.

● Quality printer at under £200

SEIKOSHA GP-100A now only £199.95 from Spectrum.

LATEST NEWS

- For up-to-date news, information & offers from SPECTRUM - see PRESTEL page 600181 for full details.

Spectrum GIFT VOUCHERS

- Not sure what to buy? Why not give a SPECTRUM GIFT VOUCHER - available in any value over £5. See your local SPECTRUM dealer NOW!

NEW SPECTRUM MEMBERS

Check our address page! - there are many new SPECTRUM dealers throughout the UK so there's a good chance there'll be a SPECTRUM centre near you.

AFTER SALES CARE

SPECTRUM service centres will ensure that should your machine 'go down' we will get it running again as quickly as possible. We also offer extended warranties at reasonable prices too! - ask your SPECTRUM HOME COMPUTER CENTRE for full details

COMPUTER DEALERS

(or prospective Computer dealers!) If, you would like to know more about becoming a SPECTRUM APPOINTED DEALER on an exclusive area basis, please write to MIKE STERN, Spectrum (UK) Ltd., Burrowfield, Welwyn Garden City, Herts. or telephone (07073) 34761

Fantastic Value from Spectrum!

COMMODORE 64 BUSINESS PACKAGE

SAVE OVER £200

Includes:

- COMMODORE 64
- DISK DRIVE
- COLOUR MONITOR
- COMMODORE PRINTER
- FUTURE FINANCE PROGRAM

Plus!

- FREE! GAMES DISK WITH SIX GAMES

FOR THE SMALL BUSINESSMAN . . . this has to be the business computer opportunity of a lifetime! This superb, top-value package includes everything you need to set up your own powerful small business/home Micro system.

There's the high-power Commodore 64 computer with its huge 64K RAM memory built-in and brilliant graphics capability, with full colour. The system's completed with a Commodore disk drive - store your entire filing system, accounts, sales records, etc. -plus tractor-feed printer, and a 1701 colour monitor.

It really is tremendous package - at SPECTRUM'S incredible low price, it's unbeatable!

ALL THIS FOR ONLY

£899.99

OR LESS!

All items can be purchased seperately - ask your local SPECTRUM dealer for price.

COM-64 Home Entertainment Package

ONLY

£239.99

(Normal retail price £282.85)

SAVE OVER £40

Includes: ■ COMMODORE 64 ■ CASSETTE INTERFACE ■ CASSETTE RECORDER ■ VITA JOYSTICKS ■ CASSETTE WITH 4 GAMES

Not all stores carry every advertised item, please phone before making a journey - prices correct at time of going to press E&OE

Sensational

COMMODORE VIC-20

Offers from Spectrum!

VIC-20
ONLY
£99.95

VIC-20 EXPANDER PACK

All this for under £200!
Includes:
- Vic-20 computer
- Tape Interface
- Tape Recorder
- 64K RAM Expansion pack
- Quickshot Joysticks
- 4 Cassette Games

SAVE £67.80

£195.95

Normally £263.75
HURRY! Only while offer lasts!

SINCLAIR ZX-81

Super-Deal Offer!

ZX-81 COMPUTER
Plus 16K RAM PACK
Plus 4 Games
ALL FOR ONLY

£56.95

SINCLAIR ZX81 ACCESSORIES

64K RAM PACK	£54.95
16K RAM Pack	£24.95
ZX Printer	£39.95

BBC



Model B Micro
SPECTRUM PRICE **£399**

BBC Model 'B' with Disk Interface Fitted £469.75

Sensational Offer for BBC Owners!

OPUS
DISK DRIVE
for BBC Model 'B'



Now from **SPECTRUM** - a **DISK DRIVE** for the **BBC at under £180.** Compare this price with any other Disk Drive for the BBC and we're sure you'll agree that this **really is terrific value for money** - But **HURRY!** stocks **are limited** and are sure to sell fast - so get to your local **SPECTRUM** dealer **NOW!**

£179.95

Other equipment for the BBC

BBC Single Disk Drive 100k	£265.00
BBC Dual Disk Drive 800k	£803.85
BBC Disk Interface Kit (inc. Fitting)	£97.00
Acorn Software Cassette-Based from	£9.95
Acorn Disk-Based software	£11.50
BBC Cassette-Based software from	£9.95
BBC BUGGY Spectrum Price	£189.00
BBC Disk Manual & Utilities Disc	£34.50
QUICK-SHOT JOYSTICK Especially for the BBC - Spectrum Price	£19.95

BBC BUGGY £189.00

Now available:
RC DIGITAL TRACER for the BBC
£55.50

STACK LIGHT RIFLE

For Commodore 64 & VIC-20

Available for the SPECTRUM, VIC-20, and the COMMODORE 64 (Arriving Now!), comes complete with 12 feet of cable and three exciting action software games including "HIGH NOON SHOOTOUT" with full sound effects.

Spectrum Price £29.95 Including 3 FREE Games

Turn the page for more super offers from Spectrum . . .

Spectrum Computer Centres have no connection whatsoever with the ZX-Spectrum Computer manufactured by Sinclair Research Ltd.

spectrum

SOFTWARE

The Top sellers from leading British Software houses.

Micro Dealer UK

ZX SPECTRUM

Legend "Valhalla"	£14.95
Ultimate "Lunar Jet Man"	£5.50
Ultimate "Atic Atac"	£5.50
Bug-byte "Manic Miner"	£5.95
Quicksilva "3-D Ant Attack"	£6.95
A & F "Chuckie Egg"	£6.90
CDS "Pool"	£5.95
Crystal "Halls of the Things"	£7.50
Ocean "Kong"	£5.90
Quicksilva "Games Designer"	£14.95
Imagine "Zzoom"	£5.50
Incentive "Splatt"	£5.50
New Generation "Corridors of Genon"	£5.95
Quicksilva "Bugaboo"	£6.95
Ultimate "Jet Pac"	£5.50
Artic "Dimension Destructors"	£5.95
Protek "Hunter Killer"	£7.95
Red Shift "Apocalypse"	£9.95
Ocean "Transversion"	£5.50
Ultimate "Tranz Am"	£5.50
Addictive Games "Football Manager"	£6.95
Quicksilva "Aquaplane"	£6.95
Doric "Oracles Cave"	£7.95
Artic "3-D Combat Zone"	£5.95
Hewson "3-D Space Wars"	£5.95

Commodore 64

Llamasoft "Hover Bower"	£7.50
Llamasoft "Attack of the Mutant Camels"	£7.50
Melbourne House "Hungry Horace 64"	£5.95
Interceptor "Siren City"	£7.00
Games Machine "The fabulous Wanda and the secret of life, the universe and everything"	£7.95
Bubblebus "Exterminator"	£5.99
Quicksilva "Purple Turtles"	£7.95
Ocean "Armagadden 64"	£6.90
Melbourne House "The Hobbit 64"	£14.95
Interceptor "Vautex Raider"	£7.00
Llamasoft "Matrix 64"	£7.50
Anirog "H-expert"	£7.95
Quicksilva "Quintic Warrior"	£7.95

VIC-20

Ultimate "Jet Pac"	£5.50
Llamasoft "Meta Galactic Llamas battle at the edge of time"	£6.00
Imagine "Bewitched"	£5.50
Quicksilva "Skyhawk"	£7.95
Llamasoft "Matrix"	£6.00
Interceptor "Crazy Kong"	£6.00
Imagine "Arcadia"	£5.50

BBC

Software Invasion "Attack on Alpha Centauri"	£7.95
Psion "Saloon Sally"	£7.95
DoctorSoft "Flight Simulator"	£7.95
Amcom "Space Highway"	£7.95
Alligator "Bug Blaster"	£7.95

ORIC

Softek "Dracula's Revenge"	£6.95
IJK Software "Zorgon's Revenge"	£8.50
Martech "Harrier Attack"	£6.95

DRAGON 32

Softek "Ughl"	£8.95
J Maurice Micros "Maurice Minor"	£7.95

SUNSHINE

Cruising (Dragon 32)	£6.95
Cruising (ZX Spectrum)	£4.95
Blind Alley (ZX Spectrum)	£4.95
Androids (ZX Spectrum)	£5.95
Galaxy Attack (ZX Spectrum 48K)	£5.95
Sword Fight (ZX Spectrum)	£5.95

MICRODEAL

DRAGON

The King	£8.00
Space War	£8.00
Defence	£8.00
Alcatraz	£8.00
Katerpillar Attack	£8.00
Space Monopoly	£8.00
Mansion Adventure	£8.00

SALAMANDER

Franklin's Tomb (Dragon, BBC, Oric)	£9.95
Lost in Space (Dragon, BBC, Oric)	£9.95
737 Flight Simulator (BBC B)	£9.95
Grid Runner (Dragon)	£7.95
Night Flight (Dragon)	£7.95
Dragon Trek (Dragon)	£9.95
Grand Prix (Dragon)	£7.95
Salamander Graphics System (Dragon)	£9.95
Golf (Dragon)	£7.95
Wizard War (Dragon)	£7.95

SHARP MZ 711

(MZ-700 Series Computer)



FREE! 10 CASSETTE BASED GAMES

The super new colour computer from SHARP. Now available in limited quantities - including 10 FREE CASSETTE BASED GAMES from SPECTRUM

SPECTRUM PRICE

£249.95

SHARP PRINTER £129.95
CASSETTE RECORDER £39.95

SHARP MZ80A £399

DRAGON

£175 Sensational HALF PRICE offer!

Buy the **Dragon 32** from SPECTRUM at £175 and pick up super ACCESSORY PACK **worth £50** including ■ COMPUTER CASSETTE RECORDER ■ JOYSTICKS ■ DRAGON CASSETTE TAPE

ALL FOR ONLY £25

DRAGON Single DISC DRIVE Now available **£275.00**
JOYSTICK INTERFACE allows connection of ATARI type Joysticks **£14.95**

ORIC-1

SPECTRUM PRICE

£139.95

HALF PRICE OFFER!

Bring a copy of this ad to your local SPECTRUM dealer when you purchase an ORIC-4 48K and it will entitle you to purchase the following 4 titles of Software at HALF-PRICE! ■ MULTIGAMES ■ ORICFLIGHT ■ CHESS ■ ZODIAC

LEDA COMPUTER CARE KITS

For Disk £12.95

For Cassette £9.95

BOOKS

GRANADA PERSONAL COMPUTING TITLES

The Zx Spectrum and how to get the most from it	£5.95
The Spectrum Programmer	£5.95
The Spectrum Book of Games	£5.95
Introducing Spectrum Machine Code	£7.95
The Apple II Programmer's Handbook	£10.95
Programming with Graphics	£5.95
The Dragon & how to make the most of it	£5.95
Computing for the Hobbyist & small Business	£6.95
Simple Interfacing Projects	£6.95
The BBC Micro An expert guide	£6.95
Commodore 64 Computing	£5.95
The Oric-1 and how to get the most from it	£5.95
The Dragon 32 book of games	£5.95
Computer Languages and their uses	£5.95
Lynx Computing	£6.95
21 Games for the BBC Micro	£5.95
Choosing a Microcomputer	£4.95
Databases for fun & profit	£5.95
Introducing the BBC Micro	£5.95

SUNSHINE

The Working Spectrum	£5.95
Functional Forth for the BBC	£5.95
The Working Dragon 32	£5.95
Dragon 32 Games Master	£5.95
The Working Commodore 64	£5.95
Commodore 64 Machine Code Master	£6.95
The Working Dragon	£5.95
The Working Spectrum	£5.95
The Working CBM 64	£5.95
Dragon 32 Games Master	£5.95
Functional Forth for the BBC	£5.95
Androids for the 16K Spectrum	£5.95
Sword Fight for 16K Spectrum	£5.95
Galaxy Attack for 48K Spectrum	£5.95
Blind Alley for 16K Spectrum	£5.95
Cruising for 16K Spectrum	£5.95

LYNX 96K



For the Lynx owners who're ready to take the next step, the 48K machine can be upgraded to full 96K specification for just **£89.95**

LYNX 48K Model - SPECTRUM PRICE £199

Now from SPECTRUM - the new LYNX 96K offering more workspace for ambitious programs. The most important feature of the 96K machine is its additional memory. In full high resolution colour, it provides 37.5K of RAM directly accessible in Basic - with up to 24K more available to programs using machine code. Ask to see the super new LYNX 96K at SPECTRUM -NOW!

SPECTRUM PRICE

£299

Not all stores carry every advertised item, please phone before making a journey -prices correct at tme of going to press E&OE.

Everything you've ever wanted for your

ZX SPECTRUM

Superb ZX add-on's from your local Spectrum dealer

New & exclusive to Spectrum!

INDESCOMP

Superb quality add-on's for the ZX SPECTRUM

INDESCOMP
KEYBOARD
WITH FULLY ADJUSTABLE SOUND

£59.95

INDESCOMP SOUND AMPLIFIER

ONLY £10.95

INDESCOMP JOY STICK INTERFACE

£14.95

INDESCOMP 32K RAM PACK

£39.95

INDESCOMP DOMESTIC CONTROLLER

£49.95

INDESCOMP RS232 & CENTRONICS PRINTER INTERFACE **£49.95**

ALPHACOM Thermal Printer for ZX SPECTRUM - NOW DOWN TO **£59.95**

DIGITAL TRACER

From RD Labs for the ZX Spectrum

£55.50



ZX SPECTRUM 16K
£99.95
ZX SPECTRUM 48K
£129.95

Spectrum Computer Centres have no connection whatsoever with the ZX-Spectrum Computer manufactured by Sinclair Research Ltd

---

VISCOUNT DISK DRIVE

Now from SPECTRUM a Disk Drive for the ZX SPECTRUM. The VISCOUNT 5¼" DISK DRIVE with interface system and complete with all leads.

ONLY £245

PROTEC Joystick Interface **£14.95**

KEMPSTON Joystick Interface (Joysticks opt. extra)

£15

Joysticks with Interface £24.95
Centronics Interface..... £45.00

CURRAH Speech Synthesiser **£29.95**

CHEETAH 32K RAM Pack **£39.95**

DK'TRONICS Keyboard £45.00
DK'TRONICS Lightpen..... £19.95
STACKLIGHT Rifle with 3 FREE GAMES £29.95

PRISM VTX 5000 MODEM

Now, your ZX SPECTRUM is your key to the world with the incredible PRISM VTX 5000 MODEM

■ Versatile modem for ZX Spectrum (16K or 48K) versions ■ Slim design fits easily, matches your micro ■ Instant access to Prestel* & Micronet 800 information services ■ Instant communication with other ZX Spectrum users ■ Use the Prism VTX 5000 with a Sinclair printer - and print Prestel frames. Ask your local SPECTRUM dealer for further details - NOW!

SPECTRUM PRICE

£99.95

Sinclair ZX INTERFACE 2

The new ROM Cartridge/Joystick interface. Loads programs instantly! Takes two joysticks! Just plug in and play.

ONLY £19.95

Plus! New ROM cartridge software.

Turn the page for more super offers from Spectrum . . .

Spectrum Computer Centres have no connection whatsoever with the ZX-Spectrum Computer manufactured by Sinclair Research Ltd.

spectrum

ATARI

New! 600XL

- 16K RAM expandable to 48K
- Full stroke keyboard
- Full sound with 3½ octave range
- 11 Graphic Display modes
- Full colour (256 colours -128 colours can be displayed at one time. Ask to see this super new micro at your local SPECTRUM dealer NOW!

SPECTRUM PRICE

£159.99

ATARI 800

Check with your local SPECTRUM dealer for our SUPER LOW price.





ATARI VCS GAMES MACHINE

With all these FREE extras: FREE PADDLES ■ FREE JOYSTICKS ■ FREE COMBAT CARTRIDGE ■ FREE PAC-MAN CARTRIDGE ALL FOR ONLY **£69.99**

TEXAS



TI-99/4A

Exceptional value from SPECTRUM and representing probably the finest home micro computer value on the market today! - The TEXAS TI-99/4A is built to an extremely high standard and is highly recommended by SPECTRUM for its utter reliability.

SENSATIONAL NEW LOW PRICE

£88.95

Wide range of software available for TEXAS from your local SPECTRUM dealer.

PRINTER BARGAINS

SEIKOSHA GP100 A £199.95

SEIKOSHA GP100 VC	£199.95
SEIKOSHA GP100 AS	£199.95
SEIKOSHA GP250 X	£249.95
EPSOM FX 80	£459.95
EPSOM RX 80	£314.95
MICROLINE 80	£249.95
MICROLINE 82A	£349.95
MICROLINE 92	£495.95
ALPHACOM 42	£99.90

MONITORS

COMMODORE 1701
with sound **£230.00**
SANYO 14" Colour TV
(ideal as a monitor).... **£229.95**
SANYO CDD 3125NB
Colour Monitor..... **£285.35**
SANYO 12"
Green Monitor..... **£99.95**

New! MEMOTECH MTX500

Here's the super Memotech MTX500 Micro - specially designed for versatility in a wide variety of applications. Its 16K ROM contains several languages & routines to suit users with differing levels of computer skills. Its RAM is a powerful 32K - expandable to a massive 512K - with full 16-colour high-definition graphic capability, and a superb top-quality keyboard. It's a superb Micro and you can see it at SPECTRUM now!

SUPERB VALUE AT ONLY

£275

MY TALKING COMPUTER

"My Talking Computer" by Electroplay is a marvellously simple and clear children's Micro that's perfect for the younger child or the slow learner. There's a range of brightly coloured, bold programs -such as "Talking Story", "Talking Numbers" or "Talking Games" -giving a wide selection of educational AND fun games, on easy-load cartridges.

SPECTRUM PRICE **£59.95**

CONCHESS CHESS COMPUTER

'The intelligent CHESS COMPUTER'

Models available:
ESCORTER £179.99
AMBASSADOR.... £229.99
MONARCH..... £279.95

ACCESSORIES

C12 DATA CASSETTES	£0.50
C15 DATA CASSETTES	£0.58
VISCOUNT SINGLE SIDED, DOUBLE DENSITY (10) (FOR APPLE, COMMODORE, ATARI, TANDY)	£21.25
VISCOUNT SINGLE SIDED, SINGLE DENSITY (10)	£21.25
VISCOUNT DOUBLE SIDED, DOUBLE DENSITY (10) (FOR SHARP SUPERBRAIN, ETC.)	£33.81
VISCOUNT SINGLE SIDED DOUBLE DENSITY 96 TRACK (10) (FOR NASCOM, COMMODORE 8050, ETC.)	£51.36
EMPTY DISK CASES (FOR 5¼" DISKETTES)	£1.95
DISK HEAD CLEANER KIT	£16.10

TELEVISIONS

12" T80 B&W PORTABLE	£59.95
CTP3131 14" COLOUR PORTABLE	£229.95

COMPUTER CASSETTE RECORDERS from £27.50

ZETA Joystick for ATARI, COMMODORE, VIC-20 & 64, SPECTRUM & ORIC ONLY £10.95

Spectrum Computer Centres have no connection whatsoever with the ZX-Spectrum Computer manufactured by Sinclair Research Ltd.

There's a Spectrum Centre near you . .

AVON

BATH Software Plus, 12 York St. TEL: (0225) 61676

BRISTOL Bransal Computers Ltd., 24 Park Row. TEL: (0272) 294188

WESTON-SUPER-MARE K. & K. Computers, 32 Alfred St. TEL: (0934) 419324

BEDFORDSHIRE

BEDFORD Stanad Ltd., 115 Midland Rd. TEL: (0234) 49341

DUNSTABLE Dormans, 7-11 Broad Walk. TEL: (0582) 65515

LEIGHTON BUZZARD The Computer Centre at Milton Keynes Music, 17 Bridge St. TEL: (0525) 376622

LUTON Terry-More, 49 George St. TEL: (0582) 23391/2

BERKSHIRE

READING David Saunders, 8 Yield Hall Place. TEL: (0734) 580719

WINDSOR Wycombe Video, 44 King Edward Court. TEL: (07535) 67441

BUCKINGHAMSHIRE

BLETCHLEY Rams Computer Centre, 117 Queensway. TEL: (0908) 647744

CHESHAM Hood Photography & Computers, 113 High St. TEL: (0494) 783373

CAMBRIDGESHIRE

CAMBRIDGE K. P. Ltd., 12a Kings Parade. TEL: (0223) 68087

PETERBOROUGH Peterborough Communications, 91 Midland Rd. TEL: (0733) 41007

CHANNEL ISLANDS

GUERNSEY Grut's, 3-5 The Pollet, St. Peter Port. TEL: (0481) 24682

JERSEY Audio & Computer Centre, 7 Peter St. St. Helier. TEL: (0534) 74000

CHESHIRE

ALTRINCHAM Mr. Micro, 28 High St. TEL: (061) 941 6213

CREWE Microman, Unit 2, 128 Nantwich Rd. TEL: (0270) 216014

CHESTER Oakleaf Computers Ltd., 100 Boughton. TEL: (0244) 310099

MACCLESFIELD Camera & Computer Centre, 118 Mill St. TEL: (0625) 27468

NORTHWICH Camera & Computer Centre, 3 Town Sq. TEL: (0606) 45629

STOCKPORT Wilding Ltd., 1 Little Underbank. TEL: (061) 480 3435

WARRINGTON Wildings, 111 Bridge St. TEL: (0925) 38200

WIDNES Computer City, 78 Victoria Rd. TEL: (051) 420 3333

WILMSLOW Swift of Wilmslow, 4-6 St. Annes Parade. TEL: (0625) 526213

CLEVELAND

MIDDLESBROUGH McKenna & Brown, 205 Linthorpe Rd. TEL: (0642) 222368

CORNWALL

ST. AUSTELL A B & C Computers, Duchy House, 6 Lower Aylmer Sq. TEL: (0726) 67337

CUMBRIA

BARROW-IN-FURNESS Barrow Computer Centre, 96 Church St. TEL: (0229) 38353

CARLISLE The Computer Shop, 56-58 Lowther St. TEL: (0228) 27710

PENRITH Penrith Communications, 14 Castlegate. TEL: (0768) 67146. Open Mon – Fri till 8 p.m.

WHITEHAVEN P. D. Hendren, 15 King St. TEL: (0946) 2063

DERBYSHIRE

ALFRETON Gordon Harwood, 69/71 High St. TEL: (0773) 832078

CHESTERFIELD The Computer Centre, 14 Stephenson Place. TEL: (0246) 208802

DERBY C T Electronics, at Camera Thorpe, The Spot. TEL: (0332) 360456

DEVON

EXMOUTH Open Channel, 30 The Strand, TEL: (03952) 4408

PLYMOUTH Syntax Ltd., 76 Cornwall St. TEL: (0752) 28705

TIVERTON Actron Micro Computers, 37 Bampton St. TEL: 0884 252854

TORQUAY Devon Computers, 8 Torhill Rd., Castle Circus. TEL: (0803) 526303

DORSET

BOURNEMOUTH Lansdowne Computer Centre, 1 Landsdowne Crescent, TEL: (0202) 20166

DURHAM

DARLINGTON McKenna & Brown, 102 Bondgate. TEL: (0325) 459744

ESSEX

BASILDON Godfrey's 28-32 East Walk, Town Centre. TEL: (0268) 289379

CHELMSFORD Maxton Hayman Ltd., 5 Broomfield Rd. TEL: (0245) 354595

COLCHESTER Colchester Computer Centre, 16 St. Botolphs St. TEL: (0206) 47242

GRAYS H. Reynolds, 79 Orsett Rd TEL: (0375) 5948

ILFORD Woolmans, 76 Ilford Lane. TEL: (01) 478 1397

LOUGHTON Micro & Movie Channel, 309 High Rd. TEL: (01) 508 1216

GLOUCESTERSHIRE

GLOUCESTER The Model Shop, 79-81 Northgate St. TEL: (0452) 410693

HAMPSHIRE

ALDERSHOT David Saunders, 51 Station Rd. TEL: (0252) 20130

ANDOVER Andover Audio, 105 High St. TEL: (0264) 58251

BASINGSTOKE Fisher's, 2-3 Market Place. TEL: (0256) 22079

PORTSMOUTH Cygnus Computers Ltd., 261 Commercial Rd. TEL: (0705) 833938

PORTSMOUTH Waterlooville G B Microland, 7 Queens Prde. TEL: (07014) 59911

SOUTHAMPTON R. J. Parker & Son Ltd., 11 West End Rd., Bitterne. TEL: (0703) 445926

WINCHESTER Winchester Camera & Computer Centre, 75 Parchment St. TEL: (0962) 53982 (Just Opening)

HEREFORD

HEREFORD Melgray Hi-Tech Ltd., 49 Broad St. TEL: (0432) 275737

HERTFORDSHIRE

BOREHAM WOOD Master Micro, 36 Shenley Rd. TEL: (01) 953 6368

HITCHIN Camera Arts (Micro Computer Division), 68a Hermitage Rd. TEL: (0462) 59285

POTTERS BAR The Computer Shop, 197 High St. TEL: (0707) 44417

ST. ALBANS (Herts) Clarks Computer Centre, 14/16 Holywell Hill. TEL: (0727) 52991

STEVENAGE D. J. Computers, 11 Town Sq. TEL: (0438) 65501

WATFORD SRS Microsystems Ltd., 94 The Parade, High St. TEL: (0923) 26602

HUMBERSIDE

GRIMSBY R. C. Johnson Ltd., 22 Friargate, Riverhead Centre. TEL: (0472) 42031

HULL The Computer Centre, 26 Anlaby Rd. TEL: (0482) 26297

ISLE OF MAN

DOUGLAS T. H. Colebourn Ltd., 57-61 Victoria St. TEL: (0624) 3482 (Just Opening)

KENT

CANTERBURY Kent Micro Systems, Conquest House, 17 Palace St. TEL: (0227) 50200

DOVER Kent Photos & Computers, 4 King St. TEL: (0304) 202020

ORPINGTON Ellis Marketing Ltd., 25 Station Sq., Petts Wood. TEL: (0689) 39476

RAINHAM Microway Computers Ltd., 39 High St., Medway Towns. TEL: (0634) 376702

SEVENOAKS Ernest Fielder Computers, Dorset St. TEL: (0732) 456800

SITTINGBOURNE Computers Plus, 65 High St. TEL: (0795) 25677

TUNBRIDGE WELLS Modata Computers Ltd., 28-30 St. Johns Rd. TEL: (0892) 41555

LANCASHIRE

ACCRINGTON PV Computers, 38A Water St. TEL: (0254) 36521/32611

BLACKBURN Tempo Computers, 9 Railway Rd. TEL: (0254) 691333

BURNLEY IMO Computer Centre, 39-43 Standish St., BB11 1AP. TEL: (0282) 54299

BURY (Lancs.) Micro-North, 7 Broad St. TEL: (061) 797 5764

OLDHAM Home & Business Computers Ltd., 54 Yorkshire St. TEL: (061) 633 1608

PRESTON Wilding's 49 Fishergate. TEL: (0772) 556250

ROCHDALE Home & Business Computers, 75 Yorkshire St. TEL: (0706) 344654

LEICESTERSHIRE

LEICESTER Youngs, 40/42 Belvoir St. TEL: (0533) 544774

MARKET HARBOROUGH Harborough Home Computers, 7 Church St. TEL: (0858) 63056

LINCOLNSHIRE

GRANTHAM Oakleaf Computers Ltd., 121 Dudley Rd. TEL: (0476) 76994/70281

LINCOLN MKD Computers, 24 Newlands. TEL: (0522) 25907

LONDON

E6 Percivals, 85 High St. North, East Ham. TEL: (01) 472 8941

E8 McGowans, 244 Graham Rd., Hackney. TEL: (01) 533 0935

EC1 Sidney Levy, 17-19 Leather Lane. TEL: (01) 242 3456

EC2 Devron Computer Centre, 155 Moorgate. TEL: (01) 638 3339/1830

N14 Logic Sales, 19 The Broadway, The Bourne, Southgate. TEL: (01) 882 4942

N20 Castlehurst Ltd., 1291 High Rd. TEL: (01) 446 2280

NW4 DA Vinci Computer Store, 112 Brent St., Hendon. TEL: (01) 202 2272/3/4

SE1 Vic Odden's, 6 London Bdg Walk. TEL: (01) 403 1988

SE9 Square-Deal, 373-375 Footscray Rd., New Eltham. TEL: (01) 859 1516

SE11 Gatwick Computers, 328 Kennington Pk. Rd. TEL: (01) 587 0336 Adjacent to Oval Tube

SE15 Castlehurst Ltd., 152 Rye Lane, Peckham. TEL: (01) 639 2205

SE25 Ellis Marketing, 79 High St., South Norwood TEL: (01) 653 4224

SW6 Chelsea Micros Ltd., 14 Jordan Place. Next to Fulham B'way. TEL: (01) 385 8494

SW19 Emcom, 31 High St., Wimbledon. TEL: (01) 947 7676

W1 Devron 4 Edgware Rd. TEL: (01) 724 2373

W1 Computers of Wigmore Street, 87 Wigmore St. TEL: (01) 486 0373

W1 Sonic Foto & Micro Center, 256 Tottenham Court Rd. TEL: (01) 580 5826

W7 T K Electronics, 11-13 Boston Rd., Hanwell. TEL: (01) 579 2842

MANCHESTER GREATER

MANCHESTER Lomax Ltd., 8 Exchange St., St. Ann's Sq. TEL: (061) 832 6167

SWINTON Mr. Micro Ltd., 69 Partington Lane. TEL: (061) 7282282 'Late Night Friday'

HYDE Pase, 213-215 Market St. TEL: (061) 366 5935

BOLTON Wilding Ltd., 23 Deansgate. TEL: (0204) 33512

WIGAN Wilding Ltd., 11 Mesnes St. TEL: (0942) 44382

MERSEYSIDE

BIRKENHEAD Fairs Cameras & Hi-Fi, Dacre Hill, Rock Ferry. TEL: (051) 645 5000

HESWALL Thorngard Computer Systems, 45 Pensby Rd. TEL: (051) 342 7516

LIVERPOOL Beaver Radio, 20-22 Whitechapel. TEL: (051) 709 9898

LIVERPOOL (Aintree) Hargreaves, 31/37 Warbreck Moor. TEL: (051) 525 1782

SOUTHPORT Central Computers, 575 Lord St. TEL: (0704) 31881

MIDDLESEX

EDGWARE Breaker 1-4, 130 High St. TEL: (01) 952 7488/8860

HARROW Camera Arts (Micro Computer Division, 24 St. Ann's Rd. TEL: (01) 427 5469

HAYES Chipstop, 1000 Uxbridge Rd. TEL: (01) 573 2511 (Just Opening)

TEDDINGTON Teddington Camera Centre, Broad St. TEL: (01) 977 4716

UXBRIDGE JKL Computers Ltd., 7 Windsor St. TEL: (0895) 51815

NORFOLK

FAKENHAM Fastview, 12 Norwich Rd. TEL: (0328) 51319

NORWICH Sound Marketing, 52 St. Benedicts St. TEL: (0603) 667725

THETFORD Thetford C B & Micros, 21 Guildhall St. TEL: (0842) 61645

NORTHANTS

NORTHAMPTON Basic Computers & Systems Ltd., 72 Kingsthorpe Hollow. TEL: (0604) 710740

NOTTINGHAMSHIRE

NOTTINGHAM Camao Computers, 8/9/10 Trinity Walk. TEL: (0602) 742912

NOTTINGHAM Basic, 39-41 Trent Boulevard, West Bridgeford. TEL: (0602) 819713

WORKSOP Computagrafix, Bridge St. TEL: (0909) 472248

NORTHERN IRELAND

BELFAST Arthur Hobson Ltd., 37 Gt. Victoria St. TEL: (0232) 246336

CO. ARMAGH Pedlows, 16 Market St., Portsdown, Craigavon. TEL: (0762) 332265

LONDONDERRY Foyle Computer Systems, 3 Bishop St. TEL: (0504) 268337

NEWRY Newry Computer Centre, 34 Monaghan St. TEL: (0693) 66545

EIRE

DUBLIN Edtak Computer Co. Ltd., Unit 6, Powerscourt, Townhouse Centre, South William St. TEL: Dublin 719934

OXFORDSHIRE

ABINGDON Ivor Fields Computers, 21 Stert St. TEL: (0235) 21207

BANBURY Computer Plus, 2 Church Lane. TEL: (0295) 55890

HENLEY ON THAMES Family Computers Ltd., 40A Bell St. TEL: (0491) 575744

OXFORD Ivor Fields, 7 St. Ebbes St. TEL: (0235) 21207

SCOTLAND

ABERDEEN North East Computers, 1-3 Ellis St., Peterhead. TEL: (0779) 79900

AYR Vennals, 6a New Bridge St. TEL: (0292) 264124

DUMFRIES Vennals, 71 English St. TEL: (0387) 54547

EDINBURGH The Silicon Centre, 6-7 Antigua St. TEL: (031) 557 4546

GLASGOW Victor Morris Ltd., 340 Argyle St. TEL: (041) 221 8958

HAMILTON Tom Dickson Computers, 8-12 Cadzow St. TEL: (0698) 283193

KILMARNOCK Vennals, 49 Foregate. TEL: (0563) 32175

KIRKCALDY Kirkcaldy Photographic Services, 254E High St., Fife. TEL: (0592) 204734

STIRLING R. Kilpatrick, 58 Port St. TEL: (0786) 6532

SHROPSHIRE

SHREWSBURY Computerama, 13 Castlegate. TEL: TBA

SOMERSET

TAUNTON Grays, 1 St. James St. TEL: (0823) 72986

STAFFORDSHIRE

STAFFORD, Computerama, 59 Forgate St. TEL: (0785) 41899

STOKE-ON-TRENT Computerama, 11 Market Sq., Arcade, Hanley. TEL: (0782) 268620

SUFFOLK

BURY ST. EDMUNDS Bury Computer Centre, 11 Guildhall St. TEL: (0284) 705772

FELIXSTOWE K. M. Communications Ltd., 4 Manning Rd. TEL: (0394) 271113 or 273459

IPSWICH Brainwave, 24 Crown St. TEL: (0473) 50965

LOWESTOFT John Wells, 44 London Rd., North. TEL: (0502) 3742

SURREY

CAMBERLEY Camera Arts (Micro Computer Division), 36 High St. TEL: (0276) 65848

CHERTSEY Chertsey Computer Centre, 1 Windsor St. TEL: (09328) 64563

GUILDFORD The Model Shop, 23 Swan Lane. TEL: (00772) 0483 39115

HASLEMERE Haslemere Computers, 25 Junction Place, adj. Rex Cinema. TEL (0428) 54428

NEW MALDEN Surrey Micro Systems, 31 High St. TEL: (01) 942 0478

RICHMOND Crest Computer Services, 8 Hill St. TEL: (01) 940 8635

WALLINGTON Surrey Micro Systems Ltd., 53 Woodcote Rd. TEL: (01) 647 5636

WOKING Harpers, 71/73 Commercial Way. TEL: (04862) 25657

SUSSEX

BEXHILL-ON-SEA Computerware, 22 St Leonards Rd. TEL: (0424) 223340 (Opening Mid-October)

CRAWLEY Gatwick Computer Services, 62 The Boulevard. TEL: (0293) 37842

LITTLEHAMPTON Alan Chase Ltd., 39 High St. TEL: (09064) 5674/4545

TYNE & WEAR

NEWCASTLE-ON-TYNE Newcastle Camera & Computer Mart, 16 Northumberland Ct. TEL: (0632) 327461

WALES

ABERDARE Inkay Computer Services Ltd., 70 Mill St., The Square, Trecynon, TEL: (0685) 881828

ABERYSTWYTH AberData at Galloways, 23 Pier St. TEL: (0970) 615522

CARDIFF Randall Cox, 18/22 High St. Arcade. TEL: (0222) 31960

LLANDUDNO (Gwynedd) Computer Plus Discount, 15 Clonmel St., TEL: (0492) 79943

NEWPORT (Gwent) Randall Cox, 118 Commercial St. TEL: (0633) 67378

PEMBROKE Randall Cox, 19 Main St. TEL: (064) 668 2876

PORT TALBOT Micro Gen, 6 Royal Buildings, Talbot Rd. TEL: (0639) 887730

WREXHAM T E Roberts, 26 King St. TEL: (0978) 364404/364527

WARWICKSHIRE

LEAMINGTON SPA IC Computers, 43 Russell St. TEL: (0926) 36244

RUGBY The Rugby Micro Centre, 9-11 Regent St. TEL: (0788) 70522

WEST MIDLANDS

BIRMINGHAM Sherwoods, Gt. Western Arcade. TEL: (021) 236 7211

DUDLEY Central Computers (Dudley), 35 Churchill Precinct. TEL: (0384) 238169

ERDINGTON The Gamekeeper Grand Fare, High St. TEL: (021) 3846108

WEST BROMWICH Bell & Jones, 39 Queens Sq. TEL: (021) 553 0820

WILTSHIRE

SALISBURY Whymark Computer Centre, 20 Milford St. TEL: (0722) 26688

WORCESTER

WORCESTER David Waring Ltd., 1 Marmion House, High St. TEL: (0905) 27551

YORKSHIRE

BRADFORD Erricks Foto-Sonic House, Rawson Sq. TEL: (0274) 309266

HUDDERSFIELD Richards (formerly Laurles) 12 Queen St. TEL: (0484) 25334

LEEDS Bass & Bligh, 4 Lower Briggate. TEL: (0532) 454451

SHEFFIELD Superior Systems Ltd., 178 West St. TEL: (0742) 755005

SKIPTON Look & See, 45 Belmont Bridge. TEL: (0756) 60078

YORK York Computer Centre, 7 Stonegate Arcade. TEL: (0904) 641862

Not all stores carry every advertised item, please phone before making a journey - prices correct at time of going to press E&OE

SIMPLY CREATIVE

Now available for **the BBC Micro** and ZX Spectrum

The RD Digital TRACER

High resolution colour graphics facilities on micros provide outstanding opportunities for creative presentation of complex or irregular images. Maps, technical drawings, illustrations, even personalities can be accurately reproduced. But full use of these facilities is inhibited by the tedious and time-consuming plotting of individual coordinates.

The RD Digital Tracer solves the problem of tedious plotting by providing genuinely instant transfer from original drawings to display file. But a Tracer does more than that . . .

Unretouched hard copy from ZX printer.



The **RD Digital Tracer** is supplied with connector/interface, software cassette, and full instructions on use. It is available from Spectrum and other computer shops, or direct from RD Laboratories.

● Instant Full Colour Image Transfer and Scaling

Faithful reproduction of any shape is produced on display file immediately, simply by moving the head of the Tracer over the original outline. Fast PAPER and INK colour change is provided. The software also includes an infinitely variable scaling routine.

● Special Constructions

Circles, lines, angles and rectangles can be rapidly sampled and applied, based on any two Tracer input points. So windows and wheels, bar charts and frames, and so on, can be added to outlines within seconds.

● Colour Fill and Texture

Fast colour fill, or a choice of colour hatching can be added within outlined areas on the display.

● Text and Symbol Positioning

Text, or user-defined symbols, can be positioned as desired, under the control of the tracing head.

● Display, Print, SAVE and Re-trace

Besides colour display, drawings may be printed, and SAVED on cassette (or video recorder). And with the re-trace routine amazing animated presentations can be made.

BBC Micro Tracer

This Tracer version operates with the BBC Micro Model B, or ADC converted Model A computers. It is suitable for all colour modes including Teletext, and a "colour palette", which can be modified whilst the program is running, relieves the user of complex GCOL colour specification. Accuracy to 1% is achieved over a full A3 tracing area. Software is provided for both serial and parallel printers. The price of **£69.95** includes P&P and VAT.

ZX Spectrum Tracer

The ZX Spectrum Tracer (compatible with ZX81) operates with all ZX Spectrum variants and accessories, including Sinclair printer and Microdrive. Original areas up to A4 may be traced with a typical accuracy greater than 2%. The price of **£55.50** includes P&P and VAT.

Please send me ____ Tracer(s) for BBC Micro at **£69.95** each, total £_____

____ Tracer(s) for ZX Spectrum at **£55.50** each, total £_____

Name _____

Address _____

_____

Cheque, payable to RD Laboratories Ltd, for £_____ **enclosed.**

Send to: Dept YC RD Laboratories Ltd 20 Court Road Estate Cwmbran Gwent NP44 3AS. Allow 28 days for delivery.

Economic Micro Control

RD Laboratories also supply the RD 8100 SYSTEM for automatic measurement, test and control. The modular-based RD 8100 SYSTEM is already widely used in many applications – from scientific experimentation to small-scale energy management systems.

For further product details please send your name, address and postage stamp to RD Laboratories Ltd 20 Court Road Estate Cwmbran Gwent NP44 3AS Tel Cwmbran (06333) 74333 Telex 437240

CAMEL PRODUCTS

ROM-SP · ROM-81 · PROMER-81 · PROMER-SP · PROMER-81-S · BLOPROM-81 · PIO-81 · PIO-SP · CRAMIC-81 · MEMIC-81 · MONITOR STANDS · PRINTER STANDS

BLOPROM-81
A uniquely sophisticated EPROM PROGRAMMER

In use at various labs incl. Sinclair Research



Eprom programmer for the 2516, 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program + Verify all or part of Eprom.

So immensely user friendly you'll hardly need the manual. Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine alone is worth more than the price of BLOPROM-81. No Personality Cards, or other additions, just a ZX81. Several inbuilt safety features. On-board Vpp generation. 28pin ZIF socket. Cabled connector and extender plug. ABS case.

STATUS
NO. OF SYSTEM —HEX
EPROM TYPE —27128
RAM START ADDR —4000
EPROM ST. ADDR — 0000
JOB LENGTH — 4000
TASK — CHECK

WHICH TASK DO YOU WISH TO DO
W) CHECK THAT EPROM IS CLEAN
X) READ THE CONTENTS OF EPROM INTO RAM
Y) BLOW AN EPROM WITH DATA FROM RAM
Z) VERIFY THAT EPROM DATA IS THE SAME AS IN RAM
Q TO QUIT ..... R TO RESTART

FAST CODES AVAILABLE:
D H PQR WXYZ

Note: Can provide up to 36 inputs or 40 outputs as an I/O £79.95

Note: A Spectrum version of this very popular instrument will be released in 1984.

DREAM-81
A 64K with extras

Full 64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716, 2732/2764 and even the latest 27128 from Intel. Fast/slow Eprom option, professionally built and tested. In an ABS case with an LED indicator. £59.95

PROMER-81

At last! A low cost reliable programmer for 2516/32, 2716/32 EPROMS. This is the solution to using EPROMs instead of tape. Requires 4×PP3 batteries for a regulated 25 volts. Remarkably priced at £19.95

PROMER 81-S NEW for Spectrum

The very popular PROMER-81 for the ZX81 has been adapted to the Spectrum, and the price kept low. £22.95

PROMER-SP NEW for Spectrum

A brand new Spectrum programmer for 2764/128. Zero insertion force socket & software on tape. Delivery Jan. 84. Order now at £29.95

ROM-SP NEW for Spectrum

Ingenious unit for Spectrum, with 2×28 pin sockets and a Reset button allows up to 16K of Basic or M/C program to RUN or LOAD instantly from EPROMS. Cabled connector and full extender card. NOTE: Does not disable Sinclair ROM. £29.95

ROM-81

Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area. Can use 2516/32 or 2716/32 £14.95

MEMIC-81

A 4K CMOS RAM and lithium battery unit. Easy SAVEing, 10yr storage and instant retrieval of programs. Resides in 8-12K or 12-16K of ZX81. £29.95

CRAMIC-81

Ingenious hardware/software allows this 16K CMOS RAM with lithium battery to CO-exist in same memory area as ordinary RAM. ZX81 can multitask on two completely independent programs. £79.95

PIO-81/PIO-SP

Rugged TTL user ports for ZX81/Spectrum. 8 Inputs + 8 Outputs on 16 pin sockets. Mating plugs are supplied. £14.95/£18.50

PRINTER/MONITOR ACCESSORIES

MSB Monitor Stand for BBC micro. Sits over the Beeb 17"×12"×3.75"
P&P £3.50 £19.95

PSS Standard printer stands for OK1. Epson etc. 15"×12"×4.5".
P+P £3.50 £16.95

PS1 Large model 17"×14.5"×3.75"
P&P £3.50 £19.95

PSC-3 for Epson MX-100 etc. 21"×14"×3.75".
P&P £3.50 £22.95

CUSTOM PRINTER STANDS for larger printers P.O.A.

POT Printer Output Tray for 11" fanfold paper
P&P £3.50 £16.95



UK. VAT extra. No VAT on exports P+P UK.
Free Europe +5% — Overseas +10% TLX 81574

Cambridge Microelectronics Ltd, 1a Milton Rd, Cambridge CB4 1XA Tel (0223) 314814

EDUCATIONAL SOFTWARE

For children ages 4-11

EDUCARE'S 50

Fifty high-quality programs for primary education
Strongly recommended by educational authorities

on the **ZX81** with **SPECTRUM** SUPPLEMENT

£5·95 Paperback 122 pages

(All programs suit 1K ZX81)

on the **BBC MICRO** (Model A and Model B)

WITH COLOUR, SOUND AND OTHER ENHANCEMENTS

PROGRAMS WRITTEN IN STRUCTURED FORM

£7·95 Paperback 110 pages NEW

These programs cover a wealth of basic concepts every child will meet in primary education. They are produced by professional educators and have been thoroughly tested in a primary school. Designed to go beyond drill & practice they promote learning through interaction and discovery. Programs range from counting and simple arithmetic to ones dealing with volume, balance and direction, mostly in form of games. Each program is short but powerful and comes with full documentation.

To:
EDUCARE
139a Sloane St.
London
SW1X 9AY

Please send.....copies Educare's 50 on ZX81/Spectrum.
.....copies Educare's 50 on BBC Micro.
I enclose cheque/postal order for £.....
Name.....
Address.....

Let your child benefit early - Send now YC



NEW PRODUCT 48/80 FORTH

Extend your 16k Spectrum to 48k for just £23·00.

And get a Free program worth £4·50 into the bargain.

SP48, 32K Memory Extension with Program – £23.00

Now, our SP48 offers even better value.

Because now, we're not only offering you the facility to up-grade your 16K Spectrum to 48K, we're also offering you the opportunity to be able to utilise this vastly extended memory quickly and easily.

For £23 all you need to do is plug the chip-set into the sockets provided by Sinclair on your issue 2 (or £35 for issue 1) and you have a standard 48K Spectrum fully compatible with all Sinclair add-ons and very low in power consumption.

There is no soldering required.

Fitting and removal are easy.

And the SP48 carries our full warranty and is upgradable, on a part exchange basis, to SP80.

Then all you need to do is LOAD our specially written 48K guide program, 'Beyond Horizons', and your 48K computer will guide you through its memory.

With no need to labour through manuals.

This will save you time, because we all know how easy it is to get lost with memory maps.

SP80 Paged Memory Extension – £46

This ingenious device gives a 16K Spectrum two memory banks of 32K each and a massive total of 80K of RAM.

It can be used as a standard 48K machine, but pages can be switched by software instructions within your program. The SP80 is not recommended for absolute beginners unless used with 48/80 FORTH.

Fitting, power consumption and Sinclair add-on compatibility are identical to the SP48.

Fit and Test service at our premises £3, by registered post £7.

48/80 FORTH – £14.95

This new FORTH compiler/editor is the latest, best and most complete version of FIG-FORTH for the Spectrum. Each tape includes both a 48K version and an 80K version. (Don't forget that an SP48 can be part exchanged for an SP80)

48/80 FORTH gives you the speed of machine code with the programming simplicity of BASIC, and is ideal for games-writing. Unlike other FORTH versions, all the Spectrum's excellent graphics commands are retained, and sound is still available using BEEP. Cassette handling routines are also included.

48/80 FORTH includes a separate FORTH editor which uses part of RAM as if it were disc. The 48K version allows a 16K "RAM disc", and the 80K version a massive 32K "RAM disc".

48/80 FORTH comes with a comprehensive user manual covering both compiler and editor.

ZX Slowloader – £10

This classic piece of software loads ZX81 BASIC programs and arrays straight onto your Spectrum, ready for SAVEing and EDITing. It can do in a few minutes what would normally take weeks of keyboard time.

All products on this order form are in stock at the time of going to press. Same day dispatch for phoned Access and Visa orders.
To East London Robotics Ltd: Please send by return (tick items required)

- ☐ SP48 (Issue 1 £35) (Issue 2 £23) _____
- ☐ SP80 (Issue 1 £50) (Issue 2 £46) _____
- ☐ SLOWLOADER £10 _____
- ☐ "BEYOND HORIZONS" program £4.50 _____
- ☐ 48/80 FORTH £14.95 _____

Postage 0.65p. I enclose a cheque/PO for _____ My Access/Visa No. is

☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Name _____

Address _____

East London Robotics Ltd., Gate 11, Royal Albert Dock, London E16. YC/11/83
24 Hour Information Service
Tel: 01 471 3308
24 Hour Access and Visa ordering
Tel: 01 474 4715
Special Enquiries: Tel: 01 474 4430
Telex: 8813271

EAST LONDON ROBOTICS

IS SOFTWARE YOUR BASIC PROBLEM?

Too many programs to choose from?
Too little background information and data?

SOFTWARE INDEX IS YOUR ANSWER

The most comprehensive guide to Software programs for the eight leading Micros.

BBC • COMMODORE 64 • DRAGON • ORIC
ATARI 400/800 • VIC 20 • SPECTRUM • ZX81

Software Index gives a description of each program listed and provides information on price, program operation, sound, memory required, colour, names and addresses of retailers and in many cases a screen photograph.
The whole range of programs are covered in the index. Whether your interest is games, utility, education, business or personal management you'll find the information you need in Software Index.

DON'T LET SOFTWARE GIVE YOU A HARD TIME—
GET SOFTWARE INDEX 1984 No1 £1.50

The problem solver — in your newsagent's early Dec.

A PROFESSIONAL BUSINESS SYTEM FOR UNDER £1,000 ???? YES !!!!....

we were continually being asked for such a system, so we have puduced the following programs with hardware requirements of:
Dragon 32K — 1 × Disk Drive
80 Col Printer & T.V./Monitor

- **SALES LEDGER • PURCHASE LEDGER**
- **CASH BOOK • INCOMPLETE RECORDS**
- **NOMINAL LEDGER — ALL £99.00 EACH**
- **STOCK CONTROL £49.95 — INVOICING £29.95**
- **DATABASE £24.94 (on cassette £12.95)**
- **SSP CALCULATOR £15.95 (on cassette £5.95)**

All truly professional programs written by accountant with 25 years experience of the needs of small businesses

- Dealer Enquiries Welcome
- Easy to follow manuals
- Optional Program Support Contract

Full details from:

ABC Business Software
17/19 Lichfield St., Wolverhampton
Tel 0902 — 29021/29907



PRODUCTS FOR THE VIC-20 + SPECTRUM

SPECTRUM OWNERS! NOW AVAILABLE

THE ULTIMATE IN JOYSTICK INTERFACES

THE FOX PROGRAMMABLE INTERFACE — AN INTERFACE WITH:

- ★ Complete compatibility with all programs.
- ★ In-built memory to store up to 16 different games keysets at one time.
- ★ Battery back-up so no loss of memory after power off. (Battery recharged during use so no replacements are required).
- ★ One switch only for simplicity of use.
- ★ Full casing.
- ★ Through port for further expansion.
- ★ Proven compatibility with the microdrive
- ★ Built-in pseudo Rom facility with room for personnel tool kit.
- ★ Compatible with all Atari-type joysticks.

The superior interface without awkward trailing leads, just plug in and start your game.

LAUNCH PRICE ONLY **£28.50** INCL

SPECTRUM UPGRADES

ONLY **£21.00**

INCLUSIVE (Issue 2 machines only)

FOX ELECTRONICS LTD. **FOX ELECTRONICS LTD.**

A high quality kit at a new low, low price which simply plugs into existing socket within your Spectrum, no soldering is required and step by step instructions are supplied. Takes your 16K to 48K in simple steps.
PROBABLY THE BEST KIT AVAILABLE AT DEFINITELY THE LOWEST PRICE

AND FOR THE VIC-20

Vixen RAM Cartridge
Switchable between 16K or 8K + 3K.

Gives you the option of full 16K RAM or 8K and 3K RAM in one package. When added to a standard VIC-20 gives 16384 bytes of extra memory in memory blocks 1 and 2 or 3092 bytes of extra memory into the 3K memory block AND 8192 bytes of extra memory switchable between memory blocks 1 and 3

- Fully compatible with available motherboards/modules.
- Simply plugs into the rear expansion port of computer.
- No re-addressing of existing BASIC programs needed.

Only £34.95

SEND NOW TO **FOX ELECTRONICS** CALLERS WELCOME

141 ABBEY ROAD, BASINGSTOKE, HANTS. TEL: 0256 20671

Please send me:—

Joystick interface ☐
Spectrum upgrade ☐
Vixen Ram ☐
Catalogue ☐

Name.....
Address.....
.....
I enclose £.....

PLAY ALL DAY WITH THE LATEST AND GREATEST SOFTWARE TO BE SEEN ON SCREEN!

January 6th 7th 8th are the dates when you can play all day with the very latest in software on the very best computers, including Atari, Vic 20 and 64, ZX plus Spectrum, Oric, Dragon and BBC A & B. All will be on display at **The London Home Computer Show!**

Once again the emphasis will be on the lower end of the price bracket, with computers from £50 up to £300.

Play all day, try or buy it's all there at the greatest home computer show on earth!

Friday 6th January 1984 -
10.00 a.m. - 6.00 p.m.
Saturday 7th January 1984 -
10.00 a.m. - 6.00 p.m.
Sunday 8th January 1984 -
10.00 a.m. - 4.00 p.m.

THE LONDON HOME COMPUTER SHOW

HORTICULTURAL SOCIETY'S NEW HALL, WESTMINSTER

The London Home Computer Show,
Royal Horticultural Society's New Hall,
Greycoat Street,
London S.W.1.

Admission Adults £2.50
Children under 16 £1.50

QUALITY COMPUTER LENGTH CASSETTES

JP Magnetics can solve your problems

10 × C.15 for £4.50 + 50p p&p.
Cash with order

We are specialists in the supply of bulk custom wound audio/computer cassettes

Trade enquiries welcome

DUPLICATION FACILITIES NOW AVAILABLE

Very competitive rates available on all our services — contact for price list/quotations now

JP MAGNETICS LTD

UNIT 4, 7 MARY ST., BRADFORD BD4 8SW
TEL: (0274) 731651

95p every other month.

One publication you'd be nuts to miss

Acorn Programs – out now.

25 great programs for the BBC Micro/Acorn. Available at W. H. Smith, John Menzies and all leading newsagents.

Buy it now.

Blast off to ADVENTURE

Create and solve ADVENTURE programs on your Spectrum, Commodore 64, Dragon, Oric or BBC Micro.

CREATING ADVENTURES ON YOUR ZX SPECTRUM – Peter Shaw and James Mortleman. Create and solve Adventure programs on the Spectrum with this exciting new book which includes five complete major programs, plus chapter after chapter of hints and tips to help you write your own programs. Chapter headings include Creating Locations; Picking Things Up; Monsters; Adding Graphics; and Adding to the Vocabulary. Just **£4.95** and you're up and away.

CREATING ADVENTURE PROGRAMS ON YOUR COMPUTER – Andrew Nelson. If your computer uses a version of Microsoft BASIC, then this book is for you. It contains three complete Adventure programs, along with extensive documentation to help you create and solve Adventures. Suitable for use with the Commodore 64, Dragon, Oric, BBC Micro, Sirius, IBM PC and Apple, you'll find this book an easy-to-understand primer on Adventure creation. The full-length programs include WEREWOLVES AND WANDERER and THE AFTERMATH OF THE ASIMOVIAN DISASTER. This book is just **£4.95**



Interface Publications, 44-46 Earls Court Road, London W8 6EJ

Please send me the following books. I enclose £.....

☐ Creating ADVENTURES on your ZX Spectrum Shaw/Mortleman — 4.95

☐ Creating ADVENTURE programs on your Computer Andrew Nelson — £4.95

Name:.....

Address:.....

INTERFACE PUBLICATIONS

Computer and book trade supplied by The Computer Bookshop, 30 Lincoln Road, Olton, Birmingham B27 6PA (021 707 7544, telex 334361)



FORMULA ONE AND STERRING WHEEL
For Sinclair ZX Spectrum 16K & 48K

THE GAME

Based on current formula one levels of acceleration, braking and roadholding, with 10 circuits to choose from (one on 16K version) including Silverstone, the world's fastest grand prix circuit, this program has been developed for the ultimate in realism with the help of The Jim Russell International Racing Drivers' School at Silverstone. It has four stages — Instruction, Practice, Qualifying, and Race — with eight cars racing against you in wet or dry conditions. Incredible sound effects and smooth 3D action graphics give you all the speed and excitement of motor racing. 100% machine code.

THE STEERING WHEEL

Naturally you cannot steer a racing car effectively by pushing buttons or wiggling a joystick so we have developed a steering wheel that fits to the Spectrum. With one hand on the wheel (the other free for braking and accelerating) it gives the level of precision needed to steer the car on the fastest line through the corners and correct a skid when you overdo it. The wheel is strongly made and thanks to a brilliantly simple design we have been able to keep the cost down to a minimum. It will be used for many game in the future but is now only available with FORMULA ONE.

SPIRIT SOFTWARE
11/2 Pembroke Mews, London W.8.

CABSOFT **Presents A Graphical Adventure.**

TIME WARP

By Gordon Hulmes For the 48K Spectrum.

You, risen from death in your own time, must travel to the laboratories (which are now a Medieval Castle) where you once worked and launch THE ANTIMATTER ACCUMULATOR, that you developed, into space and balance out the force of the black-hole.

Full insructions on tape.

Trade Enquiries Welcome

Price £6.95 inc. p&p

COMPUTER CABIN

Access Orders Tel. 0782 636911
Mail Orders to Computer Cabin 24 The Parade, Silverdale, Newcastle under Lyme, Staffs. ST5 6LQ.
(Please make cheques payable to "Cabsoft").

METAGALACTIC LLAMAS BATTLE AT THE EDGE OF TIME

A fast and original game for the unexpanded VIC. Challenging and colourful, with good sonics and a unique game action and design, this promises to be the most exciting new 3.5K VIC game since the introduction of GRIDRUNNER nearly a year ago. **£5.50**

LASER ZONE

Experience Laser Zone – an utterly NEW totally ORIGINAL masterpiece of Video games design. Learn to control two spaceships at once. Feel the EXHILARATION as, after long hours of practice, you control the two ships so that they function as a smooth, co-operative team! Feel the raw POWER as you lunge for the electro button and BLAST your enemies into expanding clouds of SPACE JUNK!! Feel the humiliation as a carelessly aimed BLAST slams into the side of your last remaining ship!! 8K expansion required.
Available for Commodore 64 **£7.50** and VIC-20 **£6.**

MATRIX

Jeff Minter has taken Gridrunner – the game that topped bestseller charts in USA and UK – and created an awesome sequel.
Graphically superb, it features multiple screens, new aliens and attack waves, mystery bonuses, renegade humanoids, deflexor fields, diagonal tracking, countdown/panic phase and much, much more..
Packed into 20 mind-zapping zones and accompanied by incredible sonics.
8K expansion required.
Available for Commoddre 64 **£7.50** and VIC-20 **£6.**



ATTACK of the MUTANT CAMELS

Planet earth needs you! Hostile aliens have used genetic engineering to mutate camels from normally harmless beasts into 90 foot high, neutronium shielded, laser-spitting death camels!! Can you fly your tiny, manoeuvrable fighter over the mountainous landscape to weaken and destroy the camels before they invade the humans stronghold! You must withstand withering laser fire and alien UFOs. Game action stretches over 10 screen lengths and features superb scrolling, scanner 1/2 player actions and unbelievable animation! Play this game and you'll never be able to visit a zoo again without getting an itchy trigger finger! Awesome m/c action!
Available for Commodore 64 **£7.50.**

HOVER BOVVER

A totally original arcade game for C64 featuring outstanding graphics and a sound track created by a professional Piano Wizard. Gordon Bennet has borrowed his neighbour's Air-Mo lawnmower. Mow your way through as many of the 16 lawns as you can before the pursuing neighbour retrieves his mower. Set your dog onto the neighbour to help you out of tight spots and don't annoy the gardener. Try not to plough through the neat flower beds or overheat your mower!
£7.50



ABDUCTOR

A classic new space game! ZAP the swirling alien hordes before they ram you – and abduct your humanoids! Survive the assault for long enough and you'll get an extra stage on your spaceship with double firepower! Awesome unexpanded VIC Action. **£5.00**



GRIDRUNNER

Finally true arcade quality on the unexpanded VIC!
Shoot down the segmented DROIDS invading the grid.
Beware of the pods and zappers!
The awesome speed, sound, and graphics gives you the best blast available for unexpanded VIC.
Available for VIC-20 **£5.00**
Commodore 64 **£5.00**
Atari 400/800 **£7.50**

All orders add 50p postage and packing



Llamasoft

AWESOME GAMES SOFTWARE

49 MOUNT PLEASANT,
TADLEY, HANTS. RG26 6BN.
TELEPHONE: TADLEY (07356) 4478

LLAMASOFT GAMES NOW IN BOOTS, LASKEYS AND MANY OTHER RETAILERS.

ZUCKMAN
ZX81 (16K)

* ALL MACHINE CODE (10K)
* FOUR INDEPENDENT GHOSTS
* HIGH-SCORE 'HALL OF FAME'
* AUTHENTIC ARCADE ACTION
* TITLE/DISPLAY MODE

ONLY £5.95 INC. P&P

★ ZX Spectrum New
New **FROGGY 16K or 48K** ★

SPECTRUM VERSION OF ARCADE GAME WITH FULL ARCADE FEATURES:–

*Fabulous Hi-Res Colour Graphics
*Authentic Sound Effects + 3 Tunes
*3-D Logs, Swimming & Diving Turtles
*3 Lanes of Multi-coloured vehicles
*ON-screen Score, Hi-Score, Time-bar
*Snake, Alligators and Baby Frog
*Top 5 High Score initials table
*Demonstration Game routine

Your home-sick frog must leap across a busy main road, then onto logs and turtles in the river to reach safety of the river-bank frog-homes.

THIS MACHINE-CODE GAME MUST BE SEEN TO BE BELIEVED!



ONLY £5.95 INC. P&P

FROGGY
ZX81 (16K)

* MOVING CARS, LOGS, TURTLES
* ALLIGATORS, DIVING TURTLES
* FOUR 'SCREENS' OF ACTION
* ALL ARCADE FEATURES
* ENTIRELY MACHINE CODE

ONLY £5.95 INC. P&P

DJL SOFTWARE

DEPT CVG, 9 TWEED CLOSE, SWINDON, WILTS SN2 3PU Tel: (0793) 724317

Trade enquiries welcome Export Orders: Please add £1.00 per tape airmail

ORDER FORM

Name .....

Address .....

.....

.....

Please send me the following .....

.....

I enclose cheque/P.O. No .....for £ .....

SEND TO: DJL Software, Dept CVG, 9 Tweed Close, Swindon, Wilts SN2 3PU.

HEWSON CONSULTANTS

New all machine code version of our highly successful flight simulator. Now with perspective cockpit view, improved instruments, detailed map, four beacons and other enhancements. Multiple levels of play to develop your flying skills. Complete with printed flight debrief at the end of your flight – signed by the program author! The most realistic simulator on the market. 16K or 48K Spectrum.

£7.95

NIGHTFLITE II





HEATHROW
Air Traffic Control





YOUR TASK: to direct incoming aircraft from holding stacks to runway – smoothly, safely and expeditiously.
YOUR INSTRUMENTS: Radar screen showing aircraft call signs, blips and trails. Four stack displays giving altitude, heading, speed and size.

£7.95

REVIEW QUOTES

. . . "directions are well explained" . . . – HCW September 13

. . . "highly absorbing – very well implemented" . . . – WHICH MICRO September

"Every possible variable has been programmed into this game" – PCN July 14

. . . "immensely challenging" . . . – SOFT August

The most sophisticated simulators on the market

URGENT

We are on the lookout for high quality simulations for all the popular home computers. Top royalties paid. Send in your samples today for fast evaluation and prompt reply.

- Selected Hewson Consultants software is available through John Menzies, larger branches of Boots, all leading micro computer retailers and software stockists.
- If you have any difficulty obtaining these products locally, then mail order to HEWSON CONSULTANTS LTD., 60A, ST. MARY'S STREET, WALLINGFORD, OXON. OX10 0EL.

ORIC Software

TANSOFT

ultima ZONE

A 100% machine code space trilogy—shoot the Watkons, avoid the bouncing Drones, battle your way through the satellite zone. Requires 48k Oric.

£8.50

inc. V.A.T. post free

The HOBBIT

In co-operation with Melbourne House.

At last, this best selling adventure is available for the Oric based on J. R. R. Tolkien's book. The Hobbit (included) a complete text and graphics adventure. Requires 48k Oric. **£14.95** inc. V.A.T. post free



Our software is available from all Oric dealers and most good software suppliers. In case of difficulty please contact us on Teversham (02205) 2261 or write to us at:

TANSOFT

Unit 1 & 2, Techno Park, Newmarket Road, Cambridge

HEWSON CONSULTANTS

3D SPACE WARS
Fast and furious action. Joystick or Keyboard control. Locate the Seiddab on your galaxy scanner. Scour the star studded blackness for your first sight of the enemy. Track their course and react rapidly as they try to break away. Let them grow in your sights and punch the fire button as they come into range.
16K or 48K Spectrum.

£5.95

3D SPACE-WARS



The Seiddab have broken through the Earth's defenses and are attacking the cities. You are patrolling the city streets in the latest Knat Tank with its surface to air missiles.

Trundling along you observe the tell tale blips of the Seiddab as they appear on your scanner. They break formation and scatter across the city. Suddenly you catch sight of an alien craft swooping over the buildings to your right. He fires a plasma torpedo at your tank. You attempt to dodge but the missile finds its mark, shaking your tank and leaving a hole in the armour.

You unleash a missile and guide it accurately to the target. The Seiddab explodes and crashes from sight. You hunch over the controls once more, because this is only the beginning . . .

£5.95

3D SEIDDAB ATTACK



This game incorporates moving 3D graphics of city buildings and alien craft. It gets progressively harder with two types of landscape. 3 lives, high score, player one and player two score.

We are on the lookout for high quality simulations for all the popular home computers. Top royalties paid. Send in your samples today for fast evaluation and prompt reply.

Selected Hewson Consultants software is available through John Menzies, larger branches of Boots, all leading micro computer retailers and software stockists.

If you have any difficulty obtaining these products locally, then mail order to HEWSON CONSULTANTS LTD., 60A, ST. MARY'S STREET, WALLINGFORD, OXON. OX10 0EL.

THE TRICKSTICK.
A REVOLUTION THAT RUN
AROUND ORDINARY JOY

S RINGS STICKS.

TRICKSTICK TURNS YOUR SPECTRUM INTO THE MOST SOPHISTICATED GAMES MACHINE IN THE WORLD

Why is Trickstick superior to all other joystick systems?

PROPORTIONAL: A brilliant innovation in the circuitry of the interface gives proportional control (ie varying speeds and rates of turn) even with many non-proportional games. The design tears up the textbooks on conventional analogue to digital conversion and brings you unprecedented control and versatility.

ONE TO EIGHT PLAYERS: Innovative design also enables you to put up to eight Tricksticks on a single Spectrum. Each Trickstick comes with its own interface and the interfaces simply plug into each other. So games playing need no longer be a solitary occupation, and the kids won't have to fight for their turn any more.

SOFTWARE COMPATIBLE: Trickstick is compatible with any software which will work with the old-fashioned Kempston joystick.

PROGRAMMABLE: A low cost adaptor performs the technically simple job of making the Trickstick programmable, and compatible with ANY software.

NO MOVING PARTS: Small plastic-coated metal pads on the Trickstick detect how hard you are pressing by picking up electrical radiation from your fingers. This is then amplified and fed into the interface. So there are no moving parts at all;—not even the fire buttons. This arrangement was proved in competitive trials to give the greatest control and potential for spectacular skill.

And this makes Trickstick the only games system which does not wear out with heavy use!

ATTAKTICS: Trickstick gives new life to your existing software. Attaktics takes you and your Trickstick to new dimensions where skill and strategy are as important as the fast reactions of the very young. The game is very, very efficiently written in machine code and allows you to move in 64 different directions on the screen, giving perfectly smooth curves. Combine this with your new-found control of speed and rate of turn, and imagine aerial combat against your Spectrum or against other Trickstick owners!

USE THE COUPON OR THE PHONE: Trickstick and Attaktics are in stock and available now. Trickstick including interface is £28. Attaktics is £7.50 if ordered with a Trickstick and £10 on its own. The Programmable Adaptor is £10 for Trickstick owners and £15 for others. The Training Tape is Free with each Trickstick..Or call us for the name of your local stockist.

Please send me:—

☐ Trickstick(s) with training cassette at £28 each £_____ ☐ Attaktics at £7.50 (with each Trickstick) or £10 (on its own) £_____ ☐ Programmable adaptor(s) at £10 (for Trickstick owners) or £15 (for others) £_____ Postage 65p. I enclose Cheque/P.O. for £_____ made payable to East London Robotics Ltd.

My Access ☐ Visa ☐ is ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

NAME _____ ADDRESS _____

Please send to: East London Robotics Ltd., Gate 11, Royal Albert Dock, London E16. 24 Hour information service: 01-471 3508. 24 Hour Access/Visa ordering: 01-474 4715. Special enquiries: 01-474 4430 (Telex: 8813271). Same day despatch to phoned Access or Visa orders.

EAST LONDON ROBOTICS

P.S.S. INTRODUCE THE FIRST OF MANY FOR THE COMMODORE 64

To launch our new range of Software we have selected the finest arcade action and adventure from the U.S.A. Canada and the U.K.







EASY TUTOR

For the computer programming novice, a ten-lesson tutorial in the basic language, comprehensive coverage from data statements, to loops and subroutines, to arrays and matrices. Program examples with line by line explanations, multiple choice questions, "Homework" assignments.

£7·95

COSMIC SPLIT

You are caught in a vicious jungle of giant insects. Centipedes are attacking you from all sides. Killer fleas are dropping from the sky, and to top things off there's a venemous spider lurking in the background.

£7·95

METROBLITZ

The object of this game is to defend your city against an onslaught of suicidal aliens.
Six different types of aliens bombard the player's city without mercy, having no respect for their own lives.

£7·95

NEOCLYPS

You are the GOOD GUY, Freedom Fighter and renowned star pilot. The BAD GUYS, an alien race from distant solar system have invaded NEOCLYPS, one of your colonial planets.
Being the good guy that you are, you set off to liberate the Common Folk of Neoclyps from the oppression of the Bad Guys. The Bad Guys have populated Neoclyps with several radar towers which reveal your position to them.

£7·95

KYSTALS OF ZONG

Your object is to overcome various obstacles and overpower creatures intent on stopping you as you progress on your quest for the Krystals of Zong. Quick reactions will be necessary if you are to succeed clues will guide you.

£7·95



MOBYDICK

The object of this game is to blow up submarines, destroy the helicopter and catch the falling pilot, but do not kill the whale.

£7·95

FOR INSTANT CREDIT CARD SALES TEL (0203) 667556.
SEND CHEQUE OR P.O. TO P.S.S. 452 STONEY STANTON RD. COVENTRY CV6 5DG.

PSS

The dream makers

CRL brings a whole new world of excitement right into your living room!

Games that test your skills to the ultimate – whether it's zapping down invaders or playing a whole game of cricket.

Only CRL offers such a wide choice of computer programs for the world's most popular micros.

...catch one today at Menzies, Boots, W. H. Smiths, Spectrum Group and all good computer shops or send direct to CRL.

Never has so much excitement been contained in a cassette!

CRL

CRL House, 9 Kings Yard,
Carpenters Road, LONDON E15 2HD.
Tel: 01-533 2918

LOTHLORIEN

WARMASTER SERIES

THE WINNING NAME IN WAR GAMES

3 NEW STRATEGY GAMES FROM THE FAMOUS WARMASTER SERIES

Johnny Reb (1861)

There's still plenty of fight left in the Confederate South as each side selects forces to manoeuvre on a full-graphics battle field. Use the 'save game' facility to perfect your tactics and re-write American History. 1 or 2 players.

PARAS (1944)

Dramatic all-graphics reconstruction of a famous World War II Campaign. Your hand-picked force has dropped behind enemy lines to capture a strategic river crossing. 2 versions of the game with ten levels of play.

REDWEED (1995)

The Martians are coming in this superb all-graphics battle. You're in command of land forces defending London when an outbreak of semi-sentient Redweed threatens to immobilize your forces. Fifteen levels of play.







Spectrum 48K £5.50. BBC-B £6.95 and Oric 48K £6.95

Two new two-player titles.

DREADNOUGHTS Suspense-filled high seas drama as the pride of the German Grand Fleet is locked in battle with the Royal Navy. Secret orders, battle graphics, torpedoes, guns etc.

ORDER NOW FOR CHRISTMAS

CONFRONTATION Build-on battle game gives a basic format for any modern, non-nuclear conflict. Master tape contains modern European scenario and you can create others of your choice using both air and land forces.

BBC-B £6.95 New-Spectrum 48K £5.95.

Spectrum 48K £5.50.

More superb strategy games.

WARMASTER TITLES

Warlord	48K Spectrum/Dragon 32 Tandy Color 32K/ZX 81 16K
Roman Empire	16K Spectrum/BBC-B/Dragon 32 Tandy Color 32K/ZX 81 16K Atari 400/800 48K
Peloponnesian War	ZX 81 16K
Battlezone 2000	BBC-B

OTHER GAMES

Tyrant of Athens	16K Spectrum/Dragon 32/Tandy Color 32K/ZX 81 16K
Samurai Warrior	16K Spectrum/Dragon 32/ZX 81 16K
Privateer	48K Spectrum/ZX 81 16K combined cassette £4.50

Prices: ZX81 **£4.50** Spectrum **£5.50** (except Paras) **£5.95** Dragon 32/BBC-B **£6.95** Tandy **£7.95** Atari **£12.50**

Lothlorien games are available from most leading software specialists or direct by post at no extra cost. Why not really put your computer through its paces today?

NEW RED BARON—great tactical WW1 aerial combat game.

LOTHLORIEN

the mind stretcher

DREADNOUGHTS	Spectrum 48K	£5.95 ☐
CONFRONTATION	Spectrum 48K	£7.95 ☐
RED BARON	Spectrum 48K	£5.95 ☐
REDWEED	Spectrum 48K	£5.50 ☐
PARAS	Spectrum 48K	£5.95 ☐
	BBC-B	£6.95 ☐
JOHNNY REB	Spectrum 48K	£5.50 ☐
	BBC-B	£6.95 ☐
	Oric 48K	£6.95 ☐

Others (please specify) _____

I enclose a cheque/PO for £____ made payable to M. C. Lothlorien

Please debit my Access A/C No. ____ /____ /____ /____

SIGNED _____

ADDRESS _____

Send to: M C Lothlorien, Dept. YC/12/83, 56a Park Lane, Poynton, Cheshire SK12 1AE. Telephone: Poynton 876642

Add on the printer that adds up to less than £230

A Seikosha GP100A Printer. Plus the correct interface*, cable and software for either a Spectrum or BBC Micro. All at a price that adds up to just £229.95 inc. VAT.

For a superb combination of economy and reliability, this package is unbeatable.

Full graphics capability

The Seikosha GP100A uses standard width paper, and prints in an 80 column dot matrix format. Printing speed is 50 characters a second (180 x 7 dots/sec).

The GP100A comes with a full graphics capability.

Apply immediately

You can buy the Seikosha GP100A Printer at any of our dealers throughout the country. For the address of the one nearest you, phone this number without delay:

0934 419914

*Centronics parallel interface is supplied as standard, unless serial RS232 is required for use with Sinclair Microdrive. Please specify.

DRG BUSINESS MACHINES

DRG Business Machines. Unit 13/14 Lynx Crescent, Winterstoke Road, Weston-super-Mare, BS24 9DN

Please send me further details of the Seikosha GP100A Printer, and the name of my nearest stockist.

I am particularly interested in Spectrum ☐ BBC Micro ☐

Name _____

Address _____



Battle of Britain
48K Spectrum £5.95

A strategic simulation of a German bomber offensive featuring Hi-res screen map and optional morse sound.

Dodg'em
BBC Model B £5.95

A machine code version of the popular arcade game featuring 15 difficulty levels & up to three computer controlled 'jam' cars.

And new for Christmas!

Spec-FX
Spectrum £5.95

100 amazing machine code sound effects to use in your own Spectrum games. Includes explosions, guns, space effects, machinery and many others. Each sound is a self contained m/c routine which can be saved to tape or incorporated directly in your own listings.

Pearl Harbour
BBC B & Electron £5.95

A strategic wargame set in the Pacific, Featuring Hi-res screen map and optional morse sound.

£5.95

Microgram Simulations, 73 The Broadway, Grantchester, Cambridge, CB3 9NQ

LEARN TO PLAY BRIDGE ON YOUR HOME COMPUTER

Enjoy learning to play bridge with Bridgemaster, a complete bridge tutor professionally prepared with world expert Terence Reese.
Listen to the commentary as you are coached step by step through the game. While you listen you will learn and play bridge. Bridgemaster contains commentary and computer tapes and a useful reference book — everything you need to learn bridge.

"Bridgemaster really does bring the game alive for the beginner..." Soft.

"A really professional program... 100% value for money." Home Computing Weekly.

For the Sinclair ZX Spectrum 16/48K, Commodore 64, BBC B and Electron — **£24.95**

Sinclair ZX81 1K/16K — **£19.95**

BRIDGE MASTER

Available from Boots, W H Smith and computer stores or direct from Bridgemaster, Freepost, Dept YC12, PO Box 163, SLOUGH SL2 3YY.

Prices include VAT, post and packing. Remittances payable to Bridgemaster.

SPECTRUM RAM UPGRADE 16K→48K

A GREAT NEW DEAL!

EASY TO FIT. CHIPS JUST PLUG IN.
NO SOLDERING. SENT WITHIN 10 DAYS



ISSUE TWO MACHINES ONLY (BLUE KEYS)

S.A.E. for details, please.

* * * * * * * * * * * * *

DISPLAY INSTRUCTION SHEET

Get the best possible results from your Spectrum. Deals with yellowish white, wobbling colours etc. Send £1 plus Stamped Addressed Envelope

MAIL ORDERS ONLY. Cheques/P.Os to:
FOUNTAIN COMPUTERS LIMITED
Bishops Court,
Bishopstoke,
EASTLEIGH
Hants, SO5 6PE
(0703) 616505

SORRY, NO OVERSEAS ORDERS ACCEPTED (including BFPO, Channel Islands and Eire).

The ultimate Crossword



The puzzle that needs a computer

Alien present the ultimate in word puzzles – 30 integrated crosswords which form a cube.

All locations of this 3 dimensional puzzle are contained in the computer programme and you can complete any part you wish using the display on your T.V. and computer keyboard. Understanding all the relationships between the crosswords is not possible without the computer but as you proceed you will discover new routes to help achieve the solution.

Features: Solution Store, Instant Display, Anagram Function, Character Location in memory.

This is a tough puzzle with a degree of difficulty – it's the ultimate but it's not impossible. Full instructions are included with the programme.

£1,000 PRIZE
to sender of first correct taped solution run on our computer on 1st June 1984

Please mail me ☐ copies of the Alien Ultimate Crossword puzzle programme at £14.95 per copy inc. P. & P. for the
☐ BBC Model B ☐ Commodore 64 ☐ Spectrum 48K
I enclose £____ or my Access/Visa Card No. is _____

Name _____

Address _____

_____ Postcode _____

Please allow 14 days for delivery

YC

Alien
The New Dimension
The Alien, Arndale House, Church St, Blackburn, Lancs. BB7 5AF.

+ + +

OMNICALC (48K Spectrum)
The best Spectrum spreadsheet you can buy. Written in machine code to be faster, to give you more space for data, and to allow more features to be included, it is guaranteed uncrashable.

★ 99 columns or 250 rows.
★ Fully prompted input.
★ Extensive repeat facilities.
★ Supports ALL Spectrum functions.
★ Unique iterative facility.
★ Totals/Sub-totals.
+ many more.

"If more programs shared the quality of OMNICALC then we might see more Spectrums in offices"
Home Computing Weekly 3/6/83

"It is ideal for someone who has just found the spreadsheet concept, but it is also a very powerful tool for anyone who has used one previously"
Sinclair User June 1983

Complete with comprehensive manual. **£9.95.**

MICROSPHERE

72 ROSEBERY ROAD · LONDON N10 2LA
TELEPHONE 01-883 9411



WHEELIE (48K Spectrum) Take the motorbike in your Spectrum for a burn-up. Survive humps, bumps and jumps as you seek the elusive ghostrider — and then your problems really start. Crash helmets advisable. **£5.95**

EVOLUTION (48K Spectrum) Tyrannosaurus Rex, Stegosaurus, Podopteryx, Brontosaurus are some of the creatures on the fascinating journey from the start of life to man. Educational and fun, this adventure took 3500 million years the first time it was played . . . Can you do it quicker? . . . — just **£6.95**

CREVASSE/HOTFOOT (Any Spectrum) Can you make it across the ice-cap whilst chasms open and close all around you . . . or help a hungry rabbit in a hostile world . . . 2 original games on one cassette — only **£4.95**

THE TRAIN GAME (Any Spectrum) The game that starts where model railways left off. Full graphics featuring passenger, goods & express trains; tunnels; stations; turntable bonus games; irate passengers; collisions; derailments; and everything else you expect from a major railway! — Superb value **£5.95**

VIC TAPE BACK UP

VIC TAPE BACKUP is a new and unique machine-code program which can provide security backup copies of most VIC-20 programs currently available.

- will backup most types of program, in BASIC or machine-code
- Detailed instructions provided
- Very easy to use, with audio-visual prompting system
- No risks to original tapes
- Works with all memory configurations
- Allowance for load errors
- Written for Raeto West, noted expert in CBM/VIC programming

Price £7.95 (includes VAT, post and packing — no extras)
Send orders with Cheque/PO crossed 'a/c payee' made out to Level Software Ltd to the distributors:
LEVEL SOFTWARE LTD, P.O. BOX 55, SHIRLEY, SOLIHULL B90 4SL.
TEL: 021-643 6728
This program is sold strictly on condition that purchasers use it only to take security backup copies of tapes which they own, for their own use.
I have read and understood the conditions and agree to abide by them.

.....Signature
NAME: .....
ADDRESS: .....
.....
.....
YC.1.84

SPACE ODDYSSEY
Fight, dodge and avoid limpet mines, tractor beams and aliens, a seek and destroy mission for the BBC model B
£6.95 inc.

SLITHER
The unstoppable serpent, an impossibly addictive game for the 16K and 48K Spectrum
£5.50 inc.

THE TRAP
Can you survive "The Trap", a graphic adventure in high res' for the 48K Spectrum
£6.95 inc.

Other Programs:—
6 GREAT ARCADE ACTION GAMES - for the unexpanded VIC-20 £5.50
WORDMAKER/LISTMAKER - a program to help children develop spelling, reading and vocabulary skills in the context of a simple letters and word game - 16K/48K Spectrum £7.50
MICRO MATHS - a course of 24 programs for BBC Micro, PET, unexpanded VIC-20, ZX Spectrum, ★NOW AVAILABLE FOR CBM 64★ Suitable for ages 14 to adult or O-Level revision £24.50
MATHS 4 - an excellent program for primary school children; addition, subtraction, multiplication, and division rules. ORIC 1 £5.90

All prices inclusive of VAT, Post and Packing. Send cheque or P.O. or Telephone with ACCESS for immediate despatch.

TRADE ENQUIRIES WELCOME **01-567 6288**

IMS Software

143-145 Uxbridge Road, London W13 9AV

Access

fantasy SOFTWARE

THE PYRAMID is an arcade style game which has a very adventurous feel to it.

The Pyramid contains 120 chambers on 15 levels. In order to get from one chamber to another you must fight off the indigenous aliens to collect an energised crystal which will neutralize the force field guarding the two exits.

The Pyramid is inhabited by a total of 60 wierd and exotic alien types, all of which are beautifully animated. You will meet a whole variety of demons, droids, insects and monsters, with a sprinkling of the more unusual, the extra-terrestrial tweezers, galactic strawberry, cosmic claw, mutant eye, plus a whole host of entities that defy rational description. You will no doubt invent your own nicknames.

You proceed to explore the Pyramid from top to bottom with the difficulty generally increasing with the depth of level. Depending on the choice of exit from each chamber you are likely to have a different game every time you play.

Apart from the challenge of trying to achieve the highest score possible the pyramid contains a number puzzle to solve. The more chambers you successfully visit the more information is gathered to enable you to discover the secret numbers of the pyramid. The puzzle won't take you a few days to solve, it will probably take you a few months.

This is "ZIGGY". He is shown above in his exploratory capsule and is a true representation of the on screen graphics. You have total control over his movements as you explore the many chambers of "THE PYRAMID".

FANTASY SOFTWARE
is available from W.H.Smiths,
John Menzies and
Computers For All

THE PYRAMID

Compatible with all leading joysticks.

For 48K Spectrum

THE PYRAMID is available at £5.50 from
FANTASY SOFTWARE, FAUCONBERG LODGE, 27A ST. GEORGES ROAD, CHELTENHAM, GLOS GL50 3DT
despatched by return first class post together with a membership number entitling you to discount on our forthcoming blockbusting software.
Trade Enquiries welcome – telephone 0242-583661

SPECT

BOOKS BY MELB

Over the Spectrum
30 exciting, easy to enter programs designed specifically for the Spectrum.
"A clear winner in the Spectrum stakes." – Personal Computer World
"A collection of truly outstanding programs." – Educational Computing
"A book to make you think rather than just a source from which to copy programs." – Computing Today
"A book that will continue to offer advice and instruction as your own skill increases." – ZX Computing

New Low Price



Spectrum Machine Language for the Absolute Beginner
A "no jargon" introduction to Machine Language for Spectrum users keen to progress beyond the limitations of BASIC.
"One of the best I have seen on the subject – for once the title is on the nose." – Popular Computing Weekly
"Very readable and excellent value for the beginner." – Sinclair Users' Annual
"An excellent book for anyone wanting to start programming in an alternative to Basic." – What Micro

New Low Price



Understanding Your Spectrum
A complete guide to the Spectrum software system for users who want to learn how to program in both Basic and Machine Language.
"I cannot recommend this book too highly." – Practical Computing
"Excellent in content" – Sinclair User
"A must. This book can be summed up as a go beyond book." – Educational Computing
"Logan is dedicated to getting every grain of truth out of these computer chips. Invaluable." – Education Equipment

New Low Price



The Complete Spectrum ROM Disassembly
For the serious programmer who wants to get right to the heart of the Spectrum: its 16K ROM control program.
"A useful and interesting book." – Personal Computing News
"The detail is ingenious – amazingly so." – Educational Computing
"A great relief to Machine Code programmers who want to get to grips with the Z80A processor." – Sinclair User



Spectrum Hardware Manual
An in depth explanation for the hobbyist who wants to know how the Spectrum works
"At last a book to explain exactly what is inside the Spectrum ... plenty of illustrations and detailed explanations.' – Educational Computing
"The text is well illustrated, thorough and thoughtful ... a wealth of ideas for projects." – Education Equipment
"The second most useful book you can buy for your Spectrum – the first being the programming manual that comes with your machine. Very useful stuff indeed." – Personal Computer News



RUM

OURNE HOUSE

If you demand the best from your Spectrum, Melbourne House has the right book for you.

Ranging from a collection of simple to enter programs to in-depth technical data, every book in our range shows how to really extend the potential of your own Spectrum.

Melbourne House Computer Books — Serious Spectrum Computing Made Simple.

Orders to:
Melbourne House
131 Trafalgar Road
Greenwich, London SE10

Correspondence to:
Melbourne House
Church Yard
Tring, Hertfordshire HP23 5LU

All Melbourne House cassette software is unconditionally guaranteed against malfunction.

Trade enquiries welcome.

☐ Please send me your free 48 page catalogue.
Please send me:

Books

☐	Over The Spectrum	**New Low Price** £4.95
☐	Spectrum Machine Language for the Absolute Beginner	**New Low Price** £5.95
☐	Understanding Your Spectrum	**New Low Price** £6.95
☐	The Complete Spectrum ROM Disassembly	£9.95
☐	Spectrum Hardware Manual	£5.95
☐	Spectrum Microdrive Manual	£5.95
☐	Supercharge Your Spectrum	£5.95

Cassettes 16K

☐	Over The Spectrum No. 1	**New Low Price** £4.95
☐	Over The Spectrum No. 2	**New Low Price** £4.95
☐	Over The Spectrum No. 3	**New Low Price** £4.95
☐	Programs from Spectrum Machine Language Book	£5.95

Cassettes 48K

☐	The Hobbit	£14.95
☐	Penetrator	£6.95
☐	Terror-Daktil 4D	£6.95
☐	Melbourne Draw	£8.95
☐	H.U.R.G.	£14.95
☐	Abersoft Forth	£14.95
☐	Computer Bridge	£8.95

£.....

Please add 80p for post and pack £ .80

TOTAL £.....

I enclose my ☐ cheque
☐ money order for £_____

Please debit my Access card No. .....

.....

Expiry Date .....

Signature .....

Name .....

Address .....

.....

.....

..... Postcode .....

Access orders can be telephoned through on our 24-hour ansafone (01) 858 7397.

YC1B

Spectrum Microdrive Book

In this book Dr. Ian Logan gives a detailed explanation of the Spectrum Microdrive – the revolutionary high speed memory storage system.

How it works, its capabilities from Basic and Machine Language and the networking and RS232 possibilities are all thoroughly detailed.

A special section deals with the amazing capabilities of the interface including how to add more commands to BASIC!

Anyone who wants to expand the capabilities of the Spectrum beyond its present limits must read this book.



Supercharge Your Spectrum

Extend your Spectrum with ready-made machine language routines.

Now without any additional effort you can overcome the limitations of BASIC — faster programs, more powerful graphic commands, realistic explosions, fast screen scrolling, great sounds ....

Routines in this book will also allow you to renumber your program, trace a program during BASIC, reproduce your voice and much more! Whether you are a beginner user or an experienced Spectrum programmer, SUPERCHARGE YOUR SPECTRUM is a book you cannot be without.



The No.1 Football Game

ZX81 16K, ZX Spectrum 48K
BBC and Oric versions coming soon!



Football Manager

Designed by Kevin Toms

This outstanding game of skill and strategy is now widely available and you can join the many thousands of satisfied customers who have purchased the game. This is no five minute wonder – you will be playing this game for hours over many weeks (we know – our customers tell us!).

Kevin Toms

Some of the features of the game:–

★ Matches in 3D graphics ★ Transfer market
★ Promotion and relegation ★ F.A. Cup matches
★ Injury problems ★ Full league tables
★ Four Divisions ★ Pick your own team for each match
★ As many seasons as you like
★ Managerial rating
★ 7 skill levels
★ Save game facility

Addictive

*ZX81 Chart, Home Computing Weekly 16.8.83

Programmers
We want your software. Send us a sample, if accepted, we will supply generous royalties plus cash advances plus free advice from Kevin himself!

Comments about the game from press and our customers

"FOOTBALL MANAGER is the best game I have yet seen on the Spectrum and my personal favourite of all the games on any micro ... To the ordinary person it is an excellent view of what can be done in the field of computer games ... The crowning glory of this game is the short set pieces of match highlights which show little stick men running around a pitch, shooting, defending and scoring ... It is a compulsive game but people who cannot take game sessions of 9 hours or so, which happened on one happy Sunday, will be grateful to know that there is a 'save to tape' option. FOOTBALL MANAGER has everything it could ... The originator, Addictive Games, certainly deserve the name." Rating: 19/20 (Practical Computing – August 1983).

"When I first received this game I spent the best part of the weekend playing it. Since then I have returned to it more often than any other. The truly addictive quality of this game is the remarkable way it mirrors the real football manager's problems ... "(Personal Computer Games – Summer 1983)

"It's my own fault you *did* warn me – I am totally and completely hooked on FOOTBALL MANAGER." (Mr. A. Wright – Lancashire.)

"It is by far the best software game that I have seen for the Spectrum." (Mr. N. Lincoln – Surrey.)

"I congratulate you for a marvellous game which keeps the player enthralled." (Mr. N. Creasey – Gerrard's Cross.)

"I am writing to say what a great game it is. I have spent over 45 hours on it." (Mr. D. Fearn – Gloucestershire.)

"Your FOOTBALL MANAGER game is terrific." (Mr. N. Cumming – West Bromwich.)

Action from the Spectrum version

Available from computer software stockists nationwide, including Boots & WHSMITH†

† Spectrum version only

Prices: Spectrum 48K £6.95
ZX81 16K £5.95
(N.B. 3D GRAPHICS ARE NOT INCLUDED IN THE ZX81 VERSION).

To order by mail (p&p free) send cheques or postal orders to:

Addictive Games
Albert House, Albert Road, Bournemouth BH1 1BZ.

Dealers! For urgent stocks send your headed notepaper direct to our address.

LORDS OF TIME

Joins our range of acclaimed pure-text puzzle adventures, at £9.90, for:

BBC 32K ***COMMODORE 64*** ***SPECTRUM*** 48K ***LYNX*** 48K ***NASCOM*** 32K ***ORIC*** 48K ***ATARI*** 32K

ADVENTURE REVIEWS

"Adventures which have a fast response time, are spectacular in the amount of detail and number of locations, and are available to cassette owners . . I am extremely impressed . . The Level 9 Adventures are superbly designed and programmed, the contents first rate. The implementation of Colossal Cave (Adventure) is nothing short of brilliant; rush out and buy it. While you're at it, buy their others too. Simply smashing!"

– SOFT, Sept 83

"I found Dungeon exceedingly well planned and written, with a fast response. There are well over 200 locations and the descriptions are both lengthy and interesting. The objects number about 100. It could therefore take some months to explore the whole network, giving many hours of enjoyment in the process."

– C&VG, Sept 83

"The descriptions are so good that few players could fail to be ensnared by the realism of the mythical worlds where they are the hero or heroine . . .great fun to play."

–Which Micro?, Aug 83

"My appetite has been whetted and I intend to get my own copy (of Snowball) to play."

– What Micro?, Dec 83

ADVENTURE REVIEWS

"This has to be the bargain of the year. If adventures are your game then this (Colossal Adventure) is your adventure."

– HCW, 5 Sept 83

"Colossal Adventure is simply superb. Anyone who wishes to use adventures in an educational setting really must use and see this program as it emulates Crowther and Wood's masterpiece so well. For those who wish to move onto another adventure of similar high quality, Dungeon Adventure is to be recommended. With more than 200 locations, 700 messages and 100 objects it will tease and delight!"

– Educational Computing, Nov 83

Colossal Adventure is included in Practical Computing's Top 10 games choice: "Poetic, moving and tough as hell."

– PC, Dec 83

"To sum up, Adventure Quest is a wonderful program, fast, exciting and challenging. If you like adventures then this one is for you"

– NILUG # 1.3

"Colossal Adventure . . For once here's a program that lives up to its name . . a masterful feat. Thoroughly recommended"

– Computer Choice, Dec 83

"wholly admirable"

– Your Computer, Sept 83

MIDDLE EARTH ADVENTURES

1: COLOSSAL ADVENTURE
A complete, full size version of the classic mainframe game "Adventure" with 70 bonus locations added.

2: ADVENTURE QUEST
Centuries have passed since the time of Colossal Adventure and evil armies have invaded The Land. The way is long and dangerous; but with cunning you can overcome all obstacles on the way to the Black Tower, source of their demonic power, and destroy it.

3: DUNGEON ADVENTURE
The trilogy is completed by this superb adventure, set in the Dungeons beneath the shattered Black Tower. A sense of humour is essential!

THE FIRST SILICON DREAM ADVENTURE

1: SNOWBALL
The first of Pete Austin's second trilogy. The giant colony starship, Snowball 9, has been sabotaged and is heading for the sun in this massive game with 7000 locations.

THE LORDS OF TIME SAGA

7: LORDS OF TIME
Our congratulations to Sue Gazzard for her super design for this new time travel adventure through the ages of world history. Chill to the Ice-age, go romin' with Caeser's legions, shed light on the Dark Ages etc. etc. We'll be selling this game mail-order from January 1st.

Price: £9.90 each (inclusive)

Level 9 adventures are available from good computer shops, or mail-order from us at no extra charge. Please send order, or SAE for catalogue to:

LEVEL 9 COMPUTING

Dept Y, 229 Hughenden Road, High Wycombe, Bucks HP13 5PG

Please describe your Computer

ANiK gives you more games to play...

GAMES FOR COMMODORE 64, DRAGON, SPECTRUM, CBM 64.

Just look at our range . . . and prices! and do not forget, only 3 games are at £7.95 each inclusive of post & packing, all other games are priced at the amazing low price of £3.99! all inclusive.
Buy any 6 games for the Very Special Price of £19.95 inclusive of post & packing.



HOW-DE-DO PARDNERS?

YEP FOLKS — IT'S HERE "CALIFORNIA GOLD RUSH"

This here's Prospector Jake, I sure am havin' one helluva time tryin' to peg ma claim with those damned Injuns a hootin' and a hollerin' all over this territory. Ma job gets harder as I move from one Gold Field to another. I know, that is me an' ma stubborn hornery ol' Mule here know of 24 rich an' I mean rich seams of pure Gold. All it needs to make this here ol' critter happy is that you help me peg every doggone last one of them claims.
Can YOU help Jake become rich, help him peg his claim, dodge the arrows, avoid the tomahawks, and plant the Dynamite in just the right place? . . . YOU CAN!!!

YIPPEE . . . Git yer Picks an' Shovels and join the CALIFORNIA GOLD RUSH . . . NOW

Amazing Arcade Action . . . Stunning Sound and Graphics
Available NOW for Commodore 64, Spectrum 48, and Dragon

£7.95 including P & P



MICROSYSTEMS
COMMODORE 64

* **CALIFORNIA GOLD RUSH:** PNC says " . . . could be another Pac-Man" What more can we say!!! (Joystick required) **£7.95**
* **YAHTCEE:** This is THE version of the traditional dice game. For 1 or more players **£7.95**

☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆☆

DOZY DODO: Did you know that the Dodo lays it's eggs in mid-flight? Conservation Charlie is doing his best to save the species but is it enough? (Joystick required) **£3.95**
SPRITEGEN 64: Define and design your sprites the easy way **£3.95**
CHAIN REACTION: Control the atomic reaction in this game of skill. Great graphics — super sound **£3.95**
LINK-A-LINE: Make the connection 4 enjoyment **£3.95**
L.A. SUNSET: Could it be the final sunset for L.A. as the returning Space Shuttle goes out of control? **£3.95**
STAR TREK 64: Kirk, Spock and Co. beamed down to your 64. (Joystick required) **£3.95**
COLOUR ME QUICK: A fascinating game of logic that is highly addictive **£3.95**
NAUTILUS NAVIGATOR: Manoeuvre your nuclear powered Sub thro' undersea chasms, vaults and maybe tombs. But what other creatures lurk in the Deep!!! (Joystick required) **£3.95**

MOONBASE TOUCHDOWN: Your fuel is low, your Astro-module has an intermittent malfunction, can you reach your base . . . SAFELY!!! (Joystick required) **£3.95**
VEGAS SLOT: You'll hand it to this Bandit . . . It's great **£3.95**

STOCKING FILLER . . .
VIDEO LIBRARY CASES
Amazing Value at only £1.45 for 3 incl P & P.
5.25" Disk Library Cases hold 18 disks, blue plastic, just the thing for that extra present.
Normally £1.98 each.
Our price: 2 for £1.95 incl P & P.

ANiK

EMS

for a package you can pay!

FLASH! BUY 6 GAMES and SAVE £4 Games at £3.95 each

SPECTRUM

STARSHIP 2100RD: Repel the Invaders from Zenos and thwart their plans to take over the Galaxy **£3.95**

POLARIS PATROL: Rid our shores of the darstardly aggressors!!! (Joystick required).....**£3.95**

USS ENTERPRISE: Boldly go on a dangerous voyage to the very limits of your Spectrum (Joystick required) **£3.95**

COSMIC ATTACK: Dorks, Wapraz and Neutra-Zemals in combat!!! (Joystick required) **£3.95**

DUMB DUCK: Blow their tiny beaks off!!! (Joystick required).....**£3.95**

THE SEVEN HILLS: You'll jump at the chance to ski on these slopes. (Joystick required) **£3.95**

BATTLE STATIONS: Cosmic attackers threaten Civilisation. Is there no escape, are we doomed? (Joystick required).....**£3.95**

PANE DAMAGE: People who live in glass houses shouldn't . . . Dynamic action. (Joystick required).....**£3.95**

PHASOR POWER: The Ultimate weapon. Use it carefully against the planets enemies!!! (Joystick required).....**£3.95**

HOTHOUSE HELL: Fiery, frantic, furious action with truly brilliant graphics. (Joystick required) .**£3.95**

ALL SYSTEMS GO: Blast off into the great blue yonder and face the peril that awaits you!!! (Joystick required).....**£3.95**

VISCIOUS VERMIN: Giant plague carrying rodents turn on the Human race and try to take over!!! (Joystick required) **£3.95**

ANIKMAN: Our version of the greedy gulper . . . not to be missed!!! (Joystick required) **£3.95**

PIGGOTT'S PONY: We bet this will be winner. You can put your shirt on it!!! (Joystick required).**£3.95**

MISSION POSSIBLE: Have you the qualities to cope with tommorrow's technology . . . in Space? (Joystick required) **£3.95**

GHASTLY GHOULS: All kinds of creepies make this game a nightmare!!! **£3.95**

THE FORCE . . . BEYOND!: Cosmic energy — Anik style!!! (Joystick required).....**£3.95**

*** YAHTCEE:** Thirteen ways to roll out a winner. Multi player game — lots of fun . . . if you don't lose!!!.....**£7.95**

DRAGON

LEAPIN' LANCELOT: Medieval machine magic as Lancelot endeavours to rescue fair Gueneviere. (Joystick required) **£3.95**

GALLACTIC SURVIVAL PAK: No Astro-traveller should be without this. A collection of 3 of the best astro-games around!!! (Joystick required)..**£3.95**

MINDBENDERS: 3 puzzles to enthrall and mystify you. Hours of mindbending fun to pass the long Winter evenings **£3.95**

*** YAHTCEE:** Five times as nice with our Yahtcee dice. For one or more players **£7.95**

GEE UP NEDDY: The odds-on favourite with all the Family. (Joystick required) **£3.95**

THE SEVEN HILLS: You'll jump at the chance to ski on these slopes. (Joystick required) **£3.95**

PHASOR POWER: The Ultimate weapon. Use it carefully against other planets enemies!!! (Joystick required).....**£3.95**

ANIKMAN: Our version of the greedy gulper . . . not to be missed!!! (Joystick required) **£3.95**

BATTLE STATIONS: Cosmic attackers threaten civilisation. Is there no escape, are we doomed? (Joystick required).....**£3.95**

ALL SYSTEMS GO: Blast off into the great blue yonder and face the peril that awaits you!!! (Joystick required).....**£3.95**

PANE DAMAGE: People who live in glass houses shouldn't . . . Dynamic action. (Joystick required) **£3.95**

Serious Applications Programs.

SALES LEDGER
Specification as for Purchaser Ledger. SALES LEDGER for CBM 64, SPECTRUM, DRAGON . . .
. . . £14.95

DATAHOLD
The DBMS for the CBM 64. Up to 15 fields per record. Sort and search by any field. Calculations. Report generation. MAIL LABELLER incl. with DATAHOLD — fully user definable.
DATAHOLD for CBM 64 . . .
. . . £24.95

PURCHASE LEDGER
Fully user definable. Allows for multiple entry, invoicing and payment control. Full search and sort facilities. Print option. VAT account and analysis. Status report generation.
PURCHASE LEDGER for CBM 64, SPECTRUM, DRAGON . . .
. . . £14.95

HOW TO ORDER

To order any games all you have to do is enter the title you wish to receive in the coupon below, write your name and address, enclose your cheque or postal order made payable to ANIK MICROSYSTEMS and post to us.
DON'T FORGET—Buy any six games at £3.99 each and pay only £19.95—SAVE £4!
Your games will be despatched within 48 hours!

Post to: ANIK MICROSYSTEMS · 30 KINGSCROFT COURT · BELLINGE · NORTHAMPTON · NN3 4BH

Please send me the following games:—

I enclose my cheque/P.O. for £

Name

Address

Tel: (day)

Tel: (eve)

ANIK MICROSYSTEMS
30 KINGSCROFT COURT · BELLINGE · NORTHAMPTON · NN3 4BH

TEL: (0604) 411013

STACK LIGHT RIFLE

Available for the SPECTRUM, VIC-20, and the COMMODORE 64, comes complete with 12 feet of cable and three exciting action software games including "HIGH NOON SHOOTOUT" with full sound effects!



With the development of the SLR comes the exciting range of software, RATS & CATS, HIGH NOON SHOOTOUT, CROW SHOOT, ESCAPE FROM ALCATRAZ, GLORIOUS TWELFTH and BIG GAME SAFARI.

CONTACT YOUR LOCAL DEALER OR ORDER DIRECT FROM

All this for the incredible price of only

£29.95

including V.A.T.

STACK

Computer Services Limited
290/298 Derby Road, Bootle, Merseyside L20 8LN.
Tel: Sales **051-933 5511** Service **051-933 3355**
Telex: **627026** (Stack-G)

HEARING IS BELIEVING

Tele Sound

SPECTRUM BEEP BOOSTER

TELESOUND is ready built and tested so that you can get the full sound of your Spectrum through any unmodified television set, black and white or colour. The unit is easy to fit in minutes without any previous experience as full fitting instructions are provided.

TELESOUND has been designed using the very latest ultra miniature components so it's size is an **incredible 2 x 1.3 x 1mm. and fits neatly inside** the Spectrum. Three easy push-on connections are made to the Spectrum. The connections are clearly shown in a diagram that comes with full fitting instructions.

TELESOUND FEATURES

- SOUND AND VISION TOGETHER FOR ADDED REALISM.
- BEEP VOLUME CONTROLLABLE FROM A WHISPER TO A ROAR.
- KEYBOARD CLICK CLEARLY HEARD TO ASSIST PROGRAM ENTRY.
- PROGRAMS CAN BE HEARD WHEN BEING LOADED • NO SOLDERING OR CASE CUTTING REQUIRED.
- ADDITIONAL AMPLIFIER NOT NECESSARY • SEPARATE POWER SUPPLY NOT REQUIRED.
- USES NO MEMORY SO WORKS WITH ALL PROGRAMS • COMPATIBLE WITH ALL OTHER ADD-ONS INCLUDING MICRODRIVE

TELESOUND comes complete with easy to follow fitting instructions and costs £9.95 inclusive of post, packing etc. Please state your computer when ordering.

COMPUSOUND

BARCLAYCARD VISA

C T A

DEPT: 32 - 33 LANGLEY CLOSE, REDDITCH, WORCESTERSHIRE.
B98 0ET. TELEPHONE: (0527) 21429 (21439 Answerphone)

Educational Software LCL



BBC Micro
ZX Spectrum
unexpanded VIC
Electron
ZX81
Apple
PET
Commodore 64

All software for the above computers.

MICRO MATHS 24 program revision or self-tuition course to O-Level. £24.50 (except ZX81 £14.50).

BRAINTEASERS (BBC, Electron) Books of programs to puzzle and amuse people bored with arcade games £5.95.

NEW **PICTURE PUZZLE** (BBC & Electron only). Full screen colour graphics. Teachers/Parents notes included. Ages 3-8 with help, 8-Adult without. £5.50.

ANIMATED ARITHMETIC Teaches using moving colour pictures (not words) Ages 3-8. £6.50 (disc £7.50).

MASTER MATHS (Apple and PET only). 50 program O-Level course or teacher's aid, amazing graphics.

". . . the programming standard is high. The programs are robust . . ."
TIMES EDUCATIONAL SUPPLEMENT

Immediate dispatch of BBC, Spectrum and ZX81 Micro Maths and Apple Master Maths. Phone or send orders or requests for free catalogue (180 programs) to:

World leaders in Maths educational software (distributers in 24 countries).

LCL
26 Avondale Ave.
Staines, Middx.
Tel:0784 58771

Access

☆ AS SEEN ON TV ☆

GENEROUS TRADE DISCOUNTS.

LUNAR JETMAN – For the **48K Sinclair ZX Spectrum**
LUNAR JETMAN – The Ultimate Intergalactic **G.A.S. (Graphic Arcade Simulation)** Adventure Space Battle
LUNAR JETMAN – Arcade standard, 100% machine code, incredible sound effects, amazing smooth high resolution graphics, the totally new addictive concept and all those extra features you expect from the **ULTIMATE** games people.
Design – The **ULTIMATE PLAY THE GAME** design team.

LUNAR JETMAN – 48K ZX Spectrum

COOKIE – 16/48K ZX Spectrum



PSSST – 19/48K ZX Spectrum



TRANZ AM – 16/48K ZX Spectrum

ATIC ATAC – For the **48K Sinclair ZX Spectrum**
ATIC ATAC – The super spooky 3D horror **G.A.S. (Graphic Arcade Simulation)** Adventure Game.
ATIC ATAC – Arcade standard, 100% machine code, incredible sound effects, amazing smooth high resolution graphics, the totally new addictive concept and all those extra features you expect from the **ULTIMATE** games people.
Design – The **ULTIMATE PLAY THE GAME** design team.

JET PAC – 16/48K ZX Spectrum or 8K Expanded VIC 20

ATIC ATAC – 48K ZX Spectrum

Dealer enquiries welcome. Phone (0530) 411485

These games should be available from **W.H. SMITHS, BOOTS, JOHN MENZIES, LASKYS, SPECTRUM CENTRES**, other **large department stores** and all good **major software retailers**. Alternatively, send the coupon to **ULTIMATE PLAY THE GAME** for immediate dispatch by return, subject to availability.

£5.50 each including VAT, first class postage and packing within UK.

Post this coupon to:
ULTIMATE PLAY THE GAME, The Green, Ashby de la Zouch, Leicestershire, LE6 5JU
Please rush me the following:
☐ **LUNAR JETMAN** ☐ **ATIC ATAC** ☐ **JET PAC**
☐ **COOKIE** ☐ **TRANZ AM** ☐ **PSSST**
☐ **JET PAC (8K Expanded VIC 20)**
I enclose cheque/PO for £.....
Name.....
Address.....
.....
.....
.....
Post Code.....

ULTIMATE PLAY THE GAME is a Trade name of Ashby Computers & Graphics Ltd., The Green, Ashby de la Zouch, Leics. LE6 5JU

Thoosta

by Patrick Richmond

FOR THE 16/48K SPECTRUM
SUPERB GRAPHICS,
100% MACHINE CODE,
FUN PACKED ARCADE ACTION

ONLY £5.95

ALSO AVAILABLE

PUSH OFF	16/48K SPECTRUM
McKENSIE	48K SPECTRUM
MANIC MINER	48K SPECTRUM
JET SET WILLY	48K SPECTRUM
OMETRON	48K SPECTRUM
SPACE JOUST	UNEXP. VIC 20

ALL AT £5.95

CRAZY BALLOON — CBM 64

ONLY £7.95

AVAILABLE AT SELECTED BRANCHES OF JOHN MENZIES AND HOUSE OF FRAZER

DEALER ENQUIRIES TO:

TIGER DISTRIBUTION,
4 VICTORIA ROAD,
WIDNES,
CHESHIRE,
051-420 8888

Distributors contact:

SOFTWARE PROJECTS

Bear Brand Complex,
Allerton Road,
Woolton, Liverpool,
Merseyside L25 7SF
051-428 7990

ORLANDO'S BACK!

ZALAGA

Aardvark Software, creators of the Ultimate Atom Games, bring you NOW

THE ULTIMATE BBC SPACE-GAME



Seated at your computer, streams of multi-coloured aliens swirl past your laser-base into formation. The first squadron appears harmless, but later waves will avenge the deaths of their comrades with increasing ferocity. To combat the swooping bomb dropping meanies, you may try to link up a pair of laser-bases and **double your fire power!** Your progress through successive phases will be rewarded by challenge stages, where large bonuses may be earned. The game builds up to a dizzying crescendo of high speed motion where instant reflexes and pure technique are your only hope of survival. . .

One or two player game • Keyboard or joystick • Sound on or off • Escape facility • Works on all OS's and Tubes • Ten name Hi-score table • Mode 2 full colour graphics • Continuous rolling twinkling stars • Multiple missiles • Full screen action • Attractively packaged in a collectable library case • High quality cassette • Full instructions • For BBC model B or A + 32K •

Send cheques/P.O.s for £6.90 to

Aardvark Software,
100 Ardleigh Green Road,
HORNCHURCH, Essex.

FRAK coming soon . . .

The Hobbit. Now the best is

"After a very short time I found that 'The Hobbit' was becoming almost a way of life rather than a game, and so when I finished it for the first time I was partly sad because I felt that all the fun and adventure had ended, but I was wrong. Even now I am discovering new things about the game and feel that it will be some time until all of its secrets are revealed to me."

MR. J. STERN, Herts

"I have at last received your 'Hobbit' program and would like to congratulate you on its excellence. After four days of sweat and tears I have completed only 37.5 per cent of the adventure. The program has lived up completely to expectations, and there is no doubt about it being the best production for the Spectrum to date. You have surpassed all others with your program."

"A lot of fun."

COMPUTI

"The excellent gra
The exciting differ
is that it is possibl
converse with all t
meet and ask thei
recommend this g
Tolkien, or novel a

POPULAR COMP

"I am writing to c
'Hobbit'. I think it is one of
ingenious programs I have
to use. It has kept me stum
months. I think the effort th
writing a program like this must have be
enormous. The effects are brilliant to say t
least."

JEREMY CHESTER

"One new Adventure game stands head and shoulders above the rest. It alone almost provides you with a good enough reason to buy a 48K Sinclair Spectrum. Not only does The Hobbit produce drawings of the main scenes, but it also understands proper sentences rather than pairs of words for its commands. It comes with a copy of J. R. R. Tolkien's classic book of the same name. It is the program with the most detailed and best written documentation ever."

WHAT MICRO

"This is an impressively packaged Adventure game which makes good use of the Spectrum's colour graphics. They have not only produced one of the best games for the Spectrum, but given everyone else a lesson in good game design."

RACTICAL CO

"I am the owner of a copy of 'The Hobbit' which is wonderful entertainment, and very challenging. I have other tapes and publications of yours, all of which are excellent."

MR. D. J. BURGH, Kent

"Having received the most excellent piece of programming I have ever seen, we have had no social life whatsoever. 'The Hobbit' has been dominating our lives since January and many nights have been spent until 3 o'clock trying to conquer it."

SIMON ROGERS, Avon

"I have recently purchased your excellent adventure game 'The Hobbit'. This
greatly enhanced by the use of
graphics, its availability
of having
to



it takes first place in the new
quality and value for money."

SINCLAIR USER

cations in the Adventure are
e excellent graphics. We
plete 7
of

ures. The
ed plot
enor to any
for the

COMPUTER

misty Mountains
, this game is
eat to play and is No. 1 for
and excitement."

GORDON DEMPTSTER, Scotland

"Thanks again for an excellent game in 'The Hobbit'. I feel I have really got my money's worth out of playing time. Congratulations!"

MR. P. RUSHTON, Leeds

"The most powerful computer game yet invented."

COMPUTER WEEKLY

"Within my circle of friends this game has become something of an obsession. We meet every Friday night at someone's house and spend 3-4 hours on 'The Hobbit'. Friday night would not be the same without 'The Hobbit'."

CHRISTINE VERCHILD, Wilts

Melbourne House

available for:

SPECTRUM
COMMODORE 64
ORIC 1
BBC

"'The Hobbit' is a beautifully constructed, frantically-maddening, tortuous, gloriously inconsistent, thoroughly spooky adventure – far better than I could have hoped for and certainly the finest of the dozen or so adventure programs I have. In short, I congratulate the four who sweated for a year and a half to concoct such a super result."

MR. PETER JONES, South Glam

"Nothing is certain in this Adventure, but uncertainty! Add to this the brilliant graphics that are used to describe many of the locations and we have an Adventure that is going to become a classic for the Spectrum.

POPULAR COMPUTING WEEKLY

"I am writing to congratulate you on your excellent program 'The Hobbit' for the Spectrum. I wake up in the middle of the night with an idea and have to load the adventure to try it out."

MR. PHILLIP DARLING, Suffolk

"A most impressive package."

DAILY EXPRESS

"...we are not eating food...we are losing sleep...and it's great! I reckon you can guess why. We are lost, completely and utterly lost, in the Hobbit program."

MR. JOHN HARRIS, Kuwait

"...one of the most complex games for the Sinclair machines I have seen..."

SINCLAIR USER

M

Orders to:
Melbourne House Publishers
131 Trafalgar Road
Greenwich, London SE10

Correspondence to:
Melbourne House
Church Yard
Tring
Hertfordshire HP23 5LU

All Melbourne House cassette software is unconditionally guaranteed against malfunction.

Trade enquiries welcome.

☐ Please send me your free 48 page catalogue.
Please send me:

SPECTRUM
- ☐ Spectrum "The Hobbit" 48K £14.95
- ☐ Penetrator 48K £6.95
- ☐ Terror-Daktil 4D 48K £6.95
- ☐ Melbourne Draw £8.95
- ☐ H.U.R.G. £14.95
- ☐ Abersoft Forth £14.95
- ☐ Computer Bridge £8.95

COMMODORE 64
- ☐ Commodore 64 "The Hobbit" £14.95
- ☐ Commodore 64 Hungry Horace £5.95

DRAGON 32
- ☐ Dragon 32 Hungry Horace £5.95

BBC
- ☐ BBC "The Hobbit" £14.95

ORIC 1
- ☐ Oric 1 "The Hobbit" 48K £14.95

All versions of "The Hobbit" are identical with regard to the adventure program. Due to memory limitations, BBC cassette version does not include graphics.

£ .....

Please add 80p for post and pack £ .80

TOTAL £ .....

I enclose my ☐ cheque
☐ money order for £ .....

Please debit my Access card No. .....

.....

Expiry Date .....

Signature .....

Name .....

Address .....

.....

.....

..... Postcode .....

Access orders can be telephoned through on our 24-hour ansafone (01) 858 7397.

YC1A

PLAY TH

Arcade Action For The ZX Spectrum

SPECTRAVISION JOYSTICK
£9.95
(arcade action, pistol grip, ATARI® Compatible)



If you want Arcade quality control for your Sinclair ZX Spectrum, you'll find the Protek combination hard to beat. The interface is compatible with a range of software including a number of titles from:
ULTIMATE, SILVERSOFT, RABBIT SOFTWARE, QUICKSILVER, QUEST, PSION, NEW GENERATION SOFTWARE, IMAGINE, OCEAN, plus many more.

The protek joystick interface is simple to use. It just plugs in at the back of your Spectrum and is compatible with any "Atari type" Joystick Connector. We recommend the Spectravision Joystick at only £9.95 for Pistol Grip Joystick with a top and base fire button plus specially contoured shape and rubber suction cup footing for single hand operation.

Protek JOYSTICK INTERFACE
£14.95

STOP PRESS * Now compatible with Zzoom * Jet Man * Kong * and Grid Runner



ZX Spectrum 16k & 48k



Sinclair ZX 81 16k



ZX Spectrum 16k & 48k

ZX Spectrum 48k

Sinclair ZX 81 16k



ZX Spectrum 16k & 48k

IE GAME

HUNTER-KILLER

For the 48K ZX Spectrum

Can you Captain a World War II submarine, hunt the enemy then destroy him with your torpedoes?
Realistic simulation including:

- ★Four high resolution screens
- ★18 control functions
- ★Solo or dual computer option
- ★Quick-kill practice features
- ★Asdic, radar and depth sounder
- ★Accurate and realistic chart
- ★Visible torpedo tracks
- ★Periscope with raise/lower option and 360° view
- ★Seabed, destroyer and mine hazards
- ★3D view of the target
- ★Enemy air attack
- ★Live target

Written by Rod Hopkins

£7.95

Sensational new two-computer option. Compatible with Interface 1 and ZX Microdrive



TRADE ENQUIRIES WELCOME

Protek

COMPUTING LTD.

1A Young Square, Brucefield Industrial Estate,
Livingston, West Lothian. (0506) 415353:

Subject to availability. Prices correct at time of going to press.

Available from John Menzies, Lightning, Computers for all and Leisurebase dealers, and all good computer stores.

JUST AROUND THE CORNER, A NEW



BLACK CRYSTAL

The Classic, six program adventure game for the 48K Spectrum and 16K ZX-81 computers. No software collection is complete without it.

"BLACK CRYSTAL is an excellent graphics adventure and a well thought out package" (Sinclair User, April '83).

"BLACK CRYSTAL has impressed me by its sheer quantity and generally high quality of presentation. I am afraid I have become an addict" (Home Computing Weekly, April '83).

SPECTRUM 48K 180K of program in six parts . . . only £7.50
ZX-81 16K over 100K of program in seven parts . . . only £7.50

Why pay more for less of an adventure?

ZX-81 COMPENDIUM

Alien Intruder, Wumpus Adventure, Numerology, Hangman, Hieroglyphics, Movie Mogul.

The ideal software package for all 16K ZX-81 owners. Six major programmes on two cassettes for only £6.50.

"Alien Intruder/Hieroglyphics — Both programs make good use of graphics and words to make a very entertaining package." (Sinclair User, Aug '82)

"Alien/Hieroglyphics/Wumpus/Movie — A varied mix from Carnell, all featuring imaginative responses and graphics and all of them good games for all ages (Hieroglyphics is particularly good for children)." (Popular Computing Weekly, Aug '82)

THE ADVENTURES OF ST. BERNARD

An exciting, fast moving, machine code, arcade game where you guide your intrepid St. Bernard through the perils of the icy wastelands to rescue his Mistress from the clutches of the abominable snowman.

STARFORCE ONE

Take on the robot guardians of the central computer in a superbly stylised three dimensional battle game.

(100% MACHINE CODE ARCADE ACTION)

THE CRYPT

written by Stephen Renton

Prepare yourself for the many challenges that shall confront you when you dare to enter "THE CRYPT".

You will battle with giant scorpions, Hell spawn, Craners, Pos-Negs and if you are unlucky enough — the Dark Cyclops in this arcade style adventure.

Available now for the 48K Spectrum @ £4.95

THE DEVIL RIDES IN

I uttered the last incantations as the clock struck thirteen. All fell silent except for a faint rustling in the corner. From out of the shadows they came, all Hell's fury against me but I was not defenceless until the Angel Of Death, astride a winged horse, joined the battle. Avoiding his bolts of hell fire, I took careful aim. My chances were slim, but if my luck held . . .

(Fast moving, machine code, all action, Arcade game)

RANGE FROM CARNELL SOFTWARE

COMING SOON

"THE WRATH OF MAGRA"

The first born has been destroyed. The Black Crystal of Beroth has been banished. The alliance of Evil has been defeated by the armies of Lord Fendal. So ends the Third Age. Now we invite you to write your name in the history of the Fourth Age of the Third Continent.

You will meet friends and enemies, old and new, in the long awaited sequel to Volcanic Dungeon. Using high resolution graphics and combining the best qualities of "Black Crystal" and "Volcanic Dungeon", we will allow you to become part of this tale of revenge.

"The Wrath Of Magra" comes as three, 48K programs on cassette, boxed with instruction manual and book detailing the history of the Third Continent and the many spells you will be using throughout the game.

NOTE: "The Wrath Of Magra" is a complete adventure. You need not buy "Volcanic Dungeon" or "Black Crystal" to play it.

Available through most good computer stores or direct from:
Carnell Software Ltd, North Weylands Industrial Estate, Molesey Road, Hersham, Surrey KT12 3PL.
Dealers: Contact us for your nearest wholesaler.

CARNELL SOFTWARE LTD

SPECIAL OFFER! Deduct £1 per cassette or disc when ordering 2 or more.

THE BEST BBC MICRO SOFTWARE

PRODUCED BY AN INDEPENDENT SOFTWARE HOUSE

★ TOP QUALITY MACHINE-CODE PROGRAMS ★

BBC



HUNCHBACK (32K) £7.95

Beautifully detailed animation (the best we've yet seen!) as Quasimodo leaps over the ramparts dodging rocks and arrows, swinging on ropes, and avoiding the guards's spears as he attempts to rescue Esmeralda. Twelve different screens of action! This program is sold under licence from Century Electronics Ltd; we have exclusive rights to its sale for use on the BBC micro.

(For use with KEYBOARD or JOYSTICKS).

"It is an extremely good version of the arcade game ... thoroughly recommended." ... BEEBUG MAGAZINE

CRAZY PAINTER (32K) £7.95

The only full-feature version available for the BBC micro. On the first screen, you take the part of a monkey being chased by African tribesmen. If you manage to survive by painting-in all the squares, the bonus screen features the monkey trying to reach his bunch of bananas. After that, you take control of a paint-roller and each square painted-in adds to your score. But beware ... the teddy-bears are now in hot pursuit. Superb animation and sound-effects.

(For use with KEYBOARD OR JOYSTICKS).

●●● *NEW RELEASE* ●●●



2002 (32K) £7.95

A space docking simulator using 3D graphics to model the motions and responses of the ORION 4 spacecraft. Your mission is to pilot the shuttle to a "soft dock" with the space station. PITCH, YAW, ROLL, FORWARD, LATERAL and VERTICAL engines are provided together with orbit manoeuvring booster engines. 6 skill levels provide for the completely inexperienced pilot as well as the fully-fledged commander.

●●● *NEW RELEASE* ●●●

ALIEN DROPOUT (32K) £7.95

A novel and unusual program. Arcade-action with this enthralling multi-stage shooting game. You have to shoot the aliens out of their "boxes" before the "boxes" fill up. Once full, the aliens fly down relentlessly, exploding as they hit the ground. Hi-score, rankings, and sound effects.

(For use with KEYBOARD or JOYSTICKS).

"... this game is as good as any on the market." ... HOME COMPUTING WEEKLY.

FAIRGROUND (32K) £7.95

An exciting target-shooting game! Bonuses are scored for spelling out the word FAIRGROUND by hitting the appropriate target letters, and for shooting all the targets. Extra bullets are obtained by shooting the numerical targets, but watch out for the "smileys" who are intent on stealing your bullets. Music, sound effects, hi-score, and rankings.

●●● *NEW RELEASE* ●●●

CENTIPEDE (32K) £7.95

Incredible arcade-style game featuring mushrooms, snails, flies, spiders, and the centipedes of course. Excellent graphics and sound. 6 skill levels, hi-score, rankings, bonuses, and increasing difficulty as the spiders become more lively and the number of mushrooms increases.

(For use with KEYBOARD or JOYSTICKS).

"Visually this game compares well with the arcade version, being colourful and clear."
... YOUR COMPUTER

ROAD RUNNER (32K) £7.95

The only full feature machine-code version available for the BBC micro. Features include: scrolling screen, radar display, 3 pursuing cars, checkpoint flags, fuel gauge, smoke screens, 6 skill levels, rankings, increasing difficulty, and sound effects.

(For use with KEYBOARD or JOYSTICKS).

"I enjoyed the game very much ... the graphics are excellent ... movement is smooth and fast as only machine code can produce." ... HOME COMPUTING WEEKLY

FROGGER (32K) £7.95

Not just another version of Frogger ... this is the arcade-action version that you've been waiting to see. Graphically brilliant with gaping-mouthed crocodiles, diving turtles, flies, and frogs that flex their legs as they jump along. Increasing difficulty, and responsive controls.

(For use with KEYBOARD or JOYSTICKS).

"... very good indeed ... fast flicker-free graphics and a frog that really hops!" ... BEEBUG MAGAZINE

ALSO AVAILABLE

SPACE FIGHTER (32K)	£7.95
GALAXIANS (32K)	£7.95
INVADERS (32K)	£7.95
FRUIT MACHINE (32K)	£7.95
CRIBBAGE (32K)	£6.95
PONTOON (32K)	£6.95

DEALERS ... DEALERS ... DEALERS ...

Our software is now available at all good dealers including:-

W.H. SMITH – Selected branches.
JOHN MENZIES – Selected branches.
BOOTS – Selected branches.
ELTEC COMPUTERS, 29 Ivegate, Bradford
MICRO MANAGEMENT, 32 Princes Street, Ipswich
WEST COAST PERSONAL COMPUTERS, 47 Kyle Street, Ayr.
MICROSTYLE, 29 Belvedere, Lansdown Road, Bath.
ELECTRONEQUIP, 36-38 West Street, Fareham, Hants.
3D COMPUTERS, 230 Tolworth Rise South, Tolworth, Surrey.
GTM COMPUTERS, 864 York Road, Leeds.
+ MORE THAN 300 OTHER DEALERS THROUGHOUT THE U.K. AND OVERSEAS.

ADVENTURE GAMES

COLDITZ ADVENTURE (32K)	£7.95
STAR TREK ADVENTURE (32K)	£7.95
LOST CITY (32K)	£7.95
GIDEON'S GAMBLE (32K)	£7.95

WE PAY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO, ELECTRON AND ORIC-1 PROGRAMS

SUPERIOR SOFTWARE LTD.
Dept. YC1,
69 Leeds Road, Bramhope, Leeds
Tel: 0532 842385

ALL OUR PRICES ARE INCLUSIVE OF V.A.T. AND P. & P.

DISC SOFTWARE AVAILABLE NOW
All our programs are ready for despatch on 5¼" discs at £11.95 each.

OUR GUARANTEE

(1) All our software is available before we advertise.
(2) All our software is despatched within 48 hours by first-class post.
(3) In the unlikely event that any of our software fails to load, return your cassette or disc to us and we will immediately send a replacement.

THERE'S NO PRESENT LIKE THE FUTURE.

THE WORLD'S FINEST PROGRAMMING TUTORIAL FOR ONLY £12.95.

Thousands who own, or would like to own home computers have yet to experience the feeling of discovery that comes when you write your own programs. Yet learning programming can be easy.

'Learn Basic' from Logic 3 is the ultimate development of the method first devised at Strathclyde University – a straightforward, easily understood tutorial written by Professor Andrew Colin and Veronica Colin, authors of Britain's best-selling tutorial package.

Using the method tested by university students and used successfully by over 200,000 home computer users, 'Learn Basic' runs on your own computer and explains everything in clear non-American English without jargon or computertalk. In a matter of hours, you will be writing programs that work.

Essentially, 'Learn Basic' and the rest of the 'Learn Computing' Series that will follow soon are designed for people who want to keep abreast of the computer age. For people who realise that understanding computers is the key to future success, at school, at work and as a parent.

Make your future, and your family's future, richer this Christmas.

Get 'Learn Basic' by Logic 3 – two tapes and a full-size manual for Spectrum or Dragon (others soon) at just £12.95.

At that price, it's a gift.

Buy the Logic 3 'Learn Computing' Series at computer shops and major retail stores all over Britain. In case of difficulty, write to Logic 3 in Windsor.

TO: Logic 3 Ltd, Mountbatten House, Victoria Street, Windsor SL4 1HE.

If you would like to know more about using and programming a computer in your home, send this coupon for your free copy of our 16-page explanatory booklet "100 things you wanted to know about computers."

It will help you cut through the jungle of computer jargon, and give you news about software developments – even games. ☐

Or send for our software catalogue (tick either or both). ☐

Name _____

Address _____

_____

_____

I have already/intend to get a _____ microcomputer
(delete as inapplicable)

YC 1/84

LOGIC 3
– THE KEY TO THE WORLD OF TOMORROW.

STOP PRESS

ZX MICROFAIR FEBRUARY 4th 1984 AT ALLY PALLY

Be first in the queue and save money!
Send for advance tickets now —
only **£1** for adults or **50p** for kids.
(Prices on the day: £1.25 and 60p)

Send Cheque/P.O. and Stamped Addressed Envelope to
Mike Johnston, ZX Microfair, 71 Park Lane, Tottenham, London N17 0HG.
(Make cheques payable to ZX MICROFAIR)

EXHIBITORS! Call Mike Johnston now on **01-801 9172!**

SALE
JANUARY STOCK CLEARANCE

EVERYTHING MUST GO!

PC-1251 + CE-125 £134.80

SHARP PC-1251 Computer NOW ONLY £49.90!!

(RRP £79.95) Pocket Computer with massive memory. 4.2K RAM (3.7K user), 24K ROM for extended BASIC, up to 18 programs stored in memory (with own execute key), plus reserve mode.

CE-150 Printer/Microcassette for above ONLY £89.90 Half the size of this page and less than one inch thick!

OTHER SHARP BARGAINS (RRP in brackets)
PC-1500. Expansion modules: CE-161 16K RAM (ROM) £129 CE-155 8K RAM £39 (£79). CE-159 8K RAM/ROM £59 (£89). CE-152 Cassette Rec. £25 (£39). CE-153 S/ware Bd £59) (79). CE-158 RS-232 I/F £119 (£149). CE-15A Appl. Progs £7 (£15). CSR-150 20 rolls £4. 2 sets 4 pens, black or colour, £3 (£6) EA-158C Centronics adaptor lead £30 (£45). CE152 adaptor £3. PC-1251. CE-12A/B/C Appl. Progs £7. EA-1250P 20 rolls £5.

Prices include VAT, P&P. Offers are subject to availability. Send cheques, PO, or phone your Credit Card Number to:—

silicon city
Dept YC, 1 Milton Road, CAMBRIDGE CB4 1UY
Tel: 0223 312453

STARZONE SOFTWARE



presents

ZAXXAN

Here at last! The first ever version of the amazing arcade game featuring

● Stunning 3D graphics ● Exciting high speed machine code
● Force fields, radars, fighters ● Cruise missiles, fuel tanks

48K SPECTRUM ONLY £5.50

BLACKBEARD'S TREASURE

Pit your wits against Blackbeard and his minions on Treasure Island!
featuring

● Over 100 locations ● Colossal maze, dungeons, traps
● Save game option ● Every game different

BBC Model B £9.90

Cheque/PO to: **STARZONE SOFTWARE, 74 WALLINGFORD ROAD, SHILLINGFORD, OXFORD, OX9 8HB**

Strengthen your hand with Superbase 64

The complete information control system for the Commodore 64.

The World Famous Commodore 64.

No matter what your business or interest, with Superbase 64 you have a totally flexible 'record' system, as big as you want it, as fast as you need it.

Create your own formats, enter your records, change layouts and datafields.

Superbase gives you unrivalled control in home or office, business or professional practice, with a range of features including:

YOUR OWN RECORDS
- Design your layout using text, numeric, calculated result, date, linking and key fields
- Record size up to 1100 characters spread over up to 127 items
- Number of records limited only by your equipment. As many databases as you want – each with up to 15 files
- Learn fast through built-in HELP screens – then add your own notes

FAST ACCESS
- Keyed records for high speed retrieval – 3 secs for any file size
- Select and search for any name, description, number, date, etc. in multiple combinations
- Sort records into any order
- Display selections or generate printed reports
- Browse through records matching on any criteria

TOTAL CONTROL
- Links to other programs and EASY SCRIPT for mailshots, high-quality letters, quotes, tables, etc.
- Effective management of invoices, addresses, stock, membership, appointments – any and every kind of record
- English like commands for easy conversational programming, plus built-in BASIC

DATABASE MANAGEMENT
- Easy to understand menus
- Add or amend fields, or alter length – no file rebuilding needed
- Update files with automatic batch processing option
- Calendar arithmetic for effective time management
- Display quantities, values, totals, as you enter them. Formulas for on-screen result calculation

Superbase 64

Precision Software

Precision Software Limited,
Park House, 4 Park Terrace,
Worcester Park,
SURREY KT4 7JZ ENGLAND.
Telephone: 01-330 7166
Telex: 8955021 PRECIS G

OFFICIALLY APPROVED BY COMMODORE

commodore

TASWORD TWO THE WORD PROCESSOR

48K SPECTRUM

64 CHARACTERS PER LINE ON THE SCREEN AND TO PRINTERS!
MICRODRIVE COMPATIBLE — instructions supplied

TASWORD TWO The Word Processor

Your Spectrum becomes a **professional** word processor with TASWORD TWO. TASWORD TWO gives you an amazing **64 characters per line** on your screen. This is ideal for standard A4 paper and TASWORD TWO prints your text just as it appears on your screen.

Tasword Two drives the following interfaces:

Cobra RS232 I/O Port
Euroelectronics Interface
Hilderbay Interface
Sinclair ZX Interface 1
Kempston Interface
Morex Interface
Tasman Interface

The same program drives these interfaces. A short easy to follow set of instructions takes you through setting up your Tasword Two to drive the interface you have or choose to buy.

Tasword Two also drives the ZX printer.

£13·90 fully inclusive mail order price.

TASWORD TWO TUTOR

TASWORD TWO comes complete with a manual and a cassette. The cassette contains your TASWORD TWO **and** TASWORD TWO TUTOR. This teaches you word processing using TASWORD TWO. Whether you have serious applications or simply want to learn about word processing, TASWORD TWO and TASWORD TWO TUTOR make it easy and enjoyable.

TASWORD TWO £2 Demonstration Cassette

See for yourself the powerful features of TASWORD TWO. Send just £2 for the Tasword Two demonstration cassette. A voucher is included which gives you £1 off the price of TASWORD TWO.

TASWIDE – 64 characters per line!

A machine code utility program, TASWIDE **doubles** the information that your own programs can display. Make a simple change to your print statements and your output appears on the screen at 64 characters per line instead of the normal 32. Both print sizes can be mixed on the screen. 16K and 48K versions supplied on the same cassette.

£5·50 fully inclusive mail order price

TASMAN PRINTER INTERFACE

Plug into your Spectrum and drive any printer fitted with the Centronics standard parallel interface. Supplied complete with ribbon cable, connectors, and driving software. The cassette includes LLIST, LPRINT, and **text** screen copy software for **all** centronics printers **and** fast machine code high resolution screen copy software for Epson, Star, Seikosha, and Tandy Colour Graphic (in colour!) printers. Send s.a.e for sample print-outs and full list of printers supported by screen software.

£45 fully inclusive mail order price

All prices include VAT and post and packaging.

TASMAN SOFTWARE

Dept YC

17 HARTLEY CRESCENT LEEDS LS6 2LL

Send cheque/P.O. or Access number with order.
Telephone Access orders: Leeds (0532) 438301

reprints

If you are interested in a particular article/special feature or advertisement in this journal

HAVE A GOOD LOOK AT OUR REPRINT SERVICE!

We offer an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigeous addition to your promotional material. (Minimum order 250 copies).

Telephone Michael Rogers on 01-661 3457 or complete and return the form below.

To: Michael Rogers, Your Computer, Reprint Department, Quadrant House, Sutton, Surrey SM2 5AS.

I am interested in .....copies of article/advert.

headed .....featured in this

journal on pages ....., issue dated .....

Please send me full details of your reprint service by return of post.

Name .....

Company .....

Address .....

.....Tel. No .....

SOFTWARE

for BBC Micro, ACORN Electron, ZX Spectrum Dragon 32, Atari, ZX-81

Education, Utility, Adventure and Games

Reader – for young children learning to read, this program uses colourful ladybird, snail, shark and E.T. graphics to stimulate the child's imagination, increase concentration and improve reading fluency. It encourages speed and accuracy by giving graphic rewards as well as Hi-score record. It is Menu driven to allow parent to choose one word, one sentence or one paragraph of the story to be displayed on the screen. Printout of words incorrectly read can be given, if required. There are four stories on the tape, suitable for 4-14 year olds. You can also enter your own or your child's favourite story. You can also give your child a standardised Reading Test to ascertain his/her Reading Age. (Soon available with speech from the Currah Speech Synthesis Unit). For 48K Spectrum.

Educate 1 – contains The MOLE (Program calculates number of moles in various substances), ELECTRICITY (Work out voltage and power of electrical circuits), AIR ANALYSIS (Find out the percentage of oxygen, carbon dioxide and nitrogen in the air), ASCORBIC ACID (Work out the percentage of ascorbic acid in fruit) and SCI TEST1. Teaches and tests you on the subjects and then gives you a mock exam. Don't fail! For any Spectrum.

Educate 2 – contains FORMULAE (Calculating chemical formulae), REFRACTION (Works out refractive index of any material), COLOUR (Questions on the color of objects in coloured light), SCI QUIZ (A quiz on chemical formulae) and CHEM (A harder version of Sci Quiz). Just the thing for the young scientist. For any Spectrum.

Educate 3 – VOCAB TESTER (Don't spend hours learning your vocab. on paper. Make your computer help.) WORD TARGET (How many words can you find from the grid?), SIMON LOGO (Draw pictures using simple commands), WORD SNAKE (Arrange the word then put it in the station) and MATHS EXAM (A test on various maths subjects). A cassette full of fun and educational enjoyment. For any Spectrum.

Speckfile – file formation on cassette in three sections. It is Menu driven and will search for data in any section. It allows output to screen or printer. Save your records for future use. Something we all could find a use for! Also CAVE ADVENTURE game where you collect certain coins to allow you to exit from the caves. Don't expect to finish this in a few days. For 48K Spectrum.

Simon Games 1 – contains VAMPIRE (Just when you thought it was safe to go back to the computer, comes a game that will give you nightmares for a week.) – BIZZARD (Shoot the mutant ducks! Very funny, just right to entertain small children while test you to your game-playing limits.) – MERCHANT (Can you dock with the five orbiting space stations and get back to earth safely?) – FRANKENSTEIN (Track down Frankly but watch the nasties that he throws at you!) – PYRAMID (Guide Roby the Robot to the top of the pyramid and unseat Andy the Android.) – LANDER (Assemble your ships ready to blast the aliens!) – RACETRACK (Race around the track without hitting the sides. Can you colour in the track ?) – BOMBCITY (Bomb the city to the ground. Next time it gets higher until you reach Bombcity and the speed gets faster. Gets harder almost indefinitely.) For any Spectrum.

Simon Games 2 – contains SPELLING SID, the snake who moves around your screen eating letters of the alphabet, in order to make words. Your snake gets longer as you eat the correct letters, but you must avoid the teachers (or kill them with your venom!). Also JOGGER, the schoolboy who has to run to school, firstly having to cross a busy road (watch out for lorries and cars) then avoid the lovely lollipop lady before having to go through a playground full of scarey skinheads! And also SURROUND – a two player game of tactics. Try to outwit your opponent by forcing him into a corner. For any Spectrum.

Simon Games 3 – contains KONG CANE where you must save your best friend, who is about to receive 6 of the best from the Headmaster, Mr. Kong. Also SKATEBOARD where you try to weave your way through a gang of bullies! And also BIKE TEST where you ride your bike through narrow spaces trying to avoid cars and pedestrians as well as other obstacles. For any Spectrum. The following MATHS programs should prove ideal for reinforcement, revision or testing. They have been carefull selected to include many topics examined at 'O' level and C.S.E. Each tape contains a test program for the topics covered on that tape, and ends with a game. For BBC, Acorn Electron, Spectrum, Dragon, Atari, ZX-81 (1K), ZX-81 (16K).

MATHS 1 contains NUMBER 1, AREA, FRACTIONS1, 1, DECIMALS, MONEY, LENGTH, NUMBER1, 1, ESTIMATION, TEST1, GAME1.
MATH 2 contains VOLUME, RATIO, PERCENTAGES, PERIMETER, BASES, TIME, NUMBER2, ESTIMATION, TEST2, GAME2.
MATHS 3 contains DIRECTED NUMBER, CO-ORDINATES, ANGLES, SCALE, PROBABILITY, DENSITY, TEMPERATURE, ESTIMATION, TEST3 GAME3.
MATHS 4 contains SQUARE ROOTS, INDICES, CIRCLES, INEQUALITIES, STATISTICS, NUMBER11, FRACTIONS, ANGLES, TEST4, GAME4.
MATHS 5 contains LINEAR EQUATIONS, DIRECTED NUMBER, STATISTICS, PROBABILITY, CIRCLES, QUADRATIC EQUATIONS, PYTHAGORAS, SIMULATANEOUS EQUATIONS, TESTS, GAMES.

Education 1 – includes MAPDRAW which allows you to draw maps/diagrams in 3 colours, with or without grids. It has a Rubout command and titles or text can be added. Can be SAVEd at any stage. Also HISTOGRAM which allows up to 21 data entries, add titles and scale. Bar chart is drawn across the screen in three colours and shows numerical values of data. Finished graph can be SAVEd. For BBC B (32K).

Education 2 – includes TREECLASS which is designed to identify almost all British trees. The program has three sections, conifers, deciduous and winter characteristics of the twigs. Simply choose the descriptive options given by the computer and you will be told the Latin and common name of the tree. Also CHEMQUIZ – a program of revision question on the 'O' level/C.S.E. Chemistry course. For a BBC B (32K).

BEEBFILE – a sophisticated Database program which can be used to file any type of information. Allows you to use a secret password to gain entry to your information. It can also sort and locate information. For BBC B (32K).

Cassettes cost:		Discs and Listings cost	
BBC, Atari or Dragon	£6.95	BBC programs on disc	£9.95
Electron or Spectrum	£5.95	Booklet containing 50 Maths programs for BBC	
ZX-81 (1K) or ZX-81 (16K)	£4.95	Spectrum, ZX-81 (1K) or (16K)	£2.45

Send cheque, P.O., Requisition Order to:

Simon Software

FREEPOST, New End, Redditch. B96 6NE

Please state type of computer! Generous Dealer or L.E.A. discount for quantity orders

YOUR COMPUTER CLASSIFIED

01-661 3036

Contact: Claire Notley

ADVERTISEMENT RATES

Linage: 40p per word
(Min. 15 words)
Box No: £4.00 extra
Linage advertisements are prepayable and the order form published in this section should be completed and returned with remittance. Credit Card facilities are available.

Display — rates per scc (Min. 2scc)

One insertion	:	£8.50
Three insertions	:	£8.20
Six insertions	:	£8.00
Twelve insertions	:	£7.50

Display advertisers should preferably reserve space by phone.

Copy Date

Closing date for Classified advertisements is the 21st December.

Post to
Your Computer, Classified Department, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Britain's Biggest Selling Home Computer Magazine

BUS-TECH
LYNX
NEW RELEASES

1. YNXVADERS 100% machine code	Arcade game for the Lynx. Good implimentation of Space Invaders with Fast Smooth Graphics.	£7.00 ☐
2. ROBORUN	This game has 7 levels which you have to progress through with the hazard of radio active barrells, guards etc. Each level is harder till eventually if you are good enough you have to face XP2. Great entertainment with a built in hall of fame	£6.00 ☐
3. WORD SEARCH	This program is based on a very popular game of the same name. With a built in library of words or your own words can be used.	£6.00 ☐
4. JUMPING JOHN	Control John's simple fellow movements to retrieve the emeralds. Your King has sent you a lowly peasant to the castle of the evil baron Dog-Breath. Each stage of your quest becoming harder as you leap the ramparts. When the bell rings you move on to a higher level. 5 levels of play with many varied obsticles becoming harder as you progress.	£7.00 ☐
5. MAZE OF DOOM	You are a brave wizard in Candron and your quest is to free the land from the evil oppression by seeking and taking treasure from the temple of EVIL. Passing through the complicated maze protected by Goblins, Lizards and Werewolves etc. With spells and stamina etc. to assist you	£6.00 ☐

NAME.....

ADDRESS.....

Cheques or P/O made payable to:

BUS-TECH
19 Landport Terrace,
Portsmouth,
Hants PO7 2RG.

Delivery for Christmas, all orders dispatched within 48 hours.
Dealer enquiries welcome.
Send s.a.e. for full software list of 15 titles for your Lynx. 661/12

ORIGINAL programs urgently needed Oric and Commodore 64. Educational or Games. Cash payment or royalties. Professional ethics strictly adhered too. Send your program for consideration. Knight Products (UK) Ltd., 71 Colne Road, Earby, Lancashire BB8 6XL. 663/12

SOFTWARE TO HELP YOU
WIN THE POOLS

"POOLSWINNER"
The most sophisticated Pools Prediction Aid available. Gives probabilities of score draws, draws, homes or aways, based on two databases holding over 20,000 matches (included).
The databases are automatically updated as results are entered. Can be used in simple mode, or with parameter adjustments to develop your own unique forecast method.
Fully documented, available now for APPLE, SPECTRUM, DRAGON, ZX81 (16K), BBC 'B', COMMODORE 64.
£15.00 ALL INCLUSIVE
Selec Software (YC)
37 Councillor Lane,
Cheadle, Cheshire
Tel 061-428-7425 665/12
All orders dispatched by return post

SPECTRUM 16/48K

New improved programming aid now available and still only £9.95 from selected computer shops or from **Star Dreams, 17 Barn Close, Seaford, Sussex. BN25 3EW.** 555/10

TAPE COPIER

SUITABLE FOR ALL COMPUTERS

A special lead that allows cassette recorder to cassette recorder copying of your precious M/C software
PLUS A FREE phase inverter lead for those difficult or impossible to load programs. A must for all LYNX users, but suitable for all other micros £3.50 inc p&p

AUTRAC COMPUTING
1 Fox Road, Mashbury,
ESSEX CM1 4TJ 636/12

Kompsoft

ORIC-1

NEW! ORIC-1 COMPOSER. Any music can be brought to your fingertips with the aid of this synthesiser program. Includes a full editor to alter your recorded masterpiece. Colour graphics. 48k ORIC only £4.95.

ORIC-1 BLITZ. Super graphics and sound effects colour, high-score. 16k and 48k ORIC-1 only £4.95.

ORIC-1 SPACE DOCKER. Colour graphics, sound and high-score. Great addictive game. 16k and 48k ORIC-1 only £4.95.

ORIC-1 FORTH. Teach yourself forth, includes manual. 48k ORIC only £6.95.

SINCLAIR SPECTRUM

NEW SPECTRUM WORM. Superb arcade style game. Can you ensure the survival of the worm throughout this multiple screen game. 16k and 48k Spectrum only £4.95.

SPECTRUM FRUIT MACHINE. Authentic one-armed bandit which features hold and gamble. HIRES Graphics. 16k. and 48k. Spectrum. only £4.95.

SPECTRUM NIGHT RAID. Addictive BLITZ style game with full colour graphics and sound. High-score etc. 16k and 48k SPECTRUM only £4.95.

CASH WITH ORDER - Add 55p Post/Pack
Trade enquiries invited.
All programs available in Sweden from CBI.
Box 503, 631, 06 ESKILSTUNA.

SPRINGFIELD, UPPER CHURCH VILLAGE, Nr. PONTYPRIDD, MID GLAMORGAN, CF38 1EE.

PROGRAMMERS

We urgently require good quality software for the ZX Spectrum. For the right material we offer — Improved market penetration — Expert presentation — World Wide Distribution — Total distribution in the U.K. and a high 25% Royalty.

SPARTAN SOFTWARE
9 Cotswold Terrace,
Chipping Norton, Oxon. 509-10

AT LAST . . .
PLAYING THE HOBBIT

A complete 36 page guide to playing and solving the adventure game.
Only £2.25 including 1st class postage and packing from:

TEMPLESOFT
13 Temple Gardens
London NW11 0LP 645/12

DISCOUNT PRICES

Computers and software, all at discount prices, full range from BBC to ZX81. Send SAE for latest Catalogue to:
APSOFT
Freepost EM12,
189 Barnett Wood Lane,
Ashtead, Surrey KT21 2BR 524-10

NEW Address, NEW Deal. All seven Dragon packages together. 20 programs: 153K of data PLUS manual with instructions and programming tips for £15.00. OR manual only. £1.00 (refunded on receipt of order for package) ALTON, 17 Nabwood Road, Shipley BD18 4AG.

668/12

FULL COLOUR Inlay Cards

Sell your programs with colour inlay cards from as little as £28 per 1,000. Full colour inlays add quality and professional sales appeal. A.W.P. are the specialists and trade colour printers for both Audio and computer cassette inlay cards. They are produced in two types, a delux finish (min. 1,000) and the standard finish (min. 8,000).

Details and samples from:
A.W.P. Ltd., 5 Bexley Square, Salford, Manchester, M3 6DB. 061-832 4533.

614/12

The Trade Colour Printers

VIC-20 & CBM-64 OWNERS

615/12

Are you fed up with continually looking in the Handbook for all those Control Symbols which appear in Magazine Listings. If so, Send for our Self-Adhesive Plastic Label which makes Programming easier. State which Computer. £1-95ea. (Inc VAT & P/P). +50p Outside U.K.

C.D.S • 13, HIGHLAND ROAD • WIMBORNE • DORSET • BH21 2QL

Vic 20 (unexpanded) games cassette. Ten games including: Frogger, Pontoon, Breakout, etc. Only £3.99 incl. p&p with instructions. Cheques/POs to Cherry Software: 102 Albert Road West, Bolton, Lancs. BC1 5ED.

635/12

BBC disc software. 'INDEXITT' — Random access files for magazine, photo, stamp indexing etc. 'GRAPHIXX' — draw circles, etc. fill with 15 shades on mode 1 screen. £15 each. Cheques to D. Williams, 5 Belmont Avenue, Edmonton, London N9 7JL. Tel. 01-804 0697 5-9pm.

669/12

Free arcade game when you join Nationwide Computer Club. Software Exchange, Monthly Newsletter, Discounts, Pen Pals, S.A.E. for details N.C.C. 12 York Close, Barton, Bedfordshire, MK45 4AB.

660/12

ZX81/Z80 MACHINE CODE

Programming tutor, 158 sides of A4, each instruction carefully explained with examples, exercises and solutions. £7 50 + £1 00 pp. or S.A.E. for descriptive leaflet and FREE cassette loading tips for ZX81 to:

C.L. Business Services, Dept ZX
842 Ecclesall Road, Sheffield S11 8TD.

638/12

Dragon 6 programs to delight & entertain. Lazashow/Aerobat/Iander/Badjokes/Tron/Snake. Excellent value at just £2.99. Send Cheques/P.O. to: David Johnson, 3 Molton Garth, Leeds 10.

656/12

Spectrum games, Burger Time, Pengo, Zzoom, Zip-Zap, Timegate, Redweed Splat Arcadia, Jumping jack, Jetpac, Penetrator, Orbiter, MCoder, Asteroids, £4.50 each. Cheques, P.O's to Littlecotes Software, 76 Finchampstead Road, Wokingham, Berks. PG11 2NS.

627/12

SPECTRUM KOPYKAT

IMPROVED PERFORMANCE

Simply the best. Copying **any** program is now as easy as LOADing and SAVEing your own programs. **Any** ZX Spectrum program can be backed-up onto a fresh tape. Even programs that cannot be stopped can now be copied. 100 per machine code. Copies headerless files. Prints file name. SPECTRUM KOPYKAT uses no program area so **full size** programs **over** 41.7K are easily duplicated (9k+ for 16K machines). PLUS **FREE** Header Reader program.

Despatched by first class return of post. Send cheque/PO for **£4.95** to

MEDSOFT
61 Ardeen Road, Intake,
Doncaster DN2 5ER
IT CAN EVEN COPY ITSELF 544/10

SPECTRUM

16K or 48K

NUMBER 7

Is your child aged 6, 7 or 8 and in need of a little extra tuition in Maths? The NUMBER 7 program was written by teachers initially for school use, but it is now available to all Spectrum owners..... **£4.95**

PRIME SOFTWARE
23 Beaconfield Road, Plymouth PL2 3LD

622/12

TECTEL ROBOTICS

CONTROL BOARDS FOR HOME COMPUTERS

ORIC

ORIC DUUBRY — £24
1 of 16 channel controller

ORIC ADC . . . £34
Superfast 8 channel analog — digital scanner, 8 bit resolution

ORIC I/O port . . .£39
16 programmable channels

ORIC PRINTER . . . £95
26 col, matrix, graphics double sized print, ink & ribbons.

ZX81

ZX81 DUUBRY — £22.50
1 of 16 channel controller

ZX81 ADC . . . £34
Superfast 8 channel analog — digital scanner, 8 bit resolution

ZX81 I/O port . . . £34
16 programmable channels

ZX81 HI-RESOLUTION GRAPHICS . . . £28
stunning results.

ITEXT SOFTWARE a new range of educational programs.

TODDLERS (pre school)

LEARN your ALPHABET
LEARN to COUNT
LEARN your COLOURS
LEARN your SHAPES
ABOUT the HOUSE
ABOUT the KITCHEN
ABOUT CLOTHES
£3.95 each

MUMS & DADS

ITEXT cookbook (English)
ITEXT cookbook (Chinese)
ITEXT cookbook (Italian)
ITEXT cookbook (Indian)
ITEXT Wine & Beer Making
ITEXT Cookbook Desserts
ITEXT Cookbook Confection
£5.65 each

Send cheque or Postal Order to:

TECTEL
Telford Opportunities Centre
Halesfield 14, Telford, Shropshire
Tel 0952-581738

P&P £1.50 for control boards £1 for tapes

651/12

"I WANT TO WATCH THE TV!"

How many times have your heard that or maybe you want to watch it yourself. When you are half way through your masterpiece. The lead fumbling begins — No more!!

You need our . . . TV/Computer Aerial Switching box. No need to keep changing your leads or to touch your computer — simply flick the switch.

Price £4.00 inc. VAT & p&p
Send payments to:
FLIGHT ELECTRONICS LTD.
Flight House,
Quayside Rd, Southampton SO2 4AD.

SPECTRUM CHESS

Dare you face The Turk

The original Turk was an eighteenth century automation, a life-size mechanical figure resplendent in Turkish costume and seated behind a wooden cabinet on which a chess board and pieces were placed.

OCP now offer you the twentieth century equivalent of that Turk — a chess-playing computer program. **The Turk challenges you to a game of chess!**

MANY OPTIONS INCLUDE:

- 6 Levels of Difficulty
- Demonstration Mode
- Board Editor
- Games Printout Facility
- Blitz Chess Against the Clock
- Two Player Mode
- Unfinished Games can be Stored
- Recommended Move

FULL INSTRUCTIONS PROVIDED

CHESS THE TURK ONLY £8.95
Post order to
Oxford Computer Publishing,
P.O. Box 99, Oxford.

134/4

BUFFER MICRO SHOP

01-769 2887

We do not stock any

SEX

only a huge collection of software and hardware for Sinclairs, Commodores, BBC-Micro and Dragon 32. What else did you expect?

532/10

310 Streatham High Rd.
London SW16

Imagine, Tansoft, etc., software galore for most popular micro's. Subscribe to our catalogue and obtain 5% discount off most titles. Send S.A.E. for details. Armchair Software, 2 Aldeby Close, St. Johns, Narborough, Leicester.

639/12

COMMODORE 64 FLIGHT SIMULATOR

Pilot your own aircraft to a wide choice of airports in U.K. Magnificent graphics. Requires joystick. Cassette game £9.95

CBM 64 ASSEMBLER

Write, read and copy your own machine code programs.

£6.95

JUST RELEASED CBM 64 GOLF

Play golf on this 18 hole par 72 course. Challenging game for all levels. Improve your handicap at home £7.50.

Lifetime replacement guarantee
Mail order only to:
Anger Productions
14 The Oval, Broxbourne Herts
EN10 6DQ. 621/12

16K ZX81 + DK'tronics Keyboard + Marlin S/Gen = £75 + £100 worth of software = £20. May split. Tel 0475 34388 — Graham.

613/12

Memotech MTX software wanted. Royalties paid to programmers. Martin Howes, Pewter Programs, 1A Glenlyon Road, London, SE9 1AL.

626/12

CGL M5

Gamestape 1 for the Sord/CGL M5 with Basic I and joypads. Five quality games for only £5.95 including P&P. Cheques/POs to:

FARNSOFT, Dept (YC)
22 Great Austins, Farnham,
Surrey GU9 8JQ. 669/12

---

ocean

URGENTLY REQUIRE GAMES PROGRAMS

Ocean Publishing Limited, publishers for a major software house, urgently require good game programs for home micro's.

ZX SPECTRUM, COMMODORE 64, ORIC, DRAGON, VIC-20 and ACORN ELECTRON

Our national dealer network ensures maximum sales. Should your program be accepted we will pay top royalties or buy your copyright.

Write in confidence to the
SOFTWARE DEVELOPMENT MANAGER,
Ocean Publishing Limited,
Ralli Buildings, Stanley Street, Manchester M3 5FD.
OR TELEPHONE: 061-832 7049

640/12

TIDY UP THAT MICRO

Buy direct from the manufacturer & save pounds.
a STAND for your Home Computer
(as illustrated)
strong metal construction, c/w undershelf & swivel castors. Supplied with fixings. Packed flat — easy assembly instructions.
Price only £39.95 (incl. Carriage & VAT)
Allow 28 days for delivery.
Send Cheques/P.O.'s with order to:
G. K. Land Eng. Co. Ltd.
28 Industrial Estate,
The Airport,
EXETER. EX5 2LJ. Tel: 0392 66381.

66/12

IMAGINE, Tansoft, etc. Software galore for most popular micros. Subscribe to our catalogue and obtain 5% discount off most titles. Send s.a.e. for details. Armchair Software, 2 Alderby Close, St. Johns, Narborough, Leicester. 639/12

ZX81 computes OK! "Bank", Standing Orders, Forecast, Rapid, Easy. Tape £3.50. D.I.Y. ZX81 information for graphics, £2.00. Tensal Technology. 590/11

GARDEN BIRDS

This new program for the ZX81 16K enables you to identity over 60 species of garden birds. Simple to use. Not intended for ornithologists but for those interested in birds. £6.50 inc. p&p. Send to:

NATSOFT
The Old Customs House
Banff AB4 1HW

Cheques payable to
E. Harbard, please.

616/12

AQUARIUS USERS

Games Cassette 1, 5 games including:
City Lander & Zombies: £4.50
Tape Interface for any cassette player to Aquarius: £12.95
Cassette leads for normal cassette player to Aquarius £5.95

ORIC USERS

Got loading problems at high speed (1200 baud)?
Buy our tape loader (No internal connections requd)
£12.95

SPECTRUM USERS

TAPE BREAKER
+ Free Tape Headereader
mult. copies, verify, headerless etc £3.95
JEDHI CHASE
very fast m/code, difficult £3.95

All by return post.
Cheques/POs/cash to

SPECTRASOFT
Capital House, Market Place
London W3 6AL

654/12

SATURN SOFTWARE of Somersham

For the Dragon 32:
Tomb of Tuthmosis (Adventure) £5.50
Waxworks (Adventure) £5.50
Both for.....£10.00
For the B.B.C. 'B':
German-22 (Excellent 'O' Level help).....£7.00
Volcano Island (Adventure) £7.00
MORE programs soon! We still need YOUR programs up to 30% paid.

The Sycamores
Long Drove
Somersham
Cambs

632/12

Dragon educational maths program. Learning aid for time tables and addition suitable 5-10 years. £5. Neil King, 14 Clovelly Gardens, Enfield EN1 2RW. 642/12

Oric-1 catalogue/copy your programs relocatable m/c program occupies only ½K. Tape + full instructions £3.50. S. Green, 15 Hazelwells Road, Highley, Bridgnorth, Shropshire, WV16 6EA. 630/12

Full assembler for 48K Spectrum — includes Labels, Error Diagnosis, Definable Data Tables, Conversions, Printouts and more! Only £5 — Price includes documentation (£7 with disassembler) — Graham Carr, Tunbeck Road, Wortwell, Norfolk. 628/12

SUPERB Christmas present for 5-8 year olds — educational programs for Spectrum: Gun Sums, Fun Phrases, Time Clock, Daft Draw, Super Shop. Order all five for only £4.95 from M.B. Software, In-Vid-Ria, Route Charles, S.P.P., Guernsey, C.I. 633/12

ZX SPECTRUM 48K
POOLS PREDICTIONS

Fixed Odds and Treble Chance bets

- Beats Top-10 forecasters
- Based on current 'Form'.
- On high quality cassettes.
- Updatable for New Seasons.

ONLY **£9.95** Incl. P & P

"MAYFIELD PRODUCTS"
18 High Beeches
Camberley, Surrey GU16 5EL

617/12

ZX-81 £3.50

SEE-SAW SOFT
(A Y.E. COMPANY)

• ZAK-SNAKE • NOW AVAILABLE
●SUPER-FAST MACHINE CODE
GUIDE ZAK AND GOBBLE ENERGY CAPSULES
GROW AS YOU GOBBLE, AVOIDING BOMBS

SEE-SAW SOFT, 1 THE MALTINGS, THORNEY, P'BORO

629/12

BBC GAMES

• DEEPSPACE AGENT — You are sent into enemy territory to discover the secret of their new superweapon. Arcade action — amazing graphics and sound. Model B only £6.95 inc.
Also available — £5.95 each. Model A or B. Sid the Snake, Spider Invasion, Androids.

MORLEY ELECTRONICS
1 Morley Place, Earsdon Road
Shiremoore, Tyne & Wear

620/12

MICRO CHIP POSTER

40 × 50cm poster featuring Motorola MC680 00 16 bit microprocessor chip in die form showing fine circuit details at a magnification of 150×.

SATELLITE POSTERS

41 × 60cm Landsat poster showing whole of UK. 48 × 70cm Meteosat poster showing whole of earth.

All posters in full colour and available now at just £1.75 each or £4.50 for any three inc VAT. Add 55p P&P per order. Cheques/ PO to:

Climax Computer Systems Ltd
17 Broad Street
South Molton, Devon EX36 3AQ
Tel: (07695) 2314

647/12

SUPER SORT

Uses ultra-fast recursive technique to sort lists at ten times the speed of the commonly used Bubble sort.
Program on cassette plus full instructions for using in your own programs.
Available for SPECTRUM, VIC 20, BBC(A/B), ELECTRON, T.I. 99/4A.
Send £3 to:

SCORBY SOFT (SORT)
Main Street, Flixton
Scarborough YO11 3UB

619/12

Superb christmas present for 5-8 year olds — educational programs for Spectrum: Gun Sums, Fun Phrases, Time Clock, Daft Draw, Super Shop. Order all five for only £4.95 from M.B. Software, In-Vid-Ria, Route Charles, S.P.P., Guernsey, C1. 633/12

ZX81 adventure game (16K) "Camelot". Join the magical quest £3.95 from K.L. Software, 23 Parkfield Crescent, Two Gates, Tamworth, Staffs B77 1HB. 644/12

TEXAS TI99/4A software. Wide range available from £3.95. Send s.a.e. for list. Apex Software (YC), Swiss Cottage, Hastings Road, St. Leonards-on-Sea, Sussex, TN38 8EA. 646/12

VIDEO GALAXY

NO. 1 FOR HOME COMPUTERS AND SOFTWARE

Commodore 64	£199.95
Dragon	£164.95
VIC 20	£133.95
Spectrum	£98.95
Spectrum 48K	£127.95

100's of Games, Books and Accessories available for all popular home computers.
Authorised dealer for all major software houses.
All Hardware and Software available tax-free for export.
All goods guaranteed.
All equipment on demonstration at:—

VIDEO GALAXY
293 CHISWICK HIGH RD.
LONDON W.4
TEL: 01-994 4947

454/9

FREE!

SPECTRUM GAME
+ 1984 DIARY

Join the Spectrum Software Club now, and choose a **FREE GAME CASSETTE** for you to keep from out Top Twenty Best Sellers listed below.

OVER 150 tried-and-tested quality games available at a discount from all the top software houses – Only the **VERY BEST** programs are stocked.

Our unique Exchange Plan means you can enjoy any game from our catalgoue for up to 30 days for just **£1.00. EXCHANGE YOUR EXISTING GAMES** or the Free Game you get from us.

*** NEWSLETTER * HARDWARE DISCOUNTS * REVIEWS ETC**

TOP 20 TAPES

1	3D ANT ATTACK	48	11	3D SPACE WARS	16/48
2	FLIGHT SIMULATOR	16/48	12	TRANSAM	48
3	LUNAR JETMAN	48	13	MASTER CHESS	48
4	ARCADIA	16/48	14	FROGGER	16/48
5	KONG	16/48	15	AH DIDDUMS	16/48
6	PENETRATOR	48	16	MAZE CHASE	16/48
7	ZZOOM	48	17	BLASTERMIND	48
8	POOL	16/48	18	GOLF	48
9	QUEST ADVENTURE	48	19	MAZE CHASE	16/48
10	GULPMAN	16/48	20	3D ESCAPE	48

MEMBERSHIP APPLICATION

Please enrol me as a member of the **Spectrum Software Club**.
I enclose £9.95 (payable to Video International)

Send me the following FREE CASSETTE
(*Enrol before January 31st and get a FREE 1984 DIARY!)

Name_____

Address_____

_____ Postcode _____

Spectrum Software Club (YC), Video International, 287-291 High Street, Epping, Essex, CM16 4DA 652/12

DRAGON 32 BBC MODEL/B TRS80 C/C 32K

747 FLIGHT SIMULATOR

Superbly realistic instrumentation and pilot's view in lifelike simulation which includes emergencies such as engine fires and systems failures. This program uses high resolution graphics to the full to produce the most realistic flight-deck display yet seen on a home computer. There are 21 real dials and 25 other indicators (see diagram). Your controls operate throttle, ailerons, elevators, flaps, slats, spoilers, landing gear, reverse thrust, brakes, etc. You see the runway in true perspective. Uses joysticks and includes options to start with take-off or random landing approach. "A real simulation, not just another game." (Your Computer Apr 83)

Cassette £9.95 (P&P and VAT included)

D.A.C.C. Ltd (Dept. YC)
23 Waverley Road, Hindley,
Gtr. Manchester WN2 3BN



ACTUAL SCREEN PHOTOGRAPH

MEMOTECH MTX software wanted. Royalties paid to programmers. Martin Howes, Pewter Programs, 1A Glenlyon Road, London SE9 1AL 626/12

DRAGON educational maths program. Learning aid for times tables and addition, suitable 5-10 years. £5. Neil King, 14 Clovelly Gardens, Enfield EN1 2RW. 642/12

16K ZX81 + DK Tronics keyboard + Mapling S/Gen = £75 + £100 worth software = £20. May split. Tel: 0475 34388 – Graham. 613/12

FREE! FREE! FREE! C12 cassette with every games tape ordered at £6.45 each. For Dragon offer open until Xmas. SSAEs for catalogue to Alton, 21 Cross Banks, Shipley, West Yorks. 637/12

GAMES – GAMES – GAMES

PROGRAMMERS REQUIRED

We are the sole distributors for Imagic Rom based game cartridges within the UK. We now require high quality programmers, and programmers capable of transcribing existing games onto these systems: –

BBC
Dragon 32
Commodore 64
Vic 20
Spectrum
Atari Home Computers
Oric

'Royalties paid on all sales made world-wide'
All games will be marketed throughout Europe by the Imagic Distribution Centre under the exciting new label 'SCARAB' software.
Send your superfast machine code masterpiece in confidence to: –

A.A. Hales Limited
Imagic Distribution Centre,
PO Box 33, Harrowbrook Road,
Hinckley, Leics. LE10 3DN
A member of the Adam Leisure Group plc

670/12

MAKE MONEY FROM YOUR MICRO

This book has plenty of ideas of how to use your valuable computer knowledge to earn money. It includes details of equipment needed etc, and a general section on setting-up a small business at home.
Send £3.50 to:

SCORBY SOFT
Main Stret, Flixton
Scarborough YO11 3UB

SPECTRUM AUTOKOPY 3

Make backup copies of ANY Spectrum tape
now still more powerful!
THE MOST ADVANCED COPIER
YET PRODUCED
Copies Basic, Machine Code, Headerless
Auto Verifies, and Auto Abort
NO PROTECTION DEVICE TOO DIFFICULT
THE ONLY COPIER CAPABLE OF
COPYING PROGRAMS
THE FULL 16K or 48K LONG
UK COST ONLY £3.00 EUROPE £4.00

R and B Tidd
160 Howlands
Welwyn Garden City
Herts AL7 4RG 623/12

---

10 COMMODORE C64 PROGRAMS £10

ICONIO SYSTEMS LIMITED
37B New Cavendish St. London W1M 8JR

TAPE 1: 10 BASIC PROGRAMS (to run, list, save) Race, Flight Simulation, Chess, Typing, Arcade, Adventure (with sound, colour, sprites, graphics, special chrs).
TAPE 2: 10 BASIC & MACHINE CODE UTILITIES. Assemble, list, merge, edit, delete, etc. On quality TDK D60 (or similar) cassette p&p 25p. 438/9

************TAPE COPIER************

The most advanced BACK UP COPIER for ANY SPECTRUM available. MICRODRIVE COMPATABLE. Does any other copier come near?
LOOK at only SQME of its options:

- MAXBYTES makes a working copy of programs occupying the full 16K or 48K!
- Verifies. Repeat copies. Auto. Abort. STOPS programs.
- Loads CONTINIOUSLY (not just one part at a time like most copiers) even without pressing a key
- Copies HEADERLESS and other types, indeed ALL programs that we are aware of!
- Very user friendly and simple to use.

LISTEN. We are so convinced that you will be pleased with our product that we offer a FULL MONEY BACK GUARANTEE if you are not fully satisfied. Cost only £4.50.
Education one – 3 programs (Number Game, Spelling Game, and Co-ordinates) for ONE inclusive price £4.99 Teachers Marks Book £4.99. SAE for full details. All with FULL MONEY BACK GUARANTEE.

LERM, DEPT YCJ
16 STONEPIT DRIVE, COTTINGHAM, MKT HARBOROUGH, LEICS.
650/12

SPECTRUM games. Burger Time, Pengo, Z Zoom, Zip-Zap, Timegate Redweed Splat Arcadia, Jumping Jack, Jetpac, Penetrator, Orbiter, M Coder, Asteroids. £4.50 each. Cheques/POs to Littlecotes Software, 74 Finchampstead Road, Wokingham, Berks RG11 2NG. 627/12

VIC 20 (unexpended) games cassette. Ten games including 'Frogger', 'Pontoon', 'Breakout', etc only £3.99 incl p&p. With instructions. Cheques/POs to Cherry Software, 102 Albert Road West, Bolton, Lancs BL1 5FD 635/12

FULL assembler for 48K Spectrum – includes labels, error diagnosis, definable data tables, conversions, printouts, and more! Only £5 – price includes documentation (£7 with disassembler). Graham Carr, Tunbeck Road, Wortwell, Norfolk. 628/12

SPECTRUM. Pre-school/early school tutor. Seven exciting and educational games, all for £5. Arithmetic, numbers, spelling, drawing, music, keyboard, snap. Suitable 16/48K. Fantastic value for money. Essex Software, 16 Huntsman's Drive, Upminster, Essex. 634/12

'NOTICE TO PARENTS from INFO-STREAM

Computer Assisted Learning

If your Son or Daughter is weak in maths or the sciences? Or perhaps in modern languages? Why not help solve their problems with your Home Computer?

INFO-STREAM offers software ZX81, Spectrum, BBC and Vic 20 micros covering most subjects in the school curriculum catering for all ages and abilities. The programs range from pre-school learning, through teaching aids for Primary, Junior and Senior pupil levels, to revision for C.S.E., 'O' & 'A' levels.

For a 42-page catalogue detailing over 220 educational programs, please send £1 (refundable on first order) to:– INFO-STREAM (Dept YC), 36a Chase Green Avenue, Enfield, Middx, EN2 8EB. 595/11

Acclaim Ltd

QUALITY CASSETTES

Competitively priced blank cassettes suitable for use with micro-computers, tested to I.E.C. specification.

Any length — Any quantity

Phone or write:

57 Vicarage Lane,
Horley, Surrey.
Tel. 07372-41551 655/12

ZX81 adventure game (16K) "Camelot". Join the magical quest £3.95. From K.L. Software, 23 Parkfield Crescent, Two Gates, Tamworth, Staffs B77 1HB. 644/12

ORIC-1 catalogue/copy your programs. Relocatable m/c program occupies only ½K. Tape and full instructions £3.50. S. Green, 15 Hazelwells Road, Highley, Bridgnorth, Shropshire WV16 6EA. 630/12

WORLD INFO

A database of current affairs information about the modern world. Wars, threats of wars, types of regime, alliances, human rights, heads of government and much more.

Three files of 30K each for Campbell Systems Masterfile, the serious data handling program for the 48K Spectrum.

World Info alone **£5**
With Masterfile **£15**

or send a SAE for more information to:

WIMSOFT (YC)
20 Brookside Road
Wimborne, Dorset BH21 2BL

631/12

MANUFACTURING CAPACITY AVAILABLE

Our job is to assemble PCB's. Maybe your job is to design and sell them.

Seems to us that we should be talking to each other.

High standards and low prices offered to all OEMs for batch or long production runs. We also make up cable harnesses.

CONTACT:

Warecrest Ltd.
Marsh Lane, Ware, Herts SG12 9QG.
(0920) 66077.

658/12

DISK DRIVE SALE

PHOENIX SYSTEMS
42 Princess Street Manchester.
Tel: 061-236 1172

TEXAS TI99/4A software. Wide range available from £3.95. Send s.a.e. for list. Apex Software (YC), Swiss Cottage, Hastings Road, St. Leonards-on-Sea, Sussex TN38 8EA. 646/12

SPECTRUM lucky bag. Four great programs, Helicopter, Desert Adventure, Frank and Mary, Flight to Mars! Send £4.00 cheque/P.O. to Uranium Soft, The Manse, Port Charlotte, Islay, Argyll. 626/12

48k

WIN THE POOLS?

SPECTADRAW 2 — THE BEST SELLING POOLS PREDICTION PROGRAM FOR THE 48K ZX SPECTRUM

The program looks at the recent form of the teams playing in each week's English and Scottish football league matches and then refers to a large database to see what has happened in the past when teams with similar form met. By combining the lessons learnt from the past with the teams' current league position, the program generates a draw probability factor for each match. It can then identify the matches which are likely to yield draws and output suitable predictions. It will also output the least likely draws for the benefit of those who prefer the fixed odds lines on coupons.

Program, 8000 match database (both on high quality cassette) and instruction manual £12.95 inclusive.

NEW!!! SPECTASORT — THE PERM GENERATION PROGRAM

Spectasort takes the 14 most likely and 10 least likely draw predictions and produces ten 8 from 10 full over perms, enabling you to complete your pools coupon directly from the screen. The program will run on its own in 16K, using your own predictions, or has the unique feature of being able to merge with SPECTADRAW 2 to provide a complete Pools Prediction package!!

Spectasort program on high quality cassette £4.95 inclusive.

(Cheques / POs payable to B.S. McAlley)

SPECTADRAW
1 Cowleaze, Chinnor, Oxford OX9 4TD

THE HOME COMPUTER CENTRE

ENFIELD COMMUNICATIONS

COMMODORE 64 £199.00

BBC 'B' £399.00

SPECTRUM 48K £129.95

ZX-81, DRAGON, SPECTRUM, BBC, VIC 20, CBM 64
ADVICE — INFORMATION — PROBLEMS SOLVED
OUR TIME IS YOUR TIME

Come and see our huge selection of Software and Books from all leading software houses. Games, Business and Educational.

JOYSTICKS, PRINTERS, KEYBOARDS, UPGRADES, CABLES ETC. ALWAYS IN STOCK

MERRY XMAS

01-805 7434/7772
135 High Street
Ponders End
Enfield, Middx
EN3 4BB

SALES — SERVICE — MAIL ORDER 666/12

LATEST SOFTWARE

SYSTEM-SOFT

FOR THE BEST FROM THE REST

FULLY INCLUSIVE PRICES

SPECTRUM		DRAGON 32	
The Hobbit (48K) (Melbourne House)	£14.95	The King (J) (Microdeal)	£7.95
Terror Daktil (48K) (Melbourne House)	£6.95	Talking Android Attack (J) (Microdeal)	£7.95
Manic Miner (48K) (Bug-Byte)	£5.95	Morocco Grand Prix (J) (Microdeal)	£7.95
Jet-Pac (Ultimate)	£5.50	Mansion of Doom (Dragon Data)	£6.95
Ztoom (imagine)	£5.50	Chess Cartridge (Dragon Data)	£21.50
Trans Am (Ultimate)	£5.50	Inter Galactic Force (Microdeal)	£7.95
B.B.C. MICRO		**VIC-20**	
Moon Raider (B) (Program Power)	£7.95	Wizard and Princess (Melbourne House)	£5.95
Croaker (B) (Program Power)	£7.95	Scramble (Bug-Byte)	£6.95
Killer Gorilla (B) (Program Power)	£7.95	Cosmiads (Bug-Byte)	£6.95
Sea Lord (B) (Bug-Byte)	£7.50	Panic (Bug-Byte)	£6.95
Galaxy Wars (Bug-Byte)	£7.50	Vic Clammon (+ 3K) (Bug-Byte)	£6.95
Music Synthesaer (B) (Bug-Byte)	£9.50	Vic Asteroids (Bug-Byte)	£6.95

NEW! ALPHACOM 32 HIGH SPEED THERMAL PRINTER for SPECTRUM or ZX81. Printing speed up to 120 lines per minute. Printout is clear blue from the dot matrix thermal head. Supplied fully complete with power supply, interface, roll of paper, VAT and p&p. PAPER—10 rolls @ only £12. PRINTER JUST £99.95

SPECIAL OFFER — Deduct £1 per item when ordering two or more!

Please send cheque/P.O. to SYSTEM-SOFT, FREEPOST (no stamp required) Ackworth, Pontefract, West Yorkshire, WF7 7BR. Delivery straight to your door.

COMMODORE 64 FLIGHT SIMULATOR

Pilot your own aircraft to a wide choice of airports in U.K. Magnificent graphics. Requires joystick. Cassette game. £9.95

CBM 64 ASSEMBLER

Write, read and copy your own machine code programs. £6.95

JUST RELEASED CBM 64 GOLF

Play golf on this 18 hole par 72 course. Challenging game for all levels. Improve your handicap at home. £7.50

Lifetime replacement guarantee
Mail order only to:

ANGER PRODUCTIONS
14 The Oval, Broxbourne
Herts EN10 6DQ 621/12

JOYSTICKS

DRAGON JOYSTICKS
DRAGON
Fully Proportional
ONLY
£14.95
PERITRON
21 Woodhouse Road, London N12 9EN. 653/12

Six quality arcade games send only £6.00 Chamberlain, 23 Chetnole Close, Canford Heath, Poole, BH17 8BD. 649/12

VIC 20

A whole arcade on one tape

Snaketrap, Dambusters, Bomber, Logos, Space Muncher, Sixthsence, Frogger Revenge, Fruit Machine, Lazerbase, Breakout. Returned 1st class.

ALL THIS FOR ONLY £4.95

Cheque/PO to:
Cavern Software
14 High St, Cranford,
Northants NN14 4AA

reprints

If you are interested in a particular article/special feature or advertisement in this journal

HAVE A GOOD LOOK AT OUR REPRINT SERVICE!

We offer an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigeous addition to your promotional material. (Minimum order 250 copies). Telephone Michael Rogers on 01-661 3457 or complete and return the form below.

To: Michael Rogers, Your Computer, Reprint Department, Quadrant House, Sutton, Surrey SM2 5AS.

I am interested in .....copies of article/advert.

headed .....featured in this

journal on pages ....., issue dated .....

Please send me full details of your reprint service by return of post.

Name .....

Company .....

Address .....

.....Tel. No .....

SOUND with SINCLAIR

MAKE AMAZING SOUND EFFECTS WITH YOUR ZX 81, TIMEX Sinclair 1000 or SPECTRUM

THE ZON X

£25.95

incl p&p & VAT

- ★ The ZON X SOUND UNIT is completely self-contained and especially designed for use with the ZX 81, TIMEX Sinclair 1000 and Spectrum Computers. It just plugs in — no dismantling or soldering.
- ★ No power packs, batteries, leads or other extras.*
- ★ Manual Volume Control on panel — ample volume from built-in loudspeaker.
- ★ Standard Sinclair — 16K Rampack or printer can be plugged into ZON X Sound Unit without affecting normal computer operation.
- ★ Huge range of possible sounds for Games, Music, Helicopters, Sci-Fi, Space Invaders, Explosions, Gun-shots, Drums, Planes, Lasers, Organs, Bells, Tunes, Chords, etc., or whatever you devise!
- ★ 8 full octaves. Uses 3-Channel sound chip giving programme control of pitch, volume of tones and noises, all with envelope control.
- ★ Easily added to existing games or programmes using a few simple "BASIC" lines or machine code.
- ★ No memory addresses used — I.O. mapped.

FULL instructions with many examples of how to obtain effects and the programmes, supplied, fully guaranteed. British Made.

**Except with Spectrum, you need the Spectrum Extension Board Order No. SE1 — Price £6.80 incl. V.A.T.*

Payment may be made by Cheque, P.O. Giro No. 388 7006, Postal Order or Credit Card.

Export orders :— Bank Cheque, International Money Order, U.S. $ or £ Sterling.

BI-PAK Dept YC8 PO Box 6, 63A High Street, Ware, Herts

Access & VISA accepted
Ring 0920 3182 for immediate despatch

SELL IT WITH YOUR COMPUTER

CLASSIFIED ORDER FORM

Classified Rates

Linage: 40p per word (Min 15 words) — prepayable

Linage advertisers should complete the form provided in BLOCK CAPITALS. Phone number counts as 2 words. Name and address to be paid for if used in advertisement. Box Number if required is £4.00 extra.

Display — rates per scc (Min 2scc)

One insertion	:	£8.50
Three insertions	:	£8.20
Six insertions	:	£8.00
Twelve insertions	:	£7.50

Display advertisers should provide separate copy and preferably reserve space by phone (01-661 3036).

Method of Payment

Cheques etc, should be made payable to Business Press International Ltd, and crossed. I enclose herewith cheque/PO for

£.....

Please debit my Access/Visa Barclay Card/American Express/Diners Club Intl /as below

BARCLAYCARD VISA

SIGNATURE

Post to:

Cut out the order form and return together with your remittance to: Classified Department, Your Computer, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. (01) 661 3036

Please insert the following advertisement in Your Computer Classified Section

					LINAGE
					£6.00
					£8.00
					£10.00
					£12.00
					£14.00
					£16.00
					£18.00
					£20.00

No. of insertions required ☐ Box No. required YES/NO

NAME *(Please include initials)*.....

ADDRESS.....

.....

.....

Payment by credit card please state address card is registered

Daytime tel. no .....

THIS FORM SHOULD BE RETURNED BY DEC 21st FOR FEB ISSUE PUBLICATION

Company Registered Number: 151537 (England) Registered Office: Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

PROGRAMMERS



WANTED

16/48K SPECTRUM
ATARI 400/800
Games of all types
EDUCATIONAL
BUSINESS
UTILITIES

Games must be original
and of High Quality
Visual Impact
First class royalties paid.

Have you seen our new sensational
Arcade game. Can you equal or better it.??
If so contact: MR KEVIN GREEN
NOBLE HOUSE SOFTWARE
29, Kingbrude Terrace Inverness Scotland
Tel. Inverness (0463) 220611

NHS

580 11

YOUR MICRO COULD TEACH YOU A THING OR TWO ABOUT THE FRENCH...

...OR THE GERMANS...OR THE SPANISH

A home computer is an expensive toy; and, if playing games is all you do with it, a toy is all it is.

Now, using the New Personal Computer Superlearning System (PCSS) you can have fun with your micro and learn something at the same time.

PCSS language courses comprise 12 lessons on 3 audio cassettes used in conjunction with a fourth software cassette, to add a new dimension to learning.

Initially the software package enables you to see the words you're learning; then, as your vocabulary develops, it will test your skill in your new language.

Anyone can learn this way – no previous knowledge of the language is required. The unique PCSS method develops your overall learning and memory skills in a way thats both relaxing and enjoyable.

Each PCSS language pack – French, German or Spanish – contains a comprehensive booklet detailing the 12 audio lessons and the function of the interactive software. Additionally the booklet expands on the broader benefits of the PCSS method.

At only £29.95 per pack PCSS costs less than other home language courses yet it offers much more in terms of education and enjoyment.

Complete the coupon below and try PCSS for yourself – you'll be amazed what your micro can teach you.

MDA

COMPUTERISED EDUCATION SYSTEMS

(PCSS software is compatible with the ZX81 (16K), ZX Spectrum, BBC Micro, Acorn Electron Micros.)
Each pack comes with a full money back guarantee if not completely satisfied

Send your cheque or Postal Order for **£29.95** made payable to: **MDA Modon Associates Limited, 561 Upper Richmond Road West, London SW14 7ED.** (ZX81 users **£26.95**)

or, alternatively phone **Teledata 01 200 0200** now, lines open 24 hours and quote your Visa, Diners Club, Access or American Express number.

Tick which Audio/software package you require. (Prices include VAT. Add £1.45 for postage and packing on each order.)

Please supply the following Audio/software Packages

FRENCH ☐ GERMAN ☐ SPANISH ☐

Name: _____

Address: _____

_____

Machine Type: _____ Memory Size: _____

574/11

Hot lines

Acorn Computer
Telephone: Cambridge 0223 245200

Atari
Telephone: Slough 75-33344

Camputers
Telephone: Cambridge 0223-315063

Commodore CBM
Telephone: Slough 75-74111

Dragon Data
Telephone: Bridgend 0656-744725

Sharp
Telephone: Manchester 061-2052333

Sinclair
Telephone: Cambridge 0276-681666

Sord
Telephone: London 01-930 4214

Tandy Corporation
Telephone: Birmingham 021-5566101

Texas Instruments
Telephone: Bedford 0234-63211

DATEBASE

January

Local, national and international micro events are updated here. To publicise your event, phone Paul Bond on 01-661 3472.

Which Computer Show

No-one under 18 is admitted to this business and systems software biased show. It is on at the NEC in Birmingham from 17-20 January, and, if they'll allow you in, it is open from 10 till 5 except on the Friday, when it closes at 4pm. It would cost you £3 if you turned up on the doorstep, but just between you and me, you can get a free complimentary ticket if you phone Clapp & Poliak Exhibitions on 01-747 3131 and ask politely first.

Acorn Education Show

In a month of pretty exclusive exhibitions, here's one for teacher. It is by invitation only, but inside Central Hall Westminster between January 25-27, there will be over 60 companies dealing in Acorn-related services and peripherals, with an educational bias. The show is organised by Computer Market Place Exhibitions Ltd, who can be contacted on 01-930 1612. Apparently Sinclair will be doing something along the same lines in March.



Roz Evitts left director of Visions Software Ltd, and managing director Sean de Bray claim sales of 60,000 in "a few months". Above they're all set to prove that Visions is not a fly-by-night outfit

INDEX TO ADVERTISERS

A
4 Mat 204
AtoF Software 102, 103
ABC 229
AGF 158
Aardvark Software 255
Acorn Programs 225
Addictive Games 248
Adventure International 5
Alien 28, 243
Anik Microsystems 250, 251
Arrowsoft 34
Artic 14
Atari International 16, 17
Automata UK 26, 27
Aztec 172

B
Beebug 164
Beyond Software 20, 21
Blaby 82
Bridgemaster 242
Bugbyte Inside Front Cover
Buttercraft 28

C
CDS 138, 139
CP Software 22, 23
CRL 239
Calisto 188
Calpac 121
Calsito 162
Cambridge Micro Electronics 225
Campbell Systems 33
Carnell 260, 261
Centresoft 11
Chromasonic 104
Commodore 116, 117
Compusound 252
Computasolve 176
Computer Add Ons 83
Computer Cabin 230
Computer Cases & Covers 74
Computer Discount Centre Inside Back Cover
Computer Games Ltd 7
Computertown 12, 13
Computronics 56
Crash Microgames 69
Crystal Computers 64

D
DJL Software 232
DK Tronics 96, 148, 206
DRG 241
DX Marketing 207
Daily Mirror 136
Datapen 164
Datel 215
Doctorsoft 149
Doric Computers 15

E
East London Robitucs 226, 236, 237
Educare 225

F
Fantasy 245
Ferranti & Davenport 24
Fontana Books 34
Fountain Software 242
Fox Electronics 228

G
Galaset 47
Gemtime 124

H
Haven Hardware 128
Hewson 211
Hewson Consultants 233, 235
Hilton 62
Hisoft 121

I
IMS 244
Imagine 39, 80, 129, 140, 150, 167 181, 192, 198, 205, 214
Incentive Software 58
Incentive Software People 84
Interface 202, 230

J
JCB Microsystems 60
JK Greye 47
JP Magnetics 227
Joe the Lion 110

K
Kempston Micro 132
Kuma 178

L
LCL 252
London Home Computer Show 227
Laserbug 48
Laskys 155, 157
Letherby 8
Level 244
Level 9 249
Llamasoft 231
Logic 3 263
Longman Group 210

M
Malve 47
Martech 35
McGraw Hill Books 58
McLothlorion 240
Melbourne House 137, 246, 247, 256, 257
Memotech 44, 45
Micro Bureau 164
Micro X 128
Microcare 75
Micrograme Simulation 242
Micromanagement 183, 187
Micromart 204
Micromega 191, 197
Microperipherals 200
Micropower 216
Microsphere 244
Mikrogen 174, 175
Mondata 168

N
National Software Library 121
National Magazine Co 101
New Generation 109
Noble House 135
Nomad Box Co 195

O
Ocean Publishing Back Cover
Opus Supplies 25
Orwin 8
Ozwise 50

P
PCS 98, 208, 238
Paramount 128
Peaksoft 82
Petron 8
Picturesque 60
Pinehurst 60
Poppysoft 37
Practical Electronics 124
Precision Software 265
Print n' Plotter 88, 89
Protek 258, 259

Q
QED 170
Quicksilva 141

R
RD Labs 224
Ricoll 113
Rose Software 82

S
Salamander 118
Screenplay 146
Severn Software 36
Silicon City 264
Silverlind 33
Simon Software 266
Sinclair Research 29, 32
Sir Computers 160
Softek 4, 40, 41
Software Index 229
Software Projects 42, 43, 254
Software Supermarket 165
Solo Software 48
Spectre 50
Spectrum Group 218, 223
Spirit Software 230
Stack 252
Starzone 264
Stell Software 51
Storm Software 62
Sumlock 190, 199
Sunshine Publishing 9
Superior Software 262
Swanley 204

T
Tandy 6
Tansoft 234
Tasman 264
Temptation 93
The Discount Software Supplies 49
The Micro Workshop 124
Thor 144
Thorn EMI 18, 19
Timedata 74
Tomorrows World 62

U
Ultimate Play the Game 253

V
Varelco 74
Visions 38
Visionstore 125
Voyager Software 142

W
Walters Micro 212, 213
Whittington House 85
Widget Software 33
William Stuart 50

Z
ZX Microfair 266
Zero 28

JOIN THE SOFTWARE CLUB AND SAVE £££ ON YOUR TAPES ...

Home Computer Software

SPECIAL INTRODUCTORY OFFER!

Buy any 3 Tapes
Save up to £18.43 on retail prices and get further Software at Big Savings

CHOOSE ANY 3 FOR ONLY £2.99 EACH PLUS P&P

Join the Software Club and enjoy the better way to buy your software by simply returning the coupon below – select any three of the introductory software from the large selection illustrated on this page at the amazing price of only £2.99 each. Sending for the introductory offer does not bind you in any way to the Club and we don't require any money until you have had time to judge the quality of the tapes, in your own home. When you have played them, and appreciated the high quality you will be taking the first step towards enjoying all the 'plusses' of your membership in the Software Club

Free Monthly Colour Brochure
Each month you will receive a copy of The Software Review, packed with all the very best software and the best of pre-releases – all that we request of you is that you purchase a minimum of six tapes from the many hundreds you will be offered during your first year as a member of The Software Club. When you see the vast range, at the heavily discounted prices you will probably want a lot more, but that's up to you.

*All prices quoted are manufacturer's recommended prices.

All you have to do
Fill in the coupon, marking carefully the Code Nos of the 3 Introductory Tapes you require. Do not enclose any money now – we offer only genuine tapes – from all the leading manufacturers backed by our no quibble replacement service should you have any problems with our software.

The Software Club, Salisbury Square, Old Hatfield, Herts AL9 5AD.

INTRODUCTORY DISCOUNT COUPON

To: The Software Club, Salisbury Square, Old Hatfield, Herts AL9 5AD.

Please accept my application and enrol me as a member of The Software Club and send me the introductory tapes whose numbers I have written in the boxes below, for which you shall charge me in due course, should I decide to keep the software (plus a total of £1.03 for postage and packing*). If I am not completely satisfied, however, I may return the tapes intact within ten days, my membership will be cancelled and I will owe nothing. As a member, I need not take a tape every month (or if I want no tape at all), I can say so on the form provided. I will, however, choose at least six tapes in the first year. All software is described in advance in the free monthly "Software Club Review" and is offered at a discounted price. I am over 18 years of age. (This application must be from your parent or guardian if you are under 18 years of age)

My 3 selections are (order code)

Machine ____ Memory size ____

Mr/Mrs/Miss ____

Address ____

Postcode ____

Signature ____

REMEMBER: SEND NO MONEY NOW

THE SOFTWARE CLUB



This Christmas the Three Kings are from Ocean

As well as the chart-topping Kong, who's *always* been climbing, there's the new, exciting Mr. Wimpy – something to get your teeth into! Hunchback – sure to ring your bell! and Eskimo Eddie – chills and thrills in Santa Land.

Christmas is going a Ding Dong Merrily with these three new crackers

Save Esmerelda in the best arcade game of 1983.
HUNCH BACK
Spectrum £6.90, Oric 1 £6.90
Commodore 64 £6.90

Favourite Gorilla Game! Rescue maiden from the clutches of Mighty Kong
KONG
Spectrum £5.90

The best in Christmas fun from Software's Number 1

ocean

Ocean Software, Ralli Building, Stanley Street
Manchester M3 5FD. Telephone: 061-832 9143

MR. WIMPY
Join in the Wimpy fun with the greatest game under the bun
Spectrum £5.90, Oric 1 £6.90
Commodore 64 £6.90

ESKIMO EDDIE
Eddie's adventures at the North Pole with his faithful Penguin Percy
Spectrum £5.90

Ocean Software is available from selected branches of: **WOOLWORTH**, W H SMITH, Boots, John Menzies, **LASKYS**, Rumbelows
Spectrum Shops and all good software dealers. Trade enquiries phone: 061-832 7049

YOUR MSX COMPUTER



ANIROG

The Name For Quality And Innovation

Flight Path 737

ADVANCED PILOT TRAINER

NOW AVAILABLE For The MSX £6.95

TRADE ENQUIRIES: ANIROG SOFTWARE LTD. 29 WEST HILL DARTFORD KENT (0322) 92513/8
MAIL ORDER: 8 HIGH STREET HORLEY SURREY 24 HOUR CREDIT CARD SALES HORLEY (02934) 6083
PAYMENT BY CHEQUE P.O. ACCESS/VISA 50p POSTAGE & PACKAGING

Everything you wanted to know about MSX, but was afraid to ask

WE ARE now experiencing the biggest shake-up to hit the computer world in years. By this time next year we shall know if the three letters MSX are to rival IBM in computer importance, or if they merit just a footnote in tomorrow's history books. It is interesting to note that the Great British computer buying public are to be key figures in the MSX story. If we take to these standardised computers then MSX will go on to greater things elsewhere. If on the other hand the British public spurn the advances of much respected names such as Sony and Yamaha then the Japanese will have to think again.

Much has already been said about the possible success of MSX. Some pundits have sneered saying that it doesn't have a chance, others have staked their futures on the standard. The wisest remain aloof, waiting to see what happens. After all, there are so many ifs. The truth is that it can succeed provided that the manufacturers get their act together, and the software houses throw their full weight behind them. And that is a big if.

MSX, Micros and Modems

SONY HAVE just developed a smaller, cheaper compact disc player, that computer users will find very interesting. A disc usually contains thousands of bytes of digital information representing music, but there is no reason why the information stored on such a disc couldn't be computer data, or even programs. At £279.95, the player is going to be a little expensive for the average user to buy and connect up to his MSX micro while waiting for software to appear, but then you can't buy Elton John discs for a 3 inch floppy drive.

If it arrives, compact disc software will really appeal to the software houses, as it can be made difficult to pirate, though music pirates love CD as it gives them a perfect master to copy off. But it offers the user a lot of advantages. For a start it is very quick, and each disc can store vast amounts of data, best of all, compact discs are uncorruptable. Later this year there will be read/write CD units available, and who knows maybe software with stereo music.

CD for MSX

COMPUTER communications is the in-thing at the moment, everyone seems to be connecting up Modems, and running up massive phone bills. Amongst the various services available are British Telecom Gold which is an electronic mail service, the Nottingham Building Society "Homelink" system which offers home banking and shopping facilities, and services such as Compunet and Micronet. These last services are especially designed for home computer users and often have a large amount of free software available for downloading.

To use such services with an MSX computer you need: an RS232 interface, a modem and some operating software . MSX Viewdata from Kuma Computers is just such a software package. It allows the saving of Viewdata frames, and the off-line preparation of messages, and it also works with the Telex service. Anyone who has seen the film "War Games" will know what fun you can have with micros and modems, so for more details ring Kuma on (07357) 4335. You don't need a modem to speak to them yet.

Coming to save the world.

GHOSTBUSTERS HAS already been a worldwide smash-hit record. Before long the film will be breaking box-office records and no doubt the new video game will be the first MSX game to hit the number one position. Coming to a TV screen near you soon, Ghostbusters is available on cassette from Activision. The game has elements of adventure, strategy and arcade action and has been written by David Crane, the brain behind Pitfall and Decathlon.

Ghostbusters — the video game is based on events in the film and features some of the music and characters together with some surprises. Other MSX games from the Activision stable include Beamrider, Decathlon, Pitfall II, River Raid, Space Shuttle and Zenji. All six come on cassette and cost £11.99 each.

CONTENTS

PAGE

THE MSX STORY SO FAR . . .: The MSX invasion has finally started. But what is MSX? How did it come about? Who's involved in it? And, perhaps most importantly, will it last? 4, 5

SOFTWARE REVIEWS: The latest software to take advantage of MSX compatibility. A larger market for the software houses but what about the quality? 6, 18

THE SAME BUT DIFFERENT: It's not as easy as it may appear to choose an MSX micro. Here, we present a round-up of some of them, with prices, specifications and contact addresses. 8, 9

INTERVIEW — PSS AND MSX: Gary Mays, director of Coventry-based software manufacturer PSS, talks about the future of MSX. The prices of the micros start at around the £300 mark. Could this and other factors signal the bursting of the MSX bubble? And what effect will this new sector of the market have on the computer industry? 12, 13

Editor Bill Bennett, Publisher Chris Hipwell, Advertisement Manager Nick Ratnieks, Assistant Advertising Manager Neil Marchant, Advertisement Executives Nigel Borrell, Julian Bidlake, Kay Filbin, Advertisement Secretary Maxine Gill. Contact Address: Your Computer, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. Telephone 01-661 3465 (editorial), 01-661 3127 (advertising).

This supplement is distributed free with the January issue of Your Computer. Copyright: Business Press International Ltd 1984. Typeset by Instep Ltd., London EC1. Printed by Riverside Press Ltd, Whitstable, Kent.

THE MSX STORY SO FAR...

THE HOME COMPUTER industry has spent the last few years running around in circles. Each of the dozens of home computers has to have its own software especially written for it. Even different models from the same company can't use each other's software. This is set to change, thanks to the Japanese.

Over a dozen Japanese companies including Sony, Canon, Sanyo, JVC, Hitachi, Toshiba, Mitsubishi, Teleton and Yamaha have got together and agreed a standard for home computers. The standard is called MSX and the first microcomputers which meet it are now on sale in the high streets at prices a little under £300. Each model will be able to use software and accessories intended for the others. This would simplify life for micro owners, but rival computer makers say the MSX standard is already old fashioned. They also fear it could allow the Japanese to dominate the UK computer market.

The MSX story began in 1983 when several well known Japanese companies were planning home micros. Each asked Microsoft for a version of Basic for its computer. The version Microsoft produced was called MicroSoft eXtended Basic, or MSX Basic. From here the idea of producing machines which were fully compatible evolved and other Japanese companies were pulled in to agree to the standard. This took the name MSX, even though it went much further than just having the same Basic.

There are good arguments for standardising. It would be absurd if each hi-fi company produced record players which needed different types of record, yet this is just what happens with home computers.

!There are three main types of microprocessor in common use, the Z80, 6502 and 6809. Each understands its own set of machine code instructions, so a program written for one has to be totally re-written for the others. Even computers which use the same microprocessor arrange the display, keyboard, sound, memory and so on in quite different ways, so considerable work still has to be done to convert software. This means software is only produced for the top selling models.

Without a good range of software a microcomputer is little use. Several promising computers have failed because the companies which write software haven't bothered to produce any for them. If the Japanese companies had each produced different machines, they would have had a hard time getting software. Because they all use the same software there should be lots available.

Until now Japanese companies have made little attempt to sell home micros, for which no standards exist. The only ones to have reached the UK was the unsuccessful Sord M5 and the Sharp M2700. On the other hand they have done quite well selling business micros, for which there are two clear standards. By establishing the first home computer standard they could clean up.

The details of the MSX standard were drawn up by Microsoft. The main inspiration coming from Kay Nishi, the head of the Japanese division of Microsoft. All companies making MSX micros pay royalties and a hefty licence fee to Microsoft. Non Japanese companies are also taking out licences to build MSX micros, helping it become an international standard.

All MSX micros and software should carry the MSX logo. This is guarantee they meet the standard, so MSX owners can buy with confidence. Software really is interchangeable between different makes, both cartridges and tapes. At first being able to pull a cartridge out of a Sony and use it on a Toshiba seems amazing. After a few days using MSX micros it seems amazing that other computers can't do the same.

To achieve software compatibility meant virtually designing an entire standard computer. Designing microcomputers is largely a matter of choosing a combination of computer chips and then fitting them together on a circuit board, with a case and keyboard to go around them. The MSX design specifies chips which include the Zilog Z80 microprocessor, Texas Instruments 9918A display chip and the General Instruments AY-3-8910 sound chip, or their equivalents. It also specifies MSX Basic, standard keyboard functions, a cartridge socket, a cassette tape standard, one Atari style joystick socket and other details.

Each company is left to come up with its own keyboard and case styling. They also have some freedom over the other features included in each computer. The minimum MSX standard only insists each machine has 8K of main memory plus 16K of memory which is dedicated to the screen display. Almost all machines coming to the UK, however, have 64K of main memory, making a total of 80K including the screen memory. They also have a Centronics printer interface and a second joystick socket, neither of which has to be included in an MSX micro.

Some companies are building more specialised features into their machines. The Sony Hit-Bit MSX micro has a built-in database program. Yamaha's CX5M goes further and includes a high quality FM polyphonic synthesiser and piano-style keyboard. Add-ons such as disc drives and an RS232 interface can be added via the slot for cartridge software, which also acts as an expansion port.

MSX Basic is one of the best versions of Basic around, and is far better than found on popular micros such as the Spectrum and Commodore 64. It includes some powerful graphics and sound commands. The graphics commands include full control over 32 sprites. This makes it easy to write games, which could be mistaken for programs written in machine-code. All calculations are done to a much higher accuracy than normal. Ten functions can be programmed into the function keys and the computer displays a label for each key on the bottom line of the TV screen.

A wide set of other useful commands are included, plus some which are revolutionary. MSX Basic includes a full set of "event handling" commands. These can be made to interrupt a program when the joystick fire button is pressed, two sprites collide, a function key is pressed or at regular intervals. This makes the programmer's life much easier. For example, rather than writing a program so it repeatedly checks to see if a fire button has been pressed, just one command is needed to automatically send it to a subroutine when the button is pressed.

Although most MSX micros have 80K of memory, only 28K is free for use by Basic programs. A full 64K of memory is only available when using disc drives.

Graphics are produced with a resolution of

256 by 192 cots in 16 colours. There can only be two colours in each row of eight dots which is a standard limitation of the 9918 chip.

Perhaps the most controversial part of the MSX standard is the Z80 microprocessor. At over seven years old, this 8-bit chip is almost prehistoric by computer standards. Other computer makers say standardising on such an old microprocessor is a mistake when the latest designs could be used instead.

Yet the Z80 microprocessor is well known and is still used in many business and home computers. The latest UK computer, the Enterprise, uses the Z80 and Commodore's latest two home micros use a version of the 6502, a microprocessor of similar vintage.

Only two home computers have appeared with anything other than 8-bit microprocessors. One is the Advance 86a which uses a 16-bit microprocessor similar to the IBM PC's, allowing it to be expanded to use IBM PC software. It has not been popular as a home micro, however. The other is the controversial Sinclair QL. This uses the Motorola 68008 which has variously been described as a 32-bit, 16-bit and glorified 8-bit microprocessor. Despite using the latest technology, the QL is slower than many 8-bit micros.

Any standard tends to inhibit progress. As developments in computing happen so quickly there is a real danger the MSX standard will be left high and dry in a couple of years time.

The companies behind MSX say it will not go out of date because it will be able to switch to more advanced chips, such as the 16-bit Z800 microprocessor and the 9229 graphics chip. These are new versions of the chips in the MSX standard. They should be able to use all the old MSX software plus new software written to use their extra features. For example the 9229 chip allows an 80 column screen display as well as the normal 40 columns.

There is also due to be an MSX disk drive using a system known as MSX-Dos. This is similar to CP/M, but is able to exchange data (though not programs) with MS-Dos computers, so people will be able to take work from a 16-bit computer at the office and continue at home on an MSX micro.

The companies bringing MSX micros into the UK have formed the MSX Working Group to maintain the standard. The Group expects 85,000 MSX micros to be sold in the UK by Christmas and world wide sales of 780,000 next year, although estimating computer sales is a tricky business. MSX is claimed to have sold around 300,000 in Japan since its launch there in autumn 1983 and to now have 40 per cent of the market.

The UK has been chosen for MSX's first foray outside Japan because it has the highest ownership of home computers in the world.

Companies outside Japan are starting to take out licences for MSX. Spectravideo, a joint American and Hong Kong company produced a micro called the SV-318 which was a virtual prototype for MSX. Now the company has a true MSX micro. Philips is the first European company to announce an MSX micro, but it will be selling it in Italy and perhaps Germany before bringing it to the UK next year. GEC could become the first UK company to produce an MSX micro, it has bought a licence but has not yet committed itself to building anything. About 20 companies around the world have announced MSX micros and more will soon join the club.

The MSX standard makes it possible for lots of companies to launch home micros because they are guaranteed a range of software for them. Many UK software houses are converting their existing programs to run on MSX micros. This will make it possible for well known electrical companies which don't build computers to get into the business. It may also mean own brand home computers from chains such as Boots and Dixons.

Surprisingly the Japanese are not using the latest technology to build MSX micros. Each machine uses many computer chips. UK and US companies keep costs down by combining the functions of many of the simpler chips onto a single chip especially made for each micro, which is called an uncommitted logic array (ULA). The present MSX micros don't use ULA's which is one reason their prices are higher than expected. Indeed the demand for chips by MSX micros has helped make the world shortage in computer components worse and so push up prices further.

Cheaper MSX micros may be produced by using ULAs, or this stage may be missed out in a plan to go straight to a superchip combining all the major chips specified by the MSX standard. This would be more advanced than any chip used in home computers, allowing low cost computers to be build from just a few chips.

The strength of MSX is not that it is bang up to date, but that it is a well thought out standard with lots of features which make MSX micros pleasant to use. It is aimed squarely at the bottom of the market but has none of the major faults of existing micros, such as poor keyboards, small memories, poor versions of Basic, poor displays, no add-ons or little software. If there is going to be a standard, MSX is quite a good one.

SOFTWARE REVIEWS

Les Flics
PSS

LIKE MOST of the home grown MSX software, Les Flics is a conversion of a popular game from another micro, in this case the Sinclair Spectrum. It is an arcade action game that, though it never says so, gets its inspiration from the famous Pink Panther movies. Whoever wrote the mock French notes on the back of the cassette should be shot, but they manage to set the tone for what is essentially a fun game.

Les Flics is the French nickname for the "Old Bill', the game of the name, or the name of the game is about avoiding them as you guide a pink panther around a map of Paris. There are two parts to the game, a car chase around the streets, and a more conventional arcade chase-about inside the buildings. There are nine buildings to choose from, and they each contain objects to help you commit the crime of the century.

Like any other supercrook, you need food to keep your strength up, ignore it and you die; however you may only eat while you possess the knife and fork. Keys let you open doors and so on. In a way Les Flics is like an Arcade Adventure, in the same genre as Atic Atak, though it is somewhat less sophisticated.

Rating ***

Holdfast
Kuma

HOLDFAST IS the first overtly political game for the MSX computers. In the game you lead a village's campaign for a school and a clinic. The hypothetical country that the game is set in is called Dictatoria, but might as well be Great Britain. There is a slight, but only a very slight, resemblance to Hamurabi, or Kingdoms, though your aim is not to manipulate stocks of grain and raise taxes, instead to have to manipulate public opinion, and get it on your side.

On the surface, Holdfast is a mildly amusing computer parlour game. But under the surface lies something far more significant: a message. Fortunately the message, and the lesson learnt from playing the game, is a fairly sound one: If you want to get things done, organise peaceful campaigns. As such this is a laudible sentiment, yet suppose someone with a darker motive was to try and "teach" in this manner. What if the National Front put out a similar game where you win by persecuting a minority?

No doubt Holdfast was meant to be controversial but that doesn't stop it being fun. Destined to be a smash-hit with Guardian readers, CND members and anyone who doesn't like the government.

Rating ***

Eric and the Floaters
Kuma

ERIC AND the Floaters sounds more like a rock band than a computer game. Either way, Eric and his friends are not going to top any charts. Eric is a little man trapped in a maze and he is being chased by the "evil" floaters. Though they don't look all that evil, they resemble party balloons, and some of the time their little faces smile.

The object of the game is to kill all the floaters, pick up some treasure, and find the door to the next level of the game. Killing all the floaters on one level sends you to a more difficult level, either with more floaters, or with automatic bomb laying. The delayed action bombs are your only weapon against the balloon baddies. Personally I found myself sympathising with the baddies.

Rating **

Shark Hunter
Electric Software

ESKIMOS HAVE a hard life, all that snow and ice, aggro every few months from Greenpeace and all those trainee salesmen trying to flog them fridges. However such tribulations bring rewards, and the Eskimo is the star of a surprisingly large number of MSX games. In one of them, Shark Hunter, our friend the Eskimo has a Herculean task on his hands, keeping the sharks away from his fishpens. All through the spring, summer and autumn, he struggles to keep the sharks away, so that Ms Eskimo and little baby Eskimo can eat through the long dark winter.

The Eskimo can be controlled by either the joystick, or the cursor keys, and he must dash about mending nets and throwing harpoons at the big bad sharks. To mend the nets he has to swim in the sea, and if you don't watch out, he becomes a meal for the sharks. Shark Hunter is a gruesome, but addictive, game and will appeal to all the family, unlike most other computer games.

Rating ****

Driller Tanks
Kuma

DRILLER TANKS is not the best MSX game to date. It involves burrowing a tank deep into the earth beneath a building that looks remarkably like Brighton Pavilion. Naturally there are some nasty creatures living in the tunnels that get dug, and naturally they can either get you, or get zapped by your tank's water cannon — well that's what it looks like.

Points are scored for dispatching the hostiles, and for progressing around the maze-like tunnels. There are eight screens of tunnels for you to get utterly bored in. Driller Tanks makes watching Crossroads seem like worthwhile activity. Avoid this game, it is the software equivalent of a lullaby.

Rating *

Maxima
PSS

MAXIMA IS billed as a "pure arcade game", so it will appeal to the shoot-'em-up brigade. It is the kind of game that is best played with a joystick, and better still if you have some friends along to join in the alien blood-letting. Like most of these shoot-'em-ups, Maxima is effectively space invaders with knobs on.

There are 16 different waves of nasties to zap, and the smooth graphics, sound and movement is all very nice, but ultimately Maxima is unsatisfying. There is no aim other than to create lots of alien orphans, and no real reward for all your efforts. Still if you never caught space invaders first time around, then this might appeal to you.

Rating **

Sparkie
Sony Hit-Bit cartridge

SPARKIE IS a very original game. It puts the lie to the story that the Japanese can neither program, nor come up with, innovative ideas. Although on the surface it does bear a passing resemblance to Pac-Man, the game has much more depth, and an equally odd theme. Sparkie is a bomb, the old fashioned type, complete with a fuse. He lives in a maze, which is crawling with mobile cigarette lighters and matches. These chase Sparkie and if they connect, Kerpow! he explodes.

Fires burn, and to make things worse every

(continued on page 18)

the only choice

Kuma



Eric and the Floaters | Binary Land | Driller Tank | Fire Rescue | Hyper Viper

Database | ZEN Assembler | WDPRO | Kuma FORTH | Home Budget

An outstanding selection from Kuma's rapidly expanding range of Entertainment and Application Software for the MSX Micro-computer.

Books:

- **Starting with the MSX**
- **The MSX Red Book**

Accessories:

- **RS232C Interface**
- **Speech Synthesiser**
- **Parallel Interface**

Available from larger branches of Boots and selected branches of Co-op, Granada, Laskys and John Menzies.

Kuma Computers Ltd., 12 Horseshoe Park, Horseshoe Road, Pangbourne, Berks RG8 7JW.

Please send full catalogue on MSX products.

Name .....
Address .....
.....
..... Phone.....

I own a ..... MSX Computer.

Trade Enquiries Phone 07357-4335

THE SAME BUT DIFFERENT

MSX micros offer the same basic specifications but choosing one isn't as easy as it appears.

CHOOSING A MICRO is never easy, choosing MSX micros is even more difficult. This is because there isn't much to choose between. All machines offer the same fundamental specification, though certain models might have differing amounts of memory. This leaves three criteria; manufacturer, price and the extras offered.

You might think that the cheapest machine is the best buy, after aren't all MSX machines the same anyhow? But the big name manufacturers claim that their machines will sell purely on the strength of the labels attached to them. The big names boast that they can offer customers a better back-up service, or a more reliable machine, or in some cases a prettier box around the computer.

Whatever manufacturer you choose, the price is going to be important. MSX micros are not exactly cheap when you consider their specification. Yet some machines are better value than others. Lastly comes the extras, these vary from Yamaha's mini piano keyboard and music software, to Sanyo's light-pen interface. On the whole you can expect to pay more for a machine with extras than for a bare-bones MSX micro.

In addition to the machines in the buyer's guide below, are a number of other machines not yet announced in the UK. Most of the manufacturers are cagey about releasing details, they want to wait and see how these machines sell first. Amongst those planning first releases are Phillips, who have already released a MSX micro in Italy, but say the specification is too unsophisticated for the UK market. Fujitsu, Japan's biggest computer manufacturer, have a micro coming, but not yet. Teleton would be shipping machines now but is having problems with quotas.

SPECTRAVIDEO SVI 728

Contact Address: Spectravideo Ltd., 165 Garth Road, Morden, Surrey SM4 4LH.
Telephone: 01-330 0101.
Prices: £249
Specification: 64k Ram.
Availability: Out now in some electrical shops.

JVC HC 7GB

Contact Address: JVC House, 12 Priestly Way, Eldonwall Trading Estate, Staples Corner, London NW2 7BA.
Telephone: 01-450 2621.
Price: £279
Specification: 64k Ram, second cartridge slot
Availability: November 84, JVC will be selling the HC 7GB through their nationwide network of hi-fi dealers.

See figure 1.

YAMAHA CX-5

Contact Address: Kemble Yamaha Ltd., Mount Avenue, Bletchley, Milton Keynes, Buckinghamshire MK1 1JE.
Telephone: (0908) 640202.
Price: £600.
Specification: 48K Ram. The Yamaha CX-5 is sold primarily as a musical instrument, it comes complete with a three and a half octave piano keyboard, and a built-in synthesiser. The CX-5 also has a midi-interface. There are 48 pre-set voices and can play either monophonically or in 8-note Polophony. (See main magazine for full review.)
Available: Out now, but sold through music shops.

Figure 4. ▼



Figure 2. ▼



TOSHIBA HX-10

Contact Address: Toshiba (UK) Ltd., Toshiba House, Frimley Road, Frimley, Camberley, Surrey GU16 5JJ.
Telephone: (0276) 62222.
Price: £279.
Specification: 64k Ram
Availability: The Toshiba is already available in a number of high street stores.
See figure 2.

CANON V-20

Contact Address: Canon (UK) Ltd., Canon House, Manor Road, Wallington, Surrey SM6 0AJ.
Telephone: 01-773 3173.
Price: £280.
Specification: 64k Ram.
Availability: In shops from November '84.
See figure 3.

SANYO MPC 100

Contact Address: Sanyo House, 8, Greycaine Road, Watford, Hertfordshire WD2 4UQ.
Telephone: Watford 46363
Price: £299.
Specification: 64k Ram, special light-pen interface. Two manuals and two introductory cassettes.
Availability: Out now in high street stores.
See figure 4.

GOLDSTAR MSX

Contact Address: Microdealer UK Ltd., Burrowfield, Welwyn Garden City, Herfordshire.
Telephone: (07073) 28181.
Prices: £230.
Specification: 64k Ram.
Availability: Through specialist computer shops.
See figure 5.

SONY HIT-BIT

Contact Address: Sony (UK) Ltd., Sony House, South Street, Staines, Middlesex. TW18 4PF.
Telephone: Staines 61688.
Price: £299.
Specification: 64k Ram, second cartridge slot. An extra 16k ROM contains special built-in software which can be used with CMOS battery powered RAM to provide database facility. Software includes; Address Book, Memo Pad and Schedule Reminder. Supplied with three manuals.
Available: Out Now.
See figure 6.

MITSUBISHI ML-F 80 and ML-F 48

Contact Address: Mitsubishi Electric (UK) Ltd., Hertford Place, Denham Way, Rickmansworth, Herts, WD3 2BJ.
Telephone: Rickmansworth (0923) 770000.
Prices: ML-F 80 £299; ML-F 48 £249.
Specification: ML-F 80 has 64k Ram, ML-F 48 has 32k.
Availability: November 1984, available throughout Mitsubishi TV dealers.
See figure 7.

Figure 7.

Figure 3.

Figure 6.

Figure 1.

Figure 5.



The new Mitsubish

For those in the know

Anyone conversant with home computers will know precisely why MSX was worth waiting for.

The sheer proliferation of computer and software systems flooding the market loudly underlined the need for a unified standard.

So the major companies jointly developed a single computer and software system. The result – MSX – the format that will be standard for all time.

And those in the know will not be surprised that Mitsubishi are in the vanguard of the MSX movement. For, with the F-series, Mitsubishi offers everything that MSX is and more.

GRAPHICS

Maximum resolution of 256 x 192 pixels with all 16 colours available on the screen at the same time. 32 sprites in two sizes and two magnifications allowing easy creation of '3D' graphics. 255 pre-defined characters all of which can be used as straight text or easily mixed with graphics.

JOYSTICK AND CASSETTE PORTS



EXPANSION BUS | PRINTER PORT | MONITOR OUTPORT

SOUND

Three independent channels which can be output through the TV loudspeakers at any volume, individually or simultaneously, at any of the available 8 octaves. All three channels can use the 'noise' generator for stunning sound effects.

KEYBOARD

73 moving keys, ergonomically designed for many hours of fatigue free use. Large cursor control keys which are excellent for both programme editing and game playing. 5 function keys giving 10 pre-defined functions which can easily be redefined from 'BASIC' using the 'KEY' command.

BASIC

MSX BASIC is possibly the most comprehensive version of the original language. There is a complete set of commands for creating graphics and sounds, manipulating text and moving sprites. In addition to this there are 'built-in' interrupt routines for detecting sprite collisions, function key selections and joy-stick fire buttons.

EXPANSION

The Mitsubishi 64k ML-F80 and 32k ML-F48 are both equipped with 2 cartridge ports, 2 joy-stick ports and a centronics compatible parallel interface. It is through these devices that the MSX system can be expanded for use with disc-drives, printers, serial interfaces, modems and other peripherals.

SOFTWARE ON CASSETTE

The MSX system can load and save data onto cassette at 1200 or 2400 baud and unlike certain other home computers, the Mitsubishi F-series can be used with a normal domestic tape recorder for this purpose.

When you put all of these features together, with the knowledge that Mitsubishi is the largest manufacturer of Mainframe computers in Japan, those in the know will immediately recognise the true potential of the Mitsubishi F-series.

hi MSX Computers

For those who aren't

The Mitsubishi MSX family computer is everything you wanted to know about computers, but didn't know who to ask.

It's friendly, it's fun and so simple, a grown man can use it. Yet so versatile even his computer-versed children would be hard-stretched to over-tax it.

It operates with any colour TV set. Just plug it in, and the full power of the computer is instantly at your fingertips.

FOR FATHER

The Mitsubishi MSX can do many things, from keeping a simple check on the bank balance to running a complete business with customer account files, stock control programmes and word processing. It is just as much at home keeping control of your record or stamp collection or playing 'strategy' games such as chess, othello or contract bridge.

FOR MOTHER

There is the opportunity to store recipes and other household information or keeping record of the children's progress at school. Household accounts can also be recorded so that savings can be planned for holidays and other seasonal expenses.

FOR THE CHILDREN

There is education, particularly computer education. In a world where computer literacy is now of foremost importance, MSX offers a broad base of educational software. With simple programmes for the very young through to complex programmes for older students like language learning.

Also, the graphics system of the Mitsubishi computer ensures that the MSX versions of your favourite games are reproduced with incredible speed and accuracy.

Undoubtedly, MSX is the format for the future, and will become the byword for computer education and entertainment.

And you can be secure in the knowledge that regardless of future developments, any investments made in MSX hardware, software and peripherals today will always be compatable with the Mitsubishi F-series.

So if you've waited until now to buy a computer, you couldn't have timed it more perfectly. Get to know one today.

MITSUBISHI COMPUTERS

Mitsubishi Electric (UK) Ltd., Hertford Place, Denham Way, Rickmansworth, Herts WD3 2BJ. Tel: 0923 770000.

SPECIFICATIONS

CPU:
Z80A (3.6 MHz)
Memory:
ROM: 32 KB
RAM: 64 KB (F80)
RAM: 32 KB (F48)
Video Ram: 16 KB
Screen Displays:
*Text Mode:
40 columns x24 lines
*Graphics:
256 x 192 pixels
Colours: 16 (15+transparent)
Sprites: 32
Output: RF, Composite Video
Keyboard:
73 moving-key keyboard
5 function keys
Cursor control keys
Special keys for screen editing
Sound:
8 octaves
3 channels for sound or 'noise'
Output by TV sound or External Audio Amplifier
Cassette Interface:
1200-2400 baud
Motor controlled by CPU
Parallel Interface:
Centronics
Joy-Stick:
2 x 9 pin connectors
Rom-Cartridge:
2 x 50 pin connector

*Subject to Scan of Monitor



ML-F80

ML-F48

MSX

PSS AND MSX

GARY MAYS, director of PSS is not certain about the future of MSX. His Coventry based software house is currently writing and converting software to run on the new standard, yet that doesn't mean he thinks the end-users are going to pick up on it. So why does PSS produce MSX software? "In the short term the multiple stores are going to stock MSX computers, and they will need some software to help sell the hardware.

"I have faith that the large stores will go for MSX. It is that kind of product. Holding MSX software greatly reduces their stock problems as they only need one set of software for a whole range of hardware. Whether the end-user will pick up on it remains to be seen. It will open up a totally new sector of the market, just as the Amstrad machine is doing."

Gary thinks that there is one question which the computer industry, both software and hardware, should address themselves to, "what do people want to do with computers?". Something useful no doubt, but he thinks that the software houses don't help the situation churning out one arcade game after another and expecting the public to be as enthusiastic as they were a year ago. "If the MSX manufacturers can answer this question then they will clean up".

A great deal of the computers sold these days are not to beginners, but are going to people who already own one micro and are upgrading. For example a lot of Spectrum owners are buying Commodore 64s. Gary Mays doesn't think the MSX computers are in that market at all. MSX computers are not likely to sell to people who know about computing.

Cambell MacCausland is the resident boffin at PSS, and he challenges the line put forward by the captains of the home grown computer industry, which claims that standardising micros on MSX is like freezing the development of the motor car at the Model T Ford stage. "It's nonsense, of course they would say that, after all, they are in competition with them.

"However the manufacturers have thought very hard about the specification. They chose the Z80 chip for the main processor and the Texas display chip for very good reasons. For example, Texas is currently working on a new chip which includes all the facilities of the current one, together with a whole lot more new functions. It will still work in MSX micros as it does at present, but when a few special signals are sent to it, a whole new range of capabilities will open up.

"In the same way, the processor that will go into any new MSX machines will be the Z800, which is totally compatable with the Z80. If MSX takes off, all the descreet chippery inside the computer will be compacted into a smaller number of chips, and that will bring the price of the machines down. I liken the MSX standard to a record player. If you buy a new computer your previous software tends not to run on the new machine, whereas if you buy a new record player, all old records will play on it.

"The method of making and playing records was developed back in the 1930s. In those days the players were crackly and very Model T-ish, but you cannot compare them with modern records and record players. The technology may have changed in many ways, but there is compatability. You can still play a 1940s record on a modern stereo."

At prices around the £300 mark, MSX computers are not cheap, and are definitely not good value, Gary Mays thinks this could be the biggest obstacle to the success of MSX. "The price isn't low enough to attract existing users — the kind of person who has a Spectrum or a ZX81 and is looking around for something a bit decent, with a real keyboard. The high price has a lot to do with the supply. Manufacturers cannot produce the numbers that a lower price would demand, so the price remains high. Once production steps up we can expect to see prices plummet."

But will Sinclair, Commodore and Acorn have to step into line? Gary Mays thinks not. "Sinclair are something special, a seperate entity. It would take something really stupendous to break his cult following." Yet the real answer to the question is more complex, for a start it depends on the software house. "If we can afford to develop a program across three or four machines, and that is unlikely, then Sinclair and Commodore can keep right on. To us the big advantage of MSX is obvious, you only need to produce one program. If MSX does take off, then we (the software houses) can get into cartridges, which would make life a lot easier all round.

Software companies like PSS have little direct contact with the hardware manufacturers. What does go on is mainly through the central MSX agency. In order to maintain compatibility across all the hardware, they have to follow very rigid guidelines. It is quite



possible that eventually the software will be tailored to one or two MSX computers, especially if only a couple dominate, but for now the programs stretch across the lot.

But surely all MSX computers are the same. Both Gary and Campbell don't think so, but admit that they are provided a programmer sticks rigidly to a set of BIOS calls — rather similar to the BIOS calls of CP/M. "Commodore make use of a similar system, which everyone seems to ignore. Once you depart from this and start calling things directly, you run into compatability problems." The MSX group advises software houses to stay within these guidelines, but that is rather like telling Picasso to stick to painting by numbers.

"One of the disadvantages of the BIOS calls", says Campbell, "is that for some machine-code, especially in an arcade game, you need speed. And going through the BIOS is not the quickest way of doing things. This unfortunately means that games software will be brought down to the best performance of the BIOS. On the Spectrum, a hit program is usually made by a programmer doing something which was previously thought impossible. That simply won't be possible with MSX machines."

Of the new MSX software from PSS, two games are conversions. "Les Flics" was originally on the Spectrum, and "Maxima" has been converted from the Memotech. Maxima is a "pure" arcade game, a fast shoot-'em-up in the Space Invaders vein. The Assembler/Monitor, one of the first MSX utilities, first saw the light of day in the "Home Computer Advanced Course" as a giveaway.

Before committing themselves to simultaneous releases of new software on MSX and Spectrum, the PSS people want to see what happens to the new standard. This attitude is common right across the industry, wait and see. In the short term both expect to see MSX users wanting the same kind of software as other computer users. Gary Mays has particular hopes for the Assembler, which he thinks will have a huge initial market as software houses, bedroom hackers and budding Jeff Minter's all try to produce software for the mushrooming MSX market. In the longer term though there will be a different trend.

"MSX users will tend to be older, more likely a 25 year old who wants something to match his hi-fi. He will be looking for more sophisticated software, maybe business packages. In the long term utility products won't sell, because MSX users will probably not be programmers at all, they will be purely software buyers, and computing will be software based."

One good thing about MSX is that it is an international product, and there is a potential export market for shrewd software houses. PSS have already delivered product to France. As yet there is no MSX software market in the USA, because there are no MSX computers there yet. "Because we managed to get in so early it has had the side effect of letting us sell our back-catalogue to our newly found markets."

When MSX becomes a truly international product, it gives software houses a bigger market, this can only do them good. Currently PSS are exploring ways of making software multilingual, that is one program with software options for users in different parts of the world. But for the moment the French receive a slightly different version of existing games. The biggest problem at the moment is determining which languages to put on the cassettes.

One of the problems that has dogged PSS from day one of the companies involvement in MSX was getting hold of machines. All the other software houses had the same problems, they simply were not around. As for technical help, the user group has been far more helpful than any of the existing manufacturers. All the UK manufacturers are to say the least "unhelpful". A rule of thumb is the more desperate a manufacturer is to have independent software houses writing for a particular machine, the more likely that company is to help. MSX manufacturers, through the user group have been the most helpful of all, which is a pointer to how important they see the software industry being.

"The Japanese have been the first people to accept what software houses have been saying all along", said Gary Mays, "that no matter how good a machine is, it ain't going to sell without software". On the other hand Amstrad has been encouraging software houses to write for the CPC 464, but insists on doing all the marketing. Giving a software house only a royalty. The MSX group provided software houses with technical manuals in fact the first technical manual PSS ever had from any source.

The key thing about MSX is that the group has managed to get software houses on their side. Something which nobody has bothered to do in the past.





THE UNIQUE MSX SYSTEM Complete

In the confused world of computer technology the unique MSX System has been adopted as a common standard for computer production by at least 16 of the biggest and best names in home electronics. This major breakthrough in the development of

The Sensational SONY HIT BIT

A 64K MSX Computer with an exclusive, built-in Personal Data Bank (firmware). This handy facility enables you to enter, store, recall and up-date all kinds of personal information such as appointments, addresses, telephone numbers, etc. Operation is simple, with instructions appearing on the screen every step of the process.

£299.95

Data from the Personal Data Bank can be saved on any data storage facility or on the **UNIQUE HBI 55 RAM CARTRIDGE,** available for

£39.95

KV1430 14" MONITOR STYLE, PUSH BUTTON CONTROL TRINITRON COLOUR TELEVISION
with front mounted RF terminal.

£239.95

HBD50 MICRO FLOPPY-DISK UNIT
stores up to 360K bytes of information on a 3½" disk. Easily connected to the Hit Bit by using one of the expansion slots.

£349.95

PRICES SHOWN INCLUDE VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. E. & O.E.

The Superb SANYO MPC100

This sophisticated piece of equipment offers all the advantages of 64K MSX computing. *(complete with 4 programme starter pack)*

£299.95

CBP 3000 14" MONITOR STYLE COLOUR TELEVISION with removable smoked glass screen for higher definition.

£199.95

Plus a unique optional feature – **MLT001 LIGHT PEN.** This provides you with unlimited flair and flexibility in colour graphics design. This feature comes complete with a software package containing some intriguing graphic facilities.

MLT001 LIGHT PEN

£89.95

RING TELEDATA 01-200 0200 FOR DETAILS OF YOUR NEAREST STOCKIST.
ANYTIME DAY OR NIGHT

compatibility...

Home Computing brings you complete compatibility in hardware and software. To cater for all home computing needs, Axis have selected in these pages an unbeatable, top value-for-money range of MSX computers, colour monitors, peripherals and software for you to choose from. "We believe that when you discover the benefits of MSX computing no other system will do".

TOSHIBA

The Star Value TOSHIBA HX10

The first MSX computer to be introduced into the U.K.

PRE-XMAS OFFER
3 YEAR GUARANTEE
PLUS 2 FREE SOFTWARE TITLES

IN THE SHOPS NOW!

Offering superb facilities and outstanding value for the first time user or enthusiast. 64K Ram, 16 colour graphics, RF, video and audio connectors, plus ports for printer, disk drive and data recorder. *(Including starter pack software).*

£279.95

140E MONITOR STYLE COLOUR TELEVISION

The perfect partner for the HX10, providing excellent picture and sound quality.

£189.95

HX-P570 PLOTTER PRINTER

Easily connected to the HX10 through the printer interface. This printer features image and character plotting in 4 colours – red, green, blue and black – making it ideal for colourful graphs, pie and bar charts. Plotting speed is 285 steps per second.

£249.00

SANYO

DR202 DATA RECORDER

Top of the range machine offering a host of high technology features.

£44.95

DON'T FORGET TO ASK YOUR DEALER FOR DETAILS OF CREDIT FACILITIES, EXTENDED GUARANTEES, ETC. AVAILABLE ON CERTAIN ITEMS.

AXIS
AT HOME WITH TECHNOLOGY

THE UNIQUE MSX SYSTEM ..amazing

When you buy your MSX computer, you enter a new dimension of Home Computing with software options on disk, ROM cartridge or cassette tape.

Peripheral options cover colour monitors, printers, disk

The Spectacular JVC HC-7GB

IN THE SHOPS NOW!

The HC-7GB personal computer from JVC is a new MSX machine designed for total compatability between other MSX machines and all MSX softwear. A highly advanced 64 K machine, the HC-7GB has three display modes offering RF, composite video and RGB outputs. The HC-7GB MSX personal computer from JVC is the final word in home entertainment.

£279.00

THE JVC 7255 GB 14" COLOUR TELEVISION COMPUTER MONITOR



With full remote control **£269.95**

JOYSTICKS

For extra versatility and sensitivity in control there is a range of high quality joysticks available from these famous manufacturers offering such features as double trigger and suction stability pads.

TOSHIBA

HX-J400 £12.95

SANYO

MJY 002 £12.95

JVC HCJ615 £12.95

SONY JS 55 £19.95

SANYO CTP3132 14" PUSH BUTTON COLOUR TELEVISION



The ideal budget price television for your home computer unit. Great value for money at SANYO **£179.95**

SONY PRN-C41 PLOTTER/PRINTER

This Plotter/Printer produces red, green, blue and black images and characters. Pen replacement is easy and it takes a wide choice of paper sizes including FREE 'greetings pack' software.

SONY **£249.95**

PRICES SHOWN INCLUDE VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. E. & O.E.

RING TELEDATA 01-200 0200 FOR DETAILS OF YOUR NEAREST STOCKIST.

ANYTIME DAY OR NIGHT

versatility

drives, light pens, plotters, joysticks, data recorders and RAM cartridges from many top name manufacturers in the home electronics field.

Their performance offers you unrivalled graphic and sound quality together with outstanding simplicity of use.

THE INCREDIBLE FISHER CFB 1410 P MONITOR STYLE COLOUR TELEVISION



This superb, high technology 14" monitor style television has earned a high quality reputation as a reference in the field of home computer monitoring. It features a full 17 function infra red remote control housed in the front of the set. Other sophisticated facilities include direct audio/visual terminals in/out and smoked glass filter for perfect picture definition.

FISHER £269.95

SOFTWARE

TOSHIBA

SOFTWARE STARTER PACK As a special introduction to your MSX computing, Toshiba offer a pack of 5 exciting computer games for **ONLY £30**

Pack consists of: ● 3D Golf ● Trick Boy ● Clapton II ● Pyramid ● Polar Star

(Offer only available while stocks last)

Individual games available at **£7.95 each**

SONY ROM CARTRIDGE SOFTWARE A range of sophisticated Sony Rom Cartridge Software is available at prices up to **£19.95**

SANYO DR201 DATA RECORDER

An AC only recorder styled for computer use with all controls conveniently placed on top of the machine for ease of use. **£34.95**

SANYO DR101 RECORDER

Specifically designed for use with personal computers, with phase shift switch, speaker monitor and AC/DC operation. **£34.95**

SONY TCM737 DATA RECORDER

A mains or battery operated recorder ideal for use with your home computer. **£39.95**

JVC HC-R105 DATA RECORDER

The stylishly designed HC-R105 data recorder is an example of a machine produced to offer superb user convenience, exceptional performance parameters and reliable data transfer. The HC-R105 is a high speed machine giving very short access times to data. **£89.00**

JVC

RING TELEDATA 01-200 0200

For your local stockist or visit your nearest Axis recommended Dealer listed below

AVON

BRISTOL C.J. FREEMAN & CO. LTD. 47, High St., Portishead Tel: 0272 848180

BEDFORDSHIRE

BEDFORD TAVISTOCK HI-FI LTD. 21, The Broadway Tel: 0234 56323

BERKSHIRE

SLOUGH C.F. LAKE LTD. 37, Stoke Road Tel: 0753 38287

READING SEWARDS 130-131, Friar Street Tel: 0734 599527

BRACKNELL SEWARDS 54, The Broadway Tel: 0344 52255

BUCKINGHAMSHIRE

CHESHAM D.L. CHITTENDEN LTD. 59-61, The Broadway Tel: 0494 784441

CHESHIRE

NORTHWICH NORDIS LTD. 39, Chester Way Tel: 0606 3691

CREWE ROY TOWNSEND SOUND & VIDEO 2-4 Victoria Street Tel: 0270 213276

CLEVELAND

STOCKTON ON TEES MCKENNA & BROWN LTD. 81, High Street Tel: 0642 679995

DERBYSHIRE

DERBY STUART WESTMORELAND 67 St. Peter's Street Tel: 0332 367546

DURHAM

DARLINGTON MCKENNA & BROWN LTD. 102, Bondgate Tel: 0325 59744

EAST SUSSEX

EASTBOURNE CLEARVIEW RENTAL 215, Seaside Tel: 0323 21646

SEAFORD CLEARVIEW RENTAL 34-40, High Street Tel: 0323 898989

ESSEX

GRAYS A.C.L. RADIO SERVICES LTD. 1, Northmall Tel: 0375 4666

ILFORD D. WOOLFMAN LTD. 76, Ilford Lane Tel: 01-478 1307

SOUTH BENFLEET HODGES & JOHNSON LTD. 285, High Road Tel: 037 45 58725

WESTCLIFF HODGES & JOHNSON LTD. 96-98, Hamlet Court Road Tel: 0702 334488

CHELMSFORD RUSH HI FI 5-6, Cornhill Tel: 0245 57593

GRAMPIAN REGION

ABERDEEN A & G KNIGHT 108, Rosemount Place Tel: 0224 630526

GREATER LONDON

CROYDON J & T ROBINSON LTD. 20, Norfolk House, George Street Tel: 01-681 2800

SUTTON LANDAU RADIO LTD. 195-197, High Street Tel: 01-643 0027

HAMPSHIRE

BASINGSTOKE SEWARDS 18, Paddington House, Bedford Walk Tel: 0256 65665

KENT

GRAVESEND BENNETT & BROWN 181-183, Windmill Street Tel: 0474 52919

SHEERNESS BRITTAIN & HOBBS. LTD. 22-24, High Street Tel: 0795 665551

LANCASHIRE

PRESTON GOODRIGHTS LTD. 1, Friargate Tel: 0772 57528

BARNOLDSWICK HARRY GARLICK (TV CENTRE) 1, Church Street Tel: 0282 813309

BURNLEY HARRY GARLICK (TV CENTRE) 10, Howe Walk Tel: 0282 37118

LEICESTERSHIRE

WIGSTON A.G. KEMBLE LTD. 63, Leicester Road Tel: 0533 881557

LOUGHBOROUGH STUART WESTMORELAND 33, Cattlemarket Tel: 0509 230465

LINCOLNSHIRE

GRANTHAM STUART WESTMORELAND 49, High Street Tel: 0476 78108

LONDON

HOLBORN BERRYS RADIO 37-39, High Holborn Tel: 01-405 6231

EALING SQUIRES OF EALING 28-30, New Broadway Tel: 01-567 1881

MERSEYSIDE

LIVERPOOL BEAVER RADIO 20-22, Whitechapel Tel: 051 709 9898

NORFOLK

NORWICH HUGHES TV & AUDIO 17-21, White Lion Street Tel: 0603 60935

NORTH YORKSHIRE

YORK CUSSINS & LIGHT LTD. Kings Square Tel: 0904 55666

NOTTINGHAMSHIRE

NOTTINGHAM E.N.L. AUDIO VISUAL 116-118, Alfreton Road Tel: 0602 784015

SOUTH YORKSHIRE

ROTHERHAM BRITTAIN BROS. LTD. Doncaster Gate Tel: 0709 65393

STAFFORDSHIRE

STOKE-ON-TRENT ROY TOWNSEND SOUND & VIDEO 10, Trinity Street, Hanley Tel: 0782 289114

STRATHCLYDE REGION

SALTCOATS HARRIS OF SALTCOATS 104-106, Dockhead Street Tel: 0294 64330

SUFFOLK

IPSWICH HUGHES TV & AUDIO 42, Buttermarket Tel: 0473 215093

LOWESTOFT HUGHES TV & AUDIO 62, London Road North Tel: 0502 85611

SURREY

DORKING DORKING AUDIO SYSTEMS 23, South Street Tel: 0306 882897

WEST YORKSHIRE

HOLMFIRTH FRANK PLATT ELECTRICAL Victoria House, 24, Victoria Street Tel: 0484 682036

HALIFAX FRED MOORE LTD 15-17 Southgate Tel: 0422 67763

BINGLEY SPENCER & HILL LTD. 133, Main Street Tel: 0274 565161

PLEASE NOTE "MSX" PRODUCTS ARE IN SHORT SUPPLY. PLEASE PHONE YOUR DEALER TO CHECK HE HAS STOCK AVAILABLE.

DON'T FORGET TO ASK YOUR DEALER FOR DETAILS OF CREDIT FACILITIES, EXTENDED GUARANTEES, ETC. AVAILABLE ON CERTAIN ITEMS.

AXIS

AT HOME WITH TECHNOLOGY

SOFTWARE REVIEWS

(continued from page 6)

so often give out flames which also chase Sparkie. The flames cause Sparkie's fuse to burn, and all hell is let loose as Sparkie has to dash to a water bucket to douse the fizzing fuse. As Sparkie progresses through the maze, it turns blue, and when the whole of the maze has been coloured, he moves on to another, yet harder maze.

This game is not to everybody's taste. It is a bit cute, but it will go down well with families. As an example of Japanese programming, it is impressive. Best of all is the colourful moving graphics, and the oriental music. Sparkie is hot stuff.

Rating ****

Hyper Olympics
Konami

SUDDENLY THE whole world is athletics crazy. And so are computer games freaks. All over the western world one arcade game dominated the summer. "Track and Field" could be found in pubs, clubs and railway buffets everywhere. Now MSX users can join in the fun in the comfort of their own homes with the three new Hyper Olympic products from Konami.

Hyper Olympics is such a complex game that it comes in two parts, or rather comes on two cartridges. The third part is a special two-button playing device which allows you to really punish the buttons, in the same way that it is possible to hammer the arcade version. This device is called the "Hyper Shot", and simply plugs into the MSX joystick port. I found that it greatly improved my scores, and saved me from totally destroying my stock of joysticks, which can also be used to play the games.

The games included on the two cartridges will be familiar to fans of the arcade version. Cartridge one has 100m Dash, Long Jump, Hammer Throw and 400m Run. The second cartridge contains 110m Hurdles, Javelin Throw, High Jump and the 1500m Run. Unfortunately you have to play the game in two separate parts, but that doesn't seem to spoil the fun.

Each of the events in the Hyper Olympics is a separate game. You have to reach the qualifying standard, be it a time or a distance, to be able to move on to the next event. As you progress through the game your score appears to multiply, depending on how well you perform at each event.

In running events speed is governed by the rate at which you thump the run key, or wiggle the joystick. In field events you still have to control speed, but you also have to control the jump or throwing trajectory. This is done by holding down the jump button, or pressing the fire button on the joystick.

If Hyper Olympics is typical of the software that is going to appear on MSX cartridges, then the new Japanese standard will be a great success.

Rating ****

Buzz Off
Electric Software

BERTIE THE Fly loves eating fruit and buzzes around the screen eating the goodies. The trouble is each time he eats a piece of fruit he generates a new piece of web which is fatal if he touches it. This gets to a point, usually sooner than later, where it is nearly impossible to eat anymore fruit without getting trapped in your own web; some sort of meaningful message about greed perhaps?

Rating **

Oh Mummy
Eclipse Software

ON WITH THE Pith Helmet and off for a spot of troggling around pyramids. In much the same manner as painter, you have to go round squares to fill them in while other things chase you.

Rating *

Now available for your MSX computer

Teach Yourself Computer Programming in MSX BASIC

Lionel Carter and Eva Huzan

To enable you to get the most out of your computer, this book explains how to write, develop and test BASIC programs for a wide range of applications. Clear explanations and examples, together with practical exercises (with answers), make this an invaluable self-teaching introduction to programming your MSX computer.

0 340 37006 8 Paperback £3.50

Also available as a general trade edition

How to Program your MSX Computer

0 340 37222 2 Paperback £3.50

Available through all good bookshops.

Hodder & Stoughton

Mill Road, Dunton Green, Sevenoaks, Kent TN13 2YD

NEW CONSOLE £47.50

TROLLEYS FROM £44.80

THE REDHATCH CONSOLE SYSTEM

The engineered accommodation for micro and peripherals for home educational office and industrial environment. Console complete with power plug and cable. Internal 4 way socket and illuminated central switch.

FULLY LOCKABLE SECURITY COVER ALSO AVAILABLE £48

Prices include VAT. P&P extra at cost.

Write or ring for details

REDHATCH LTD, WAKERLEY STATION, OAKHAM, LEICS. (057-287-549)

HISOFT

PASCAL £29·95

A powerful and virtually full implementation of Standard Pascal. A valuable educational and development tool in an incredibly small size (19K) for such a complete language compiler, compiles directly to Z80 code which executes very quickly, typically at least 40 times faster than the BASIC equivalent. INTEGERs, REALs, CHARs, ARRAYs, SETs, RECORDs, POINTERs, IF . . . THEN . . . ELSE, CASE . . . OF, WHILE . . . DO, REPEAT . . . UNTIL, FOR . . . DO, fully recursive procedures and functions, value and variable parameters etc. etc. So much that you will not believe it. You MUST write for details.

DEVPAC £19·95

An excellent, fast (4000 lines per minute) assembler coupled with a powerful disassembler/debugger. So many features that we cannot possibly do the package justice here – conditional assembly, assembly from tape, macros, secreen and line editing, full arithmetic, front panel debugger with disassembler, single step, multiple breakpoints, modify, list and move memory etc. Everything you need AND fully relocatable so that it works on ALL MSX machines with more than 16K memory.

HISOFT
180 High Street North
Dunstable, Beds. LU6 1AT
Tel: (0582) 696421

HISOFT

MSX

SOFTWARE

All prices, UK delivered, relate to MSX versions. Our software is available for many other Z80 machines e.g. Amstrad CPC 464, ZX Spectrum, Memotech, SHARP MZ700, NewBrain, CP/M etc. Please write for details.

REPRINTS

a ready made sales aid



If you are interested in a particular article or advertisement in this publication why not take advantage of our reprint service. We offer an excellent, reasonably priced service. For further details and a quotation

Ring Michael Rogers on 01-661 3457

The price tag. It's something rather special.

When you take a look at the new Goldstar MSX you'll find an asking price of around £240

Quite a bit less than most of the others. And since you're choosing a micro that's designed and built to one standard, that'll leave you a whole lot more for the super new MSX games or business software.

What is standard, of course, is the superb MSX specification.

There's one thing about this MSX that isn't quite standard.

State-of-the-art feature like 64K of 'user' RAM and 32K of ROM and 16K Video RAM place the Goldstar right at the top of the MSX league.

Sixteen vivid colours and eight octaves of sound make it a great games player's micro.

And there's a powerful Z-80A processor to take on a world of home office tasks.

Goldstar MSX. The brightest new star among micros that's unbeatable value for money.

You'll find it at above standard computer dealers now.

GoldStar

Distributed by:-

MICRO DEALER UK Ltd

29 Burrowfield, Welwyn Garden City Herts AL7 4SS

Tel: (07073) 28181 Telex: 23674 MDUKG