WIN A MILLION (BYTES)

YOUR COMPUTER

Canada	C$	4.90
Denmark	DKr.	35.00
France	Fr.	50.00
Germany	DM	9.50
Greece	Dra.	290.00
Holland	Dfl.	8.50
Italy	L	4200
New Zealand	NZ$	3.70
Singapore	M$	6.25
Spain	Pts.	390.00
Switzerland	SFr.	7.00
U.S.A.	$	3.95

90p

(D72163)

ECEMBER 1984 BRITAIN'S BIGGEST-SELLING HOME COMPUTER MAGAZINE Vol. 4 No. 12

FIRE!

ome day all
omputer
raphics will
ook like this:
e test fly mighty and micro flight simulators,
ioneer video discs, and top TV monitors

ctrum Rotator, Windows and UFO
BM-64 Bill Da Snowman
Amstrad Music and BBC Darts
amaha CX-5M music micro reviewed

Introducing
Telsoft ...

the good

Yeh, only the good will survive in this the Superstar's,(that's me), first supa-game. . . **"Roland's Rat Race"**. Yeh, I'll really need your help, Rat Fans, to wind my way through the underground Rodent World of ladders, lifts, bats and all kinds of creepy crawlies, where I must find the keys to free my furry friends. I can't wait to use my glue gun . . . "Stick 'em down!" . . . on those monster meanies. See you on your screen, from your cuddly, adorable me.
. . . Roland Rat, Superstar.



the BAD

The fun of the fair and the fury of Kong! Now you can know what it feels like to <u>be</u> a dodgem, only this time you're running up and down the Roller Coaster dodging the cars, giant buns and jumping springs. But the fun has only just begun!...wait until the fury starts! The wacky Waltzer and the zany Swinging Gym are enough to unhinge the sanest fun fair fanatic. **Kong Strikes Back** is all good fun but it's bound to bring out the bad in you!

Ugh! The Hunch is back! Your favourite bell ringer, the all-conquering Quasimodo, swings into action on another breathtaking, action-packed extravaganza. Set the bells sounding and Esmerelda's heart pounding with Quasi's astounding derring dos and athletic antics. The bats in the belfry may send you bonkers but be as bold as brass, give yourself a pat on the hump and, WATCH THAT FIREBALL! . . . phew! . . . Our hero's revenge is a winner all the way, yes, it's definitely for you . . hoo!

and the Ugly!

Three great games of real character from

SPECTRUM 48k **6.90**

ocean

COMMODORE 64 **7.90**

Ocean House · 6 Central Street · Manchester · M2 5NS · Telephone 061 832 6633 · Telex 669977

Ocean Software is available from selected branches of: **WOOLWORTH**, WHSMITH, Boots, John Menzies, **LASKYS**, **Rumbelows** and Spectrum Shops
Spectrum Shops and all good software dealers. Trade enquiries welcome.

YOUR COMPUTER

Contents

DECEMBER 1984

Telsoft downloading service: page 64.

Yamaha CX-5M review: page 72.



Bill da Snowman: page 126.

BBC Darts: page 148 also on Telsoft.

Cover shot: Rediffusion simulator — see pages 90 and 91.

48 LETTERS AND EDITORIAL: Sinclair Plus manual gripes, using a ZX printer with your QL and much more.

50 NEWS: Domesday book, part two plus smashing time at the castle for YC readers and royal romps.

53 FIRST BYTES: Chips and word processors.

57 COMPUTER CLUB: Lee Paddon visits Medway Computer Club.

59 SOFTWARE SHORTLIST: Build your own robot factory; take a spin round the track; Your Computer looks at the latest commercial software releases.

63 QUEST CORNER: Hugo North has a few adventures.

64 SPECTRUM SOFTWARE: Paul Bond looks at Christmas presents.

66 THE TELSOFT FILE: Now part of British Telecom becomes available to your computer readers — two programs come down your phone.

72 YAMAHA CX-5 REVIEW: The complete music system from Japan — Tony Sachs plays kitten on the keys.

76 WIN 1,000,000 BYTES: Yamaha sound system, free ride in a flight simulator, modems for Spectrum, BBC, CBM64 and much more to be won.

79 COMPETITION RESULTS: Plus Four winners.

82 COMPUTER GRAPHICS: Simon Beesley puts you in the picture.

84 MONITOR REVIEW: A look at how monitors work and what they can do for your computing — plus buyer's guide.

88 FLIGHT SIMULATORS: Mike Gaines test flies the range available.

90 JOIN THE JET SET: Simon Beesley flies a simulator.

92 LASER DISCS: Meirion Jones trips the light fantastic.

95 SPECTRUM ROTATOR: Mark Jones starts a revolution.

101 SPECTRUM WINDOWS: Ian Briscoe sheds light on a new bumper graphics package for your Spectrum. You ain't seen nothin' yet. Available on Telsoft.

109 ORIC SPRITES: Mattias Gyllerup writes some bright sprites.

113 ZX-81 HI-RES: M Geerling and J Bosman with resolutions.

115 BBC VIRTUAL SCREEN: Screen switching.

121 DRAGON SCREEN EXPANDER: Stretch your D32.

126 BILL DA SNOWMAN: A festive romp with Patrick Edmond. Poor Bill is stuck out there in the cold build someone to keep his company.

128 VIC TOAD: Not just logs, but ladders. Graham Lynas gets on the rung side of the law as he teeters across the screen.

135 SPECTRUM UFO: Grid and bear it with Julian Wood.

145 MUSIC: Roy Mitchell frees you.

148 BBC DARTS: Also available on Telsoft. David Griffin says you don't need 180K to run this, just 32. You might end up with a 40 waistline, though.

155 ZX-81 MONSTERS: Ungeheuer galore in black and white.

164 SILICON PARAMEDICS: How computers helped out.

169 CBM-64 DISASSEMBLER: Chris Lightfoot enables you to distinguish between between source code and object code.

177 QL SPOOLER: :Allows the QL to use its massive capacity to get on with something else while printing out. Multi-tasking in action by Duncan Drummond.

181 RESPONSE FRAME: Tim Hartnell answers queries.

183 SOFTWARE FILE: Ten pages of Xmas fun for most micros.

272 DATEBASE: Paul Bond rounds up micro events and provides useful telephone numbers.

LOOK WHAT YOU MISSED IN BEEBUG VOLUME TWO

BBC MICRO
– USER SUPPORT –

● 10 ISSUES OF BEEBUG MAGAZINE MAILED FREE TO MEMBERS ● 30 EXCITING GAMES AND VISUAL PROGRAMS ● 43 SOFTWARE REVIEWS ● 33 HARDWARE REVIEWS ● 16 BOOK REVIEWS ● 150 HINTS AND TIPS ● 25 APPLICATION PROGRAMS ● SERIES OF ARTICLES FOR BEGINNERS ● MANY ADVANCED TECHNICAL ARTICLES ● NEWS AND PRODUCT INFORMATION ● PLUS SPECIAL OFFERS ● BIG DISCOUNTS ON A WIDE RANGE OF PRODUCTS ● EVENTS ● BRAIN TEASERS ● LOCAL CLUBS ● FULL MAGAZINE INDEX

A YEARS SUBSCRIPTION WOULD HAVE BOUGHT YOU ALL THIS

Figures based on the 10 issues of BEEBUG Volume 2.

BUT IT'S NOT TOO LATE TO JOIN FOR VOLUME THREE

BEEBUG PUBLICATIONS LTD. PO BOX 109, HIGH WYCOMBE, BUCKS

PLEASE ENROL ME FOR VOLUME 3 of BEEBUG AT £11.90 (10 ISSUES)

NAME .....

ADDRESS .....

..... AMOUNT ENCLOSED .....

BEEBUG HAS BEEN ESTABLISHED FOR TWO YEARS AND NOW HAS OVER 25,000 MEMBERS. IT OFFERS TOTAL USER SUPPORT TO ALL BBC MICRO USERS.

PLEASE MAKE CHEQUES MADE PAYABLE TO BEEBUG PUBLICATIONS LTD.
AND SEND TO:- DEPT 4 PO BOX 109, HIGH WYCOMBE, BUCKS.
(DISTRIBUTION AGENTS FOR BEEBUG)

DACC Software Express DACC

	£
★ ★ Commodore 64 ★ ★	
Beach Head (US Gold)	9.95
Monty Mole (Gremlin Graphics)	7.95
Daley Thompson's Decathlon (Ocean)	7.95
Arabian Knights (Interceptor)	6.05
International Soccer (CBM)	9.95
Dallas Quest (Dick) (US Gold)	9.95
Strip Poker (US Gold)	9.95
Solo Flight (US Gold)	14.95
747 Flight Simulator (DACC)	9.95
★ ★ ZX-Spectrum ★ ★	
Beach Head (US Gold)	9.95
Monty Mole (Gremlin Graphics)	6.95
Daley Thompson's Decathlon (Ocean)	6.90
Match Point (Psion)	7.05
Lords of Midnight (Beyond)	9.95
Sabre Wulf (Ultimate)	9.95
Solo Flight (US Gold)	9.95
747 Flight Simulator (DACC)	7.95
★ ★ BBC Model/B ★ ★	
Frak (Aardvark)	8.95
Blagger (Alligata)	7.95
Zalaga (Aardvark)	6.95
SPRITE-GEN (DACC)	17.95
Fortress (Pace)	6.95
Aviator (Acornsoft)	14.95
747 Flight Simulator (DACC)	9.95
★ ★ Acorn Electron ★ ★	
SPRITE-GEN (DACC)	9.95
747 Flight Simulator (DACC)	9.95
Space Rescue & Space Pilot Test (DACC) (two arcade games on one cassette)	6.95
★ ★ Dragon 32/64 ★ ★	
747 Flight Simulator (DACC)	9.95
★ ★ Computer Accessories ★ ★	
★ ★ High quality PVC dust covers:–	
Commodore 64	each 2.95
ZX Spectrum	each 1.95
BBC Model/B	each 2.95
Acorn Electron	each 2.95
Dragon 32	each 2.95
★ ★ Blank C20 cassettes	five for 2.75
★ ★ Disks s/s s/d	each 1.95
★ ★ Disk storage box	each 1.95
★ ★ Flow-chart template	each 1.00

SPECIAL OFFER order three cassettes and recieve a PVC dust cover for your computer absolutely FREE.

All prices include VAT POST AND PACKING FREE!

All items in stock, despatched within 48 hours by first class post, order from:–

DACC Ltd.

(Dept YCO) 23 Waverley Road, Hindley, Wigan. Lancs WN2 3BN

SOFTWARE SAVERS

TOP SOFTWARE AT REALISTIC PRICES

SPECTRUM			Hunter Attack	Durell	£4.50
50 Games	Cascade	£7.95	Haunted Hedges	Micromega	£5.95
3D Ant Attack	Quicksilva	£5.95	Hobbit (The)	Melbourne	£11.00
3D Combat Zone	Artic	£4.45	Hunter Killer	Protek	£5.95
Android II	Vortex	£4.50	Heathrow A.T.C.	Hewson	£5.95
Aspect	Bug Byte	£5.50	H.U.R.G.	Melbourne	£11.00
Asteroid	DK Tronics	£7.95	Hunchback	Ocean	£5.50
Atic Atac	Ultimate	£4.85	Inca Curse	Artic	£5.50
Bear Bovver	Artic	£5.50	Invaders	DK Tronics	£4.25
Black Crystal	Carnell	£5.95	Island (The)	Crystal	£4.50
Black Planet	Phipps	£4.95	Jet Pac	Ultimate	£4.95
Blade Alley	P.S.S.	£4.95	Jungle Trouble	Durell	£4.50
Blue Thunder	R. Wilcox	£4.95	Knot in 3D	New Gen	£4.95
Cannon	CCS	£3.95	Lunar Jetman	Ultimate	£4.95
Caterpilla	CDS	£4.75	Manic Miner	S.W. Proj	£4.95
Cavern Fighter	Bug Byte	£4.95	Mare Olympica	Database	£4.95
Chequered Flag	Psion	£6.50	Maziacs	DK Tronics	£5.50
City	Terminal	£5.50	Night Gunner	Digital	£5.50
Codename Mat	Micromega	£5.95	Ostron (Jasa)	Softek	£4.50
Colditz	Phipps	£5.95	Pool	CDS	£4.50
Cookie	Ultimate	£4.85	Pogo	Ocean	£4.50
Cosmic Debris	Artic	£3.95	Peyton	Beyond	£5.95
Crawler	CRL	£3.99	Quill (The)	Gilsoft	£11.00
Crazy Kong	Anirog	£4.95	Scuba Dive	Durell	£4.50
Crypt (The)	Carnell	£4.50	Sidewinder (The)	Quicksilva	£5.95
Cyber Zone	Crystal	£4.50	Splat!	Incentive	£4.50
Dares	M. Clay	£4.50	Transam	Ultimate	£4.95
Death Chase	Micromega	£5.75	Trashman	New Gen	£4.95
Deep Space	POS	£3.95	Tutankhamun	Micromania	£4.95
Defender	Micro Gen	£5.50	Valhalla	Legend	£12.00
Derby Day	CRL	£4.75	BBC		
Dictator	DK Tronics	£4.25	1984	Incentive	£5.50
Flair	DK Tronics	£5.50	50 Games	Cascade	£7.95
Digger Dan	Ocean	£4.95	Abyss	CCS	£6.50
Disiron	DK Tronics	£4.50	Action	CCS	£4.50
Dragonsbane	Quicksilva	£5.95	Apocalypse	Red Shift	£7.95
Draw	Melbourne	£6.95	Arcadians	Acornsoft	£6.50
Dungeon Master	Crystal	£5.99	Aviator	Acornsoft	£12.00
Earth Defence	Artic	£3.95	Battlezone 2000	Lothlorien	£12.00
Elektra Glide	PSS	£4.75	Blagger	Alligata	£5.95
Eskimo Eddie	Ocean	£4.95	Champions	Peaksoft	£5.50
Fall of Rome	A.E.P.	£6.50	Chuckie Egg	A & F	£5.95
Fifth	CRL	£7.95	Contract Bridge	Alligata	£7.95
Fighter Pilot	Digital	£6.50	Cornerstone	CCS	£6.50
Flight Sim'	Psion	£7.50	Cylon Attack	A & F	£5.95
Forest (The)	Phipps	£7.95	Derbyshire	Alligata	£5.95
Fred	Quicksilva	£5.95	Dictator	DK Tronics	£5.50
Frenzy	Quicksilva	£4.50	Eagle Empire	Alligata	£6.95
Froggy	DJL	£4.75	Galaxy Wars	Bug Byte	£5.95
Full Throttle	Micromega	£5.50	Graphs & Charts	Acornsoft	£6.50
Galaxians	Artic	£3.95	Hobbit (The)	Melbourne	£11.00
Games Designer	Quicksilva	£12.00	Invaders	PSS	£5.50
all £4.95			Music Synth'r	Bug Byte	£7.50
Glug Glug	CRL	£4.75	Snooker	Visions	£7.50
Go To Jail	Automata	£4.95	Spitfire	Alligata	£5.95
Gold Mine	DK Tronics	£4.25	Subkiller	DK Tronics	£5.50
Golf	DK Tronics	£4.25	Web Hunter	Amgata	£5.95
Gorgon	Phipps	£4.25	COMMODORE 64		
Gridrunner	Quicksilva	£5.95	1994	Visions	£5.50
Gun Law	Vortex	£4.75	3D Tanx	DK Tronics	£4.95
Hunter Attack	Durell	£4.50	50 Games	Cascade	£7.95
Haunted Hedges	Micromega	£5.95	ACOS +	Melbourne	£7.50
Gangster	CCS	£4.95	Beach Head	Microprose	£7.50
Glug Glug	CRL	£4.75	Beam Rider	Activision	£8.50
Go To Jail	Automata	£4.95	Blagger	Alligata	£5.95
Gold Mine	DK Tronics	£4.25	Bridge	Alligata	£6.50
Golf	DK Tronics	£4.25	Crumble Egg	A & F	£6.95
Gorgon	Phipps	£4.25	Decathlon	Activision	£8.50
Gridrunner	Quicksilva	£5.95	Donkey Do	S.W. Proj	£6.50
Gun Law	Vortex	£4.75			

Send now! Don't be disappointed by Xmas delays.

Please ad 50p to your total remittance to cover postage & packing. State computer, your full address and total payable. Cheques or P/O's made payable to:

K. Soft, Siop Penrallt, Nantlloron, Pwllheli, Gwynedd, LL53 8PR. Tel: 0758-83-719

The Fall Guy

Colt Seavers is a top Hollywood stuntman who uses the extraordinary skills he displays before the camera when moonlighting as a modern Bounty Hunter, who apprehends and brings in Bail Bond jumpers. Colt is ably assisted by his would-be manager Howie, his beautiful stuntgirl protege, Jody, and Terri the lady from the Bail Bond Company, who hires Colt when he's not before the cameras.

The cast of characters is:

Colt Seavers	LEE MAJORS
Jody Banks	HEATHER THOMAS
Howie Munson	DOUG BARR
Terri Micheals	MARKIE POST

The Dukes of Hazzard

Its the 4th of July and as usual the Duke family want to have their annual party. The essential ingredient to make the party a success is moonshine, so its up to Bo and Luke Duke to take the General Lee and fetch the moonshine Uncle Jessie Duke has left scattered throughout the county. The problem is that Boss Hogg knows about the Duke Boys plans and has sent Roscoe and company out to stop the Boys collecting the moonshine.

Kokotoni Wilf

As Kokotoni Wilf you must recover all of the pieces of the legendary Dragon Amulet (which has been scattered through time) for your master the great magician 'Ulrich'. Throughout the quest Wilf comes up against many dangers from huge Prehistoric Dinosaurs to hostile alien Robots, but the reward for recovering all of the pieces warrants the risk. 60 plus screen settings in genuine high resolution make 'Kokotoni Wilf' an arcade adventure worthy of comparison with Jet Set Willy.



Coming to your Micro early 1985



AVAILABLE IN NOVEMBER

Every single ELITE product carries the unique 'ELITE' Holographic Sticker. Make sure your copy does, its your guarantee of quality.

AVAILABLE NOW

Mail Order: Just send a cheque or P.O. payable to 'ELITE' or quote your credit card no.

48K Spectrum and Commodore 64

Elite Systems Ltd., 55 Bradford Street, Walsall, England WS1 3QD. Telephone (0922) 611215. Telex 335622 SPETEL G Attention: Elite

KEMPSTON
MICRO ELECTRONICS LTD

Printer interfaces for the ZX Spectrum allowing you to use a wide range of printers.



Complements the BBC computer in both design and performance. 8-way micro switches for precision control.



Allows all joysticks in the Kempston range and others that are Atari compatible to be used with the Spectrum.



Kempston's proven winners with excellent arcade quality action. Suitable for Atari, Commodore 64 & Sinclair ZX Spectrum (when used in conjunction with a Kempston Joystick Interface).



Offering maximum arcade quality features at an unbeatable price. Available in a special Christmas 3 pack with the Kempston Joystick Interface.



The ultimate interface for the ZX Spectrum, compatible with the Sinclair/Psion software, Kempston Joystick software and cursor-key software, together with cartridge slot for ROM based software.

The Circuit Pro-fessionals

Most items available from
Lewis's WHSMITH
Selfridges Boots John Menzies
spectrum Currys Rumbelows

Available directly from Kempston Micro Electronics Ltd
Fast mail order service
Please send me the following

☐	Centronics "E" Interface	£49.00	☐ RS232 Interface	£45.00
☐	Centronics "S" Interface	£35.00	☐ BBC Pro Joystick	£16.95
☐	Kempston Joystick Interface	£11.50	☐ Pro 3000 Joystick	£12.75
☐	Pro Joystick Interface	£19.95	☐ Pro 5000 Joystick	£13.50
☐	Junior Pro Special Combination	£14.99	☐ Junior Pro Joystick	£5.99

I enclose a cheque/P.O. for £ .....
Access/B'card ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐
Name _____
Address _____
_____
_____ P/code _____
Signature _____

All prices include VAT P&P Overseas add £4 P&P

Kempston Micro Electronics Ltd Singer Way Woburn Road Industrial Estate Kempston Bedford MK42 7AF Tel (0234) 856633 Telex 826078 KEMPM

MICROPOWER MICROPOWER MICROPOWER

Herbie Briggs has just destroyed the myth that all floppy discs are created equal.

They seem equal. Until you look at the seams.

That's where equality ends.

Most companies seal their discs with a spot here, a spot there. Leaving most of each seam not sealed at all.

Sooner or later, the seams might do what comes naturally: they bulge. Warp. Pucker. Open up.

Pens, pencils, fingernails—even a four-year-old's, like Herbie—can catch and snag in those wide open spaces.

That's sloppy. And dangerous. Because if you put a sloppy floppy into your disc drive, it can jam your drive. Ruin your drive head. Lose your data.

So much for their seams. Ours are different.



Memorex uses a process we developed, called Solid-Seam Bonding.

Solid-Seam Bonding seals shut every inch of every seam of every Memorex* floppy disc. Tight as a drum. That makes the Memorex floppy stiffer. Stronger. And your data safer.

To resist bulging, warping, puckering, or opening up.

To resist all the things that can jam your drive, ruin your drive head, or lose your data.

Which proves that a Memorex floppy disc isn't equal to all the others. It's better.

Solid-Seam Bonding is just one example of the extra care that goes into every Memorex floppy disc. Be it 8," 5¼" or the new 3½." Extra care that lets us guarantee every Memorex disc to be 100% error-free.

The next time you're buying a floppy disc—or a few hundred of them—just remember this:

It's always better to be safe than sloppy.

For more information on the full line of Memorex quality computer media products, including computer tape, call Memorex U.K. Ltd., 96-104 Church Street, Staines, Middlesex. Tel: 0784 51488

Your Data. When it matters, make it Memorex.™

MEMOREX

Memorex is a registered trademark of Memorex Corporation.
©1984 Memorex Corporation
A Burroughs Company

FOR THE

AMSTRAD CPC 464
ELECTRON
BBC

SUPER VALUE

SUPER GAMES

FROM ONLY

£4.95

Including VAT & Postage

Versions: ELECTRON AMSTRAD-BBC

FAST · FUNNY & ADDICTIVE

ER*BERT



ITS FR*BERTS CUBIC DOMAIN — AVOID HIS UNWELCOME GUESTS! GRAB THE BANANA — DOUBLE YOUR SCORES — BUT WATCH OUT — BORIS THE APE WILL SOON WANT IT BACK! DROP IT AND RUN — UNLESS YOU'RE VERY BRAVE! AVOID CASCADING BALLS — THE MOVING HOLE — AND COILY THE ANACONDA, HE'S GOT A CUDDLE YOU'LL NEVER FORGET! ESCAPE WHEN IT'S REALLY TOUGH BY TRANSPORTER DISC OR ROTA HAT — IF YOU'VE EARNED ONE. MULTIPLE SCREENS — ADDITIONAL CHANGE CUBE COLOUR TASKS. IT'S FUN AT LEVEL ONE — BUT WATCH OUT AT LEVEL TEN! PACKED WITH FUN AND EXCITEMENT — TRY IT YOURSELF. (ALL MACHINE CODE).

3D SPACE RANGER – BBC only

STAR TRENCH

EXCELLENT 3D GRAPHICS MULTIPLE SCENE SPACE TREK BATTLE TO THE DEATH START TRENCH. DESTROY THE DEATH STAR. FIGHT YOUR WAY BACK. MACHINE CODE GAMES (REQUIRES O.S. 1.0/1.2).

Deep Space

Star Surface

PINBALL



THE CLASSIC ARCADE GAME UP TO FOUR PLAYERS — HI SCORES, BONUS FEATURES. ELECTRON/BBC — MACHINE CODE

REVERSI

A TRADITIONAL GAME OF STRATEGY AND SKILL — 2 LEVELS. ELECTRON/BBC

Access Orders
24 hr. hotline
06373 6886

All prices include postage + VAT

TITLE	BBC	ELECTRON	AMSTRAD
ER*BERT	£4.95	£4.95	£5.95
3D Space Ranger	£4.95	N/A	N/A
Pinball	£4.95	£4.95	N/A
Reversi	£4.95	£4.95	N/A

All games available by mail order from:

MICROBYTE SOFTWARE (YC12)
18 HILLGROVE ROAD, NEWQUAY, CORNWALL TR7 2QZ

MICROBYTE SOFTWARE

STARBYTE

PRICES SLASHED FOR CHRISTMAS

SPECTRUM 48K		COMMODORE 64		BBC 'B'	
SHERLOCK HOLMES	11.75	FORT APOCALYPSE	7.99	ELITE	12.99
BRAXX BLUFF	5.69	STORM WARRIOR	6.69	3D GRAND PRIX	6.00
KENTILLA	5.69	SUICIDE EXPRESS	6.39	SWAG	6.15
FORT APOCALYPSE	6.49	ANKH	7.39	PLUTONIUM PLUNDER	6.15
SOLO FLIGHT	7.99	ZAGA MISSION	5.99	COMBAT LYNX	7.86
TIR NA NOG	7.39	CAVELON II	6.49	ARROW OF DEATH I/II	8.75
HARDRAIGER	7.99	STRIP POKER	7.99	SHUTTLE	8.75
FRANK 'N' STEIN	4.59	3D ANT ATTACK	7.49	FFI IX/FVII WFFVII S	6.15
HAMPSTEAD	7.99	KENSINGTON	12.39	MANIC MINER	6.90
DEUS EX MACHINE	12.40	SENTINEL	7.99	CRYPT CAPERS	6.90
POLTERGEIST	4.79	WHITE LIGHTING	11.50	KENSINGTON	11.75
TRAVEL WITH TRASHMAN	4.79	STRONTIUM DOG	6.79	SPACEMAN SID	6.90
ZAXXON (US GOLD)	6.49	THE SNOWMAN	6.75	SPACE STATION ALPHA	6.90
F15 STRIKE EAGLE	7.99	AD INFINITUM	4.95	MILLIONAIRE	5.99
KOKOTONI WILF	4.79	ANCIPITAL	5.99	HEATHROW ATC	6.90
PYJAMARAMA	5.79	HAVOC	7.99	JUMP CHALLENGE	6.90
AMERICAN FOOTBALL	7.99	FLIP & FLOP	7.49	HARERAISER	7.80
FULL THROTTLE	5.79	MANIC MINER	6.39	FRAK	7.85
LORDS OF MIDNIGHT	7.99	EVIL DEAD	6.49	OVERDRIVE	6.00
MANIC MINER	4.79	ASTRO CHASE	7.69	FORTRESS	7.65
SABRE WULF	7.99	BEACH HEAD	7.99	STOCK CAR	6.80
BLUE THUNDER	4.69	PITFALL II	7.99	AVIATOR	11.97
MUGSY	5.59	DALEYS DECATHLON	6.19	THE MINE	6.80
PYTHON	6.29	VALHALLA	11.50	DUNE RIDER	6.80
CAVELON	4.79	AZTEC CHALLENGE	7.49	HOBBIT	11.97
FIGHT PILOT	5.99	SON OF BLAGGER	5.99	EAGLES WING	6.75
MONTY MOLE	5.50	HULK	7.99	ZALAGA	7.45
MISSION 1	6.59	STRIP POKER	7.99	GISBURNS CASTLE	7.45
RAPSCALLION	5.79	DEATH STAR INT	7.99	JCB DIGGER	8.85
GHOSTBUSTERS	7.99	MISSION 1	7.40	TWIN KING VALL	8.20
GIANTS REVENGE	7.99	HERO	7.99	FOOTBALL MGR	6.80
PETER PAN	7.99	DARE DEVIL DENNIS	6.49	SON OF BLAGGER	7.23
AD ASTRA	4.69	AUTOMANIA	6.49	BRAINSTORM	7.45
NIGHT GUNNER	5.39	BLACK HAWK	6.40	DARE DEVIL DENNIS	6.69
HOBBIT	11.25	TRASHMAN	6.49	HULK	8.45
HULK	7.99	BLUE THUNDER	5.49	FRANKLINS TOMB	8.10
TOO LOW LEVEL	4.69	ANDROID II	5.49		
FOOTBALL MNGR	5.39	GILLIGANS GOLD	5.49	**AMSTRAD**	
AUTOMANIA	5.49	GHOSTBUSTERS	8.75	ALL AMSOFT	7.49
THE INFERNO	5.39				

FREE CASH PRIZE DRAW

Order now and receive our special savings offer

MANY MORE TITLES AVAILABLE. ALSO FOR MSX, ATMOS AND ELECTRON — SAE FOR FULL DETAILS
PLEASE STATE WHICH MICRO

Chq P.O. to:

STARBYTE
Dept A, PO Box 91, Rickmansworth, Herts WD3 6JB

Computers for Export

Sinclair
Oric
Commodore
Atari
Amstrad
Epson
Coleco



BBC
Sanyo
Microvitec
Apple
Apricot
MSX

Plus Printers, Disc Drives, Memory Expansion, Software

Quantity discounts available

No tax charge for equipment shipped abroad
Write for our price list or call our answer phone
01-686 6362

Galaset Ltd, 30 Bayford Road, Littlehampton, West Sussex, England. Telex 946240 Attn: 19001335

adventure for commodore64 and spectrum 48k

NO.1
SWORDS & SORCERY

NEW RELEASE AVAILABLE 20th OCT

WIZARDS *power level 1 — 10*



DRAGON *power level 7 — 9*

LYTCH *power level 6 — 10*

WEREWOLF *power level 4*
a selection of your opponents

the MIDAS adventure concept

SWORDS & SORCERY

Swords and Sorcery represents the first example of the ultimate in graphic adventures using the unique MIDAS system.

Swords and Sorcery differs from other adventures in that you guide your character through the unending corridors of the underworld on a quest for material, physical and/or spiritual power. The choice is yours.

You begin as a novice with limited abilities in the use of magic, sword play and stealth (lock picking, thieving etc).

As you wander the corridors, you will encounter beings meek and mighty, discover untold wealth and worthless trash. Some objects will increase your powers, whilst some will be dangerous and still others will be protected from pilferers (you!) by friendishly ingenious traps, all designed to help or hinder you on your pilgrimage to power and glory.

There are quests within quests within Swords and Sorcery, for those who want to follow them. Some are given others must be found, and some are lost causes. There are many ways of opening the gate between the levels of the dungeons. Some are obscure and easy, others obvious and dangerous. The most profitable paths are both. The Ultimate goal of many will be to find the lost armour of Zob, which was un-made by its maker, and its parts scattered across the levels. What, where, how, who and why are answers to be found. All that is known is the prayer of the seekers:

WHEN DARK CARALLUS HIS COUNCILS LEND US
LET NOT THE RED CLIPEA HARANGUE US
TURN US FROM WHAT SEEMS TREMENDOUS AND
THUS TO ZOBS GREAT TREASURE SEND US.

You need never tire of Swords and Sorcery — when this dungeon can no longer hold you, the next awaits. . . there are a series of expansion modules planned to extend your enjoyment indefinitely.

Available on Cassette £9-95

SPECTRUM 48K OR COMMODORE 64

(Multi Dimensional Animation System)

MIDAS ADVENTURE CONCEPT

Stunning 3D graphic animation simulating video disk games.

A unique fully interactive adventure language using the latest ARTIFICIAL INTELLIGENCE techniques.

State of the art data compression techniques enabling enormous scenarios and vocabularies to be incorporated

Real time Interactive Conflict Sequences.Talk to your opponent, attack them, flee them and even confuse them.

Joystick capability for movement, combat and actions through unique menu feature. Keyboard operation for more complex interaction with the adventure when time permits.

Develop your own unique player characters. For example — specialize in magic, swordplay etc.

Total expandability — your own characters can be transferred to future adventures and new opponents, scenarious and objects can be added to all the games. A series of expansion modules to increase indefinitely the playing life of each game written with MIDAS.

P.S.S. 452 STONEY STANTON RD. COVENTRY CV6 5DG. TEL: COVENTRY (0203) 667556

Death pit takes you deep down
to a tangled labyrinth of dank tunnels.
Struggle through spider infested corridors,
past bats and mutant life forms.
Dig through the rockfalls
(you remembered a spade?)
and bravely plunge into the dark water
of flooded caverns.

The tension grips,
your pit light fades
and before you waits the Guardian.
After this last gruesome trial
will you still have strength enough
to return?



screen shots from Spectrum 48K.

Sounds tricky? – well it is . . . . and we haven't
told you half of it.

DEATH PIT – another high quality machine-code
game from Durell.
Available now from most retail outlets for the –
48K Spectrum, BBC, Commodore 64, and Amstrad

DURELL sales dept. Castle Lodge,
Castle Green, Taunton, Somerset TA1 4AB

Death Pit



from
DURELL – a touch better than the rest

STOP!

ARE YOU MAKING THE MOST OF YOUR MICRO?



MAXIMISE YOUR C64's POTENTIAL!

- the dissembler and its uses
- step-by-step machine code instructions, each explained with a demonstration program
- PLUS sections on the KERNAL operating system

BRING YOUR SPECTRUM TO LIFE!

- 20 great games including Delta, Space Wars and Ripper
- 20 great games that explore the Spectrum's remarkable capabilities to the full
- 20 great games featuring animation, video thrills and non-stop action!

CORGI/ADDISON-WESLEY
TOGETHER,
THE NEW FORCE IN COMPUTER BOOK PUBLISHING

Both of these books are avallabe at your bookshop, though should you find any difficulty in obtaining them, you can order from the publisher direct. Simply fill in the form below.

Please send me

____ copy/copies of Games of Action and Excitement for your ZX Spectrum at £4.95 each 99129 5

____ copy/copies of First Steps in Machine Code on Your C64 at £4.95 each 99128 7

Please allow cost of book(s) plus 30p for one book plus 15p for each additional book for postage and packing.

I enclose my cheque/postal order for £_____
payable to: TRANSWORLD PUBLISHERS LTD.

(IN BLOCK CAPITALS PLEASE)

Signed_____ Date_____

Name_____

Address_____

_____

_____

Now send to CORGI/ADDISON-WESLEY BOOKS,
61-63 Uxbridge Road, London W5 5SA

Aerial arcade action from Synsoft

BOMBS AWAY!

Play this multi-level extravaganza three different ways. You and your chopper must bomb and fire on vile enemies, navigate hazards like deadly laser rooms and hyper-energy chambers, rescue 18 trapped friends – and make your way through the most demanding, maddening set of caves ever devised. Super graphics, unnerving sounds, constant scrolling, plus randomly placed dangers so the game is always new. You can't really learn **Fort Apocalypse.** Just hold on to your joystick, practice – and hope!





ATARI 64

SELECTED TITLES AVAILABLE SOON FOR SPECTRUM

You're at the controls for this World War I dogfight game.

Shoot down enemy planes, bomb targets, strafe tanks and gun emplacements – there's constant action on the incredible 3-D diagonally scrolling screen. At the same time, you have to keep track of altitude, speed, fuel and damage. Medals don't come easy. You must master a series of flying skills and perform them with pinpoint accuracy. One slip and you've lost it all – even your life. Happy landings, ace!

ALL GAMES
CASSETTE **£9.95**
DISK **£14.95**

U.S. GOLD
All American Software

U.S. Gold Ltd., Unit 10, The Parkway Industrial Centre, Heneage Street, Birmingham B7 4LY. Tel: 021-359 3020.

synsoft

A lively, imaginative alternative to rockets and bombs. Your Drelb builds squares, his enemies knock them down. Quick reflexes, intelligence and strategy are a must.

Commodore 64 & Atari.

One of the most challenging arcade games available! Incredible 3-D graphics, diagonally scrolling screen, super sound – all in great detail.

Commodore 64.

Exciting 3-D action! The most realistic point-of-view game you've ever played. Navigate through asteroid belts, destroy enemy ships, and more!

Commodore 64.

Home computers.

The report you've been waiting for: simple, factual, honest, comprehensive and 100% biased.

ALL you need to know about computers can be summed up in one word: Commodore. (Well, we did tell you this would be biased).

We make everything you'll ever need to get the most out of home computing: all the *hardware* and all the software. (And if you don't understand what that means, simply look under "H").



That's what these three pages are all about: explaining what computers are (without the scientific jargon), how they work (without any technical mumbo-jumbo), and how you can get more enjoyment out of them (without much difficulty).

BASIC. Most home computers speak the same language. It's called BASIC. This is a more friendly way of saying "Beginners All-Purpose Symbolic Instruction Code."

There are different kinds of BASIC and, like languages, some are a little easier to understand than others. Like, BASIC 3.5 in the *Commodore Plus/4* and *Commodore 16*.

BOOKS you can read: "Teach Yourself Computer Programming With The Commodore 64" and "Programmers Reference Guide."

CASSETTE. Just as you keep your favourite music on cassette, so you can also keep your favourite computer programs on cassette.

You can either buy pre-recorded programs in a shop, or you can write them yourself. Cassettes are just one form of program storage and playback – see also *Cartridges* and *Disk Drive*.

To play cassette software you need a cassette unit. The Commodore 1530 and 1531 cassette units have been specifically designed to get the very best out of our computers, and provide consistently reliable results.



CARTRIDGES. These are programs that plug directly into the back of the computer itself.

CPU stands for Central Processing Unit. This is the computer's "brain," and as such it's what does all the hard work.

CHIP: silicon. A very complex electrical circuit miniaturised in silicon. It carries out the functions in the computer. Unlike other home computer companies, we make our own chips, so maintaining quality.

DISK drive. A program and data storage system, just like *cassettes, but much faster.* You can find and load the program you're looking for in seconds instead of minutes.

Diskettes, which can be used repeatedly for recording or re-recording programs, transfer information or instructions to and from the computer.

EDUCATION software from Commodore. We work non-stop with educationalists, improving our range of programs for the pre-school to "O" level age groups and beyond.

Computers are an invaluable educational tool – versatile, patient and able to present information in an exciting way.

Our "Get Ready to Read" series, with lovable B.J. Bear, is recognised as an excellent



example of how it is possible to develop reading and writing skills in pre-school children.

ELEPHANT: well-known symbol of the *Commodore 64's* enormous 64K memory. And don't you forget it!

FOUR is for Commodore Plus/4, our very latest home computer with four, very popular built-in programs: wordprocessing, spread-sheet (financial planning), database (filing), and graphics.



It has an extensive 64K me with an exceptionally large 60K available for use. The Plus/4 c equipped with the Commodore BASIC 3.5 with over 75 program commands.

Other features include s facilities, comprehensive grapl and 121 colours.

GORTEK and the Microchip unique programming co for children of all ages, links learning exercises with a space adventure GRAPHICS.

The pictures and diag on a *monitor* or TV scree either high or low resolu

All Commodore ho computers have 62 gra symbols to create low resolu pictures and diagrams, or high resolution modes th allow you to specify each pixel (or dot) on the screen.

(There can be up to 64,000 of these).

GAMES: Commodore produce them all, and more! From shoot 'em up games, to games of adventure and complex strategy.

HELP! On both the Commodore 16 and *Plus/4* computers there is a very special feature: a HELP key. It does exactly what it says: it helps you to debug (which is the smart way of saying, "identify and correct errors") when you're programming.

It highlights errors right down *to* individual instructions.



HARDWARE. The computer itself – you can t it. Whereas software's a progran can only see or hear (on the mo when it's running in the comput

INTEGRAL software is software that is actually built into the computer, as on the Commodore *Plus/4*, the very latest in home computing.

INTRODUCTION to BASIC. Just as you don't need to understand how a car works to be able to drive it, you don't have to understand how a computer works to be able to use one.

But you will definitely get more enjoyment out of it if you do have a basic knowledge of programming.

Which is why "Introduction to BASIC" has become the most popular software tutorial.

It comprises 2 cassettes and an easy-to-follow, step-by-step manual.

INPUT/output: Input is information put into the computer from either the keyboard or a storage device. Output is information from the computer to either a screen, printer or storage device.



JOYSTICK and paddles. As well as improving speed and accuracy, these make games more real by putting the control of whatever it is on the screen directly into your hands.

KILOBYTE is 1,024 bytes. So "K" stands for a unit of 1,024 or 2^{10}. A 64K byte memory unit contains 64 x 2^{10}, or 65,536 bytes of memory.

And if you don't understand all that, don't worry.

All that's important is knowing you can run more complex programs through a computer with a large memory, than one with a small memory.

LANGUAGE. This is a system of coding that can be understood by a computer. It allows you to "speak" to the computer, and for the computer to "speak" to you. Most home computers speak *BASIC*, but there are also other languages available for Commodore computers that have been designed for specific uses. For example, LOGO and PILOT in *education*.

MONITOR: this is the screen on which you can see what you've typed into the computer, and also what the computer is saying back to you. You can use an ordinary TV screen, but more preferable is a colour video monitor, like the Commodore 1701.

This is a special device that produces much higher resolution than a TV, and so offers superb reproduction and clarity.

On top of which it allows the rest of the family to stay tuned in to their favourite TV programme while you're tuned-in to your favourite computer program.

MODEMS allow computers to connect via a telephone line to other computer systems. Commodore 64 modem owners can communicate with other owners, join systems like Prestel/Micronet and an exciting new system called Compunet, where quality software is available cheaply or even free.

MEMORY. There are two basic types of memory: ROM and RAM.

Read Only Memory (ROM) is the computer's permanent built in memory which tells the computer what to do. It doesn't disappear when the computer's switched off.

Random Access Memory (RAM), however, is for temporary storage. It is the part of the computer's memory that's free for you to use. It can be erased and used over and over again.

It stores both data and instructions during the execution of a computer program. These are lost when you switch the machine off – unless, of course you store them on *cassette* or *diskette*.

NUMBER ONE. In the whole wide world, Commodore is No. 1 in microcomputers, and the Commodore 64 is the No. 1 best seller.



ORIGIN of the computer. In the 19th Century an Englishman, Charles Babbage, invented the first true computer. But his "Analytical Engine," was so ahead of its time, it turned out to be impossible to build!

The modern computer first appeared around the time of World War II. Britain's "Colossus" was vast, consumed vast amounts of electricity, required its own air-conditioned room, was unreliable and difficult to operate.

It had its limitations.

Then came the amazing transistor... integrated circuits... and microcomputer

The first desk top microcomputer in the world was the Commodore PET (this was a friendly name for Personal Electronic Transactor), in 1977.

In effect Commodore had taken hitherto huge, expensive, mysterious machines accessable only to eggheads, reduced the size and price, and put them into the hands of ordinary mortals in ordinary offices. An extraordinary advance.



PERIPHERALS. These are separate add ons that will extend your computer's capabilities. Like our printers, storage devices and monitor.

PRINTER: One of the ways a computer can "speak" to us.

It means you can produce charts, letters, documents, pictures on paper.

The Commodore range includes four printers and one printer plotter.

The MPS 801 dot matrix printer (so called because its characters are made up of dots) has a print speed of 50 characters per second, about five times as fast as the fastest secretary.

The MPS 802 dot matrix friction feed printer has a print speed of 60 characters per second and uses either single sheets or continuous stationery.

The DPS1101 daisy wheel printer (called that because, surprise, surprise, the print wheel looks a bit like a daisy), produces superb quality print on all letters, reports and documents (the kind of quality one desperately requires on a letter to the bank manager). There's a range of alternative type faces available on additional print wheels. Speed: 18 characters per second.

And the 1520 printer plotter (illustrated). This has 4 colours, and opens up a whole new world of graphic print-out ability. You can draw pictures, create graphic designs, plot graphs or construct bar and pie charts. Speed: 14 characters per second.



QWERTY – the 6 keys at the top left hand side of a standard typewriter. Unlike lesser machines, all Commodore computers have full-size, professional typewriter keyboards.

They have a solid, responsive feel to them. (The problem with rubber or membrane keyboards is they have a soft, spongy feel to them: you press a key, then wonder if the message got through).

RANGE. The range of Commodore software is enormous. There is something, as they say, for everyone: educational, business, home and games.

STARTER PACK. The Commodore 16 Starter Pack has been specially designed to introduce you to computing.

It contains everything you need to start home computing, complete in one box: a 16K computer, *cassette* unit, four superb software programs, and Introduction to *BASIC* Part 1.

It has a *Help* key in case you get into difficulties, and incorporates advanced *BASIC*, which has been specifically designed to simplify the programming process.

Other features include: 4 cursor keys, 2 *joystick* ports, an astonishing 121 colours, plus excellent sound and *graphics* capabilities.

TUNES. Commodore make software to help you compose your very own music.

All our home computers have great sound and music capabilities.

USER friendly. This is a program that explains itself as it goes along, or a computer that people can easily operate.

Every computer manufacturer now claims its products are "user friendly," but only Commodore really demonstrates it. For example, our *Help* key and use of Advanced *BASIC*.

VERTICAL integration is not as complicated as it sounds. All it means is that Commodore make everything to do with computers, from the silicon *chip* to the computer casing.

So we have complete control over everything, from design to manufacture.

It also means, of course, that we can design everything so you're able to get the very best out of your Commodore computer system.

WOMEN also are discovering computers – and not just in offices, but at home. Computers aren't sexist.

They were invented for everyone, and the fact that they're fun, exciting, educational, practical and time-saving are benefits that apply to women just as much as to men.

XMAS. There is no better time to give or receive a Commodore present.

YIPPEE! Yes, now you know (or should do) that computers are really interesting. They're not just about space games with horrendous monsters. Nor are they horrendously complicated machines that you need a maths degree to understand.

Computers are the future, and it's important that you and, even more so, your children don't get left behind in the past.

With a Commodore computer and a *peripheral* or two (and we now know what those are, don't we?) whole new leisure and business opportunities will immediately be opened to you.

Make the choice now and (just so long as it's Commodore) we promise you will never regret it.

ZIP us a line if you'd like more even more biased information on any Commodore products.

Write or telephone: Commodore Information Centre, 1 Hunters Road, Weldon, Corby, Northampton NN17 1QX. Tel: Corby (0536) 205252.

commodore

REAL ARCADE ACTION! FROM JETSOFT



Cavelon II Can you destroy the wicked wizard of castle Cavelon? Only after negotiating the six levels in his castle. Collect all the door pieces before you can attain the next level. Help is at hand in this all thrills, all action, real arcade game, when excalibur appears, achieve indestructability.



Quari 27 levels of increasingly difficult real arcade action. Based on the game Bongo, you must avoid the chasing dinosaur, pterodactyls, falling rocks, native spears and bouncing Bongos. Negotiate rope bridges and erupting volcanoes, picking up the treasures of a lost civilisation as you go and finally cage the dinosaur – if you can!

BMX STUNTS

BMX STUNTS Based on the original arcade game this action packed game challenges your skill over six tests, straight race, wheelie, ramp jump, slalom, bunny hops and the ultimate test over a V.W. beetle in the Beetle ride.

the arcade people **JetSoft**

061 775 0333

EVERY DAY IS CHRISTMAS DAY WITH 'SPECIAL DELIVERY' FROM CREATIVE SPARKS



Make this Christmas really special with this delightful new computer game.

The ideal present to add to any software collection.

Available for Atari 32K, Spectrum 48K, Commodore 64.

CREATIVE SPARKS

FREE CAREER BOOKLET

Train for success, for a better job, better pay

Enjoy all the advantages of an ICS Diploma Course, training you ready for a new, higher paid, more exciting career.

Learn in your own home, in your own time, at your own pace, through ICS home study, used by over 8 million already!

Look at the wide range of opportunities awaiting you. Whatever your interest or skill, there's an ICS Diploma Course there for you to use.

Send for your FREE CAREER BOOKLET today—at no cost or obligation at all.

INTRODUCTION TO COMPUTER PROGRAMMING	☐	ELECTRONICS ENGINEERING	☐
PROGRAMMING IN BASIC	☐	GCE Over 40 'O' and 'A' Level subjects from which to choose.	☐
PROGRAMMING IN COBOL	☐	BOOK-KEEPING & ACCOUNTANCY	☐

Please send FREE DETAILS for the course ticked above.

Name _____

Address _____

P.Code _____

ICS
Division of National Education Corporation

ICS
Dept ETSC4
160 Stewarts Road
London SW8 4UJ

01-622 9911
(all hours)

CACC

SPECTRUM'S ADVANCED KEYBOARD

HI»QUALITY

■ The **LO>>PROFILE** professional keyboard is the ultimate upgrade for your Spectrum. By replacing its existing keyboard with a high quality **LO>>PROFILE**, you give this world-beating computer the keyboard it deserves.

■ The **LO>>PROFILE** is a full size QWERTY keyboard with full-travel positive-action keys for super fast entry of programs and data. Presented in an ultra-modern and robust enclosure, the **LO>>PROFILE** is elegantly styled and is inclined forwards for convenient operation.

■ Featuring a full size space bar with dedicated numeric and curser keypad the **LO>>PROFILE** increases the number of keys from 40 to 53. A combination of clearly labelled, sculptured and height-adjusted keys aids the advance to fault-free touch-typing.

■ Advanced Memory Systems have established an excellent reputation for product reliability and prompt delivery. This product has been tested to an impressive 20,000,000 depressions per key and AMS offer a full one year guarantee.

LO»PROFILE

£49·95
plus £2.50 p&p (VAT inclusive)

THE LO>>PROFILE PROFESSIONAL FROM ADVANCED MEMORY SYSTEMS LIMITED.

Fitting your Spectrum computer board into the **LO>>PROFILE** keyboard is easy. All you need is a screwdriver to secure the board onto the base of the keyboard enclosure using the mountings provided. The **LO>>PROFILE** is compatable with all Spectrum add-ons.



If not available from one of our 200+ dealers then fill in the coupon and we will send you a **LO>>PROFILE** with our full no-quibble money-back guarantee. Or phone 0925 602690/ 62907 for instant Access or Visa orders.

Please send No_____ **Lo>>Profile Keyboard** at £49.95 plus £2.50 p&p (VAT inclusive)
I enclose a cheque/PO for £..... or debit my credit card.
Card No
☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐ ☐ Barclaycard ☐ Access card
Signature _____ Date _____
Name _____
Address _____
_____ Postcode _____
To: Advanced Memory Systems Ltd.,
Woodside Technology Centre,
Green Lane, Appleton, Warrington WA4 5NG
YC/12

POWER UP!

Your First Commodore 64 Program

R. Zaks **£7.95**

You can learn to write simple programs without any prior knowledge of mathematics or computers! Guided by colorful illustrations and step-by-step instructions, you'll be constructing programs within an hour or two.

ISBN: 0-89588-172-1, 7"x11", 182 pp, illustrated

also available for VIC-20, APPLE II, ATARI, IBM, TI99/4A

Your Second Commodore 64 Program

G. Lippman **£8.95**

The many colorful illustrations in this book make it a delight for children and fun for adults who are mastering BASIC programming.
A sequel to **Your First Commodore 64 Program,** the book follows the same thorough, detailed approach and brings you to the next level of programming skill. With these BASIC language techniques, you'll soon be creating your own applications!

ISBN: 0-89588-152-7, 7"x11", 240 pp, illustrated

also available for APPLE II

ATARI BASIC Programs in Minutes

St. R. Trost **£8.95**

You can use this practical set of programs without any prior knowledge of BASIC! Application examples are taken from a wide variety of fields, including business, home management, and real estate. Just type them in and they're ready to run!

ISBN: 0-89588 143-8, 6"x9", 170 pp, illustrated

Power Up! Kids' Guide to the Commodore 64

M. DeJurgha/C. Earhart **£7.95**

Colorful illustrations and a friendly robot highlight this guide to the Commodore 64 for kids 8-11.
The hands on approach features short, easy lessons, and the spiral binding makes it ideal for use right at the computer. The engaging exercises are full of surprises and discoveries. By the end of the book, kids will be programming their own guessing games, "all-purpose" thank you notes, multi-colored pictures, and simple animation. The authors are elementary school teachers with several years of computer experience.

ISBN: 0-89588-188-8, 9"x7", 192 pp, illustrated



Graphics Guide to the Commodore 64

Charles Platt **£9.95**

This easy-to-understand book is the first to answer the need for a Commodore-specific graphics guide. It will appeal to anyone who wants to master the Commodore 64's powerful graphics features. You'll learn to move images across the screen, built your own character sets, and create impressive headlines and detailed pictures on the screen. A full color collection of screen displays is included, as well as instructions on how to create your own video games.

ISBN: 0-89588-138-1, 7"x9", 261 pp, illustrated

Programming the 6809

Zaks/Labiak **£11.95**

Get more out of your 6809 microprocessor – this book is chock full of programming tricks to show you how. Start with the basics of assembly language programming, and go on to understand registers and buses, subroutines, the 6809 instruction set, addressing modes, I/O techniques and devices, data structures, and useful applications. Give your 6809 processor 16-bit performance with 8-bit economy. No prior programming knowledge is required.

ISBN: 0-89588-078-4, 6"x9", 362 pp, illustrated



The Commodore 64/ VIC-20 BASIC Handbook

D. Hergert **£9.95**

In this dictionary-style handbook, you'll find clear descriptions and examples of each word in the Commodore 64/ VIC-20 BASIC vocabulary
The proper syntax of every keyword and function is explained carefully and thoroughly in easy-to-understand English. Short example programs illustrate the correct use of each command, and special notes provide insight into subtleties and extra features of Commodore 64/ VIC-20 BASIC.

ISBN: 0-89588-116-0, 6"x9", 185 pp, illustrated

SYBEX COMPUTER BOOKS KEEP YOU UP ON HOW TO GET THE MOST OUT OF YOUR COMPUTER.

SYBEX Computer Books are available through most leading bookshop and your local computer store. Ask for them! Our books are also available from COMPUTER BOOKSHOP, Birmingham, W.H. SMITH, JOHN MENZIES and BOOTS. In case of difficulty contact us directly, enclosing your check or money order (include 80p for postage and packing).

SYBEX

SYBEX Ltd.
Unit 4, Bourne Industrial Estate
Crayford, Kent DA1 4BU
Tel: Crayford (0322) 57717

BOILERHOUSE

Explosive Action!

Feel your temperature rise as you battle to control the overheating boilers. Your challenge is to fight and defeat the machinery, but the pressure can become intolerable!
Boilerhouse is an all machine code game with keyboard or joystick options.

£6.95 inc.VAT
48K Spectrum

To: Front Runner, K-soft distribution,
620 Western Avenue, London W3 0TU

Rush me _____ Tape(s) of Boilerhouse

Name _____

Address _____

_____ Post code _____

Telephone _____

I enclose a cheque/PO made payable to
K-soft distribution for £_____ (post free)

or debit my Access/Visa* _____
*Delete as applicable

I would like to hear news of more Front Runner releases ☐ Yes

Please allow 21 days for delivery

YC/01/BH

FRONT Runner

Meet the Challenge

AMSTRAD BBC CBM64 SPECTRUM MEMOTECH NASCOM ATARI

"You really can't go wrong with any Level 9 game as they are all brilliant." *Crash Micro Sept 84*

RETURN TO EDEN

Level 9's first amazing full-colour graphical adventure.

Return to Eden is the long-awaited sequel to Level 9's top-selling Snowball adventure, set on the weirdest planet ever. Now it's here with 240 locations, masses of puns and puzzles and with hundreds of pictures in the AMSTRAD, CBM 64 and Spectrum versions.

"Whichever machine you own, if you have the vaguest tendency towards adventure playing then you must try one of these games (unfortunately you'll probably end up wanting to buy the lot."
– *Computing Today, Aug 84*

"The Level 9 Adventures are superbly designed and programmed, the content first rate. The implementation of Colossal Cave (Adventure) is nothing short of brilliant; rush out and buy it. While you're at it, buy their others, too. Simply smashing!" – *Your 64, June 84*

"Level 9 – arguably the producers of the best adventure games in the UK – have done it again. Lords of Time is a sparkling addition to its stable of winners."
– *Acorn User, July 84*

"One of the best adventure games I have ever had the pleasure to get my hands on. I can recommend Dungeon Adventure without the slightest fear of being contradicted. This is a massive sojourn into the unknown."
– *Memopad, Oct 84*

"The Saga of Erik the Viking . . . a remarkable Adventure game. It carries all the hallmarks of a Level 9 Adventure – problem, text display and size of map – with graphics of a standard I have not yet seen before in an Adventure."
– *Computer & Video Games, Oct 84*

"I thoroughly recommend these Adventures, they are excellent value for money. No self-respecting Adventure-addict should be without them. I believe Level 9 are producing a series of Adventures which should be regarded as classics." – *Page 6, July 84*

Available from the HMV Shop and good computer stores everywhere. If your local dealer doesn't stock Level 9 adventures yet, use the coupon to buy them from us, or ask him to contact: Centresoft, Microdealer UK, Lightning, Leisuresoft, R&R, Lime Tree, PCS (SW), MCD, Wonderbridge etc.

	Cassette £9.95	Disk £11.95 BBC / CBM64
COLOSSAL ADVENTURE: The classic multi-dimensional game, with 70 bonus rooms.	☐	☐
ADVENTURE QUEST. An epic puzzle journey through Middle Earth.	☐	☐
DUNGEON ADVENTURE: 40 treasures to find and 100+ puzzles to solve.	☐	☐
SNOWBALL: Immense Science Fiction game with over 7000 locations.	☐	☐
RETURN TO EDEN: Vegetarian adventure. (Amstrad, CBM 64 and Spectrum versions have 240 pictures).	☐	☐
LORDS OF TIME: Imaginative romp through World History.	☐	☐
ERIK THE VIKING: Family game for BBC, CBM 64 and Spectrum only. All with 180+ pictures	☐	

I ENCLOSE A CHEQUE/PO FOR £9.95 PER CASSETTE OR £11.95 PER DISK

My name: _____

My address: _____

_____

_____

_____

My micro is _____

(one of those listed below with at least 32K). Send coupon to:

LEVEL 9 COMPUTING
Dept Y, 229 Hughenden Road
High Wycombe, Bucks. HP13 5PG

AMSTRAD BBC CBM64 SPECTRUM MEMOTECH NASCOM ATARI

Interview

Opportunity Knocks.

This is your big chance – the top programmer's job. All you have to do is be at the right place at the right time.

But don't be deceived, the competition is tough out there!

Due to the complexity of its outstanding graphics and challenging game play, Interview is a multi-load game using the Novaload fast load system on tape.

Don't wait for the rush, Interview is available now from your favourite software retailer or direct from us.

Tape £7.95
Disk £9.95 inc. VAT.
Commodore 64

To: Front Runner, K-soft distribution, 620 Western Avenue, London W3 0TU

Rush me_____ Tape(s)_____ Disk(s) of Interview

Name _____

Address _____

_____ Post code_____

Telephone_____

I enclose a cheque/PO made payable to K-soft distribution for £_____ (post free)

or debit my Access/Visa*_____
Delete as applicable

I would like to hear news of more Front Runner releases ☐ Yes

Please allow 21 days for delivery.

YC/01/1T

FRONT Runner

Meet the Challenge

Acornsoft announce tidings of great joy for both BBC Micro and Electron owners: eight brand new programs for Christmas.

Each one makes an ideal stocking filler.

They're all available at your local Acornsoft stockist. For the address or to order by credit card simply ring 0933 79300.

Or you can send off for our catalogue by writing to Acornsoft, c/o Vector Marketing London Road, Wellingborough, Northants NN8 2RL.

Alternatively, however, you could always take a chance and drop a line to Father Christmas.

ACORNSOFT
Software for the BBC Micro and Electron

9.00 Firebug

A fast moving arcade-type game in which you are a fireman, trying to rescue some oil drums and take them to the safety of a water tank. Your opponent is the firebug who runs around lighting fires which move slowly towards the drums and fire extinguishers, destroying them if contact is made.

10.00 Maze

A gripping graphics game where you enter a top secret installation with the aim of stealing secrets from a rival company. The security system, however, has many levels each consisting of a maze of corridors patrolled by armed robot guards. Complete with full colour 3-D graphics, sound effects and a high score table.

12.00 Elite

A superb 3-dimensional graphics game that's light years ahead of any other. You are a space trader who roams the universe, making your living from buying and selling cargo in your Cobra space craft. On your travels, you will encounter aggressors who are eager to put an end to your dealings. Be warned, only the fittest will survive.

1.00 Crazy Tracer

A crazy adventure in which you guide a paint roller round the edge of a maze of rectangles, while avoiding the monsters which are trying to stop you by crushing the roller. Beware – as the game progresses, so the number of monsters chasing you will increase.

3.00 Go

'Go' is a board game for two players which originated in China 3000 years ago and is now more popular than Chess in the Far East. It requires strategic insight, intuition and a strong, calculating mind. If you wish, you can also challenge the computer at differing degrees of difficulty. A velly good game indeed.

4.00 Watch Your Weight

At last, a weight-loss program designed especially for you. With it, your computer becomes an expert wholly conversant with and sympathetic to your needs, and will help you choose an appropriate and individual weight-loss plan. The program also includes a calorie counter and a series of apposite menu suggestions to help stimulate your imagination when you just can't think what to eat.

5.00 The Complete Cocktail Maker

With everything from a Black Russian to a Betsy Ross, this program contains data sufficient to concoct a staggering 320 different cocktails.

6.00 Paul Daniels' Magic Show

Stun and amaze your friends with your astounding feats of magic. This program contains ten tricks to be performed by or with your BBC Micro/Electron. Hurry though – it's bound to disappear fast.

The ZX Spectrum Expansion System. Only £99·95

Sinclair's complete alternative to floppy discs...



The ZX Spectrum Expansion System contains:

- One ZX Microdrive
- One ZX Interface 1
- One wallet containing four programs on Microdrive cartridge
- Microdrive demonstration cartridge
- One blank Microdrive cartridge
- Full documentation
- Connecting lead for Microdrive/ Interface 1
- ZX Net Lead

The new ZX Spectrum +

Fully compatible with all Spectrum software and peripherals, including this Expansion System

Tasword Two word processor

Turns your ZX Spectrum into a high-quality word processor!

Tasword Two has all the essential features of professional word processing packages – move and copy, insert, margin settings, 'help' pages, find and replace, and much more.

Written by Tasman Software Ltd.
Usual price (RRP): £13.90.



Games Designer

Now, all you need to create original games are original ideas – and Games Designer! It has eight, very different, pre-programmed games for you to play as they are – or modify out of all recognition!

There's never before been an easier, more enjoyable, way into games design.

Written by Quicksilva Ltd.
Usual price (RRP): £14.95.



Masterfile filing system

Address lists... personal files... stock inventories... stamp or album collections... club records... recipes ...if you can file it, you can Masterfile it!

Masterfile is a menu-driven filing and retrieval system of immense power. Display formats are user-defined, so the range of applications is enormous.

Written by Campbell Systems Ltd.
Usual price (RRP): £16.95.



Ant Attack

The all-time classic 3D strategy game. Ant Attack combines stunning Escher-like graphics with fast-moving action and a real tactical challenge.

Your task is to enter the walled city, seek out your captured partner, and escape. At all times you can choose from four angles of view. But beware: the city is patrolled by giant ants...

Written by Quicksilva Ltd. Usual price (RRP). £6.95.

All programs run on a 48K Spectrum or Spectrum +. Recommended retail prices are for each program on cassette.

...includes this great set of Microdrive programs!

The unique ZX Microdrive system sets the Spectrum apart from all other home computers.

It gives you all the advantages of floppy disc drives – at a fraction of the cost. And tests show the Microdrives are faster than some disc drives.

Now, the complete Microdrive system comes in one package – together with four of the best-ever Spectrum programs, on Microdrive cartridges.

This software alone would normally cost you over £50. Yet the Sinclair price for the complete ZX Spectrum Expansion Pack is just £99.95!

You'll find full details of its contents in the panel opposite.

ZX Microdrives–another Sinclair first!

The ZX Microdrive is a revolutionary fast access / mass storage device. And it's the only truly affordable alternative to disc drives ...

- Loads or saves up to 85K of program or data from Microdrive cartridges.
- Just 3.5 seconds to access a typical file.
- Only 9 seconds to load a typical 48K program.

The ZX Microdrive cartridge – a unique storage medium.

Smaller than a matchbox, the ZX Microdrive cartridge packs in a massive amount of data and programs.

Each Microdrive cartridge holds at least 85K bytes of data or programs (that's 30 pages of A4 text). And you can store up to 50 different data files per cartridge, identified by titles of your choice.

Every cartridge comes in its own protective case. Simply remove the cartridge, slot it into the Microdrive, and it's ready to use.

ZX Interface 1–adds powerful new capabilities to your Spectrum.

ZX Interface 1 connects to the back of your Spectrum and controls up to 8 Microdrives. (Additional Microdrives are available for £49.95 each.)

It also gives you:

- An RS 232 interface – to link your Spectrum with full-size printers, other computers using RS 232 (the industry-standard interface) and provide data transmission over telephone lines, via modems.
- ZX Net – lets you set up a local area network of up to 64 Spectrums, for high-speed data communications between you and Spectrum-owning friends.

At your local Sinclair stockist–today!

The ZX Spectrum Expansion System adds an exciting new dimension to Spectrum and Spectrum + computing. At £99.95 it's superb value too.

To find out more, call in at your local Sinclair stockist now!

Sinclair Research Ltd,
Camberley (0276) 685311.

© sinclair, ZX, ZX Spectrum, ZX Microdrive, ZX Net and ZX Interface are Trade Marks of Sinclair Research Ltd

sinclair

Seeing is

**See the pack – see the screen – see the game.
See the difference the moment you pick up one of the games from Firebird's new Silver Range.**

The difference is that our packs show the high quality you'll see on the screen when you play, so you know exactly what you're buying.

Here's a sneak look at three of the NEW games:



MR. FREEZE

Mr Freeze is faced with a real challenge. Armed with a flame thrower he has to determine a route through the fridge and de-ice each of its six compartments. This involves jumping over ice cubes and gaps between the shelves, and avoiding flying food, lasers and guardian robots. You'll need all your cunning, timing and skill to prevent Mr Freeze from being turned into ice. B-R-R-R!!!



VIKING RAIDERS

THRILL to the Vikings' exploits in this highly original war game. SAIL the Fjord in search of treasure and adventure. LEAD your armies in raids on enemy castles. CURSE at the uncontrollable antics of drunken Norsemen. MAY ODIN PROTECT YOU! For 1, 2, 3 or 4 players (any combination of human and/or computer controlled Viking armies).

DUCK!

Farmer Tubby is out to bag a few ducks, and maybe a swan, for his dinner. His trusty blunderbuss is small comfort against some of the zany hazards and surprises he encounters. Can you help him? This is the daftest, funniest duck-shoot of them all. A sense of humour is essential!

Look out for these games in the FIREBIRD silver range at selected high street stores.

SPECTRUM: THE WILD BUNCH · BOOTY · MR. FREEZE · TERRA FORCE · VIKING RAIDERS · MENACE · EXODUS · RUN BABY RUN · CRAZY CAVERNS.
COMMODORE 64: BOOTY · MR. FREEZE · EXODUS · HEADACHE · ZULU.
VIC 20: SNAKE BITE · MICKEY THE BRICKY.
BBC MICRO B: BIRD STRIKE · GOLD DIGGER · ACID DROPS · DUCK!

believing

The same high standard applies to all twenty games in the range and all are available at the remarkably low price of

£2.50

firebird

SOFTWARE

The new range from British Telecom. **You'd better believe it!!!**

FIREBIRD SOFTWARE, WELLINGTON HOUSE, UPPER ST. MARTIN'S LANE, LONDON WC2H 9DL. TEL: 01-379 6755/5626

Firebird and the Firebird logo are trademarks of British Telecommunications plc.



Treat your eyes to a Romag CEAF. Only £19.95

Unique technology: British made laminated glass, aspherically curved Contrast Enhancement Antiglare Filter.

Up to now, contrast-enhancing filters have always been flat—and so has their performance, because the screen of your TV, monitor or VDU is curved.

Up to now, most filters have been plastic — because it takes mindbending technology to bend optical quality laminated glass.

Up to now, filters have been expensive — awkward production techniques have meant price tags from around £50 to well over £100.

Forget all that: the Romag CEAF is here. British designed and manufactured by space age military technologists, CEAF is profiled to fit your display screen, giving you the ultimate in contrast enhancement and antiglare performance. For under £20, this first generation of eye-friendly filters diffuses all specular reflections, gives sharper image clarity from edge to edge of the screen and greatly enhances display colours.

Mounted and removed in seconds by invisible velcro fastenings, the anti-static, anti-shatter CEAF is a major step forward in the operational safety of computer displays—unprotected screens can cause blurred vision, watery and itchy eyes, headaches and (according to such authorities as the Institute of Ophthalmology) even permanent changes in eyesight.

Scratch-resistant, durable and easily cleaned without expensive sprays and agents, 9", 12" and 14" CEAFS are available from leading retailers at only £19.95 including VAT.

Or fill in the Freepost coupon and your CEAF will be despatched within 48 hours. Orders can also be placed around the clock by phoning the CEAF Department on (091) 414 5511, quoting your Acccss Card number. For other screen sizes, please ring or write — the CEAF prices for 'specials' would be considered very competitive.... if there was any competition!



ROAD FROG by courtesy of Ocean Software. MTA 4628

To ROMAG, FREEPOST, CEAF Dept. YC, Blaydon on Tyne, Tyne & Wear NE21 4BR. Telephone: (091) 414 5511.

My TV/Monitor/VDU is: _____ (make)

_____ (model) _____ (size)

My Computer is: _____ (make/model)

Please send me: _____ 9" CEAF(s)

_____ 12" CEAF(s)

_____ 14" CEAF(s)

at £19.95 each, inc. P&P.

I enclose cheque/P.O. No. _____

for £ _____ made payable to ROMAG.

OR My Access Card No. is

Name _____

Address _____

_____

_____ Tel: _____

ROMAG CEAF

The filter which eliminates all competition

CEAF is a Registered Trade Mark.

Education's a scream down at Spooky Manor.

Acornsoft have a range of education programs that encourage children to think logically and creatively. And at the same time, they make learning bags of fun.

SPOOKY MANOR: An adventure game for up to four players. Where exploring the creepy old house and solving mysteries involves co-operation and planning. It is suitable for children aged seven and upwards but many adults will enjoy the challenge it provides.

WORKSHOP: An easy to use and completely captivating program. Full of unusual machinery. By experiment children discover what each of the machines can do with simple geometric shapes. For ages three or over, Workshop encourages highly creative thinking and experimentation.

ABC: A writing tool designed for young writers aged seven and upwards. It is easily operated and quickly understood and before they realise it children will be creating and reshaping their words and ideas.

TALKBACK: Both entertaining and demanding. It allows children to create their own computer 'characters' capable of holding simple conversations on the screen and provides valuable lessons in both English and computer literacy. For ages ten and over.

All four programs are available for the BBC Micro computer on either cassette (£9.95) or disc (£11.50). Talkback and Workshop are also available for the Electron on cassette (£9.20).

For your local Acornsoft stockist or to order by credit card simply ring 0933 79300 during office hours. Alternatively you can order the programs by writing to Acornsoft, c/o Vector Marketing, London Road, Wellingborough, Northants. NN8 2RL, enclosing a cheque or postal order. Please allow 21 days for delivery.



ACORNSOFT

£11.49 OR LESS. HOW'S THAT FOR STARTERS?

Everything you need to organise yourself and to operate and maintain your computer – cassette storage, programming, cleaning – all together in one complete kit.

The Rexel Home Computer Starter Kit is put together by experts to help you get the very best out of your micro, especially if you are starting on the exciting business of creating your own programs.

Compatible with every cassette driven micro, it is available now at W.H.Smith, John Menzies and other leading suppliers. And at £11.49 or less, it's an absolute gift.

Also look out for the range of Rexel Computer Care and Maintenance products. Prices start from £3.50. You couldn't have a better start than that.

For more information on the Rexel Computer Care products, write to:
Rexel Ltd, Gatehouse Road, Aylesbury, Bucks. HP19 3DT

Cassette binder supplied without cassettes.

REXEL

COMPUTER SUPPLIES

TAKE A CLOSER LOOK AT REXEL

THEIR FEET IN YOUR HANDS.

O.K., so you like to think you can play football like Pele.

Well, now's your chance to prove it.

With the best football game that's ever been seen outside of Wembley.

Not only is International Football startlingly life-like, but it gives you near perfect control over the players.

The ball's at their feet, and their feet are in your hands.

You can kick the ball and you can dribble it. You can pass it or even head it.

And every time you belt the ball into the net, the crowd cheers madly.

How often you score depends on how good you are. It also depends on the level at which you choose to play.

Altogether there are seven levels. From good amateur to... well, good professional.

You can choose the easiest level of play, so long as you don't expect a walk-over.

Or, if you fancy seeing what it's like to play in a Cup Final, then you can always choose the most difficult level.

Or play safe and choose somewhere in between.

At each level you're able to play either a friend or the computer.

(But be warned, it plays a pretty mean game does the Commodore 64).

You can also choose your team's colours, and those of the opposing team.

Which is great.

It means you can play for Chelsea one day, and QPR the next. Or Celtic, then Rangers.

Imagine that.

Or you can play in your own team's colours against Liverpool...and thrash them.

With International Football you get all the atmosphere of a Cup Final spectacular in your own front room.

The game is a real test of skill, dexterity and speed, and guaranteed to very quickly drive you football crazy.

Like all of our software, International Football has been designed to make the very most of our hardware.

Commodore software. It costs no more, even though there's more to it.

commodore
COMPUTER SOFTWARE



INTERNATIONAL FOOTBALL CARTRIDGE £14.99.

MICROPOWERMICROPOWERMICROPOWERM



PICTURE YOURSELF ON T.V.

So you're hardly stumped for choice.

You simply choose your colours and characters, then 'build up' your picture. Just like any other artist.

With 'Art Master' you again get a choice of 121 colour shades.

But this time you can draw whatever shapes you like, creating your very own high resolution masterpiece from a blank screen.

It is even possible to draw circles, and store and then recall a back-up picture – which is more than you can do with other graphics programs.

Everyone, from the six year old right up to the 66 year old, will enjoy 'Art Master' and 'Picture Builder.'

Like all of our software, they have been specifically designed to get the best out of Commodore hardware.

That's why you can't choose better.

Commodore software: it costs no more, even though there's more to it.

We're not the only people who think 'Art Master' and 'Picture Builder' are two quite exceptional computer graphics software programs.

Tony and Rolf do, too. Otherwise they'd never have agreed to put their name to them.

commodore COMPUTER SOFTWARE

With both 'Art Master' and 'Picture Builder' you can create full colour pictures on your own T.V. screen.

And believe us when we say those pictures will match the best computer graphics you have ever seen.

Anywhere.

The pictures are drawn using either the keyboard or a joystick, and can be stored on either tape or on disk.

With 'Picture Builder' you are presented with a palette of 121 colour shades (more than enough for any budding Michaelangelo).

And a collection of character sets totalling over 250 shapes.



PICTURE BUILDER ON CASSETTE. ART MASTER ON CASSETTE OR DISK. EACH £9.99.

COMMODORE 64 (Joystick Compatible)



"THE STAFF OF KARNATH" recommended retail price £9.95 inc VAT
Available from W.H.SMITHS, BOOTS, J.MENZIES, WOOLWORTHS
and all good software retail outlets. Also available from
ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE6 5JU
(P&P included) Tel: 0530 411485

BBC MODEL B 1·2 OS



"SABRE WULF" recommended retail price £9.95 inc VAT
Available from W.H.SMITHS, BOOTS, J.MENZIES, WOOLWORTHS
and all good software retail outlets. Also available from
ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE6 5JU
(P&P included) Tel: 0530 411485

48K SINCLAIR ZX SPECTRUM



"UNDERWURLDE" recommended retail price £9.95 inc VAT
Available from W.H.SMITHS, BOOTS, J.MENZIES, WOOLWORTHS
and all good software retail outlets. Also available from
ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE6 5JU
(P&P included) Tel: 0530 411485

48K SINCLAIR ZX SPECTRUM



"KNIGHT LORE" recommended retail price £9.95 inc VAT
Available from W.H.SMITHS, BOOTS, J.MENZIES, WOOLWORTHS
and all good software retail outlets. Also available from
ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE6 5JU
(P&P included) Tel: 0530 411485

BEWARE.
THE CYCLONE.

You've seen the havoc Tornado Low Level can create.
Now it's the turn of Cyclone. The latest action game from Vortex.
Stunning multi-view 3D graphics. Vast dynamic
playing area. A new game designed to take the Spectrum
world by storm.
Beware. The Cyclone...is imminent.

Vortex SOFTWARE

☐ CYCLONE	SPECTRUM 48K	£6.95	
☐ T.L.L.	SPECTRUM 48K	£5.95	
☐ ANDROID TWO	SPECTRUM 48K	£5.95	
☐ ANDROID ONE	SPECTRUM 16K-48K	£4.95	TOTAL VALUE £

NAME (BLOCK LETTERS PLEASE)

ADDRESS

ENCLOSE P/O CHEQUE PAYABLE TO VORTEX SOFTWARE (SALES) LTD.
SEND TO VORTEX SOFTWARE (SALES) LTD. 280 BROOKLANDS ROAD, MANCHESTER M23 9HD

· VORTEX ACTION GAMES · AVAILABLE AT ALL LEADING RETAILERS ·

...LET US BROADEN YOUR HORIZONS

SPECTRUM

Digital Sound Sampling Technology. NOW Available on your Spectrum

Complete unit and Software Package

£49.99 POST FREE

• Digital Sound Sampling has only previously been available for large micros and costing at least 10 times the amount. • The Sound Sampler allows you to record 'Digitally' any sound into memory and instantly replay it at any pitch, forwards, backwards, ascending scale, compressed, expanded, with echo, endlessly looped etc. • Supplied complete with Software package to facilitate the above operations, plus on screen 'Voice Prints' + Frequency Plotting. • With on screen keyboard + drum kit a whole symphony could be produced from a single Sample Sound. • This is a professional unit featuring 8 Bit D to ADC converters as used in Digital equipment now sweeping the music world. • Although the unit is not a toy, giving truly astounding results for the musically inclined, we have incorporated a games interface to allow you to use Sound Sampling in your own games etc., so the Sound Sampler would be of interest to everyone.

SPECTRUM

NOW! You can connect your Spectrum to a full sized printer...



ONLY **£34.99** POST FREE

• The Datel Interprinter is a Centronics Interface which allows the Spectrum to be connected to a whole range of full sized printers.
• Comes complete with connecting cables and 36 way plug to fit most printers including Epsons, Seikoshas, Star, Tandy, Shinwa etc.
• Complete with software to generate text copys plus additional software to facilitate hires screen dumps.
• The Interprinter plugs straight into the expansion port. • **Available Now!**

SPECTRUM

ONLY **£34.99** POST FREE

THE ULTIMATE SPEECH SYNTHESIZER Plus built in Joystick Interface

• Easily program any word from a unlimited vocabulary.
• Joystick Interface accepts any standard type (Kempston compatible) including Rapid Fire.
• Also boosts Spectrums sound through your TV.
• All in one unit, no messy wires. • **Available Now!**

COMMODORE

NOW for the Commodore 64 The COMMVERSA © SPEECH SYNTHESISER CARTRIDGE

£24.99 POST FREE
PRICE BREAKTHROUGH.

• Simply plug into the exciting world of Speech Synthesis.
• The Commversa has an unlimited vocabulary using the now standard Allophone System. • Programming is so easy and sentences can be made up in minutes! • Comes complete with full instructions + Free Demo Tape. No extras required. • ***Available Now!***

SPECTRUM

Now you can create Superb Graphics easily with the New Lightwriter



ONLY **£16.99** POST FREE

Lightpen comes complete with Interface & Software

• Just plug in the Datel Lightwriter and draw circles, squares, rectangles, make superb hand drawings, paint, fill, erase, choose inks, paper, colours. • Save your results into memory (48K) and use in animation or save onto tape to use in your own games. • All functions selected from screen menu with the lightpen.
• Unbeatable value. • Nothing more to buy.

SEND NOW AVAILABLE FOR IMMEDIATE DELIVERY

SPECTRUM

NEW ALL SYSTEMS GO!! SWITCHABLE JOYSTICK INTERFACE

With built in Sound Booster for "On Screen" sound

ONLY **£22.99** POST FREE

UNBEATABLE VALUE MULTI-FEATURE UNIT!

The TURBO ACE gives maximum joystick compatability by simply switching through all systems ie, Kempston , Cursor , Interface 2.

• The all in one unit also features an Amplifier which delivers the sound from your games etc., directly through your T.V. (also gives keyboard click which helps when typing data etc.).
• These features make the TURBO ACE the number one add on for the games player.
• Accepts any 'Atari' compatible joystick.
• **Available now.**

SPECTRUM

The ultimate add on for the keen games player!

Joystick Interface Plus Spectrum Soundbooster

Actually Amplifies through your TV Speaker

ONLY **£17.99** POST FREE

FEATURES INCLUDE
• Joystick interface compatible with a huge range of games (Kempston system) • Compatible with any Atari type joystick including auto rapid fire models. • Amplifies Spectrums 'Beep' into a roar through your TV speaker! (fully controllable). • Stylish all in one unit, no messy wires. • **Available Now!**

SPECTRUM

At last, the first joystick that puts the firing button where it should have been in the first place.

TRIGA COMMAND IS HERE

THE TOP AMERICAN JOYSTICK IS NOW AVAILABLE IN THE U.K....

£19.99 ONLY POST FREE

• Including Interface to plug straight into the Spectrum. • The first Joystick to give you "Arcade" feel and control. • "Jet Style" heavy duty, diamond cut grip. • Fire Trigger placed under your index finger... the finger with the fastest reflex action. • Self centering, 360° action. • Compatible with most of the latest Software (Kempston system).

Also available for Commodore/Atari £9.99

Dealer Enquiries Welcomed

Send Cheque/P.O.s to:—

DATEL ELECTRONICS
UNIT 8, FENTON INDUSTRIAL ESTATE,
DEWSBURY ROAD, FENTON,
STOKE-ON-TRENT
TEL: 0782 273815

ALSO AVAILABLE FROM GOOD COMPUTER SHOPS
Allow 7 Days

Send for Dealer Pack NOW!

or Telephone
24 HRS CREDIT CARD LINE FOR INSTANT DESPATCH

ACCESS
BARCLAYCARD VISA

THE UNIQUE MSX SYSTEM Complete

In the confused world of computer technology the unique MSX System has been adopted as a common standard for computer production by at least 16 of the biggest and best names in home electronics. This major breakthrough in the development of

The Sensational SONY HIT BIT

A 64K MSX Computer with an exclusive, built-in Personal Data Bank (firmware). This handy facility enables you to enter, store, recall and up-date all kinds of personal information such as appointments, addresses, telephone numbers, etc. Operation is simple, with instructions appearing on the screen every step of the process.

£299.95

Data from the Personal Data Bank can be saved on any data storage facility or on the **UNIQUE HBI 55 RAM CARTRIDGE,** available for **£39.95**

KV1430 14" MONITOR STYLE, PUSH BUTTON CONTROL TRINITRON COLOUR TELEVISION
with front mounted RF terminal. **£239.95**

HBD50 MICRO FLOPPY-DISK UNIT stores up to 360K bytes of information on a 3½" disk. Easily connected to the Hit Bit by using one of the expansion slots. **£349.95**

The Superb SANYO MPC100

This sophisticated piece of equipment offers all the advantages of 64K MSX computing. *(complete with 4 programme starter pack)* **£299.95**

Plus a unique optional feature – **MLT001 LIGHT PEN.** This provides you with unlimited flair and flexibility in colour graphics design. This feature comes complete with a software package containing some intriguing graphic facilities.

CBP 3000 14" MONITOR STYLE COLOUR TELEVISION with removable smoked glass screen for higher definition.

£199.95

MLT001 LIGHT PEN

£89.95

PRICES SHOWN INCLUDE VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. E. & O.E.

RING TELEDATA 01-200 0200 FOR DETAILS OF YOUR NEAREST STOCKIST.
ANYTIME DAY OR NIGHT

compatibility...

Home Computing brings you complete compatibility in hardware and software. To cater for all home computing needs, Axis have selected in these pages an unbeatable, top value-for-money range of MSX computers, colour monitors, peripherals and software for you to choose from. "We believe that when you discover the benefits of MSX computing no other system will do".

TOSHIBA

The Star Value TOSHIBA HX10

The first MSX computer to be introduced into the U.K.

Offering superb facilities and outstanding value for the first time user or enthusiast. 64K Ram, 16 colour graphics, RF, video and audio connectors, plus ports for printer, disk drive and data recorder. *(Including starter pack software).*

£279.95

140E MONITOR STYLE COLOUR TELEVISION

The perfect partner for the HX10, providing excellent picture and sound quality.

£189.95

HX-P750 PLOTTER PRINTER

Easily connected to the HX10 through the printer interface. This printer features image and character plotting in 4 colours – red, green, blue and black – making it ideal for colourful graphs, pie and bar charts. Plotting speed is 285 steps per second.

£249.00

SANYO

DR202 DATA RECORDER

Top of the range machine offering a host of high technology features.

£44.95

DON'T FORGET TO ASK YOUR DEALER FOR DETAILS OF CREDIT FACILITIES, EXTENDED GUARANTEES, ETC. AVAILABLE ON CERTAIN ITEMS.

AXIS

AT HOME WITH TECHNOLOGY

THE UNIQUE MSX SYSTEM ..amazing

When you buy your MSX computer, you enter a new dimension of Home Computing with software options on disk, ROM cartridge or cassette tape.
Peripheral options cover colour monitors, printers, disk

The Spectacular JVC HC-7GB



The HC-7GB personal computer from JVC is a new MSX machine designed for total compatability between other MSX machines and all MSX softwear. A highly advanced 64 K machine, the HC-7GB has three display modes offering RF, composite video and RGB outputs. The HC-7GB MSX personal computer from JVC is the final word in home entertainment.

£279.00

THE JVC 7255 GB 14" COLOUR TELEVISION COMPUTER MONITOR



JVC

With full remote control **£269.95**

JOYSTICKS

For extra versatility and sensitivity in control there is a range of high quality joysticks available from these famous manufacturers offering such features as double trigger and suction stability pads.

TOSHIBA
HX-J400 £12.95

SANYO
MJY 002 £12.95

JVC HCJ615 £12.95

SONY JS 55 £19.95

SANYO CTP3132 14" PUSH BUTTON COLOUR TELEVISION



The ideal budget price television for your home computer unit. Great value for money at

SANYO **£179.95**

SONY PRN-C41 PLOTTER/PRINTER

This Plotter/Printer produces red, green, blue and black images and characters. Pen replacement is easy and it takes a wide choice of paper sizes including FREE 'greetings pack' software.

SONY **£249.95**

PRICES SHOWN INCLUDE VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. E. & O.E.

RING TELEDATA 01-200 0200 FOR DETAILS OF YOUR NEAREST STOCKIST.
ANYTIME DAY OR NIGHT

versatility

drives, light pens, plotters, joysticks, data recorders and RAM cartridges from many top name manufacturers in the home electronics field.

Their performance offers you unrivalled graphic and sound quality together with outstanding simplicity of use.

THE INCREDIBLE FISHER CFB 1410 P MONITOR STYLE COLOUR TELEVISION



This superb, high technology 14" monitor style television has earned a high quality reputation as a reference in the field of home computer monitoring. It features a full 17 function infra red remote control housed in the front of the set. Other sophisticated facilities include direct audio/visual terminals in/out and smoked glass filter for perfect picture definition.

FISHER £269.95



SANYO DR201 DATA RECORDER

An AC only recorder styled for computer use with all controls conveniently placed on top of the machine for ease of use. **£34.95**

SANYO DR101 RECORDER

Specifically designed for use with personal computers, with phase shift switch, speaker monitor and AC/DC operation. **£34.95**

SONY TCM737 DATA RECORDER

A mains or battery operated recorder ideal for use with your home computer. **£39.95**

JVC HC-R105 DATA RECORDER

The stylishly designed HC-R105 data recorder is an example of a machine produced to offer superb user convenience, exceptional performance parameters and reliable data transfer. The HC-R105 is a high speed machine giving very short access times to data. **£89.00**

SOFTWARE

TOSHIBA

SOFTWARE STARTER PACK As a special introduction to your MSX computing, Toshiba offer a pack of 5 exciting computer games for **ONLY £30**

Pack consists of: ● 3D Golf ● Trick Boy ● Clapton II ● Pyramid ● Polar Star

(Offer only available while stocks last)

Individual games available at **£7.95 each**

SONY ROM CARTRIDGE SOFTWARE A range of sophisticated Sony Rom Cartridge Software is available at prices up to **£19.95**

KNIGHTS:

KNIGHT-OTHELLO £5.95
The classic game now on MSX.

VICIOUS VIPER £5.95
Eat the men but don't bite your tail.

EXPLODING ATOMS £5.95
A strategy game for two players.

SMASH OUT £5.95
With key or joystick control.

CAVE ADVENTURE £5.95
Negotiate the labyrinth of treasures.

MSX DEMONSTRATOR £5.95
Realize the potential of your MSX.

MSX GRAPHICS £5.95
Demonstrate your excellent MSX graphics.

TYPING TUTOR £5.95
Score by response to flashing keys.

JUNIOR MATHS £5.95
Teaches children to add and multiply.

MSX BASIC TUTORIAL PART 1 £5.95
Learn MSX Basic programming.

MACHINE CODE LANGUAGE £5.95
Write your own machine code programs.

KNIGHTS MAIL LIST £14.95
Store addresses and print labels.

BUDGET ACCOUNTS £14.95
Accounts with special forecast feature. (Available on disk or cassette).

KUMA:

DRILLER TANKS £8.95
Fight in tunnels fire breath Hectoriens.

BINARY LAND £8.95
Unite the couple in the complex maze.

FIRE RESCUE £7.95
Rescue the mice from a burning building.

ERIC & THE FLOATERS £5.95
Recover treasure from the evil floaters.

DOG FIGHTER £6.95
Blast enemy aircraft out of the skies.

HYPER VIPER £7.95
Avoid venomous vipers in the labyrinth.

SPOOKS AND LADDERS £6.95
Trap spooks in holes & escape the mine.

COCO IN THE CASTLE £6.95
Rescue the maiden from the king's castle.

CRIBBAGE £5.95
Play 6 card cribbage with your MSX.

HOLDFAST £5.95
A local politics strategy game.

HOME BUDGET £14.95
Control your home income and expenses.

WDPRO:– Wordprocessor £29.95
A professional quality wordprocessor.

DATABASE £19.95
A professional database program.

ZEN MACHINE CODE PROGRAMMING SYSTEM £19.95
Generate Z80 assembler language programs.

KUMA FORTH £39.95
A fully structured self extending language.

COMMUNICATIONS WITH VIEWDATA £19.95
Communicate through your modem.

SPEECH SYNTHESIS £69.50
(includes hardware card)
Typed in words can be spoken.

QUICKSILVA:

FRED £7.95
Fred's adventures under the pyramids.

BOOGABOO (The Flea) £7.95
Avoid a deadly dragon inside deep caves.

ANT ATTACK £7.95
Escape the ancient city fighting ants.

THE SNOWMAN £7.95
Build a snowman avoid Monsters & Flames.

GAMES DESIGNER £9.95
Modify existing or write your own games.

AMPALSOFT:

The **"CHESHIRE CAT EDUCATIONAL SERIES"** of programs will be made available to MSX users.

ABOVE ARE ONLY A FEW OF THE MANY PROGRAMS AVAILABLE FOR YOUR MSX BY MAIL ORDER OR FROM YOUR LOCAL STOCKIST.

DON'T FORGET TO ASK YOUR DEALER FOR DETAILS OF CREDIT FACILITIES, EXTENDED GUARANTEES, ETC. AVAILABLE ON CERTAIN ITEMS.

AXIS

AT HOME WITH TECHNOLOGY

YOUR LETTERS

SPECTRUM + MANUAL MINUSES

I would like to report my experiences with the manual for the Spectrum+, and my first impression that it is a disaster is in no way diminished after thoroughly reading it through.

The manual has no ring binding so that it shuts up like a clam if you want to leave it open on the table while keying in a program from it. Having to use one hand to hold the book open surely defeats the object of having both hands available on the new keyboard.

There is a mysterious back cover which has two folds and opens out to a total width of over 30cm. It's something like the Playboy centre page fold-out except that the girl as well as the clothes are missing! I thought it might be a sort of bookmark where the flap could be folded into a page of text. But this is physically impossible. The fold does not overlap the page width — it underlaps it, falling short by several millimetres. Its purpose completely eludes me. Could someone enlighten me?



The manual of the "ordinary" Spectrum is written in a reasonably straightforward manner. At least I think so. If you wanted to find out about loops, you looked up the chapter on "Looping"; subroutines were dealt with in the chapter entitled "Gosub, Return". In the Spectrum+ manual these topics are covered in "Simple DIY Graphics" and "Designing Patterns and Pictures". And where, might one ask, can you learn about arrays and functions in the new manual? Well, that is not so easy.

Alan Crowe,
Bilthoven,
Netherlands.

JOYSTICK GOLD

As it stands the Commodore 64 Program Bullion, printed in *Your Computer* September will not run. With the following changes all is OK: in line 8 instead of SR= 54292, change the SR to ZR; and in line 1500 change Poke SR,0 to Poke ZR,0.

Also I have included a joystick routine which other readers may like. Also you can still use the keyboard if you prefer. The following changes and Newlines must be entered.

```
  0 Poke 56,140: Gosub 2000
170 Poke 198,0: SYS 35841
505 U=35841
506 Read F: If F = -1 then 511
507 Poke U,F: U=U + 1 : Goto 506
508 Data 173,0,220,74,176,7,162,4,
        134,197,76,0,192,74,176,7,
        162,5,134,197
509 Data 76,0,192,74,176,7,162,12,
        134,197,76,0,192,74,176,4,
        162,20
510 Data 134,197,76,0,192,-1
511 For T = 0 to 3: X = 0
512 Read A: If A= -1 then 530
520 Poke 49152 + T * 256 + x,A:
        X=X+1: Go to 512
990 Data 173,52,3,41,1,240,3,32,0,
        201,173,52,3,41,2,240,3,32,
        0,203,76,1,140,-1
```

I do hope this will be of use to some readers. Thanks for an excellent magazine.

T.J. Hackworth,
Ruddington,
Nottingham.

SQUEEZE TEXT

In my article on text compression, published in September's *Your Computer*, line 910 of listing 3 was mis-typed. It should read:

```
910 PRINT # 1; AT 1,0;
    "Press any key to continue"
```

In addition, when the article was edited, some important details were omitted which could be of both value and interest to many readers. The structure of the 16-bit token is:

bit 0 : 1 = a two byte token
bits 1-11 : dictionary item no.
bit 12 : 1 = begin word with capital
bit 13 : 1 = follow word by a period
bit 14 : 1 = follow word by a comma
bit 15 : 1 = follow word by a newline

It should be noted that the text dictionary corresponding to the example given in figure 1 has the phrase "you@are@in" as its first entry, "a" as its second entry, "dark" as its third entry, etc.

The points used by the compression routine are:

31535/31536 — Base address of Dictionary
31537/31538 — Base address of Tokenised Messages
31539/31540 — Next address in Dictionary
31541/31542 — Next address in Tokenised Messages
31543/31544 — Number of Dictionary items
31545/31546 — Number of Text Messages
31547/31548 — Number of input characters
31549 — Number of letters in word/phrase being analysed.

The compression routine requires some work space immediately following the pointers so that the base addresses for the dictionary and tokens should be set, for example, at 32000 and 40000 respectively.

The degree of compression which may be achieved will depend obviously upon the nature of the text database. Typically, savings of 40-50 percent may be obtained using the text compression system described in the article.

A. Tobias,
Thornbury,
Bristol.

TANKS CODE

I'm writing to let you know that there seems to be a piece of code missing from my game *Tanks*. Below is a printout of the missing piece of code.

R. Ludkewicz,
Wildmill,
Bridgend.

LOADING TROUBLE

I was interested to read in *Your Computer*, October in the Response Frame section a letter concerning loading trouble. May I comment further on this?

Considerable loading trouble is obtained from tapes which are "data compressed" — classified under "Fast loading", "Turbo Jet", etc.

The standard tape deck cannot cope with such data compressing. Why try to turn a £200 machine into the equivalent of a £2,000 one? Does it greatly matter that 10 minutes loading should be compressed to two minutes?

Your correspondent will find that he is not unique with such loading problems. Mirrorsoft Ltd. have themselves kindly agreed to resupply a "normal tape" for a "data compressed" tape should trouble arise in loading.

Tim Hartnell gives good advice: "return to dealer and get one that loads!!".

Eve Mills,
Nailsea,
Bristol.

MORE LIVES

Firstly may I say what a brilliant magazine *Your Computer* is, being practically the only one to cater for us machine-code freaks. Taking J. Charlesworth's "Dangerous Gardens" as an example, the quality of the graphics and games play are up to "Ultimate" standard. It even surpasses "Pssst", on which I think it may be based.

But onto the main point of my letter — re the aforementioned program, I can reveal how to get infinite lives! Simply add line 75:

```
POKE 28275,255
```

and you instantly have lots of lives. What disassembler did I use to find that out? Well, actually, I didn't — I simply took a method that I used on my 16K ZX-81 and transposed it into my Spectrum. It only takes up one line and could be used on any micro that uses Basic. The line is:

```
FOR I = START TO FINISH: PRINT
I;"";PEEK I: NEXT I"
```

where Start = the start of the machine code and Finish = the end of the code. If the start of the code isn't known,



Figure 1.

From QL		to Socket
GRND	BLACK	7 GRND
TXD IN	WHITE	3 RXD OUT
RXD OUT	GREEN	2 TXD IN
DTR IN	BLUE	5 CTS OUT
CTS OUT	RED	4 DTR IN
	ORANGE	OMIT

Figure 2.

USING A ZX PRINTER WITH QL

If you already have a Spectrum with Interface I and a ZX printer and have upgraded to a QL as I have done, but can't justify a "proper" printer yet you may be interested in using your ZX printer for listings. The method I used is very simple and uses the serial 1 port on the QL and the 232 port on the Spectrum.

Firstly, you will need to wire up a 9-way plug — see diagram — to the end of the free printer cable given with the QL. Remove the large plug by carefully unsoldering the six wires. Re-solder the wires to the 9-way plug as shown in figure 2.

Insert one end of the cable into SER1 of the QL and the other into the RS—232 socket on Interface 1. The following program must be entered into the Spectrum and Run. I used baud 600 for no particular reason.

```
10 FORMAT"t";600
20 OPEN # 4;"t"
25 LET A$ = INKEY$ # 4
26 IF CODE A$ = 10 THEN LET A$ = CHR$ 13: GOTO 30
27 IF CODE A$<32 THEN GOTO 25
30 LPRINT A$;
40 GOTO 25
```

Load a listing into the QL, and enter the following as direct commands:

```
BAUD 600
OPEN # 6,SER1
LIST # 6
```

Lo and behold, the ZX printer will spring into life and produce your QL listing!

use the address that follows Rand USR or whatever method your machine uses to run machine-code programs. Then if, say, you wanted to change the amount of lives in a game where you start with three lives, simply write down all the addresses which have the Peek value of 3 and Poke each in turn with your desired amount of lives. Be prepared, however, to reload the program, should your Pokes crash the machine! This could mean a very long time waiting, especially if you own a Commodore 64. Long live Uncle Clive!

Jon Rose,
Bognor Regis.

MIDWAY ERROR

I feel I should correct a mistake in a brief review of Battle for Midway on page 51 of the November issue of *Your Computer*. In the review you state:

"All you have to do is sink the four Jap carriers and they all troop off the map, victory to you!" A gross over simplification of what is a very complex and historically accurate wargame.

The next line of your review says:

"So how come after sinking four carriers, you then get hit by aircraft and lose the game?" There are two ways I can answer this statement:

First, their are five aircraft carriers split between the *three* Japanese fleets. The first fleet has four carriers, the second one carrier and the third fleet, whilst not having any aircraft carriers, has the capability of launching seaplaines. I think that explains how your reviewer may have lost the game.

Secondly, the Japanese bombers have a flying time of 180 minutes. It is therefore quite possible for the planes to be launched and proceeding to attack the US fleets before any U.S. aircraft make an attack on the Japanese carriers.

Indeed, in the final stage of the actual battle, U.S. aircraft were attacking the last Japenese carrier at the same time as Japanese aircraft were attacking the *U.S.S. Yorktown.* By the time the Japanese had returned to where their carrier should have been, it had been sunk. Yet another way inw hich your reviewer could have lost the game.

As a final comment, I would like to say that while I am totally in favour of critical reviewing of products, I am rather disturbed that your reviewer has totally condemned our product in the eyes of your readers simply because he either didn't play the game for long enough or because he didn't take any notice of the information given by the program.

I understand that there are severe time constraints on any magazine article, but a quick telephone call to PSS would have explained to him that the program is *not* "fatally flawed" as he puts it.

Six months of research and design went into Midway

Gary Mays,
Managing Director,
PSS,
Coventry.

EDITORIAL

AS WINTER SETS IN, Cold War computer games seem to reflect the chill in the political climate. On the same day that President Reagan was re-elected for "The Second American Revolution" — this time based on military muscle — and the Soviet Union was rattling its nuclear sabres around Red Square, the arcade adventure Raid over Moscow was launched.

Typical of the present crop, Raid over Moscow encourages you to take out Minsk, Leningrad and Saratov as the only way to save your hearths and homesteads. Although it was written by Mormon Bruce Carver in Salt Lake City, don't expect any Christian sentiments in this season of peace and goodwill to all men.

Even though the Americans have played ball in the game and dismantled their nuclear arsenal, the communists have reneged on Salt IV and their missiles are speeding towards targets in North America: "The Soviets believe their treachery will lead to total world domination."

U.S. Gold, the U.K. distributor of the game, says that despite the "elements of violence and political overtones" the program is "escapism and not indoctrination" and might just as well have been called "Raid over Birkenhead" for all the offence it should cause.

But before you conclude that all violence and aggression in computer games originates in the West, it's worth noting that a Yugoslavian team of programmers recently came up with an amusing little number which, roughly translated, goes by the name of Sink The Nato Fleet. Perhaps if the Eastern Bloc home computer market were not so limited we would see more of the Warsaw Pact's equivalents of Raid over Moscow.

Few of these overtly war-mongering computer games have been produced in the U.K., although in mid-1982 Bomb Buenos Aires was released by a British software house to cash in on the Falklands conflict.

Taken at its most extreme, the lobby against violence in games would argue that even zapping aliens is wrong. Christian Penfold of Automata — the software house that champions non-destructive computer games — believes that any form of on-screen killing makes people more insensitive to violence in real life and more likely to commit it.

That is a difficult argument to prove and not even he would put shoot-'em-ups on a par with video nasties like *Driller Killer* even though the effects of such games may be more insidious.

The middle ground in the controversy puts games like Raid over Moscow and F-15 Strike Eagle, where you have a choice of targets in Libya, Syria and Vietnam, into the overtly propagandist category. But despite their equally violent underlying mesage, programs with a historical perspective — like the World War II Eastern Front for the Atari — are more acceptable.

Until some sort of standards are set you will have to pick your way between Automata's ultra-pacifist line — "Killing is wrong, even pretend killing on little screens" as it says in their game Deus Ex Machina — and Cold War jingoism.

So much for the Christmas spirit — Good King Wenceslas would be a legitimate target, after all he was Czechoslovakian — the only thing that looks like being deep and crisp and even on your yuletide screens is the fallout from a nuclear winter.

How to write for *Your Computer*

We called this magazine *Your Computer* precisely because we welcome your views, tips and hints and even your criticism of machines and software in general. If you would like to see your name in print, whether on a Software File program or a full-blooded article, here is how to go about it. Ideally, all articles should be typed double-spaced on one side only of uniform sheets of paper. If listings can be dumped directly from a printer — you can always use a friend's or user group's — this minimises the risk of error. In a perfect world a cassette would accompany the article. That considerably speeds up the checking process. Not only do you get to air your own discoveries and opinions, but we will even pay you for the privilege. We pay £35 per published page — that's as it appears in the magazine and includes illustrations.

Why not give it a try? You have nothing to lose but your postage.

Editor
TOBY WOLPE
Assistant Editor
MEIRION JONES
Production Editor
IAN VALLELY
Software Editor
SIMON BEESLEY
Sub-editor
PAUL BOND
Editorial Assistant
LEE PADDON
Editorial Secretary
LYNN DAWSON
Editorial: 01-661 3144
Subscriptions: U.K. £12.50 for 12 issues.

ABC
154,334
January-June, 1984.

Printed in Great Britain for the proprietors Business Press International Ltd, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. Tel: 01-661 3500 Telex/grams: 892084 BIPRESG. ISSN 0263-0885. Printed by Riverside Press Ltd, Whitstable, Kent, and typeset by Instep Ltd, London EC1.

Advertisement Manager
NICK RATNIEKS 01-661 3127
Assistant Advertisement Manager
NEIL MARCHANT 01-661 8548
Advertisement Executives
NIGEL BORRELL 01-661 3660
JULIAN BIDLAKE 01-661 8458
KAY FILBIN 01-661 8484
Northern Office
GEOFF PARKER 061-872 8861
Advertisement Secretary
MAXINE GILL
Classified
LUCY O'SULLIVAN 01-661 3036
Publishing Director
CHRIS HIPWELL
Group Advertisement Manager
SHOBHAN GAJJAR
Your Computer, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

© Business Press International Ltd 1984

A supersonic dogfight

F-15 STRIKE Eagle is the home-grown all-American flight simulator which may be involved in a bit of a dogfight sales-wise with Digital Integration's Fighter Pilot. Both simulators are based on the F-15 air superiority fighter; both have now been implemented for the Commodore 64.

Strike Eagle from US Gold was originally implemented on the Apple II and is available for the Atari, too.

Opponents, according to the manual, include the Mikoyan/ Gurevich Mig-21. Mig-23, and Sukhoi Su-22, though in fact they all tend to look rather like flying triangles.

This particular graphic gripe apart, the rest of the game has great complexity and depth. You can select forward and rear views à la Star Raiders by pressing the space bar, and the head-up display shows your airspeed, altitude, and line of flight. It also gives you two reticles (American for cross-hairs) one for aiming guns and missiles, another for aiming bombs. There are two target designator boxes, one for aircraft which are too far away for you to see, and one for indicating the position of air or ground launched missiles. You can also release decoy flares.

Your Computer prize-winners save maiden from fate worse than death

SEVEN *"YOUR COMPUTER"* prize-winners diced with death as they fought their way round Treasure Trap Castle. The prize-winners from our March competition were treated to the dubious delights of a real life adventure at Peckforton Castle in Cheshire. Their adventures followed the plot of Castle of Terror, a Dracula type graphics adventure set in the 1800's soon to be released by Melbourne House.

The Castle is rented out by the local landowner to Treasure Trap who use it to stage fantasy adventures in its buildings and grounds. These adventures are based around the rules and ideas in the game Dungeons and Dragons (TM), but instead of moving small plastic models around a cardboard map, participants try to fight their way round rooms and corridors of the castle, often in the pitch dark, opposed by large 'Orcs' wielding bottles of red dye. People come back time and time again. One seasoned campaigner we came across said that on a good weekend he could expect to get killed half a dozen times at least.

Certainly our prize winners enjoyed themselves, and give or take a reincarnation or two, they all came out in one piece, with Dracula suitably disposed of and the fair maiden rescued, although what the laundry service will say about the state of their clothes is another matter.

Two of our prize-winners, Alan Berg and Steven Rhodes, have a slight difference of opinion with a couple of Orcs.

"We are not amused"

SATURATION POLICING and improved surveillance since a certain Mr Fagan supped a bottle of wine in the Queen's bedroom have at least reduced the number of German tourists camping in the grounds of Buckingham Palace but they have done nothing to deter electronic burglars from breaking into Prince Philip's British Telecom postbox.

It's been a bad couple of weeks for the royals at the hands of computer enthusiasts and not just Prince Philip. A German magazine had offered a £500 bribe to a British hacker to break into computers holding details of Princess Diana's credit card payments — loyally they had refused.

Hal joins the Elite

HAL BERTRAM has become the first to reach "Elite" status in the Acornsoft game of the same name. On Saturday, 3rd November, at 11.39 with as much due pomp and ceremony as you get from the BBC's sound system, he was admitted into the hallowed fellowship of the great immortals of computer gaming.

"Typical Ford Sierra driver — listen cloth ears this is a diesel pump". Gilbarco's new petrol pump uses a Texas Instruments speech chip to remind bleary-eyed motorists that they have gone to the diesel pump — perhaps by mistake. Every year thousands of petrol engines are ruined as dull brained drivers fill up petrol engines with diesel. BP already paints diesel pumps black and petrol white to differentiate them but now hopes that the new Gilbarco pumps will get rid of the problem.

What do you get if you cross a turtle with a plotter? The Penman robot plotter seems to be the answer. It can make three colour posters — chugging around on the paper leaving a trail behind it, or behave like a traditional turtle. Penman comes with BBC software for £250 but will interface to any micro with an RS-232 port.

Schools are to condense the history of the country — part two — onto a pair of videodiscs

THE DOMESDAY Project may sound like the next American arms program but is in fact a latterday version of William the Conqueror's Domesday Book. BBC Enterprises have launched the £2½ million project with the idea of compiling a comprehensive survey of modern Britain.

But instead of storing the information on paper it will be held on videodiscs. The system will use a videodisc player driven by a BBC micro.

When the Domesday Disc package is completed in September 1986 — the 900th anniversary of the original Domesday Book — the amount of information it stores will be equivalent to two full sets of the Encyclopaedia Britannica: two million pages of text, figures, and maps, plus 85,000 photographs.

All this will be held on just two videodiscs. The first disc will provide local information. Sitting at your BBC micro you will be able to call up a map of Britain, pinpoint an area with the cursor and then zoom in to a large scale Ordinance Survey map of the area. From there you could read 20 pages of information on the locality, or convert the data into coloured overlays on the map — showing green belt areas, voting patterns, and so on.

The second disc will contain national data — everything from population statistics to details of flora and fauna.

To collect some of the information the BBC is hoping to enlist the aid of 10,000 schools, whose pupils will compile portraits of their areas. Other sources are to include databanks such as the National Data Archive.

The keyword in this project is "interactive". By interacting with the videodisc player the BBC micro will allow you to call up pictures and text on any particular topic. It will also load in programs to manipulate the data and overlay the pictures with high res graphics.

Acorn are writing the software for the system, while Philips are developing a new type of Laservision player capable of storing both digital data and pictures. The whole package which includes the videodisc unit, the discs, and an operating system for the BBC micro, will cost around £1100.

Frontrunner — wait for it

IN THE NOVERMBER issue of *Your Computer* we mistakenly ran an advert for Frontrunner's new game Dead City rescue. We are told by Frontrunner that the game will not be ready until the New Year.

YC goes down the line

NOW YOU CAN dial *Your Computer* any time day or night and with the help of your modem leave us an instant message. Just ring (01) 661 8978 and wait for the tone after our modem answers the phone. Connect your modem then transmit the address code YRC — making sure you use capital letters only. The acceptance code +++STF GO signifies that all is well, then you can transmit your text using upper and lower case letters, For the attention of ..., From..., Phone No..., Address..., and your message. When you have finished the end of message code is NNNN — in capitals only. Our modem is V21 specification with 300 Baud speed, even parity and 10 bits per character.

YOUR COMPUTER TOP 20

■	Avalon	Hewson	Spectrum
■	Beachhead	US Gold	Spectrum
■	Braxx Bluff	Micromega	Spectrum
■	Chiller	Master-tronic	CBM 64
■	Combat Lynx	Durell	Spectrum
■	Daley Thompson Decathlon	Ocean	Spectrum
■	Danger Mouse in Trouble	Creative Sparks	Spectrum
■	Delta Wing	Creative Sparks	Spectrum
■	Elite	Acornsoft	BBC
■	Frak	Aardvark	BBC
■	Jet Pac	Ultimate	BBC
■	Jet Set Willy	Software Projects	CBM 64
■	Kokotini Wilf	Elite	Spectrum
■	P.C. Fuzz	Mr Micro	Vic 20
■	Sherlock	Melbourne House	CBM 64
■	Solo Flight	Centresoft	Atari
■	Spitfire Ace	US Gold	CBM 64
■	Summer Games	Quicksilver	CBM 64
■	Tornado Low Level	Vortex	Spectrum
■	Zaxxon	US Gold	CBM 64



From BBC Buggy builders Fischertechnik this new robot arm is one of six models which can be built using a £65 robitics kit. The kit includes motors, potentiometers, micro switches, and an electro magnet as well as a Meccano-style construction kit. With these you can build an assortment of robot arms and even a tracking mechanism which could be used to follow a star across the night sky. The arms can be operated by a Spectrum, BBC or Commodore 64 — the only snag is that the interfaces can cost as much as £50.



COULD THIS BE YOUR PROGRAM?

Is your program good enough to fill this spot?

Will your game be the next No. 1 hit?

Are you looking for **worldwide** marketing and **top** royalties?

Are you writing for leading computers such as Spectrum, CMB-64, Vic 20, ZX81, Amstrad, BBC etc?

Answer yes to any of these questions and we would like to hear from you.

Send your program on tape together with full instructions for fast evaluation. Be sure to include computer type, memory, peripherals used and your name, address and telephone number.

R&R SOFTWARE

R&R Software Ltd. 5 Russell Street Gloucester GL1 1NE
Tel (0452) 502819

I could do that...

October's competition asked you to write a program which would rotate a square about any centre. So long as you knew the necessary transformation matrices this was a fairly simple task, and most of the programs submitted adopted the same approach.

We awarded the £15 prize to David Murphy, Bolhalel House, Llangunnor, Carmarthen, Dyfed. We judged his program the shortest and simplest. Admittedly it takes advantage of BBC Basic's superior power and economy.

Line 250, in particular, would be difficult to convert to other Basics. It draws a line in the logical inverse colour of the old pixel colour. In other words it either draws a square or blanks it out. This allows the program to erase squares after they have been rotated.

If you would prefer to keep all the squares on the screen replace Gosub 230 in line 130 with Rem.

The other important lines are 150 and 160 which calculate the new coordinates.

For this month's competition we are setting you another exercise in artificial intelligence. Write a program to play noughts and crosses on a 3 by 3 grid. The shorter the listing the better.

You could include a routine to handle the computer's playing strategy but it would be more interesting to make the program learn from experience.

After 10 or so games it should be able to draw every time.

```
10 MODE 4
20 DIM X(4),Y(4)
30 FOR L=1 TO 4
40 READ X(L),Y(L)
50 NEXT L
60 GOSUB 230
80INPUT "Enter X coord of centre "XC
90INPUT "Enter Y coord of centre "YC
100INPUT "Enter size of step in degrees "A
110SA=SIN(RAD(A)):CA=COS(RAD(A))
130 GOSUB 230
140FOR L=1 TO 4
150X=(X(L)-XC)*CA-(Y(L)-YC)*SA+XC
160Y=(X(L)-XC)*SA+(Y(L)-YC)*CA+YC
170X(L)=X:Y(L)=Y
180NEXT L
190GOSUB 230
200K$=GET$
210GOTO 130
220MOVE X(4),Y(4)
240FOR L=1 TO 4
250PLOT 9,X(L),Y(L)
260NEXT L
270RETURN
280DATA 340,812,940,812
290DATA 940,212,340,212
```

BEGINNERS *first bytes*

Starting out in home computing? First Bytes is for you. Just write to *Your Computer* with any hardware or software problems, no matter how small or simple.



Word-processing makes it easy

MENTION WORD-PROCESSING and most people think of huge £3,000 dedicated machines which require trained operators. Above all you think of work: typing, letters, memos — hardly what home micros are all about. But things are changing.

Word-processing programs have been around for some time for most machines — though on some, like the Spectrum, they have been pretty much of a joke because of the poor keyboards. Now, however, manufacturers are not only beginning to produce machines that are suitable for word-processing, but they are even throwing in a program with the machine. Both the QL and Commodore's Plus 4 have good keyboards and bundled word-processing packages. It can only be a matter of time before some of the MSX machines and others do likewise.

Once you have coded each letter as a number — using ASCII, or American Standard Code for Information Interchange — then a computer will happily manipulate them like strings of digits. In fact micros are so good at pushing words around the only problem is that you will never want to use anything else.

You don't even have to be able to type to use a word-processor. You can make as many mistakes as you like, change your mind as often as you like, and need never have to worry about layout and presentation. The only limitation in terms of output is the quality of the paper and printer you use.

Apart from this obvious basic ability to change things, perhaps the main feature of word-processing is wordwrap. This simply means that at the end of the screen you do not have to type carriage return. The micro will notice that you have exceeded the specified width and take over the current word to the next line. It will also only take over whole words: ordinary screen handling routines in Basic break words anyhow when you go off the screen.

Related to this is justification. When you type on an ordinary typewriter, the left-hand margin is nicely lined up, but the right-hand one is all over the place. Justification is the process of spreading things out — usually by inserting spaces between words — so that both sides line up, as in this column.

You should also be able to centre text. This means that a group of words will be placed neatly in the middle of a line with equal space either side. All of these features help you make the layout more attractive, as do facilities like underlining, boldface and italic scripts.

Word-processing also allows you to make radical structural alterations. It often happens that when you get to the end of some carefully typed letter, you realise you should have put that last paragraph in at the top. Not only does a word-processing program let you do that, it will even save you the effort of re-typing it all. The process is called a block move.

First you define the words to be moved. This might be a paragraph or group of sentences. Next you mark the point where the block is to be moved to. You then have two options.

(continued on page 55)

Cobolt

Direct imports at ridiculous prices

NEW BASE-LESS JOYSTICK

- Just tilt to operate.
- Single shot trigger.
- Auto-fire button.
- Use it single handed.
- No more wrist cramp.
- No more table suckers.
- Standard joystick connector.

£8.95

All products have a full no-quibble guarantee

COMPUTER DATA RECORDER

- For most home micros.
- 3 digit tape counter.
- Low battery indicator.
- Switchable monitor.
- Input, output, Din and remote sockets.
- Mains power pack £4.95.

Also a version for Vic 20 and Commodore 64. Powered and controlled by the computer.

£21.95

£19.95

Not a modified Audio machine — A top quality computer data recorder.

Our low introductor prices include VAT and UK postage.

We have an expanding range of products — send a large SAE for the latest lists.

Trade and overseas enquiries welcome.

To: **Cobolt Systems Ltd.**
37 Eastgate Pickering, YO18 7DU.
Tel: 0751-73315

NAME: .....

ADDRESS: .....

.....

Please send me.....

I enclose: £

(continued from page 53)

Either you can make a copy of that block, leaving the original block intact, or you can move it entirely.

A facility drawing on the computer's ability to perform mindlessly repetitive tasks quickly is search and replace. Looking through a long text for a particular name or word is a tedious process, but a micro just laps it up. Once it has been found, most word-processing software offers you the option of going on to the next occurence or replacing the one just found. Some programs even let you specify the word and its replacement, which is then carried out throughout the document. This could be useful when you have consistently mis-spelt someone's name.

The specific way that a program does these things, and shows them on screen, varies widely. Some use complicated strings of commands that you have to memorise, others use function keys, and others the first letters of words like Search and Block. Some programs cannot show bold or centred text on the screen, though they can produce it on the printer. The best type of word-processors are called WYSIWYG. What You See Is What You Get. The screens show exactly what will come out on the printer.

Often, though, your text will contain all sorts of hieroglyphics which mark where blocks begin or italics end. One advanced feature that is certain to require this is mailmerge.

Mailmerge is a very powerful facility that lets you set up standard letters — say a Christmas thank you note — but with gaps left for the name, address and wonderful present that you had always wanted. In the gaps you place special codes that refer to another file that contains the missing information. At the time of printing you instruct the computer to fill in the missing details from the other file you have set up.

BEGINNERS first bytes

The fine art of frying up the perfect chip



EVERYBODY KNOWS that at the heart of the micro are its silicon chips. After all, there have been enough bad jokes about chips with everything, chip off the old block and chipshops. But as people blast a few more thousand aliens into kingdom come, they tend to take its amazing technology for granted.

Externally, chips look pretty unexciting. Along both sides of a dark rectangular epoxy case, about 40 metal pins emerge. These are simply the connections to the tiny sliver of silicon inside. This is about 5mm square and 1mm thick. Yet within this small area there may be crammed something like 50,000 components.

The idea is simple. Imagine a computer built up out of standard components like the transistors you might find in a cheap radio. This is in fact precisely how computers were built in prehistoric times — that is about 25 years ago — which is why big mainframes filled rooms. Most of the bulk is taken up by casings and wiring. In fact transistors don't need to be big at all: they are used just as switches, either on or off, to represent the binary 1s and 0s used by computers.

So reduce them to mere specks of silicon, without casings. Then pop it into an oven, and let it melt — in a controlled way. You then have a small slice of silicon that has all the components built into it. This is a chip.

Of course, the techniques used to produce modern-day chips are rather different, but they do draw on the same idea of one lump of silicon with lots of microscopic components.

The transistors used in radios and chips are essentially sandwiches of different flavours of silicon. A chip is built up by starting with the bottom slice of silicon, and adding successive layers of silicon, which are "doped" with tiny quantities of other elements to give the different flavours. Special techniques are used to melt these different layers together.

The individual transistors are created from this "chip sandwich" by etching away some or all of these layers. A transistor is like a tiny island of exotic silicon rising out of the bottom layer. Microscopic conducting bridges can be built between these islands to link the transistors together in electronic circuits. The way you connect them determines what type of chip you have. The basic technology is the same for them all.

Chips have become more and more powerful as ways of making these islands smaller and smaller have been devised. The other design problem is working out how to fit them all onto the chip, and in particular in such a way that connections do not cross.

To do this with 50,000 components requires a powerful computer and advanced graphics programs. At the end of the day, the chip design is effectively drawn on a huge piece of paper. This is then photographically reduced to the size of the chip. By projecting it onto a photographic film placed on the surface of the silicon sandwich, it is possible to map out the islands that become the transistors.

There are two main categories of chips: processors and memories. The processor is the workhorse of the micro. It does all the calculating and generally keeps things running. It will normally have a main adding device and various storage areas. These will hold data briefly before it is manipulated, and also note things like whether the result of calculation is zero or negative. A record is also kept of where the next instruction or data is to come from.

Memory chips are simply huge arrays of transistor devices, each of which can be addressed individually, and which can store a 0 or 1. Thus chips that have a memory capacity of 16K have over 16,000 separate devices that can be individually selected, and then read or altered. Clearly, the internal wiring problems of keeping all the lines for finding and accessing particular locations tidy on the chip are horrendous.

Another problem with Ram and processor chips is heat. All the time that a chip is running it is drawing electrical power. Flipping a 0 into a 1 or vice versa uses energy that eventually appears as heat. This has actually been a constraint on chip size. It is theoretically possible to build extremely small chips that would actually melt themselves as soon as you used them.

So, gradually new technologies in chip design have been evolved to overcome this. These have yet to filter down to the low end of the home micro market, but it is not far off. For example, Apple's new incarnation of the Apple II, the IIc, uses this technology, as do the small lap portable computers.

Rom chips do not suffer from this problem so much. Since these read-only memory devices cannot be changed there is no need to keep on pumping electricity through them to keep them active.

There is one variety of Rom which is unfortunately becoming more common in new micros. This is the PRom or programmable read-only memory. They are Roms that do not come with the program already built into them using the same silicon island techniques for Rams and processors, but are supplied as clean slates. You can then reset some of the devices to the values you want. This is much quicker than designing a whole new chip. Which is why manufacturers who are in a hurry to get a machine out use them — e.g., the Sinclair QL.

Finally, there is a type of general purpose chip, called the ULA — the uncommitted logic array. Like the PRom, this allows a micro manufacturer a certain freedom to reprogram it for its own needs. Unlike the PRom, though, it represents an acceptable way of saving money and board space. They also point the way of the future. Some of the most advanced chips now coming though are complex multi-purpose devices that not only have processors but memory on board too — in other words almost a complete computer. These really will be chips with everything.

THE DISK DRIVE YOUR MICRO WOULD CHOOSE FOR ITSELF

THE TEAC 5¼" DISK DRIVE FOR THE BBC 'B' MICRO

Any self-respecting BBC 'B' Micro seeking a disk drive of high reliability and performance would immediately identify the TEAC 5¼" mechanism as the complete solution. A quality product, it is extensively industry-proven in major systems applications all over the world.
Now available for the home, education or office user direct from Mail Order Micros, the "Computamate" – using the TEAC 5¼" Disk Drive – guarantees trouble-free high speed data access every time: and what more could a micro ask?

- Single and dual models available with capacities up to 800K. (All 80 track models are switchable 40/80).
- Supplied with leads, utility disk, instructions: ready for use with your BBC 'B' Micro DFS Disk Interface.
- Oatmeal moulded box to match your micro.
- Fully stackable, plus extending tilt-action "legs" to ease disk insertion.
- 12 months parts and labour warranty.
- The Mail Order Micros "Computamate" is supported by the resources of a major multi-national public company.


Twin Drive in non tilt-position

Single Drive in tilt-position

From £105 Ex VAT

INDUSTRY PROVEN

SATISFACTION GUARANTEED OR WE WILL REFUND YOUR MONEY.

computamate

How to order:

By post – complete the coupon with your requirements and return to:
Dept. YC12, Mail Order Micros,
Scotia Road, Burslem, Stoke on Trent, ST6 4DX
Enclose your cheque/P.O. (made payable to Mail Order Micros) or use your Access/Barclaycard number.
By telephone – ring 0782 811711 to purchase by 'phone (credit card holders only).

Available only from Mail Order Micros, a division of Thomas French PLC

INTRODUCTORY PRICES ONLY

SINGLE DRIVES		COST (incl. VAT)	QUANTITY	TOTAL (£)
FD-55A	SS 40TK 100K	£119.95		
FD-55B	DS 40TK 200K	£165.95		
FD-55E*	SS 80TK 200K	£165.95		
FD-55F*	DS 80TK 400K	£189.95		
TWIN DRIVES				
FD-55A	SS 40TK 100K	£239.90		
FD-55B	DS 40TK 200K	£331.90		
FD-55E*	SS 80TK 200K	£331.90		
FD-55F*	DS 80TK 400K	£379.90		
DUAL DRIVES (with integral power supply, available only in metal non-tilting box at present)				
FD-55A	SS 40TK 100K	£289.80		
FD-55B	DS 40TK 200K	£381.95		
FD-55E*	SS 80TK 200K	£359.95		
FD-55F*	DS 80TK 400K	£414.95		
Post and Packing (First Unit)		£5.75		
Post and Packing (each additional unit)		£2.50		
*Price includes 40/80 switch				
MEDIA				
Box of 10 Diskettes 40TK SS		£18.50		
Box of 10 Diskettes 80TK SS		£21.25		
Box of 10 Diskettes 80TK DS		£27.00		
Postage & Packing per box of Diskettes		£1.00		
			TOTAL £	

Post to: Dept. YC12,
Mail Order Micros, Scotia Road,
Burslem, Stoke on Trent, ST6 4DX

Name_____

Address_____

_____

Post Code_____ Telephone_____

*I enclose cheque/P.O. for £_____

*Please debit my Access/Barclaycard Number_____

Signature_____

(Credit Card orders must be signed by the card holder. Address above must be the same as card holder)

*(Please delete as appropriate)

For further information on these products, or for details of other exciting products, including TEAC 3½" and 3" Disk Drives, telephone 0782 811711.

Enquiries from Dealers and Educational Authorities welcome.

If you have anything of interest to tell us about your computer club why not contact us on 01-661 3144.

Local news

Penwith

Penwith area Independent Computer Club meet at St. Paul's Old School, Taroveor Road, Penzance. Contact Jeremy Hewitt, Club Secretary on Penzance 787159. Holds meetings and rallies where local software and hardware distributors display their wares.

Gloucester

A Spectrum user group meets weekly on Wednesday or Thursday. Contact Barry Ledbury on 0452 23186.

ZX Exchange

ZX-81 owner? Feeling lonely with all these flash Spectrum owners kicking bytes in your face? You need ZX Exchange, the only remaining international postal forum exclusively for the ZX-81. Provides a bi-monthly newsletter, software, tips and listings. Contact Nick Goodwin on 0390 50965.

Waterford

Waterford, Eire, is the home town of OIFIGiuil, which is Irish for the Official Irish Forth Interest Group. Recognised by FIG(USA) potential membership is widespread — Dublin, Mayo, Cork. More details are available from Hugh Dobbs, Newton School, Waterford, Eire.

Stoke

Mixed Bytes Computer Club meets at Dilhorne New Road Recreation Centre, near Stoke-on-Trent on every other Thursday from 7.30 to 9.30. Contact Alan Cope on 0782 396003.

COMPUTER *club*

Lee Paddon visits the Medway Computer Club and can't find a Pac-Man or Space Invader in sight — but he does discover The Last One!

WALDERSLADE SOUNDS as though it would be more at home in The Archers than in the middle of Kent. Despite this, your intrepid reporter followed his instructions and soon found himself in a burgeoning new village near Chatham. Nestling somewhere between Whimpyville and Barratt Platz, I came to the Walderslade Centre, home of the Medway Computer Club.

The club holds its meetings in the offices of B&D Microtronics Ltd., a computer retailer which is run by one of the club members, Paul Cameron. Instead of the usual cacophony of aliens being rent assunder and Pacmen getting indigestion, there was a deathly hush broken only by a voice saying, "Append, Execute" into a microphone attached to a micro.

I was reassured by Paul that this member hadn't finally gone off his rocker after having been exposed to too many disc crashes, he was in fact getting the new Apricot used to his dulcet tones so that it would obey his merest whim without question.

The new Apricot F1 was one of the latest in Paul's stock line and the members seemed to appreciate this brush with the latest technology even if it was a bit outside their price range.

The club itself owned no hardware but they hope that their limited resources might stretch to setting up a club library this year. This lack of hardware was more than made up for by the members who favoured Sharps, BBC's and Apricots to the more pedestrian machines found at other clubs.

Apparently a Spectrum owner had turned up last year but had clearly felt his machine wasn't up to the competition. This preponderance of up-market machines wasn't due to any snobishness, but due to most members using their micros professionally.

A modem project has been very popular with club members over the past year. No longer content with talking amongst themselves, they have decided to convert the modems to the V21 standard. This will allow them access to a whole range of databases, including *Your Computer's* very own Telsoft. So a few evenings messing around with oscilloscopes lies ahead.

The club has regular lectures by its members on various aspects of computing. Lectures about various languages and software such as Lotus 1-2-3 are planned.

Les Mason, club secretary and treasurer expressed his opinion about The Last One, which he had been trying out on his Apricot. The Last One is supposed to be a program writer. You follow a menu-driven process of selecting routines to execute the flowchart you have written. "It takes so long to run, and there are only so many cups of coffee you want to go and make during an evening. And even when it has finished you still end up with syntax errors in the compiled code." Perhaps it should be renamed "At Last, one that works". Les was thinking of following the example of another club member who had successfully taken Apricot to court over the program.

So if you are seriously into computers or feel your mission in life is to show these misguided people that games are really great fun, then you should get in touch with Paul Cameron on 0634 63036. The club meets once a week, alternately on Tuesdays and Wednesdays.



LTS

Have an adventure of your own

The first educational adventure generators of their kind. Each program comes complete with two adventures which will provide hours of constructive use and stimulus for other activities. Plus the facility to create your own adventures including your own characters and locations. Adventures can be saved on to tape or disc for later use. No programming necessary. Easy to use.

Your Adventure
A first level adventure generator for 7 to 13 year olds. Including colour graphics, map, planning sheet and full instructions.
BBC(B) tape or disc, RHL 380Z/480Z disc, SPECTRUM 48K and COMMODORE 64 tape. **£10.95**

Space Adventure
A second level adventure generator for 8 to 14 year olds allowing the creation of more complicated adventures. Includes colour graphics, animated reward, planning sheet and full instructions.
BBC(B) tape or disc, SPECTRUM 48K and COMMODORE tape. **£11.95**

Mathemagic Land
A highly original mathematical adventure for 10 to 15 year olds with 3 levels of difficulty and ever changing problems. Can be used again and again. A stimulating and absorbing game.
BBC(B) tape or disc. SPECTRUM and COMMODORE versions planned. **£8.95**

Developed by experienced teachers through the Government's Microelectronics Education Programme.

Learning and Training Systems Ltd.
Haydon House, Alcester Road, Studley, Warwickshire B80 7AP
Tel: (0386) 792617

Discounts for schools. Official education orders accepted.
Overseas prices on application.
All prices include VAT. Postage £1.00 for 1 program, £1.50 for 2, £2.00 for 3 or more.

LTS publish a wide range of programs for English, Maths, Basic Skills, Problem Solving, etc., many sponsored by the Government's Microelectronics Education Programme.

Full catalogue available. S.A.E. please.

ORIC AND SINCLAIR COMPUTERS

Oric 1 computer 48K £95 (£92) £102. Oric Atmos computer 48K £171 (£158) £168. Oric colour printer £134 (£123) £140. Oric disc drive £304 (£278) £298. New Sinclair Spectrum Plus Computer with 6 free programs while Sinclair make this offer £182 (£176) £187. New Sinclair QL Computer £406 (£385) £410. Sinclair Spectrum 48K (with 6 free programs while Sinclair's offer lasts) £131 (£131) £143. Microdrive £51 (£50) £60. RS232 interface 1 £51 (£50) £60. Limited period special offer:— Microdrive + Interface 1 + 4 Blank cartridges £102 (£100) £120. Blank microdrive cartridges £5·50 (£6) £7. Interface 2 £20·45 (£20) £24. 32K memory upgrade kit for 16K Spectrum (issue 2 and 3 only) £31 (£28) £30. Spectrum printer interfaces with cables:— Centronics £51 (£47) £52, RS232 £35 (£33) £38. ZX printer has been replaced by the Alphacom 32 £71 (£69) £82. 5 printer rolls (State whether Sinclair or Alphacom) £13 (£16) £21. ZX81 computer £45 (£44) £54. 16K ram packs for ZX81 £28 (£25) £30.

COMMODORE COMPUTERS

Commodore C16 Starter Pack £ 145 (£142) £162. Commodore Plus/4 £305 (£281) £301. Commodore 64 £222 (£215) £235. Vic 20 starter pack £75 (£85) £115. Convertor to allow most ordinary mono cassette recorders to be used with the Vic 20 and the Commodore 64 £9·78 (£9) £11. Bargain package:— cassette convertor + compatible cassette recorder £37 (£38) £44. Commodore cassette recorder £43 (£44) £50. Printer interfaces for Vic20 and the Commodore 64:— Centroncis £45 (£41) £46. RS232 £45 (£41) £46. Disc drive £233 (£209) £234. 1520 printer/plotter £165 (£149) £159. MPS801 Printer £235 (£220) £245. MPS802 Printer £350 (£330) £360. Light pen £29 (£29) £33. Vic20 Accessories:- Super expander high res cartridge £33 (£29) £34, Programmers aid cartridge £33 (£29) £34, Extra memory ram packs 8K £19 (£17) £20, 3K £6 (£7) £9.

16 DIL SUB-MINIATURE RELAYS

5V 56 Ohm coil 1 SPDT contact 1 Amp DC. UK price 67p each plus 35p postage on total order.

ACORN COMPUTERS

Electron £203 (£209) £229. Electron joystick and printer interface £61 (£62) £69. BBC Model B £404 (£357) £387. BBC Light Pen £29 (£29) £33. 14" Colour Monitor £228 (£299) £319. Kenda double density disk interface system £149 (£131) £141. Disc drives 5.25" 40 track:— single £170 (£154) £184, dual £295 (£270) £308.

PRINTERS



Brother HR5 £162 (£146) £170. Shinwa CTI CP80 £225 (£218) £248. Cannon PW1080A £332 (£299) £329. Epson RX80 £277 (£251) £282. Epson RX80F/T £314 (£286) £316. Epson FX80 £399 (£358) £388. Combined matrix printers and electric typewriters:— Brother EP22 £173 (£166) £186, Brother EP44 £258 (£235) £260. Smith Corona TP1 Daisy wheel printer £252 (£225) £255. MCP40 Oric Colour printer/plotter £134 (£123) £140. Interfaces to run the above printers from Vic and the Commodore 64 £45 (£41) £46. We can supply interfaces to run the above printers from Sharp computers £58 (£52) £55.

UK101, SUPERBOARD AND VIDEOGENIE COMPUTERS

We still support these gorgeous machines. Please write for our free list.

SWANLEY ELECTRONICS
The Computer Export Specialists.
Dept YC, 32 Goldsel Rd., Swanley, Kent BR8 8EZ England.
Tel: SWANLEY (0322) 64851.

Official orders welcome. UK prices are shown first and include post and VAT. The second price in brackets is for export customers in Europe and includes insured airmail postage. The third price is for export customers outside Europe (including Australia etc) and includes insured airmail postage.

HIRE SPECTRUM SOFTWARE

OVER 280 different tapes for hire including **ARCADE, ADVENTURE, BUSINESS, EDUCATIONAL**, etc.—even an m/c Compiler. **FREE** 26 page catalogue. **FREE** newsletter, with hints, tips and our top tape chart.
OVER 3000 tapes in stock, with up to 60 copies of each title for fast service. All tapes sent by 1st class post.
LOWEST PRICES – hire up to 3 tapes at a time, from 63p each for two weeks hire. (Plus p&p and VAT). European members welcome.
Tapes for sale at DISCOUNT prices. Telephone 01-661 9240 (9am - 5pm) or write for further details, or complete the coupon and **JOIN TODAY** – you've nothing to lose!

SAVE £3.00!!

For a limited period, we are offering **HALF-PRICE** membership to readers of this magazine. Join now, **LIFE** membership is only £3.00 (normally £6.00).

SWOP SHOP

A new service from N.S.L. **SWOP** your unwanted tapes with tapes from other members for a small handling charge of only 60p (plus p&p and VAT)

NATIONAL SOFTWARE LIBRARY
42 Harefield Avenue, Cheam, Surrey SM2 7NE.

I enclose cheque/postal order for £3.00 for LIFE membership. Please rush my membership kit to me. If, within 28 days, I'm not delighted with your service you'll refund my membership fee..

Name _____

Address _____

_____

_____ YC/12

Star chart

Fireflash
Oric 1/Atmos
No man's land
Shoot-'em-up
★ ★
A promising hi-res black-and-white from this French company. At the top of the screen, le radar représente les vaisseaux hostiles, and you manoeuvre around à la Defender to shoot the UFOs down. Keys are a little tricky on the Atmos, but would be fine on the Oric 1. Stirring electronic fanfare and competent sound effects. Don't see much Oric stuff from UK companies these days, so looks like the French will cash in on a neglected user base.

Star Avenger
Amstrad CPC-464
£8.95
Kuma
Shoot-'em-up
★ ★ ★
A really good Defender-inspired game for the Amstrad, worth comparing at least for ingenuity, with English Software's Airstrike II for the Atari. You have 10 scenarios to choose from: planet, cavern, tunnel, fireballs, bats, aeroplanes, city, maze, fortress and forcefields.

The maze is a really tortuous chequerboard affair which will certainly require you to use your retros as much as anything else — this is the only way the really mean right-angle turns can be negotiated. The aeroplanes are good, too; kamikaze-like, they speed up as they approach you in a last-ditch attempt to terminate your mission.

Osprey
BBC B
£6.50
BES
Ecological
★ ★
This program educates people about the plight of ospreys attempting to breed in Northern Scotland. Your job is to deploy your wardens to try to keep people away from the next site, but at the same time, keep the public aware of ospreys. Lots of interesting accompanying blurb.

SOFTWARE Shortlist

Boulder Dash
CBM-64
£8.95
Statesoft
★ ★ ★ ★
STATESOFT may be cashing in on Reagan's "new patriotism' by proclaiming themselves as American, big, bold and beautiful but *Your Computer* is quite happy to ignore this sort of vain blustering if the game itself is quite good, which Boulder Dash certainly is.

An enhanced Dig-Dug descendant — or transscendent, as some of the more excitable staff in our office would have it, Boulder Dash puts you in control of Rockford. This feisty little guy is really the star of the show. If you don't get him moving around the screen quickly, he starts tapping his foot and looking peeved. This is pretty dumb of him actually, since as soon as he does move, he is liable to be crushed to death.

There are 16 mystical caves and five levels of difficulty. Some of the screens can be accessed directly without working through lower levels if there's an aspect of the game that particularly appeals to you.

On the first screen you start by tunneling around, grabbing all the flashing tokens on the screen and exiting to another screen within the time limit. Of course if you tunnel under a rock it will fall on you and kill you. In certain positions it is possible to start a landslide so that you, or rather Rockford, gets killed by a rock you may not have allowed for.

A rather American aspect of the game is that you should manipulate your enemies to ensure their downfall and the aggrandisement of your own personal wealth.

On one of the screens you have to play off a bunch of deadly subterranean butterflies against a relentlessly spreading green amoeba. Your puppet Rockford has to dig a hole to release the butterflies from their cavern and lead them to the amoeba without being killed. When the amoeba and the butterflies make contact, they turn into jewles for Rockford to collect. He can also turn the lethal lepidopterae into lucrative lapis lazuli by dropping rocks on them. Once Rockford has accrued enough crystal the magic escape tunnel appears, permitting him to escape to another zone.

Each level requires the development of new tactics in order to achieve high score, but play at all levels is rewarding and absorbing, rather than just plain awkward — in other words, this game has got playability and is worth the somewhat high price.



Mr Robot
CBM-64
£8.95
Beyond Software
★ ★ ★
POWER PILL grid, grab the pills; go left or right on the treadmills, bounce higher on the trampolines, mind the robot-hating alienfire and immunise yourself against them with energiser tokens. A platform game with a nice interactive difference: you can, should you be so minded, design your own Robo-test by pressing the F5 key. In designer mode, the screen puts up a small white cursor which you control by joystick.

You move the cursor down to select components as displayed at the bottom of the screen. You move the cursor over the component to be included in the game, be it treadmill, power pill (see above) and press the fire button. Move the cursor up on to the screen, press the fire button again and move the cursor to paint the object on screen.

There is a test facility which means you can check if the game is playable, but still go back and edit anything you don't like without scrapping the game altogether. You can also save your designs to tape or disc.

So the program is a kind of specialised, dedicated, even, games designer. The stock graphics are excellent. It is a great idea for cheats because you can shove hundreds of energisers on screen and only one alienfire.

In the main game your robot begins the Robo-test with five lives, one of which is lost every time he makes a mistake. During the Robo-test you will see bonus robot tokens which give you additional lives.

Boxer
BBC
£9.95
Acornsoft
★ ★ ★
BOXER IS an arcade/platform style game which owes much to the inspiration of the Popeye game and its various imitators.

(continued on page 61)

ALL-IN-ONE

Spectrum owners! Imagine what great use you could make of all these components. Rotronics have integrated them all into one attractively styled, compact unit. All the power and convenience of floppy disk can now be yours, but at a fraction of the cost.

A complete package

Wafadrive is extremely versatile. Five major components are housed within this one unit—the micro interface, two 128K drives, RS232 serial and Centronics parallel ports. Also included in the package are a blank wafer and Spectral Writer—a superb word processor program. The micro interface forms the nerve centre of Wafadrive, controlling all its major functions. The dual drive configuration and the ability to connect standard peripherals directly provides professional system flexibility. All this without a mass of separate components and vulnerable cables. Wafadrive transforms your Spectrum into a very powerful system.

Speed, reliability and capacity

The wafers contain an endless loop of specially developed magnetic tape driven at high speed past a read/write head. The result is fast access without data loss. Three sizes of wafer are available with minimum formatted capacities of 16K, 64K and 128K. The 128K wafer costs £3.95.

Data transfer rate is approximately 2K per second. Access time is proportional to capacity. 16K wafers are ideal for program development, with the larger capacity wafers being more suitable for general use and archiving of completed programs and data. Mechanical longevity is assured by the use of high grade materials throughout and full interchangeability between machines is guaranteed.

Extensive software applications

Wafadrive provides intelligent file handling and rapid access to data. Program development and other applications can be performed with ease. Start word processing immediately with the specially developed software package included with Wafadrive. Or battle with a spectacular interactive games program. Whatever your mood, you'll find the sophisticated Wafadrive software challenging and rewarding. Future versions of Wafadrive will be available for most popular home micros, so software back-up will be comprehensive.

For further information contact us now for our full colour brochure.

ALL-IN-ONE PRICE
£129.95 (Inc. VAT)

Available from all Spectrum dealers, Grattan catalogue and SMT mail order.
Trade enquiries: Micro Dealer (UK) Ltd., 29 Burrowfield, Welwyn Garden City, Herts. Tel: (07073) 28181.

ROTRONICS
WAFADRIVE

ROTRONICS LTD. SANTOSH HOUSE, MARLBOROUGH TRADING ESTATE, WEST WYCOMBE ROAD, HIGH WYCOMBE, BUCKS. HP11 2LB TEL: (0494) 452757

SOFTWARE Shortlist

Star chart

The Magic Roundabout
48K Spectrum
£6.95
CRL
★ ★
Twee little game in which Dougal must build a house before it is time for bed. He does this by pushing sugar lumps around and occasionally eating them to keep his strength up. Dylan the Rabbit and the other magic garden types hurt Dougal's nose if he bumps into them. Good idea, but could have been implemented much better.

Eureka
C64, Spectrum 48K
£15.50
Domark
Adventure
★ ★
Mammoth graphics adventure taking you from pre-historic times to the present day; five adventures plus five arcades which increase your strength for the adventures. Using clues in the adventures and the booklet illustrations, you must find clues to a phone number. The first person to ring the number wins £25,000, Good graphics, tortuous plots, even by adventure standards.

Country Cottages
Amstrad CPC-464
£8.95
Kuma
Bleed-'em-dry
★ ★
Corpulent, dark and neat, Miss Wisbanger aged 24 with two children and two dogs, far from being a character in a Margaret Drabble novel is just one of a coruscating host of interesting types you will encounter in this landlord simulation. Draws pretty pictures of cottages, you and your competitors decide on purchase, rent, and tenants.

The pictures are rather nice and the people whether enormous, hairy and rather nervous, or tubby, rosy, and rather shy, are amusing.

(continued from page 59)

Our hero is in the gym preparing for the big fight. Unfortunately his mind has turned to other things; a young lady has entered the gym and is busy chucking balloons around. Old Meat-head here reckons that the way to any girl's heart is through her balloons, and goes about the mindless task of gathering up the balloons as they get stuck in the rafters. So far, so easy. Unfortunately for our man with the cauliflower ears, someone else has got the same idea.

Our friend here also seems to have a glass chin, so any fisticuffs with the rival are rather one-sided. Rather unsportingly, his rival is also slinging the equipment around. Various gloves, dumb-bells and hammers fly around and must be jumped, punched or dodged.

Good graphics and nice presentation fail to disguise a rather thin underlying plot, of rather limited appeal.

Turbo 64
CBM-64
£7.95
Limbic Systems
★ ★

THE FIRST HURDLE that confronts you in this game is the ingenious software protection. When the program has loaded, the computer asks you to indicate — by pressing the joystick at the right moment — certain colours as they are flashed up on the screen. When four colours have been entered correctly the check is complete and you are into the game.

Like Jet Set Willy the colours come on a grid-referenced chart. The computer gives you two co-ordinates, so you can locate the squares using a "simple" grid reference system. Unfortunately, the documentation omits to tell you which is the top and which is the side of the colour chart. Whilst the numbers on one side stretch down to 83, and the figures on the other side go only to 54, the example given on the documentation uses 5 and 7; these numbers occur on both sides of the grid and consequently can be read in two different ways. Pretty stupid, huh? We could tell you which is the top and which is the side, of course, but why should we do all the work for you?

It's a fast-load program, but not that fast, and having loaded it, it's probably going to take you at least eight minutes to battle through the software protection, bringing you up to the usual 16 minutes of fottling about before you can start playing.

The screen, when you finally get to see it, shows the traditional ribbon of tarmac stretching off to the horizon so beloved of Atari Pole Position racers. Instruments include rpm, mph and you can see the steering wheel revolving.

You have two circuits to choose from, and you can select manual or automatic gear control. Driving along the racetrack is very demanding since it is all too easy to oversteer. I would hazard that the addictive element of this game lies in being able to drive faster and faster as you gradually develop the co-ordination necessary to stay on the track.

This is potentially very exhilarating, rather like getting the M1 closed so you can zoom down it at top speed in your DeLorean without worrying about traffic. And whilst excellently implemented in all other respects, I would also hazard that the thing about motor racing is that you compete against other cars, as in the exciting scene depicted on the cassette cover which shows two powerful vehicles haring down the track at near-supersonic speeds. In fact, there are no cars to compete against. It just goes to show what a good job Atari did with Pole Position. If you're the sort of person who enjoys driving along the autobahn at three o'clock in the morning, you'll love this game.

Microgo 1
BBC
Edge Computers
★ ★ ★



GO IS A board game that is at least as old as chess and, arguably, even more demanding.

The rules of the game are extremely simple. Two players alternately place black or white stones on the intersections of a 19 by 19 grid. The idea is to cordon off as much territory as possible. As enemy pieces can be surrounded and lifted off it also a battle for the life and death of groups of stones.

So far it has proved almost impossible to program computers to play a decent game.

Edge Computers' program settles for a mini-version of the game played on a nine by nine board. Even so it plays a rather poor game. One of its most irritating features is that the program has no taste for the Go equivalent of hand-to-hand fighting: after establishing the skeleton of a good position it passes for several moves. It is easy enough then to dart in and snap up the computer's territory.

This reviewer — a mediocre player ranked 12kyu — was able to trounce the computer at the highest level, giving it a handicap of five stones.

LIGHTNING STRIKES AGAIN

THREE HIGH POWERED GRAPHICS DEVELOPMENT SYSTEMS FOR THE COMMODORE 64.

Totally dedicated to writing very fast, video games, BASIC Lightning is a is a fully structured extension to the Commodore BASIC which adds a staggering 200 reserved words. It allows up to five tasks to run concurrently (one in foreground and four in background). Most of the commands are dedicated to games writing and the sound and graphics commands are unparallelled. Procedures and PASCAL type structured programming commands are also a feature of BASIC Lightning.

As well as the Commodore's own 8 hardware sprites, BASIC Lightning has its own software sprites. Up to 255 can be defined with user selectable dimensions. These can even be several screens wide. They can be scrolled, spun, mirrored, enlarged or inverted with phenomenal speed and smoothness.

A Sprite Generator Program (written in BASIC Lightning) is also supplied and can be used to design, edit and store all your sprites for use in your main program.

White Lightning is a complete games writing package comprising a high level, Forth based, multi-tasking games writing language, the extended BASIC (see BASIC LIGHTNING) and a powerful sprite Generator Program. Programs can even be written in a combination of Forth and Commodore BASIC and the final program, which will run independently of White Lightning, can be marketed with no restrictions whatsoever.

The Basic Lightning part of the package can be used to experiment quickly and easily before the Forth program is developed.

The speed of White Lightning has to be seen to be believed and a full demo is included. As with Basic Lightning, hardware sprites are supported, together with 255 software sprites which can be scrolled, spun, reflected, enlarged or inverted.

MULTI-TASKING Without doubt the most powerful feature of the Lightning series of languages is the multi-tasking facility. This allows two programs to be run concurrently and makes those smooth landscape scrolls etc. effortless.

The BASIC Lightning Sprite Generator Program is also included in the package.

Commodore 64 Machine Lightning is probably the most advanced games writing utility available on any micro. It comes in 4 parts:

MACRO ASSEMBLER/ MONITOR/DISASSEMBLER This is probably the most comprehensive machine code development system available for the Commodore 64 with features too numerous to mention.

BASIC LIGHTNING BASIC Lightning, the multi-tasking BASIC is also provided to facilitate experimentation in preparation for later assembly.

SPRITE GENERATOR Used to develop all the graphics for the final game. The Sprite Generator has numerous functions including enlargement, rotation and reflection.

OBJECT LIBRARY This is Machine Lightning's most powerful feature. 10k of re-entrant code with more than 130 documented entry points. These are the routines that provide all the superfast graphics routines in White and Basic Lightning. They contain virtually every routine you'll ever need to write an Arcade Game and multi-tasking in Machine Lightning is covered in the comprehensive accompanying manual.

AVAILABLE ON TAPE OR DISK

Available from Boots, John Menzies and all good software suppliers.

9a Alexandra Parade, Weston-super-Mare, Avon BS23 1QT Telephone: (0934) 419921.

Every product carries a lifetime guarantee.
All prices include comprehensive manuals, VAT and p&p.
(includes manuals and p&p overseas)
24-hour Access
Tele-ordering on (0934 419921)

Please send me the following Lightning System Pack(s)

- Basic Lightning (tape) £14.95 ☐
- (disk) £19.95 ☐
- White Lightning (tape) £19.95 ☐
- (disk) £29.95 ☐
- Machine Lightning (tape) £29.95 ☐
- (disk) £39.95 ☐

I enclose my cheque/P.O. for £_____

Name_____

Address_____

_____

_____

Telephone_____

CYC

NEWS oaeo rsu ttt h h

The crystal ball

The Sorcerer of Claymorgue Castle from Adventure International is the latest from Scott Adams. You play Beanwick, an apprentice wizard; not only do you have the usual range of Scott Adams puzzles to contend with but must also learn how to cast spells. A sure-fire winner.

Modesty almost forbids me from mentioning two new books. Entitled "The BBC Micro Adventurer" and "The Commodore 64 Micro Adventurer", they are complete guides (solutions and maps) to four popular adventures. The BBC version covers Philosopher's Quest, Castle of Riddles, The Count and Voodoo Castle while the 64 version covers these last two plus Lords of Time and Heroes of Karn. Published by Duckworths at £3.95, they are in your shops now.

Century Software are releasing Legend, an adventure and strategy game for the Spectrum. It has animated graphics and over 120K of compressed text.

A helping hand

For players of Scott Adams Adventureland comes the following succour. If you're stuck in the bog with the blue ox statue, look below.

Something too heavy?
"NOYNUB" YAS :XO DNA EXA EHT YLNO YRRAC

Still stuck?
TUO MIWS OT EVAH UOY

Blade of Blackpool owners, help is nigh.

Flummoxed by the quicksand?
HTRON RO TSEW TSAE MIWS

Man-eating plant a problem?
SEEB EHT TI EVIG

Yours in swamp and sorrow,
HUGO NORTH

QUEST

Our man with the brass lamp and the key to a thousand mysteries sheds light on new adventure programs. Lost? Never fear, Hugo North is here.



Mountain Palace Adventure.

Flight from the Dark

48K Spectrum
£8.95
Five Ways Software

BASED ON the Popular Lone Wolf role-playing books comes a new series of adventure programs. The first two are Flight From The Dark and Fire On The Water. They are superb.

The games are a mixture of beautifully presented text and graphics, the latter being cleverly animated. Each adventure starts in the same way: you train as a Kai Lord to develop fighting prowess and endurance before setting out on your quest. As you progress through the adventure, you are able to call upon, learn about and develop many other Kai Disciplines. These special abilities include sixth sense, healing, tracking, weapon skill, animal kinship, telekinesis, mindshield and mindblast.

In Flight From The Dark, your mission is to wreak vengeance on the Darklords for the massacre of the Kai Warriors. You are the last of the Kai — you are now the Lone Wolf.

During your journey, you will be able to use any weapon you find or may choose to fight with your bare hands. Once in combat, a number of movements are at your disposal. You can step forwards or backwards, chop, swipe, thrust, parry and use your mindshield and mindblast powers. If all else fails, you can always run away!

The screen display, magnificently framed and looking like a parchment, is divided into two, the top half showing an imaginative and colourful scene, the bottom half being used as a scrolling text area.

Commands are given by selecting an option from one of several given at each stage. Lone Wolf, whom you guide through the adventure, is an impressively animated cloaked figure. When he leaves one scene and enters another, you may select from the options as soon as he stops walking. Once in combat, you are fully in control. To help you learn the single-key commands, a keyboard overlay is provided.

The game comes complete with the paperback, although the latter is not essential for playing the game. However, the book does contain greater detail. To assist you, the program provides the scene reference number so you can look it up in the book if you wish. A great idea and extremely well implemented, the scene number appearing in the head of a bull to one side of the screen.

A great deal of thought and professionalism has gone into the making of these games. For example, as well as being able to save the game at any one of many stages — a cassette symbol always appears as a reminder — you can also save and transfer your Lone Wolf character from one game to another in the series.

While the books are very entertaining in their own right, the programs are even better. Everything about these games reeks of quality, from the presentation of the text to the excellent graphics, from the clarity of the instructions and cassette inlay right down to the provision of an overlay. Super stuff — can't wait for the next ones!

The Key to Time

48K Spectrum
£5.95
Lumpsoft

DR. WHO ADDICTS will welcome this Quilled adventure from quirkily named Lumpsoft — the logo is the 'uneven road ahead' sign.

This textual quest centres around the popular television series and features characters that will be well familiar to all Tardis watchers. The Doctor must seek out the parts of the Key To Time and save the universe — a trivial task, eh? There are plenty of puzzles and the adventure has a good cohesive feel to it. The vocabulary is quite comprehensive and response time is fast.

Hint facilities are built into the program — typing "Help object" may reveal a clue for that specific item. Good humoured and attractively presented, TKTT is certainly worth your consideration. Their next release sounds even more interesting — it's called Malice In Wonderland!

Mountain Palace Adventure

Commodore 64
£7.95
Duckworth

TEXT ONLY, Mountain Palace Adventure offers a more traditional mission. You have heard rumours of vast wealth to be gained by anyone bold enough to penetrate the sinister Mountain Palace. Naturally, being both curious and greedy, you set out to acquire some of this lolly.

There are some strange inhabitants in the Palace. A headless ghost will cause you no end of trouble but if you are unfortunate enough to be killed, the game thoughtfully allows you to be brought back to life in the same spot where you met your end.

Some of the objects you find are stranger still. For example, what use will you make of a spinning top, a fishing rod and an old bone? A jolly romp in the classic mould.

SPECTRUM SOFTWARE SURVEY

I ENTHUSIASTICALLY ran all this software on our shiny new ZX Spectrum with the real "professional" keyboard. It's not clear exactly what is meant by a professional keyboard but maybe it's something to do with the high drop-out rate in demanding professional vocations, because the keys certainly like to drop out of this machine. So you can imagine it was with some trepidation that I tackled the ancient art of Kung Fu with the aid of my trusty Sinclair. Kung Fu is normally only practised by micro owners when they have carefully explored all the other methods of getting a program to run.

Bug-Byte's delightful program mirrors perfectly the balletic movements of this martial art. Two figures sketched in white against a blue background do battle in a Chinese room. The computer can be your opponent or you can play a friend without discovering how readily his or her teeth fall out. By pressing keys 1-4 you can get your man to kick, chop and punch his way across the screen. There is a nice touch of the Jimmy Hills, too — I don't mean the characters' beards; you can have an action replay of the moves leading to a fall. Nice one Bug-Byte: who knows, perhaps they'll bring out games that take you all the way through Hsing I, Pa-kwa, all the way up to T'ai-chi.

Aggressive foreign types also feature in another Bug-Byte release, Turmoil. Oil is what it's all about: this is a platform in which you have to steer Mic the mechanic around the screen, grab a jug, catch drops of oil from a dripping tank, and refuel the car "before it's too late". Meanwhile, shake the sheikhs' intent on slicing you into shish-kebab with their shimmering swords.

Good fun, 26 levels, but in the final analysis, it's just another platform game. And when I loaded up ESP's Moonlight Magic, dear reader, you can imagine how depressed I was to discover that that was just another platform game, too. Particularly since the cassette inlay had beguiled me with words like "entirely NEW arcade game".

You must climb the ladders and walk the scaffold, avoiding the ghosts and ghouls that haunt the house. Fill your brush from the paint pot and paint the house "before it's too late." Yeah, well. It stars Mack the Brush, but I was tempted to give it the brush-off.

ESP redeemed themselves somewhat in my eyes, and no doubt in the eyes of He who watches over the impecunious but gullible software purchaser, with an interesting game with a Biblical slant. In Noah, it is the last three of those days which can safely be described as antediluvian. Yes, three days before the flood, and you've got to find 31 pairs of animals hidden within 256 screens.

Noah is sketched in black and looks like he just came off the Sunday school wall, crook and all. Shepherd's crook, that is. You have to eat food — shepherd's pie? — to get the strength to move onto the next screen. Dodge puddles, rivers and rocks thrown by the unbelieving populace. You can call up a map which shows your location in the game and the number of lives left.

There is plenty of ground to cover from the badlands to the monster maze and, natch, the caves. The animals are particularly well drawn, though where the descendants of the two giant beavers that I rescued are hanging out today is a secret between them and their maker.

Right: Battlezone from Quicksilva. Below from left to right: War Zone from CCS, Kung Fu from Bug-Byte, Stagecoach from Creative Sparks and Turmoil from Bug-Byte.

Paul Bond dies in a shoot out with the Wild Bunch.







Noah's rescue job might have been easier if he'd found a helicopter. Omega, those nice people who bring you other people's old software at rock-bottom prices have got hold of CRL's Copta and released it as Chopper. It doesn't bear too much resemblance to the Choplifter archetype — no sideways scrolling — but you can rescue your buddies while taking potshots at passing enemy eggbeaters and jets. A good value, shoot'em-up.

War drags on in a Quicksilva implementation of that old Atari favourite, Battlezone, by Bill Witts. The screen has a section at the top which warns you when the enemy is in range, a radar plot of objects in your sector and a high-score. You're driving a tank, of course, and squinting through the fire slit at the truly incredible, given the limitations of the machine, 3-D display showing hostile vehicles built out of matchsticks whose one aim is to see you don't live till chow time.

Nice touches like the individual control of caterpillar tracks make this a must for anyone thinking of buying a tank. Tanks and other material feature in CCS's War Zone, which sounds like it ought to be a song recorded by the Vibrators, or something. You're the Blue Army, the computer is the Red Army — no Russian dancing or choruses of Kataschok here, however. The screen displays a 10 by 10 grid which is one of nine sectors of the war zone. The right-hand side of the screen displays a nine by nine grid, with the area you are looking at clearly indicated. Below this is a reminder of which keys to move forces in any direction.

The computer has first move; this is a little disconcerting to the first-time user, especially as it seems to go on for so long. But in war the waiting is the worst part. Finally the computer puts up "Command" on the screen which means you can have a go. In this mode there are eight commands you can use, counting saving the game, ending the go or just giving up altogether.

If you're firing from square G7 to square G9, you type in FG7G9 and wait for the result. If you want to move from G7 you type in MG7 and the computer tells you how many squares you can move. You then input the moves using numbers corresponding to the compass rose on the right hand side of the screen. To end your move you can call in an airstrike.



Purple and blue stagecoach

Airstrikes were the least of a cowboy's problems in the Old West. Stagecoach from Creative Sparks claims to be all thundering hooves and Indians and I imagine a thundering Indian would be pretty frightening. Written not by J T Edson but by J T Harris, the game gives you a keyboard definition option, but some of the other de luxe functions like quitting the game, and displaying the score, don't work as indicated in the cassette inlay.

The game is divided into three sections, the Jump, the Mountains, and the Indians. The driver of the stagecoach has been shot and you must get on board. This is the Jump. The screen displays a yellow desert, green cacti, and a purple and blue stagecoach — typical Californian colour scheme. You must gallop up behind the stagecoach, using the keyboard — or joystick — to control your horse. Press fire to jump and hopefully you're on board before all six passengers fall out.

If not, the game ends. Once in control you must collect any passengers who parted company with the coach. Then off to the mountains. As you drive the stagecoach through the mountain passes you have to dodge rockfalls — I thought these were flocks of birds at first. Occasionally you see boxes of gold or ammunition on the ground which are collected by steering over them.

Finally, the Indians. They try to ride one each side and one in front while a fourth kidnaps the passengers. Bit more lively than the old National Bus Company, eh? The Wild Bunch is an offering from Firebird, one of British Telecom's little money spinners, doubtless of great interest to the greatly-reduced number of the British public who have actually been silly enough to pay money for shares in something that they already owned anyway.

This is really a very good game and bodes well for the project. The covering letter with this software had a touching reference to problems with loading and bugs in some of the games "due to our software protection systems". How true, how true. We get quite a few commercial games that have been protected from being played, let alone copied. No problems with this one, however.

It is a prompted text adventure with some graphics in the style of Automata's Groucho. It plays "Do not forsake me oh my darling" and greets you cordially: "Howdy, pardner! What name do you go by?"

Written by Kevin Smith — not a name you would associate immediately with the days of gunfighters and outlaws — the scenario has you implicated as a man's killer. Your only chance to prove your innocence is to find the real killer, a member of the dreaded Wild Bunch.

You can call up a map of five towns from Dodge City to Dry Gulch as places to hunt down the Wild Bunch. You get your first ride for free, but on second journey from Dodge City to Nugget City, I was attacked several times, using up my strength points. Charged by a cruel, desperate buffalo, you can run, fight or bribe. Have you ever tried bribing a buffalo? The computer doesn't allow it. I offered a Red Indian a bribe, too, but he was so disgusted he took my Colt 45.

This led to my demise in the end because I later called out a man with a patch on his left eye. The screen showed the mean hombré going for his gun, I punched the keyboard — nothing happened. Then the screen put up the message: "You went to the great ranch in the sky — you didn't have a gun!" ■





TELSOFT

An introduction to *Your Computer*'s new downloading service

A MODEM LINK to the telephone network opens up many possibilities for computer users ranging from access to simple bulletin boards through a variety of user-to-user communications, including electronic mail, to the use of complex interactive databases such as Prestel. This article introduces Telsoft, a new software package which offers a number of additional facilities.

These include a quality program for communicating between home computers, and a totally new method of downloading software which is specifically designed to transmit single programs to many users simultaneously using low cost hardware.

The idea for the Telsoft downloading service came from one of the many *Your Computer* users who find it increasingly difficult to type in accurately the listings of published programs as their quality, and hence complexity, increases. As the package was developed, it rapidly became evident that there was also a need for a compatible computer communications package, particularly for working with 1200/1200 bit/s half duplex modems where information only flows one way at a time, and in consequence the scope of Telsoft was extended.

The Telsoft program downloading facility is being trailed by *Your Computer* magazine with both hardware and software support from British Telecom — BT. The service will be provided initially by downloading selected programs for the BBC and Sinclair Spectrum computers from listings published in *Your Computer* magazine.

The "receive" section of the BBC and Spectrum Telsoft packages are published in this issue of *Your Computer* so that readers with the appropriate computers and modems can try the service out now.

The full Telsoft communication package will also be available in due course from the downloading service. It is hoped that many readers will try out the total package in order to determine the reliability of the computer — computer "Chat" and "Data Transfer" modes

as well as that of the downloading service.

The purpose of the trials is to determine the reliability of the protocols adopted to detect and subsequently correct the vast majority of errors that may arise during downloading or data transfer between computers. However, the error checking procedures adopted in the software developed to date have had to be kept relatively simple in order to minimise the length of the programs.

While programs that will be available on the downloading service will be advised in the magazine — with appropriate instructions to Save and Run the software, it will also be necessary for anyone intending to download software to know on which days particular programs will be available. This information will be given on new BT Audio Recorded Information Service, which will be known as Microline, and which will initially be available on Colchester (0206) 8068.

This will obviously be a speech-only service and will advise micro users on a range of BT computer services, will give details of the telephone numbers of the *Your Computer* 300 bit/s and 1200 bit/s downloading services, and the programs available on this service and will also give advice on how to procure a modem for your computer.

The early stages of developing software for the BBC, Spectrum and Commodore 64 computers have revealed a number of difficult compatibility problems between modems and computers and it has only been possible to test out the software with specific equipments. As part of the ongoing development we will be looking to all *Your Computer* readers who are programming experts to try out this software, to advise us of any bugs and, hopefully, to suggest the modifications necessary to overcome any compatibility problems.

To date, the software has been trialled with the OE Ltd Telemod 2 modem, working to BBC and Commodore computers, and the VTX5000, working to the Spectrum. These are both 1200/75; 1200/1200 bit/s — half duplex — modems, but the BBC software has also been tested successfully with a range of 300 bit/s modems.

The range of Telsoft programs that have been developed for the BBC, Spectrum and Commodore computers all have the same protocols and menu displays. Full details of the chat, transfer and receive modes are as follows:

Chat mode: This mode allows for a conversation between the two users so that anything either end types appears on both screens. Since either end can type at any time automatic carriage returns are generated when necessary to prevent text from both ends appearing on the same screen line.

Audible warning — typewriter bell — is given when only six characters remain on the current screen line. The delete key still works, although only on the current screen line so if you make a mistake and type onto the next line before noticing you won't be able to erase it.

The BBC is in Mode 7 during Chat mode, which gives access to seven colours and all the Teletext graphics. To obtain all these features, use the function and cursor keys, both with and without Shift.

When you want to leave Chat mode simply press Ctrl — or Symbol Shift — and G simultaneously. An audible tone is given and the Telsoft program reverts to its main menu. This is repeated at the distant end so that neither end gets lost.

Transfer mode: This mode involves copying an area of memory from one computer to another. The information being sent can be a

Basic program, some machine code, a data file or even all three. The only restriction is that the screen itself cannot be copied as the Telsoft program writes on screen during the transfer. Naturally, two software procedures are required — one to transmit and one to receive the information; this section describes the general principles and procedures adopted, whilst the following two sections explain the receive and transmit procedures.

The Telsoft program transmits data in blocks of up to 256 bytes, together with a 26-byte

(continued on page 69)

Figure 1.

```
10 REM HEX CODE LOADER
20 CLS:PRINT
30 INPUT " START ADDRESS (Hex)":A$
40 A=EVAL("&"+A$)
50 IF A)&6F87 THEN 280
60 IF A(&2A00 OR A)&6FE7 THEN 20
70 PRINT ~A" ";
80 INPUT ":" B$,C$
90 IF LEN(B$) ()16 THEN 50
100 T=0
110 FOR N=0 TO 7
120 X$= MID$(B$,2*N+1,1): GOSUB 300
130 IF E=1 THEN 260
140 X$= MID$(B$,2*N+2,1): GOSUB 300
150 IF E=1 THEN 260
160 B= EVAL("&"+MID$(B$,2*N+1,2))
170 ?A=B:A=A+1:T=T+B
180 NEXT
190 FOR M = 1 TO LEN (C$)
200 X$=MID$(C$,M,1):GOSUB 300
210 IF E =1 THEN A=A-1: GOTO 260
220 NEXT
230 IF T= EVAL("&"+C$) THEN 50
240 PRINT "CHECKSUM ERROR !"
250 A=A-8:GOTO 50
260 PRINT "TYPING ERROR !"
270 A=8*(A DIV 8):GOTO 50
280 *SAVE "DOWNLOAD" 6A00 6F87
290 END
300 E=0:IF ASC(X$)(48 THEN E=1:RETURN
310 IF ASC(X$)(58 THEN RETURN
320 IF ASC(X$)(65 THEN E=1:RETURN
330 IF ASC(X$))71 THEN E=1
340 RETURN
```

Figure 2.

```
6A00 :A9C8A0FEA20120F4,4C6
6A08 :FF20616C20486DC9,38A
6A10 :31F00BC934F0E9C9,4CB
6A18 :35F0064C0C6A4C47,280
6A20 :6AA90C20E3FFA9E8,4B2
6A28 :A000A2FF20F4FFA9,4FD
6A30 :03A20020F4FFA902,363
6A38 :A20220F4FFA9C8A0,4C8
6A40 :FEA20020F4FF60A9,4BC
6A48 :0C20E3FF20F76BA9,439
6A50 :15A20120F4FFA080,3EB
6A58 :A9FF8899856FD0FA,587
6A60 :A915A20120F4FF20,394
6A68 :0C6C90FB200C6CB0,34B
6A70 :FBA0008477847884,416
6A78 :79847A847B857020,38B
6A80 :D56DA57029F0C980,4B9
6A88 :D0E2200C6CB0D899,46B
6A90 :7100C820D56DC009,364
6A98 :D0F0A000A5742980,422
6AA0 :D00BA51C857618A5,354
6AA8 :1D65738577200C6C,289
6AB0 :B0B520E3FFC820D5,524
6AB8 :6DC010D0F0A57320,435
6AC0 :B26D200C6CB0A0C5,3CC
6AC8 :7AF00BA95820E3FF,478
6AD0 :20E7FF4C676A200C,34F
6AD8 :6CB08CC57BF00BA9,48C
6AE0 :5820E3FF20E7FF4C,4AC
6AE8 :676AA573A8B9856F,43E
6AF0 :D00E20E7FFA90B20,3B8
6AF8 :E3FF4CB36B4C676A,469
6B00 :A000847A847B200C,2C9
6B08 :6CB0F2917620D56D,477
6B10 :C8C475D0F1200C6C,45A
6B18 :B0E3C57AF00BA958,4CE
6B20 :20E3FF20E7FF4C67,4BB
6B28 :6A200C6CB0CFC57B,3C1
6B30 :F008A95820E3FF4C,447
6B38 :676A20C76B20E7FF,429
6B40 :A573A8A90099856F,3F6
6B48 :A58AC902D05820D7,419
6B50 :6BA9C820556CA955,3BB
6B58 :20306EA95020556C,298
6B60 :A915A20120F4FF20,394
6B68 :F76BA471C888B985,505
6B70 :6FD05198D0F7A90C,4A4
6B78 :20E3FF20A56DA95A,437
6B80 :8582A96F8583A907,3D7
6B88 :20006E20F86D20A8,2DB
6B90 :6DA90520006EA988,2DA
6B98 :20E3FF20F86DA9D2,502
6BA0 :20E0FF4C0C6AA955,3BF
6BA8 :20306EA99620556C,2DE
6BB0 :4C6A6BA475200C6C,2D2
6BB8 :88D0FA200C6C200C,316
6BC0 :6C4C486B4C6C6AA9,336
6BC8 :2020E3FFA96F20E3,43D
6BD0 :FFA96B20E3FF60A9,51E
6BD8 :9CA000A68AE002D0,41E
6BE0 :0BA21320F4FFA212,387
6BE8 :20F4FF60A29720F4,4C0
6BF0 :FFA29620F4FF60A9,553
6BF8 :9CA000A68AE002D0,41E
6C00 :EBA25320F4FFA252,4E7
6C08 :20F4FF6018A99685,44F
6C10 :8F847EA991A20020,38D
6C18 :F4FFB009C007D005,448
6C20 :68684C0C6AA47E20,2D4
6C28 :496CC68FD0023860,374
6C30 :A58AC902D0062079,369
6C38 :6EB0EC60A991A201,447
6C40 :20F4FF98A47EB0DF,55C
6C48 :608AA2D2CAE8CAD0,5AA
6C50 :FBAA60A900847EA8,458
6C58 :20496C88D0FAA47E,449
6C60 :60A9E8A000A2FF20,452
6C68 :F4FFA900858AA90C,460
6C70 :20E3FF20A86DA904,3E4
6C78 :20006EA9098582A9,2F0
6C80 :6F8583A00020F86D,39C
6C88 :20156DC941F00BC9,370
6C90 :42F011C943F0174C,3A2
6C98 :616CA908A20120F4,335
6CA0 :FF4CB76CA908A203,3C4
6CA8 :20F4FF4CB76CA908,433
6CB0 :A20420F4FFE68AA5,4CE
6CB8 :7C20E3FFA47E20AB,46B
6CC0 :6DA90820006E20F8,2C4
6CC8 :6DA01720156DC941,2D0
6CD0 :F00BC942F011C943,413
6CD8 :F0174C616CA907A2,372
6CE0 :0120F4FF4C096DA9,37F
6CE8 :07A20320F4FF4C09,314
6CF0 :6DA907A20420F4FF,3D6
6CF8 :E68AA58AC902D009,443
6D00 :A9E8A000A20120F4,3E8
6D08 :FFA57C20E3FF2053,495
6D10 :6C20536C6020AB6D,2E3
6D18 :A90520006E20F86D,2C1
6D20 :20AB6DA90520006E,274
6D28 :20F86D20AB6DA905,36B
6D30 :20006E20F86D20AB,2DE
6D38 :6D847EA90320006E,2A9
6D40 :A9D220E0FF857C60,4DB
6D48 :A90C20E3FF20AB6D,3EF
6D50 :A90720006EA99A85,306
6D58 :82A96E8583A00020,361
6D60 :F86D20A86D20996D,3C0
6D68 :20996D20996D20AB,317
6D70 :6DA90A20006E20F8,2C6
6D78 :6D20AB6DA9022000,270
6D80 :6E20F86D20AB6D20,34B
6D88 :E7FFA9D220E0FF48,5A8
6D90 :A90FA20020F4FF68,3D5
6D98 :60A9082000 6E20F8,2B7
6DA0 :6D20AB6D6020A86D,33A
6DA8 :20AB6D20E7FF20E7,445
6DB0 :FFE04829F0646A6A,3FE
6DB8 :6A0930C93A300318,1F1
6DC0 :690720E3FF68290F,312
6DC8 :0930C93A30031869,1F0
6DD0 :0720E3FF60457B85,3AE
6DD8 :7BA208A57B2A900C,30B
6DE0 :A57B4908857BA57A,390
6DE8 :4910857A267A267B,299
6DF0 :CAD0E86020E3FFC8,5AC
6DF8 :B182C90DD0F6C860,4F7
6E00 :867DAAA92020E3FF,478
6E08 :CAD0FAA67D60C97F,55F
6E10 :D00BA98620F4FFE0,4FD
6E18 :00F012A97FC920B0,3C3
6E20 :0EC90AF00AC90DF0,3A1
6E28 :06C907F002A90060,2D1
6E30 :857C867D847EA991,440
6E38 :A20120F4FFA903A2,404
6E40 :0720F4FFA996A208,403
6E48 :20F4FF982902F0F4,4BA
6E50 :A47CA997A20920F4,41F
6E58 :FFA903A20420F4FF,464
6E60 :A991A20020F4FFB0,49F
6E68 :09C007D00568684C,2C1
6E70 :0C6AA57CA67DA47E,3DC
6E78 :60847E867DA996A2,446
6E80 :0820F4FF982901F0,3CD
6E88 :0BA996A20920F4FF,408
6E90 :98189001 38A67DA4,340
6E98 :7E60444F574E4C4F,2B1
6EA0 :4144494E47204D45,215
6EA8 :4E550D3120202052,193
6EB0 :4543454956450D34,1F2
6EB8 :2020205345542042,1AE
6EC0 :617564205617465,2E6
6EC8 :0D35202020455849,188
6ED0 :5420544F20424153,20D
6ED8 :49430D454E544552,217
6EE0 :204E554D4245520D,1F6
6EE8 :2820555345204354,1EC
6EF0 :524C2D4720544F20,1F5
6EF8 :524554555524E2054,254
6F00 :4F204D454E552029,1ED
6F08 :0D53455420545241,200
6F10 :4E534D4954204261,24E
6F18 :7564205261746500,292
6F20 :4120202037352042,16F
6F28 :6175640D42202033,1FC
6F30 :3030204261756400,209
6F38 :4320313230302042,188
6F40 :6175640D53455420,253
6F48 :5245434549564520,223
6F50 :4261756420526174,2C3
6F58 :650D50524F475241,23D
6F60 :4D20204C4F414445,1F2
6F68 :4420206F6B0D5052,20D
6F70 :45535320414E5920,213
6F78 :4B455920464F5220,210
6F80 :4D454E550D202020,1A2
```

THIS PROGRAM is approximately 1400 bytes in length and consists of a Basic hex loader program and a list of machine code. Type in the hex loader program listed in figure 1 and then Save to tape or disc before you Run it. When the hex loader program is run the computer will give the prompt "Start address (hex)?" and you should enter 6A00 and press Return.

The computer will print the start address of the line and then one space followed by a colon — eg: 6A00: — you then have to enter everything after the colon from the relevant line in figure 2 and press Return at the end of each line. If all is well you will be prompted with the next address and so on. Each line comes with its own checksum.

When you have entered all the machine-code lines the hex loader program will automatically save this machine-code section with the title Download, so make sure that you have your tape recorder ready to record before starting to type in the machine-code section.

The machine-code program can be loaded and run automatically each time you call the downloading service by entering the command

*RUN "DOWNLOAD" (Return)

Provided that all of the machine code is correct you will be asked to select the transmit and receive speeds. For the OE Ltd Telemod 2 modem simply select Option C for both. You will now see the Download Menu with three options numbered 1, 4 and 5.

To receive software from Telsoft, the *Your Computer* downloading service, first dial up Colchester (0206) 8068 and check when software for your machine is being downloaded. This audio recorded information service will also advise you which telephone numbers to ring for the 300 and 1200 bit/s downloading services.

When a program you want to download is available, make sure your modem is correctly set up and dial up the telephone number appropriate to your modem's speed. When you hear the modem tones switch the modem to line and replace the receiver.

Select Option 1 from the menu — Receive. As each block of data is received the block number and the program title will be displayed, followed by "OK" if there were no errors. Note that the "OK" will be missing from any blocks in which errors are detected and that the downloading program will wait for these blocks to come round again in order to make a second attempt to load.

When all blocks have been loaded, the "Program loaded OK" message will appear; after which, pressing Ctrl and G will return you to the Telsoft Menu. Then select Option 5 to leave the Telsoft Menu and return to Basic and Save and Run the program as required.

The full communications package will be made available on Telsoft within the next month. This is a longer machine-code program which, in its current form, uses locations 7000 through to 7BDB and contains Chat, Transmit and Receive modes. It can also be used in place of this program when you are downloading future programs from *Your Computer* service using just the Receive mode, the operating instructions being the same as for this program. Note, however, that the full Telsoft package starts at location 7000 hex, whereas the downloading section contained in this article starts at 6A00.

GHOSTBUSTERS™ THE COMPUTER GAME.

BY DAVID CRANE

© 1984 COLUMBIA PICTURES

Yes. Ghostbusters is a computer game, too.

The game play follows the film with incredible accuracy. Even down to the chart-topping music score.

Your task is to rid the world – and in particular New York City – of a cataclysmic plague of ectoplasmic nasties.

Play it well and we give you a Ghostbusters franchise – with your own secret account number. Use this number and the money it brings you, to buy the same ghost busting gear they had in the film. (Don't worry – we'll give you some money to get started.)

You will have earned it. And you can use it to go to undreamed of levels. Don't try to use someone else's number, we'll find out.

From then on, it's you against the ghosts. All the way to the Temple of Zuul.

Where the final battle begins...

Designed by USA's David "Pitfall II and Decathlon" Crane and running on Commodore 64 cassette and disk and Spectrum. Coming soon on other systems.

ACTIVISION®

Your computer was made for us.

AVAILABLE FROM SELECTED BRANCHES OF BOOTS, WH SMITH, JOHN MENZIES, LASKY'S, SPECTRUM, RUMBELOWS, WOOLWORTH AND GOOD COMPUTER SOFTWARE STORES EVERYWHERE.

(continued from page 67)

header. To each of these a two-byte error — cyclic redundancy — check is added so that errors can be detected and false data ignored. If errors do occur the faulty block is sent again until the distant end confirms that it has been correctly received. The header includes a 16-byte title — provided by the sender — and 10 bytes of control information.

Each block — plus header — is separated from the next by a gap of approximately half a second. This make it possible for faulty blocks to be retransmitted and also for Telsoft to receive a program from an endless-loop transmission starting from any block and continuing until all blocks have been received. This is the method of transmission utilised by the downloading service and the instructions for receiving this format are given in the next section.

Each block in a transmission may be part of a Basic program or part of a machine code or data area. Basic programs are automatically placed by the receiving computer in its own Basic area, which makes it possible for different varieties of the same make of machine to swap programs.

Because machine code may contain instructions to jump to a specific address, this type of block cannot be relocated by the receiving computer and must be placed in the same area of memory that it came from. In this case the

data address is included in the 10 bytes of control information heading each block.

A point to note here is that many Basic

(continued on page 71)

Figure 1.

```
  5 REM SPECTRUM 48k        fig 1
 10 REM Hex Code Loader
 20 POKE 23658,8: CLS : PRINT
 30 INPUT "Start Address ";a
 50 IF a)61135 THEN  GO TO 280
 60 IF a(60000 THEN  GO TO 20
 70 PRINT a;
 80 INPUT " :";b$
 85 IF B$="END" THEN  GO TO 280
 90 IF LEN b$()20 THEN  GO TO 260
100 LET t=a-256*INT (a/256)
110 FOR n=0 TO 7
120 LET x$=b$(2*n+1 TO 2*n+1)
125 GO SUB 300: LET y=x
130 IF e=1 THEN  GO TO 260
140 LET x$=b$(2*n+2 TO 2*n+2)
145 GO SUB 300: LET y=y*16+x
150 IF e=1 THEN  GO TO 260
170 POKE a,y: LET a=a+1
180 LET t=t+y: NEXT n: LET y=0
190 FOR m=1 TO 3
200 LET x$=b$(17+m TO 17+m)
205  GO SUB 300: LET y=y*16+x
210 IF e=1 THEN  LET a=a-1: GO TO 260
220 NEXT m
230 IF t=y THEN  PRINT ":";b$: GO TO 50
240 PRINT "Checksum Error"
250 LET a=a-8: GO TO 50
260 PRINT "Typing Error"
270 LET a=8*INT (a/8): GO TO 50
280 SAVE "download"CODE 60000,1136
290 POKE 23658,0: STOP
300 LET e=0: LET x=CODE x$-48-7*(x$)"9")
310 IF x(0 OR x)15 THEN  LET e=1
320 RETURN
```

Figure 2.

```
60000 :CD15EDC307ECCD15,4C7
60008 :EDCD36ECCD66EDCD,631
60016 :BBEDFE31CA99EAFE,692
60024 :BBEDFE31CA99EAFE,69A
60032 :35CA87EAC366EACD,5D0
60040 :15ED3EFACDB4EDCD,5FD
60048 :15EDC9CD15EDC366,553
60056 :EACD66ED11E5EE06,58C
60064 :803EFF121310FCCD,45B
60072 :15EE11CDEE06173E,3D2
60080 :20121310FCCD1FED,3DA
60088 :30F0CD50EDCD1FED,5BB
60096 :38FB3265EF3E0032,3E9
60104 :6CEF326FEF3270EF,544
60112 :3A65EFCDEBEC3A65,5A1
60120 :EFE6F0FE8020DE0E,627
60128 :091165EFCD1FEDDA,501
60136 :AAEA1312CDEBEC0D,552
60144 :20F23A69EFE68020,51A
60152 :0D214B5C3A68EF0E,36C
60160 :004709226BEF0E00,1DA
60168 :11CDEECD1FED389A,47F
60176 :12130CCDEBEC79FE,45C
60184 :1020F03A68EFCDB1,447
60192 :ECCD1FEDDAAAEA21,574
60200 :6FEFBE28133E5811,326
60208 :E0EE12133E0012CD,340
60216 :D7ECCDA6ECC3AAEA,6B1
60224 :CD1FEDDAAAEA2170,518
60232 :EFBE20E121E5EE3A,524
60240 :68EF856F3E008C67,3CC
60248 :3E00BE200BCDD7EC,40F
60256 :3E2132885CC3FFEB,482
60264 :3E00326FEF3270EF,3C7
60272 :ED5B6BEF0E00CD1F,40C
60280 :EDDAAAEA3273EFCD,634
60288 :EBEC3A68EFFE0020,506
60296 :053A69EFE6803A73,432
60304 :EF12130C3A6AEFB9,3FC
60312 :20DCCD1FEDDAAAEA,5DB
60320 :216FEFBEC22DEBCD,584
60328 :1FEDDAAAEA2170EF,5A2
60336 :BEC22DEB3E6F32E2,509
60344 :EE3E6B32E3EE3E00,490
60352 :32E4EE3A885CFE21,501
60360 :2803CD15EECDD7EC,553
60368 :CDA6EC21E5EE3A68,5C5
60376 :EF856F3E008C6736,422
60384 :0021E5EEED4B66EF,561
60392 :0C7EFE00C2BDEA23,4FC
60400 :0D20F63EFACDB4ED,5B9
60408 :3E01D3FEC366EACD,5E8
60416 :1FED30FBC3BDEAF3,594
60424 :0603AFD3FF10FB3E,3DB
60432 :40D3FF3EFFD3FF3E,56F
60440 :31D3FF3E0F328F5C,385
60448 :328D5C32485C3E01,250
60456 :D3FE21915CCB9EFB,56B
60464 :CD50EDC366EACD15,52F
60472 :EECD66ED3E01D3FE,556
60480 :2165EE3E08CD8FEC,442
60488 :CD84ECCDA3ECCDA6,654
60496 :EC23CD77ECCD77EC,5BF
60504 :CDA0ECCD84ECCDA6,661
60512 :EC233E0DCD8FECCD,4CF
60520 :84EC23CDA3EC3E03,498
60528 :CD8FECCD84ECC9CD,68B
60536 :A3EC3E07CD8FECCD,561
60544 :84EC23C97EFE00C8,520
60552 :CDBBED23C384ECFE,651
60560 :00C8F53E20CDBBED,520
60568 :F13DC38FECCDA0EC,65D
60576 :CDA3ECCDA6EC3E0D,5A6
60584 :CDBBED3EFF328C5C,574
60592 :C9F513E6F0CB1FCB,60C
60600 :1FCB1FCB1FF630FE,4CF
60608 :3AFAC6ECC6071213,498
60616 :F1E60FF630FE3AFA,606
60624 :D4ECC6071213C921,46C
60632 :CDEEE5CD84ECE106,69C
60640 :173E20772310FC3E,339
60648 :0077C9E52170EFAE,53B
60656 :77C50E087EA7CB17,449
60664 :300D7EEE08773A6F,3C9
60672 :EFEE10326FEF3721,3D5
60680 :6FEFCB1623CB160D,358
60688 :20E2C1E1C9110501,394
60696 :216A00CDB503C93E,32F
60704 :963277EFCD47EDDA,529
60712 :2EEDF1C366EACDAC,5C0
60720 :ED7BE601F602D3FE,548
60728 :AF2177EF35200237,2FC
60736 :C9CD77ED38E8C9CD,5F0
60744 :47EED8FECBC837C9,5E6
60752 :F5DBFF3A81EFFE00,5C7
60760 :28043E3618023E37,187
60768 :D3FFDB7FF1C9F53A,675
60776 :81EFFE0028043E36,376
60784 :D3FFCD50EDF1C93E,644
60792 :00DBFFE68037C8DB,592
60800 :FFE60237C8DBFFE6,626
60808 :302004DB7FA7C93A,3E0
60816 :81EFFE0020043E37,397
60824 :18023E36D3FFDB7F,452
60832 :C9CD47ED3A73EFD8,5DE
60840 :F1C366EAF53ED23D,5EE
60848 :20FDF1C9CDACED3D,62A
60856 :20FAC9C5D5E5F5FE,70D
60864 :7F2813CDF9EDFE0C,537
60872 :280CFE0D20053E20,28A
60880 :D73E0DD718103E20,34F
60888 :D73E08D73A885CFE,4E8
60896 :2128033E08D73E5F,2E6
60904 :D73E08D7F1E1D1C1,640
60912 :C9FE07281CFECB28,4F3
60920 :19FE0C2814FE0B28,388
60928 :10FE0D280CFE20FA,367
60936 :0FEEFE80FA11EE3E,4BA
60944 :00C93E07C9CD6B0D,32C
60952 :3E02CD01163E1832,1C4
60960 :895CC93E121601CD,302
60968 :1122C93E121600CD,257
60976 :1122C9C5D5E53E02,3EB
60984 :CD0116CD47EE38FB,451
60992 :CD5CEEE1D1C1C93A,5CD
61000 :3B5CCB6F280C3A08,28F
61008 :5CF5213B5CCBAEF1,4C3
61016 :A7C937C9F5111000,3DE
61024 :CD18EDF1C9444F57,4D6
61032 :4E4C4F4144494E47,2B4
61040 :204D454E55003120,216
61048 :2020524543454956,276
61056 :4500352020204578,217
61064 :697420746F204261,32B
61072 :7369630028205573,2DF
61080 :652053796D626F6C,393
61088 :2053686966742020,30B
61096 :204700746F205265,2C9
61104 :7475726E20746F20,39C
61112 :4D454E5520290045,27B
61120 :4E544552204E554D,309
61128 :4245522000000000,1C1
```

THIS PROGRAM is approximately 1,200 bytes and consists of a Basic hex loader program and a list of machine code. Type in the hex loader program listed in figure 1 and then Save to tape before you Run it. When the hex loader program is run the computer will give the prompt "Start address" and you should enter 60000 and press Return.

The computer will print the start address of the line followed by a colon and the C cursor, you then have to enter everything after the colon from the relevant line in figure 2 and press Enter at the end of each line. If all is well you will be prompted with the next address and so on. Each line comes with its own checksum.

When you have entered all the machine-code lines the hex loader program will automatically save this machine-code section with the title Download, so make sure that you have your tape recorder ready to record before starting to type in the machine-code section.

The machine-code program can be loaded by entering the command

LOAD "DOWNLOAD" CODE 60000, 1200 (Enter)

and then

RANDOMIZE USR 60000

Provided that all of the machine code is correct you will now see the Download Menu with two options numbered 1 and 5. It should be noted that this software has been specifically written for the combination of the Sinclair Spectrum 48K and the OE Ltd VTX 5000 (1200 bit/s) modem. The downloading service will therefore initially only be operated at 1200 bit/s for Spectrum programs, but consideration will be given to a 300 bit/s service should the demand arise.

To receive software from Telsoft, the *Your Computer* downloading service, first dial up Colchester (0206) 8068 and check when software for your machine is being downloaded. This audio recorded information service will also advise you which telephone number to ring for the 1200 bit/s downloading services.

When a program you want to download is available follow the instructions under lined on page 67.

When all blocks have been loaded correctly the program will return you to the Telsoft Menu. Then select Option 5 to leave the Telsoft Menu and return to Basic and Save and Run the program as required.

The full communications package will be made available on Telsoft shortly. This is a longer machine-code program which, in its current form, uses locations 61440 through to 64767 and contains Chat, Transmit and Receive modes. It can also be used in place of this program when you are downloading future programs from *Your Computer* service using just the Receive mode, the operating instructions being the same as for this program. Note, however, that the full Telsoft package starts at location 61440, whereas the downloading section contained in this article starts at 60000.

QUALITY CONTROL FROM CREATIVE SPARKS ON C64

For those who demand excellence



JAVA JIM

Guide Java Jim around the screen digging neat square holes as he searches for ancient relics. You will have to avoid the lumps of sizzling lava being continually showered down on Jim from the still active volcano in this highly original fun game.

4 full graphic all action screens.
20 levels of play.
High score feature.
Fast loading cassette.



COUNTDOWN TO MELTDOWN

An amazing graphic action adventure game which puts you in charge of a team of androids trying to reach the core of a nuclear reactor before it explodes.
This game has over 2000 rooms to be negotiated and every single one of them is in 3D!!
Probably the most exciting game yet developed for the C-64.
Fast loading cassette.



BIRD MOTHER

This is a delightfully original game which uses nature as the setting for a highly compelling and challenging game. Guide the Bird Mother as she builds her nest and raises her young, finally protecting them from a predator hawk.
Fast loading cassette.
The stunning graphics and music in Bird Mother are not to be missed.



WING COMMANDER

This is a highly sophisticated flight combat simulator which puts you in the pilots seat. Highly advanced machine code programming has ensured you feel every stomach lurching dive and roll.
With 17 separate controls to be monitored and several ground targets to be defended from the attacking enemy bombers. This game will stretch your skills to their limits.
Fast loading cassette.



CREATIVE SPARKS

Available from All good computer software stockists.

Send me (tick as required)

- ☐ **JAVA JIM** TNCE163 (C64) **£7.95**
- ☐ **COUNTDOWN TO MELTDOWN** TNCE273 (C64) **£7.95**
- ☐ **BIRD MOTHER** TNCE263 (C64) **£7.95**
- ☐ **WING COMMANDER** TNCE203 (C64) **£7.95**
- ☐ My local stockist's address
- ☐ Your full list of games

Game/s at £7.95 each £ : p
+ single P&P sum : 30p
Total to send £ : p

Method of payment
By cheque or PO (no cash) made payable to **TECS**

☐ By Access
or
Enter card no. ☐ Barclaycard

Sign below:

Credit card sales: UK buyers only.
Response within 21 days.

Creative Sparks,
Department MO,
296 Farnborough Road,
Farnborough, Hampshire, GU14 7NF.
Telephone: (0252) 518364.

Name
Address

YC1284

(continued from page 69)
programs contain data statements that will be used to create a machine-code routine when the program is actually run. In this case all that need be sent is the Basic program only, since this contains all the necessary information to locate the machine code accurately.

Receive mode: There are two applications for the Receive mode. The first is in conjunction with the previous section — ie: receiving blocks of data from another computer — and the second is in conjunction with the Telsoft downloading facility.

When receiving data from another computer the receive mode is selected by pressing 1 when the main menu is displayed. The screen will clear and then, as each block is received, its block number — in hex — its title and an OK will be displayed. As mentioned before, faulty blocks are automatically repeated, and thus if a very noisy line is encountered and frequent errors are occurring both computer users are aware of the problem. When all blocks have been received correctly, a "program loaded OK" message is displayed and both computers automatically revert to Chat mode.

The same receive software is used to run *Your Computer* downloading service but in this case, since the program is continually transmitted in a loop 24 hours a day, loading will start at the beginning of the next block number that the computer sees immediately following connection to the service. With a continuously transmitting service there is also no possibility of retransmitting blocks when errors are received, so some other method of error correction has to be adopted.

The method adopted to overcome this problem is as follows; when the received block number reaches the point at which the computer started to load the data, checks are made to see whether any blocks contain errors; if there are none, then the program will stop loading data and return to the main menu.

If, on the other hand, some errors have been received the program will continue to look for, and then load in again, all the individual blocks which were received with errors. Naturally, error-free blocks are not loaded again to avoid any chance of them containing errors the second time round!

Transmit mode: This is selected by pressing 2 when the Telsoft main menu is displayed. The screen will clear and you are prompted "Transmit Basic (Y/N)" to ask if you want to send a Basic program. The computer notes the answer and then asks "Transmit Bytes (Y/N)" to find out whether anything apart from Basic — for example: a machine-code section — is to be sent. If your response is "Y" the computer will then ask "How many areas (1-7)?". Once you have indicated the number of separate areas to send you will be prompted for the first and last address — in hex — for each area.

When this section is complete Telsoft will prompt you for the program title for this transmission, which may have a maximum of 16 characters in it. Transmission then begins automatically and continues until all blocks have been sent and acknowledged as being correctly received. As each block is sent the block number — in hex — is displayed, together with a + for each 16 bytes sent and a final OK when acknowledged. When all the blocks have been



sent Telsoft reverts to Chat mode.

If you have received a program from another user, check whether the transmission included any machine code or data areas — apart from Basic — and, if so, make a note of the relevant addresses. Then finish the telephone call, press Ctrl — or Symbol Shift — and G to return to the Telsoft main menu and press 5 to exit to Basic. Then use the normal methods to save on tape or disc as appropriate.

Programs available on Telsoft service: At the time of writing, programs for the BBC model A and B and Spectrum 48K computers have been completed and given limited trials which were successful. A program has also been completed for the Commodore 64 computer but has not been sufficiently tested.

It should be noted that the Telsoft communication programs offered are only compatible with each other and the downloading service. For communication to bulletin boards generally a much simpler range of software is needed and on the other hand communication with Viewdata services such as Prestel requires more complex software. ■

IT TRANSFORMS THE HOME COMPUTER OUT OF ALL RECOGNITION

Because Touchmaster is a touch sensitive surface which effectively bypasses the keyboard, it has none of the keyboard's complications, typing skill requirements or potential errors.

To operate Touchmaster, you simply slide an overlay onto its surface, load the matching Touchware into your computer and touch the overlay.

For repeatability and resolution, no other ostensibly comparable pads can touch Touchmaster.

In fact, Touchmaster's unique technology makes it state of the art when it comes to such pads.

Other pads might fairly be described as peripherals. Touchmaster goes a lot further: it respecifies the home computer.



Now anyone can master the home computer

TOUCHMASTER

For full details, contact **Touchmaster Limited,**
PO Box 3, Port Talbot, West Glamorgan SA13 1WH,
or phone **Teledata (01) 200 0200**

REVIEW

YAMAHA CX-5M

Is it a computer or is it a synthesiser? Yamaha's CX-5M is an MSX micro with two keyboards. Tony Sacks ran his fingers over both.

1984 HAS BROUGHT the very different worlds of the micro buff and the musician considerably closer. On the micro front, there has been a noticeable increase in the amount and quality of software and hardware designed to make the most of computers' built-in sound making facilities. This is particularly true of micros like the BBC and the Commodore 64 with their relatively sophisticated music chips.

Meanwhile, musicians are beginning to exploit the tremendous possibilities offered by Midi — the Musical Instrument Digital Interface. As described previously — *Your Computer*, September 1984 — Midi is a digital Esperanto which allows various electronic instruments such as synthesisers, sequencers and drum simulators to send digital messages to each other. With suitable interfaces these instruments can also be connected to computers.

Yamaha's CX-5M merges these two worlds in one £449 machine. Superficially it looks like any of the rapidly-growing army of MSX clones. The only sign that it is something special, is the inscription "music computer" next to the model name.

A tour around the crowded perimeter of the computer begins to reveal its dual personality. In addition to the standard MSX sockets for joysticks, Centronics printer and TV and monitor outputs, there is a pair of DIN sockets marked Midi In and Out, two additional stereo sound outputs and a Music Keyboard socket. In all, the machine has more than 180 electrical contacts waiting to communicate with the outside world.

The CX-5M has a professional look and feel emphasised by a sober grey and black colour scheme. The keyboard is pleasant to use, despite a slight wobble on the space-bar. The only oddity is the inclusion of a blank "dead" key used to add various accents to vowels for foreign languages. There is no £ key although the sterling symbol can be accessed from the vast MSX character set using the Code and Shift keys.

Two switches — one on the computer, the other on the substantial power supply — are needed to turn the CX-5M on. If the Rom cartridge slot is unoccupied the machine tells you that it has 28,815 bytes available from its 32K of RAM. In this mode the computer does everything that you would expect of an MSX machine.

However, type in the command of Call Music and you enter a different world. You now have access to the computer's unique feature — a built-in FM sound synthesiser.

Two music keyboards are available to plug into the socket mentioned above: a miniature 44-note device costing £85; and a full-size 49-note keyboard costing £165. In the MSX Basic mode, these keyboards are lifeless, but once you enter the synthesiser mode, you can use either keyboard to play any pair of sounds from the CX-5's repertoire of 46 pre-defined sounds or "voices".

The keyboard can be "split" at any note along its length so that two different voices can be played on different halves of the keyboard at the same time.

The quality of these sounds is one of the

FM — a natural way to synthesise

The synthesiser in the CX-5M is not an ordinary synthesiser — it's an FM synthesiser.

It uses a different approach to sound synthesis to that used in almost all other synthesisers, including those built into the BBC and Commodore 64 micros.

Most synthesisers are based on a technique known as subtractive synthesis. Simple, but harmonically rich, waveforms such as square waves or sawtooth waves are progressively filtered — to remove or emphasise certain frequencies, modulated, and manipulated in other ways to produce the final sound.

This technique can result in powerful sounds but they invariably have an artificial feel to them. This is because the relative strengths of the various harmonic components remain fixed for the length of each note. In acoustic instruments, this balance changes constantly.

FM synthesis is designed to produce more natural sounds by simulating this process. It does this using a technique

CX-5M's main strengths. They range from powerful simulations of real instruments such as pianos, flutes, guitars and organs to gimmicky sounds such as the "chirping of a small bird" and the "sound of raindrops". At their best — in, for example, the harp and timpani simulations — the sounds are stunning, and even the less convincing voices are not unpleasant.

The quality of the sounds is one immediate difference between the CX-5M and other micros. Another difference is that the Yamaha computer can produce up to eight notes simultaneously, compared to the three of the Commodore 64 or the BBC.

A third difference is the inclusion in the CX-5M of an automatic rhythm section to accompany you while you tinkle away on the ivories. You can select a variety of drum, bass and chord accompaniments to join you as you play. It must be said, however, that the sounds and patterns of this accompaniment are disappointing compared both to the quality of the main synthesiser voices and to rhythm sections in all but the cheapest portable music keyboards.

If you want to store your musical efforts, there is a Record facility which will remember up to 2,000 notes as you play them. You can then play back the recorded section and accompany yourself on the keyboard at the same time. If you are pleased with the result you can dump it onto a cassette.

Although you can tinker slightly with the 46 standard voices using the firmware, you cannot alter the basic sounds. To make fundamental changes to the voices or to create your own new ones, requires additional software.

Fortunately, Yamaha has produced a Rom cartridge containing this software. Each FM voice is defined by more than 60 inter-related parameters and altering these to achieve a specific effect is not easy. Creating a new voice from scratch is even harder. The FM voicing program is designed to make this task as easy as possible and, in general, it succeeds.

However, considerable practice is needed before you get a feel for how altering any particular parameter will affect the overall sound. The 48-page manual that accompanies the voicing program gives some guidance on how FM synthesis works as well as some examples of how to create new voices.

The FM Voicing Rom is one of four software ROMs, each costing £36, that Yamaha has developed to tie in with the launch of the CX-5M. Perhaps the most interesting of these from the micro enthusiast's point of view is the FM Music.

Macro Rom which extends the MSX Basic with 36 new commands that allow the synthesiser to be controlled from Basic.

The Music Macro permits the playback of eight musical parts using up to four different voices while a Basic program is running. These voices can come either from the standard 46 sounds or from a data cartridge holding new voices produced by the voicing program.

Using the Music Macro cuts the memory available for Basic programs to less than 20K. The number of notes per part is limited to a maximum of around 500 although parts can be chained together if necessary.

The Music Macro can be used to control other electronic musical instruments including synthesisers and synthetic percussion devices through the Midi link. It also allows the programmer to define patterns for the built-in rhythm section.

The third Rom will probably help to sell the CX-5 more than any of its other attractions. It contains a composer program which allows a musician to write a six-part musical score on the computer screen using conventional musical notation and then to play the music back through the internal synthesiser, or through external instruments via the Midi link, or both.

The notes are entered using either the musical or computer keyboards. In the former case, the notes can be played at any speed — the computer only accepts the pitch information, not the timing.

A particularly attractive aspect of the

(continued on next page)

Changes in the waveform caused by FM



When the waveform is frequency modulated



similar to that which produces FM — frequency modulation — radio transmissions. Essentially, one simple waveform — the carrier — is modulated by another — the modulator — to produce the natural-sounding output.

This simple idea proved difficult to put into practice. It took Yamaha more than a dozen years to perfect and to squeeze the complex digital circuitry on to LSI chips.

Last year, Yamaha launched the first FM synthesisers that musicians could program to produce their own sounds. These synthesisers — the DX-7 and DX-9 — took the music world by storm and now almost every band that uses synthesisers has at least one DX machine. On their recent megatour of the United States, the Jacksons used at least 10 of the £1,300 DX-7s on stage.

The synthesiser in the CX-5M is a slimmed down and modified version of the £900 DX-9.

One of the snags of FM synthesis is that it is more difficult to program new sounds, especially for synthesists used to traditional synthesisers. The Rom cartridge supplied with the CX-5M is designed to make programming of its built-in sounds easier. One of the other Rom cartridges does the same job for the DX-7 using a Midi link between the computer and the synthesiser.

(continued from previous page)
composer program is that it allows conventional musical symbols and expressions for dynamic changes in a composition to be entered along with the notes. These musical instructions are followed by the synthesiser when it regurgitates the music, giving the sounds an eerie, almost human feel.

The program is not, however, perfect. Most of the CX-5M keys are redefined to allow the musical notation to be entered and because the program operates in two different modes, many of the keys have two functions. This can cause confusion as you swop between the two modes. A keyboard overlay or on-screen indication of the redefined keys would ease the confusion, but neither is provided.

Pixel resolution problems

Other problems arise from the 256 by 192 pixel resolution of the CX-5M's display. This means that only one of the six parts can be shown at any one time and it can become complicated working out how the various parts tie in with each other. The one-part-at-a-time limitation also applies to printouts.

The limited screen resolution also means that it can be difficult to distinguish between similar note symbols. And chords have to be displayed confusingly as emaciated notes spread across the stave.

But the many attractions of this program far outweigh these minor difficulties which do not affect the quality of the music it can produce. Regular users of the package will probably soon adapt to its idiosyncrasies.

The final Rom cartridge will only be of interest to owners of Yamaha's DX-7 synthesiser. This instrument can produce even more impressive sounds than the CX-5M but is correspondingly more difficult to program. The cartridge is designed to ease the task by displaying the parameters graphically on the CX-5M screen where they can be edited. Information is exchanged between the DX-7 and the CX-5M using the Midi link.



So there we have it. The CX-5M is certainly a computer with a difference. On the whole it is a well thought out machine with a few minor disappointments.

One of these is that the Midi interface built into the CX-5M does not offer full two-way Midi facilities. While it can transmit signals to control external synthesisers, it cannot itself be controlled by other synthesisers.

The lack of a full Midi interface also means that musicians will not be able to use their own Midi instruments to provide a musical input for the CX-5M. Most will probably regard the optional miniature keyboard as little more than a toy and will have to buy the larger £165 keyboard to make best use of the computer. A full Midi interface could avoid this extra cost.

Despite this, it is easy to see why the machine will appeal to musicians and why there have been waiting lists for it since it made its debut at a music industry exhibition earlier this year. Musicians are used to spending upwards of £600 for a synthesiser, so to get a computer and a Midi interface thrown in at the same price must be a bargain.

Ironically, the price is also likely to be the main barrier to the machine appealing to a wider audience. You have to be either wealthy or keen on music — or both — to pay more than twice as much for the CX-5M and keyboard as you would for an ordinary MSX machine of a similar specification.

Yamaha planning software

Another factor likely to deter many would-be purchasers is that there is unlikely to be much independent software that takes full advantage of the computer's facilities. Companies which do produce software will probably aim their packages at the musician and will charge high prices to cover the limited market for their products.

Yamaha itself is planning further software packages but has not revealed any details. There are, however, several types of program that could widen the appeal of the CX-5M, the most important of these being for education. The CX-5M could provide an excellent tool for teaching music, using on-screen displays and prompts. But this will not happen until the right software becomes available.

On a final, more optimistic note, the prices quoted in this review may be short-lived. The music industry is notorious for substantial retail discounting. As the CX-5M is being distributed mainly through the music trade, the cost-cutting practices may well be applied to it within a few months. ■



CONCLUSIONS

- The CX-5M is the most interesting and original of the MSX mutants to reach the U.K. so far. It is a well designed and well constructed machine.
- The quality of the sounds produced by the CX-5M show the painful limitations of the sound-making capabilities of even the best of other micros.
- At a cost of more than £600 for the computer and the full-size keyboard and £36 for each software package, the CX-5M will appeal mainly to dedicated musicians.
- It seems penny-pinching to provide only 32K or Ram when MSX machines costing well under £300 offer 64K. It will be particularly frustrating to run out of memory as you near the end of your magnum opus.
- The CX-5M proves conclusively that micros can be used for more creative purposes than merely zapping aliens, eliminating galaxies, killing dwarves and perfecting take-off and landing procedures.
- The CX-5M will probably be the first microcomputer to star on Top of the Pops.

No man's land

ORIC/ATMOS

ORIC/ATMOS

OTHER TITLES FOR CBM64/V20 SPECTRUM ZX81 AVAILABLE ON REQUEST

0503 CATEG-ORIC (action game). Take command of a cruiser engaged in battle against fighter planes and submarines. Use the radar and sonar systems to detect and destroy the enemy before you are sunk. £ 7.95

0540 STYX (arcade). Destroy the castles of the Dark One which guard the river Styx. Struggle against vultures, the eyes of the devil and his minions to vanquish evil. £ 8.50

0494 DBUG (utility). A monitor/debugger to debug your programmes in machine code: position of internal registers, set breakpoints, step through programmes. £ 11.95

0496 OPTIMUM (home). Manage up to 4 different accounts, keep track of expenditure and compare with your monthly or yearly budget. Just what you need to keep the household accounts in order. £ 9.95

0495 FIRE FLASH (arcade). Prevent the aliens from sabotaging the fuel depot and avoid enemy fire by passing into hyper space. An attractive and challenging arcade game in 100% machine code. £ 8.50

0526 TYRANN (adventure). Can you find your way through the labyrinth and liberate Queen Tyrann from her torment? A first-class adventure game with text and graphics. £ 8.95



0514 THE DIABOLICAL TOWER (adventure). The Diabolical Tower has 60 floors, each one fraught with danger. Your mission is to seek out the treasure. £ 8.50

0510 MULTIFILER (business). A powerful programme for creating files. Choose your own criteria adapted to your requirements. Rapid sort and search features in machine code and possibility of memorising over 30000 characters. Extremely simple to use. £ 14.95



0463 PANIC (action). Catch the marauding apples by setting traps. 6 levels. £ 6.95



0515 THE HARE AND THE TORTOISE (education). A game for 3-8 year olds to teach the notions of right, left, up, down and counting. The hare and the tortoise decide to race. Who will win? The level of difficulty is adjustable to the child's ability. £ 8.50

HARD communication

OTHER ORIC/ATMOS TITLES

0497 ADDRESS BOOK	£ 9.95
0498 BANK ACCOUNT	£ 12.50
0499 BASIC PLUS	£ 9.95
0502 COMPUTER ASSISTED DESIGN	£ 8.50
0504 CHARACTER GENERATOR	£ 8.50
0465 CONCOURS HIPPIQUE	£ 5.95
0464 CW MORSE	£ 14.95
0506 FINANCIAL CALCULATOR	£ 9.95
0507 INVOICING	£ 14.95
0508 LEARNING FORTH	£ 16.95
0509 LIBRARY CATALOG	£ 9.95
0511 SCREEN KIT	£ 9.95
0513 SUPERCOPY	£ 9.95

RETAILERS CONTACT:

CentreSoft

OR ASK YOUR DISTRIBUTOR TO CONTACT US

DISTRIBUTORS AND OVERSEAS ENQUIRIES CONTACT:

JANET PELTON, INNELEC-NO MAN'S LAND 110 BIS RUE DU GAL LECLERC 93506 PANTIN CEDEX FRANCE TEL.: 33-1-840.24.31.

MAIL ORDER:

POST COUPON TO HIGH TECH UNITS 1 & 2 CONLON DEVELOPMENTS WATERY LANE DARWEN LANCASHIRE

PRICES INCLUDE POSTAGE AND PACKING FOR UK ONLY OVERSEAS ADD £2.

REF	TITLE	QTY	TOTAL PRICE

PO/CHEQUE ENCLOSED OR DEBIT ACCESS/VISA
IF CARD EXPIRY DATE:

IMPORTANT: All cheques or cards payable to NO MAN'S LAND and sent to High Tech.

NAME

ADRESS

POSTCODE

YC

WIN

The exciting Yamaha CX-5M — piano keyboard, synthesiser, and MSX computer all in one.



He's carrying off dozens of great Christmas prizes.

This man be stopp

RULES

- The winners of the competition will be the people who correctly identify the men behind the quotes, and in the view of the Editor, come up with the most amusing quotation and attribution
- The name of the winner will be printed in the February issue of *Your Computer*.
- All entries must arrive at the *Your Computer* offices by the last working day in December 1984.
- Each person may enter, the competition only once.
- Entries to the competition cannot be acknowledged.
- No employee of Business Pres International or their relatives may enter the competition.
- The decision of the Editor is final.
- No correspondence on the result of the competition will be entered into.
- Business Press International assumes no responsibility or liability for any complaints arising from this competition.

WIN

A day at the controls of a full-size Rediffusion flight simulator.

PLUS

Some of the best software yet seen on a home micro: five copies of Melbourne House's Sherlock Holmes and five chances to win Acornsoft's space romp Elite. Plus five YC subscriptions and five binders.

COMPETITION OF THE YEAR

All the quotations below on the left have appeared at one time in the pages of *Your Computer*. All you have to do is match them up correctly with the personalities below right who said them. Enter the number of the personality in the box beside the quotation you think belongs to him. Then we want you to come up with a witty quotation and tell us who you think should have said it.

- [6] "There's nothing in this movie that isn't happening in the world today"
- [ ] "We program them so that if they make a claim, the machine explodes and blows them to bits"
- [ ] "I will be prepared to sit down and eat one in Trafalgar Square if it's late"
- [ ] "Business is war"
- [ ] "You get these quantum leaps in electronics — we will leapfrog Clive Sinclair with technology"
- [ ] "Those who operate at the cutting edge of technology shall be sacrified upon it"
- [ ] "I've been making jokes about computers for long enough — it's about time I found out a bit more about them"
- [ ] "The same technology which brings us the likes of Pac-Man is scaring the hell out of our enemies"
- [5] "Most home computers are current buns: printed circuit board sandwiched between two sheets of cream plastic, with a few keys sticking out of the top"
- [1] "Most people are so pleased when they do manage to copy our programs that they write and tell us. We just warn them not to sell it"

1. Douglas Adams, author of *The Hitch-hiker's Guide to the Galaxy.*
2. Hermann Hauser, Acorn's technical director.
3. Geoff Hollington, designer of the Enterprise's external casing.
4. Adam Osborne, founder of the Osborne Corporation.
5. William Poel, Amstrad's software division general manager.
6. Mike Radford, director of the film *1984.*
7. Sir Clive Sinclair, Chairman of Sinclair Research.
8. Jack Tramiel, formerly of Commodore, now Atari.
9. Richard Turner, Artic director.
10. U.S. Commissioner of Customs.

What would your quotation be? _____

_____

_____

Who would have said it? _____

Name _____

Address _____

_____

Which computer do you use? _____

ADD ONS ADD ONS

ZX81 SPECTRUM

The Fuller FDS. Now better than ever! All the features you'll ever need from a Spectrum keyboard all in one smart, durable unit. Space bar, cursor control keys, single key delete, caps shift, symbol shift, F1 mode, separate full stop and comma keys, beautifully made, handsome to look at and a delight to use. **£49.95** plus £2.00 p.p.

PROFESSIONAL CASED KEYBOARD TYPE FD42.
Models for the ZX81 and SPECTRUM
(PLEASE STATE WHICH)
The Fuller FD42 has long been our most popular seller. Its sturdy, attractive but very tough injection moulded ABS case houses the computer and converts it into a professional unit with 42 full size long-life computer-style full-travel keys. Keys are indelibly etched with ZX81 or Spectrum legends. No skills or soldering needed and full access is maintained to the user ports etc for add-ons. Power supply can be fitted inside. Has integral LED for power ON/OFF indication. In all a thoroughly worthwhile accessory to your computer. **£29.95** plus £2.00 postage and handling.



The famous Panda Expandable RAM pack for the ZX81. Massive 16K add-on memory which can easily be expanded to a GIANT 32K with an optional plug-in MODULE. Rugged no-wobble design injection moulded case with integral LED power on indicator. No additional power supply needed, just plug on and go. British designed and built. Thousands in use. Prices: PANDA 16K **£19.95.** MODULE **£14.50.** GIANT 32K **£34.00.**

PRODUCTS ARE STOCKED AND USUALLY DESPATCHED WITHIN 10 DAYS.

I wish to order the following: *(Please state which computer)*

TOTAL £

All prices include VAT and post and packaging. All items include a full year guarantee. Products are stocked and usually despatched within 10 days. Overseas customers add £4 post and packing. Cheques/Postal Order, etc., payable to TREMIVER LTD.
Please debit my Access/Barclaycard/Diners Club Int/as below

Round the clock 7 days a week Telephone orders. **0256 66116**

Card No. □□□□□□□□□□□□□□□□

Signature

Name

Address

YC6

SPECTRUM UPGRADES 16K to 48K

THE KIT — Fit it yourself, a beautifully packed and presented kit with complete (Really complete in the detail you need if you've never seen inside your computer) instructions. No soldering — no wire bending — no fiddly bits. Thousands in use. Everything you need to upgrade your issue 2 Spectrum from 16K to a full blown 48K.
The really economical upgrade — in stock for swift despatch. **£24.00**

THE PACK — A sturdily packages 16K to 48K upgrade pack that simply plugs on to the user port and works immediately. Throughport so any other accessories may be fitted as before. No need to open the case, no unscrewing, no soldering, no need to invalidate your guarantee. Designed and built in Britain. Guaranteed. Supplied in handsome carton suitable for gift wrapping. **£39.95**

NEW!! Upgrade your ISSUE 3 Spectrum from 16K-48K. This kit is supplied with full parts and very comprehensive instructions as to how to upgrade your ISSUE 3. Due to the change in design of the issue 3 this has not been possible with previously available kits. Not for the complete amateur as it requires two simple soldered connections to be made, anyone who has soldered before or who has a friend can fit this quite easily though. **£26.50**

VIC 20

THE VIXEN SWITCHABLE RAM £34.95

16K RAM CARTRIDGE
The Vixen 16K switchable Ram cartridge is unique approach to expanding your VIC 20. Being switchable from either 16K to 8K + 3K programs already in use based on the unexpanded Vic 20 are not obsoleted. Supplied in attractive custom made case it simply plugs into the rear of the computer or motherboard. No additional power needed. High quality gold plated contacts ensure long trouble free life. Switches are recessed to avoid accidental operation. Designed and built in Britain. Guaranteed one year.



THE VIXEN MOTHERBOARD £31.95

THE EXPANDABLE EXPANSION SYSTEM. Providing 4 additional cartridge slots PLUS ROM socket. The slots are switchable enabling cartridges to be left in place and selected as needed by switching thus avoiding constant handling nd the danger of breakage. Having one socket at the rear enables further expansion. Used in conjunction with one or more Vixen Rams full expansion can be achieved. ROM socket enables ROMs and Eproms to be fitted for future software programs, toolkits etc.
A range of ROM based software will soon be available from the manufacturers. Industry standard Eproms, 2716,2732 etc are readily available and easily programmed and copied.
A sound investment for the serious user and serious games player which will not become obsolete.



TREMIVER LTD.

93A PACK LANE, BASINGSTOKE, HANTS.
Tel. (0256) 466116

COMMODORE PLUS 4 competition RESULTS

OCTOBER'S COMPETITION offered as a prize Commodore's rival to the QL, the new Plus 4. On the entry form we asked you to place eight features in order of importance. You then had to suggest names for both a program that you would like to see on the Plus 4, and the software house that would launch it.

With its built-in software the Plus 4 is clearly intended to be used more for serious applications than games playing. So in picking a winner we favoured those suggestions that reflected the machine's practical nature.

We awarded the prize to Dr W Davidson, Brunswick Health Centre, Hartfield Close, Manchester, whose list of features was the following:

1. Value for money
2. Professional keyboard
3. Database
4. Graph display
5. Wordprocessor
6. Spreadsheet
7. 60K user Ram
8. Neat wedge styling

The seventh feature, 60K user Ram, took a higher place in our panel's list. But we were impressed by the winner's program suggestion. Wittily entitled "What Brings You Here" the program would take a GP patient's case history using graphics to pin-point the site of pain, etc.

The idea has already been implemented on larger systems but there is no reason why it should not also be feasible on the Plus 4. Whether patients would — or should — be satisfield with the computer's bedside manner is another matter.

If the competition entries are anything to go by home computer owners are preoccupied with health and fitness. We were surprised by the number of people who would like to see programs for home diagnostics, diet planning, calorie counting, and the like. Software companies take note.

Some of the other practical suggestions were, perhaps, less feasible. The most common was for a program to convert CBM-64 Basic to Plus 4 Basic — a difficult feat since it would involve converting Pokes into graphics commands.

N Smith's Decompiler, on the other hand, probably could be implemented. But what would be the point of a program to translate machine code into Basic?

Ideas for games ranged from the boring to the whacky and bizarre. From J Tant came Flea Destroyer: you start off with "an overall plan of a cat, destroy the fleas with a spray can, then move on to a dog".

We were tickled by J Kingsbury's Highland Fling, a Scottish version of Decathlon, in which you participate in events like tossing the caber. Also noteworthy was D Ahearn's game for paranoiacs, Stop your Neighbours. The idea here is to prevent your neighbours from encroaching on your property.

In B Gadd's Deadline you would have to produce a monthly computer magazine, collecting features, artwork, letters, and so on, while overcoming such obstacles as strikes, gremlins, ghostly news-hounds, and paper shortage. Sound familar, but not much fun to play. ■

COMPUTERBASE

only £199.00 (+ VAT)



IBICO'S New Letter Quality Printer Model LTR-1

Professional standards at your fingertips for letters, lists, files, addresses etc.

- ☆ Compact 292 x 57 x 165mm
- ☆ Takes full A4 sheet
- ☆ Continuous or manual feed
- ☆ Elite type 12 pitch
- ☆ Parallel and serial interface
- ☆ 80 Columns
- ☆ 96 characters
- ☆ 12 CPS Bi-directional

ALSO AVAILABLE –
Optional adaptors for:
Sinclair Spectrum
Commodore 64
Standard parallel printer cable

Computerbase Dept YC2 21 Market Avenue, City Centre, Plymouth PL1 1PG

Computerbase Dept YC2 , 21 Market Avenue, City Centre, Plymouth PL1 1PG

Please supply:

..... Ibico Printers
..... Adaptor for Commodore 64
..... Adaptor for Sinclair Spectrum
..... Parallel Printer Cable to fit ..... Computer (state computer make)

I enclose a cheque or Postal Order for ..... made payable to Computerbase or
debit my Access/Barclaycard/Diner: Expiry date.....
Account No .....
Name .....
Delivery address .....

Price per unit	
£199.00	
£21.70	
£34.74	
£8.65	
£5 P & P	£5
Vat @ 15%	
Grand Total	

COMCON

Programmable Joystick Interface for the Spectrum

£19.95

incl VAT and P & P

Simple and fast programming. Plug the six function connectors into the required Spectrum key positions – Ready!

Two independent fire actions. Photon Blasters and Neutron Bombs at the touch of your fingertips.

Extension port for Currah Micro-speech unit. Combine joystick with sound and speech for ultimate arcade action.

Compatible with all Atari type joysticks including Quickshot II (without rapid fire action).

Interface operates joystick parallel to keyboard. Joystick action compatible with any add-ons including Microdrives.



QUICKSHOT 2+2 JOYSTICK modified to incorporate 2 independent fire actions and no rapid fire option — **£13.95** incl. VAT and P & P

FLIGHTLINK JOYSTICK with 2 independent fire actions — **£10.50** incl. VAT and P & P

CURRAH µSPEECH UNIT fits into COMCON extension slot — **£29.95** incl. VAT and P & P

Dealer Enquiries Welcome
Phone Ludlow (0584) 4894

ALSO AVAILABLE FROM SELECTED RETAIL OUTLETS

Send to:

FREL LTD. Hockeys Mill, Temeside, Ludlow, Shropshire SY8 1PD

Mr/Mrs Miss _____

Address _____

_____ Postcode _____

Qty	Code	Item	Item Price	Total £
	01	Comcon Interface	@ £19.95	
	02	Flightlink Joystick	@ £10.50	
	03	Quickshot 2+2 Joystick	@ £13.95	
	04	Comcon + Quickshot 2+2	@ £31.90	
	05	Comcon + Flightlink	@ £28.45	
	06	Currah µSpeech unit	@ £29.95	
I enclose a cheque/postal order made payable to FREL LTD for:				£

COMCON

star ATTRACTIONS

£189.95
+VAT = £218.44

120 CPS ● BI-DIRECTIONAL LOGIC SEEKING ● FRICTION TRACTOR AND ROLL HOLDER STANDARD ● DOWNLOADABLE CHARACTERS ● ULTRA HIGH RESOLUTION ● 80 COLS ● IBM PC VERSION NOW AVAILABLE

GEMINI-10X

FIDELITY

12 MHZ VIDEO BANDWIDTH
RGB AND COMPOSITE VIDEO
MEDIUM RESOLUTION

£169.95
+VAT = £195.44

14 INCH COLOUR MONITOR
Also available in TV/Monitor version at £195.95 + VAT = £225.34

LOOK!
NEW LOWER PRICES ON EPSON, STAR & BROTHER

DAISYWHEEL PRINTERS

BROTHER HR 15 ..... CALL FOR BEST PRICE
EPSON DX 100 ..... £369.95 + VAT = £425.44
JUKI 6100 ..... £325.00 + VAT = £373.75
DAISYSTEP 2000 ..... £225.00 + VAT = £258.75

DOT MATRIX PRINTERS

COSMOS JP80 ..... £169.00 + VAT = £194.35
EPSON RX 80 ..... £198.95 + VAT = £228.79
EPSON RX 80 F/T ..... £228.95 + VAT = £263.29
EPSON RX 100 ..... £384.95 + VAT = £442.69
EPSON FX 80 ..... £319.95 + VAT = £367.94
EPSON FX 100 ..... £498.95 + VAT = £573.79
STAR GEMINI-10X ..... £189.95 + VAT = £218.44
STAR DELTA 10 ..... £319.95 + VAT = £367.94
STAR RADIX 10 ..... £498.95 + VAT = £573.79

THERMAL MATRIX PRINTERS

STAR STX 80 ..... £129.95 + VAT = £149.44
BROTHER HR 5 ..... CALL FOR BEST PRICE
BROTHER EP 44 ..... CALL FOR BEST PRICE

Cables – Paper – Ribbons – Sheet Feeders
Tractor Feeds – Interfaces – *Call for Best Prices*

CREDIT CARD HOT LINE
01-482 1711

Access VISA

Please add £10+VAT for delivery
Post your cheques/P.O's to:

DATASTAR SYSTEMS UK

UNICOM HOUSE 182 ROYAL COLLEGE STREET
LONDON NW1 9NN
Telex 295931 UNICOM G
TAX-FREE EXPORT & DEALER ENQUIRIES WELCOME
MONDAY-FRIDAY 9-6 SATURDAY & SUNDAY 10-1

Personal callers welcome. We are situated by the junction of Camden Road by the railway bridge.

GO NORSE, SOUTH, EAST OR CENTURIES...



THE STAINLESS STEEL RAT SAVES THE WORLD

Adventure game program by SHARDS, based on the book by HARRY HARRISON

You are Slippery Jim di Griz, the Stainless Steel Rat. Your mission: to travel through time to save the world. A challenging, illustrated text adventure.

Commodore 64 (turbo load cassette) £9.95 pack (cassette, instructions and a copy of the book)

THE SAGA OF ERIK THE VIKING

Adventure game program by LEVEL 9, based on the book by TERRY JONES

Enter the world of Monty Python star Terry Jones's Erik the Viking. Over 200 locations.

'. . . a remarkable adventure game . . . with graphics of a standard I have not yet seen in an adventure.'
COMPUTER & VIDEO GAMES

Spectrum 48K/Commodore 64 (turbo load cassette)/BBC Micro B £9.95 pack (cassette, instructions and extracts from the book)





THE NOMAD OF TIME

Adventure game program by SHARDS, based on the book by MICHAEL MOORCOCK

A text adventure with stunning graphics. As Oswald Bastable, member of the League of Temporal Adventurers, you have a chance to change the course of history in alternative time-streams.

Commodore 64 (turbo load cassette) £9.95 pack (cassette, instructions and an extract from the book)

Published by Mosaic Publishing Ltd
Marketed by John Wiley & Sons Ltd, Baffins Lane, Chichester, West Sussex (Reg. No. 641132 England)
Available from all good bookshops and computer dealers or simply by using the coupon.

To: Lesley Valentine, John Wiley & Sons Ltd, FREEPOST, Baffins Lane, CHICHESTER, West Sussex PO19 1YP

Please send me

ERIK THE VIKING

- ☐ 0 946855 08 0 Spectrum 48K £9.95
- ☐ 0 946855 09 9 BBC Micro B £9.95
- ☐ 0 946855 11 0 Commodore 64 £9.95

THE STAINLESS STEEL RAT SAVES THE WORLD

- ☐ 0 946855 16 1 Commodore 64 £9.95

THE NOMAD OF TIME

- ☐ 0 946855 18 8 Commodore 64 £9.95

Postage and packing free - please allow 14 days for delivery

☐ I enclose cheque/P.O. for £ ..... payable to John Wiley & Sons Ltd.

☐ Please debit my credit card account £ .....

Card No..... Expiry date .....

Access/American Express/Barclaycard/Visa/Diners Club (delete)

Telephone credit card orders – ask for FREEFONE 3477

NAME/ADDRESS .....

.....

.....

.....

SIGNATURE .....

MOSAIC MOSAIC

YC

FROM HERE TO REALITY

Today's home computer cave paintings are only 16 million colours away from reality, says screen star Simon Beesley...

ANYONE WHO HAS seen *Tron* will be impressed by the quality of the film's computer graphics. But believable though they are they still fall short of the goal of computer animation which is to simulate reality on screen.

At the London Computer Graphics Conference held recently, Loren Carpenter, staff scientist at Lucasfilm's Computer Division, discussed the exciting possibilities of a computer graphics future in which you will be able to turn your imaginary landscapes into screen reality: "Artists will be able to see their creations move. Filmmakers will feel free to experiment."

But for the moment such scenarios remain the stuff of science fiction. Lucasfilm, for example, is developing what might be described as the next generation of graphics machines, the Pixar 2D and 3D systems. Although more advanced than any current system the Pixar 3D will still take up to two minutes to generate a single realistic movie frame.

Consider the problems involved in creating a convincing 3D perspective image. First you need to define the objects to be displayed in terms of their x, y and z (depth) co-ordinates. As a high-resolution film image may contain many thousands of objects, this process, known as 3D or solid modelling, is extremely time-consuming. One technique is to build up complex objects from 3D "primitives" — polygons such as cubes, spheres, cylinders, pyramids and so on.

To describe a single object such as an aeroplane in this way could mean combining hundreds of different polygons. On flight simulators it typically takes at least a week to model a new plane.

Creating images of irregular objects with sculptured surfaces is even more difficult. In 2D you can trace an outline of a shape simply enough using a digitising tablet. But there is no equivalent device for entering 3D dimensions as easily.

Recently a computer graphics company wanted to show a perspective image of Rodin's sculpture, the Thinker. To enter it into the computer the programmers had to resort to making a physical model of the sculpture, and slicing it up for measurement.

The ideal solution to these problems has already been postulated by computer graphics experts — a sculpting system. Like a 2D painting program it would allow you to create free-form designs but in 3D. With an electronic "chisel" you would be able to chip away at the image of a block of marble or mould a pixel-based lump of clay.

When it comes to modelling natural phenomena such as leaves or mountains rather than describe the objects you may need instead to supply a procedure or algorithm for generating their images.

Fractal features

One such procedure exists for creating irregular and crinkly lines. Known as "fractals" they have been used for some highly realistic displays of mountain displays.

In Return to Fractalus, a computer game designed by Lucasfilm for Atari, fractals are employed to construct a constantly changing landscape. Apart from spaceships and gunposts none of the game's images are stored.



Once you have modelled your 3D objects there are numerous steps yet to be taken before they can be displayed as convincing perspective images. For a start you need to calculate which co-ordinates lie within the limits of the display; those outside need to be removed by a clipping procedure. Since the 3D images are to be displayed on a 2D screen the co-ordinates must then be converted to give a perspective view.

At this stage objects can be shown as wireframe figures. To give the impression of solidity it is now necessary to work out which lines and surfaces will be visible.

Again, this process — hidden line removal — is a lengthy one. In his book *Advanced Graphics with the BBC Micro* IO Angell suggests that implementing hidden-line removal algorithms is almost beyond the limits of a home micro's processing power. He supplies a



As the rebel leaders in Return of the Jedi *gathered to discuss plans of atack, Bill Reeves and Tom Duff at Lucasfilm's Sprocket Systems Inc were designing the Death Star graphics.*



Cal Video used a Quantel Paintbox to create these horses' heads.

routine written in BBC Basic. It takes 15 minutes to calculate the visible surfaces of a single cube frame figure. By contrast a realistic film display may be broken down into more than a million polygons, all of which must be tested for visibility.

The final stages in computing a 3D image deal with simulating texture, shading and shadows. Providing these effects is an extremely complex business. Among other things it must take into account such features as different light sources, the reflective properties of different surfaces, and the properties of translucent materials like glass.

Smoothing the jaggies

A further problem with forming realistic images is that at all but the highest resolutions raster displays show diagonal lines as jagged — an effect known as "aliasing". One solution is to increase the pixel density. Apple's Macintosh gives an excellent picture by using a density of 80 pixels per inch.

Another solution, which is widely used, is to alter the colour intensities of pixels at the edge of lines. This technique, called anti-aliasing, smooths out the "jaggies" at the cost of giving lines a slightly blurred look.

The term "raster" refers to pixel-based displays — as found on all home computers — in contrast to vector displays whose images are made up of straight lines. Advanced raster displays use frame buffers to store the colour information for each pixel. In this respect a frame buffer is simply a grander version of the home computer's screen memory.

Naturally generating realistic computer graphics calls for higher pixel resolutions than are found on home or personal computers. If the graphics are to be recorded on video tape then the resolution does not need to be higher than that of a TV display, roughly 600 lines with 700 pixels across. But for the film the resolution must be mugh higher — sometimes as much as 4096 by 4096.

As the highest resolution currently available on raster monitors is not much more than 1600 by 1200 only a portion of the picture can be viewed at a time. Recording to film involves writing the image directly from the frame buffer to celluloid.

The most advanced raster graphics systems provide for up to 16 million colours at once. This means that each pixel requires 24 bits to hold its colour code. Consequently, storing these images requires enormous amounts of memory, running into megabytes of Ram.

With pixel arrays of this size the number of computations necessary to build up a 3D image is staggeringly large. Many of the frames for the animation in the film *Tron* took over 15 minutes to compute. Even using supercomputers such as the Cray XMP, computer animation companies may take days to produce a minute of film. For complex scenes real-time animation is a long way off.

In the world of computer graphics real-time can mean any speed from 10 frames per second to the rate at which television images are transmitted. 25 fps.

Where less complex scenes are concerned some computers are certainly capable of real-time animation. Flight simulators project semi-realistic scenes of planes, landscapes, runways, and so on, at rates up to 25 fps. To acheive these speeds graphics computers use dedicated hardware to handle such tasks as clipping, anti-aliasing, rotating, and shading.

The Bosch FGS-4000 is one of the more advanced systems, suitable for generating the sort of animation used in advertising and TV title sequences. So long as only a limited number of polygons are involved the FGS can rotate or translate 3D shapes in perspective view, and supply effects like shading and anti-aliasing — all in real-time. For animation you need only to define two "key" frames at the start and stop positions: the FGS then creates a sequence by a process known as "inbetweening".

Needless to say very few of these effects are possible on home micros. To achieve high quality graphics micros will need more



memory, greater resolution, and more processing power.

Larger memory capacities and greater resolution go hand in hand. Take the memory required to hold a picture with a resolution of 1024 by 1024, giving over million pixels. If you want to have up to 256 colours on screen simultaneously you must allocate one byte for each pixel. Altogether this amounts to 1024K.

Since 8-bit processors can only address a maximum of 64K, high resolution on home micros will thus demand 16 or 32-bit processors. More powerful processors will also be able to handle the amount of number crunching needed for 3D perspective graphics: 8-bit processors are simply too slow.

Spectrum speed limit

To give an example, the Spectrum 3D Rotator program in this issue rotates a cube at a respectable rate of 10 frames a second. Written in machine code it probably represents the limit of the Spectrum's speed. But it only handles a wire frame figure and when two cubes are rotated the routine is considerably slower.

Nonetheless the prospect for graphics on home computers looks promising. Advance graphics chips are being developed for 3D image processing, while the cost of large memory stores is falling. One forecast suggests that in 10 years personal computers will come with 1024 by 1024 resolution and built-in anti-aliasing. When systems like this appear then the home user might indeed be able to start creating Loren Carpenter's imaginary landscapes. ■

BBC's Sportsnight kicks off with a graphics title sequence by Electronic Arts.

Spot the difference: the QL running a Compuser monitor and a Sony television.

ALL HOME COMPUTERS have a TV output to enable owners to use their TV set as the visual display unit — VDU. As the level of sophistication of both computers and software increases, so does the need to display finer-detail graphics —so-called high-resolution graphics—or more text characters per line as in word processing. A TV set is not designed to cope with such demands.

Inside a computer, characters and graphics start life as separate red, green and blue signals, together with a synchronising signal to "lock the display". Most machines have a separate output socket for these signals which is used to drive a monitor. The same signals are combined together inside the computer to produce what is known as a composite video signal which for the U.K. and most of Europe would be colour-encoded according to the PAL system.

Some machines make this signal available instead of the separate red, green, blue — RGB — and sync signals. Examples are the Commodore 64 and Dragon. This is a pity since combining them in the PAL format results in very substantial losses in quality. This is due to a number of factors which relate to the PAL system, but PAL was developed specifically for encoding TV pictures and nothing else.

Incidentally the Acorn BBC computer offers a composite video output, in addition to RGB, but without the colour information, in other words a monochrome composite video signal which has not gone through PAL encoding. This makes it very useful for driving monochrome monitors in applications such as word processing.

Inside the computer, the encoded composite video signal is then passed to a modulator which converts it to a RF signal suitable for feeding into the aerial socket of a TV set. Again a certain degradation occurs. In the TV set, a tuner is used to receive the RF signal, and an IF — intermediate frequency — stage converts



Figure 1. The encoding process is a computer.



Figure 2. TV set shown in black, RGB. in red, and RGB/composite video monitor in blue.

BUYERS' GUIDE

We chose eight of the most popular computers and looked at the commonly available monitors to suit each one. Use this buyers' guide in conjunction with the main article to ensure that you make the best choice. Our guide does not include TV-monitors; monitors which are designed specifically for up-market computers or monochrome monitors.

We tried to major on products which were reasonably easily available and therefore our list is not necessarily comprehensive. The prices quoted are manufacturers' or distributor prices; with some products it is possible to find them discounted so it's worth shopping around. None of the manufacturers we spoke to had done final testing on MSX products so rather than taking any risks on accuracy we decided to exclude these machines.

It is very likely that some MSX manufacturers who are also TV manufacturers — e.g., JVC and Toshiba — are likely to introduce TV-monitors suitable for these machines. In any case, the requirement is only for standard resolution and therefore it's back to TV-monitors.

MONITORS



A monitor is often high on many computer owners' shopping list. In this feature we examine the different types available and explain how to choose one that best suits your purposes; plus a buyers' guide to the most common models.

it back to a composite video signal. A colour decoder then converts it back to RGB and this is used to drive the video amplifiers and hence the tube. All this encoding and decoding takes its toll and the resulting RGB signals inside the TV set are a poor cousin to what started out in the character generator of your computer.

The best possible results are obtained if RGB is fed to a RGB monitor. Some improvement is noticeable if a PAL composite video signal is used to drive a composite video monitor.

An increasing number of TV/monitors are becoming available which combine all three, i.e., TV set, composite video monitor and RGB monitor. These are currently confined to the low end of the resolution ladder.

If you take a look at figure 2, it will become obvious that a RGB monitor is really a TV set but with the tuner, IF and colour decoder sections missing. So why are they more expensive than a TV set?

First, on purely commercial grounds, they are produced in smaller quantities than TV sets so monitor manufacturers do not enjoy the economies of scale as TV manufacturers. Secondly, the design of a monitor is different. Monitor tubes cost a lot more than TV grade tubes — standard resolution monitors use TV tubes — and more attention is paid to the geometry, setting up, picture size stability, bandwidth and many more parameters, all of which makes them more expensive to produce.

The colour tube, as found in both TV sets and monitors, has three electron guns which, when activated, each send a beam of electrons which hit a particular type of phosphor and emit visible light whose colour is dependent on the type of phosphor. The three phosphors used — one for each gun — produce red, green and blue light. The control circuitry switches each gun on.

In the case of logic — on/off — signals, the control circuitry for each gun — the video amplifier — can switch that particular gun on and off. Depending on the control commands from your computer all three guns can be on or off or of course any one or two guns can be on at any one time — in all eight permutations. Table 1 shows the control for an eight-colour computer with 0=off and 1=on.

Some computers offer 16 or even more colours. There are several ways this can be achieved. For example, each output can have three states: off, half-on and fully on. On a TTL 5 volt system the off state is 0V, the half-intensity is 2.5V and the full intensity is 5V. Another variation is to have an extra control bit called intensity and this method — used on the IBM PC — retains the TTL on-off signals.

An even more sophisticated approach is similar to the first example but the outputs can be level-defined under software control from 0V to 5V in several steps. The greater the number of steps, the larger the permutation of colours. A total of 64 colours is considered to be the limit, since the difference between light brown and medium brown may not be too apparent on the screen.

For the home computer owner there are two types of monitor: RGB and composite video. The latter usually has RGB input capability as well as composite video, has a built-in audio amplifier and speaker and is therefore more

(continued on next page)

Table 1.

Red Gun	Green Gun	Blue Gun	Screen colour
0	0	0	Black
1	0	0	Red
0	1	0	Green
0	0	1	Blue
1	1	0	Yellow
1	0	1	Magenta
0	1	1	Cyan
1	1	1	White

LIST 1. ACORN BBC OR ELECTRON. ORIC. RESEARCH MACHINES RM480Z.

Key: L = Includes leads
G = anti-glare screen
T = green-only button
S = selective transmission glass

Manufacturer	Model	Price inc.VAT	Resolution Standard	Medium	High	Tube size	Inputs RGB	Composite video + RGB	Sound	Plastic case	Metal case	Case colour	Country of origin	Comments
Microvitec	1431/MS	£299	•			14"	•				•	brown/beige	UK	L
Microvitec	1451/DS	£299		•		14"	•			•		brown/beige	UK	L
Microvitec	1441/MS	£506			•	14"	•				•	brown/beige	UK	L
Microvitec	1441/DS	£506			•	14"	•			•		brown/beige	UK	L
Compuser	2000	£325		•		14"	•			•		cream/black	UK	L,G,S
Compuser	2000R	£325		•		14"	•			•		red/black	UK	L,G,S
Novex	1414	£215	•			14"		•	•		•	cream/black	Taiwan	L,S,T
Novex	1416	£368		•		14"	•				•	cream/black	Taiwan	L,S,T
Novex	1418	£431.25			•	14"	•				•	cream/black	Taiwan	L,S,T
Kaga	Taxan Vision II	£327.75		•		12"	•			•		cream	Japan	
Kaga	Taxan Vision III	£458.85			•	12"	•			•		cream	Japan	

LIST 2. SINCLAIR SPECTRUM.

Manufacturer	Model	Price inc.VAT	Resolution Standard	Medium	High	Tube size	Inputs RGB	Composite video + RGB	Sound	Plastic case	Metal case	Case colour	Country of origin	Comments
Microvitec	1431/MZ3	£259	•			14"	(special interface)		•			Black	UK	L
Compuser	2000S	£370		•		14"		•	•	•		Black	UK	L

(continued from previous page)

expensive. Incidentally, a composite video monitor can be used to advantage with a modern VCR which has video and audio outputs — most have. The choice depends on which computer you own.

The next variable is resolution. First, let's define resolution: it is the ability of a monitor to display clearly or resolve a given number of pixels or picture elements. Your computer sees the monitor as a sheet of graph paper and controls each "square" individually. The degree of required resolution is dependent on both the computer's capability and the software. There are three common grades of monitor: standard, medium and high.

Standard types use TV grade tubes which have a "pitch" of around 0.6mm. The pitch is the distance between adjacent groups of phosphors on the face of the tube. This is by far the most important parameter which determines a monitor's resolving ability. The closer the distance between the phosphors, the greater the number of phosphor groups — a group contains three phosphors — one red, one blue and one green — that can be squeezed in over the face of the tube and therefore the more pixels it can resolve.

Gives excellent results

Going back to standard resolution monitors, a 14 inch 0.6mm pitch tube will resolve around 450 pixels per horizontal line. This gives excellent results for text which has 40 characters per line. A 20 inch equivalent using a 0.8mm pitch tube is capable of around 500 pixels. Notice that the degradation of pitch — from 0.6 to 0.8mm — is more than made up for by the increased screen size which simply allows more phosphor groups to be laid down.

Standard resolution monitors are available in both RGB and RGB/composite video versions. We do not, however, recommend them since they represent very poor value for money compared to a TV-monitor like the new Ferguson MC-01. As far as performance is concerned there is nothing to choose between any standard resolution monitor and a TV-monitor so, unless there is a special reason such as a requirement for a metal-cased unit, we suggest you look around and compare deals on TV-monitors.

The next step is medium resolution. For a 14inch tube with a nominal pitch of 0.43mm, the resolution is about 580 pixels. Again these are available in either RGB only or RGB/composite video with sound. For most applications and for most computers, this is the resolution we would recommend. Prices have come down recently and they now represent good value for money.

A medium resolution 14inch monitor will resolve 80 characters per line — just! If you use your computer in this mode for most of your work, it isn't quite good enough but it is a substantial improvement overall as compared to standard resolution.

If you do make extensive use of 80-character text — word processing for example — then we would strongly recommend that you buy a monochrome monitor for around £80. These give a better display than any colour monitor at a fraction of the price but they are no good for games or any program which has colour graphics. The only other alternative is a high resolution colour monitor. Staying with our example of a 14inch unit, these have a pitch of 0.31mm and a resolution of about 800 pixels.

Table 2.

	Games or general use	Text or business use	Combined
TV-monitor	1	0	1
Standard-res.	0	0	0
Medium-res.	2	1	2
High res.	0	2	1
Mono-chrome	0	2	0

Key: 0: Not recommended
1: Will do
2: Good

Bear in mind that these ratings take many different aspects into account, including price, and they are therefore subjective.



They are perfectly suitable for 80-character use but they are very expensive — over £400. This tends to put them beyond the reach of most home computer users unless you are using your computer as a business tool or have a lot of money. Table 2 is a quick reference.

Bandwidth figures meaningless

Video bandwidth figures are very often quoted but are really quite meaningless and you should not use them as a measure of the overall display quality. Video bandwidth is the ability of the video amplifiers in a monitor to reproduce high frequency — i.e., fast switching — signals without degradation. It is quoted in MHz or megahertz and is usually the frequency at which the output of the amplifiers drops by 3dB as compared to lower frequencies.

It is the monitor designer's job to ensure that there is more than adequate bandwidth for the type of tube used. As a guide, a standard resolution TV-type tube requires 6MHz, a medium resolution tube around 10MHz and a high resolution tube about 12MHz. No advantage will be gained if you drive a standard resolution tube with 20MHz amplifiers. ■

LIST 3. COMMODORE 64. DRAGON. ATARI.

Manufacturer	Model	Price inc.VAT	Resolution Standard	Medium	High	Tube size	Inputs RGB	Composite video + RGB	Sound	Plastic case	Metal case	Case colour	Country of origin	Comments
Microvitec	1431AP/MS	£259	●			14"		●	●		●	brown/beige	UK	L
Microvitec	1431AP/DS	£259	●			14"		●	●	●		brown/beige	UK	L
Microvitec	1451AP/MS	£375		●		14"		●	●		●	brown/beige	UK	L
Microvitec	1451AP/DS	£375		●		14"		●	●	●		brown/beige	UK	L
Microvitec	2030/CS5	£443	●			20"		●	●		●	brown/beige	UK	L
Microvitec	2040/CS5	£788		●		20"		●	●		●	brown/beige	UK	L
Compuser	2000C	£370		●		14"		●	●	●		cream/black	UK	L,G,S
Compuser	2000K	£370		●		14"		●	●	●		grey/grey	UK	L,G,S
Novex	1414	£215	●			14"		●	●		●	cream/black	Taiwan	L,S,T
Kaga	Taxan Vision Ex	£247.25	●			12"		●	●	●		cream	Japan	

LIST 4. SINCLAIR QL.

Manufacturer	Model	Price inc.VAT	Resolution Standard	Medium	High	Tube size	Inputs RGB	Composite video + RGB	Sound	Plastic case	Metal case	Case colour	Country of origin	Comments
Microvitec	1451/DQ3	£275		●		14"	●			●		Black	UK	L
Microvitec	1451/MQ3	£275		●		14"	●				●	Black	UK	L
Compuser	2000Q	£325		●		14"	●			●		Black	UK	L,G,S
Kaga	Sinclair Vision QL	£299		●		12"	●			●		Black	Japan	

TURN IT ON
WITH LONGMAN COMPUTER BOOKS



Exploit the power of your micro. Stretch it to its limits.
Create unique and inspiring games and programs with Longman Computer Books.
Written by experts, and fully explained and illustrated, with a structured step-by-step approach to programming.

Introducing Your ZX Spectrum
John Lettice
0 582 91602 X **£3.95**

Introducing Your Commodore 64
P K McBride
0 582 91603 8 **£3.95**

All the practical advice you need to start programming. Write powerful and dynamic programs, and get on-screen results, fast.

ZX Spectrum Whizz Kid
Ian Scales
0 582 91608 9 **£4.95**

Commodore 64 Whizz Kid
Geof Wheelwright
0 582 91609 7 **£4.95**

Packed with programming projects for kids and their parents. Make light work of computer music, drawing, animation, games of chance and guess work and much, much more.

Turbocharge Your ZX Spectrum
John Lettice
0 582 91604 6 **£5.95**

Turbocharge Your Commodore 64
Peter Worlock
0 582 91605 4 **£5.95**

For the professional touch in your programs. Discover some of the ways in which your micro can be stretched and some of the ways in which its strengths and weaknesses can be exploited.

ZX Spectrum Game Master
P K McBride
0 582 91606 2 **£3.95**

Commodore 64 Game Master
P K McBride
0 582 91607 0 **£3.95**

Arcade games, adventure games, strategy games – they're all here in the Game Master. A guide to creating and personalising your own games. Full length games listed for you to play and personalize, plus advice and inspiration to set you on your own. It's your game after all.

Longman Computer Books

Available from your bookshop or computer dealer. **For your free catalogue** of our exciting range of books and software phone our HOTLINE today (0279) 34622 or post the coupon now to Longman Software, Dept GS6, Longman House, Burnt Mill, Harlow, Essex CM20 2JE.

Name_____
Address_____
Post Code_____
YC1

FLIGHT SIMULATORS

Mike Gaines flies a reconnaissance mission for *Your Computer*.

MOST BOYS from 8 to 80, dream sometimes of becoming a fighter pilot — whether the First or Second World War variety with silk scarf and leather helmet — or the modern Darth Vader lookalike. Few get the chance to try their hand in an aeroplane, even fewer make it on a fighter squadron. And then there are those who fancy a career driving airliners full of sunburnt tourists clutching stuffed donkeys back to Gatwick or Luton.

I'm luckier than most, I get to pick and choose what I fly in, when I fly, and what sort of flying. So I am fairly *au fait* with most types of lufting. But the great thing about flying a simulation program is that you don't get hurt by your mistakes and that experimentation is possible. Can you barrel roll at F-15 at 200ft and get away with it? The computer says yes, although I wouldn't recommend attempting it in the real thing.

Fighter Pilot puts you in the cockpit of a McDonnell Douglas F-15 Eagle. The program is well written, within the bounds of what has been published on the F-15 — remember its the latest US Air Force fighter.

The aircraft handling is realistic and aerobatics are possible in all planes. The view from the cockpit is daytime, with green land and blue sky. Five modes are available; landing, flying training, blind landing, air combat training, and combat. In the latter you are on ground alert at base with responsibility to defend it, plus three other airfields.

The instrumentation is good with clear easy-to-read digital read-outs of height, speed, and rate of climb/descent. The attitude indicators consist of a small articifial horizon type aeroplane for roll, with a two-colour pitch ladder — nose up/down — which is particularly useful as the outside visual shows only unrelieved green or blue.

A multi-role indicator gives enemy aircraft — bogey — height or distance in latitude and longitude. A "radar" shows the bogey's position from you in azimuth — or your position from a beacon, if selected — his range/bearing and your heading. A strip read-out gives thrust, turning red when afterburner is selected — watch your fuel level drop accordingly. Other indicators show flap/gear positions and cannon rounds remaining.

The basic idea is to take-off — hold it on the brakes till full afterburner is engaged, then whip the gear up quick, pull to 90 degrees pitch and zap up to 30,000 ft, cancel the burners and pull inverted, roll out, and select map; a quick glance at where the bogey is heading then set course for intercept. Switch on the gunsight and the flight computer for a read-out of the enemy aircraft's height. When you've got the bogey dope, work out your tactics. The program will only let you see the other guy at ranges of less than a mile and within 5,000ft height difference. This makes a head-on pass — you only have guns, no missiles — practically impossible but you can get in below him and as the range comes down to a mile, pull hard and roll out in his six o'clock position.

Overall, Fighter Pilot would be hard to improve besides the addition of radar and heat-seeking missiles and some ground detail. Terrific fun *and* realism — will the programmer, D.K. Marshall, now write a similar ground-attack game based on, say, the Harrier?

A different game altogether is Nightflite II, again played on the ZX Spectrum. This puts you in the seat of a light aircraft. The visuals depict a runway flarepath at night with a few random lights dotted around. This is purely an airmanship trainer. I found it both excellent and fascinating. The best mode is the one that dumps you in the middle of nowhere and you have to navigate back using VOR and ADF plus a DME, to intercept the ILS to land. The only hazards are mountains to the north and west of the field.

After trying Fighter Pilot, my first reaction to Nightflite was to find it boring. But it really is a more exacting and realistic test of your flying skill than blasting about kidding yourself that you can fly because you can loop at 30,000ft. An interesting light aircraft variation could combine the best of both worlds, with a day visual and performance based on that of the Pitts S-2 Special.

Protek's Airliner I found quite frankly, awful. The graphics consist of a very crude representation of an aircraft cockpit. If the Ancient Egyptians had launched papyrus and bamboo aircraft from the Pyramids then this is the type of instrumentation they probably would have developed for night/blind flying. The blurb says that the program represents a BAC1-11 airliner and indeed, this aircraft's silhouette is shown on a pink (!) artificial horizon. There is no view of the outside world, just a bunch of crude dials and the pink airliner.

Game	Company	Price
Airliner	Protek	£5.95
Fighter Pilot	Digital Integration	£7.95
Flight Simulator II	SubLogic	£40.00
Nightflite II	Hewson Consultants	£7.95
Solo Flight	MicroProse Software	£14.95
Spitefire Ace	MicroProse Software	£9.95
Sub Hunter	Micro Mart Software	£6.95
Wing Commander	Creative Sparks	£7.95

You type in the call-signs of various navigation aids in the Edinburgh area — watch the read-outs and dials churn over and set up for a blind landing or, by changing modes, obtain a view of the airport on the "head-down-display" — neé artificial horizon and map — it's rather like piloting a letter box. This is a shame really, the basic program is pretty good but ruined by non-realistic presentation. After all, if you don't get the "feel" however slight that you are actually airborne then there is not much point is there? In its present format it's like watching a bunch of clocks, truly boring.

A completely different kettle of fish is J Dyer's Sub-Hunter., This excellent program simulates the RAF's Nimrod, a large four-jet designed specifically to hunt and kill submarines.

An extremely complex program, as evidenced by the time taken to load into the Spectrum Plus, Sub-Hunter reflects the sophistication of the real aircraft — Nimrod is the most advanced aircraft of its type in the world. Sub-Hunter itself is probably more complex than the real anti-submarine aircraft of only 20 years ago — still in service with some nations.

In this game, a submarine is submerged somewhere within a 24n.m^2 area of ocean. All you have to do is detect it, locate it and kill it. To aid you the aircraft has three main sensors — four counting the radar which, on game start, tells you very roughly where to start searching. The Magnetic Anomoly Detector — MAD — picks up variations in the Earth's magnetosphere caused by large metal objects such as a submarine. Switch this on and get low, it only works at low level.

Other sensors are passive and active sonobuoys. These are dropped into the water and transmit data back to the aircraft. Passive buoys only listen for the sub and can only detect noise sources within two miles. The active buoys transmit a "ping" and can detect a sub out to three miles. But the submarine can hear an active buoy and take evasive action accordingly. Both buoys have a life of 15 minutes so don't drop the lot at once.

This game is quite complex and realistic and can be played by two or three people; one flies the aircraft, one looks after buoy and weapon dropping while another acts as captain, directing the other two — great fun.



Above: Fighter Pilot from Digital Integration.



Above: Nightflite II from Hewson Consultants.



Above: Sub Hunter from Micro Mart Software.

Another realistic game is Wing Commander which is played on a Commodore 64. Once again this is a fighter game. The basic mission is to defend an island which, probably coincidently, looks a bit like East Falkland. On the island are two airfields, two naval bases, an industrial complex and a couple of cities, with a ship anchored offshore. These are targets, you are on the end of the runway in an F-15-similar fighter armed with cannon and four Sidewinder heat-seeking missiles.

The visuals are quite good, although the aircraft handling is not as crisp as that of Fighter Pilot. One annoying point is that the speed is shown in rather unusual feet per second or somesuch, instead of knots.

However, this program has what Fighter Pilot lacks, the ability to perform head-on missile attacks.

Another refinement of Wing Commander is the ability to refuel in the air. The height, speed, and heading parameters to achieve this are quite strict but this is realistic enough.

Spitfire Ace, from Microprose for the Atari and Commodore Micros, is not really a flight simulator, more of a joystick-operated air-combat game. You do get a view out of the cockpit window, with a gunsight, and you get to chase and shoot down enemy planes.

However, the control panel is rudimentary, the scenery primitive, and the simulation is wholly unrealistic. Everything happens at arcade game speed, and there seems to be no relation between what you can do with the Spitfire you are supposed to be flying and the real thing.

The game appears to offer 14 different scenarios such as France, Blitz, D-Day and so on, but they all look about the same — except the ones that take place at night. The ground is detailess green, which makes landing or ditching tricky.

Neither as a combat game nor as a simulation is Spitfire Ace as good as Star Raiders. However, in dog fights it does get you leaning from side to side in your chair, so it must have some species of merit.

Solo Flight, also from Microprose for the 48K Atari and Commodore micros, is reasonably complex. It offers a good control panel at the bottom of the screen, and a three-dimensional view of the landscape at the top. This has a few mountains on the horizon, and some sketchy airfields on the ground. The Atari version adds shading through the use of display-list interrupts which, of course, the Commodore 64 can't do.

The odd thing about the graphics is that you can see your own little plane through the cockpit window. The resulting loss of realism makes it more like flying a toy plane.

Like Spitfire Ace, Solo Flight is a joystick-operated game.

Below: Flight Simulator II from SubLogic.



If you get tired of flying you can play a mail game — you have to deliver bags of mail to five different airports in the shortest possible time.

Solo Flight offers three different areas to fly in — Kansas, Washington/Oregon and Colorado. You can also fly by instruments, if you can work out what's going on. Amazingly enough, there isn't a cockpit diagram in the 16-page handbook supplied.

Apart from that, Solo Flight is a pretty good simulator. Unfortunately it pales into insignificance against Flight Simulator II.

Bruce Artwick's Flight Simulator II is now the unchallenged leader among flight simulation programs for micros. It's available from SubLogic for everyone with an Apple, Atari or Commodore 64 with a disc drive and around £40 to spend.

The program is an accurate simulation of flight in a Piper 181 Cherokee Archer. Over 40 controls and indicators are shown on screen, along with a colourful three-dimensional view out of the cockpit in the direction of your choice — front, back, either side and down.

The instrument panel includes all the usual stuff plus two navigation radios, clock, magneto switch position indicator, gauges for the right and left fuel tanks, mixture and throttle control indicators, and aileron, elevator and rudder control indicators and lots more. These help you to fly day or night, and in this simulation, one does change logically into the other.

The flying area covers all of North America, which is mostly blank, with detailed landscapes on a separate disc for four separate areas: Chicago, New York, Seattle and Los Angeles. Other areas are now being coded using maps, charts and aerial photographs.

The simulation also provides a choice of four seasons, cloud layers, surface wind and wind at three levels — with turbulence factor — as much nasty weather as you could want, and more.

All of this is explained in great detail in a 90-page manual. There is a second 92-page manual of Flight Physics and Aircraft Control, with an introduction to aerobatics. This ends with the warning "Please do not attempt these maneouvres in actual flight with a real airplane unless accompanied by a qualified flight instructor experienced in aerobatics" — meant to be taken seriously. You really start to think that if you can fly this simulator you can fly anything!

If you get tired of aerobatics there's also a "World War 1 fighter ace" mode. ■

REACHING FOR THE SKY

Simon Beesley looks behind the simulated scenes at Rediffusion's "flying" machines and discovers an amazingly believable display.



IN THE FIELD OF computer graphics Britain has lagged behind. The most interesting work, such as ray tracing or feature film animation, is being done in America and Japan. The one exception here is in the graphics used on flight simulators.

Rediffusion Simulation is one of the top three companies in the world manufacturing flight simulators. At the company's factory in Crawley, Sussex a number of simulators are lined up in two rows. With their flight cabins perched 25ft. up on six hydraulic jacks, they look like forerunners of George Lucas' At-At Walkers from *Star Wars*. One of them is in operation but the only sign of it is that the jacks have extended a further 5ft. The pilot is probably cruising smoothly at 30,000ft.

To enter the cabin you mount a ladder. Inside there is a perfect reproduction of the interior of an aeroplane cockpit — from the instrument panel right down to the seat covers. But most startling is the view out of the window.

For those who want a technical description, it gives a field-of-view which extends 200° horizontally by 40° vertically. Five calligraphic projectors throw the image on to a back-projection screen. It is then reflected into the flight deck by a large diameter collimating mirror. This system, named the Wide II display, is unique to Rediffusion's simulators. Less advanced models use monitors clamped to each window.

What the mirror shows is an amazingly believable computer generated display with real-time animation. From the air, at least, features like fields, mountains, and airport buildings look remarkably realistic. Other



planes, in particular, are shown in fine detail complete with markings and transparent canopies.

Along with these, the display can reproduce a variety of atmospheric effects: clouds, fog, horizon glow, and at night or dusk a twinkling constellation of city lights.

Perhaps the most impressive scenes are produced on the units which simulate fighter planes. On these you can practise formation flying, refuelling in mid-air, or bomb a variety of moving and stationary targets such as bridges, factories, trains and patrol boats.

If you plump for air to air combat you can do battle with another pilot or take on the computer. The average arcade fan would feel instantly at home here. The difference is that the visual effects, which include anti-aircraft flak, explosions and heat seeking missiles, are a hundred times more convincing.

On top of this the flight cabin threatens, at times, to tip you out of your seat. At take off the cab tilts up and from then on the motion control system supplies the sensations you would experience in an actual flight — smooth low-velocity movement, rapid acceleration, G-forces, banking from left to right, the lot.

All this is delivered by six hydraulic jacks which are both extremely powerful and highly responsive. They can rotate the cab in six axes as well as move up and down, forwards and backwards. Helicopter simulators also include vibration platforms.

Pre-recorded sounds extend the illusion with engine noises and the whistle of the air-flow, or, on helicopter simulators, the sound of rotors and gear changes.

Flight simulators, in fact, reproduce all the sensations of a real flight, short of smell. They have to, in order to satisfy airline authorities' training regulations. Pilots now receive a large part of their training on simulators. And Britain's Civil Aviation Authority even tests simulators for air-worthiness, as it would a real aircraft.

The costs of training on real aircraft are enormous. A Jumbo, for example, consumes 2½ tons of fuel in take-off alone. So learning to fly on a simulator is a lot cheaper.

It is also, of course, safer. You can practise coping with an engine failure, or landing on an icy runway — without leaving the ground.

Another advantage is that simulators are delivered with visual databases which match the features of particular airports. Pilots can familiarise themselves with the layout of runways and buildings at Heathrow, Washington, Hong Kong, or any major airport.

For a radius of up to 15 miles around the airports the databases hold the features of "real-world" terrain. Real-world means that the terrain corresponds to navigation maps. In other words, you will find a river where you expect it to be. The objects on the ground are not shown in the same fine detail as the planes themselves. While objects like trees or buildings appear solid and shaded, they tend to have a rather Toytown look about them.

But flight simulator companies are constantly improving the quality of their displays. As John Bastow, Visual Sales Manager for Rediffusion, put it, their customers are shrieking for more realism: "They want to see leaves on the trees, or the wind rippling a cornfield". The latest systems map texture patterns on to horizontal surfaces to simulate waves or grass. Effects like these are not just cosmetic: close to the ground they give the pilot valuable height and speed cues.

As it is, flight simulator graphics are the most advanced examples of computer animation to be found. A typical image might be built up from over 1,000 polygons, shown in perspective view, and smoothly shaded. The pixel resolution is around 600 by 700.

To generate images of this complexity at a rate of 25 frames per second calls for very specialised hardware. The task has to be distributed to a number of processors which work simultaneously on different parts of the problem — clipping, anti-aliasing, computing 3D transformations, and so on. Rediffusion's simulators use image-generating processors made by Evans and Sutherland, coupled to a fast 32-bit Gould computer.

Not surprisingly none of this equipment comes cheap. The image generators cost more than $1 million while a complete flight simulator carries a price tag of at least $5 million. Rediffusion only sell 10 of them a year and each takes 18 months to build.

All of which rules out the possibility that first occurs to most home computer owners — that a flight simulator would make the ultimate video game.

For the moment we will have to be content with Rediffusion's first leisure application, a space ship simulator. This uses the motion control system without the computer graphics. Instead the cab's movement will be synchronised with film sequences.

When it opens next year in Toronto, this venture will take visitors on a simulated tour of the universe. Rigged out as a space capsule, the interior of the cab will house a 40-seat cinema.

The system could also be adapted to simulate a ride down the Cresta Run or a dog-fight. Of course it is still a poor substitute for a ride in a proper flight simulator. It lacks the all-important feature which computer graphics supply: the ability to control the scene yourself. But it may be some consolation to know that you can use a simple joystick to resynchronise the leisure capsule. Apparently you could even run the necessary software on a BBC Micro.■



LASER DISCS

Merion Jones looks at games machines which use laser discs for more realistic action.

BORED WITH WORK you sit down in a special chair and as the lights fade one wall of the room dissolves to reveal deep space rushing past filled with images of hostile spacecraft plunging towards you. As you fire the lasers the whole chair seems to shake with the shock.

Science fiction — not quite. Next spring Pioneer intends to start selling its PX-7 MSX computer in Britain together with the new LD-700 laser disc player. These are designed to interface together so you can play the Dragon's Lair and Astron Belt style arcade games which combine sequences of real film or animation and computer graphics on screen to produce the most realistic video games yet.

Instead of waiting for the slow progress in colours and resolution to drag computer games out of the stone age as far as graphics is concerned we can jump straight to the sharp focussed images of film and television. In America RDI Video Systems, the company which developed the technology to bring Dragon's Lair to the arcades, has already launched a similar video-disc based games machine for the home called Halcyon. Halcyon has the additional gimmick of voice synthesis and recognition so you can shout your instructions to it as you play games like The Spirit of Whittier Mansion — a horror film which stars you.

In Europe Philips, the company which first developed laser discs, has launched its first MSX computer and is now working on inter-facing that to its Laservision units to produce the same effect. Back in Japan one of Pioneer's rivals, JVC, has just released its third MSX computer which interfaces to its VHD video disc, again to combine film and graphics on screen. One of the games for the JVC is a version of Pole Position using film of a real race track. In Britain Acorn has been using Pioneer's laser disc linked to a BBC Micro as the basis for its interactive video project.

Meanwhile somewhere in North West





London in a heavily curtained room Pioneer has been demonstrating its system with the added sophistication of the Bodysonic chair. You slide the shimmering Astro Belt laser disc into the front loading LD-700 video player and then sink into the Bodysonic while the LD-700 downloads the control program into the PX-7 which is a standard MSX computer apart from its video interface capability.

Both the PX-7 and LD-700 are designed to fit into a standard Pioneer Hi-Fi rack — 19 inches wide, a couple of inches high with all the controls on the front — in the PX-7's case including slider volume controls. The keyboard is a separate IBM PC style detachable. The Japanese NTSC models use a silver and lilac colour scheme but the British models will be the traditional high-tech funereal black.

When you're seated comfortably and the program is loaded your encounter with the Astro Belt begins. On to a background of Star Wars style film clips generated from the disc the computer throws a crude outline of what is supposed to be your ship up on screen. The control program already loaded synchronises the locations that you fire at with the position of the filmed attackers on screen and if you hit them a rough and ready computer generated explosion marks the spot.

As you sit in the Bodysonic chair all the sound is fed to you through speaker wings on either side of your head. Meanwhile three subsonic transducers, one in the footrest and two in the chair, shake your whole body every time your ship is hit — using the same Surround-sound system specially equipped cinemas used when showing earthquake or volcano movies.

Geoff Pflaumer, who is in charge of marketing the video system for Pioneer, explains how the game becomes more challenging at higher levels: "They tend not to shoot back so much on level one — but on level five if they shoot you actually die — 25,000 volts are fed through to the chair". For a second you wonder, and perhaps take a little more care in picking off the aliens before remembering that Pioneer has abandoned its old slogan "Everything you hear is true", and traded it in for "The future of sound and vision".

Using laser discs should mean more than just better computer games — it should also help to unleash the educational potential of micros. Because laser discs use millions of reflective pits scanned by laser they can hold tremendous quantities of information — 36 minutes of film on one side of a disc or 108,000 still pictures. As Geoff Pflaumer puts it, "You could contain the Encyclopaedia Americana, Brittanica plus any other encyclopaedia of your choice on one disc".

On the next disc in your collection you could have "every picture in every museum in the western world". The other advantage is that because the surface of the disc is sealed in a transparent layer and the playing mechanism does not touch the surface of the record they should survive almost indefinitely.

They are certainly tough — Geoff Pflaumer insisted on demonstrating this by dancing up and down on one. The alternative to laser discs is JVC's VHD — very high density — discs.

But none of these systems can conveniently be used to record information so they could never take over from floppy discs or cassettes as the main computer storage media. They have also sold in very small numbers compared to video cassette recorders — there are six million VCRs in Britain now — and VCRs have the added advantage that you can record, so what is the computer industry doing to make use of this resource?

The problem with video cassette recorders is access times and lack of random access. Six seconds is the maximum search time for any of 54,000 still pictures on a laser disc even on a domestic unit. You could not implement high-speed race track or space combat sequences easily on a VCR based computer system but you could use it for adventures and education.

Ivan Berg is one of the software houses working on video-based programs. The Pioneer PX-7 will work equally well super-imposing text or graphics on VCR-generated pictures. Also next spring JVC will launch their second MSX machine here which will be designed to work with VCRs. ■

THE CONNOISSEURS' CHOICE

ZX Spectrum

3D LUNATTACK – Steve Turner
Fly your Hover Fighter over the 3D Lunar landscape battling the SEIDDAB.
Joystick compatible, 48K only **£7.95**

3D SEIDDAB ATTACK – Steve Turner
Using your radar, missiles and sixth sense clear the city area of SEIDDAB.
Joystick compatible, 16K or 48K **£5.95**

3D SPACE WARS – Steve Turner
Hunt the Seiddab through four levels of 3D hyperspace and destroy them.
Joystick compatible, 16K or 48K **£5.95**

DI-LITHIUM LIFT – Simon Cobb
Can you lift the Di-Lithium crystals from the vaults?
Joystick compatible, 16K or 48K **£5.95**

NIGHTFLITE II – Mike Male
Flight simulation with full instrument display and perspective runway view.
Joystick compatible, 16K or 48K **£7.95**

HEATHROW AIR TRAFFIC CONTROL – Mike Male
Written by a professional air traffic controller.
16K or 48K **£7.95**

QUEST ADVENTURE – Kim Topley
Find a map hidden in an inhospitable world inhabited by gruesome creatures.
48K only. **£5.95**

FANTASIA DIAMOND – Kim Topley
Retrieve the magnificent Fantasia Diamond and rescue Boris the master spy.
48K only. **£7.95**

KNIGHT DRIVER – Clive Brooker
Steer your car round a tortuous circuit of roads, braking and accelerating as you go.
Joystick compatible, 48K only. **£5.95**

COUNTRIES OF THE WORLD
An educational package that will give an appreciation of world geography.
16K and 48K **£5.95**

PILOT FOR THE ZX81 – Mike Male
Fly your computer from take-off to landing navigating between mountains using radio beacons **£5.95**

COMMODORE 64

HEATHROW AIR TRAFFIC CONTROL – Mike Male
Written by a professional air traffic controller. Seven levels of play including demonstration mode. **£7.95**

Books

20 Best Programs for the ZX Spectrum **£5.95**
40 Best Machine Code Routines for the ZX Spectrum **£5.95**

GSH

Hewson Consultants
56B Milton Trading Estate, Milton, Abingdon, Oxon OX14 4RX

BBC Model B/Electron

HEATHROW AIR TRAFFIC CONTROL – Mike Male
Written by a professional air traffic controller. **£7.95**

COUNTRIES OF THE WORLD
An educational package that will give an appreciation of world geography. **£6.95**

DRAGON

3D LUNATTACK – Andrew Braybrook
Fly your Hover Fighter over the 3D Lunar landscape battling the SEIDDAB.
Joystick compatible, 32K or 64K **£7.95**

3D SEIDDAB ATTACK – Andrew Braybrook
Using your radar, laser bolts and sixth sense you will need to clear the urban area of SEIDDAB.
Joystick compatible, 32K or 64K **£7.95**

3D SPACE WARS – Andrew Braybrook
Locate the Seiddab on your galaxy scanner through four levels of 3D hyperspace and destroy them.
Joystick compatible, 32K or 64K. **£7.95**

DRAGONFLY II – Eric Ratcliffe
Navigate from one airport to another using your instruments and a radio beacon.
Joystick compatible. **£6.95**

As part of our continuing development of innovative software we are always happy to evaluate software sent to us with a view to publication.

Selected items available from Centresoft Dealers and all leading computer software retailers.

TESCO WOOLWORTH · John Menzies · spectrum · LASKYS · HMV



Table 1.

Offset	No of Bytes	Parameter	Description	Range
0	1	NUMB	Number of sets of data.	1-255
1	2	ADDR	Start address of data.	
3	2	PX	X co-ord (+VE LEFT)	
5	2	PY	Y co-ord (+VE UP)	
7	2	PZ	Z co-ord (+VE FORWARD)	
9	2	PHI	Angle about X axis	0-359°
11	2	THETA	Angle about Y axis	0-359°
13	2	PSI	Angle about Z axis	0-359°
15	2	DRAWS	Address of free memory after 3D data	
17	2	DRAWP	6*NUMB + DRAWS	
19	1	STFLG	Poke this with 0 the first time you use the 3D image.	0 or 255

3D ROTATOR

Mark Jones with a program which makes his 3D rotator published in the July 1983 issue up to eight times faster.

IN JULY OF LAST YEAR, I wrote a program for *Your Computer* called 3D Rotator. This program allowed the Basic programmer to manipulate simply defined 3D figures at machine-code speeds. A typical time was 0.5 seconds for a cube. Though this was extremely fast relative to Basic it was not fast enough for practical dynamic games. With this in mind I have speeded up the 3D routine by as much as eight times and made it more versatile. The speeds achieved now are as fast as those seen in commercial games such as 3D Tank Duel, with the advantage that they can be called from Basic.

Data is stored as blocks of code at any memory location that you specify. The data should be followed by a blank area which = 12 * (number of sets of data). Therefore the total memory required for any one image = 19 * (number of sets of data). The data itself is made up of three 2's complement numbers and one 1 byte number. A 2's complement number is a 2 byte number where the negative form is 65536−number, e.g., −5 =65536−5 and +5=5: A 2 byte number is Poked into memory as described on page 173 of the Spectrum manual.

The numbers stored are as follows: x co-ordinate, y co-ordinate, z co-ordinate and the 1 byte number 0 to indicate a plot at x, y, z or 1 to draw a line from the last point plotted to x, y, z. I include a Basic program — program A — which will handle conversion of data into a suitable form for the machine-code program. The Basic program will also store the essential parameters such as the pointer to the data, number of sets of data etc., for that figure.

Producing the data for a simple 3D figure is relatively easy. I refer you for further information to my article 3D Rotator of July 1983 and Ian Angell's article BBC 3D Graphics in the February 1984 edition of *Your Computer*.

The 3D program allows the parameters for up to 16 3D images. These parameters are stored in fixed areas from 65032 onwards and in blocks of 20 bytes. Thus the start of the parameter area for figure 4 = 4*20 + 65032 — see table 1.

Each 3D image stored in memory should have a separate set of parameters though they



might share a common set of data. Draws need not point to a memory area after your 3D data but I find I keep track of my memory state better by doing so. For example, fig.0 and fig.1 might both be pyramids and so use the same data. Draws for fig.0 is as normal, after the data, but draws for fig.1 points at another section of free memory and its ADDR points to the fig.0 data.

If it has all seemed rather complicated so far, do not worry — it is really quite easy to use these 3D routines. Here is an example:

To set up fig.0 as a cube first of all work out your data and then store it in data statements in Basic program A. For a cube there are 16 sets of data so adjust line 15 accordingly. The data is going to be stored at 40000 onwards so first of all ensure this area is free from the Basic system with a

```
CLEAR 39999
```

and then adjust line 10 accordingly. Finally, this is going to be figure 0 so adjust line 5. Now run program A.

Once the program is complete it will give you a print-out of the next free memory available for data, 40316, and also the position of the parameters area, 65032. If you now wished to have another cube that could move independently of fig.0 then simply make line 10 read

```
LET ADDR = 40316
```

Line 5 should read

```
LET FIG = 1
```

and run the program again.

This is, of course, an example and actual addresses will depend on the number of sets of data you use. Program A as printed will set up fig.0 as a cube as in the above example.

Now to actually produce a 3D image on the screen there are a number of steps:

- Select the current figure by Poking 64976 with the required figure number 0-15.
- RAND USR 64234 actually converts your data to a list of plots and draws stored in the figure's associated free area of memory, pointed to by Draws.
- RAND USR 64692 produces the 3D image on the screen from the list of plots and draws.
- RAND USR 64679 deletes the last image drawn by the above routine.

Therefore using various sequences of these routines you can produce 3D images from within your Basic programs. As an added feature I have included a machine-code demonstration program which will put the current figure indicated by

```
PEEK 64976
```

through its paces. The number of steps, and so speed of this demonstration, can be altered by Poking 63501 with a number between 1 and 150.

The routine is called with

```
RAND USR 63500
```

Finally, to alter a given figures position on the screen, distance from you or angle simple alter the 2's complement numbers PX, PY, PZ, Phi, Theta and Psi in the parameters for that figure.

To run a demonstration of the routines from Basic load with program A and then Goto 5000. This sets up three cubes, shows off the machine-code demonstration and then leaves the three cubes to float around in space spinning.

If you remember the 3D Rotator routine in my last article you may be interested to compare it with these new routines. The routine to handle the 3D conversions is written more efficiently, uses 2 byte x, ,y,z co-ordinates and does not draw the figure straight away. This allows a number of figures to be produced

(continued on page 97)

GET SET FOR ACTION

Protek Joysticks and Joystick Interfaces give you arcade-quality on the ZX SPECTRUM, BBC MODEL 'B', ORIC ATMOS & ELECTRON COMPUTERS. The perfect Christmas gift for the computer buff.

GIFT SETS INCLUDE:—
BBC MODEL 'B' GIFT SET
INCLUDES
- Quickshot I Joystick
- Protek BBC Interface

£19.95

ZX SPECTRUM—
GIFT SET
INCLUDES
- Quickshot I Joystick:
- Protek Switchable Joystick Interface and a Free Games Cassette

£24.95

ZX SPECTRUM "SWITCHABLE INTERFACE" £19.95

A new Joystick Interface that's compatible with all Joystick controllable software. There's no programming or software patch tapes required. Just flick the switch to select the system you require.

ORIC ATMOS 48K PROGRAMMABLE
£29.95

Now you can use any 'ATARI-TYPE' Joystick including Quickshot II Joystick to control your arcade software. You can select up to nine keyboard functions and programme these into your Interface. No software tapes or patch programmes required.

ELECTRON PROGRAMMABLE JOYSTICK INTERFACE (Available November)

Now you can use any 'ATARI-TYPE' Joystick including Joystick II to control your arcade software. You can select up to nine keyboard functions and programme these into your interface. No software tapes or patch programme required.

BBC MODEL 'B' JOYSTICK INTERFACE
£11.95

Just plug this Interface into your 'ANALOGUE-IN' port and you can now use any standard 'ATARI-TYPE' Joystick including Quickshot II Joystick.

Protek

VISA

Protek Computing Ltd, 1A Young Square,
Brucefield Industrial Park, Livingston, West Lothian. 0506 415353. Telex No. 727559

(continued from page 95)

in memory but not drawn until needed.

This routine also handles calculations for lines partially off screen ensuring that the line eventually produced for the draw routine does not go off screen.

The routines to draw and delete figures use a draw routine specially written for this program which is extremely fast. The routine does not draw a line by plotting but by manipulating screen addresses and rotating a mask.

To use the plot/ routine for yourself use the following method:

- Set up an unused figure e.g., fig 15 by Poking both DrawS and DrawP with the same value, the address of an unused area of memory. Next Poke STFLG with 255.
- Store your plots and draws at this address in the following form:

P,x,y where P = 0 to plot at x,y
P = 1 to draw from the last point plotted to x,y
P = 255 to end the data

x is a normal x co-ordinate
Y has the range 0-191 where 0 is the bottom line of the edit area.
e.g. To draw a frame around the screen the data would be: 0,0,0, 1,255,0, 1,255,191, 1,0,191, 1,0,0, 255

Type program A into your computer and then Save it. Never try to run this program without the 3D machine-code routines in memory. For the 3D routines type in program B and then Save it. Now try running it. If an error is reported correct your error, resave the program and try again. Once the program has run successfully save the code as instructed in line 9999.

You now no longer need program B. You now have a machine-code program saved as code and a Basic program. Do not try and run the machine code without a valid set of parameters and data in memory. To see the various demonstrations load up with the Basic and then the code and then Goto 5000. Or to store an image type Run.



Program A.

```
  1 REM "Data Storage Program"
  2 CLS : CLEAR 39999
  4 REM
  5 LET fig=0: REM "Figure 0-15
"
  9 REM
 10 LET addr=40000: REM "data
storage address"
 14 REM
 15 LET No=16: REM "Number of
sets of data"
 16 GO SUB 17: STOP
 17 LET store=65032+fig*20: POK
E store,No: LET addr1=store+1: L
ET c=addr: GO SUB 500
 18 LET addr1=addr
 20 FOR f=1 TO No
 30 READ x,y,z,P
 40 LET c=x: GO SUB 500
 45 LET c=y: GO SUB 500
 50 LET c=z: GO SUB 500
 55 POKE addr1,P
 60 LET addr1=addr1+1
 75 NEXT f
 80 LET spare=12*(No+1)
 82 LET free=spare+addr1
 85 LET c=addr1: LET addr1=stor
e+15: GO SUB 500: LET c=spare/2+
c: GO SUB 500: POKE addr1,0
 95 PRINT "Data stored for figu
re ";fig
 100 PRINT "data at ";addr
 105 PRINT "next free memory at
";free
 110 PRINT "Parameters at ";stor
e;" to ";store+19
 120 RETURN
 500 IF c<0 THEN LET c=65536+c
 505 POKE addr1+1,INT (c/256)
 510 POKE addr1,INT (256*(c/256-
INT (c/256)))
 515 LET addr1=addr1+2
 520 RETURN
 999 REM cube data
1000 DATA 20,-20,20,0,20,-20,-20
,1,-20,-20,-20,1,-20,-20,20,1,20
,-20,20,1,20,20,20,1,20,20,-20,1
,-20,20,-20,1,-20,20,20,1,20,20,
20,1,20,-20,-20,0,20,20,-20,1,-2
0,-20,-20,0,-20,20,-20,1,-20,-20
,20,0,-20,20,20,1
4997 REM
4998 REM  Demonstration
4999 REM
5000 RESTORE : LET fig=0: LET ad
dr=40000: LET No=16: GO SUB 17
5010 RESTORE : LET fig=1: LET ad
dr=free: GO SUB 17: RESTORE : LE
T fig=2: LET addr=free: GO SUB 1
7
5011 POKE 63501,10:  CLS : POKE
64976,1: RANDOMIZE USR 63500: PO
KE 64976,0: RANDOMIZE USR 63500:
 POKE 64976,2: RANDOMIZE USR 635
00
5012 FOR f=5  TO 95 STEP 10: POK
E 63501,f: RANDOMIZE USR 63500:
NEXT f
5015 FOR f=65081 TO 65086: POKE
f,0: NEXT f
5016 POKE 63501,10
5019 POKE 65075,40: POKE 65079,2
00: POKE 65036,0: POKE 65056,0:
POKE 65038,0: POKE 65037,0: POKE
 65058,0: POKE 65057,0: POKE 650
39,150: POKEEE 65040,0: POKE 65059
,20: POKE 65060,0
5020 FOR f=170 TO -170 STEP -30:
 LET c=f: LET addr1=65035: GO SU
B 500: LET addr1=65077: GO SUB 5
00: LET c=-f: LET addr1=65055: G
O SUB 500: LET 9=ABS (f): POKE 6
5041,9: POKE 65063,9
5025 FOR h=0 TO 2: GO SUB 6000:
NEXT h
5040 NEXT f
5041 RANDOMIZE USR 63500: GO TO
5015
6000 POKE 64976,h: RANDOMIZE USR
 64234: RANDOMIZE USR 64679: RAN
DOMIZE USR 64692: RETURN
```

Program B.

```
 10 DATA "3e0afefa38023efa06004
f21fe00c5e5dde1e5cdd7fae5d5c5edb
0dde5e122d8fd22defd22dcfd22dafd1
1ff00ebed52cb3ccb1dcb3ccb1d22d4f
d22d6fdc1e1d1edb0cdeafacda7fccdb
4fce1c1ed427ccb7f2008fe0020b579b
d38b1fbc9c1c1c9c5ed"
 11 DATA 16344
 20 DATA "4beffdc53ebf9038f2cdb
02247043e010f10fde5d9e1d908e1c1e
d43effd110101789430004ed4416ff477
9953004ed441eff4fb8300969d5d9d1d
9af5f180bb128666841d5d9d1d916006
0781f853803bc3807944fd94b4218044
fd5d9c1cb402829cb78"
 21 DATA 11938
 30 DATA "20153e07a4280325181d2
57dd6206f38167cc60867181024 3e07a
4200a7dc6206f38047cd6086708cb412
80ecb7920060f30072c180407300 12d4
700b6777808d97910a5c9fdcb45862a0
5fe110001ed52ed5bd8fd19cb7cc43df
afd7e452205fe22e5fd"
 31 DATA 91400
 40 DATA "2a01fe2929ed5bd4fd19f
5cd6af9118000cda1f92201fe2a03fe2
929ed5bd6fd19f1fd7745cd6af911570
0cda1f92203fec9cb7cc43dfaeb2ae5f
de5ed52e13801eb444daf08af086f67c
b38cb19200508b9280b08300319ce00e
b29eb18eb08300319ce"
 41 DATA 12206
 50 DATA "00456c67c9ebfdcb45462
80619fdcb4586c9ed52c9e57cb52814c
df9f922f3fde1cd05fa22f1fd21f1fd0
10400c9e13e8032f1fd21f1fd010100c
92adcfdcdb1f911f5fdedb02adefdcdb
1f911f9fdedb02adafdcdb1f911fdfde
db0c9015a00090168 01"
 51 DATA 14865
```

(Program B continued on next page)



(program B continued from previous page)

```
  60 DATA "ed42300109af3c01b400e
d4230023d09011afd0956eb6fc9fdcb4
7462808dd6e03dd7e021806dd6e01dd7
e00260022e5fdfd7745ebcd6af9fdcb4
546c8af575febed52fd3445c9ddcb007
ec0c5cd18fafd3447d1e5cd18fad1fdc
b47462803l9afc9ebed"
  61 DATA 12663
  70 DATA "52afc9dd21f5fded5b01f
eed4b05fefdcb47c6cd47fa2013ed5b0
1fe2201feed4b05fecd47fa2205fe444
ddd21fdfded5b03fefdcb47c6cd47fa2
011ed5b03fe2203feed4b05fecd47fa2
205feed4b03fedd21f9fded5b01fefdc
b47c6cd47fac0ed5b01"
  71 DATA 14664
  80 DATA "fe2201feed4b03fecd47f
a2203fec93ad0fd2108fe11d1fd01140
0a7c8093d20fcc9cdd7faedb03ae4fda
720083eff2b772ae0fd77af3207fecdd
7f9ed5be2fd3ad1fd472ad2fdc5d55e2
356ed5301fe235e2356ed5303fe235e2
356ed5305fe23e5cd67"
  81 DATA 13798
  90 DATA "facd19f9e17e23d1e5f5d
53a07fe4f2a01feed5b03feafb4b2200
73ebfbb3e0030023e013207feb1201b2
2ebfded53edfdc1f102037d02037b020
35950e1c110a23eff12c97ca7280b3ae
cfda72805ac17d29bfc7aa7280d3aeef
da72807aa17d29bfc18"
  91 DATA 12207
 100 DATA "0d7bfec038083aedfdfec
0d29bfce5d5e52aedfda7ed5222e7fdd
12aebfda7ed5222e9fdebed5b03fecde
9fbe5d52aebfded5bedfdcde9fb6322e
9fdd1e1c1ed43edfdc1ed43ebfdc1af0
2033ae9fd02033aeafd0203c35efbd5c
b7c2806cd47fc210000"
 101 DATA 16381
 110 DATA "7ca7280c11ff00a7ed52c
d47fc21ff00e52ae9fded5be7fded53e
9fd22e7fdd1e1d5cb7c2806cd47fc210
0007ca72005 7dfec0380c11bf00a7ed5
2cd47fc21bf00e52ae9fded5be7fded5
3e9fd22e7fdd1e1c9fdcb4586ed5be7f
dcd8dfc6568ed5be9fd"
 111 DATA 15420
 120 DATA "cd63fcc1d1cda1f9e5c5c
9ebcb7cc487fceb7ab328150100 00a7e
d523803031 8f91929ed52380103696 0c
92100 00c9d5cd3dfad1c9cb7cc487fce
bcb7cc487fcc373f922ebfded53edfdd
1f1c369fbcdf6fce50e2f06a62ae0fd1
816cdf6fce50e0006b6"
 121 DATA 14795
 130 DATA "2ae2fded5be0fd22e0fde
d53e2fded430ff9d9e5d97e23feff281
24e234623e51f3804ed43effdcd6ef8e
118e8d9e1d9d121e0fd010400edb0c9c
dd7fa010f000911e0fd010500e5edb03
ae4fda7200c2b3eff772ae0fd772ae2f
d77e1c900040800d1116"
 131 DATA 13804
 140 DATA "1a1f23282c3035393d424
64a4f53575b5f64686c7074787c7f838
78b8f92969a9da1a4a7abaeb1b5b8bbb
ec1c4c6c9cccfd1d4d6d9dbdddfe2e4e
6e8e9ebedeef0f2f3f4f6f7f8f9fafbf
cfcfdfefeffffffffffffffffffffff
efefdfcfcfbfaf9f8f7"
 141 DATA 18475
 150 DATA "f6f4f3f2f0eeedebe9e8e
6e4e2dfdddbd9d6d4d1cfccc9c6c4c1b
ebbb8b5b1aeaba7a4a19d9a96928f8b8
783807c7874706c68645f5b57534f4a4
6423d3935302c28231f1a16110d08040
00000"
 151 DATA 10715
4990 CLEAR 59999
5000 LET c=0: LET f=63500
5010 FOR h=1 TO 15: READ a$
5020 FOR s=1 TO LEN a$ STEP 2
5030 LET a=CODE a$(s): LET b=COD
E a$(s+1)
5050 IF a>96 THEN  LET a=a-39
5060 IF b>96 THEN  LET b=b-39
5070 LET a=a-48
5080 LET b=b-48
5090 POKE f,a*16+b
5091 LET c=c+PEEK f
5100 LET f=f+1
5110 NEXT s
5111 PRINT h
5120 READ tot: IF tot<>c THEN  P
RINT "Error at line ";h*10: STOP
5125  LET c=0
5130 NEXT h
5131 REM
9999 CLS : BEEP .2,0: PRINT "COD
E STORED CORRECTLY": PRINT "SAVE
 CODE 63500,1478"
```

SCOPE C.G.L. for the 48K Spectrum

PROGRAM OF THE YEAR AWARD

Nominated for the CTA award "Program of the Year"

SCOPE COMPILES TRUE MACHINE CODE TO RUN TOTALLY INDEPENDENTLY!



Unlock Your Imagination

SCOPE©

The GAMES DESIGNER

for COMMODORE 64 and 48K SPECTRUM

CodeWriter™ Limited

THIS REMARKABLE PRODUCT will revolutionise programming on the **Commodore 64** and **48K Spectrum.** By using the simple plain English commands you can now write and publish your own games to compete with the professionals. Powerful yet easy to use SCOPE will benefit beginner and competent programmer. You will handle all aspects of **Graphics, Sprites, Colour, Sound, Music* & Animation. All in original super-fast machine code.** Demand Scope from your dealer today. Tell him it's available through Terry Blood, P.C.S., CentreSoft or Tiger. Or fill in the coupon and post it to:

CodeWriter Ltd., CodeWriter House, PO Box 33, Basingstoke RG24 0UG.

*Music not available with Spectrum

tape £17.95
disk £18.95

INCLUDES

*Comprehensive Instruction Manual *Tape Demo Routines *Free Membership of CodeWriter Author's Club *Programmer's Hot-Line Phone.

Available from selected branches of Boots, W H Smith and John Menzies.

CLIP THE COUPON NOW AND UNLOCK YOUR IMAGINATION

Post to: CodeWriter Ltd, CodeWriter House, PO Box 33, Basingstoke RG24 0UG
Tel: 0256 27844. Please rush me Scope for CBM 64 Disk ☐ (£18.95)
CBM 64 Tape ☐ (£17.95) 48K Spectrum tape ☐ (£17.95)
Overseas orders add £1. I enclose a cheque/PO/IMO for £
made payable to CodeWriter Ltd.

BLOCK CAPITALS PLEASE

Name

Address

Postcode

Please allow 28 days for delivery.

SCYC1

ANIROG

COMMODORE
AMSTRAD
MSX

THE SKILFUL



FLIGHT PATH 737

For the skilful an advanced Pilot Trainer. Written by a flight simulator instructor and pilot. Panoramic Pilot's eye view.

COMMODORE 64	£7.95
VIC 20	£7.95
AMSTRAD · MSX	£6.95

THE COURAGEOUS



SPACE PILOT

For the courageous realise your dreams of being king of the open skies. Fly your aircraft into unrelenting dog fights with enemy fighters. Prove how well you can handle your craft. Five stages of tough engagements.

COMMODORE 64	£7.95
AMSTRAD	£6.95

THE TERRIFYING



HOUSE OF USHER

Dare you enter the House of Usher. Behind each locked door of this *nine* room mansion a different style of arcade action awaits you.

COMMODORE 64	£6.95
AMSTRAD	£6.95

COMMODORE 64 AVAILABLE ON DISK AT £9.95

TRADE ENQUIRIES: ANIROG SOFTWARE LTD. 29 WEST HILL DARTFORD KENT (0322) 92513/8
MAIL ORDER: 8 HIGH STREET HORLEY SURREY 24 HOUR CREDIT CARD SALES HORLEY (02934) 6083
PAYMENT BY CHEQUE P.O. ACCESS/VISA 50p POSTAGE & PACKAGING

WINDOS

Ian Briscoe's program will extend the graphics capability of your Spectrum.



Table 1. The Control codes

CHR$ 0;CHR$ n; Selects a window. n must be in the range 0 to 7.

CHR$ 1;CHR$ tlx;CHR$ tly;CHR$ brx;CHR$ bry. Defines a window's size. Top left x, top left y, bottom right x, bottom right y.

CHR$ 2;CHR$ n; Scrolls. In the window map there are two scrolling registers. This scrolls the current window according to these registers. n is the number of times the operation is to be done.

CHR$ 3;CHR$ n; Scroll window left n times. Preserves the scroll registers.

CHR$ 4;CHR$ n; As above but for right.

CHR$ 5;CHR$ n; As above but for up.

CHR$ 6;CHR$ n; As above but for down. WARNING. CHR$ 6 is the comma in PRINT statements. Any attempt to use PRINT comma will result in a down scroll.

CHR$ 7;CHR$ byte;CHR$ value; Window map poke. There are 45 bytes in a window map, see table 2, numbered 0-44. This enables those bytes to be changed easily.

CHR$ 8; Back cursor.

CHR$ 9; Forward cursor.

CHR$ 10; Down cursor.

CHR$ 11; Up cursor.

CHR$ 12; Delete.

CHR$ 13; Newline.

CHR$ 14;CHR$ routine + mode;CHR$ x;CHR$ y; This is the plot command and is a lot like the Beeb's. See table 3.

CHR$ 15; COPY the whole screen to the ZX printer.

CHR$ 16;CHR$ ink; Define text ink. PRINT INK n; will work but is not temporary.

CHR$ 17;CHR$ paper; As above but for paper.

CHR$ 18;CHR$ flash; As above but for flash.

CHR$ 19;CHR$ bright; As above but for bright.

CHR$ 20;CHR$ over; As above but for OVER.

CHR$ 21;CHR$ inv; As above but for INVERSE.

CHR$ 22;CHR$ x;CHR$ y; Same as PRINT AT y,x but note the x and y are the opposite way around to Sinclair AT control code.

CHR$ 23;CHR$ tab; Changes the current x co-ordinate to "tab".

CHR$ 24;CHR$ oldink;CHR$ newink; Window instant ink change. Changes any oldink into newink.

CHR$ 25;CHR$ oldpaper;CHR$ newpaper; As above but for paper.

CHR$ 26;CHR$ bright; Window actual bright set/reset.

CHR$ 27;CHR$ flash; Window actual flash set/reset.

CHR$ 28;CHR$ width;CHR$ height; Like the CSIZE command on the QL. Defines the width and height of the large characters. See table 2 for more information.

CHR$ 29; In the window map there is an address which tells all the WINDOS routines where the start of the screen is. If this were changed, then any output would not be seen. A Dragon-like invisible screen will be present. So to get the data from the screen memory to the actual display memory, use this command.

CHR$ 30; Home cursor.

CHR$ 31; Clear the current window.

NOTES

There is no graphics windowing. CLS uses the print routine. There is normally a visible cursor.





EVER SINCE THE SPECTRUM was launched, other computers have been brought on to the market with better graphics capabilities.

So, feeling that the Spectrum could do with some added graphical muscle, armed with my 48K Spectrum with Microdrive and Hisoft's excellent Devpac, a highly recommended package, I set out to give the Spectrum all these facilities and more. The result is Windos, a 5K program packed with practically every feature you could wish for. A whole book could be written describing all the possibilities, but the main functions are:

- 32- or 64-column windowing.
- Four-way window scrolling.
- An extended plot function.
- Instant colour changes.
- Large letters in any of four orientations.
- An intelligent paint/unpaint.
- An alternative screen at any address.

To get Windos up and running, type in listing 1 and Save it a few times, then Run it. Once Run successfully, the code will be automatically saved.

Owners of Microdrives may wish to change the appropriate lines to enable saving to cartridge.

Most experienced Spectrum users will be familiar with the concept of streams and channels. What I have done is to alter the channel 3 output routine vector, found in the channel information area, and make it point to my own output routine.

This means that the ZX Printer is now disabled.

LPRINTs,OPEN # 2,"p"

can be used to enable Print. However, how can this be of any use for accessing the routines? BBC users are used to the VDU statement on their micro, but this can be replaced by:

PRINT CHR$ n;CHR$ n; etc

to achieve the same effect. Well, this is exactly how the routines are accessed, via control codes. Of course, most of the codes are different from the BBC's and have a different number of parameters — see table 1 for a complete run-down. Now back to the original

(continued on page 103)



At last, a game all Spectrum owners can enjoy — 24 exciting screens that will prove challenging, infuriating and, even worse, madly addictive!

Sir Lancelot must storm the castle, undaunted by such dangers as birds, bouncing balls, dogs, stars (and even cooking pots with legs??!!).

Your task is to collect the various precious objects scattered throughout the castle — a task that sounds easier than it is.

Great animation and high resolution make this the game to beat.

- Arcade/strategy
- 24 screens
- Up to 7 aliens per screen
- Moving stairways
- Suitable for all ages
- 100% machine code
- For any Spectrum

NEW RELEASE FOR SPECTRUM 16K/48K



Orders to:
Melbourne House Publishers
39 Milton Trading Estate
Abingdon, Oxon OX14 4TD

Correspondence to:
Church Yard
Tring
Hertfordshire HP23 5LU

All Melbourne House cassette software is unconditionally guaranteed against malfunction.

Trade enquiries welcome.

☐ Please send me your free catalogue.

Please send me:

SPECTRUM SOFTWARE

- ☐ Sir Lancelot 16K & 48K £5.95
- ☐ Spectrum Sherlock 48K £14.95
- ☐ Spectrum Hampstead 48K £9.95
- ☐ Spectrum Sports Hero 48K £6.95
- ☐ Spectrum Mugsy 48K £6.95
- ☐ Spectrum Penetrator 48K £6.95
- ☐ Spectrum The Hobbit 48K £14.95
- ☐ H.U.R.G. 48K £14.95
- ☐ Spectrum Classic Adventure 48K £6.95
- ☐ Melbourne Draw 48K £8.95
- ☐ Abersoft FORTH 48K £14.95

COMMODORE 64 SOFTWARE

- ☐ Castle of Terror £9.95
- ☐ Commodore 64 Sherlock £14.95
- ☐ Commodore 64 Hampstead £9.95
- ☐ Commodore 64 The Hobbit £14.95
- ☐ Zim Sala Bim £9.95
- ☐ Commodore 64 Classic Adventure £6.95
- ☐ Commodore 64 Hungry Horace £5.95
- ☐ Commodore 64 Horace Goes Skiing £5.95
- ☐ Commodore 64 FORTH £14.95
- ☐ A.C.O.S.+ £8.95
- ☐ Commodore 64 Penetrator £7.95

BBC SOFTWARE

- ☐ BBC The Hobbit, Model B £14.95
- ☐ BBC/Electron Classic Adventure £6.95

All versions of 'The Hobbit' are identical with regard to the adventure program. Due to memory limitations, BBC cassette version does not include graphics.

£ .....

Please add 80p for post & pack £ .80

TOTAL £ .....

I enclose my ☐ cheque
☐ money order for £ .....

Please debit my Access card No .....

.....

Expiry Date .....

Signature .....

Name .....

Address .....

.....

.....

..... Postcode .....

Access orders can be telephoned through on our 24-hour ansafone (0235) 83 5001.

YC12d

GSH

(continued from page 101)

Table 2. The window map.

Byte	Meaning.
0-3	The window size as set up and in the same order as CHR$ 1; etc.
4	The text colour.
5	The graphics colour.
6-7	The text co-ordinates, with 0,0 being at the top left of the window, NOT the screen.
8-9	The last x,y specified by CHR$ 14;
10-11	Used internally.
12	Text flags. See table 4.
13	Graphics flags. See table 5.
14	The attribute used by the cursor, so the cursor can be flashing or not.
15-29	The parameter queue. See next month's article for more details.
30	Current control code.
31-32	Next free space in queue, as an address.
33	Number of parameters to come before execution.
34	Width of large characters.
35	Height of large characters.
36-37	Second to last point specified by CHR$ 14;.
38	Draw pattern. Like the Oric PATTERN command. This is the bit pattern that draw uses to do dotted lines. Normally 255 for solid lines.
39	Text attribute mask. As there is no eg. PAPER 8 allowed, this is used to achieve the same effect. Every bit of this byte that is set means that the equivalent bit of the old attribute to be obliterated by printing will not be destroyed. So to achieve INK 8 set this byte to 7, PAPER 8 is BIN 111000 etc.
40	As above but for graphics.
41	The pixel scroll register.
42	As above but for the attributes.
43-44	This is the address of screen memory. Normally 16384, but can be changed. Normal Intel format applies, ie. LSB first followed by the MSB.



(continued on page 107)

Listing 1.

```
  10 REM
  20 REM Loader for WINDOS.
  30 REM Written by Ian Bristow.
  40 REM August 1984.
  50 REM
  60
  70 CLEAR 59999
  80 LET linc=1000
  90 RESTORE 1000
 100 LET address=60000
 110 GO SUB 500
 115 LET addr=address+60417
 120 FOR a=1 TO 98
 130   GO SUB 500
 140 NEXT a
 150 CLS
 160 PRINT "Code in memory."
 190 PRINT "Insert free tape...P
ress any key to start..."
 200 PAUSE 0: PRINT "SAVEing ""L
OADER1"""
 205 SAVE "LOADER1"
 210 PRINT "Again ? (Y/N) "
 220 LET a=CODE INKEY$
 230 IF a=89 OR a=121 THEN GO TO
 170
 240 IF a<>78 AND a<>110 THEN GO
 TO 220
 250 PRINT "Insert free tape...P
ress any key to start...";
 260 PAUSE 0: PRINT "SAVEing ""U
INDOS"" CODE 60000,5282"
 270 SAVE "UINDOS"CODE 60000,528
2
 280 PRINT "Again ? (Y/N) "
 290 LET a=CODE INKEY$
 300 IF a=89 OR a=121 THEN GO TO
 250
 310 IF a<>78 AND a<>110 THEN GO
 TO 290
 320 PRINT "Finished.": STOP
 500 REM
 510 REM Reader and poker.
 520 REM
 530
 540 READ a$,checksum
 550 LET total=0
 560 FOR i=1 TO LEN a$ STEP 2
 570   LET high=CODE a$(i)-48
 580   LET low=CODE a$(i+1)-48
 590   LET high=high-39+(high>9)
 600   LET low=low-39+(low>9)
 610   LET byte=(16*high)+low
 620   LET total=total+byte
 630   POKE address,byte
 632   LET address=address+1
 634 NEXT i
 640 IF total<>checksum THEN PRI
NT "Error in line ";linc;".": "Ch
eck and re-run.": STOP
 645 PRINT linc;" OK.";
 650 LET linc=linc+10
 660 RETURN
 670
1000 DATA "c001efc31ce7c3c4f8c3c
bf70001f170707000000003c8000c
7000000000000000000000000000000
07be0001020000ff0000000040",3
318
1010 DATA "0000000000000000042404
040400040a0a0a0000000000050f
0505050500002030603e020000d0d02
0201070b0004030",3200
1020 DATA "a040b0a0500010204000
0000002040808040200080402080
040800000009060f0609000000404
040400000000",3003
1030 DATA "0020204000000000f0000
0000000000005000102020404080
0000090b0d0909000020602020202
0005090102020",2784
1040 DATA "f000f0204020109060002
060a0f0202020000f000e0101090000
09000e0909060003",4555
1050 DATA "6090907010906000002
0000020000000202000202040001
0102010000000307000000000402
0102040000006090",2064
1060 DATA "10204040040000090f0d0f
0507000609090709090000e0909
090e0000d0d0d0d0d0d0b0b0909
0909090909060000e09090e0800000
0909090d0b07000",3508
1070 DATA "e0909e0a0909000600
0601090600070202020202000909
0909090700090909090502000909
090f0f0900090",5504
1100 DATA "9060909090009090602
0202000f0102020404000000f0808
0f0000004040202010100000f0101
0f0000506090090",4208
1110 DATA "9000000000000000000
0f0205040400f0407000000601070907
0003030e0509090e0000000703030807
0001010709090",3832
1120 DATA "70000000609040807000
0104010604040300000070909070106
0000e0909090900000200060202070000
0000000020a040","3805
1130 DATA "9090909b0c0a0900060202
0202020700000004e04e0909000000e
0909090900000000e0909090000000e
0909010c0300000","4754
1140 DATA "0000000000701010000b0c05
0505000000070800010e0004040f0101
0403000000090909090700000000909
0f0f0f0f0f0f0f0f0f0f0f0f0f0f0f0f
1140 DATA "0000000000000000000
4143d20f3d90c1e20dbdd4600dd4e03d
dcb2966cc82f8c9",6026
1270 DATA "cb402814d906087ee60f4
f1ae6f0b112142410f3d9041dc97bfe0
23014d906087ee6f04f1ae60fb112142
410f3d91e00c97b",5170
1280 DATA "f5e6015ff1f5e6fe8047f
1cb3fd906004f3e08c5d5e5edb0e1d1c
114243d20f3d9c9dd4600dd4ee010cd9
ff03aadf0f601ca",7259
1290 DATA "07f136873aaef05fc5d5c
d82ef50dcd82ef50cd9d1e1d9cd15f
17bf60020ead1c10c1520e2c307fidd4
600dd4e030dcdaf",7104
1300 DATA "f03aadf0fe01ca1df23d8
73aaef05fc5d5cd82ef50ccd82ef50e
dd9d1e1d9cd15f17bfe0020ead1c10d1
520e2c31df2ddcb",7757
1310 DATA "0c7620c1dd4500dd4e030
dcdaff03aadf0fe01282b3d5f3aaef05
7cd82ef50ccd82ef50d7ad9d1e14f0
6003608c5d5e5ed",5540
1320 DATA "b0e1d1c124143d20f3d90
d1d20dbdd4600dd4e01ddcb2966cc52f
5c9ddcb0c76c202f2dd4b0004dd4e01c
dff03aef0fe01",6657
1330 DATA "20313d5773aadf05fcd82e
fe52be57ad9d1e14f06003e08c5d5e50
81ed0ddcb2956280112e1d1c1241
43d20e9d90c1d20",5833
1340 DATA "d5dd4602dd4e01ddcb296
6cc0ef5c9dd4600dd4e01cdaff03aa
efe0fe01ca174f23d573aadf05fcd82ef3
e08f503fcb40230a",6595
1350 DATA "7eee6f0070707070818062
b7ee60f2308c5d5e5cb40281473afe012
009ddcb2966e2803081807eedef23102
57e070707072be6",4151
1360 DATA "0f4f7ee6f0b177237afe0
12011ddcba296e280b0807070747f7ee
60fb177041520bfe1d1c1f1243d209e0
c1d2095c374f2dd",5254
1370 DATA "cb0c76c25ff3dd4602054
d4e01cdaff03aafe0fe0128313df573aa
df05fcd82ef523e57ad9d1e14f06003
e08c5d5e5081aed",6518
1380 DATA "b5ddcb2966e28011208e1d
1c1241443d20e9d90c1d20d5dd4600dd4
e01ddcb2966cc8ef5c9dd46020554e0
1cdaff03aaef0fe",6232
1390 DATA "01ca5ff33d573aadf05fc
d82ef3e08f503cb40280c237ee6f0070
707072b0318047e660f08c5d5e5cb402
0187afe012009dd",5175
1400 DATA "cb2966e28030818057e070
70707ed672b18137afe012009ddcb296
e280308180l7e23ed672b051520cde1d
1c1f1243d20e9c0c",4071
1410 DATA "1d20e9c351f3cdaff03aa
df0fe01c83d5f3aaef0ddcb0c7628009c
b3fddcb0246200131c57dd4600dd4e010
ccd74ef6e5d51120",6116
1420 DATA "00a7ed52d1e57ad9d1e14
i0600edb0d90c1d20e5dd4600dd4e03d
dcb2a66c0c370f5cdaff03aadf0fe01c
83d5f3aaef0ddcb",7217
1430 DATA "0c7620809cb3fddcb02462
0013c57dd4600dd4e030dcd74efe5d51
1200019d1e57ad9d1e14f0600edb0d90
d1d20c7dd4600dd",5546
1440 DATA "4e01ddcb2a66c0c370f5d
dcb0c76c0cdaff03aaef0fe01c83d573
aadf05fdd460004dd4e01cd74efe52be
57ad9d1e106004f",6912
1450 DATA "1aedb0ddcb296e200120d
90c1d20e4dd4600dd4e01ddcb2a66c0c
3aaf5ddcb0c76c0cdaff03aaef0fe01c
83d573aadf057dd",6782
1460 DATA "460205dd4e01cd74efe52
3e57bd9d1e106004f1aedb8ddcb296e2
80112d90c1520e4dd4600dd4e01ddcb2
e66c0c3aaf5ddcb",6265
1470 DATA "297c0ddcb2956cc0ff5d
dcb295ecc19f5c9ddcb2946cac4f0c3d
bf1ddcb294ecaebf2c308f3ddcb2a7ec
0ddcb2a56cc37f5",7752
1480 DATA "ddcb2a5ecc41f5c9ddcb2
a46cad7f3c325f4ddcb2a4ec971f4c3b
6f4cdfbf4cd23f5c9dd7e0cf5e640f60
8dd770cf3aaef0f5",8278
1490 DATA "3e20cd09ef04f13d20f5f
1dd770cc9dd7e0cf5e640f603dd770f3
aef0f53e20cd09ef04f13d20f5f1dd7
70cc9dd7e0cf5e6",7186
1500 DATA "40dd770f3aadf0f53e20c
d09ef1f0c3d20f5f1dd770cc9dd7e0cf
6e640f603dd770c3aadf0f53e20cd09e
ff10c3d20f5f1dd",7167
1510 DATA "770cc9dde5e607dd2199e
b112d00fe000205dd193d20fbdd22b05
cdde1c9ddcb0c78ca11f678fe40d23ff
6ba2803e23ff679",6626
1520 DATA "fe18d25ff6bb2803d25ff
67afe40d23ff67bfe18d23ff6c32ff67
6f620ba2803d23ff679fe18bb2803d23
ff67afe20d23ff6",7142
1530 DATA "7bfe18d23ff6dd7000dd7
101dd7202dd7303cd70f7c9dde521640
6110501cdb503dde1c9dd460f78fe00c
8c5cd4bf5c110f9",6743
1540 DATA "c9dd7e0fddcb0cfdde5c
d5f5ddcb0cfedde1c9dd460f78fe00c
8dd7e29f5dd7e2af5dd362904dd362804
c5cd4bf5c110f9",7658
1550 DATA "fidd772af1dd7729c9dd4
60f78fe00c8dd7e29f5dd7e2af5dd362
906dd362a06c5cd4bf5c110f9fidd772
af1dd7729c9dde5",7314
1560 DATA "dd5e0f1600dd7e10dd19d
d7700dde1c9dd7e05fe00200bdd7e02d
e9600dd770618573ddd7706c9dd7e06d
e66003cddbe0228",5804
1570 DATA "053303c377f7dd9600dd7
706c9dd7e07dd8601ddbe032027ddcb0
c56201cdd7e29f5dd7e2af5dd362a08d
d362905cd4bf5f1",6002
1580 DATA "dd772af1dd7729c9dd380
700c93cdd9601dd7707c9dd7607fe002
02cddcb0c56201cdd7e29f5dd7e2af5d
d362909dd362a09",6852
1590 DATA "dd4bf5f1dd772af1dd772
9c9dd7e03dd9601dd7707c93ddd7707c
9dd7df0cdbbf8c9dd360600ddcb0c66c
0ddfe07dd66013c",7042
1600 DATA "ddbe032829827ddcb0c5
6201cdd7e29f5dd7e2af5dd362908dd03
62a08cd4bf5f1dd772af1dd7729c9dd3
607007c9dd9601dd",6135
1610 DATA "7707c9dd7e0fdd4610dd4
e11c3acfc93eff306c0dd662cdd6e2
be5c578fe039fe602d3fb57dbfb87fa0
0f830f80e205e23",6954
1620 DATA "0608cb12cb13cb1adbfbi
f30fb7ad3fb10f00d20e9c1e1247ce60
72008d7dc6206f3f9fe6f8046710c03e0
4d3fbfbc9dd460f",6356
1630 DATA "78fe00c8dd7e29f5dd7e2
af5dd362900dd362a08c5cd4bf5c110f
9fidd772af1dd7729c9dd460f78fe00c
8dd7e29f5dd7e2a",7018
1640 DATA "f5dd362909dd362a09c5c
d4bf5c110f9fidd772af1dd7729c9dd4
60fddd4e10dd7006dd7107c9dd7e0fdd8
600ddcb0c762804",6339
1650 DATA "e53f1802e61fddbe02d0d
d7706c9dd460fdd4e10dd5611dd5e12c
de3f5c9cdcff6dd4606dd4e07dd7e0cf
5e67cdd770c3e20",6569
1660 DATA "cd53f0f1dd770cc9dd360
600dd360700dc9f500f508c5d5e5d9e5d
5e5d9dde5fde5f5dd2ab05ccd8ff9dd7
e21f6002019f1f6",7795
1670 DATA "20304216005f21abf919d
d771e7edd7721fe00204a1814dd6620d
d6e1f1f1723dd7420dd751fdd3521203
42124f9e5dd7e1e",5179
1680 DATA "8726006f11cbf9195e235
6d5c9cd58f9c344f947ddcb0c6e28067
8cd76fb180d78dd4606dd4e07cd53f0c
de6f6cd6ef9fde1",6829
1690 DATA "dde1d9e1d1c1d9e1d1c10
8f108f1c9dde5e1110f0019dd751fdd7
420dd361e00dd362100c9ddcb0c7ec0d
d7e0ef5dd7e06dd",7051
1700 DATA "860047dd7e07dd86014fc
d74ef7e32aaf9f177c9ddcb0c7ec0dd7
e00dd8860647dd7601dd86074fcd74ef3
aaaf977c9000104",6394
1710 DATA "0101010101020000000000
0000300010101010102020202010102
0000005cf68ff84ff68ff896f61af84
1f8bdf6cff6e6f8",3784
1720 DATA "fef638f79ff877f7bcf7c
8f74efe5efe71fe81fe91fea1fe68f87
5f8b9fde2fd11fe26fe5bfcb1febbf87
0f7260070cb3fcb",9094
1730 DATA "3fcb3f6f79e607b46779c
b3fcb3fcb3fe618b46779e63887875b56
fd5dd562cdd5e2b19d1c979fec0d0dd7
008dd7109cd0bfa",6788
1740 DATA "78e607fe0020043e80180
8573e80cb3f1520fb5edd560dcb42280
6cb4ac0ab1809cb4a2003b318022fa37
77ce618cb3fcb3f",4874
1750 DATA "cb3ff618ddcb0d6cc0677
ddd862b6f7cdd862c67dd7e28572f5f7
eaa57dd7e05a3b277c978e6071e80fe0
02805cb3b3d20fb",6070
1760 DATA "cd0bfa7eddcb0d4e20012
fa3c90000dd7e0de603fe03c8cd99fac
021fffe570fe00280bc505cd99fac12
0030518f0ddcb0d",6350
1770 DATA "feddcb0df6cd36fa79fe0
02822c50dcd99fac12806ddcb0dfe181
4ddcb0d7e280eee43b4fa0dc5ed4bb4f
addcb0dbe79febf",7103
1780 DATA "2822c50ccd99fac12806d
dcb0df61014ddcb0d76280eed43b4fa0
cc5ed4bb4faddcb0dbb60470fe002005c
d99fa20a4c178fe",6572
1790 DATA "ffc2c6fa79feffc2c6fac
9110101dd6600dd5e09e578bc30041ef
f446779bd3004186ff4d6f70944779954
fe1dd7400dd7509",6537
1800 DATA "78414fcd35fdc926006f2
92929dd560bdd5e0a19dd4608dd4e09c
53e08f5dd7e23f5c5e5cdd5fbe1c1cd1
cfcf13d20f123f1",6511
1810 DATA "3d20e8c1dd7e22cd50fc3
d20fadd7008dd7109c9c5dd5608dd5e0
9d5d9e5d9cd48fbd9e1d9d1dd7224dd7
385c1dd7008dd71",7384
1820 DATA "09c916007e07cde0fb152
0f9c9d2f6fbf5d5dd7e22f5cd36fac40
2fcf13d20f5d1fc9f5dd7e22cd02fc3
d20fafic9ddcb0d",7852
1830 DATA "5e2200addcb0d56200204c
905c9ddcb0d56200020c90cc9ddcb0d5
e200addcb0d56200020cc90dc9ddcb0d5
6200204c905c9dd",4834
1840 DATA "cb0d5e200addcb0d56200
204c905c9ddcb0d56200020dc90ccc9f53
e08cd36fc3d20fafic9dd7e0ffe00c0d
d7722dd7e10fe00",5722
1850 DATA "c0dd7723c97efdb5fb90f
debfc13fdc0fe94fd94fd94fd94fd94f
d94fd94fd94fd94fd94fd94fd94fd94f
d94fd94fd94fd94",5753
1860 DATA "fd94fd94fd94fd94fd94f
d94fd94fd94fdc5dd5608dd5e09d557e
0035fdd7e0de6ficb3dd770d7acb3fcb3
fe01f216efc3716f",7766
1870 DATA "005f105e2356d5e111daf
cd5e9d1dd7224dd7325c1dd7008dd710
9c90000ed43e9fcdd4608dd4e09c53ae
9fc1fc5ed4be9fc",6946
1880 DATA "c5dd4e09cdb5fbc1cdb5f
bc1cdb5fbc1cdb5fbc9ed43e9fcdd460
8dd4e09c5dd4624dd4e25c5ed4be9fcc
db5fbc1cdb5fbc1",8743
1890 DATA "cdb5fbc979b8300660d5a
f5f1807b1c866414d5160060781f85380
3bc3807944fd9c1c518044fd5d9c1dd5
608dd6e09788547",5846
1900 DATA "79844847ddcb260630005c
d36fa1806dd7008dd7109d97910cdd1c
9dd5608dd5e09d5c436fad1dd7224dd7
325c9cdb5fac9c9",6663
1910 DATA "dd7e02dd9600ddcb0c762
802cb3fc57dd7e03dd96013c5fdd460d
0dd4e01cd74ef424bc9cd95fddd7e0fe
6075fdd7e10e607",6000
1920 DATA "57c5e57ee607bb20057ee
6f8b2772310f2e1012000009c10d20e7c9cd95f
ddd7e0fe6070707075fdd7e10e
6078787877c5e5",6455
1930 DATA "7ee638bb20057ee6c7b27
72310f2e1012000009c10d20e7c9cd95f
dddcb0f46200611bf00c33bfe11ff40c
33bfec9d95fdddcb",6463
1940 DATA "0f46200611700c33bfe1
1ff00c33bfec5e57e3b2772310f9e10
1200009c10d20eec9dd7e0fe60747dd7
60446f8b0dd7704",5958
1950 DATA "c9dd7e0f0707877e63847d
d7e04e6c7b0dd7704c9ddcb0f4602005d
dcb04bec9ddcb04fec9ddcb0f4602005d
dcb04b6c9ddcb04",6859
1960 DATA "f8c9ddcb0f462005ddcb0
c8ec9ddcb0cce9ddcb0f462005ddcb0
c86c9ddcb0cc6c9dd662cdd6e2b11004
001001bedb0c9dd",6452
1970 DATA "5608dd5e0078ba3806425
79057180378a905779bb38064b5f915f1
8037b915fc5d5d5edcb2606dc36fad1d
d7008dd71097802",5478
1980 DATA "47cde5fbd1c17bfe00c80
c1d18df00",1975
```

SUMMER GAMES

THE TOP U.S. AND U.K. OLYMPIC GAMES PROGRAM

You're an Olympic athlete competing in eight key events at the SUMMER GAMES.

How well can you score in track, swimming, diving, shooting, gymnastics and more? So realistic, there's even an opening ceremony and awards presentation after each event.

Unlike other "Olympic-like" games, SUMMER GAMES has incredible realism, superb state-of-the-art graphics and sound effects, including national anthems from eighteen countries and true action-strategy game play. In each event you must plan and execute your game strategy in order to maximise your score. It's not just a matter of how fast you can move the joystick.

So change into your running shoes, grab your joystick and GO FOR THE GOLD!

£14.95
Commodore 64
Turbo load

£19.95
Commodore 64 Disk





Marketed Exclusively in the UK under licence from CBS/EPYX BY QUICKSILVA LTD. ▲

The ultimate in graphics!
Commodore 64
Disk £14.95

Commodore 64 ▼
Turbo load £7.95





Commodore 64 Disk £12.95 ▲

Two adventures with real time action, unbelievable excitement!

◀ Commodore 64 Disk £12.95



QUICKSILVA

Two games for the price of one!
Commodore 64 Turbo load
Based on Central Independent Television Series.
£7.95

All titles available from Quicksilva Mail Order, PO Box 6, Wimborne Dorset BA21 7PY. Tel (0202) 891744.

BATTLEZONE

ATARI The Official Atari approved version of the popular arcade game.

48K Spectrum
£6.95



An enchanting Christmas game based on RAYMOND BRIGGS' best selling book and film.



A fantastic fight to the death within your own bloodstream!

Blood & Guts

A Game of strategy that will test your mind to its limits.

Strontium the DCC Killing

A battle to the end with the deadliest killers in the Galaxy!

available from

QUICKSILVA

Quicksilva Mail Order, P.O. Box 6, Wimborne, Dorset BA21 7PY.
Tel. (0202) 891744

48K Spectrum £6.95 each

TURBO CHARGE YOUR SPECTRUM



Outperforms any Spectrum interface

The unique Turbo interface from Ram gives you all these features – and more – in one unit:

- A variety of interfaces including: Rom cartridges, two 9-way D plugs for standard joysticks, PLUS full expansion bus at rear.
- Compatible with Kempston and Protek protocols.
- Works with latest Quickshot Mk II auto rapid-fire joysticks!
- Choice of Rom cartridge or tape cassette software.
- Instant program loading with cartridge software.
- Built-in power safety device – unique to Ram Turbo.
- Full one year guarantee.
- Immediate availability – 24 Hr despatch on receipt of P.O./ credit card details (cheques – seven days).
- Incredible value – only £22.95.

So don't wait around – simply complete the coupon and send it to us today.

Or call our credit card hot line on 02514 25252. (Access and Visa welcome).

Ram Electronics (Fleet) Ltd, 106 Fleet Road, Fleet, Hampshire GU13 8PA.

24 Hr despatch for credit cards and postal orders

Please send me:

_____ Spectrum Turbo Interface(s) at £22.95 + £1 p+p (overseas orders £3 p+p)

_____ Quickshot II Joystick(s) at £9.95
(Only when purchased with Turbo – normally £12.95 + £1 p+p)

I enclose cheque/postal order or charge my Access/Visa for: £_____

VISA

Name _____

Address _____

YC/12/84

_____ Tel _____

To: Ram Electronics (Fleet) Ltd, 106 Fleet Road, Fleet, Hampshire GU13 8PA.

RAM TURBO

Trade and export enquiries welcome.

(continued from page 103)

question. To get Windos into operation, first initialise channel 3 by using

RANDOMIZE USR 60000

However, this won't clear the system's own variables area which holds the attributes for all 8 windows, each "window map" as I call them, being 45 bytes long, so use

RANDOMIZE USR 60003

to initialise it. More information about the window map can be found in table 2.

Now you can begin to use the system. Type in the demonstration program to see some of the many effects possible.

Once fully understood, I hope that you will begin to realise the possibilities the system offers. Next month, I will explain how the system works inside.

The last part of the series will give Interface 1 owners an Extended Basic to use the system neatly. A tape is available with all the programs included. Send a cheque for £3.50 to Ian Briscoe, 32 York Road, Maidstone, Kent ME15 7QY.



Table 3. The plotting routines and modes.

When using the plot command, CHR$ 14, the first parameter is the routine added to the plotting mode. They are as follows:

Plotting modes.

0 = Normal OR plotting.
1 = XOR or OVER plotting.
2 = UNPLOT.
3 = MOVE.

Plotting routines

0 = PLOT. An ordinary dot plot.
4 = DRAW. Draw a line to x,y. Note that the origin is in the top left corner.
8 = PAINT. Fill in enclosed area. This is an intelligent fill so make sure there is at least 0.5K between Ramtop and your program as the machine stack is used as workspace.
12 = BOX. Draws a triangle using the last and the second to last points plotted as two of the three points, the third being the point specified.
16 = TRIANGLE. Draws a triangle using the last and the second to last points plotted as two of the three points, the third being the point specified.
20 = FILLED BOX. Like BOX only filled. Like the other shape routines, the draw routine is used so if a draw pattern, see table 2, byte 38, is in use then there will be a textured box.
24 = SET. Just sets the plotting mode and the graphics co-ordinates.

Table 4. The text flags.

Bit.	Meaning.
0-1	00 = Normal over printing. 01 = XOR or OVER 1 printing. 10 = Inverse printing. 11 = OR printing.
2	Scrolling suppression. 0 = Normal scrolling when the cursor tries to go too far up, or too far down. 1=A Lynx-type wraparound window.
3	Attribute suppression. 0 = Old attributed destroyed. 1 = Old attribute left unchanged.
4	'Form feed' suppression. 0 = Normal newline. 1 = Cursor stays on the same line.
5	Output selection. 0 = Normal 32 or 64 column windowing. 1 = Large letters. To print large letters, this bit must be set.
6	32/64 column selection. 0 = 32 column windows and printing. 1 = 64 column windows and printing.
7	Cursor switch. 0 = Cursor on. 1 = Cursor off.

It is useful when working at bit level to use the BIN functions.

```
  10 REM
  20 REM WINDOS Demonstration
  21 REM Written by Ian Briscoe
  22 REM August 1984
  30 REM
  40
  45 CLEAR 59999
  50 GO SUB 1000
  60 GO SUB text1
  70 GO SUB picture1
  80 GO SUB text2
  90 GO SUB picture2
 110 GO SUB end
 120 STOP
 130
1000 REM
1010 REM Initialisation.
1015 REM
1016
1020 LET text1=2000
1030 LET text2=4000
1040 LET picture1=3000
1050 LET picture2=5000
1052 LET end=6000
1054 LET codes=7000
1056 LET strings=8000
1057 LET load=9000
1058 POKE 23693,71: BORDER 0: CL
S
1060 INPUT "Have you got WINDOS
in memory? "; LINE a$
1070 IF a$="y" OR a$="Y" THEN GO
 TO 1090
1080 GO SUB load
1090 RANDOMIZE USR 60000
1100 RANDOMIZE USR 60003
1110 OPEN #2;"p"
1120 RESTORE 1900
1130 GO SUB codes
1180 PRINT " Demonstration."
1190 FOR a=1 TO 5
1200    FOR b=7 TO 1 STEP -1
1210       PRINT CHR$ 24;CHR$ b;C
HR$ (b-1);
1215       PAUSE 2
1220    NEXT b
1230    PRINT CHR$ 24;CHR$ 0;CHR$
 7;
1240 NEXT a
1250 RETURN
1260
1900 REM Define length of data
for subroutine.
1901 DATA 48
1902 REM Select window 0
1903 DATA 0,0
1906 REM Define 64 column mode
1907 DATA 7,12,192
1908 REM Define ink and paper.
1909 DATA 16,7,17,1
1912 REM Define window 0
1915 DATA 1,0,2,31,21
1918 REM Select window 1
1921 DATA 0,1
1930 REM Define 32 col. mode.
1933 DATA 7,12,128
1936 REM Define text colour.
1939 DATA 16,7,17,5
1942 REM Define window (32 col)
1945 DATA 1,16,2,31,21
1948 REM Select window 2
1951 DATA 0,2
1954 REM Large letters mode.
1957 DATA 7,12,160
1960 REM Define colours.
1963 DATA 16,7,17,0,7,5,7
1966 REM Define window 2.
1969 DATA 1,0,0,31,1
1972 REM Define letter size.
1975 DATA 28,2,2
1976
2000 REM
2010 REM Text routine 1.
2020 REM
2030
2040 RESTORE 2900
2060 GO SUB strings
2110 RETURN
2905 REM Number of strings.
2907 DATA 9
2909 REM Text
2911 DATA CHR$ 0+CHR$ 0+CHR$ 31
2912 DATA "   This is a small de
monstration"+CHR$ 13
2914 DATA "of what is possible w
ith the new"+CHR$ 13
2916 DATA "output routine."+CHRs
 13+CHR$ 13
2918 DATA "   To start with a p
icture of a"+CHR$ 13
2920 DATA "little house to demo
nstrate how"+CHR$ 13
2922 DATA "complicated pictures
can be made"+CHR$ 13
2924 DATA "with a few well chose
n commands."+CHR$ 13
2925 REM Set scrolling registers
    and scroll 32 times.
2926 DATA CHR$ 7+CHR$ 41+CHR$ BI
N 110110+CHR$ 7+CHR$ 42+CHR$ BIN
 110110+CHR$ 2+CHR$ 32
2928
3000 REM
3010 REM Picture 1.
3020 REM
3030
3040 RESTORE 3900
3050 GO SUB codes
3100 RETURN
3110
3900 REM Length of data.
3902 DATA 83
3904 REM Select window 1.
3906 DATA 0,1
3908 REM Define graphics colour
3910 DATA 7,5,BIN 100
3912 REM Move to 128,88
3914 DATA 14,3,128,88
3916 REM Set the draw pattern.
3918 DATA 7,38,BIN 10101010
3920 REM Draw a filled box to
    254,175
3922 DATA 14,20,254,175
3924 REM Reset draw pattern.
3926 DATA 7,38,255
3928 REM Change colour.
3930 DATA 7,5,BIN 01111000
3932 REM Move to 152,64
3934 DATA 14,3,152,64
3936 REM Unfill a box to
    231,111
3938 DATA 14,22,231,111
3939 REM Move to 184,88
3940 DATA 14,3,184,88
3941 REM Draw a line box to
    199,111
3942 DATA 14,12,199,111
3943 REM Move to 186,90
3944 DATA 14,3,186,90
3945 REM Draw a line box to
    197,97
3946 DATA 14,12,197,97
3947 REM Fill the door.
3948 DATA 14,8,198,98
3949 REM Set graphics mask and
    colour
3950 REM This does PAPER 8,INK 2
3951 DATA 7,40,56,7,5,2
3952 REM Move to 136,71
3953 DATA 14,3,136,71
3954 REM Move to 247,71
3955 DATA 14,3,247,71
3956 REM Draw the roof,a
    triangle at 192,24.
3957 DATA 14,16,192,24
3958 REM Fill the triangle.
3959 DATA 14,8,192,50
3960 REM Set the scrolling
    registers.
3961 DATA 7,41,BIN 110100,7,42,B
IN 110100
3962 REM Scroll 240 times.
3963 DATA 2,240
3964 REM Select window 0
3965 DATA 0,0
3966 REM Clear screen
3967 DATA 31
4000 REM
4010 REM Text 2.
4020 REM
4030
4040 RESTORE 4800
4090 GO SUB strings
4100 RETURN
4110
4800 REM Number of strings.
4801 DATA 13
4804 REM Scroll picture into
    window 0.
4805 DATA CHR$ 0+CHR$ 3+CHR$ 7+C
HR$ 1+CHR$ 2+CHR$ 7+CHR$ 41+CHR$
 BIN 110110+CHR$ 7+CHR$ 42+CHR$
BIN 110110
4806 DATA CHR$ 2+CHR$ 16
4808 REM Select window 1.
4810 DATA CHR$ 0+CHR$ 1
4812 REM Define the colour.
4814 DATA CHR$ 7+CHR$ 4+CHR$ 79
4816 REM Clear window.
4818 DATA CHR$ 31+CHR$ 10
4820 REM Start printing.
4821 DATA "                "
4822 DATA "The next picture"+CHR
$ 13
4824 DATA "is meant to show"+CHR
$ 13
4826 DATA "all the plotting"+CHR
$ 13
4828 DATA "routines working"+CHR
$ 13
4830 DATA "together."+CHR$ 13
4832 DATA CHR$ 13+CHR$ 13+CHR$ 7
+CHR$ 4+CHR$ BIN 11001111
4834 DATA "Press any key to"+"
    start.
5000 REM
5010 REM Picture 2.
5020 REM
5030
5040 PAUSE 0
5050 RESTORE 5800
5060 GO SUB codes
5110 PRINT " Press any key.";
5120 RETURN
5130
5800 REM Length
5802 DATA 100
5804 REM Select window 3 and
    define it.
5806 DATA 0,3,7,4,86,1,0,2,31,23
5808 REM Define graphics colour,
    and attribute mask.
5810 DATA 7,5,86,7,40,BIN 111110
00
5812 REM Start drawing.Follow
    the steps through to see
    how each effect is made.
5814 DATA 14,3,10,17
5816 DATA 7,38,BIN 11001100
5818 DATA 14,20,79,100
5819 DATA 7,38,255
5820 DATA 14,3,150,25
5822 DATA 14,3,250,50
5824 DATA 14,16,100,75
5826 DATA 14,8,200,50
5828 DATA 14,3,110,110
5830 DATA 7,38,BIN 10101010
5832 DATA 14,12,255,180
5834 DATA 14,3,1,16,7,38,BIN 111
10000
5836 DATA 14,21,255,191
5838 DATA 7,38,BIN 00001111
5840 DATA 14,3,1,16,14,21,255,19
1
5842 DATA 7,38,255
5844 DATA 14,3,0,16,14,22,255,19
1
5845 REM Set up the large
    letters mode,size,direction
    and position.
5846 DATA 7,12,160,28,2,10,7,13
0,14,24,0,48
6000 REM
6010 REM End.
6020 REM
6030
6035 PAUSE 0
6040 PRINT PAPER 0; INK 6;CHR$ 3
1;
6042 PRINT CHR$ 28;CHR$ 1;CHR$ 2
;
6043 LET ink=0
6045 PRINT CHR$ 7;CHR$ 13;CHR$ 0
;CHR$ 14;CHR$ 24;CHR$ 128;CHR$ 9
6;CHR$ 7;CHR$ 5;CHR$ 1;"THE END"
6046 PRINT CHR$ 7;CHR$ 13;CHR$ 4
;CHR$ 14;CHR$ 24;CHR$ 127;CHR$ 9
5;CHR$ 7;CHR$ 5;CHR$ 5;"THE END"
6047 PRINT CHR$ 7;CHR$ 13;CHR$ 8
;CHR$ 14;CHR$ 24;CHR$ 128;CHR$ 9
5;CHR$ 7;CHR$ 5;CHR$ 7;"THE END"
6048 PRINT CHR$ 7;CHR$ 13;CHR$ 1
2;CHR$ 14;CHR$ 24;CHR$ 127;CHR$
96;CHR$ 7;CHR$ 5;CHR$ 3;"THE END
"
6049 FOR b=1 TO 30
6050    FOR a=1 TO 7 STEP 2
6055       PRINT CHR$ 24;CHR$ a;C
HR$ (a+1);
6060    NEXT a
6070    FOR a=0 TO 6 STEP 2
6075       PRINT CHR$ 24;CHR$ a;C
HR$ (a+1);
6080    NEXT a
6090 NEXT b
6100 RETURN
6110
7000 REM
7002 REM Code printing.
7004 REM
7009 READ length
7010 FOR a=1 TO length
7020    READ data
7030    PRINT CHR$ data;
7040 NEXT a
7050 RETURN
7060
8000 REM
8002 REM String printing.
8004 REM
8005
8006 READ length
8008 FOR a=1 TO length
8010    READ a$
8012    PRINT a$;
8014 NEXT a
8016 RETURN
8018
9000 REM
9010 REM Load in WINDOS.
9020 REM
9030
9045 INPUT "Have you got a Micro
drive ? "; LINE a$
9050 LET a=CODE a$: IF a=89 OR a
=121 THEN GO TO 9070
9060 LOAD "WINDOS"CODE
9065 RETURN
9070 LOAD *"m";1;"WINDOS"CODE
9080 RETURN
```

The Complete Machine Code Tutor



Trust New Generation to strip the mystery away from Machine Code. Now the Complete Machine Code Tutor makes learning machine code simple so there's never been a better time to discover the really great benefits of machine code programming – see what the press says:

"A colourful, clear, interactive computer teaching package – the best I've come across in any field."
Jan Watterson – **Popular Computing Weekly**

"This pair of tapes forms a worthy addition to the range, giving a thorough exposition from the most elementary level of machine code programming on the BBC Micro."
Which Micro & Software Review

"The best machine code tutor and no serious Spectrum programmer should learn machine code without it."
Crash

"By far the best attempt comes from New Generation Software who has recently issued its Complete Machine Code Tutor for the BBC and the Spectrum."
Popular Computing Weekly

"New Generation have got a very nice product here. It's well thought out, easy to use, aesthetically pleasing, and (as far as I could tell) bug-free and crash-proof"
... "Overall then, an excellent idea, well executed."
Computing Today

Supplied with full notes, this package teaches machine code the way it should be taught – at your own pace and actually from the microcomputer, not from a book. You learn programming the professional way, plus a few tricks of the trade. Available from all good computer stores at £14.95.

New Generation Software

GSH

New Generation products are sold according to their terms of trade and conditions of sale.

FREEPOST, Bath BA2 4TD. Tel: 0225 316924

Selected titles of New Generation Software are available from your local computer store and larger branches of WHSMITH, John Menzies, WOOLWORTH, spectrum, Boots

---

SINCLAIR, ATARI
COMMODORE

COMPUTER REPAIRS
by the
SPECIALISTS

Walkers
COMPUTER SERVICE AND REPAIRS
Telephone: (021) 643 5474
Telegrams:
Shiplog Birmingham
Telex 337124 TWSLOG G

WALKERS will repair your MICRO quickly and efficiently.

Services available to suit the Customers requirements include "one-off" repairs and Quotations.

Most Repairs will be in the range
£15 to £30
subject to machine

FOR INFORMATION
PHONE 021-643 5474

CALL IN AT
58 OXFORD STREET, BIRMINGHAM, B5 5NX

OR SEND S.A.E. FOR DETAILS

POOLSWINNER

THE ULTIMATE POOLS PREDICTION PROGRAM



Boxed, with detailed instruction booklet

- **MASSIVE DATABASE** Poolswinner is a sophisticated Pools prediction aid. It comes complete with the largest database available – 22000 matches over 10 years. The database updates automatically as results come in.
- **PREDICTS** Not just SCOREDRAWS, but AWAYS, HOMES and NO SCORES.
- **SUCCESSFUL** SELEC guarantee that Poolswinner performs significantly better than chance.
- **ADAPTABLE** Probabilities are given on every fixture – choose as many selections as you need for your bet. The precise prediction formula can be set by the user – you can develop and test your own unique method.
- **SIMPLE DATA ENTRY** All English and Scottish team names are in the program. Simply type in the reference numbers from the screen. Or use FIXGEN to produce fixture list automatically (see below).
- **DISC/MICRODRIVE COMPATIBLE** All versions (except Apple and IBM) are supplied on tape, with simple instructions for conversion to disc/microdrive operation.

(This seasons results are supplied with the package so that predictions can start immediately.)

AVAILABLE FOR Spectrum (48K), Commodore 64, VIC 20 (+16K), AMSTRAD CPC 464, BBC B, Atari (48K), ZX81 (16K), Dragon, Apple II, IBM pc

PRICE £15.00 (all inclusive)

NEW

FIXGEN 84/5 AT LAST: No more struggling for hours to get the fixture list into the computer. FIXGEN has been programmed with all English and Scottish fixtures for 1984/5. Simply type in the date, and the full fixture list is generated in seconds. Fully compatible with Poolswinner.

POOLSWINNER with FIXGEN £16.50 (all inclusive)
Fixgen alone £5.50

COURSEWINNER V3
THE PUNTERS COMPUTER PROGRAM

Coursewinner is designed to allow you to develop and test your own unique winning system. Using information from daily newspapers or 'Sporting Life', the most important factors can be input and analysed. The program is supplied with a database detailing best trainers and jockeys, and effect of the draw for all British courses. (Flat & National Hunt.)

AVAILABLE FOR Spectrum (48K), Commodore 64, BBC (B), Dragon, Atari (48K), Apple II

PRICE £12.50 (all inclusive)

AVAILABLE (RETURN OF POST) FROM . . .

VISA phone 24 hrs

selec SOFTWARE

Access phone 24 hrs

37 COUNCILLOR LANE, CHEADLE, CHESHIRE. ☎ 061-428 7425

SPRITES

ORIC GRAPHICS 1 - 101



Mattias Gyllerup with a short sprites program together with a demonstration of what it can do.

THIS IS A sprite program for the Oric-1 48K, but I believe that it would suit the Atmos as well. The Temo — Test Mode — sprites will only work in Text mode, but still give you the effect of one pixel movement in every direction. Each sprite is made by a 6×8 grid — one character — but needs a 12×24 grid — four characters — to work, eg. One sprite would easily fit into the character C, but to work it must also use D,E and F. This technique consumes a lot of memory, but it is the only way it can be done.

Line 0 to 300 is a demo program with only one sprite in action. The description of how to use the sprites will refer to this program.

Line 500 to 870 shows you 20 sprites in action. Run 500 will allow you to look at this small demo program. To get back to the ordinary character set, press the Reset button.

Line 60000-60450 is the Temo machine code. When you are about to make your own program using sprites then only type in these lines, and then type in your program, which must — of course — contain a Gosub to 60000.

Remember that the Gosub must be after your Data statements, if you use any.

To control the sprites in the Temo program you have got to know a few things first.

- If the sprite is on (1) or off (0) — ON/OFF status
- The Y and X coordinates of the sprite — YPOS & XPOS status.
- The address to the first character in your sprite eg. If you choose the characters A,B,C,D to represent your sprite, then the address to the first byte of "A" is important — ASCII pointer status.
- The ASCIIcode of the first character in your sprite. If you choose same as above, then the ASCIIcode of "A" is important — ASCIIcode status.
- The address to the first byte of your defined sprite — Spritepointer status.

THE ADDRESSES TO THE STATUSAREA

Status name	Basic address	Uses
ON/OFF	38912-39011	1 byte
YPOS	39012-39112	1 byte
XPOS	39112-39211	1 byte
ASCIIPOINTER	39212-39311	2 bytes
SPRITEPOINTER	39712-39811	2 bytes
ASCIICODE	39812-39911	1 byte

Although some status only uses 1 byte to store their content, they are made of 2 bytes. But it's only the low byte that is poked. And at last, a very important address: *105*. This address indicates how many sprites, from the first sprite, that you use. The value 2 means the first 2 sprites, 15 means the first 15 sprites.

You can have a value between 1 and 49. Zero or greater than 49, will turn the program off.

This makes it possible for you to store 49 sprite statuses. But because of the character limitation — only 92 useable characters divided by four, makes a total of 23 sprites — the sprite number will decrease. But if you are a whizkid, then perhaps you could learn how to make use of the other 26 possible sprites.

Now let's start to write.

- The first line that does anything in your program will look like this:

```
0 HIMEM 38900
```

This line prevents the Temo program and the status area to be overwritten by the Oric variable area.

- Before creating the status area, we must clear it.

```
10 FOR F=38912 TO 40011
20 POKE F,0
30 NEXT F
```

- Now let's choose the sprites to work with. I choose to work only with sprite 5. Don't bother about the number, I just chose it.

```
40 N=5
50 POKE 105,N
```

I have to poke address 105 with N(5) only because the program have to run through the five first sprites to find my sprite. As you can see, it would be faster if I had chosen sprite 1, but this is just a demo to show you the main routines.

- Now we must define the sprite, and place it somewhere in the memory. I decided to place it at address 38892-38899. I could have placed it anywhere else. But now I see a problem. I have to decrease the Himem, so that the sprite codes won't be overwritten by the variable area. So I change row 0 to:

```
0 HIMEM 38892
```

- And to define the sprite and place it at memory location 38892-38899.

```
60 FOR F=38892 TO 38899
70 READ A
80 POKE F,A
90 NEXT F
100 DATA 18,12,30,45,45,30,18,0
```

The Data values are taken from the Oric manual page 89. As you can see, the sprite has

(continued on next page)

(continued from previous page)

the same size as an ordinary character. But it takes four characters to poke the sprite onto screen. So on every characterised sprite, Temo will use four character. That's why the total amount of sprites, only is 23. I know that it's a waste of memory, but it's the only way to get a four-way direction of the sprites.

■ To get the status address of sprite N, then use the following formula: Status Basic address + N × 2 − 2 = status address to sprite N. For example, we use sprite number 5, and want to know the address to On/Off status. The On/Off status Basic address is 38912. See "The addresses to the status area". 38912 + 5 × 2 − 2 = 38920. 38920 is the On/Off status address of sprite number 5. Let's set the status.

■ The On/Off status. The value 1 turns sprite on, value 0 turns sprite off:

```
110 POKE 38912 + N × 2 − 2,1
```

■ The YPOS status:

```
120 POKE 39012 + N × 2 − 2,15
```

■ The XPOS status:

```
130 POKE 39112 + N × 2 − 2,15
```

We now have positioned the sprite at 15,15.

■ The ASCIIPointer status:

```
140 DOKE 39212 + N × 2 − 2,
46080 + (8 × ASC("a"))
```

To receive the Doke value, we use another formula, found on page 85 in the Oric manual. The character is the first character that the sprite is made. I have chosen the character a,b,c and d to be used in my sprite. If you would like to use other characters then simply change the character between the quotationmarks. For example, if you would like to use the character T,U,V and W then change the line to:

```
140 DOKE 39212 + N × 2 − 2,
46080 + (8 × ASC("T"))
```

■ The sprite pointer status:

```
150 DOKE 39712 + N × 2 − 2,38892
```

The value 38892 is the address to the first byte of the sprite codes.

■ The ASCIIcode status:

```
160 POKE 39812 + N × 2 − 2,ASC("a")
```

The ASCIIcode of your first character. The character used here must be the same as in line 140. Remember: Try not to use the four characters, preserved for one sprite, in another sprite. It wouldn't look too good. Now all status have been taken care of.

■ Type:

```
170 DOKE # 2F5,40396
```

This operation defines a new command for the Oric. The Temo command.

```
180 !
```

! is the new command. See page 128 in the Oric manual. Now all necessities have been taken care of, so let's make a little routine to see what can be done with the Temo program.

```
190 FOR F = 1 to 20
200 Y = PEEK(39012 + N × 2 − 2,Y)
210 Y = Y + 1
220 POKE 39012 + N × 2 − 2,Y
230 X = PEEK(39112 + N × 2 − 2)
240 X = X + 1
250 POKE 39112 + N × 2 − 2,X
260 !
270 NEXT F
```

This little routine moves the sprite around the screen. Experiment with different values to add in line 210 and 240.

```
280 POKE 38912 + N × 2 − 2,0
```

Turn sprite off.

```
290 !
```

Makes the sprite disappear.

```
300 END
```

Don't clear the screen, if you don't want to miss the effect. Run, and watch the upper left corner of the screen. This program was written only for one sprite. Now it's your turn to make use of the Temo sprites.

Study the program, and see how it's done. After a while you will have all addresses in your head, and then the use of the Temo sprites will be easier.

I hope that you understand, that the more sprites you use, the more Poking and Doking will have to be done.

To prevent a system crash the first line to be written in any of your programs is: line number Himem 38900



You can decrease the Himem value, but don't set the value to be greater than 38900. If you work with machine code, then you ought to know that zero page address 166 and 167 holds the Himem value, so that you don't have to operate in Basic, only because of the Himem.

The next lines to be written, if the status area only contains the value 85(# 55), is:

```
line number FOR F = 38912 to 40011
line number POKE F,0
line number NEXT F
```

Don't enter Hires mode. The Temo will, after the first run, prevent this by Poking 704,0.

Don't use the commands Grab and Release. Don't Poke or Doke the memory blocks 38900-38911 and 40012-40620.

Check and double check your programs, and don't forget to Save them. You're allowed to Poke or Doke addresses 100-122, as these locations are used by the Temo program.

The character that you choose to be your sprite must be in succession, e.g., A,B,C,D or #,$,%,&.

The Temo program will handle all sprites — depending on address 105 — when called.

If you don't want to use the Temo command !, then

```
CALL 40396
```

■

```
0 HIMEM 38892
10 FOR F=38912 TO 40011
20 POKE F,0
30 NEXT F
40 N=5
50 POKE 105,N
60 FOR F=38892 TO 38899
70 READA
80 POKE F,A
90 NEXT F
100 DATA 18,12,30,45,45,30,18,0
105 GOSUB 60000
110 POKE 38912+N*2-2,1
120 POKE 39012+N*2-2,15
130 POKE 39112+N*2-2,15
140 DOKE 39212+N*2-2,46080+(8*ASC("a"))
150 DOKE 39712+N*2-2,38892
160 POKE 39812+N*2-2,ASC("a")
170 DOKE #2F5,40396
180 !
190 FOR F=1 TO 200
200 Y=PEEK(39012+N*2-2)
210 Y=Y+1
220 POKE 39012+N*2-2,Y
230 X=PEEK(39112+N*2-2)
240 X=X+1
250 POKE 39112+N*2-2,X
260 !
270 NEXT F
280 POKE 38912+N*2-2,0
290 !
300 END
500 HIMEM 38900
505 FOR F=1 TO 8:READ A:NEXT F:REM *ELIMINATES THE DA
TA VALUES IN LINE 100*
510 GOSUB 60000
520 FOR F=38912 TO 40011
530 POKE F,0
540 NEXT F
550 FOR F=1 TO 20
560 POKE 38912+F*2-2,1
570 NEXT F
580 C=0
590 FOR F=1 TO 20
600 POKE 39112+F*2-2,C
610 C=C+12
620 NEXT F
625 Y=20
630 FOR F=1 TO 20
640 POKE 39012+F*2-2,20
650 NEXT F
660 C=33
665 FOR F=1 TO 20
670 DOKE 39212+F*2-2,46080+(8*C)
680 C=C+4
690 NEXT F
700 C=64000:REM ADRESS TO ORICS ROM DEFINED CHARACTER
S
710 FOR F=1 TO 20
720 DOKE 39712+F*2-2,C
730 C=C+8
740 NEXTF
750 C=33
760 FOR F=1 TO 20
770 POKE 39012+F*2-2,C
780 C=C+4
790 NEXT F
795 POKE 105,20
800 DOKE #2F5,40396
802 PAPER0:INK7
803 POKE 48035,0:REM CAPS OFF
804 POKE #26A,10:REM CTRL-Q & CTRL-F
805 CLS
810 !
820 Y=Y+1
830 FOR F=1 TO 20
840 POKE 39012+F*2-2,Y
850 NEXT F
860 IF Y=200 THEN END
870 GOTO 810
10000 REM ************************
10001 REM * TEMO SPRITES V1.0    *
10002 REM * (C) MATTIAS GYLLERUP *
10003 REM *     TOLLARP          *
10004 REM *     SWEDEN           *
10005 REM ************************
60000 FOR F=40012 TO 40618
60010 READ A
60020 POKE F,A
60030 NEXT F
60040 DATA #A5,100,#A2,0,#C9,0,#90,6,#38,#E9,0,#E8,#D
0,246,#85,102,#E0,0,#F0
60050 DATA 16,#18,#A5,106,#69,40,#85,106,#A5,107,#69,
0,#85,107,#CA,#D0,240,#60
60060 DATA#A5,101,#A2,0,#C9,6,#90,6,#38,#E9,6,#E8,#D0
,246,#85,103,#8A,#18,#65
60070 DATA106,#85,106,#A5,107,#69,0,#85,107,#60
60080 DATA#A6,102,#D0,1,#60,#A0,14,#B1,108,#C8,#91,10
0,#00,#00,#10,247,#A9,0
60090 DATA #C8,#91,108,#CA,#D0,237,#60
60100 DATA #A5,103,#D0,1,#60,#18,#A5,108,#69,16,#85,1
10,#A5,109,#69,0,#85,111
60110 DATA#A0,0,#A9,0,#85,112,#B1,108,#A6,103,#4A,#66
,112,#CA,#D0,250,#91
60120 DATA 108,#18,#66,112,#66,112,#A5,112,#91,110,#C
8,#C0,16,#D0,226,#60
60130 DATA#A5,115,#10,2,#49,128,#C9,32,#F0,35,#90,33,
#38,#E9,32,#AA,#18,#A5
60140 DATA113,#69,8,#85,113,#A5,114,#69,0,#85,114,#CA
,#D0,240,#A0,0,#B1,113
60150 DATA #11,108,#91,108,#C8,#D0,8,#D0,245,#60
60160 DATA #A9,0,#A0,8,#91,108,#C8,#C0,32,#D0,249,#60
60170 DATA #A0,0,#B1,106,#85,116,#C8,#B1,106,#85,118,
#A0,40,#B1,106,#85,117
60180 DATA #C8,#B1,106,#85,119,#60
60190 DATA#A2,0,#B5,116,#85,115,#48,#8A,#48,#98,#48,#
20,218,156,#68,#A8,#68
60200 DATA #AA,#60,#A9,0,#85,113,#A9,181,#85,114,#18,
#A5,108,#69,8,#85,108
60210 DATA #A5,109,#69,0,#85,109,#E8,#E0,4,#D0,213,#6
0
60220 DATA #A0,0,#A5,104,#91,106,#C8,#AA,#E8,#E8,#8A,
#91,106,#A0,40,#AA,#CA
60230 DATA #8A,#91,106,#C8,#AA,#E8,#E8,#8A,#91,106,#6
0
60240 DATA #A0,0,#A5,116,#91,106,#C8,#A5,118,#91,106,
#A0,40,#A5,117,#91,106
60250 DATA #C8,#A5,119,#91,106,#60
60260 DATA #A0,0,#B1,120,#91,108,#C8,#C0,8,#D0,247,#6
0
60270 DATA #A5,122,#18,#65,122,#A8,#A5,106,#99,232,15
5,#A5,107,#99,233,155
60280 DATA #60
60290 DATA #A5,122,#18,#65,122,#A8,#A5,116,#99,144,15
3,#A5,117,#99,244,153
60300 DATA #A5,118,#99,88,154,#A5,119,#99,188,154,#60
60310 DATA #A9,0,#85,166,#A9,152,#85,167
60320 DATA#A9,0,#8D,192,2,#A5,105,#C9,50,#B0,4,#C9,0,
#D0,1,#60,#A9,0,#85,122
60330 DATA#A5,122,#18,#65,122,#A8,#B9,0,152,#C9,0,#D0
,15,#B9,1,152,#C9,0,#F0
60340 DATA56,#A9,0,#99,1,152,#18,#90,15,#B9,1,152,#C9
,0,#D0,8,#A9,1,#99,1
60350 DATA152,#18,#90,33,#B9,232,155,#85,106,#B9,233,
155,#85,107,#B9,144,153
60360 DATA#85,116,#B9,244,153,#85,117,#B9,88,154,#85,
118,#B9,188,154,#85,119
60370 DATA #20,117,157,#E6,122,#A5,105,#C5,122,#D0,17
2,#A5,105,#85,122,#C6
60380 DATA 122,#A5,122,#18,#65,122,#A8,#B9,0,152,#C9,
0,#D0,7,#B9,1,152,#C9,0
60390 DATA #F0,84,#A9,128,#85,106,#A9,187,#85,107,#A9
,0,#85,113,#A9,181,#85
60400 DATA 114,#B9,100,152,#85,100,#B9,200,152,#85,10
1,#B9,132,155,#85,104
60410 DATA #B9,44,153,#85,108,#B9,45,153,#85,109,#B9,
32,155,#85,120,#B9,33
60420 DATA 155,#85,121,#20,8,157,#20,140,157,#20,76,1
56,#20,113,156,#20,152
60430 DATA 157,#20,142,156,#20,167,156,#20,20,157,#20
,169,157,#20,43,157,#20
60440 DATA 89,157,#C6,122,#A5,122,#C9,255,#D0,144,#60
60450 RETURN
```

MUSIC MICRO PLEASE!!

AVAILABLE FROM ALL LVL DEALERS. (FOR FURTHER INFORMATION TELEPHONE 0602 394000).

ECHO I £99.95*
ECHOSOUND £49.95*
ECHOKIT £4.95*

LVL's ECHO I is a high quality 3 octave keyboard of 37 full sized keys operating electronically through gold plated contacts. The keyboard which is directly connected to the user port of the computer does not require an independent power supply unit.

The ECHOSOFT Programme "Organ Master" written for either the BBC Model 'B' or the Commodore 64 supplied with the keyboard allows these computers to be used as real time synthesizers with full control of the sound envelopes. The pitch and duration of the sound envelope can be changed whilst playing, and the programme allows the user to create and allocate his own sounds to four pre-defined keys.

Additional programmes in the ECHOSOFT Series are in the course of preparation and will be released shortly.

Other products in the range available from your LVL Dealer are our:

ECHOKIT (£4.95)* – External Speaker Adaptor Kit, allows your Commodore or BBC Microcomputer to have an external sound output socket allowing the ECHOSOUND Speaker amplifier to be connected.

ECHOSOUND (£49.95)* – A high quality speaker amplifier with a 6" dual cone speaker and a full 6 watt output will fill your room with sound. The sound frequency control allows the tone of the sound output to be changed.

Both of the above have been specifically designed to operate with the ECHO Series keyboard.

The ECHO PRODUCT FAMILY breaks both the SOUND and PRICE BARRIERS, representing outstanding quality and value for money.

* Inclusive of VAT

LVL

Scientific House,
Bridge Street, Sandiacre
Nottingham NG10 5BA
Telephone (0602) 394000



Available for B.B.C. Model "B", Electron, Spectrum and Commodore 64. Espionage is available from all leading High Street Stores and quality Computer Games Specialists.

price **£8.95**

Retailers contact Mr. Len Fisher on our telephone hot-line (0642) 227223.

Espionage

MODULAR RESOURCES LIMITED

A GAME OF INTRIGUE & SKILL IN THE OIL BUSINESS.

ZX-81

M Geerling and S Besmon make more of the limited graphics capability of the ZX-81.

HIGH RES

WHEN WE SAW a high-resolution game in *Your Computer* we thought: "Let us write our own high-resolution program". This was not such an easy task. We came up with a program which offers high-res programs in Basic.

Our program is stored above Ramtop which enables you to re-write your existing programs. Including the high-resolution display-file and a character-set it takes approximately 7,000 bytes. To enter the program type in the following:

1 REM (97 inverse video "2")

Edit this until you have lines 1 to 7, 97 inverse video 2 each. Enter the following Pokes as a direct command:

```
POKE 16510,0
POKE 16511,205
POKE 16512,2
POKE 16514,118
POKE 16515,118
```

To check whether the Rem-statement has the correct length, type:

PRINT PEEK 16396 + 256 * PEEK 16397

This should give 17230. Enter the following program and Run this.

```
10 FOR A = 16516 TO 17228
20 IF PEEK A< > 158 THEN POKE A,158
30 NEXT A
```

Thereafter delete this program and enter a hex-loader. Run the loader and type in all the hex-codes from listing 1. Delete the hex-loader line by line and type in the Basic program — listing 2.

Save the program auto-run by:

GOTO 350

The machine-code program transforms the normal display file into the high-resolution display file.

The code of a character in the normal display file corresponds with the eight codes of a UDG — User-Definable Graphic.

When the Basic program is run you are asked to define UDGs, or not. If the answer is no then the program will be stored above Ramtop including the character-set. If no UDGs were defined before, this set is empty. If the answer is yes the computer will ask for a character-code. Thereafter it will ask for the eight numbers to build up a UDG.

When you have completed the UDG-defining you have two options, either you can save the character-set including the complete program on tape, or — if you do not want to save on tape — it is all stored automatically above Ramtop.

When the program is stored above Ramtop, you can write your own program or load an existing one. A program should begin with:

RAND USR 25614

to put the computer in high-resolution mode. You can transform the normal display-file by:

RAND USR 25686

As CHR$ (0) is not transformed you should print a CHR$ (1) to remove a character from the high-resolution display — the transforming routine removes CHR$ (1) from the normal display file. Your own program should finish with:

RAND USR 25602

to put the computer back to normal resolution.

The high-resolution screen is cleared by:

RAND USR 25626

The character-set starts at address 16717 — this is in Ramtop: 25772. Do not use the ZX-81 Scroll, because the computer will crash. ■

```
 99 REM HEX LOADER
100 PRINT "START ADDRESS"
110 INPUT S
120 PRINT "FINISH ADDRESS"
130 INPUT F
140 FOR N=S TO F STEP 8
150 LET T=0
160 PRINT N;" - ";
170 INPUT A$
180 PRINT A$;" - ";
190 INPUT TOT
200 PRINT TOT
210 LET Z=0
220 FOR K=1 TO LEN A$ STEP 2
230 LET C=(CODE A$(K)-28)*16+CO
DE A$(K+1)-28
240 LET T=T+C
250 POKE N+Z,C
260 LET Z=Z+1
270 NEXT K
280 IF TOT=T THEN GOTO 310
290 PRINT "ERROR PLEASE INPUT A
GAIN"
300 GOTO 150
310 NEXT N
```

The hex loader.

```
 10 REM ** BASIC-HI-RES **
 20 PRINT "ENTER CODES FOR UDG"
"S ? (Y/N)"
 30 IF INKEY$="" THEN GOTO 30
 35 LET A$=INKEY$
 40 IF A$="N" THEN RAND USR 165
14
 50 IF A$="Y" THEN GOTO 100
 60 GOTO 30
100 CLS
110 PRINT "CHARACTER-NUMBER ? (
2-63) ";
120 INPUT CN
130 IF CN<2 OR CN>63 THEN GOTO
120
140 PRINT CN
150 PRINT "ENTER 8 CODES..."
160 LET X=16717+(CN*8)
170 FOR A=X TO X+7
180 INPUT C
190 PRINT ,C
200 POKE A,C
210 NEXT A
220 PRINT "MORE CHARACTERS ? (Y
/N)"
230 IF INKEY$="" THEN GOTO 230
240 LET A$=INKEY$
250 IF A$="Y" THEN GOTO 100
260 IF A$<>"N" THEN GOTO 230
265 IF INKEY$<>"" THEN GOTO 265
270 PRINT "SAVE THESE CHARACTER
S ? (Y/N)"
280 IF INKEY$="" THEN GOTO 280
290 LET A$=INKEY$
300 IF A$="N" THEN RAND USR 165
14
310 IF A$<>"Y" THEN GOTO 280
320 CLS
325 IF INKEY$<>"" THEN GOTO 325
330 PRINT "PRESS ANY KEY TO SAV
E..."
340 IF INKEY$="" THEN GOTO 340
345 CLS
350 SAVE "BASIC-HI-RES"
360 RUN 20
```

Listing 2. The Basic program.

Listing 1. The hex codes.

```
16514 - 7676210084220440 = 471    16618 - 9202CD2002DD212D = 586
16522 - 21A1401100640185 = 557    16626 - 64C3A402E92A0C40 = 812
16530 - 02EDB0CDC3030000 = 818    16634 - 2311006706187EFE = 565
16538 - 00760002AE02EA76 = 648    16642 - 00280BFE01200236 = 394
16546 - 76CD2A0A3E1EED47 = 775    16650 - 00C5CD8464C1237E = 988
16554 - DD218102C9CD1A64 = 917    16658 - FE76200C23EBC501 = 884
16562 - 3E08ED47DD212D64 = 777    16666 - E90009EBC110DFC9 = 1110
16570 - C92100670EC00620 = 581    16674 - 1318DBE5D521AC84 = 1009
16578 - 369E2310FB36C923 = 804    16682 - E63F06004FCB21CB = 817
16586 - 0D20F3C921DFE611 = 992    16690 - 10CB21CB10CB21CB = 910
16594 - 2100F30EFE061610 = 588    16698 - 1009EB06081A7713 = 438
16602 - FE06C0ED78D3FF19 = 1300   16706 - D5112100190110F5 = 758
16610 - CD556405C23C64CD = 954    16714 - D1E1C9 = 635
```

For The First Time Ever

In England



PINGO

Battle in the ice maze with Pingo to destroy the Sno-bees. If you're fast enough you may survive!

ZX Spectrum 48k **5.95**

SPACE MISSILE COMMAND

Incoming waves of missiles and only you between the earth and destruction.

ZX Spectrum 48k **5.95**

JANGLER

A game for only the most skilful joystick adepts. Has to be experienced to be believed.

ZX Spectrum 48k **5.95**

MUSIC COMPOSER

- ★ *3 channel composer*
- ★ *professional musical notation*
- ★ *correct phrasing*
- ★ *5000 notes*
- ★ *music sheet scrolled across screen or printer*
- ★ *fully editable*
- ★ *synthesizer coming shortly*

ZX Spectrum 48k **6.95**

Available from your software dealer

profisoft

Dealer enquiries contact telex Germany 94966 profis d.

PROFISOFT GMBH, SUTTHAUSER STRAITE 50/52, 4500 OSNABRUECK, WEST GERMANY

VIRTUAL SCREENS

IN THIS ARTICLE I will explain the concept of virtual screens and explain how the facility can be implemented on the BBC by a combination of in-built firmware and the machine-code utility presented. In order to do this it will be necessary to address screen memory directly. I will explain the basis of what I believe to be the best method of calculating a screen memory address.

Virtual screens can be configured on some other machines. The basis of the screen is to allow a multi-coloured mode to be used as two or more independent screens. Each virtual screen will have a lower number of colours, but the division does not take up any more memory. Applications for virtual screens include: having a permanent "help" screen on one virtual screen which can be accessed immediately from another virtual screen; allowing each user in a multi-user application to have an independent screen area; producing a screenful of information without the user seeing it; and revealing it instantaneously.

This last use of virtual screens is already partly catered for in the BBC's firmware. By using the VDU 19 command a logical colour can be assigned to the current background colour. Information can then be put on to the screen in this colour, without actually being visible. A second use of the VDU 19 command will then reveal the information — see User Guide page 164. What is not present in the BBC's firmware is a straight-forward method of removing the information so presented permanently from the screen.

This system will allow a four-colour mode to be used as two two-colour virtual screens. The 16-colour mode can be configured as two four-colour screens, four two-colour screens, or a two-colour screen combined with an eight-colour screen.

In order to explain how virtual screens can be produced it will be necessary to look at how colour information is coded in screen memory. In a four-colour mode each pixel is controlled by two bits in memory, this gives four possible combinations — 00 01 10 11; corresponding to the four permissible colours. In the 16-colour mode each pixel is controlled by four bits; giving the 16 possible combinations.

To return to the four-colour mode, if the left-hand and right-hand bits can be set and cleared independently in combination with the VDU 19 command then two independent screens can occupy the same memory space. It is possible to set the bits by using logical colours 1 and 2 respectively. Logical colour 0 is the background colour naturally and colour 3 will be displayed or set according to both bits and has to be ignored as a physical colour with virtual screens.

An example may make this clearer: If a pixel is to be displayed in virtual screen one then the right-hand bit has to be set. If it has to be displayed in virtual screen two then the left-hand bit has to be set. If both bits are set then the pixel will be displayed in both screens one and two. Consequently, when logical colours are assigned to display a virtual screen; colour three has to be assigned to the same colour as colour one or two. Similar considerations apply to the 16-colour mode working on four rather than two bits.

For a logical colour to be removed from the screen the bits which control it have to be cleared. To clear logical colour one the right-hand bit has to be cleared. This will have no effect on logical colour two controlled by the left-hand bit; but will affect logical colour three controlled by both bits. The effect will be to reset the pixel from logical colour 3 to 2, which is exactly what is required. The facility to clear just one bit in screen memory is not catered for in the firmware. The routines included here do just this. A set of procedures for controlling 16-colour mode virtual screens are given in listing 2.

(continued on next page)

(continued from previous page)

Having outlined how colour information is controlled by two or four bits, before presenting the utility, it will be necessary to show how these bits are organised in memory.

Screen memory occupies space between Himem for any mode and location 8000 hex. For a four-colour mode each byte will control four pixels. For the 16-colour mode each byte will control two pixels.

The relationship between where a byte appears on the screen and where it exists in memory is equally complex. For all modes apart from Mode 7 the first eight bytes from Himem onwards control an area of pixels on the top left-hand side of the screen. The next eight pixels control an area to the right of this. This continues until the right-hand side of the screen is met. The next byte either Himem+320 or Himem+640 and the subsequent seven bytes control an area underneath the area controlled by Himem to Himem+7.

Each complete set of 320 or 640 bytes corresponds to one row of characters on the screen. If we want to calculate a memory address from the X, Y text co-ordinates, each X co-ordinate will increase the memory address by 640 or 320 from Himem. All the published algorithms which I have seen concentrate on ingenious methods of multiplying by 320 or 640, in order to obtain the address.

This is totally unnecessary as a faster method is available within the firmware. Within the operating system Rom two tables are maintained — one for multiplying by 640 used for Modes 0 to 6 and one for multiplying by 40 for Mode 7. In order to find out the increase in memory address above Himem, all that is necessary is to use the X co-ordinate as an index into this table.

Once the virtual utility is installed in memory, either by assembling it from the code presented, or by loading a previously assembled version into memory, it can be used in one of two ways. Both methods require it to be Called with the first integer parameter indicating the virtual screen to be cleared. If this is the only parameter then the whole screen will be affected.

The second method will allow only a section of the screen to be cleared. The Call must now be accompanied by five integer parameters, the first is the virtual screen as before, the next four are the X left, X right, Y high and Y low co-



ordinates defining the area to be cleared.

The X co-ordinates are based on a 80-column screen for Modes 1 and 2. A 40-column resolution is available for Mode 5. No range checking is performed on these co-ordinates; any outside the range will cause unexpected and possibly dramatic effects. If an incorrect number of parameters are passed then a "virtual error" error message will be given.

To use the assembler code an assembly address will have to be given and the screen

(continued on page 119)

Main program.

```
100REM VIRTUAL SCREENS MODE 1
110REM FRI  JULY 9TH ??
120PROC_OPTIONS
130MODE mode
140FOR opt =  0 TO 3 STEP 2
150P%=assemble
160PROC_DATA
170PROC_PARAMATERS
180PROC_MAIN
190PROC_SCREEN
200NEXT opt
210PROC_TEST
220 MODE 7
230 PRINTTAB(0)"VIRTUAL SCREEN"
240 PRINT''''"CODE ASSEMBLED AND TESTED"
250 PRINT''"START ADDRESS ";~assemble
260 PRINT''"END   ADDRESS ";~P%
270 PRINT''"ENTRY ADDRESS ";~entry
280 END
300DEF PROC_OPTIONS
310CLS
320PRINTTAB(0)"VIRTUAL SCREENS"''''
330PRINT"MODE (1,2 or 5)";
340REPEAT
350res=GET
360UNTIL res=49 OR res=50 OR res=53
370mode = res-48
380IF mode = 1 OR  mode = 5 THEN fourcol=TRUE ELSE f
ourcol = FALSE
390IF mode=5 THEN threetwenty=TRUE ELSE threetwenty=
FALSE
400IF fourcol THEN cols = 4 ELSE cols = 16
410INPUT''"ASSEMBLY ADDRESS " &"address$
420assemble=EVAL("&"+address$)
430ENDPROC
1000DEF PROC_PARAMATERS
1010[ OPT opt: .entry
1020           LDA &355
1030           CMP #cowde
1040           BNE error \ branch if not correct mode
1050           LDA &600
1060           CMP #1
1070           BEQ no_paramaters
1080                   \ set up x and y default par
amaters
1090           CMP #5
1100           BEQ get_paramaters
1110                   \ obtain passed paramaters
1120.error     BRK
1130]
11407P%=&88
1150$(P%+1)="virtual error"
1160P%?14=0
1170P%=P%+17
1180           REM error message
1190 [ OPT opt : .no_paramaters
1200           LDA #0
1210           STA ylo
1220           STA xleft
1230           LDA #31
1240           STA yhi
1250           LDA #79
1260           STA xright \ set up default paramaters
1270           JMP main
1280.get_paramaters
1290           LDA &604
1300           STA taddress
1310           LDA &605
1320           STA taddress+1
1330           LDY #0
1340           LDA (taddress),Y
1350           CLC
1360           ROL A
1370           STA xleft   \ get and convert passed x
left
1380           LDA &607
1390           STA taddress
1400           LDA &608
1410           STA taddress+1
1420           LDA (taddress),Y
1430           CLC
1440           ROL A
1450           STA xright  \ get and convert xright
1460           LDA &60A
1470           STA taddress
1480           LDA &60B
1490           STA taddress+1
1500           LDA (taddress),Y
1510           STA yhi  \ get and stope yhi
1520           LDA &60D
1530           STA taddress
1540           LDA &60E
1550           STA taddress+1
1560           LDA (taddress),Y
1570           STA ylo  \ get and store ylo
1580           JMP main
1590]
1600ENDPROC
2000DEF PROC_MAIN
2010[ OPT opt
2020 .main
2030           LDA &601
2040           STA taddress
2050           LDA &602
2060           STA taddress+1
2070           LDA (taddress),Y
2080           STA virtual  \ get and store requested
colour
2100 ]
2110 IF fourcol THEN PROC_FOURCOL ELSE PROC_SIXTEENCO
L
 2120REM sets mask according to 4 or 16 colour mode an
d virtual wipe asked for
 2130 [ OPT opt
 2140 .endcond :INC xright
 2150           INC yhi  \ over set high values
 2160           LDA #HIMEM MOD 256
 2170           STA address
 2180           LDA #HIMEM DIV 256
 2190           STA address+1  \ set base address to HI
MEM
 2200           LDA ylo
 2210           CLC
 2220           ROL A
 2230           TAY                \ move 2*ylo to Y
 2240           LDA (table),Y  \ and use as index to *6
40 table
 2250           STA temp
 2260           INY
 2270           LDA (table),Y
 2280           STA temp+1
 2290 ]
 2300 IF threetwenty THEN PROC_HALFIT
 2310 [OPT opt
 2320           CLC
 2330           ADC address
 2340           STA address
 2350           LDA address+1
 2360           ADC temp
 2370           STA address+1  \ add 640 or 320 offset
to base address
 2380           LDA xleft
 2390           CLC
 2400           ROL A
 2410           ROL A
 2420           ROL A          \ A contains xleft *8
 2430           CLC
 2440           ADC address
 2450           STA address
 2460           LDA #0
 2470           ADC address+1
 2480           STA address+1 \ add to base address
 2490.next_row JSR one_row
 2500           CLC
 2510           LDA address
 2520           ADC bitlen
 2530           STA address
 2540           LDA address+1
 2550           ADC bitlen+1
 2560           STA address+1  \ add 320 or 640 to base
address
 2570           INC ylo
 2580           LDA ylo
 2590           CMP yhi
 2600           BCC next_row  \ do one more row if not
finished
 2610           RTS            \ main return when finish
ed
 2620]
 2630ENDPROC
 3000DEF PROC_SIXTEENCOL
 3010[ OPT opt
 3020           TAY
 3025           DEY
 3030           LDA #&80     \ A contains base mask
 3040           SEC
 3050.mask_it  ROL A
 3060           ROL A
 3070           DEY            \ move base mask across as
indicated by
 3080           BPL mask_it \ value of A on entry to pr
oduce mask
 3085           EOR #&FF
 3090           STA mask
 3100]
 3110ENDPROC
 3120DEF PROC_FOURCOL
 3130[ OPT opt
 3140           CMP #1
 3150           BNE mustbe2 \ if not 1
 3160           LDA #&0F
 3170           STA mask
 3180           JMP endcond
 3190.mustbe2  LDA #&F0   \ mask for virtual colour 2
 3200           STA mask
 3210 ]
 3220ENDPROC
 4000DEF PROC_SCREEN
 4010[ OPT opt
 4020.one_row
 4030           LDX xleft
 4040           STX txleft  \ take temporary copy of xl
eft
 4050           LDA address
 4060           STA taddress
 4070           LDA address+1
 4080           STA taddress+1  \ take temporary copy o
f base address
 4090.next_char JSR one_char
 4100           CLC
 4110           LDA taddress
 4120           ADC #8
 4130           STA taddress
 4140           LDA taddress+1
 4150           ADC #0
 4160           STA taddress+1 \ add 8 to temp copy of
base address
 4170           INC txleft
 4180           LDA txleft
 4190           CMP xright
 4200           BCC next_char \ do another 8 byte block
 if not finished
 4210           RTS
 4220.one_char
 4230           LDY #7
 4240.one_pix
 4250           LDA (taddress),Y
 4260           AND mask
 4270           STA (taddress),Y
 4280           DEY
 4290           BPL one_pix  \ do one block of 8
 4300           RTS
 4310]
 4320ENDPROC
 8000DEF PROC_HALFIT
 8010[OPT opt
 8020           CLC
 8030           ROR temp
 8040           ROR temp+1
 8050           LDA temp+1  \ changes xlo*640 to xlo*32
0
 8060]
 8070ENDPROC
 9000DEF PROC_DATA
 9010[ OPT opt
 9020.yhi NOP
 9030.ylo NOP
 9040.xleft NOP
 9050.xright NOP
 9060.virtual NOP
 9070.mask NOP
 9080.address NOP :NOP
 9090.temp NOP : NOP
 9100.txleft :NOP
 9110.mowde :NOP
 9120.bitlen :NOP : NOP
 9130]
 9140taddress = &70
 9150table = &72
 9160?table = &75
 9170table?1= &C3  : REM adddress of *640 table
 9180?mowde = mode
 9190IF threetwenty THEN ?bitlen=&40:bitlen?1=1 ELSE ?
bitlen=&80:bitlen?1=2
 9200REM bitlen is address difference between rows: 32
0 or 640
 9210ENDPROC
10000DEF PROC_TEST
10010 IF fourcol THEN kols=2 ELSE kols=4
10020 VDU24,0;112;1279;1039;28,0,31,19,28,
10030 IF NOT fourcol THEN VDU19,0,1;0;19,0,5;0;
10040 FOR thiscol = kols TO 1 STEP -1
10050 IF fourcol THEN GCOL 0,thiscol ELSE GCOL 0,2^thi
scol
10060 PLOT4,512-thiscol*100,512-thiscol*100
10070 PLOT4,512+thiscol*100,512-thiscol*100
10080 PLOT85,512+thiscol*100,512+thiscol*100
10090 PLOT4,512-thiscol*100,512+thiscol*100
10100 PLOT85,512-thiscol*100,512-thiscol*100
10110 NEXT thiscol
10120 FOR thiscol%=1 TO kols
10130 PRINT"PRESS ANY KEY TO"'"TEST VCOL ";thiscol%
10140 res = GET
10150 CALL entry,thiscol%
10160 NEXT
10170 R=GET
10180 ENDPROC
```

The Adventure to blow your mind

Because you write the adventure on your computer... in English!

Mastermind your own adventures. Your own heroes and villains. Magicians and monsters. Warriors and vampires. Castles and coffins.

The only restriction to your adventures is your imagination.

The range of possible game creations is almost inexhaustible.

AdventureWriter does not allow you to get bored.

Every game is automatically error-trapped – and can be saved on disk or tape. All you do is create the adventure... in plain English.

Once you're happy with an adventure, you can sell it to your friends or market it through the AdventureWriter library of ready-to-run games. If accepted, a royalty will be winging its way to you!

AdventureWriter will run on either **Commodore 64**, **Atari** or **Apple II** computers. Demand it from your dealer today! Tell him it's available through Terry Blood, P.C.S., Tiger or CentreSoft. Or order now – fill in the coupon below.

Adventure Writer™

A CodeWriter™ Program

LET THE EXCITEMENT BEGIN!

CodeWriter Ltd CodeWriter House PO Box 33 Basingstoke RG24 0UG

Please send me my AdventureWriter disk for:

Atari ☐ Commodore 64 ☐ Apple II ☐ Price £24.95 each.

Overseas orders add £1. I enclose a cheque/PO/IMO for £____ made payable to CodeWriter Ltd.

BLOCK CAPITALS PLEASE

Name_____

Address_____

Postcode_____

Post to: CodeWriter Ltd CodeWriter House PO Box 33 Basingstoke RG24 0UG Tel: 0256 27844

Please allow 28 days for delivery.

AWYC1

MODEM.

HIGH-SPEED COMPUTER TALK FROM PROTEK

Inter-computer communication is easy in anyone's language, thanks to the Protek Modem. Acoustic coupling provides a reliable link between the computer and the telephone line. There are no connection charges, the unit is totally portable. The flexible link between the mouth and ear-pieces ensures a reliable connection between most telephones.

£59.95

Interface Packs including software are available for the following computers:—

- ZX Spectrum 48K £24.95
- BBC Model 'B' Micro £14.95
- CBM 64 £14.95
- Oric Atmos 48K £24.95 (available September)
- Electron £24.95 (available September)

Features include:

- Two operating modes 1200/1200:1200/75
- Battery powered
- Totally portable
- LED Indicator
- Compatible with any standard RS 232 Interface

APPROVED for use with telecommunication systems run by British Telecommunications in accordance with the conditions in the instructions for use.

AVAILABLE FROM LEADING COMPUTER STORES

VISA

Protek

Protek Computing Ltd, 1A Young Square, Brucefield Industrial Park, Livingston, West Lothian. 0506 415353.

```
 TRATION OF CONFIGURING TWO
 OLOUR VIRTUAL SCREEN IN MODE 2
 AR CONSIDERATIONS WILL APPLY
HER CONFIGURATIONS

al(3)
 to hold actual colours
&D10
y address to machine code
SPLAY(2,3,4,0,6)
pare to write on screen one by displaying

 4 : PRINTTAB(5,5)"HELLO"
 8 : PRINTTAB(5,7)"HELLO"
 12 : PRINTTAB(5,9)"HELLO"
TAB(5,11)"THIS IS"''TAB(5)"SCREEN ONE"''TAB
NY KEY"
DISPLAY(1,0,1,7,2)
isplay screen one, and write screen two
R 1 : PRINTTAB(5,6)"HELLO"
R 2 :PRINTTAB(5,8)"HELLO"
JR 3 :PRINTTAB(5,10)"HELLO"
TAB(5,12)"THIS IS"''TAB(5)"SCREEN TWO"''TAB(
ANY KEY"
ET
JC_DISPLAY(2,3,4,0,6)
M switch screens
GET
ROC_DISPLAY(1,3,4,0,6)
=GET
ROC_DISPLAY(2,0,1,7,2)
<=GET
a%=3:CALL virtual,a%
a%=4:CALL virtual,a%
REM screen two displayed : clear screen one
COLOUR 4 :PRINTTAB(3,5)"SCREEN ONE "''TAB(1)"HAS
VIRTUALLY"''TAB(3)"CLEARED !!"
PROC_DISPLAY(1,6,0,4,3)
REM write and display screen one
a%=1 : CALL virtual,a%
a%=2 : CALL virtual,a%
COLOUR 2 :PRINT TAB(3,6)"SO HAS "''TAB(3)"SCREEN
"''TAB(3)"GOODBYE !!"
REM clear and write screen two
PROC_DISPLAY(2,0,1,7,2)
STOP
  DEF PROC_DISPLAY(screen%,col0,col1,col2,col3)
REM paramaters are screen to be written and four
actual colour numbers
actual(0)=col0:actual(1)=col1
actual(2)=col2:actual(3)=col3
REM store actual colour numbers
screen% = screen% MOD 2
REM set screen% to 0 or 1
IF screen% = 0 THEN mask%=3 ELSE mask%=12
REM set mask as necessarry
FOR logical%=0 TO 15
REM consider each logical colour
REM consider each logical colour in turn
masked_out = logical% AND mask%
REM mask out bits
IF screen%=1 THEN masked_out = masked_out DIV 4

REM reduce to lo bits if hi bits
REM value now in range 0-3 ( 2 bits)
VDU19,logical%,actual(masked_out);0;
NEXT logical%
    appropiate actual colours according t
```

(continued from page 116)

mode selected. After the code has assembled, a test routine will be initiat information given to allow the code to b As conditional assembly is involved the length of the code cannot be given assemble in its longest version into two pages of memory (/K). A differer of the code will have to be assemble screen mode.

The notes that follow should help stand what each section is doing.

The first procedure met is P which selects the mode to be cor the assembly address. Various flag according to the mode chosen.

Within the actual assembly loo used to set up a data block. Mo used within the program. The l "table" is a page zero addres point to the *640 table at addr location labelled "mowde" co the code is assembled for, and 320 or 640 depending on the

The parameters are proce assembled by Proc-Paramet the entry point to the code commences by testing the machine and branching to this is incorrect. The nu passed is then tested an used if this is inappropri page 214 for an explana meters are picked up. T either picked up from t page 6 or set to the defa This section exits to " of a basic error messa routine, is explained 446.

Main commences screen colour to be according to four o screen address is formula Himem Xleft*8. Each ro row", the base and a check mad processed. The routine.

Proc-Screen actually contro led "one-row" A copy of th taken. One c xleft and the return is ma have been d byte block mask previ

LINKWORD

FRENCH
GERMAN
SPANISH
ITALIAN

"A quick way of learning - quicker than the printed page".
Mike McCann, Your Computer.

"It took 12 hours to teach a regime that would normally take 40 hours".
Peter Marsh, Training Manager, Thomson Holidays.

"Vivid mental images are used as unforgettable memory joggers".
Jane Bird, Sunday Times.

"Before you know it, you are constructing your own sentences".
Mike McCann, Your Computer

"We found the course great fun and at the end a surprisingly large amount had sunk in".
Which Micro?

"Even a confirmed look - out of the windower like me found concentrating on the course very easy"
Sally Clark, Computer Choice

"Undoubtedly the linkword cassettes are the most interesting, most enjoyable . . . of those considered".
Jon Chambers, Next

"The vocabulary sticks in your mind effortlessly".
Sally Clark, Computer Choice

"An outstanding success"
Personal Computer World

FOR SCHOOLWORK FOR BUSINESS
FOR HOLIDAYS FOR ALL AGES

Linkword Language Courses are published on

Machine	Publisher	Machine	Publisher
B.B.C. (B)	Acornsoft	Amstrad	Protek
Sirius	A.C.T.	Spectrum	Silversoft
Apricot	A.C.T.	C.B.M. 64	Audiogenic
Apple	A.C.T.	Vic 20	Audiogenic
I.B.M. P.C.	A.C.T.	Oric	Tansoft
Q.L.	Protek	Electron	Acornsoft

All versions contain a programme an audio tape and glossary.

(Prices from £12.95)

Versions available from
Boots, Smiths and leading retailers.

For further information write to:
Linkword, 41 Walter Road, Swansea.

THE BEST HOME COMPUTER SUPPORT IN LEICESTERSHIRE

MICROWARE Leicester
"THE FRIENDLY TO USER STORE"

SINCLAIR ● COMMODORE
BBC ● SOFTWARE
HARDWARE ● REPAIRS

The Best Products at the Best Prices
And Service to Match

SUPER SOFTWARE CLUB

Join our FREE software club and receive very real savings on all new software purchases.

EXAMPLES: R.R.P. £6.95; only £5.95 (save £1.00)
R.R.P. £9.95; only £8.50 (save £1.45)
R.R.P. £14.95; only £12.75 (save £2.20) etc.

FREE membership, no joining fee!

MICROWARE

5, St Peters Lane, Leicester.
Telephone 29023

7, Leicester Road, Loughborough, Leics.

Member of The Computer Trades Association

★ NOW AVAILABLE FOR THE AMSTRAD CPC 464!!

WIN THE POOLS?

SPECTADRAW 3 – THE LATEST VERSION OF THE ORIGINAL AND BEST POOLS PREDICTION PROGRAM FOR THE 48K ZX SPECTRUM!!

AND NOW . . . AMSTRA-DRAW – THE FIRST POOLS PREDICTION PROGRAM FOR THE AMAZING NEW AMSTRAD CPC 464!!

- Supplied with Database containing data on over 10,000 matches since 1980!
- You update the Database each week – but no tedious typing, as team and division names already in program!
- Errors easily corrected – the program even checks your entries!
- Comprehensive instruction manual and menu driven program – easy to use, even for a newcomer to computing!
- Will forecast the least likely draws for those who prefer to bet on fixed odds!
- Built in perm generator – complete your coupon direct from the screen!
- Fully microdrive compatible! (Spectadraw only).
- Compatible with Currah Microspeech – the first pools program to read you its predictions! (Spectadraw only).

Spectadraw 3 for the 48K Spectrum.....£9.95 inclusive
Amstra-Draw for the Amstrad CPC 464 .....£9.95 inclusive
(Cheques/P.O.s payable to B. S. McALLEY)

We dispatch every Monday with the database made up to include all matches up to the date of dispatch.

SPECTADRAW (Dept YC), 1 Cowleaze, Chinnor, Oxford OX9 4TD.
(Tel: 0844-52426)

SCREEN EXPANDER

Chris Woods gives Dragons a 128-character screen, plus 28 extra commands.

A SERIOUS LIMITATION of the Dragon is that the screen is only 32 characters wide. Various attempts have been made to remedy this, the best of which gave a mere 51 characters. The following program gives more than double this, in fact an astonishing 128 characters.

This amazing width is accomplished by displaying a section — the size of the normal text screen — at a time.

For the sake of speed and simplicity to the user I have written the entire program in machine code which can be accessed with the use of new Basic commands. The program introduces 23 new instructions altogether, from a sound-enveloping command to one that manipulates the video chip.

To enter the program first type the hex-loader — listing 1 — and Run it. Enter the first line of hex values from the machine-code dump, pressing Enter after each one. The loader will then ask for the line total which is the decimal number after = sign. Type it in and press Enter. If you have typed in the values correctly, the screen will clear and you can carry on, if not, you will have to re-enter the line.

When you have entered all the lines the program will end. Then save the code with:

CSAVEM "BASIC+", 31522, 32768, 31522

I suggest that you save it twice just in case there is a recording error. Then switch the computer off then on and type in

CLEAR 200,23329

Rewind the tape and type

CLOADM "BASIC+"

Once it has loaded, type Exec. The following message should then appear:

(C) 1982 DRAGON DATA LTD
17K BASIC INTERPRETER
(C) 1984 BY MICROSOFT & C. WOODS

If it does not then there is a mistake in the machine code. The program is now initialised and the extra Basic commands available.

If you do not want the large screen, type

CLEAR 200,31521

instead which uses less memory.

Now to the commands. The maximum values for the parameters are in brackets — the minimum values are always zero.

Move X, Y (96, 48): This command specifies which part of the screen is to be displayed. In figure 1, the shaded area is the section which will be displayed. The X and Y coordinates refer to the top left-hand corner of the shaded area.



Figure 1.

Disp: After the coordinates have been specified, Disp displays the chosen area.

Copy: This is the opposite of Disp. It copies the text screen into the previously chosen area.

Clr N (255): This fills the whole — 128 by 64 — screen with characters of code N.

Up, Down, Left, Right: These four commands scroll the screen in the appropriate

(continued on next page)

Listing 2. The commands in action.

```
10 CLR 32
20 X=48:Y=24
30 R=RND(4)
40 X=X+(R=1 AND X>0)-(R=2 AND X<96)
50 Y=Y+(R=3 AND Y>0)-(R=4 AND Y<96)
60 MOVE X,Y:DISP
70 PRINT@272,"x";:COPY
80 GOTO 30
```

Listing 1. The hex loader.

```
10 CLEAR 200,31521
20 FOR A=31522 TO 32754 STEP 14
30 CLS
40 Z=160
50 CS=0:PRINT@0,"LINE VALUE =";A;
60 FOR B=A TO A+13
70 PRINT@64,"HEX VALUE        ";:PRINT@74,"";:INPUT H$:H=VAL("&H"+H$
):IF LEN(H$)<>2 THEN PLAY"L5AGA":GOTO 70
80 PRINT@(B-A)*2+Z,H$:POKE B,H:CS=CS+H:PRINT@32,"LINE TOTAL =";CS;
90 NEXT B
100 PRINT@96,"CHECKSUM";:INPUT LT:IF LT<>CS THEN PRINT@448,"INCORRE
CT LINE.PRESS ANY KEY TO TRY AGAIN.";:Z=Z+32 ELSE 120
110 IF INKEY$="" THEN 110 ELSE PRINT@448,"
                    ";:GOTO 50
120 NEXT A
```

Listing 3. Demonstration of the envelope command.

```
10 CLS
20 INPUT"L,F";L,F
30 PRINT"PRESS ANY KEY TO CHANGE L AND F"
40 ENV L,F,RND(63),RND(63),RND(63),RND(63),RND(63),RND(63),RND(63),
RND(63),RND(63),RND(63),RND(63),RND(63)
50 IF INKEY$="" THEN 40 ELSE 10
```

The hex dump.

```
  31522 ---- 8E 7B 49 BF 01 7A 86 7E B7 01 79 8E 7D FC  = 1736
  31536 ---- BF 01 68 8E 7E 26 BF 01 6B BD BA 77 8E 7F  = 1664
  31550 ---- A8 BD 90 E5 8E 00 00 BF 7F FE 39 81 80 25  = 1795
  31564 ---- 01 39 B7 7F FB BE 00 A6 10 8E 7F 1D B6 7F  = 1598
  31578 ---- FB A1 A4 26 20 CE 00 00 A6 21 4A E6 86 33  = 1540
  31592 ---- C5 81 00 26 F7 11 A3 22 26 0D E6 21 5A 3A  = 1287
  31606 ---- BF 00 A6 AD B8 04 86 A9 39 31 26 A6 A4 81  = 1624
  31620 ---- 2A 26 D1 B6 7F FB 39 BD 00 9F BD 8E 83 1F  = 1747
```

(hex dump continued on next page)

(continued from previous page)

directions. In fact they change the X or Y coordinates — as in Move — by +1 or −1 and then activate a Disp command.

Epson: This dumps the whole screen out to an Epson RX or FX printer. All graphics symbols are printed out as a G. Yes it will print 128 characters on an 80-character Epson.

Listing 2 shows some of these commands in action.

Env L,F, A1, A2 . . . A14 (255, 255, 63, 63 . . ., 63): This command allows you to define the waveform, frequency and length of a sound. L and F specify the Length and Frequency of the sound respectively. A1 to A12 specify the amplitude — volume — of the sound at each of the 12 stages in each cycle.

Example: Env 20,50, 1,2,5,8,13,18,25,32,39, 47,55,63, would product the following cycle:



and hence a waveform like this.



Listing 3 demonstrates this command.

Noise L (65535): This command produces white noise of length L.

Repon T1, T2 (255, 255): An auto-repeat facility can be very useful, Repon gives this. The command causes the keyboard to repeat T1/50 seconds after the key was pressed and then after every T2/50 seconds.

Repoff: This cancells Repon.

Beepon L: This command causes the Dragon to emit a note of length L each key-press.

Beepoff: This cancels Beepon.

Fast: This command puts the Dragon in fast mode — obviously this will cause problems on some Dragons.

Slow: This puts the Dragon into slow mode.

Pause N (65535): This causes the Dragon to wait for N 50ths of a second.

Slpron N (65535): This slows down the Dragon printing routine. The larger N is, the slower the printing.

Slproff: This cancels Slpron.

Vdgst N (65024): This extremely useful command instructs the VDG chip where the graphics memory should start. For example:

```
10 VDGST 0: GOTO 10
```

This program displays memory locations 0-511 on the text screen in real time — it is quite interesting. Due to limitations of the hardware N must be a multiple of 512 (0, 512, 1024 . . .).

When using this command with graphics it should be after Screen command.

Trans F,T,L, (65535, 65535, 65535): This command moves a block of memory from F to T of length L.

Doke A,B (65535, 65535): This is a double Poke i.e., it is the same as:

```
POKE A,INT (B/256): POKE A + 1,B − 256 ×
      INT (B/256)
```

Note that you may use any variables, expressions or numbers with these commands.

(hex dump continued from previous page)

```
31634 ---- 10 F7 7F FE BD 89 AA BD 8E 83 1F 10 F7 7F  = 2023
31648 ---- FF BD 7C 1A BD 7F 14 39 BD 7C 1A 10 8E 04  = 1488
31662 ---- 00 86 10 EE 81 EF A1 4A 26 F9 30 88 60 10  = 1574
31676 ---- 8C 06 00 26 EE 39 BD 00 9F BD 8E 83 1F 10  = 1336
31690 ---- 81 00 10 26 0F BD 1F 98 8E 5B 22 ED 81 8C  = 1343
31704 ---- 7B 22 26 F9 BD 7F 14 39 BD 7C 1A 10 8E 04  = 1338
31718 ---- 00 86 10 B7 7F FD C6 20 A6 A0 A7 80 5A 26  = 1692
31732 ---- F9 30 88 60 7A 7F FD 26 EF 39 7C 7F FF BD  = 2060
31746 ---- 7B A8 39 7A 7F FF BD 7B A8 39 7C 7F FE BD  = 2083
31760 ---- 7B A8 39 7A 7F FE BD 7B A8 39 B6 7F FF 81  = 2081
31774 ---- 30 10 22 0F 6A C6 80 3D 1F 01 F6 7F FE C1  = 1458
31788 ---- 60 10 22 0F 5C 3A 30 89 5B 22 BF 7F FC 39  = 1248
31802 ---- 86 00 BD BD 1A 86 1B BD BD 1A 86 40 BD BD  = 1679
31816 ---- 1A 86 0F BD BD 1A 8E 5B 22 C6 80 A6 80 34  = 1518
31830 ---- 14 BD 7C 6D BD 85 1B 35 14 5A 26 F1 86 0D  = 1380
31844 ---- BD BD 1A 8C 7B 22 26 E5 39 81 80 24 12 81  = 1465
31858 ---- 60 24 09 81 40 24 02 8B 60 7E BD 1A 80 40  = 1140
31872 ---- 7E BD 1A 86 47 7E BD 1A BD 00 9F BD 8E 83  = 1697
31886 ---- BF 7C BA BD 89 AA BD 8E 83 BF 7C B8 BD 89  = 2284
31900 ---- AA BD 8E 83 8C 00 00 27 0F FE 7C BA 10 BE  = 1596
31914 ---- 7C B8 A6 C0 A7 A0 30 1F 26 F8 BD 7F 14 39  = 1751
31928 ---- FF FF F7 FF BD 00 9F BD 8E 83 8C 00 00 10  = 1978
31942 ---- 27 00 05 13 30 1F 26 FB BD 7F 14 39 BD 00  = 1013
31956 ---- 9F BD 8E 83 8C 00 00 10 27 00 19 86 3F B7  = 1221
31970 ---- FF 23 34 10 BD 97 72 B6 01 18 4A 26 FD 73  = 1499
31984 ---- FF 20 35 10 30 1F 26 EC BD 7F 14 86 B4 B7  = 1542
31998 ---- FF 23 39 BD 00 9F 10 8E 7D C4 34 20 BD 8E  = 1589
32012 ---- 83 35 20 1F 10 81 00 10 26 0E 76 E7 A0 34  = 1021
32026 ---- 20 BD 89 AA 35 20 10 8C 7D D1 26 E2 34 20  = 1451
32040 ---- BD 8E 83 35 20 1F 10 81 00 10 26 0E 58 E7  = 1110
32054 ---- A4 B6 7D C4 10 27 00 78 B6 7D C5 10 27 0E  = 1415
32068 ---- 48 8E 7D C6 86 C0 A5 80 10 26 0E 3D 8C 7D  = 1550
32082 ---- D2 26 F5 70 7D C5 B6 7D C4 C6 80 3D 1F 01  = 1849
32096 ---- B6 7D C5 C6 02 3D C3 00 0B 44 56 44 56 FD  = 1532
32110 ---- 7D D3 10 8E 00 00 1F 10 B3 7D D3 2B 04 31  = 1152
32124 ---- 21 20 F7 10 8C 00 00 26 02 31 21 10 BF 7D  = 922
32138 ---- C3 86 3F B7 FF 23 5F BD BA F1 10 BE 7D C3  = 2102
32152 ---- 33 8D 00 2A A6 C0 2B 12 48 48 8A 02 B7 FF  = 1375
32166 ---- 20 4F F6 7D C5 1F 01 BD 7D BD 20 EA 31 3F  = 1592
32180 ---- 26 E2 BD 7F 14 BD 7C FB 39 30 1F 12 26 FB  = 1607
32194 ---- 39 00 0A 28 00 00 00 00 00 00 00 00 00 00  = 107
32208 ---- 00 00 FF 00 11 B7 FF D7 39 B7 FF D6 39 BD  = 1880
32222 ---- 00 9F BD 8E 83 8C 00 00 10 27 0D A3 BF 7D  = 1308
32236 ---- FF BD 7F 14 86 7E B7 01 67 39 86 39 B7 01  = 1570
32250 ---- 67 39 34 10 8E 03 E8 BD 7D BD 35 10 39 BD  = 1423
32264 ---- 00 9F BD 8E 83 8C 00 00 10 27 0D 79 BF 7E  = 1267
32278 ---- 33 BD 7F 14 86 7E B7 01 6A 39 86 39 B7 01  = 1369
32292 ---- 6A 39 34 12 86 3F B7 FF 23 86 FE B7 FF 20  = 1761
32306 ---- 8E 03 E8 73 FF 20 86 FF 4A 26 FD 30 1F 26  = 1650
32320 ---- F4 BD 7C FB 35 12 39 7D 7E ED 26 25 B6 FF  = 1936
32334 ---- 00 8A C0 81 FF 26 09 7F 7E EB 7F 7E EC 7E  = 1864
32348 ---- 9D 3D 7C 7E EB B6 7E EB 81 32 10 25 1E D3  = 1719
32362 ---- 86 FF B7 7E ED 20 29 7C 7E EC B6 7E EC 81  = 2167
32376 ---- 32 10 25 1E C0 7F 7E EC BE 01 12 30 01 BF  = 1263
32390 ---- 01 12 7F FF 02 B6 FF 00 8A C0 81 FF 26 06  = 1598
32404 ---- 7F 7E ED 7E 9D 3D CC FF FF FD 01 51 FD 01  = 2137
32418 ---- 53 FD 01 55 FD 01 57 B7 01 59 7E 9D 3D BD  = 1569
32432 ---- 00 9F BD 8E 83 1F 10 81 00 10 26 0C D0 F7  = 1318
32446 ---- 7E 65 BD 89 AA BD 8E 83 1F 10 81 00 10 26  = 1415
32460 ---- 0C BF F7 7E 78 BD 7F 14 8E 7E 47 BF 01 0D  = 1576
32474 ---- 7F 7E ED 7F 7E EB 7F 7E EC 39 8E 9D 3D BF  = 2075
32488 ---- 01 0D 39 FF FF FF BD 00 9F BD 8E 83 34 10  = 1714
32502 ---- BD 89 AA BD 8E 83 35 20 AF A4 BD 7F 14 39  = 1775
32516 ---- BD 00 9F BD 8E 83 1F 10 44 BD A9 9D BD 7F  = 1756
32530 ---- 14 39 BE 00 A6 30 1F BF 00 A6 39 44 04 01  = 999
32544 ---- 30 7B A8 43 04 01 3B 7B E0 43 03 00 E1 7B  = 1235
32558 ---- C2 55 02 00 A5 7B FE 44 04 01 38 7C 05 4C  = 1157
32572 ---- 04 01 2B 7C 0C 52 05 01 7E 7C 13 45 05 01  = 616
32586 ---- 85 7C 3A 46 04 01 2E 7D D5 53 04 01 45 7D  = 1056
32600 ---- D9 4D 04 01 37 7B 8B 44 04 01 23 7E EE 4E  = 1166
32614 ---- 05 01 7E 7C D2 45 03 00 E9 7D 01 54 05 01  = 987
32628 ---- 88 7C 88 50 05 01 7E 7C BC 56 05 01 88 7F  = 1275
32642 ---- 04 53 06 01 DE 7D DD 53 07 02 1C 7D F6 42  = 1219
32656 ---- 06 01 B9 7E 07 42 07 01 F7 7E 20 52 05 01  = 892
32670 ---- 84 7E AF 52 06 01 C2 7E E4 2A 20 28 43 29  = 1292
32684 ---- 20 31 39 38 32 20 44 52 41 47 4F 4E 20 44  = 819
32698 ---- 41 54 41 20 4C 54 44 0D 31 37 4B 20 42 41  = 829
32712 ---- 53 49 43 20 49 4E 54 45 52 50 52 45 54 45  = 1025
32726 ---- 52 0D 28 43 29 20 31 39 38 34 20 42 59 20  = 708
32740 ---- 4D 49 43 52 4F 53 4F 46 54 20 26 20 43 2E  = 909
32754 ---- 57 4F 4F 44 53 0D 0D 00 00 48 00 00 00 00  = 489
```

You'd expect one of the best-selling home computers in Japan to have a specification list as big as its memory.

But the Toshiba HX10 doesn't just limit itself to that.

It was developed along with other Japanese home computers to operate on one language: MSX. You can swap programs, games, cassettes, even peripherals like disk drives, printers, and joysticks: they're all compatible with every other MSX computer.

All of which makes MSX the system of the future.

So if you want a computer that won't be obsolete in a few years, buy an MSX. If you want one of the best-selling MSX computers in Japan, buy a Toshiba HX10.

TOSHIBA MSX

FOR MORE INFORMATION ON THE TOSHIBA HX10 CONTACT TOSHIBA (UK) LTD., TOSHIBA HOUSE, FRIMLEY ROAD, FRIMLEY, SURREY GU16 5JJ. TEL: (0276) 681691.

Inter

NOT JUST A PRETTY FACE!

This superb new interface is one of our very latest developments for your Spectrum.
Offering even more features, and as it's programmable from the keyboard or with the cassette supplied you can now use it with any software.

Features include:-

- 17 directional movement
- Keyboard fully functional
- Rear connector for other add-ons
- Microdrive compatible

ONLY £22.95

Inter

NOT JUST A PRETTY FACE!

The Spectrum dual port joystick interface is a highly versatile and price competitive joystick interface offering two joysiick ports.
The first port simulates 6,7,8,9, & 0 keys. The second port simulates in (31) command.
The ports will accept any Atari style joystick.
It will run any software. That is:-

- Using keys 6,7,8,9 & 0.
- Having redefinable key functions.
- Using in (31) (i.e. Kempston).

ONLY £13.00

Inter

NOT JUST A PRETTY FACE!

The new dktronics Parallel Centronics Interface will link your Spectrum to any printer with a standard centronics input. As the choice is vast, you can select the printer exactly suited to your needs.

Features of the Interface include:

- Runs all parallel centronics type printers
- Controlling software fully relocatable
- Interfaces with any software using the printer channel e.g. Tasword Dev pack etc.
- LLIST LPRINT recognised. High res screen dumps
- All control codes allowed through to printer
- Fully microdrive compatible
- Supplied with full instructions and controlling software

All dktronics products are covered by a comprehensive guarantee.

ONLY £39.95

Inter

NOT JUST A PRETTY FACE!

Our new generation light pen and interface is designed specifically for your Spectrum and works down to pixel level for complete accuracy.

Now you can produce high resolution illustrations with the 16 pre-defined instructions, *selected from the screen controlled* menu. Change colour, border, paper, ink. Draw circles, arcs, boxes or lines. You can fill in objects with colour, insert text or draw freehand, save and load completed or partially completed screens onto and from a tape and with a 48K Spectrum retain screens in memory and animate.

You can also use the machine codes in your own programmes for selecting from a menu, playing games etc. (all entry points supplied).

The interface fits neatly into position and comes complete with software cassette.

ONLY £19.95

ALL OUR PERIPHERALS ARE COMPATIBLE WITH THE NEW SPECTRUM

Please rush me the following:

Programmable Interface(s) ..... £_____
Dual Port Interface(s) ..... £_____
Parallel Centronics Interface(s) ..... £_____
Light Pen and Interface(s) ..... £_____

Please add post and packing ..... £ 1.25
I enclose cheque/PO/Cash for ..... Total £_____
or debit my Access/Barclaycard No. ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Signature _____ Name _____

Address _____

Or send S.A.E. for the New D.K.Tronics Spectrum Catalogue YC/11/84

dk'tronics

DK Tronics Ltd., Unit 6, Shire Hill Industrial Estate, Saffron Walden, Essex CB11 3AQ. Telephone: (0799) 26350 (24 hrs) 5 lines

The Spectrum Connection

THE FINAL TOUCH

We've just added the final touch to our professional keyboard.
This new Microdrive compatible keyboard offers more key functions than any other in its price range. And the stepped keys and space bar make it even easier to use.
Our keyboard, constructed from high density black ABS, will take your Spectrum into the professional league.
It has 52 "stepped" keys plus space bar. A separate numeric key pad consisting of 12 red keys including a single entry 'delete' plus single entry 'decimal point', facilitate fast numeric data entry.
The 15" x 9" x 3" case will accommodate your Spectrum and other addons like interface 1, power supply etc. and forms an attractive self-contained unit.
All connections, power, Mic, Ear, T.V., network RS232 and expansion port are accessible at the rear.
A few minutes, a screwdriver and the simple instructions supplied are all you need to fit your Spectrum.
All DKtronics products are covered by a comprehensive guarantee.

FOLLOW OUR LEAD FOR THE RIGHT CONNECTIONS

MICRO DRIVE EXTENSION LEAD

This is an 8" version of the micro 16 way drive lead. Sinclair's lead is only 4" long and for many applications this may not be long enough. It enables you to space the micro drive much further away from Interface I.

56 WAY RIBBON CONNECTOR

This is an extension cable that enables Spectrum peripherals to be distanced from the computer.
It is supplied 9" in length and will allow male or female connections to be made to the computer.
The connector has special lugs to enable easy fitting/removal from the computer's expansion port.

WINNING IS WITHIN YOUR GRASP

Quickshot Joystick I

- Super positive response
- 2 fire buttons
- Stabilising suction caps
- 4ft lead

Quickshot Joystick II

Incorporating all the features of 'Quickshot I' plus

- Improved control grip
- Trigger fire button
- Rapid fire option

SOUND IDEAS FOR YOUR SPECTRUM

Three Channel Sound Synthesiser interface incorporates a BEEP audio amplifier and a 3 channel sound sythesiser.
The BEEP amplifier improves the sound quality and output of the BEEP enormously. The 3 channel sound synthesiser adds a totally new dimension to sound on your Spectrum. It allows you to program your own music with harmonies, explosions, zaps, chimes, whistles and an infinite range of other sounds over a full 8 octaves. Based around the popular AY-3-8912 sound chip it gives you complete control (from basic or M/C) over 3 channels of tone and/or white noise, plus envelope and volume control. It comes with it's own pod mounted (4") speaker with 1 metre of cable so that it can be positioned anywhere.
Once this is fitted to the expansion port your programmes will never sound the same again!

Please rush me the following:

Microdrive Compatible Keyboard(s)	£_____
Microdrive Extension Lead(s)	£_____
56 Way Ribbon Connector(s)	£_____
Quickshot Joystick(s) I	£_____
Quickshot Joystick(s) II	£_____
Three Channel Sound Synthesiser	£_____
Please add post and packing	£ 1.25
I enclose cheque/PO/Cash for	Total £_____

or debit my Access/Barclaycard No. [ ][ ][ ][ ][ ][ ][ ][ ][ ][ ][ ][ ][ ][ ][ ]

Signature _____ Name _____

Address _____

Or send S.A.E. for the New D.K.Tronics Spectrum Catalogue YC/11/84

ALL OUR PERIPHERALS ARE COMPATIBLE WITH THE NEW SPECTRUM

dk'tronics

DK Tronics Ltd., Unit 6, Shire Hill Industrial Estate, Saffron Walden, Essex CB11 3AQ. Telephone: (0799) 26350 (24 hrs) 5 lines

The Spectrum Connection

BILL DA

Patrick Edmond presents a gentle seasonal game for your CBM-64.

BILL DA SNOWMAN is a machine-code game for Christmas. It includes smooth scrolling — of the falling snow — and some Christmas music, though you will probably be fed up of hearing "Good King Wenceslas" and "While Shepherds Watched" after playing this game several times.

The aim of the game is to build a snowman before the timer counts from 1200 to zero. This is achieved by moving two small carts left and right to catch the falling snow and increase the snow counter. The best tactic is to catch the large snowflakes as these count for more points.

Santa Claus often visits, gliding across the sky in his sleigh pulled by his Reindeer. He might drop a few parcels which add 10 points each to your score but they do not help build the snowman, so if you are short of time concentrate on the snowflakes.

The right trolley is controlled by the following keys: M right; N left, and the left trolley these: Shift Key right; Commodore key left.

To cancel a game hold down the Ctrl key and press *. When a game has finished press Return to begin again. Note that joysticks cannot be used with this game. The snowman can be completed by increasing the snow counter to at least 21000, then the time remaining is multiplied by 10 and added to your score, then you begin building another snowman with a reduced time limit.

You can type Bill da Snowman exactly as shown and Save it, but there will be a long delay whenever you Run the program since the subroutine at line 200 takes a long time to Poke the data into memory. If you own an assembler this can be avoided as follows:

Type in lines 5 to 105 and add the following lines:

```
2 A=A+1:IFA=1 THEN LOAD"",1,1
110 SYS 17024
```

then Save this Basic "preload" program.

Next, with your assembler, enter the hex data of lines 1000 onwards into memory beginning at address $4000 (hex) and save memory from $4000 to $4A10 on cassette after the above "pre-load" program. You can then play the game by rewinding the tape and typing Shift and Run/Stop.

```
5 POKE53280,0:POKE53281,0
10 PRINT"■■  BILL DA SNOWMAN     BY P.EDMOND"
15 PRINT"
20 PRINT"■  MOVE THE TWO SMALL CARTS WITH THE"
25 PRINT"■ FOLLOWING KEYS :-"
30 PRINT"■ LEFT TROLLEY              RIGHT TROLLEY"
35 PRINT"■ C=                  LEFT        N"
40 PRINT"■ SHIFT               RIGHT       M"
45 PRINT"■ COLLECT THE SNOWFLAKES. ESPECIALLY THE"
50 PRINT"■ LARGER ONES, TO BUILD YOUR SNOWMAN"
55 PRINT"■ BEFORE THE TIME RUNS OUT ."
60 PRINT"■ IF YOU COMPLETE THE SNOWMAN YOU BEGIN"
65 PRINT"■ AGAIN ,BUT WITH A SMALLER TIME LIMIT !"
70 PRINT"■              PRESS A KEY TO CONTINUE":POKE198,0
75 GETA$:IFA$=""THEN75
80 PRINT"□ PARCELS COUNT AS BONUS POINTS."
85 PRINT"■ PRESS 'CTRL' AND '*' TO CANCEL A GAME."
90 PRINT"■ WHEN A GAME HAS FINISHED PRESS 'RETURN"
95 PRINT"■ TO RE-START."
100 PRINT"■■■■ PRESS ANY KEY TO BEGIN":POKE198,0
105 GETA$:IFA$=""THEN105
200 PRINT" ■PLEASE WAIT, ENTERING DATA":I=16384

201 READA$:IFA$="*"THENSYS17024
202 L=ASC(LEFT$(A$,1))-48
203 IFL>9THENL=L-7
204 R=ASC(RIGHT$(A$,1))-48
205 IFR>9THENR=R-7
206 POKEI,L*16+R:I=I+1:GOTO201
1000 DATAEA,EA,EA,EA,EA,EA,EA,EA
1002 DATAEA,EA,A9,3F,8D,11,D0,A9
1004 DATA01,8D,21,D0,AD,12,D0,18
1006 DATAC9,AF,90,F8,A9,1F,8D,11
1008 DATAD0,A5,FF,18,65,F2,AA,18
1010 DATAC9,10,D0,02,A2,00,86,FF
1012 DATAE0,00,F0,03,4C,C7,40,A9
1014 DATA08,8D,4E,40,A9,06,8D,4F
1016 DATA40,8D,52,40,A9,30,8D,51
1018 DATA40,A0,00,A2,27,BD,00,04
1020 DATA9D,28,04,CA,10,F7,C8,C0
1022 DATA0E,F0,1F,AD,4E,40,38,E9
1024 DATA28,8D,4E,40,B0,03,CE,4F
1026 DATA40,AD,51,40,38,E9,28,8D
1028 DATA51,40,B0,03,CE,52,40,4C
1030 DATA4B,40,A2,27,AD,1B,D4,29
1032 DATA0F,9D,00,04,CA,10,F5,C6
1034 DATAFD,10,17,A9,03,85,FD,AD
1036 DATA1B,D4,29,1F,18,C9,10,90
1038 DATA03,18,69,06,AA,A9,10,9D
1040 DATA01,04,A2,03,DE,81,07,BD
1042 DATA81,07,C9,12,D0,16,A9,1C
1044 DATA9D,81,07,CA,10,EE,A2,03
1046 DATAA9,13,9D,81,07,CA,10,FA
1048 DATAA9,FF,85,F9,4C,D1,40,A2
1050 DATA06,A0,FF,88,D0,FD,CA,D0
1052 DATAFA,A5,FF,4A,09,10,8D,11
1054 DATAD0,A9,00,8D,21,D0,A6,FF
1056 DATABD,88,20,8D,0E,20,A9,0F
1058 DATA38,E5,FF,AA,BD,88,20,8D
1060 DATA13,20,A9,00,8D,8E,02,20
1062 DATA00,42,AD,8D,02,29,02,F0
1064 DATA0D,AD,02,D0,C9,16,F0,06
1066 DATA38,E9,02,8D,02,D0,AD,8D
1068 DATA02,29,01,F0,0D,AD,02,D0
1070 DATAC9,90,F0,06,18,69,02,8D
1072 DATA02,D0,A5,C5,C9,27,D0,12
1074 DATAAD,00,D0,C9,CE,F0,0B,38
1076 DATAE9,02,8D,00,D0,B0,03,CE
1078 DATA10,D0,A5,C5,C9,24,D0,12
1080 DATAAD,00,D0,C9,40,F0,0B,18
1082 DATA69,02,8D,00,D0,90,03,EE
1084 DATA10,D0,AD,00,D0,29,06,4A
1086 DATA18,69,22,8D,F8,07,AD,02
1088 DATAD0,29,06,4A,18,69,22,8D
1090 DATAF9,07,A5,FF,C9,00,F0,03
1092 DATA4C,B5,41,AD,02,D0,4A,4A
1094 DATA4A,AA,BD,2E,06,20,E8,41
1096 DATABD,2F,06,20,E8,41,A9,00
1098 DATA9D,2E,06,9D,2F,06,AD,00
1100 DATAD0,4A,4A,4A,AA,AD,10,D0
1102 DATA29,01,F0,05,8A,18,69,20
1104 DATAAA,BD,2E,06,20,E8,41,BD
1106 DATA2F,06,20,E8,41,A9,00,9D
1108 DATA2E,06,9D,2F,06,A2,A7,A9
1110 DATA40,8D,15,03,A9,0A,8D,14
1112 DATA03,A5,FF,4A,C9,07,D0,07
1114 DATAA2,A6,A9,00,8D,14,03,8E
1116 DATA12,D0,AD,11,D0,29,7F,8D
1118 DATA11,D0,AD,19,D0,09,81,8D
1120 DATA19,D0,68,A8,68,AA,68,40
1122 DATAF0,07,A8,29,10,F0,03,E6
1124 DATAFB,60,98,29,20,F0,03,E6
1126 DATAFE,60,E6,FC,60,EA,EA,EA
1128 DATAA5,F7,F0,75,CE,06,D0,AD
1130 DATA06,D0,C9,FF,D0,08,AD,10
1132 DATAD0,49,08,8D,10,D0,CE,08
1134 DATAD0,AD,08,D0,C9,FF,D0,08
1136 DATAAD,10,D0,49,10,8D,10,D0
1138 DATAAD,1B,D4,D0,3A,A9,04,85
1140 DATAF4,AD,10,D0,29,08,F0,08
1142 DATAAD,06,D0,18,C9,38,B0,27
1144 DATAAD,06,D0,4A,4A,4A,18,69
1146 DATAA0,85,F3,90,02,E6,F4,AD
1148 DATA10,D0,29,08,F0,0B,A5,F3
1150 DATA18,69,20,85,F3,90,02,E6
1152 DATAF4,A0,00,A9,20,91,F3,AD
1154 DATA10,D0,29,08,F0,0B,AD,06
1156 DATAD0,29,80,F0,04,A9,FF,85
1158 DATAF7,4C,60,49,EA,EA,EA,EA
1160 DATA78,A9,40,8D,15,03,A9,00
1162 DATA8D,14,03,A9,81,8D,1A,D0
1164 DATAA9,00,8D,0E,DC,8D,0E,DD
1166 DATAA9,18,8D,18,D0,A9,D8,8D
1168 DATA16,D0,A9,00,8D,21,D0,8D
1170 DATA20,D0,A9,00,85,A8,A9,28
1172 DATA85,A9,A0,00,A9,00,91,A8
1174 DATA88,D0,FB,E6,A9,A5,A9,C9
1176 DATA40,D0,F1,A2,00,8A,9D,00
1178 DATA04,9D,00,05,9D,00,06,9D
1180 DATA00,07,CA,D0,F1,AD,11,D0
1182 DATA29,7F,8D,11,D0,A9,A7,8D
1184 DATA12,D0,AD,19,D0,09,81,8D
1186 DATA19,D0,A9,01,85,F2,A9,01
1188 DATAA2,00,9D,00,D8,9D,00,D9
1190 DATA9D,00,DA,CA,D0,F4,A9,8F
1192 DATA8D,18,D4,A9,F5,8D,13,D4
1194 DATA8D,14,D4,8D,0E,D4,8D,0F
1196 DATAD4,A9,81,8D,12,D4,A9,1F
1198 DATA8D,15,D0,A9,00,A2,3F,9D
1200 DATA00,08,CA,10,FA,A9,20,8D
1202 DATAFA,07,A9,26,8D,FC,07,A9
1204 DATA27,8D,FB,07,A9,00,85,F7
1206 DATAEA,EA,EA,A9,92,8D,01,D0
1208 DATA8D,03,D0,8D,05,D0,A9,19
1210 DATA8D,10,D0,A9,02,8D,00,D0
1212 DATAA9,22,8D,02,D0,A9,B0,8D
1214 DATA04,D0,A9,0F,8D,1C,D0,A9
1216 DATA80,8D,91,02,A9,0A,8D,26
1218 DATAD0,A9,01,8D,25,D0,A9,0B
1220 DATA8D,29,D0,A9,05,8D,27,D0
1222 DATA8D,28,D0,A9,07,8D,2B,D0
1224 DATA8D,2A,D0,A9,45,8D,07,D0
1226 DATA8D,09,D0,A9,58,8D,08,D0
1228 DATAA9,70,8D,06,D0,A2,27,BD
1230 DATA00,47,9D,70,07,A9,06,9D
1232 DATA70,DB,CA,10,F2,A2,00,BD
1234 DATA00,44,9D,40,08,BD,00,45
1236 DATA9D,40,09,BD,C0,45,9D,00
1238 DATA20,BD,C0,46,9D,00,21,CA
1240 DATAD0,E5,A2,07,A9,00,95,F8
1242 DATACA,10,FB,A9,18,8D,1B,D0
1244 DATAEA,EA,EA,EA,EA,58,4C,28
1246 DATA47,EA,EA,EA,EA,AD,8D,02
1248 DATA29,04,F0,09,A5,C5,C9,31
1250 DATAD0,03,4C,E5,47,4C,B8,49
1252 DATAA9,13,A2,04,9D,19,47,CA
1254 DATA10,FA,4C,80,42,00,00,EA
1256 DATA0F,FF,C0,3F,FF,F0,05,55
1258 DATA40,05,55,40,06,56,40,06
1260 DATA56,40,05,65,40,05,65,40
1262 DATA05,55,40,06,56,40,05,A9
1264 DATA40,15,55,50,55,55,54,55
1266 DATA55,54,55,65,54,55,55,54
1268 DATA65,55,64,65,65,64,65,55
1270 DATA64,65,55,64,55,55,54,00
1272 DATA00,00,00,00,00,00,00,00
1274 DATA00,00,00,00,00,00,00,00
```

A SNOWMAN




```
1276 DATA00,00,00,00,00,00,00,00
1278 DATA00,00,00,00,00,00,00,00
1280 DATA00,00,00,00,A0,00,0A,AA
1282 DATAAA,AA,AA,AA,AA,BE,AA,BE
1284 DATAFF,AA,FF,FF,AA,FF,FF,AA
1286 DATAFF,F7,00,F7,37,00,37,00
1288 DATA00,00,00,00,00,00,00,00
1290 DATA00,00,00,00,00,00,00,00
1292 DATA00,00,00,00,00,00,00,00
1294 DATA00,00,00,00,00,00,00,00
1296 DATA00,00,00,00,A0,00,0A,AA
1298 DATAAA,AA,AA,AA,AA,BE,AA,BE
1300 DATAFF,AA,FF,FF,AA,FF,FF,AA
1302 DATAFF,DF,00,DF,1F,00,1F,00
1304 DATA00,00,00,00,00,00,00,00
1306 DATA00,00,00,00,00,00,00,00
1308 DATA00,00,00,00,00,00,00,00
1310 DATA00,00,00,00,00,00,00,00
1312 DATA00,00,00,00,A0,00,0A,AA
1314 DATAAA,AA,AA,AA,AA,BE,AA,BE
1316 DATAFF,AA,FF,DF,AA,DF,DF,AA
1318 DATADF,FF,00,FF,3F,00,3F,00
1320 DATA00,00,00,00,00,00,00,00
1322 DATA00,00,00,00,00,00,00,00
1324 DATA00,00,00,00,00,00,00,00
1326 DATA00,00,00,00,00,00,00,00
1328 DATA00,00,00,00,A0,00,0A,AA
1330 DATAAA,AA,AA,AA,AA,BE,AA,BE
1332 DATAFF,AA,FF,F7,AA,F7,F7,AA
1334 DATAF7,FF,00,FF,3F,00,3F,00
1336 DATA00,00,00,00,00,00,22,00
1338 DATA00,14,00,00,26,00,00,19
1340 DATA00,00,38,00,00,6C,00,00
1342 DATAFE,0F,80,FF,FF,C0,1F,FF
1344 DATAE0,0F,FF,E0,07,FF,E0,07
1346 DATAFF,71,07,FC,73,05,81,33
1348 DATA05,81,B3,05,01,63,0B,02
1350 DATA43,1A,04,C1,06,01,80,00
1352 DATA00,00,00,00,00,00,00,00
1354 DATA00,00,0F,D0,00,3F,D0,00
1356 DATAFF,00,00,54,00,00,A6,60
1358 DATA00,96,6E,00,55,5E,00,7E
1360 DATA6E,04,FE,6E,87,FE,BA,A7
1362 DATAFE,BA,41,57,FE,03,FE,BA
1364 DATA07,77,76,0F,BB,BA,A7,77
1366 DATA78,AA,AA,A8,0A,AA,A0,00
1368 DATA00,00,00,00,00,00,00,00
1370 DATA00,00,00,00,00,00,06,00
1372 DATA00,00,00,18,00,00,00,00
1374 DATA00,00,00,00,C0,00,00,00
1376 DATA00,00,60,00,00,00,00,00
1378 DATA00,00,00,00,00,00,30,00
1380 DATA60,00,00,00,00,00,00,00
1382 DATA00,30,00,00,00,00,00,00
1384 DATA00,00,00,00,00,60,00,00
1386 DATA00,C0,00,00,00,00,00,00
1388 DATA00,00,00,03,00,00,10,00
1390 DATA00,00,00,00,00,00,00,03
1392 DATA18,00,00,00,00,00,00,00
1394 DATA00,00,0C,00,00,00,00,00
1396 DATA00,00,00,60,00,00,00,00
1398 DATA00,00,00,00,18,00,00,00
1400 DATA00,00,07,07,00,00,00,00
1402 DATA03,03,03,06,06,1C,18,18
1404 DATA30,70,30,18,18,0C,06,06
1406 DATA00,7C,FE,C6,C6,C6,FE,7C
1408 DATA00,18,38,18,18,18,18,3C
1410 DATA00,7C,FE,06,0E,30,FE,7C
1412 DATA00,7C,FE,06,1E,06,FE,7C
1414 DATA00,60,60,6C,7E,0C,0C,0C
1416 DATA00,7C,FE,C0,FC,06,FE,7C
1418 DATA00,7C,FE,C0,FC,C6,FE,7C
1420 DATA00,7C,FE,0C,0C,18,18,18
1422 DATA00,7C,FE,C6,FE,C6,FE,7C
1424 DATA00,7C,FE,C6,FE,06,FE,7C
1426 DATA00,C6,C6,C6,FE,C6,C6,C6
1428 DATA00,18,3C,18,18,18,3C,18
1430 DATA00,7C,FE,18,18,18,18,18
1432 DATAEF,EF,00,EF,EF,00,00,00
1434 DATA00,C6,EE,FE,D6,C6,C6,C6
1436 DATA00,FC,FE,C0,F0,C0,FE,FC
1438 DATA00,7C,FE,C0,7C,06,FE,7C
1440 DATA00,C6,E6,F6,D6,DE,CE,C6
1442 DATA00,7C,FE,C6,C6,C6,FE,7C
1444 DATA00,C6,C6,D6,D6,FE,FE,7C
1446 DATA00,7C,FE,C0,C0,C0,FE,7C
1448 DATA00,23,24,25,26,00,13,13
1450 DATA13,13,13,00,1F,1E,21,22
1452 DATA00,14,15,13,13,00,23,27
1454 DATA00,13,13,13,13,13,00,1D
1456 DATA1E,00,13,13,13,13,13,00
1458 DATAA2,04,A5,FC,F0,15,C6,FC
1460 DATAFE,76,07,BD,76,07,C9,1D
1462 DATAD0,EE,A9,13,9D,76,07,CA
1464 DATA4C,30,47,A2,02,A5,FB,F0
1466 DATA15,C6,FB,FE,76,07,BD,76
1468 DATA07,C9,1D,D0,EF,A9,13,9D
1470 DATA76,07,CA,4C,4B,47,AD,76
1472 DATA07,38,E9,13,85,FA,0A,0A
1474 DATA0A,18,65,FA,18,65,FA,18
1476 DATA6D,77,07,38,E9,13,85,FA
1478 DATA0A,18,65,FA,85,FA,A9,3F
1480 DATA38,E5,FA,AA,A0,02,BD,40
1482 DATA08,9D,00,08,E8,E0,40,D0
1484 DATAF5,A2,03,A5,FE,F0,15,C6
1486 DATAFE,FE,89,07,BD,89,07,C9
1488 DATA1D,D0,EE,A9,13,9D,89,07
1490 DATACA,4C,99,47,A5,F7,D0,2B
1492 DATAA5,F9,D0,27,EA,EA,EA,A5
1494 DATAF8,D0,24,AD,1B,D4,18,C9
1496 DATA01,B0,18,A9,58,8D,08,D0
1498 DATAA9,70,8D,06,D0,AD,10,D0
1500 DATA29,07,09,18,8D,10,D0,A9
1502 DATAFF,85,F7,A9,80,85,F8,C6
1504 DATAF8,A5,F9,F0,43,A9,00,85
1506 DATAF2,85,F7,A5,FF,D0,02,E6
1508 DATAFF,20,9F,FF,A5,C5,EA,C9
1510 DATA01,D0,F6,A9,14,8D,11,47
1512 DATAA9,15,8D,12,47,A2,00,BD
1514 DATA89,07,18,DD,92,07,90,15
1516 DATAD0,08,E8,E0,05,D0,F0,4C
1518 DATA25,48,A2,04,BD,89,07,9D
1520 DATA22,47,CA,10,F7,4C,F0,43
1522 DATA4C,DD,43,B8,49,60,17,B5
1524 DATA19,1E,1A,9C,1C,31,1D,DF
1526 DATA1F,A5,21,87,23,86,25,A2
1528 DATA27,DF,2A,3E,2C,C1,2F,6B
1530 DATA32,3C,35,39,38,63,3B,BE
1532 DATA3F,4B,43,0F,47,0C,4B,45
1534 DATA4F,BF,54,7D,59,83,5E,D6
1536 DATAFF,00,64,00,00,02,00,00
1538 DATA00,00,A9,10,00,08,00,00
1540 DATA00,00,22,34,75,10,75,00
1542 DATA00,00,02,34,00,77,FF,00
1544 DATA24,02,24,02,24,02,26,02
1546 DATA24,02,24,02,1F,04,21,02
1548 DATA1F,02,21,02,23,02,24,04
1550 DATA24,04,24,02,24,02,24,02
1552 DATA26,02,24,02,24,02,1F,04
1554 DATA21,02,1F,02,21,02,23,02
1556 DATA24,04,24,04,28,02,29,02
1558 DATA28,02,26,02,28,02,26,02
1560 DATA24,04,21,02,1F,02,21,02
1562 DATA23,02,24,04,24,04,1F,02
1564 DATA1F,02,21,02,23,02,24,02
1566 DATA24,02,26,04,28,02,29,02
1568 DATA28,02,26,02,24,04,29,04
1570 DATA24,08,22,02,26,03,26,01
1572 DATA24,02,22,02,27,02,27,02
1574 DATA26,02,24,02,26,02,29,02
1576 DATA29,02,28,02,29,06,26,02
1578 DATA2B,03,29,01,27,02,26,02
1580 DATA24,02,22,02,21,02,26,02
1582 DATA24,02,22,02,22,02,21,02
1584 DATA22,06,FF,02,FF,02,26,02
1586 DATA24,02,26,02,29,02,29,02
1588 DATA28,02,29,06,26,02,2B,03
1590 DATA29,01,27,02,26,02,24,02
1592 DATA22,02,21,02,26,02,24,02
1594 DATA22,02,22,02,21,02,22,06
1596 DATAFF,FF,FF,FF,FF,FF,FF,FF
1598 DATAFF,FF,DF,FF,FF,EB,FF,86
1600 DATAA0,00,C6,ED,10,4F,A5,EE
1602 DATA18,69,02,85,EE,90,02,E6
1604 DATAEF,B1,EE,10,0B,A9,48,85
1606 DATAEF,A9,80,85,FE,4C,71,49
1608 DATA0A,AA,8C,04,D4,8C,0B,D4
1610 DATABD,00,48,8D,01,D4,4A,8D
1612 DATA08,D4,BD,01,48,8D,00,D4
1614 DATA8D,07,D4,A9,7B,8D,05,D4
1616 DATA8D,0C,D4,A9,21,8D,04,D4
1618 DATAA9,25,8D,0B,D4,C8,B1,FE
1620 DATA0A,0A,0A,85,ED,4C,9F,FF
1622 DATAAD,76,07,C9,15,D0,07,AD
1624 DATA77,07,C9,14,F0,03,4C,28
1626 DATA47,CE,12,47,AD,12,47,C9
1628 DATA12,D0,06,CE,11,47,EE,12
1630 DATA47,A0,03,98,AA,BD,81,07
1632 DATA18,7D,89,07,38,E9,13,9D
1634 DATA89,07,18,C9,1D,90,10,38
1636 DATAE9,0A,9D,89,07,CA,FE,89
1638 DATA07,BD,89,07,4C,EA,49,88
1640 DATA10,D9,A2,04,BD,89,07,9D
1642 DATA19,47,CA,10,F7,4C,80,42
1644 DATA*
```



VIC-20

TOADS

Graham Lynas leaps into fast-moving action.

VIC TOAD LOADS in four programs and program 1 loads in program 2, 3 and 4 and displays a small title. Program 2 simply relocates the memory to allow for both machine code and graphics. Program 3 loads in the machine code and the graphics for the game. The graphics are held between locations 7168 and 7679 and between 6144 and 6359. There are a number of machine-code routines incorporated in the game.

The machine code held between locations: 6400-6534 scroll the logs on the screen; 5120-5180 scans the screen for the toad and dumps its location in locations 7678 and 7679; 673-730 scans both the keyboard and joystick and dumps the direction you wish to move in, in locations 0 and 1; 7088-7155 is an interrupt which is updated every 1/60th of a second.

The interrupt controls the majority of the sound in the program, making the game very noisy. Program 3 also changes the shape of the screen and displays titles while loading in program 4.

Program 4 is the game. You are the toad at the base of the screen and your objective is to reach the top of the screen. The faster you achieve this the more bonus points you are awarded. If you take too long then no bonus points are awarded.

You also receive points for travelling up the lift, jumping on logs and reaching the top of the screen.

Use the following keys:
W to go up.
X to go down.
A to go left.
D to go right.

The game is very fast and noisy and it may be a while before you reach the top of the screen, although it doesn't take long to pick up the idea of the game. The game has a number of stages. For example, each time you reach the top of the screen the logs get smaller and, after a while when you really get good at it, the ladders between the logs become invisible.

When you reach the invisible ladders stage — if you reach the invisible ladders stage — then the ladders will begin to flash and will continue to do so until you start to move. This should give you all the time you need to remember where the ladders are, but

Program 1.

```
10 POKE36879,12
20 POKE646,1
30 PRINTCHR$(147)
40 A$="L┌:R,:L┌:R,:":X=631
45 POKE198,12
50 FORY=1TOLEN(A$)
60 IFMID$(A$,Y,1)=":"THENPOKEX,13:GOTO80
70 POKEX,ASC(MID$(A$,Y,1))
80 X=X+1:NEXT
90 PRINT"■■■
```

Program 3.

```
0 POKE648,30
1 POKE37148,26
3 FORY=7168TO7679:POKEY,0:NEXT:FORY=6144TO6152:POKEY,0:NEXT
4 FORY=6152TO6400:POKEY,PEEK(Y+26624):NEXT:GOSUB200:CLR
5 X=7271-7168
10 FORY=7168TO7168+X
20 READT:POKEY,T:NEXT
30 FORY=7168+8*13TO7168+511:POKEY,PEEK(Y+25600):NEXT
40 DATA162,0,232,189,22,30,157,21,30,224
41 DATA22,240,3,76,2,25,173,22,30,141
42 DATA43,30,162,21,202,189,66,30,157,67
43 DATA30,224,0,240,3,76,24,25,173,87
44 DATA30,141,66,30,162,0,232,189,110,30
45 DATA157,109,30,224,22,240,3,76,46,25
46 DATA173,110,30,141,131,30,162,21,202,189
47 DATA154,30,157,155,30,224,0,240,3,76
48 DATA68,25,173,175,30,141,154,30,162,0
49 DATA232,189,198,30,157,197,30,224,22,240
50 DATA3,76,90,25,173,198,30,141,219,30
51 DATA162,21,202,189,8,31,157,9,31,224
52 DATA0,240,3,76,112,25,173,29,31,141,8,31,96,0,-1
53 I=6400:RESTORE
54 READA:IFA=-1THEN70
55 POKEI,A:I=I+1:GOTO54
70 REM
75 X=7168
81 READT:IFT=-1THEN300
85 POKEX,T:X=X+1:GOTO81
90 FORY=7168+8*13TO7679:POKEY,PEEK(Y+25600):NEXT
100 DATA60,66,153,189,189,153,66,60:REM LOG
101 DATA31,47,68,87,87,71,47,31,255,255,24,195,255,255,255,255
102 DATA252,254,7,251,255,255,254,252
110 DATA195,36,24,60,60,90,189,153:REM FROG
130 DATA24 ,189,90,126,60,24,36,195:REM FROG
140 DATA0,219,146,210,82,219,0,0,0,179,170,179,170,171,0,0:REM SCORE
150 DATA0,168,168,234,168,168,0,0:REM HI-
160 DATA0,149,149,149,146,210,0,0,0,108,72,109,68,108,0,0:REM LIVES
170 DATA102,126,126,102,102,126,126,102:REM LADDR
180 DATA224,128,176,164,228,4,20,7
181 DATA0,157,148,156,148,212,0,0
182 DATA0,238,138,238,40,232,0,0
183 DATA0,209,149,148,128,148,0,0
184 DATA200,168,152,168,200,168,152,168,152,168,213,255,0,0,0,0
185 DATA0,191,173,173,173,255,0,0
186 DATA0,90,60,60,60,60,90,0
187 DATA0,0,36,24,24,36,0,0
189 DATA130,84,0,68,0,84,130,0
190 DATA3,7,12,156,112,240,253,255
191 DATA0,0,0,3,5,255,255,127
192 DATA0,0,0,0,0,15,63,255
193 DATA0,0,0,128,64,255,245,255,128,90,60,62,60,90,128
194 DATA0,196,170,202,170,196,0,0,0,213,213,213,181,183,0,0
195 DATA0,48,64,112,16,96,0,0,-1
200 PRINT"■";
202 POKE646,5:POKE36869,254
205 POKE36879,12:FORY=7680TO8185:POKEY,0:NEXT
210 PRINT"■■■■■■  @@@@@  @@   @@  @@@ @■■■■";
220 PRINT"   @   @  @ @  @ @  @■■■■";
230 PRINT"   @   @  @ @@@@ @  @■■■■";
240 PRINT"   @   @  @ @  @ @  @  ■■";
250 PRINT"   @    @@  @  @ @@@   "
275 FORY=38TO170:POKE36865,Y:NEXT
276 POKE36866,153:POKE36864,9:POKE36867,38
280 PRINT"■■■■■■
```

'Calling all whizz kids – my CLEVER CLOGS games are the ultimate challenge!'



These exciting games of skill and chance are the combined work of real life 'Clever Clogs' and their teachers to give you whizz kids the ultimate challenge in computer games that really make learning fun.

Exciting graphics, a wide choice of 'difficulty' levels, plus supplementary knowledge packs for several games in the range make Clever Clogs Britain's best buy in early learning software.

Starting with 'Party Time' for Age 3+, the Clever Clogs range brings a new approach to learning for whizz kids of all ages. And if you join the Clever Clogs Club you'll automatically be eligible for many money-saving special offers.

Selected titles available at W H Smith, Menzies and other leading retailers.

CLEVER CLOGS
early learning games

produced by
ARGUS PRESS SOFTWARE
1 Golden Square, London W1R 3AB
Telephone: 01 437 0626

Argus Press Software Group

Supplementary Knowledge Pack
SCIENCE
Challenge your whizz kid with 800 science questions

Supplementary Knowledge Pack
THE ARTS
800 first steps into Music, Poetry, Painting, Dance, Theatre and English Literature

STAR TRUCKER
for age 9+
Hyperspace holds no fears for whizzkids who get the answers right.

PARTY TIME
for age 3+
6 different games and increased difficulty options teaching letters and numbers the fun way.

JUNGLE JUMBLE
for age 5+
You've never seen a zoo like this one – a laugh each time with 3 different games and increased difficulty option.

WHIZZ QUIZ
for age 7+
A real challenge to today's whizzkids with increased difficulty option.

BLOCKBUSTER
for age 7+
The puzzle with a million billion variations. Can your whizz kid find the answer?

SHIPSHAPES
for age 3+
See and understand SHAPES with 5 great games.

MUSIC
for age 7+
A suite of musical games to encourage budding Beethovens.

SAM SAFETY
for age 5+
Teach adventurous Sam roadsense and guide him safely home.

Spectrum £7.95, BBC and Commodore 64 £8.95, Supplementary Knowledge Packs £5.95.

(continued from page 129)

will be displayed on the screen. Position your toad under the letter you wish to change, using the keys A and D or left and right on the joystick.

When you are ready to enter your name press S on the keyboard or fire button on the joystick. The game occupies asbout 7K and could probably run with 8K expansion although it was designed to run with 16K expansion.



Program 4.

```
0 B=1:LI=5:R4=1:POKE648,30:W=100:SO=36876:POKESO+2,15:POKE7142,150:POKE7149,200
1 S9=36875:S8=S9-1:SYS7088:POKES8,0:POKES9,255
4 S9=36875:S8=S9-1:SYS7088:POKES8,0:POKES9,255
5 DEFFNR(X)=INT(RND(1)*X):IFTR=0THENGOSUB4000:POKE36867,0
6 POKE36879,8:P3=8175:P4=230:P5=5
10 POKE648,30:PRINT"■"
11 GOTO20
12 PRINT"■■■
```

PRICES THAT'LL KNOCK YOU OFF YOUR FEET!



* Guarantees included
* Wholesale prices!
* Export facilities arranged
* Superb stock of computers and peripherals
* Express delivery
* Open Mon to Fri 8 am – 7 pm

RING 01-947 8562

Worldwide Computers Ltd.,
Spa House, 11-17 Worple Road, Wimbledon
London SW19 4JS Telex: WOWICO 8955888

Official suppliers to the U.K. government departments, British Telecom and many multi national organisations.

COMPUTERS

Apricot 256K 2x315 D/D + Monitor	£1399.00
Apricot 256K 2x720 D/D + Monitor	£1549.00
Apricot 256K 10MB HD.D +Monitor	£2275.00
BBC Model B	£320.00
Commodore 64	£152.18
Commodore VIC20 Starter pack	£108.69
Commodore SX 64 (Portable)	£575.00
Commodore 8000 Series System	£1200.00
Epson QX10 + RX80 + cable	£1599.00
Epson Portable PX	£649.00
Epson Portable PX + RAM	£799.00
Sanyo MBC555 2x160K D/D + Monitor	£899.00
Sinclair Spectrum 48K	£100.00
Sirius + Victor	P.O.A.
Televideo	P.O.A.

DAISY WHEELS

Brother HR15	£325.00
Brother HR25	£555.00
Brother HR35	£699.00
Daisy Step 2000 (20CPS)	£225.00
Diablo 630 (API)	£1310.00
EP 44 Personal Elec. Printer (KSR)	£195.00
Juki 6100	£315.00
Quen-Data Daisy Wheel Printer	£215.00
Qume 11/40 (RD)	£1175.00
Qume 9/4S (RD)	£1535.00
Qume Letter Pro 20	£450.00
NEC	P.O.A.
Richo RP 1300	£875.00
Richo RP1600	£1175.00
Smith Corona TP1 Daisy Wheel Printer	£175.00
Tel F 10/40	£875.00

PERIPHERALS

Commodore 1701 Colour Monitor	£175.00
Sanyo 2112 Green Screen 15MHZ	£65.00
Sanyo 3125 Col. Med. Ress. 400PIS	£175.00
Sanyo 3115 Col. V.Hi Ress. 800PI	£399.00
Commodore 1541 Disk Drive	£156.52
Sinclair Microdrives	£50.00
Keyboard	£130.00
Sinclair Interface '1'	£50.00
Commodore C2N Cassette	£35.00
All leading software names available	P.O.A.
Tailormade software written by our inhouse software team	P.O.A.

Keyboards, cable, interfaces, tractor feeds, sheet feeds, disks, software, up grades, listing paper, ribbons, daisy wheels available for most products.

DOT MATRIX

Admate CP 80 (Shinwa Mech)	£169.00
Anadex DP 9000	£799.00
Brother HR5	£130.00
Canon PW 1080A (NLQ)	£275.00
Commodore MTS 801	£155.00
Epson RX80T	£190.00
Epson RX80 F/T	£215.00
Epson FX80	£320.00
Epson RX 100 F/T Printer	£325.00
Epson FX100 F/T	£425.00
Mannesmann Tally MT80	£199.00
Mannesmann Tally MT160	£399.00
Mannesmann Tally MT180	£580.00
MP 165 (NLQ)	£275.00
Newbury Data	P.O.A.
OKI Microline 82A Printer	£249.00
OKI Microline 83A	£389.00
OKI Microline 92 (P)	£365.00
OKI Microline 84 (P)	£629.00
Panasonic KP 1091 IBM (PC)	£269.00
Radix 10 (NLQ)	£445.00
Seikosha GP100A	£179.00
Seikosha GP100VC	£175.00
Star Gemini 10X	£189.00
Star Delta 10	£319.00
TEC 1550 (P)	£459.00

All prices excluding VAT

READY TO USE IBM SYSTEMS & SOFTWARE

You just need a printer!

			B & W	Colour
IBM PC 64		256K	£1850	£1999
IBM PC 64	10mb	256K	£2500	£2650
IBM PC XT	10mb	256K	£2999	£3150
IBM PC Portable		256K	£1999	—
IBM PC Portable	10mb	256K	£2555	—

DisplayWrite 2	£199	Flight Simulator	£88
Symphony	£430	Lotus	£299
Database II	£240	Database III	£360
Wordstar	£195	MS Word	£250
Multy-mate	£275	MS Mouse	£125

WORLDWIDE COMPUTERS LTD.

PRAYBOURNE

FREE!
PROTECTIVE DUST COVER WITH EACH BAG . . . WORTH UP TO £4.95

DRAGON BAG
(Also takes Atari 400, Atari 800XL, Texas T199, Tandy TRS 80 Home Computer). Price £17.50

BBC MODEL B BAG
(Also takes Atari 800). Price £18.95

C64 / VIC 20 BAG
(Also takes Lynx, Acorn Electron, Atari 600XL). Price £14.95



SINCLAIR SPECTRUM BAG
(Also takes Oric, Sinclair ZX 80/81). Price £12.95

CASSETTE/DISC DRIVE/ACCESSORY BAG

This bag will take all leads and cables, mains adaptor and plugs. It will carry all cassette and disc drive units available from most leading manufacturers. There are also 2 useful pockets to take any items such as manuals or cassettes that you are unable to squeeze into the large main bag compartment.....an ideal addition to the bags above. Price £14.95

SPECIFICATION

A strong attractive 'sports bag' type material is used inside and out. This is a nylon coated P.V.C. material which is immensely strong and waterproof. It has a wipe clean finish and all bags are available in black or royal blue.
The handles are 1" polypropylene webbing which travel all the way around the bag to give added strength. Quick release non slip nylon buckles allow access to the bag and its pockets to carry discs, manuals, plugs and leads, etc. All bags are padded with a high impact ¼" thick foam which protects computers against bangs and bumps which would normally damage the machines.
Most bags have a comfortable non-slip shoulder strap which is fully adjustable and has 'dog clip' fasteners to enable the strap to be removed if so wished. Each bag has a clear P.V.C. window on the inside to allow an address card to be inserted for identification purposes.

All these bags have been carefully designed and sculptered to fit each computer that they were designed for. Some of the bags will also take other computers and these are indicated as those inside the closed brackets.

We also manufacture padded bags for most home and business computer hardware.

Trade and export enquiries welcome (large discounts available)

All prices are inclusive of V.A.T., postage and packing for U.K. deliveries (overseas add 20%)
PRAYBOURNE LIMITED, UNIT 5, MILLSBOROUGH HOUSE, IPSLEY STREET, REDDITCH, WORCESTERSHIRE. B98 7BU
Redditch (0527) 61221, 61759

I enclose my cheque/postal order: Total. . . . . .
Please send me:- . . . . . BAG/S
together with my FREE! dust cover
NAME. . . . . .
ADDRESS. . . . . .
. . . . . .
. . . . . .
Please allow 14 days for delivery (overseas 28 days)

SPECTRUM PROGRAMMABLE JOYSTICK INTERFACE

— PLUS SOUND

(Normally a £10 Add on)

from **Rainbow Electronics**

With or without THROUGH PORT – allowing connections of other add-ons to rear of interface

PROGRAMMABLE — Allows any joystick position to represent any key – *without* wires, or leads, or tapes!

AMPLIFIED SOUND — Internal micro-chip amplifier boosts Spectrum's beep with simple connection to ear or mic socket.

EASY TO USE — All joystick positions are programmed simply by selecting joystick position, pushing desired key on spectrum, releasing joystick, and then the key.

ADAPTABLE — Accepts diagonal positions.

ONLY £24
Extra for Through Port £3
plus £1 p&p.

Send Cheque or P.O. to: **Rainbow Electronics (YS)**

Glebe House South Leigh Witney Oxfordshire OX8 6XJ
Tel. Witney (0993) 5432

TYKES!

It's all in Headingley at



The Super Computer Shop

We stock HARDWARE
Computers, disk drives, printers, monitors, disks, tapes, paper, accessories.

and SOFTWARE
Utilities, adventures, education, business, games.

FROM
Acorn, Amstrad, Commodore, Microwriter, Psion, Sinclair.

FOR
Access, Amex, Barclaycard, Diners, Cheques, even pound coins.

You're welcome to come in and browse, and remember, you're better off at a proper computershop.

flexiwords computershop
18 Otley Road Leeds LS6 2AD
(0532) 758474

RETURN OF THE RING

THE RING OF DARKNESS PART II

At last the saga continues . . .

The Guardian of Shedir is defeated, the Hell spawned hordes of the Evil Sage lie at bay. Now Ringbearer, wielder of the Four Bright Rings, must face the greatest challenge: to return the Ring Of Darkness to its creators on the hidden planet Ringworld . . . And somewhere at the ends of time the forces of evil are preparing their revenge.

After one year of development, Wintersoft are proud to present the most sophisticated game ever created for the Dragon 32. Written 100% in machine code, **RETURN OF THE RING** is an astounding multi program blend of superb high resolution colour graphics and advanced routines that allow you to communicate with your computer in complete sentences. You will face challenge and excitement as you and your Ringworld companions travel a mysterious planet and brave the dangers of an amazing three-dimensional forest moon. An epic adventure unrivalled for its wealth of detail and diversity.

May luck travel your path.

Please note: **RETURN OF THE RING** is a complete adventure. You need not buy **THE RING OF DARKNESS** to play it.



WINTERSOFT SOFTWARE

DEALERS PHONE
01-367 5720

WINTERSOFT SOFTWARE

30 UPLANDS PARK ROAD, ENFIELD, MIDDLESEX, EN2 7PT

ALSO AVAILABLE:-

DRAGON 32

Return of the Ring	£9.95
The Ring of Darkness	£9.95
Dragon Trek	£6.95

SPECTRUM 48K

The Ring of Darkness	£9.95

ORIC-1 48K

The Ring of Darkness	£9.95
Operation Gremlin	£6.95

PRICES INCLUDE P&P, VAT, AND OUR LIFETIME GUARANTEE.

SELECTED TITLES AVAILABLE FROM LARGER BRANCHES OF Boots

PLEASE RUSH ME:-

QUANTITY	TITLE	COMPUTER

I ENCLOSE MY CHEQUE/P.O. FOR £ .....

NAME:

ADDRESS:

Julian Wood and a maze game with a difference for the Spectrum.

UFOS



UFO IS AN ORIGINAL game for the 16K or 48K Spectrum. It is written entirely in machine code and is therefore very fast. The general idea of the game is as follows:

You, a poor undefended human have been sent against a lethal race of aliens who follow you around the screen. The only way you can kill an alien is to collide with an energy block — the stationary object on the scren — which gives you enough power to kill one, and only one, alien. Once you have killed an alien, if you go to the bottom of the screen without hitting anything and then press the down key, the dead body of the alien will appear at the bottom of the screen.

Once the time — shown as TI at the top of the screen — reaches zero, the number of dead aliens at the bottom of the screen gives you a bonus added to your score. With each screen only a certain maximum number of aliens will appear, and once you have killed all these, another batch will appear.

After each screen the maximum number of aliens is incremented up to a maximum of 10. The keys for moving the human are:

6 = left, 7 = right, 8 = up, 9 = down, 0 = halt of the game.

To enter UFO, first type in the Basic program in listing 1, and save it using

SAVE "UFO" LINE 0

and then verify it. Next, enter the machine code loader program in listing 3, and run it. Enter the machine code as in listing 2, and the screen output should tally with the listing. If you make a mistake enter −9 and enter that line again. If you enter a ridiculous number — greater than 255 — you will hear a beep and you should enter that number again.

Once you have entered all 1663 bytes of machine code, save it using

SAVE "c" CODE 24500,1663

and verify it. Finally check that the program is OK by loading the UFO Basic program which should load and run the main program.

After playing UFO for a while you may find it too easy or hard. I have therefore shown various locations — in figure 1 — which you can change to suit your needs by Poking. The initial contents of the location are shown in brackets. To change a value of a location, just load the code, Poke the location and

RAND USR 25807

Figure 1.

Speed = 25922 (20). Time speed = 25915 (3).

Lives = 25839 (3). Max. number of aliens = 25689 (10).

If you are still unconvinced of how essential sound is in games, then try the following:

POKE 24500, 201 : POKE 25114,201.

Hear the difference?

Furthermore, try Poking 24775, 201,

(continued on page 137)

Listing 1.

```
  10>POKE 23697,0: POKE 23693,9:
 BORDER 1: CLS : LET a$="UFO IS
LOADING": FOR a=7 TO 0 STEP -1:
BEEP .02,a+18.5: PRINT AT 11-a,9
; INK 6;a$;AT 10-a,9,,AT a+11,9;
a$;AT a+12,9,,: BORDER a: NEXT a
  20 BEEP .5,17.5: BEEP .5,19.5:
 BEEP .5,15.5: BEEP .5,7.5: BEEP
 1,10.5: FOR a=22888 TO 22903 ST
EP 2: POKE a,178: POKE a+1,150:
NEXT a: LOAD ""CODE : RANDOMIZE
USR 25807
```





Castle Of Terror is a suberb graphic adventure game set in the 1880's when and where "Dracula" stories abounded. You are in a village near a large Castle in which the secretive Count lives. You must travel about the village, collecting items which may be of use to you on your bold mission.

You must also find out what your mission is by talking to the right people. But don't be fooled!

- ★ Multi-word "English Language" style input
- ★ Superb, highly detailed graphics
- ★ Animated characters, special effects and sound.

Surviving is success enough, but escaping with the treasure is the ultimate achievement and won't be easily accomplished!

CASTLE of TERROR



rders to:
elbourne House Publishers
9 Milton Trading Estate
bingdon, Oxon OX14 4TD

orrespondence to:
hurch Yard
ring
ertfordshire HP23 5LU

ll Melbourne House cassette software
s unconditionally guaranteed
gainst malfunction.
rade enquiries welcome.

☐ Please send me your free catalogue.
lease send me:

OMMODORE 64 SOFTWARE

- ☐ Castle of Terror £9.95
- ☐ Commodore 64 Sherlock £14.95
- ☐ Commodore 64 Hampstead £9.95
- ☐ Commodore 64 The Hobbit £14.95
- ☐ Zim Sala Bim £9.95
- ☐ Commodore 64 Classic Adventure £6.95
- ☐ Commodore 64 Hungry Horace £5.95
- ☐ Commodore 64 Horace Goes Skiing £5.95
- ☐ Commodore 64 FORTH £14.95
- ☐ A.C.O.S.+ £8.95
- ☐ Commodore 64 Penetrator £7.95

PECTRUM SOFTWARE

- ☐ Spectrum Sherlock 48K £14.95
- ☐ Spectrum Hampstead 48K £9.95
- ☐ Spectrum Sports Hero 48K £6.95
- ☐ Spectrum Mugsy 48K £6.95
- ☐ Spectrum Penetrator 48K £6.95
- ☐ Spectrum The Hobbit 48K £14.95
- ☐ H.U.R.G. 48K £14.95
- ☐ Spectrum Classic Adventure 48K £6.95
- ☐ Melbourne Draw 48K £8.95
- ☐ Abersoft FORTH 48K £14.95
- ☐ Sir Lancelot 16K & 48K £5.95

BC SOFTWARE

- ☐ BBC The Hobbit, Model B £14.95
- ☐ BBC/Electron Classic Adventure £6.95

versions of 'The Hobbit' are identical with regard to the adventure ogram. Due to memory limitations. BCC cassette version does not clude graphics.

£ .....

ease add 80p for post & pack £ .80

TAL £ .....

nclose my ☐ cheque
☐ money order for £ .....

ease debit my Access card No .....

.....

piry Date .....

nature .....

me .....

dress .....

.....

..... Postcode .....

cess orders can be
lephoned through on our
-hour ansafone (0235) 83 5001.

YC12b

(continued from page 135)

Listing 2.

```
24500: 58   74   94   238  16  =475
24505: 211  254  74   62   255 =1329
24510: 229  43   158  32   252 =2073
24515: 225  27   158  120  32  =2663
24520: 236  201  50   72   92  =3316
24525: 211  254  201  71   33  =4086
24530: 0    64   62   68   54  =4354
24535: 0    35   188  32   250 =4859
24540: 62   91   112  35   188 =5347
24545: 32   251  201  1    240 =6072
24550: 216  205  255  255  1   =6844
24555: 24   252  205  255  255 =7675
24560: 1    158  255  205  255 =8547
24565: 95   14   246  205  255 =9362
24570: 95   125  50   24   7   =9673
24575: 175  9    60   56   252 =10225
24580: 237  66   158  47   205 =10978
24585: 199  96   201  126  35  =11635
24590: 254  1    32   7    126 =12055
24595: 50   143  95   35   24  =12399
24600: 243  254  0    32   9   =12972
24605: 70   35   78   35   205 =13360
24610: 1    97   24   230  254 =13968
24615: 2    200  205  199  96  =14668
24620: 24   222  197  229  104 =15444
24625: 38   0    41   41   41  =15605
24630: 41   41   6    88   9   =15790
24635: 126  225  193  201  217 =16752
24640: 33   121  92   78   6   =17082
24645: 5    10   52   43   134 =17326
24650: 52   217  201  62   1   =17859
24655: 205  202  95   175  205 =18741
24660: 208  95   33   157  96  =19340
24665: 205  12   96   42   0   =19695
24670: 91   205  228  98   1   =20315
24675: 0    0    205  98   100 =20718
24680: 1    13   0    205  1   =20938
24685: 97   58   6    91   205 =21395
24690: 252  95   33   64   88  =21927
24695: 62   32   14   7    30  =22072
24700: 2    6    40   35   119 =22244
24705: 35   119  38   16   249 =22698
24710: 35   35   29   32   242 =23071
24715: 17   32   0    25   13  =23158
24720: 32   233  33   31   88  =23575
24725: 6    24   54   8    25  =23692
24730: 16   251  33   224  90  =24308
24735: 6    31   54   86   35  =24518
24740: 16   251  201  1    48  =25035
24745: 0    0    0    83   67  =25185
24750: 58   48   48   48   48  =25438
24755: 48   32   32   32   73  =25596
24760: 58   51   32   32   84  =25953
24765: 73   58   57   57   32  =26230
24770: 32   72   73   58   2   =26487
24775: 229  197  213  237  91  =27434
24780: 139  92   237  75   54  =28024
24785: 92   254  144  144  56  =28576
24790: 237  75   123  92   214 =29317
24795: 144  38   0    111  41  =29651
24800: 41   41   41   122  15  =29879
24805: 15   15   230  3    248 =30388
24810: 88   71   75   58   143 =30823
24815: 92   2    6    8    126 =31057
24820: 18   20   35   16   250 =31396
24825: 33   132  92   82   209 =31914
24830: 193  225  201  229  197 =32959
24835: 213  120  15   15   15  =33337
24840: 230  224  177  111  120 =34199
24845: 230  24   246  64   103 =34866
24850: 34   132  92   84   230 =35378
24855: 62   1    205  202  95  =35943
24860: 175  205  208  95   33  =36659
24865: 184  97   205  12   96  =37253
24870: 62   1    50   143  92  =37601
24875: 33   103  97   205  12  =38051
24880: 96   33   100  0    17  =38297
24885: 1    0    205  180  95  =38778
24890: 45   32   247  1    254 =39357
24895: 127  237  120  31   208 =40080
24900: 58   143  92   60   254 =40667
24905: 8    40   218  24   218 =41195
24910: 17   180  45   175  211 =41823
24915: 254  60   230  7    71  =42445
24920: 33   43   0    43   124 =42668
24925: 181  32   251  27   122 =43301
24930: 179  120  32   236  201 =44069
24935: 0    3    9    144  32  =44257
24940: 32   144  32   144  144 =44753
24945: 144  32   144  144  144 =45361
24950: 144  0    4    9    144 =45662
24955: 32   32   144  32   144 =46046
24960: 32   32   32   144  32  =46318
24965: 32   144  0    5    9   =46508
24970: 144  32   32   144  32  =46892
24975: 144  144  144  32   144 =47500
24980: 32   32   144  0    6   =47714
24985: 9    144  32   32   144 =48075
24990: 32   144  32   32   32  =48347
24995: 144  32   32   144  0   =48699
25000: 7    9    144  144  144 =49147
25005: 144  32   144  32   32  =49531
25010: 32   144  144  144  144 =50139
25015: 2    0    13   6    1   =50161
25020: 48   32   127  74   117 =50559
25025: 106  105  97   110  32  =51011
25030: 87   111  111  100  32  =51452
25035: 49   57   56   52   32  =51698
25040: 0    21   1    1    143 =51864
25045: 32   32   32   32   80  =52072
25050: 82   69   83   83   32  =52421
25055: 39   83   80   65   57  =52755
25060: 69   39   32   84   79  =53058
25065: 32   80   78   65   89  =53400
25070: 32   32   32   32   32  =53560
25075: 2    0    21   0    1   =53584
25080: 71   32   32   32   32  =53905
25085: 54   32   32   32   55  =54110
25090: 153  32   32   32   151 =54510
25095: 56   32   32   32   57  =54719
25100: 152  32   32   32   48  =55015
25105: 61   72   65   76   84  =55373
25110: 32   32   32   2    221 =55692
25115: 94   0    221  86   1   =56094
25120: 123  178  200  221  110 =56926
25125: 2    221  102  3    1   =57255
25130: 4    0    221  9    221 =57710
25135: 229  125  203  61   203 =58531
25140: 61   47   230  3    79  =58951
25145: 6    0    221  33   209 =59420
25150: 3    221  9    58   72  =59783
25155: 92   205  207  3    243 =60533
25160: 221  225  24   206  50  =61259
25165: 0    0    6    50   0   =61315
25170: 0    7    80   0    100 =61502
25175: 4    99   0    100  3   =61708
25180: 100  0    210  3    0   =62021
25185: 0    58   130  92   71  =62372
25190: 33   11   91   205  63  =62775
25195: 96   230  30   119  35  =63285
25200: 54   1    35   16   244 =63535
25205: 201  1    254  239  237 =64567
25210: 120  31   56   8    237 =65019
25215: 120  47   230  30   40  =65486
25220: 249  201  42   4    91  =66073
25225: 68   77   31   56   1   =66306
25230: 4    31   56   1    5   =66403
25235: 31   56   1    12   31  =66534
25240: 56   1    13   167  237 =67008
25245: 66   200  121  254  255 =67904
25250: 200  254  31   200  120 =68709
25255: 254  0    200  254  23  =69440
25260: 40   83   205  46   96  =69910
25265: 254  32   200  197  254 =70847
25270: 70   32   28   33   60  =71070
25275: 0    17   1    0    205 =71293
25280: 180  95   45   32   247 =71892
25285: 1    1    0    205  98  =72197
25290: 100  205  156  100  33  =72791
25295: 175  92   203  198  203 =73663
25300: 142  33   250  0    17  =74105
25305: 5    0    205  180  95  =74590
25310: 237  75   4    91   205 =75202
25315: 1    97   175  50   143 =75668
25320: 92   62   32   205  199 =76258
25325: 96   193  237  67   4   =76655
25330: 91   62   71   50   143 =77272
25335: 92   205  1    97   62  =77729
25340: 145  205  199  96   201 =78575
25345: 33   176  92   203  78  =79157
25350: 200  203  142  35   126 =79863
25355: 254  31   208  52   79  =80487
25360: 6    23   205  1    97  =80819
25365: 62   86   50   143  92  =81252
25370: 62   150  205  199  96  =81964
25375: 33   100  0    17   200 =82314
25380: 0    205  180  95   201 =82995
25385: 237  75   8    91   205 =83611
25390: 1    97   62   70   50  =83891
25395: 143  92   58   129  92  =84405
25400: 60   254  150  56   2   =84927
25405: 62   146  50   129  92  =85406
25410: 205  199  96   201  68  =86175
25415: 77   205  46   96   254 =86853
25420: 32   200  254  69   200 =87608
25425: 254  8    201  58   10  =88139
25430: 91   221  33   11   91  =88586
25435: 71   4    237  91   4   =88993
25440: 91   221  110  0    221 =89636
25445: 102  1    125  180  40  =90084
25450: 94   5    197  229  123 =90732
25455: 189  40   10   56   2   =91029.
25460: 44   44   45   205  70  =91437
25465: 99   32   32   225  122 =91947
25470: 188  40   61   229  56  =92521
25475: 2    36   36   37   205 =92837
25480: 70   99   32   16   45  =93099
25485: 205  70   99   32   10  =93515
25490: 44   44   205  70   99  =93977
25495: 32   3    225  24   34  =94295
25500: 193  205  1    97   175 =94966
25505: 50   143  92   62   32  =95345
25510: 205  199  96   68   77  =95990
25515: 205  1    97   62   69  =96424
25520: 50   143  92   62   150 =96921
25525: 205  199  96   221  117 =97759
25530: 0    221  116  1    237 =98334
25535: 91   4    91   167  237 =98924
25540: 82   204  208  99   193 =99710
25545: 221  35   221  35   16  =100238
25550: 141  201  33   176  92  =100881
25555: 203  70   202  161  100 =101637
25560: 66   75   205  1    97  =102081
25565: 62   71   50   143  92  =102499
25570: 62   145  205  199  96  =103206
25575: 203  134  203  206  221 =104173
25580: 54   0    0    221  54  =104502
25585: 1    0    33   50   0   =104586
25590: 17   100  0    205  180 =105038
25595: 95   58   130  92   23  =105486
25600: 33   10   91   134  79  =105833
25605: 6    0    205  98   100 =106242
25610: 33   10   91   53   192 =106621
25615: 33   176  92   203  86  =107211
25620: 200  203  150  193  193 =108150
25625: 193  193  195  50   101 =108882
25630: 58   177  92   95   29  =109333
25635: 123  254  255  40   43  =110048
25640: 62   86   50   143  92  =110481
25645: 75   6    23   205  1   =110791
25650: 97   62   32   205  199 =111386
25655: 96   58   130  92   23  =111785
25660: 79   6    0    205  98  =112173
25665: 100  213  52   32   147 =112727
25670: 23   111  38   0    17  =112916
25675: 244  1    205  180  95  =113641
25680: 209  24   207  193  33  =114307
25685: 130  92   126  254  10  =114919
25690: 32   1    175  50   119 =115306
25695: 195  1    101  42   2   =115647
25700: 91   9    34   2    91  =115874
25705: 1    3    0    205  1   =116084
25710: 87   62   48   50   143 =116484
25715: 92   205  228  95   201 =117305
25720: 33   7    91   53   202 =117691
25725: 30   100  110  38   0   =117969
25730: 1    19   0    205  1   =118195
25735: 97   62   48   50   143 =118595
25740: 92   6    255  205  246 =119399
25745: 95   33   100  0    17  =119644
25750: 5    0    205  180  95  =120129
25755: 201  205  63   96   230 =120924
25760: 21   60   71   205  63  =121344
25765: 96   230  30   79   205 =121984
25770: 46   96   254  32   40  =122452
25775: 243  237  67   8    91  =123098
25780: 201  193  193  193  193 =124071
25785: 33   0    0    17   1   =124122
25790: 0    205  180  95   44  =124648
25795: 32   247  33   5    91  =125055
25800: 53   202  116  101  195 =125722
25805: 1    101  243  49   179 =126295
25810: 95   33   182  101  34  =126720
25815: 123  92   33   0    60  =127028
25820: 34   54   92   33   0   =127241
25825: 0    34   0    91   205 =127571
25830: 23   97   33   0    0   =127724
25835: 34   2    91   62   3   =127916
25840: 50   6    91   62   1   =128126
25845: 50   130  92   33   244 =128675
25850: 97   205  12   96   205 =129290
25855: 78   97   62   146  50  =129723
25860: 129  92   62   99   50  =130155
25865: 7    91   33   0    0   =130386
25870: 34   176  92   205  77  =130870
25875: 96   205  156  100  1   =131428
25880: 0    22   237  67   4   =131758
25885: 91   205  1    97   62  =132214
25890: 71   50   143  92   62  =132632
25895: 145  205  199  96   221 =133498
25900: 33   76   98   205  25  =133936
25905: 98   62   1    50   10  =134157
25910: 91   205  98   98   6   =134655
25915: 3    197  6    2    197 =135060
25920: 1    1    20   11   120 =135213
25925: 177  32   251  205  118 =135996
25930: 98   193  16   241  205 =136749
25935: 84   99   205  41   99  =137277
25940: 33   176  92   203  86  =137867
25945: 32   17   33   10   91  =138050
25950: 88   130  92   190  40  =138580
25955: 3    52   64   5    33  =138677
25960: 176  92   203  214  193 =139555
25965: 16   205  205  120  100 =140201
25970: 24   198  42   2    91  =140558
25975: 237  75   0    91   167 =141128
25980: 237  66   56   18   9   =141514
25985: 34   0    91   1    25  =141855
25990: 0    205  1    97   62  =142031
25995: 48   50   143  92   205 =142589
26000: 228  95   33   250  101 =143276
26005: 205  12   96   221  33  =143843
26010: 13   102  205  25   98  =144267
26015: 195  229  100  170  255 =145236
26020: 170  255  170  255  170 =146256
26025: 255  50   50   24   255 =146910
26030: 153  60   66   195  0   =147384
26035: 0    0    24   24   0   =147432
26040: 0    0    0    0    24  =147456
26045: 60   60   24   0    0   =147600
26050: 0    60   126  126  126 =148038
26055: 126  60   0    60   126 =148410
26060: 255  255  255  255  126 =149556
26065: 60   195  36   255  153 =150255
26070: 255  36   66   231  0   =150843
26075: 16   56   84   16   16  =151031
26080: 16   0    0    16   16  =151079
26085: 16   84   56   16   0   =151281
26090: 0    0    0    4    126 =151389
26095: 4    8    0    0    0   =151411
26100: 16   32   126  32   16  =151623
26105: 0    1    179  0    1   =151804
26110: 9    32   80   71   85  =152041
26115: 77   69   32   79   86  =152364
26120: 69   82   82   32   2   =152631
26125: 100  1    3    2    100 =152837
26130: 1    66   2    0    2   =152910
26135: 178  2    100  2    66  =153260
26140: 2    200  0    112  3   =153577
26145: 0    1    12   3    0   =153593
26150: 3    178  2    100  1   =153877
26155: 66   2    0    3    12  =153962
26160: 3    0    0    0    0   =153965
```

Listing 3.

```
  10>CLEAR 24499: LET c=0: FOR a
=24500 TO 26163 STEP 5
  20 PRINT a;":";: LET d=c: FOR
b=0 TO 4
  30 INPUT "Byte? ";n: IF n>255
THEN BEEP .5,20: GO TO 30
  40 IF n=-9 THEN LET c=d: LET a
=a-(5*NOT b): PRINT : GO TO 20
  50 LET c=c+n: POKE a+b,n: PRIN
T TAB b*4+6;n;: NEXT b: PRINT TA
B 26;c: NEXT a
```

Amstrad's new CPC464 comes with plenty of free plugs.



CPC464 green screen VDU (GT64)

ou may have noticed that the press got very excited about our new com- er system.
nd rightly so.
ecause the new CPC464 comes nplete with its own green screen U or colour monitor, built-in cassette recorder, 64K of RAM, 32K of M, typewriter style keyboard and a fast extended BASIC.
Then you consider that the complete nputer system including green en VDU and cassette data recorder only set you back £249, that's plenty et excited about.
ou can use the green screen version ne CPC464 with a colour TV by connecting the optional power supply and modulator (MP-1).

"I think the Amstrad will give a lot of sleepless nights to Sinclair, Acorn and Commodore..."

POPULAR COMPUTING WEEKLY

Other micros can't get anywhere near the CPC464's memory for the price. Over 42K is available to users, thanks to the implementation of ROM overlay techniques.

Sophisticated and complex programs are easily accommodated.

And the CPC464 offers you high resolution graphics, 80 column text display, up to 8 text windows, a graphics window and a palette of 27 colours.

"The CPC464... in two boxes and one lead includes a list of features that would shame a hybrid of the major machines."

PERSONAL COMPUTER WORLD

One of the most obvious is the quality of the on-screen graphics. Quite simply, the CPC464 beats the micro/domestic TV combination out of sight.

That's because our monitor drives each colour on the screen directly from the computer. Nothing gets in the way of the best possible picture. And you won't have tuning problems, either.

There's plenty of interest for music lovers when the 3-voice, 7-octave stereo output is fed through a hi-fi amplifier and speakers.

"The Amstrad is a powerful, fast machine, with plenty of memory, easy to program..."

PERSONAL COMPUTER WORLD

A fast growing range of Amsoft programs is already available.

The high quality software takes full

£249
Computer complete with green screen VDU (GT64)

£359
Computer complete with colour monitor (CTM640)

CPC464 complete with monitor and datacorder

advantage of the CPC464's high specification and speedloading capability. Which means even complex programs can be loaded quickly.

Arcade games, educational programs and business applications are all designed to utilise the CPC464's impressive graphics, sound and processing abilities.

Amstrad. User Club.

Join the Club.

Whether you're a games fanatic or interested in commercial applications, you'll want to sign on.

Members enjoy immediate benefits like the privilege card, Club binder, regular magazine, competitions for valuable prizes and contact with other Amstrad users.



"The Amstrad machine provides a lot of other features for a very low price."

GUARDIAN

At Amstrad, we're constantly looking to the future. That's why the CPC464 has a built-in parallel printer interface. A low cost optional disk drive system including CP/M* (with the option to access 3000 programs) and LOGO. A joystick port. And the virtually unlimited potential of the Z80 data bus with sideways ROM support.

With so many free plugs from the press, it's little wonder the CPC464 only needs one.

Optional disk drive DDI-1 including interface CP/M* and LOGO £199.95



Optional 80 column dot matrix printer DMP-1. Offers high performance computerised text processing for only £199.95.

BOOTS COMET Dixons
Menzies RUMBELOWS AND OTHER COMPUTER STORES

AMSTRAD
ONE GREAT IDEA AFTER ANOTHER

*Trade mark Digital Research

Tell me more about the outstanding qualities of CPC464 complete computer system. Please send literature right away.

NAME

ADDRESS

POSTCODE

To: Amstrad Consumer Electronics plc, Brentwood House, 169 King's Road, Brentwood, Essex CM14 4EF. Tel: Brentwood (0277) 228888.

YC4

statix



PSION

Statix for the BBC Microcomputer,
models A and B (32K)

£7.95 including VAT from
leading software stockists

match point

NOW AVAILABLE ON THE COMMODORE 64

WE CHALLENGE YOU



Match point for the Commodore 64
and Sinclair Spectrum (48K)

£7.95 including VAT from
leading software stockists

PSION

A New Leader Emerges



Protek Switchable Joystick Interface

It is so easy to use–there's no software patch tapes or programming required. Simply plug in and flick the switch for compatability with all games requiring a joystick.

Available for immediate delivery, retailing at **£19.95**

AVAILABLE FROM LEADING COMPUTER STORES

Protek

Protek Computing Ltd, 1A Young Square,
Brucefield Industrial Park, Livingston, West Lothian. 0506 415353.

I WANTED A PROGRAM that would enable me to alter the Env and Ent variables easily and quickly and then be able to hear them. I also wanted to see what the envelopes looked like, without having to resort to Pen and Paper to draw it each time.

The program I ended up with is just over 14K long. You can even use the keys like a music keyboard and once the sounds have been defined you will have a music synthesiser.

I've used plenty of Rem statements throughout the program, so I won't go into detail and describe what each part does. It is possible to move quite freely about within it when running.

After typing in the program, Run it and you will be in screen 1. This is the title page and there are five pre-defined sound on it. You can define up to nine sounds, the first five are not permanent, so these can be altered quite easily but for now type in 1 and enter it.

When you press the Y key will first get a prompt to enter your title. After you enter this title you will be asked if you want Noise, Play or both enter one of these by pressing the N,P or B key. The next prompt is for repeat on the tone, enter Y or N. These prompts and title are purely for your own reference and in no way effect the program.

You should still be at the point in the program where the computer is waiting for you to answer it. Do you want to add a new title? Press N for no. You will now see a plotted graph — in white — of the volume envelope — screen 2. In the bottom left hand corner is the scale and the finished step. The scale can be altered by pressing D or M. The D will divide the scale by 2 and the M will multiply it by 2.

When you start working on your own volume or tone envelope and the plotted shape goes outside the graphic window then by pressing the D key you will see the graph re-plotted at half the original scale. The same applies when the plotted graph is too small by pressing the M it will be re-plotted at twice the original scale.

The finished step tells you where you are in relation to the 0 volume level. On the bottom right hand side is the tone and volume time. This tells you how long the note you are designing will last and how much of it will be affected by the tone.

If you typed in 1 earlier you should have displayed on the screen what I think a Piano waveform will look like. There are two horizontal lines, the bottom one — green — is the 0 volume level and the top one — red — is the 15 volume level — maximum. If you go above the top line you will get some unusual effects, also the section step total at the top of the screen will change from red to green.

At the top of the screen are the step count, step size and pause time, with a green arrow pointing to the first one. As you enter new values for this the arrow will move to the next one. The program will check to see if the values are correct each time you enter one, the arrow is controlled by using the cursor keys.

Press T and you will go to the tone envelope, this has one horizontal line and you can plot above or below it. Again in the bottom left hand corner is the finished step which tell you where you are in relation to the original frequency. Above this line increases the frequencies and below will decrease it. If you pressed 1 earlier then you will see a tone envelope for the Piano. Press E again and you will go back to the volume envelope.

If you Press C then all the values for the step count, step size and pause time will be re-set to 0. This only applies to whichever envelope is being displayed, so if you have the Piano waveform displayed on the volume

(continued on page 145)



CAMEL PRODUCTS

EPROM PROGRAMMER

AT LAST! for the Spectrum user. Put your programs, utilities, Assemblers into EPROMS for instant load from the unique ROM-SP

ROM-SP **for Spectrum**
Ingenious unit for Spectrum, with 2×28 pin sockets and a Reset button allows up to 16K of Basic or M/C program to RUN or LOAD instantly from EPROMS. Cabled connector and full extender card. NOTE: Does not disable Sinclair ROM. £29.95

PROMER-SP **for Spectrum**
A brand new Spectrum programmer for 2764/128. Zero insertion force socket & software on tape. £29.95

PROMER 81-S **for Spectrum**
The very popular PROMER-81 for the ZX81 has been adapted to the Spectrum and the price kept low. NEW PRICE £24.95

ROM-81
Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area. Can use 2516/32 or 2716/32 £14.95

PROMER-81
A low cost reliable programmer for 2516/32, 2716/32 EPROMS. Requires 4×PP3 batteries NEW PRICE £24.95

DHOBI 1 **UV ERASER**
Compact. Mains powered. Safe. Fully cased. Up to 3 EPROMS £18.95

DHOBI 2 With automatic timer £22.95

CRAMIC-SP **NEW** **for Spectrum**
Ingenious software paged 16K non-volatile CMOS RAM to co-exist in the same area as Spectrum ROM. Easy storage and retrieval of BASIC, M/C or DATA on a 48K Spectrum £89.95

PRINT-SP **NEW** **for Spectrum**
Centronics Interface with standard centronics Cable. Plus free introductory offer SP WRTIE text processor. £31.25

NIKE **NEW** **for Spectrum/ZX81/ATMOS**
Simple to use, rechargeable nickel-cadmium back-up power supply unit providing OVER 30 minutes extra life in the event of mains failure. £17.35

BLOPROM-SP
A uniquely sophisticated EPROM PROGRAMMER

STATUS
NO OF SYSTEM —HEX
EPROM TYPE —27128
RAM START ADDR —4000
EPROM ST ADDR — 0000
JOB LENGTH — 4000
TASK — CHECK

WHICH TASK DO YOU WISH TO DO
W) CHECK THAT EPROM IS CLEAN
X) READ THE CONTENTS OF EPROM INTO RAM
Y) BLOW AN EPROM WITH DATA FROM RAM
Z) VERIFY THAT EPROM DATA IS THE SAME AS IN RAM
0 TO QUIT R TO RESTART
FAST CODES AVAILABLE
D H PDR WXYZ

Eprom programmer for the 2516, 2716/32/32A/64/64A/28/128A, yes even the 64A/128A from Intel. Check, Read, Progam & Verify all or part of Eprom.
So immensely user friendly you'll hardly need the manual. Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine alone is worth more than the price of BLOPROM-SP. No Personality Cards, or other additions, just a Spectrum. Several inbuilt safety features. Onboard Vpp generation. 28pin ZIF socket. Cabled connector and extender plug. ABS case. £89.95

BLOPROM-81
As above but for ZX81. Programs 2516, 2716/32/32A/64 & 27128 £79.95

DREAM-81
64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716, 2732/2764 and 27128. £59.95

MEMIC-81
4K CMOS RAM with lithium battery. Easy SAVEing, 10yr storage and instant retrieval of programs. £29.95

INTRODUCING MULTEPROM
The most economical, sophisticated gang copier in the world. Based on BLOPROM £199.95

PRINTER/MONITOR ACCESSORIES

MSB Monitor Stand for BBC 17"×12"×3.75"
P&P £3.50 £19.95

PSS Standard printer stands for OKI. Epson etc. 15"×12"×4.5".
P+P £3.50 £16.95

PSC-3 for Epson MX-100 etc. 21"×14"×3.75".
P&P £3.50 £22.95

POT Printer Output Tray for 11" fanfold paper
P&P £3.50 £16.95

UK. VAT extra. No VAT on exports P+P UK Free Europe +5% — Overseas +10% TLX 81574 CML

Cambridge Microelectronics Ltd. One Milton Rd. Cambridge CB4 1UY Tel (0223) 314 814

PROMER 81 · P10 81 · NIKE · 81 · P10 SP · MEMIC · CRAMIC-SP · ROM SP · CRAMIC 81 · BLOPROM-81 · PROMER SP

PRINT-SP · ROM 81 · PROMER 81 S · MONITOR STANDS · BLOPROM-SP · DHOBI · PRINTER STANDS · MULTEPROM

ADAPTED FROM THE POPULAR T.V. SERIES!!!



BLOCK—BUSTER is an exciting quiz game for ONE or TWO players and will appeal to a wide range of ages and skills with nine levels of play against the clock. The game tests speed of recall involving anticipation of the question as it 'unfolds' across the screen and speed of response dependant on the level of play.
BLOCK BUSTER is supplied with the FIRST ADDITIONAL QUESTION TAPE FREE to maintain the challenge of the game. Now available at good computer shops or direct with cheque/P.O. for £5.95 inclusive. ACCESS and VISA orders taken on our 24 Hour Hotline.

COMPUSOUND

DEPT HCW, 32-33 LANGLEY CLOSE, REDDITCH, WORCS B98 0ET
TELEPHONE (0527) 21429 (21439 24 Hr. HOTLINE)

MILES BETTER SOFTWARE

221 Cannock Road, Chadsmoor, Cannock, Staffs WS11 2DD
Tel 05435 3577

US Gold Software	*Cassette*	*Disk*
BEACH HEAD	£ 8.95	£12.00
RAID OVER MOSCOW	£ 8.95	£12.00
STRIP POKER	£ 8.95	£12.00
*FORBIDDEN FOREST	£ 8.95	£12.00
*AZTEC CHALLENGE	£ 8.00	£12.00
*SLINKY	£ 8.00	£12.00
*CAVERNS OF KHAFKA	£ 8.00	£12.00
*POOYAN	£ 9.00	£12.00
*BRUCE LEE	£12.95	£12.95
*DALLAS QUEST	—	£12.95
*O'REILLYS MINE	£ 9.00	£11.00
*SNOKIE	£ 9.00	£11200
*FLAK	—	£12.95
MYSTIC MANSION	£ 8.00	£12.00
*SOLO FLIGHT	£12.95	£12.95
*NATO COMMANDER	£ 9.00	£12.95
*F-15 STRIKE EAGLE	£12.95	£12.95
*SPITFIRE ACE	£ 9.00	£12.95
*FORT APOCALYPSE	£ 9.00	£14.00
*DRELBS	£ 9.00	£14.00
ZAXXON	£ 9.00	£14.00
SENTINAL	£ 9.00	£14.00
*BLUE MAX	£ 9.00	£14.00

*Available for the Atari

Phone for software availability and comprehensive software lists

(continued from page 143)

envelope screen — screen 2 — and press C then this is the only one to be affected, it will not reset the tone envelope unless you are displaying it.

Commands for screen 2.

C — To clear the variables.
T — to display the tone envelope shape and input new values.
E — to display the volume envelope and input new values.
M — to multiply the plotted graph by two.
D — to divide the plotted graph by two.
R — to return to the title page — screen 1.

cursor keys to move the input arrow.

P — to play the note or noise — screen 3.

You are now ready to play a note so press the P key. This will take you to screen 3. This is the last screen and you will have displayed in front of you the instructions for playing a note or noise. But I will run through them briefly:

O — this tells the computer that you wish to use the noise and note the period.
P — this plays a sound using the period part of the sound command.
E — return to the volume envelope graph and input mode — screen 2.
T — return to then tone envelope and graph input mode — screen 2.
R — return to the title page — screen 1.

cursor keys up and down, to increase or decrease the octave or noise level.
+ — this will put the tone on repeat.
– — this will remove the repeat from the tone.
Q — this will automatically repeat the last note or noise played and keep on repeating it.

the left and right cursor keys will increase or decrease the speed at which the repeat occurs at.
W — this will cancel out the auto-repeat.
1 to 9 — By pressing these keys you are able to play another sound envelope, press 4 and you will get the Phaser envelopes to play, press 1 and you will get the Piano envelopes.

All the input commands are in the lower case, so don't use the Caps Lock or Shift keys.

On the left hand side just below the instruction on screen 3 you will see all the relevant information about the note or noise just played. Frequency, Period, Octave, Noise, Noise Range, Note Length — time, tone — vibrato — and name, as defined in the title page of the instrument or sound effect. So once you find the correct period or frequency of the note or sound effect that you are after, you only have to write it down. For example, Noise 6, and then press the T or E and write down the values you use in these two, step count, step size and pause time for each section and then you are ready to put them into your own program.

It is possible to use the keyboard to play a note across nine octaves, one octave at a time and you can play up to three notes at one time but only one noise. All the times that are displayed are in seconds.

I've used integer variables as much as possible to increase the speed and save some memory. If you want to make the tone envelope repeat in your own program don't forget to use a negative number when you define it e.g.:

ENT –2 or ENT –1 etc.

To alter the colours of the display:
COL% PAPER, COL2% PEN 1, COL3% PEN 2, COL4% PEN 3

If for any reason you break out of the program then type in Goto 520 and you won't lose any of the variables that you have already entered.

Finally, Enter the following values into the tone envelope for the Piano.

Step count	1	5
Step size	10	–2
Pause time	20	1

Use octave 2, 3 or 4. All I'll say is it comes from India. Put a Rem on line 90 On Error Goto until the program is free from typing errors. Delete line 150 when everything is O.K. If you press the small Enter key, it will reset the colours and key speed.

```
10 REM **************************
20 REM *** MUSIC SYNTHESISER ***
30 REM ***          and         ***
40 REM ***    SOUND EFFECTS     ***
50 REM ***       PLOTTER        ***
60 REM ***  ----------------    ***
70 REM ***  by R. MITCHELL      ***
80 REM **************************
90 ON ERROR GOTO 520
100 REM ********************
110 REM *** COL FOR INKS ***
120 REM ********************
130 col1%=0:col2%=23:col3%=21:col4%=7
140 INK 0,col1%:BORDER col1%:INK 1,col2%:PEN 1:PAPER 0
:SPEED KEY 20,1:CLS
150 KEY 139,"ink 0,1:border 1:ink 1,24:pen 1:paper 0:s
peed key 40,2"+CHR$(13)
160 SPEED KEY 255,255
170 BORDER col1%:INK 0,col1%:PAPER 0:INK 1,col2%:INK 2
,col3%:INK 3,col4%
180 DIM te(15,5,3):DIM ve(15,5,3)
190 DIM title$(9):DIM r$(9):DIM ns$(9)
200 REM ********************
210 REM *** TITLE PAGE ***
220 REM ********************
230 title$(1)="PIANO----------":ns$(1)="Play":r$(1)=
"No Repeat"
240 title$(2)="GUNSHOT--------":ns$(2)="Noise":r$(2)
="Repeat on"
250 title$(3)="SEA------------":ns$(3)="Noise":r$(3)
="No Repeat"
260 title$(4)="PHASER---------":ns$(4)="Play":r$(4)=
"Repeat on"
270 title$(5)="SYBOLS---------":ns$(5)="Noise":r$(5)
="No Repeat"
280 FOR aX=6 TO 9
290 title$(aX)="................"
300 r$(aX)=".........":ns$(aX)=".....":NEXT
310 WINDOW £1,1,40,6,23
320 sl=0:mul=1:oc=1:enX=1:ennoX=1
330 REM ************************
340 REM ***SET UP WAVE FORMS ***
350 REM ************************
360 FOR number%=1 TO 5
370 FOR xX=1 TO 5:FOR yX=1 TO 3
380 READ a:ve(number%,xX,yX)=a:NEXT:NEXT
390 FOR xX=1 TO 5:FOR yX=1 TO 3
400 READ a:te(number%,xX,yX)=a:NEXT:NEXT
410 NEXT number%
420 DATA 1,15,1,3,-1,1,3,0,1,12,-1,5,0,0,0
430 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
440 DATA 5,3,1,13,-1,3,0,0,0,0,0,0,0,0,0
450 DATA 10,1,1,0,0,0,0,0,0,0,0,0,0,0,0
460 DATA 15,1,5,15,-1,5,0,0,0,0,0,0,0,0,0
470 DATA 5,3,3,5,-3,3,0,0,0,0,0,0,0,0,0
480 DATA 5,3,1,13,-1,5,0,0,0,0,0,0,0,0,0
490 DATA 80,10,1,0,0,0,0,0,0,0,0,0,0,0,0
500 DATA 3,5,1,13,-1,5,0,0,0,0,0,0,0,0,0
510 DATA 5,1,15,0,0,0,0,0,0,0,0,0,0,0,0
520 REM **************
530 REM *** TITLES ***
540 REM **************
550 CLS:PEN 1
560 FOR aX=2 TO 18 STEP 2
570 LOCATE 1,aX:PEN 3:PRINT aX/2;:PEN 1:PRINT" - ";tit
le$(aX/2)
580 LOCATE 25,aX:PRINT ns$(aX/2)
590 LOCATE 31,aX:PRINT r$(aX/2):NEXT
600 LOCATE 10,25:INPUT"WAVEFORM No.";wnoX
610 IF wnoX<1 OR wnoX>20 THEN 600
620 CLS:LOCATE 1,15:PRINT"Do You Wish To Add Another T
itle Y/N ?"
630 a$=INKEY$:IF a$="" THEN 630
640 IF a$="y"THEN 660
650 GOTO 860
660 LOCATE 1,15:PRINT SPACE$(40)
670 PEN 2:LOCATE 5,12:PRINT"ENTER A MAXIMUM OF 17 LETT
ERS"
680 PEN 1:LOCATE 11,5:PRINT"------------------"
690 PEN 3:LOCATE 11,5:LINE INPUT title$(wnoX)
700 title$(wnoX)=title$(wnoX)+"------------------"
710 PEN 1
720 lX=LEN(title$(wnoX))
730 IF lX>17 THEN title$(wnoX)=LEFT$(title$(wnoX),17)
740 title$(wnoX)=UPPER$(title$(wnoX))
750 LOCATE 5,16:PRINT"[N] Noise  [P] Play  [B] Both"
760 a$=INKEY$:IF a$=""THEN 760
770 IF a$="n"THEN ns$(wnoX)="Noise":GOTO 810
780 IF a$="p"THEN ns$(wnoX)="Play":GOTO 810
790 IF a$="b"THEN ns$(wnoX)="Both":GOTO 810
800 GOTO 760
810 LOCATE 15,20:PRINT"REPEAT Y/N"
820 a$=INKEY$:IF a$=""THEN 820
830 IF a$="y"THEN r$(wnoX)="Repeat on":GOTO 850
840 IF a$="n"THEN r$(wnoX)="No Repeat":GOTO 850
850 GOTO 550
860 REM ****************************
870 REM *** Print Top of Screen ***
880 REM ****************************
890 CLS:PEN 3
900 LOCATE 1,1
910 IF enX=1 THEN PRINT"Volume env sec";
920 IF enX=2 THEN PRINT"Tone env sec";
930 PEN 1
940 LOCATE 1,2:PRINT"Step count";
950 LOCATE 1,3:PRINT"Step Size";
960 LOCATE 1,4:PRINT"Pause Time";
970 PEN 3
980 LOCATE 1,5:PRINT"Time in Secs.";
990 PEN 3
1000 FOR aX=1 TO 5
1010 LOCATE aX*5+11,1:PRINT aX;:NEXT
1020 LOCATE 25,24:PRINT"Vol. time=";
1030 LOCATE 25,25:PRINT"tone time=";
1040 LOCATE 1,24:PEN 2
1050 PRINT"Scale=";
1060 LOCATE 1,25:PRINT"Finished step=";
1070 PEN 1
1080 GOSUB 2000:GOSUB 2190:GOSUB 1590
1090 REM ********************
1100 REM *** Print Cursor ***
1110 REM ********************
1120 REM *** Move Cursor ****
1130 REM *** Input Values ***
1140 REM ********************
1150 xX=1:yX=1:xx%=xX:yy%=yX
1160 b$=""
1170 PEN 2:LOCATE xx%*5+10,yy%+1:PRINT" ";
1180 PRINT CHR$(7)
1190 LOCATE xX*5+10,yX+1:PRINT CHR$(243);
1200 xx%=xX:yy%=yX
1210 a$=INKEY$:IF a$=""THEN 1210
1220 IF a$="r"THEN 520
1230 IF a$="m"THEN sl=sl*2:GOSUB 1590
1240 IF a$="d"THEN sl=sl/2:GOSUB 1590
1250 IF a$="p"THEN 2460
1260 IF a$="t"THEN enX=2:GOTO 860
1270 IF a$="e"THEN enX=1:GOTO 860
1280 IF a$="c"THEN 1440
1290 IF a$=CHR$(13)THEN 1480
1300 IF a$=CHR$(240)THEN yX=yX-1
1310 IF a$=CHR$(241)THEN yX=yX+1
1320 IF a$=CHR$(242)THEN xX=xX-1
1330 IF a$=CHR$(243)THEN xX=xX+1
1340 IF xX<1 THEN xX=1
1350 IF xX>5 THEN xX=5
1360 IF yX<1 THEN yX=1
1370 IF yX>3 THEN yX=3
1380 IF a$="0"THEN 1410
1390 IF a$="-"THEN 1410
1400 v1X=VAL(a$):IF v1X<1 OR v1X>9 THEN 1170
1410 b$=b$+a$
1420 LOCATE xX*5+12,yX+1:PRINT b$;
1430 GOTO 1170
1440 FOR c1lX=1 TO 5:FOR c12X=1 TO 3
1450 IF enX=1 THEN ve(wnoX,c11X,c12X)=0
1460 IF enX=2 THEN te(wnoX,c11X,c12X)=0
1470 NEXT:NEXT:GOTO 1510
1480 IF enX=1 THEN ve(wnoX,xX,yX)=VAL(b$)
1490 IF enX=2 THEN te(wnoX,xX,yX)=VAL(b$)
1500 GOTO 2240
1510 GOSUB 1590
1520 x%=xX:y%=yX
1530 yX=yX+1:IF yX>3 THEN yX=1:xX=xX+1
1540 IF xX>5 THEN xX=5:yX=3
1550 GOTO 1160
1560 REM ****************************
1570 REM ** Print out Env/Ent Values **
1580 REM ****************************
1590 PEN 1:CLS £1
1600 IF sl<0.0625 THEN sl=0.0625
1610 FOR y1X=1 TO 3:FOR x1X=1 TO 5
1620 LOCATE x1X*5+11,y1X+1
1630 IF enX=1 THEN PRINT ve(wnoX,x1X,y1X);" "
1640 IF enX=2 THEN PRINT te(wnoX,x1X,y1X);" "
1650 NEXT:NEXT
1660 PEN 3:FOR x1X=1 TO 5
1670 LOCATE x1X*5+11,y1X+1
1680 IF enX=1 THEN PRINT ve(wnoX,x1X,1)*ve(wnoX,x1X,3)
/100;" ";
1690 IF enX=2 THEN PRINT te(wnoX,x1X,1)*te(wnoX,x1X,3)
/100;" ";
1700 NEXT
1710 IF enX=1 THEN GOSUB 1790
1720 IF enX=2 THEN GOSUB 2090
1730 LOCATE 35,24:PRINT USING "££.££"; voltime/100;
1740 LOCATE 35,25:PRINT USING "££.££"; totime/100;

1750 LOCATE 7,24:PEN 2
1760 PRINT;sl;" ";
1770 LOCATE 15,25:PRINT totstp;" ";
1780 RETURN
1790 REM ************************
1800 REM *** Volume Envelope ***
1810 REM ************************
1820 PEN 1
1830 LOCATE 18,23:PRINT"Time ";:PRINT CHR$(243)
1840 PEN 3
1850 LOCATE 1,6:PRINT"Section Step";
1860 FOR secX=1 TO 5
1870 secstep=ve(wnoX,secX,1)+ve(wnoX,secX,2)
1880 IF secstep>15 THEN PEN 2
1890 LOCATE secX*5+11,6:PRINT secstep;
1900 NEXT
1910 ORIGIN 0,32+15+sl:DRAWR 640,0,3
1920 ORIGIN 0,32,0,640,300,48
1930 FOR totX=1 TO 5
1940 acc=ve(wnoX,totX,1)
1950 FOR aX=1 TO acc
1960 DRAWR ve(wnoX,totX,3)*sl,0,1
1970 DRAWR 0,ve(wnoX,totX,2)*sl,1
1980 NEXT:NEXT
1990 ORIGIN 0,32:DRAWR 640,0,2
2000 totstp=0:voltime=0:FOR aX=1 TO 5
2010 t1=ve(wnoX,aX,1):t2=ve(wnoX,aX,2):t3=ve(wnoX,aX,3
)
2020 totstp=totstp+(t1+t2)
2030 voltime=voltime+(t1+t3):NEXT
2040 RETURN
2050 REM ********************
2060 REM *** Tone Envelope ***
2070 REM ********************
2080 PEN 3
2090 ORIGIN 0,176:DRAWR 640,0,2
2100 ORIGIN 0,176,0,640,286,66
2110 FOR totX=1 TO 5
2120 acc=te(wnoX,totX,1)
2130 FOR aX=1 TO acc
2140 DRAWR te(wnoX,totX,3)*sl,0,1
2150 DRAWR 0,-te(wnoX,totX,2)*sl,1
2160 NEXT:NEXT
2170 LOCATE 12,22:PRINT"Decrease Frequency";
2180 LOCATE 12,7:PRINT"Increase Frequency";
2190 totstp=0:totime=0:FOR aX=1 TO 5
2200 t1=te(wnoX,aX,1):t2=te(wnoX,aX,2):t3=te(wnoX,aX,3
)
2210 totstp=totstp+(t1+t2)
2220 totime=totime+(t1+t3):NEXT
2230 RETURN
2240 REM ****************************
2250 REM * Check For Correct Values *
2260 REM ****************************
2270 IF enX=1 THEN 2370
2280 FOR x=1 TO 5
2290 IF te(wnoX,x,1)>239 THEN te(wnoX,x,1)=239
2300 IF te(wnoX,x,1)<0 THEN te(wnoX,x,1)=0
2310 IF te(wnoX,x,2)>127 THEN te(wnoX,x,2)=127
2320 IF te(wnoX,x,2)<-128 THEN te(wnoX,x,2)=-128
2330 IF te(wnoX,x,3)>255 THEN te(wnoX,x,3)=255
2340 IF te(wnoX,x,3)<0 THEN te(wnoX,x,3)=0
2350 NEXT x
2360 GOTO 1510
2370 FOR x=1 TO 5
2380 IF ve(wnoX,x,1)>127 THEN ve(wnoX,x,1)=127
2390 IF ve(wnoX,x,1)<0 THEN ve(wnoX,x,1)=0
2400 IF ve(wnoX,x,2)>127 THEN ve(wnoX,x,2)=127
2410 IF ve(wnoX,x,2)<-128 THEN ve(wnoX,x,2)=-128
```

(listing continued on next page)

(listing continued from previous page)

```
2420 IF ve(wno%,x,3)>255 THEN ve(wno%,x,3)=255
2430 IF ve(wno%,x,3)<0 THEN ve(wno%,x,3)=0
2440 NEXT x
2450 GOTO 1510
2460 CLS
2470 REM ********************************
2480 REM *** PRINT OUT INSTRUCTIONS ***
2490 REM ********************************
2500 CLS:PEN 2:PRINT "PRESS ";:PEN 1:PRINT"(O)";:PEN 2
:PRINT" FOR NOISE USE KEYS Z X C V B N";
2510 PRINT"KEYS ";:PEN 1:PRINT"1 to 9";:PEN 2:PRINT" F
OR ENVELOPE and TONE NUMBER";
2520 PRINT"  PRESS ";:PEN 1:PRINT"(R)";:PEN 2:PRINT"=R
ETURN ";:PEN 1:PRINT"(E)";:PEN 2:PRINT"=VOLUME ";:PEN
1:PRINT"(T)";:PEN 2:PRIN
T"=TONE";
2530 PEN 1:PRINT" (+)";:PEN 2:PRINT" To ADD REPEAT ";:
PEN 1:PRINT"(-)";:PEN 2:PRINT" TO REMOVE REPEAT";
2540 PRINT" USE ";:PEN 1:PRINT CHR$(240);:PEN 2:PRINT"
 and ";:PEN 1:PRINT CHR$(241);:PEN 2:PRINT" TO INC. AN
D DEC. FREQUENCY";
2550 PEN 1:PRINT:PRINT:PRINT"(Q)";:PEN 2:PRINT" TO REP
EAT SOUND ";:PEN 1:PRINT"(M)";:PEN 2:PRINT" TO CANCEL
REPEAT";
2560 PRINT"  USE ";:PEN 1:PRINT CHR$(242);:PEN 2:PRINT
" TO INCREASE AND ";:PEN 1:PRINT CHR$(243);:PEN 2:PRIN
T" TO DECREASE"
2570 PRINT"              SPEED OF REPEAT"
2580 LOCATE 11,11:PRINT"PRESS ";:PEN 1:PRINT"(P)";:PEN
 2:PRINT" FOR NOTES"
2590 LOCATE 17,13:PRINT"Z = C";LOCATE 17,14:PRINT"S =
C#"
2600 LOCATE 17,15:PRINT"X = D";LOCATE 17,16:PRINT"D =
D#"
2610 LOCATE 17,17:PRINT"C = E";LOCATE 17,18:PRINT"V =
F"
2620 LOCATE 17,19:PRINT"G = F#";LOCATE 17,20:PRINT"B =
 G"
2630 LOCATE 17,21:PRINT"H = G#";LOCATE 17,22:PRINT"N =
 A"
2640 LOCATE 17,23:PRINT"J = A#";LOCATE 17,24:PRINT"M =
 B"
2650 LOCATE 29,23:PRINT"TONE"
2660 GOSUB 3710:rpt=1:LOCATE 27,25:PRINT"No Repeat"
2670 GOSUB 3490
2680 b1=7902.133:a2=7458.621:a1=7040:g2=6644.875:g1=62
71.927:f2=5919.911
2690 f1=5587.652:e1=5274.041:d2=4978.032:d1=4698.636:c
2=4434.922:c1=4186.009
2700 n1%=1:n2%=2:n3%=3:n4%=4:n5%=5:n6%=6
2710 GOTO 2720
2720 GOSUB 3820
2730 IF sond=1 THEN LOCATE 1,23:PRINT"OCTAVE";9-oc-4;
2740 IF sond=2 THEN LOCATE 1,23:PRINT"Noise=";nos;" "
2750 GOSUB 3430
2760 REM ******************
2770 REM *** KEY INPUT ***
2780 REM ******************
2790 a$=INKEY$:IF a$=""THEN 2790
2800 IF sond%=1 AND a$=CHR$(241)THEN mul=mul*2:oc=oc-1
2810 IF sond%=2 AND a$=CHR$(241)THEN ml%=ml%-5
2820 IF sond%=1 AND a$=CHR$(240)THEN mul=mul/2:oc=oc+1
2830 IF sond%=2 AND a$=CHR$(240)THEN ml%=ml%+5
2840 IF mul<0.5 THEN PRINT CHR$(7):mul=0.5:oc=1
2850 IF mul>128 THEN PRINT CHR$(7):mul=128:oc=9
2860 IF ml%<0 THEN PRINT CHR$(7):ml%=0
2870 IF ml%>25 THEN PRINT CHR$(7):ml%=25
2880 IF sond%=1 AND a$="m"THEN freq=b1/mul:GOTO 3270
2890 IF sond%=1 AND a$="j"THEN freq=a2/mul:GOTO 3270
2900 IF sond%=1 AND a$="n"THEN freq=a1/mul:GOTO 3270
2910 IF sond%=2 AND a$="n"THEN nos=n6%+ml%:GOTO 3320
2920 IF sond%=1 AND a$="h"THEN freq=g2/mul:GOTO 3270
2930 IF sond%=1 AND a$="b"THEN freq=g1/mul:GOTO 3270
2940 IF sond%=2 AND a$="b"THEN nos=n5%+ml%:GOTO 3320
2950 IF sond%=1 AND a$="g"THEN freq=f2/mul:GOTO 3270
2960 IF sond%=1 AND a$="v"THEN freq=f1/mul:GOTO 3270
2970 IF sond%=2 AND a$="v"THEN nos=n4%+ml%:GOTO 3320
2980 IF sond%=1 AND a$="c"THEN freq=e1/mul:GOTO 3270
2990 IF sond%=2 AND a$="c"THEN nos=n3%+ml%:GOTO 3320
3000 IF sond%=1 AND a$="d"THEN freq=d2/mul:GOTO 3270
3010 IF sond%=1 AND a$="x"THEN freq=d1/mul:GOTO 3270
3020 IF sond%=2 AND a$="x"THEN nos=n2%+ml%:GOTO 3320
3030 IF sond%=1 AND a$="s"THEN freq=c2/mul:GOTO 3270
3040 IF sond%=1 AND a$="z"THEN freq=c1/mul:GOTO 3270
3050 IF sond%=2 AND a$="z"THEN nos=n1%+ml%:GOTO 3320
3060 IF a$="o"THEN sond%=2:LOCATE 1,17:PRINT"
     ":LOCATE 1,19:PRINT"                    ":GOSUB 3370:
GOTO 2750
3070 IF a$="p"THEN sond%=1:LOCATE 1,17:PRINT"
     ":GOSUB 3370:GOTO 2750
3080 IF a$="e"THEN en%=1:GOTO 860
3090 IF a$="t"THEN en%=2:GOTO 860
3100 IF a$="r"THEN 520
3110 IF a$="-"THEN rpt=-1:LOCATE 27,25:PRINT"Repeat on
":GOSUB 3490
3120 IF a$="q"THEN GOSUB 3990
3130 IF a$="="THEN rpt=1:LOCATE 27,25:PRINT"No Repeat"
:GOSUB 3490
3140 IF a$="1"THEN wno%=1:GOSUB 3490
3150 IF a$="2"THEN wno%=2:GOSUB 3490
3160 IF a$="3"THEN wno%=3:GOSUB 3490
3170 IF a$="4"THEN wno%=4:GOSUB 3490
3180 IF a$="5"THEN wno%=5:GOSUB 3490
3190 IF a$="6"THEN wno%=6:GOSUB 3490
3200 IF a$="7"THEN wno%=7:GOSUB 3490
3210 IF a$="8"THEN wno%=8:GOSUB 3490
3220 IF a$="9"THEN wno%=9:GOSUB 3490
3230 GOTO 2730
3240 REM ********************************
3250 REM *** DECIDE WHICH CHANNEL ***
3260 REM ********************************
3270 tone=ROUND(125000/freq)
3280 IF sond%=1 THEN SOUND enno%,tone,voltime,0,1,1
3290 IF enno%=1 THEN enno%=2:GOSUB 3370:GOTO 2750
3300 IF enno%=2 THEN enno%=4:GOSUB 3370:GOTO 2750
3310 IF enno%=4 THEN enno%=1:GOSUB 3370:GOTO 2750
3320 IF sond%=2 THEN  SOUND 1,0,voltime,0,1,1,nos
3330 GOSUB 3370:GOTO 2750
3340 REM ********************************
3350 REM *** PRINT FREQ. NOISE ETC. ***
3360 REM ********************************
3370 IF freq>15804.266 THEN freq=15804.266
3380 IF freq<32.703 THEN freq=32.703
3390 IF sond%=1 THEN LOCATE 1,17:PRINT"PERIOD =";ROUND
(125000/freq);:PRINT"  ";
3400 IF sond%=2 THEN LOCATE 1,23:PRINT"Noise=";nos;" "
;
3410 IF sond%=1 THEN LOCATE 1,19:PRINT"FREQ=";:PRINT U
SING"£££££.££";freq
3420 IF sond%=2 THEN  LOCATE 1,19:PRINT"                "
3430 IF sond%=2 THEN LOCATE 1,17:PRINT "RANGE=";n1%+el
%;"to";n6%+ml%
3440 IF sond%=1 THEN LOCATE 1,23:PRINT"OCTAVE";9-oc-3
3450 RETURN
3460 REM ************************
3470 REM *** DECIDE WHICH TONE ***
3480 REM ************************
3490 IF en%=1 THEN GOSUB 2000
3500 IF en%=2 THEN GOSUB 2190
3510 FOR x%=1 TO 5:tt%=0:FOR y%=1 TO 3
3520 ty%=te(wno%,x%,y%):tt%=tt%+ty%:NEXT
3530 IF tt%=0 THEN x%=x%-1:GOTO 3550
3540 NEXT x%:x%=x%-1
3550 IF x%=0 THEN 3660
3560 ON x% GOTO 3570,3590,3610,3630,3650
3570 ENT rpt,te(wno%,1,1),te(wno%,1,2),te(wno%,1,3)
3580 GOTO 3670
3590 ENT rpt,te(wno%,1,1),te(wno%,1,2),te(wno%,1,3),te
(wno%,2,1),te(wno%,2,2),te(wno%,2,3)
3600 GOTO 3670
3610 ENT rpt,te(wno%,1,1),te(wno%,1,2),te(wno%,1,3),te
(wno%,2,1),te(wno%,2,2),te(wno%,2,3),te(wno%,3,1),te(w
no%,3,2),te(wno%,3,3)
3620 GOTO 3670
3630 ENT rpt,te(wno%,1,1),te(wno%,1,2),te(wno%,1,3),te
(wno%,2,1),te(wno%,2,2),te(wno%,2,3),te(wno%,3,1),te(w
no%,3,2),te(wno%,3,3),te
(wno%,4,1),te(wno%,4,2),te(wno%,4,3)
3640 GOTO 3670
3650 ENT rpt,te(wno%,1,1),te(wno%,1,2),te(wno%,1,3),te
(wno%,2,1),te(wno%,2,2),te(wno%,2,3),te(wno%,3,1),te(w
no%,3,2),te(wno%,3,3),te
(wno%,4,1),te(wno%,4,2),te(wno%,4,3),te(wno%,5,1),te(w
no%,5,2),te(wno%,5,3)
3660 ENT rpt,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
3670 ENV 1,ve(wno%,1,1),ve(wno%,1,2),ve(wno%,1,3),ve(w
no%,2,1),ve(wno%,2,2),ve(wno%,2,3),ve(wno%,3,1),ve(wno
%,3,2),ve(wno%,3,3),ve(w
no%,4,1),ve(wno%,4,2),ve(wno%,4,3),ve(wno%,5,1),ve(wno
%,5,2),ve(wno%,5,3)
3680 REM ********************
3690 REM *** PRINT TITLE ***
3700 REM ********************
3710 l%=LEN(title$(wno%)):IF l%>11 THEN l%=11
3720 FOR i1%=1 TO l%
3730 a$=MID$(title$(wno%),i1%,1)
3740 IF a$=CHR$(45)THEN 3760
3750 NEXT
3760 t$=LEFT$(title$(wno%),i1%-1)
3770 LOCATE 1,15:PRINT"                "
3780 LOCATE 1,13:PRINT"                "
3790 PEN 1
3800 LOCATE 1,13:PRINT t$
3810 PEN 2:LOCATE 1,15:PRINT"Note Len";voltime/100:PEN
 1
3820 REM **********************
3830 REM *** Find high/low ***
3840 REM **********************
3850 tot%=0:lo%=0:hi%=0
3860 FOR freq%=1 TO 5
3870 check%=te(wno%,freq%,1)*te(wno%,freq%,2)
3880 tot%=tot%+check%
3890 IF hi%>tot% THEN hi%=tot%
3900 IF lo%<tot% THEN lo%=tot%
3910 NEXT freq%
3920 PEN 2:LOCATE 1,21:PRINT"plus";ABS(hi%);" ";
3930 LOCATE 1,25:PRINT"minus";lo%;" ";
3940 PEN 1
3950 RETURN
3960 REM ********************
3970 REM *** REPEAT NOTE ***
3980 REM ********************
3990 LOCATE 24,16:PEN 1:PRINT"SPEED OF REPEAT"
4000 rptime=voltime
4010 ttim=INT(TIME/3)
4020 ctim=ttim+rptime
4030 ttim=INT(TIME/3)
4040 LOCATE 28,18:PEN 1:PRINT rptime/100
4050 a$=INKEY$
4060 IF ttim>=ctim THEN 4110
4070 IF a$="w"THEN LOCATE 24,16:PRINT"                "
:LOCATE 28,18:PRINT"    ":RETURN
4080 IF a$=CHR$(242)THEN rptime=rptime-1
4090 IF a$=CHR$(243)THEN rptime=rptime+1
4100 GOTO 4030
4110 IF sond%=1 THEN SOUND 1,tone,rptime,0,1,1
4120 IF sond%=2 THEN SOUND 1,0,rptime,0,1,1,nos
4130 GOTO 4010
```


HISOFT

ULTRAKIT £9·45

The most powerful toolkit yet for ZX BASIC. All the features you will ever need; AUTO insert, full RENUMBER, block DELETE, CLOCK, ALARM, error trapping, break trapping. Full TRACE with single-step and much, much more. Makes ZX BASIC easy-to-use and powerful.

DEVPAC £14

An excellent assembler, an advanced line-editor, a comprehensive disassembler and a superb 'front panel' debugger all in one package. Used by many leading software houses to write their games. "Buy it!" Adam Denning 1984.

PASCAL £25

A powerful and almost full implementation of Pascal - not a Tiny Pascal. A valuable educational and development tool, programs typically run 40 times faster than a BASIC equivalent. Spectrum version includes Turtle Graphics package. " I haven't seen any other compiler that could match Hisoft's Pascal"

HISOFT
180 High Street North
Dunstable, Beds. LU6 1AT
Tel: (0582) 696421

HISOFT

C

for the ZXSpectrum

Hisoft is pleased to announce a new compiler for this popular and effective systems programming language. Not a tiny-C but an extensive, easy-to-use implementation of the language. Allows direct execution of compiled statements. Supplied with function library. Available direct from Hisoft for £25, or write for further details.

All prices, UK delivered, relate to 48K ZX Spectrum versions. Our software is available for many other Z80 machines e.g. Amstrad CPC 464, MSX, Memotech, SHARP MZ700, New-Brain, CP/M etc. Please write for details.

YES!

A 100k BBC-drive for £99 + VAT

We've done it! We've built a storage system for your BBC Micro with the power and convenience of a floppy disk drive, at a fraction of the price. Interface to the BBC costs £26 + VAT and runs up to 8 drives.

PHLOOPY's special secret



PHLOOPY does not record on a disk, but on a loop of quarter-inch tape contained in a rugged interchangeable cartridge.

The heart of PHLOOPY is a unique "byte-wide" magnetic head, that gives it its speed by recording nine tracks across the tape. Typically, you can access a file in only 3 or 4 seconds.

If you're used to waiting for a cassette tape to trundle programs into your BBC, you'll be amazed at PHLOOPY's performance – up to 100 times faster.

Talking to your PHLOOPY



PHLOOPY's own software makes it respond to standard BBC filing system and Basic commands. Programs written to run on disk or cassette should run on PHLOOPY without problem. And because your PHLOOPY drive contains its own microprocessor – a second computer which does most of the hard work – it puts very little load on the BBC. The on-board computer also checks and automatically corrects any read errors.

Your PHLOOPY Library



PHLOOPY cartridges hold a full 100k of data. You can buy blank cartridges for £3.75 each plus VAT. Many BBC programs will be available on PHLOOPY.

Phi Mag Systems Ltd. PO Box 21, Falmouth, Cornwall TR11 3TD Tel: (0326) 76040

Order Form

- Please send me further details about the PHLOOPY 100k data storage system for the BBC Model B.
- Please send me____(qty) PHLOOPY starter pack(s) for my BBC Model B microcomputer, including PHLOOPY drive, BBC interface, leads, connections, operating system in firmware, manual, and two PHLOOPY 100k cartridges, at £147.75 each including VAT, postage and packing. Amount £____
- Please send me____(qty) packs of 5 PHLOOPY cartridges at £19.75 including VAT, postage and packing. Amount £____

I enclose a cheque/PO for £____ OR Please debit my Access card Number: ____

Your order will be acknowledged within 10 days, giving a delivery date.

Name____

Address____

Town:____ Post code____

Send this coupon to: Phi Mag Systems Ltd, PO Box 21, Falmouth, Cornwall TR11 3TD. Telephone: Falmouth (0326) 76040.
14 day money-back option. YC

DARTS

Fag in mouth and beer in hand, David Griffin goes for the bull's eye.



Listing 1.

```
    1 REM Listing 1
    2 REM BBC Darts  -  by David Griffin
    3
   10 MODE 7
   20 PRINT TAB(9,4)"""CHR$255"`m0 &+t""CHR$255"`k4?
k7oh7`m"
   30 PRINT TAB(10,5)CHR$255" j5j:!"CHR$255" "CHR$255"
,v' j5 ""-,t"
   40 PRINT TAB(9,6)"_"CHR$255"p)'z0_"CHR$255"p"CHR$25
5"O*u zu *tp?"
   50 PRINT TAB(8,8)"written by David Griffin"
   60 PRINT TAB(23,9)"(c) 1984"
   70 PRINT TAB(17,10)"x"CHR$255"`8"
   80 PRINT TAB(16)"h"CHR$255"a&x5"
   90 PRINT TAB(16)"j}y^?!"
  100 PRINT TAB(14)" x?``!"
  110 PRINT TAB(12)" x"CHR$255"?"
  120 PRINT TAB(11)"h"CHR$255CHR$255"7"
  130 PRINT TAB(10)" "CHR$255"?`"
  140 PRINT TAB(9)" &!"
  150 PRINT TAB(8)"8!"
  160 FOR Y=3 TO 20:VDU 31,5,Y,132,157,31,35,Y,156:NEX
T
  170 VDU 31,7,4,147,154,31,7,5,147,154,31,7,6,147,154
,31,7,8,135,31,7,9,135
  180 FOR Y=10 TO 18:VDU 31,7,Y,145:NEXT
  190 FOR Y=15 TO 18:VDU 31,15,Y,130:NEXT
  200 VDU 28,16,18,34,16
  210 *L."darts"900
  220 PAGE=&D00:CHAIN"darts....."
```

Listing 2.

```
    1 REM Listing 2
    2 REM BBC Darts  -  by David Griffin
    3
   10 VDU 23,128,&F7,&15,&15,&F5,&85,&85,&F7,0
   20 VDU 23,129,8,&18,8,8,8,8,8,0
   30 VDU 23,130,&2E,&6A,&2A,&2E,&2A,&2A,&2E,0
   40 VDU 23,131,&20,&20,&20,&28,&3C,8,8,0
   50 VDU 23,132,&2E,&62,&22,&2E,&22,&22,&2E,0
   60 VDU 23,133,&3C,&20,&20,&3C,&24,&24,&3C,0
   70 VDU 23,134,&2E,&6A,&2A,&2A,&2A,&2A,&2E,0
   80 VDU 23,135,&2E,&68,&28,&2E,&22,&22,&2E,0
   90 VDU 23,136,&3C,4,4,&3C,&20,&20,&3C,0
  100 VDU 23,137,&2E,&62,&22,&22,&24,&24,&24,0
  110 VDU 23,138,&38,8,8,&38,8,8,&38,0
  120 VDU 23,139,0,&2E,&6A,&2A,&2E,&22,&22,&2E,0
  130 VDU 23,140,&3C,4,8,8,&10,&10,&10,0
  140 VDU 23,141,&2E,&68,&28,&2E,&2A,&2A,&2E,0
  150 VDU 23,142,&3C,&24,&24,&3C,&24,&24,&3C,0
  160 VDU 23,143,&24,&6C,&24,&24,&24,&24,&24,0
  170 VDU 23,144,&28,&68,&28,&2A,&2F,&22,&22,0
  180 VDU 23,145,&3C,&24,&24,&3C,4,4,&3C,0
  190 VDU 23,146,&2E,&62,&22,&2E,&28,&28,&2E,0
  200 VDU 23,147,&3C,&20,&20,&3C,4,4,&3C,0
  210 VDU 23,146,&82,&44,&38,&38,&38,&44,&82,0
  220 VDU 23,149,0,0,&F,&FF,&F,0,0,0
  230 VDU 23,150,&C,&1E,&30,&FF,&30,&1E,&C,0
  240 VDU 23,151,0,0,&2E,&22,&EE,&AA,&EE,0
  250 VDU 23,152,0,0,&D3,&9A,&93,&91,&9B,0
  260 VDU 23,153,0,&45,&45,&77,&51,&77,0,0
  270 VDU 23,154,0,5,5,&1D,&15,&1D,0,0
  280 VDU 23,155,0,&DC,&54,&DC,4,&1C,0,0
```

DARTS IS A GAME for the BBC model B or 32K model A, and although not tested will probably work on an Electron.

The game of darts once only played in its traditional home of the pub and club is now an international sport frequently seen on television. It is one of the most popular participant sports in this country, and indeed the world, played by millions.

My computerised version is by no means a substitute for throwing arrows from the oche down at your local but an alternative to arcade-type games requiring manipulation of at least 11 of your fingers and very quickly, a feat not suitable for some of the more elderly BBC users!

It is difficult to emulate the same skills of the darts game proper on a computer game and so the method of aiming and throwing darts I have employed is to manoeuvre a crosshair sight over the board, throwing a dart when it is over the place you want. A skill element is introduced with the sight drifting and so making it more difficult to hit the number you require. The game was written with joysticks in mind although I have provided for keyboard use.

There are three different games to play in my program, the standard game, around the clock and all fives. All are for two players.

The standard game — options 1 and 2 on the main menu: Option 1 provides a standard 301 game with double start and double to finish, played over five legs, i.e., the first to win three games wins the match. The difficulty level decides how much the sight drifts, level 1 is the easiest.

After the board has been drawn both players should enter their initials or three lettered



pseudonym. The scoreboard shows initials, how many legs each has won — shown by 'L=' — and the score required for this game.

As each dart has been thrown the display to the bottom right of the screen shows what it has scored.

Option 2 allows the parameters to be altered, giving games such as 801 straight off over 3 legs and 101 double start over 9 legs.

Around the clock — option 3: In this game each player goes around the board, throwing at 1 until hit and then at the 2 etc. and ending on the outer bull — 25 — and then the bull's eye — 50. It is possible to aim for singles, doubles or trebles depending on your initial choice. The score-board shows what each player must throw for next, with sgl, dbl or tbl printed under initials.

All fives — options 4 and 5: Option 4 gives the standard all fives game. Each player must score a multiple of five for his three dart total throw, for example: 55, 25 etc. If he misses the board with one of his darts the throw is not counted. Then the number of fives scored is calculatled, that being his score for that throw — a score of 45 counts as 9, 10 as 2 etc. — and taken from his initial 51 points. A throw resulting in a score that is not a multiple of five is not allowed. The match is over five legs.

Option 5 allows parameters to be changed, so the game can become all threes or all eights etc.

An unusual feature in the programming of darts is the use of two Basic programs resident in the machine at the same time, the main game — listing 4 — and a routine to draw the dart-board — listing 3. The reason for this was to allow myself an extra three pages of pro-gramming space. The memory soon got full while developing the game although relocating Page to &D000. I couldn't start the Basic program below this because of the user-defined characters stored between &C00 and &CFF, so I chopped part of the main program off and stored it between &900 and &BFF, this area is free when files, RS-423 and function keys are not used. Then Page only needs to be changed to pass control from one program to the other. See line 60 of listing 3 and line 80 of listing 4.

To enter the program and store it on cassette in the correct order, the following procedure should be followed:

- type in listing 1
- save with 'SAVE "DARTS" (RETURN) (RETURN)'
- type in listing 2 and RUN it

(continued on page 151)

Table 1.

10 to 150	main control program 80 jumps to small program stored between &900 and &BFF to draw dartboard
160 to 550	standard game and all fives routine 330 all fives missed a dart 360 all fives not a multiple of five 380 fanfare on 180 400 cross off old score
560 to 860	Around the clock routine 770 hit bull's eye 780 hit outer bull 810 cross off old score and print new score
870 to 950	get players' names
960 to 1030	get word at position (X,Y) of length L
1040 to 1060	open text window for player P's socreboard
1070 to 1090	close above windows
1100 to 1240	throw three darts routine 1110 print marker darts 1190 check for individual game end of throw 1210 to 1230 rub out darts
1250 to 1480	throw a dart 1270 to 1350 move sights until fire pressed 1380 print dart 1390 work out distance and angle of dart from the centre of the board 1410 find which number dart has hit
1490 to 1510	see if space bar or fire pressed to throw a dart
1520 to 1570	get movement of sight from keyboard or joystick
1580 to 1680	additional trimming for dartboard display
1690 to 1770	set up variables and arrays 1720 to 1740 put SINs and COSs in arrays for fast circle drawing 1750 to 1760 order of numbers around dartboard
1780 to 1880	draw sight
1819 to 1910	print M$ in double height at (X,Y) in colour C 1850 see User Guide p462
1920 to 1940	wipe out n characters at (x,y)
1950 to 1970	delay for t seconds
1980 to 2020	print 'press space bar'
2030 to 2410	instructions and menus
2420 to 2450	get key but only one of those characters supplied by K$

£5.95
including post
& packing

48K SPECTRUM
100% Machine Code
Coming soon for BBC & Commodore 64

An Intriguing New Game of Strategy

GILBERT



GILBERT, a game for one or two players, is available from

SOFT CENTRE

35 Churchill Square, Brighton,
BN1 2EP, Sussex

Distributor enquiries welcome

Please send me . . . . . copies of GILBERT. I enclose cheque or P/O for £ . . . . . .

Name _____

Address _____

_____

_____

(continued from page 149)

- type 'PAGE = &900 (RETURN)'
- type in listing 3
- save with '*SAVE "darts" 900 D00 (RETURN) (RETURN)'
- type 'PAGE = &D00 (RETURN)'
- type in listing 4
- save with 'SAVE "darts . . ." (RETURN) (RETURN)'

Important — omit lines 1, 2 and 3 from each program.

I would advise saving listing 2 on a back up cassette. In case of deformed characters it will be possible to track them down and repair them.

It would be helpful to replace line 10 of listing 4 with
10MODE7:ON ERROR MODE7:REPORT: PRINT "at line";ERL:END
while the game is developed to trap any typing errors.

For a complete working copy, without the effort and strain of a couple of hours at the keyboard, send £3.75 or £2.75 plus blank cassette plus S.A.E. to David Griffin, 31 Apsley Road, Oldbury, Warley, West Midlands B68 0QY. The game is also available on Prestel via the pages of Viewfax 258.

Listing 3.

```
  1 REM Listing 3
  2 REM BBC Darts  -  by David Griffin
  3
  10COLOUR2:COLOUR131:VDU31,6,1,149,150,31,5,2,149,150,5:GCOL0,2:MOVE80,972:VDU149,150:GCOL0,1:#&2FE0="written by David Griffin":FORI%=0TO23:MOVE624+I%*24,980:VDU!I%?&2FE0:NEXT:#&2FE0="(c) Copyright 1984"
  20FORI%=0TO17:MOVE696+I%*24,956:VDUI%?&2FE0:NEXT:COLOUR128:VDU29,448;512;
  30PROCC(300,2,2):GCOL0,3:MOVE0,388:FORI%=0TO40:DRAW 300*G(I%),300*C(I%):NEXT:PROCC(300,1,3):PROCC(280,3,1):PROCC(184,1,3):PROCC(164,3,1):PROCC(32,0,0):PROCC(12,1,1)
  40GCOL0,3:FORI%=0TO30STEP2:MOVE340*S(I%)-16,340*C(I%)+16:VDU128+I%DIV2:NEXT:GCOL0,1:MOVE-32,332:VDU151,152,MOVE-44,-300:VDU153,154,155,29,0;0;:GCOL0,2:MOVE896,200:DRAW1248,200:PLOT85,896,832:PLOT85,1248,832
  50GCOL0,3:MOVE896,200:DRAW1248,200:DRAW1248,832:DRAW896,832:DRAW896,200:MOVE976,816:PRINT"SCORES":VDU4:MOVE896,776:DRAW1248,776:MOVE1072,776:DRAW1072,200
  60PAGE=&D00:GOTO90
  70DEFPROCC(RX,CX,DX)DX=CX+DX:GCOL0,CX:MOVE0,RX:FORI%=1TO40:IF(I%+1)MOD2CX=DX-CX:GCOL0,CX
  80DRAW0,0:PLOT85,RX*S(I%),RX*C(I%):NEXT:ENDPROC
```



Listing 4.

```
  1 REM Listing 4
  2 REM BBC Darts  -  by David Griffin
  3
  10MODE7:ON ERROR RUN
  20g=FNinstr
  30MODE 1
  40VDU 23;8202;0;0;0;19,0,4,0,0,0,19,2,0,0,0,0,19,3,3,0,0,0
  50PROCboard
  60PROCSET
  70*FX200 1
  80PAGE=&900:GOTO10
  90*FX200 0
  100IF g=1 PROCSgame(301,1,3,H)
  110IF g=2 PROCSgame(S,D,L,H)
  120IF g=3 PROCAclock
  130IF g=4:gS=5:PROCSgame(51,0,3,H)
  140IF g=5:g=4:gS=5:PROCSgame(51,0,L,H)
  150RUN
  160DEFPROCSgame(G,SD,L,H)
  170PROCGnames
  180Pleg(0)=0:Pleg(1)=0:P1=RND(2)-1:LEG=0
  190REPEAT
  200LEG=LEG+1
  210FOR P=0 TO 1
  220PS(P)=G:start(P)=SD
  230COLOUR130:PRINTTAB(29+P*6,10)"L=";Pleg(P);
  240SV(P)=0:PROCwndo(P):CLS:PRINT;PS(P);
  250PROCwoff(P)
  260NEXT
  270P1=1-P1:P=P1
  280REPEAT
  290P=1-P
  300PROCw(13,8,29)
  310PROCm(PN$(P)+" to throw",10,29,3)
  320sc=FNdarts(H)
  330IF g=4 sc=sc/gS:IF s=0 PROCm("MISSED ONE",33,28,3):PROCdel(1):PROCw(10,29,28):GOTO 440
  340IF ((start(P)=1 AND dbl=0)OR(PS(P)-sc=0 AND dbl=0))AND g<>4 PROCm("NO DOUBLE",34,28,3):PROCdel(1):PROCw(10,29,28):GOTO 440
  350IF (PS(P)-sc=1 AND g<>4) OR PS(P)-sc<0 PROCm("GONE BUST",34,28,3):PROCdel(1):PROCw(10,29,28):GOTO 440
  360IF g=4 AND sc<>INTsc PROCm("NOT "+STR$(gS)+"x",35,28,3):PROCdel(1):PROCw(10,29,28):GOTO 440
  370IF sc=0 GOTO440
  380IF sc=180 SOUND 1,1,50,50
  390PROCm("Score="+STR$(sc),34,28,3)
  400GCOL0,3:MOVE(29+P*6)*32,(20-SV(P))*32:DRAW(29+LEN(STR$(PS(P)))+P*6)*32-8,(21-SV(P))*32-4
  410PS(P)=PS(P)-sc
  420PROCwndo(P):PRINT;PS(P);:IF PS(P)<100 PRINT
  430PROCwoff(P)
  440UNTIL PS(0)=0 OR PS(1)=0
  450PROCw(13,8,29):PROCw(9,29,29)
  460IF LEG=1 M$="st" ELSE IF LEG=2 M$="nd" ELSE IF LEG=3 M$="rd" ELSE M$="th"
  470PROCm(PN$(P)+" won the "+STR$(LEG)+M$+" leg",8,29,3)
  480Pleg(P)=Pleg(P)+1
  490COLOUR130:PRINTTAB(29+P*6,10)"L=";Pleg(P);
  500PROCdel(2):PROCw(40,0,29)
  510UNTIL Pleg(0)=L OR Pleg(1)=L
  520PROCm(PN$(P)+" won the match",3,29,3)
  530PROCe("Play again (Y/N) ...",24,29,1)
  540IF(FNget("YyNn")+1)DIV2=1:PROCw(40,0,29):GOTO180
  550ENDPROC
  560DEFPROCAclock
  570PROCGnames
  580FOR P=0 TO 1:PS(P)=1
  590COLOUR130:COLOUR3:VDU31,29+P*6,10:IF S=1 PRINT"sgl":ELSE IF S=2 PRINT"dbl":ELSE PRINT"tbl"
  600PROCwndo(P):CLS:PRINT;PS(P):PROCwoff(P)
  610NEXT
  620P=RND(2)-1
  630REPEAT
  640P=1-P
  650PROCw(13,8,29):PROCm(PN$(P)+" to throw",10,29,3)
  660sc=FNdarts(H)
  670N=PS(P)
  680FORT=0TO2
  690IF PS(P)>20 GOTO750
  700IF PS(P)=0 GOTO800
  710M$=LEFT$(throw$(T),1)
  720IF S=2 AND M$<>"D" GOTO800
  730IF S=3 AND M$<>"T" GOTO800
  740IF S=1 AND(M$="D" OR M$="T")GOTO800
  750S$=RIGHT$(throw$(T),2)
  760IF VAL(S$)=PS(P):PS(P)=PS(P)+1
  770IF S$="DB" AND PS(P)=50 PS(P)=0
  780IF S$="LL" AND PS(P)=25 PS(P)=50
  790IF PS(P)=21 PS(P)=25
  800NEXT
  810IF PS(P)>N OR PS(P)=0 GCOL0,3:MOVE(29+P*6)*32,(20-SV(P))*32:DRAW(31+P*6)*32-8,(21-SV(P))*32-4:PROCwndo(P):PRINT;PS(P):PROCwoff(P)
  820UNTIL PS(P)=0
  830PROCw(40,0,29):PROCm(PN$(P)+" won the match",3,29
```

(continued on page 153)

ATTENTION! ATTENTION! ALL COMMODORE USERS

A FREE LIGHTPEN!

TORNADO SUPER FAST SAVER

Do you use tapes? Are you sick and tired of waiting for your programs to be Loaded/Saved from/on the tape? Then you need TORNADO!! Ronado allows you to Save/Load/Verify your Basic/machine code programs faster than a CBM 1541 disk drive does! Due to popular demand! Tornado now comes with new and more powerful commands plus extra instructions to assist you in making fast versions of your existing machine code/Basic programs. Tornado is available on tape for CBM 64 and 8K + Vic 20.

Do your Run/Stop and Restore keys often fail? Do you want to come out of those crashes?! Or get into those unbreakable programs?! Then what are you waiting for, get yourself a BREAKER!! Reset switch and let your computer know who is the boss!! Breaker can be connected to your machine in seconds, no soldering. Included with the Breaker is a copy of basic recovery software on tape. Now available for any CBM 64 or Vic 20.

Yes a FREE Light Pen! with every GRAPHKIT! Graphkit is the ultimate in drawing! designing! or painting! (using the light pen of course, which incidentally has a full 3 year warranty!) Graphkit will amongst other things allow you to:

- Draw free handed on the screen anything from a Micky Mouse to your latest integrated circuit! With all the fill colour and erase facilities of course!
- Save/load your latest master piece to/from the disk/tape drive.
- Or directly copy the drawing on the screen to the printer! And keep it for ever or send to a friend as a post card!
- Design your own colourful sprites and characters.
- Play the games in the package or use the light pen in your own games/education/programs.

GRAPHKIT is available on disk and tape. Tape version is £15.95 and disk version (recommended) is £19.95.



DMON! IS A MUST!

All you 1540/1541 disk users DMON! is here at last. Dmon is the disk monitor you have been waiting for. It will allow you to:

- read/write blocks from/to the disk
- display and edit blocks on the screen
- display and send disk messages%commands
- transfer your programs from tape to disk or disk to disk or even disk to tape! • and more!
- protected disks a speciality!

DMON comes on DISK at only £9.95 — but hurry! Offer closing on 30/12/84.

A FREE BREAKER WITH EVERY TORNADO IF YOU USE THIS COUPON NOW!

BSF CSL, 82 FURNACE DRIVE, CRAWLEY, W SUSSEX RH10 6JE

Please send me .....Tornado at £9.95 + my free! Breaker

Please send me .....Breaker at £7.95

Please send me .....Graphkit at £16.95 (tape)

Please send me .....Graphkit at £19.95 (disk)

Please send me .....DMON at £9.95

I enclose cheque/PO/cash to the sume of £.....

Name.....Computer.....

Address.....

.....

Please use this form and block letters only. All prices are inclusive of p&p (mail order only, add £2 if outside UK). Please post to: BSF CSL, 82 FURNACE DRIVE, CRAWLEY, WEST SUSSEX RH10 6JE. Y.C.

MICROPOWERMICROPOWERMICROPOWERM

(continued from page 151)

```
,3)
  840PROCm("Play again (Y/N) ...",24,29,1)
  850IF(FNget("YyNn")+1)DIV2=1:PROCw(40,0,29):GOTO580
  860ENDPROC
  870DEFPROCGnames
  880FOR P=0 TO 1
  890PROCm("Please type Player "+STR$(P+1)+"'s initial
s ...",3,29,3)
  900COLOUR3
  910PN$(P)=RIGHT$("   "+FNword(34,29,3),3)
  920PROCw(40,0,29)
  930COLOUR130:PRINTTAB(29+P*6,0)PN$(P):COLOUR128
  940NEXT
  950ENDPROC
  960DEFFNword(X,Y,L)
  970*FX 15 0
  980VDU31,X,Y:N$="":REPEAT A=GET
  990SOUND 1,-15,RND(10)*4+100,3
 1000IF A>31 AND A<122 AND LEN(N$)<L VDU:N$=N$+CHR$A
 1010IF A=127 AND LEN(N$)>0 VDU127:N$=RIGHT$(N$,LEN(N$
)-1)
 1020UNTIL A=13 AND LEN(N$)>0
 1030=N$
 1040DEFPROCwndo(P)
 1050VDU 28,29+P*6,24,31+P*6,12,31,0,GV(P):COLOUR130:C
OLOUR3
 1060ENDPROC
 1070DEFPROCwoff(P)
 1080GV(P)=VPOS:COLOUR128:VDU26
 1090ENDPROC
 1100DEFFNdarts(H)
 1110dbl=0:COLOUR1:FOR Y=27 TO 29:PRINTTAB(29,Y)"
CHR$149CHR$150"    ":NEXT
 1120SCORE=0:T=-1:XX=RND(400)+248:YX=RND(400)+312
 1130REPEAT T=T+1
 1140throw$(T)=FNthrow(H)
 1150X(T)=XX-12:Y(T)=YX+12
 1160IF start(P)=1 AND dbl=1 start(P)=0
 1170IF start(P)=0 SCORE=SCORE+s
 1180PRINTTAB(34-(LEN(s$)/2),27+T)thfow$(T)
 1190UNTIL T=2 OR(PS(P)-SCORE<2 AND g<>4 AND g<>3)OR(g
=4 AND s=0)OR(PS(P)-SCORE/g5<0 AND g=4)OR(g=3 AND PS(P
)=50 AND throw$(T)="BULL'S EYE")
 1200PROCdel(1):PROCw(10,29,27):PROCw(10,29,29)
 1210VDU5:FOR D=0 TO T
 1220COL3,3:MOVEX(D),Y(D):VDU148
 1230NEXT:VDU4
 1240=SCORE
 1250DEFFNthrow(H)
 1260s$="":press=1
 1270REPEAT IF NOT FNfire press=0
 1280PROCsight
 1290PROCdel(.01)
 1300PROCsight
 1310PROCKJ
 1320XX=XX+(RND(16*H+1)-(8*H+1)):YX=YX+(RND(16*H+1)-(8
*H+1))
 1330IF XX>848 XX=98 ELSE IF XX<48 XX=798
 1340IF YX>912 YX=162 ELSE IF YX<112 YX=862
 1350UNTIL FNfire AND press=0
 1360GDUNDO,2,5,4:PROCdel(.4):SOUND1,-15,0,1
 1370VDU31,33,27+T,32,32
 1380COL3,3:VDU5:MOVE XX-12,YX+12:VDU148,4
 1390x=XX-448:y=YX-512:r=SQR(x^2+y^2):a=DEG(ACS(x/r))
 1400IF y<0 a=360-a
 1410s=A(((459-a)MOD360)DIV10)
 1420s$=STR$(s)
 1430IF r<=32 s$="outer BULL":s=25
 1440IF r<=12 s$="BULL'S EYE":s=50:dbl=1
 1450IF r>=164 AND r<184 s$="Treble "+s$:s=s*3
 1460IF r>280 AND r<=300 s$="Double "+s$:s=s*2:dbl=1
 1470IF r>300 s$="Missed":s=0
 1480=s$
 1490DEFFNfire Z=FALSE
 1500IF(J=1 AND((ADVAL(0)AND 3)=P+1))OR(J=2 AND INKEY-
99)Z=TRUE
 1510=Z
 1520DEFPROCKJ
 1530IF(J=1 AND ADVAL(P*2+1)>40000)OR(J=2 AND INKEY-98
)XX=XX-16
 1540IF(J=1 AND ADVAL(P*2+1)<20000)OR(J=2 AND INKEY-67
)XX=XX+16
 1550IF(J=1 AND ADVAL(P*2+2)>40000)OR(J=2 AND INKEY-73
)YZ=YZ+16
 1560IF(J=1 AND ADVAL(P*2+2)<20000)OR(J=2 AND INKEY-10
5)YZ=YZ-16
 1570ENDPROC
 1580DEFPROCboard
 1590GCOL0,3:MOVE0,924:DRAW1280,924:PLOT85,0,992:PLOT8
5,1280,992
 1600GCOL0,2:MOVE0,920:DRAW1280,920:MOVE0,996:DRAW1280
,996
 1610VDU23,158,2,7,7,&7F,&FF,&E7,&FF,&7E:PROCm(CHR$158
,2.2,1,0)
 1620VDU23,158,&7E,&FF,7,&7F,&FF,&E7,&FF,&7E:PROCm(CHR
$158,13.7,1,0)
 1630VDU23,158,&46,&EF,&FF,&F9,&F0,&F0,&E0,&E0:PROCm(C
HR$158,15,1,0)
 1640VDU23,158,&20,&70,&70,&FC,&FE,&70,&7F,&3E:PROCm(C
HR$158,16.3,1,0)
 1650VDU23,158,&7E,&FF,&E0,&FE,&7F,7,&FF,&7E:PROCm(CHR
$158,17.6,1,0)
 1660COLOUR1:VDU31,26,4:IF J=1 PRINT"joystick";ELSE PR
INT"keyboard";
 1670PRINT" opt";g
 1680ENDPROC
 1690DEFPROCSET
 1700DIM5(40),C(40),A(19),X(2),Y(2),PN$(1),PS(1),SV(1)
,start(1),Pleg(1),throw$(2)
 1710g5=5:ENVELOPE1,0,0,10,30,3,100,100,100,126,0,0,-1,1
26,60:ENVELOPE2,1,0,0,0,0,0,0,5,10,-1,-5,10,100
 1720FOR I%=0 TO 40
 1730S(I%)=SIN(RAD(I%*9)):C(I%)=COS(RAD(I%*9))
 1740NEXT
 1750FOR I%=0 TO 19:READA(I%):NEXT
 1760DATA20,1,18,4,13,6,10,15,2,17,3,19,7,16,8,11,14,9
,12,5
 1770ENDPROC
 1780DEFPROCsight
 1790GCOL3,1:MOVEXX-32,YX:DRAWXX+32,YX:MOVEXX,YX-32:DR
AWXX,YX+32
 1800ENDPROC
 1810DEFPROCm(M$,X,Y,C)
 1820VDU5:GCOL0,C
 1830FOR I%=1 TO LENM$
 18407%70=ASC(MID$(M$,I%,1))
 1850XX=&70:YX=0:A%=&A:CALL&FFF1
 1860LX=&71
 1870FOR J%=0 TO 1:VDU23,255
 1880FOR KX=1 TO 4:VDU?LX,?LX:LX=LX+1:NEXT
 1890MOVE(X+I%-1)*28,(32-(Y+JX))*32-4:VDU255
 1900NEXT,:VDU4
 1910ENDPROC
 1920DEFPROCw(n,x,y)
 1930COLOUR128:FOR y=y TO y+1:PRINTTAB(x,y)SPC(n);:NEX
T
 1940ENDPROC
 1950DEFPROCdel(t)
 1960tt=TIME:REPEAT UNTIL TIME=tt+t*100
 1970ENDPROC
 1980DEFPROCpspace
 1990*FX15 1
 2000VDU31,0,23,131,157,148:PRINTSTRING$(8,",")CHR$129
"Press SPACE BAR"CHR$148STRING$(9,",")"  "CHR$156TAB(2
7,23);
 2010REPEAT UNTIL GET=32
 2020ENDPROC
 2030DEFFNinstr
 2040FOR I=0 TO 4:VDU31,4,I,132,157,146,31,34,I,156:NE
XT
 2050PRINTTAB(8,1)"""CHR$255"`a0_&+t""CHR$255"`k47k7
on7`e"TAB(9,2)CHR$255" j5;!`"CHR$255" "CHR$255",v` j5
 "",t"TAB(8,3)" "CHR$255"p)'zo_"CHR$255"p"CHR$255"o+u
zu +tp?"TAB(2,6)CHR$129"(c) Copyright David Griffin 19
84"
 2060PRINTTAB(4,9)"Move the sight around the board"TAB
(5)"and throw a dart when it is"TAB(7)"over the number
 you want"
 2070PRINTTAB(8,17)CHR$134"Joysticks ? (Y/N) ...";
 2080J=(FNget("YyNn")+1)DIV 2
 2090PRINTTAB(8,17)SPC(22)
 2100IF J=2 PRINTTAB(11,13)CHR$134"* ... move UP"TAB(1
1)CHR$134"/ ... move DOWN"TAB(11)CHR$134"Z ... move LE
FT"TAB(11)CHR$134"X ... move RIGHT"TAB(7)CHR$134"SPACE
 ... throw a dart";
 2110IF J=1 PRINTTAB(8,15)CHR$134"FIRE ... throw a dar
t";
 2120PRINT''TAB(6)CHR$134"ESCAPE ... reset"
 2130PROCpspace:VDU28,0,23,39,9,12,26
 2140PRINTTAB(7,10)CHR$131"1 ... Standard 301 game"TAB
(7)CHR$131"2 ... Standard game"TAB(12)CHR$131"(you cho
ose parameters)"TAB(7)CHR$131"3 ... Around the clock"T
AB(7)CHR$131"4 ... All fives"TAB(7)CHR$131"5 ... As op
tion 4"
 2150PRINTTAB(12)CHR$131"(you choose parameters)"TAB(5
,20)"Please press the number of the"TAB(9)"game you wa
nt to play ";
 2160*FX15 0
 2170G=FNget("12345")
 2180VDU28,0,23,39,9,12,26
 2190IF G<>3 GOTO2210
 2200IF G=3 PRINTTAB(5,11)CHR$131"Singles,doubles"TAB
(5)CHR$131"or trebles ? ........"TAB(0,13):GOTO2270
 2210IF G<>2 AND G<>5 VDU31,0,11:GOTO2270
 2220IF G=5 VDU28,0,23,39,1
 2230PRINTTAB(5,9)CHR$131"Which game ? ........"TAB(5)
CHR$131;
 2240IF G=2 PRINT"(101,501 etc..)"TAB(5,12)CHR$131"Dou
ble to start ? ..."TAB(5)CHR$131"(YES/NO)"
 2250IF G=5 PRINT"(4s,7s etc..)"
 2260PRINT''TAB(5)CHR$131"No. of legs in"TAB(5)CHR$131
"each match ? ........."TAB(5)CHR$131"(3,5,7 or 9)"
 2270PRINT''TAB(5)CHR$131"Difficulty level ? .."TAB(5)C
HR$131"(1-3)".
 2280*FX15
 2290IF G<>3 GOTO2320
 2300VDU31,27,12,132:S=(FNget("SsDdTt")+1)DIV 2:IF S=1
 PRINT"SINGLES":ELSE IF S=2 PRINT"DOUBLES":ELSE PRINT"
TREBLES"
 2310VDU31,27,15,132:GOTO2390
 2320IF G<>2 AND G<>5 VDU31,27,12,132:GOTO2390
 2330VDU31,27,9,132:IF G=2 S=FNget("123456789")*100+1:
ELSE S=FNget("3456789")+2
 2340PRINT;S;:IF G=5 PRINT"s":VDU31,27,13,132:GOTO2370
 2350VDU31,27,12,132:D=(FNget("YyNn")+1)DIV2:IF D=1 PR
INT"YES":D=1:ELSE PRINT"NO":D=0
 2360VDU31,27,16,132
 2370L=FNget("3579"):PRINT;L*2+1:L=L+1
 2380IF G=2 VDU31,27,19,132:ELSE VDU31,27,16,132
 2390H=FNget("123"):PRINT;H
 2400VDU26:PROCpspace
 2410=G
 2420DEFFNget(K$)
 2430*FX15 1
 2440REPEAT K=INSTR(K$,GET$):SOUND1,-15,RND(10)*4+100,
3:UNTIL K<>0
 2450=K
```


NO HOME COMPUTER IS COMPLETE WITHOUT IT

Because Touchmaster opens up the home computer.

First, to the full range of users, even the very young.

Secondly, to a whole new style of software ("Touchware"), which is not limited by the keyboard.

Touchware goes all the way from early education packages to sophisticated graphic programs.

What's more, comparable pads are limited because their surface is composed of either a bank of switches of finite size or carbon tracks laid in a grid.

Or they need a delicate electronic stylus. Or they offer a limited working surface. Touchmaster's full A4 printed surface, by comparison, is totally linear.

It has a resolution of 256 x 256 points (that's what makes Touchmaster so flexible).



Now anyone can master the home computer

TOUCHMASTER

For full details, contact **Touchmaster Limited,**
PO Box 3, Port Talbot, West Glamorgan SA13 1WH,
or phone **Teledata (01) 200 0200**

The Unsurpassable Experience.

synsoft

The Official

SEGA

ZAXXON

AVAILABLE SOON FOR 48k SPECTRUM £7.95



Now you can play one of the most challenging arcade games on your Commodore 64 home computer. ZAXXON's incredible 3-D graphics, diagonally scrolling screen and supersound are reproduced in great detail. Everything you love about the arcade game is here – and much more. ZAXXON is now more difficult than ever before! So hang onto your joystick and keep firing. Then practice. You may eventually encounter the deadly ZAXXON himself.

U.S. GOLD
At
American Software

synsoft

commodore 64

THE ULTIMATE IN AMERICAN SOFTWARE FOR YOU ON U.S. GOLD

U.S. Gold is stocked by all leading computer stores including:

Boots / John Menzies WHSMITH WILDINGS WOOLWORTH

CASSETTE £9.95

DISK £14.95

CentreSoft Ltd., Unit 10, The Parkway Industrial Centre, Heneage Street, Birmingham B7 4LY. Telephone: 021 359 3020. Telex: 337268.



DIGGER

Michael Pike traps monsters in holes on his ZX-81 with 16K expansion.

YOU ARE the cursor at the bottom of the screen and you have to run up and down the ladders avoiding the mutants, digging holes and dropping the mutants through them before your oxygen runs out. You are given a fresh supply of oxygen each screen and the number of mutants gradually increases as the screens are completed to a maximum of eight. A full list of the keys used for movement is given in the Basic program before the game starts.

You can dig holes on any level except the bottom line and you are not allowed to dig two holes right by each other or dig next to a ladder. You cannot dig or fill while on a ladder as you will only move up or down it. To dig you press one of the down keys and a hole will appear next to your right or left depending on which way the cursor is pointing. Holes can be filled in using one of the up keys but will not work if there is a mutant in the hole.

To push a mutant through a hole move over it and jump using an up key. If you wait too long the mutant will start to flash showing you that it is about to pull itself up and mutate further into a stronger life form. There are three types of mutants of increasing strength — S,$ and inverse $, points 50, 100, 200. A $ and inverse $ have to be dropped through 2/3 holes to kill them straight away and to obtain the full points or you can drop them through a lesser number of levels to weaken them but you do not get as many points. Also you can drop through the holes to escape the mutants.

The machine code is contained in a Rem statement in line 0 containing at least 2800 spare characters. The code is between addresses 16514 to 19314. To obtain a Rem statement of this size type:

1 REM 320 0s or any other single character

(continued on page 157)

Basic program.

```
    5 REM [illegible]
[illegible]
   10 PRINT AT 1,5;"[illegible]
[illegible]"
   15 PRINT AT 4,2;"[illegible]";AT
6,2;"LEFT";AT 6,25;"O-T";AT 8,2;
"RIGHT";AT 8,25;"Y-P";AT 10,2;"U
P/FILL/JUMP";AT 10,25;"1-5";AT 1
2,2;"DOWN/DIG";AT 12,25;"A-G"
   20 PRINT AT 14,2;"[illegible]";AT 1
5,10;"S ... 50";AT 16,10;"$ ...
. 100";AT 17,10;"[illegible] .... 200"
   25 PRINT AT 19,6;"HIGH SCORE R
ESET Y/N"
   30 IF INKEY$<>"" THEN GOTO 30
   35 LET A$=INKEY$
   40 IF A$="" THEN GOTO 35
   45 IF A$<>"Y" THEN GOTO 60
   50 POKE 16608,0
   55 POKE 16609,0
   60 LET L=USR 16778
  100 STOP
```

Cash & Carry COMPUTERS

TOP SHOWROOM SERVICE

ROCK BOTTOM PRICES

PERSONAL CALLERS WELCOME AT OUR EXTENSIVE SHOWROOMS
MOST EQUIPMENT ON DEMONSTRATION

The UK's Best Printer Prices

Only a sample of our massive range of printers shown here — phone for further details

DAISYWHEEL LETTER QUALITY		
Smith Corona TP1 (P or S)	£189.00 + VAT =	**£217.35**
Juki 6100 (P)	£335.00 + VAT =	**£385.25**
Brother HR15 (P or S)	£329.00 + VAT =	**£378.35**
Daisystep 2000 (P)	£239.95 + VAT =	**£275.94**
PRINTER/TYPEWRITERS		
Brother EP22 Dot Matrix (S)	£119.00 + VAT =	**£136.85**
Brother EP44 (S)	£189.00 + VAT =	**£217.35**
Modems available for Easylink and Telecom Gold		
Juki 2200 Daisywheel (P or S)	£239.95 + VAT =	**£275.94**
DOT MATRIX PRINTERS		
Brother HR5 (P or S)	£125.00 + VAT =	**£143.75**
Canon 1080A NLQ (P)	£289.00 + VAT =	**£322.35**
Canon 1156A NLQ (P)	£349.00 + VAT =	**£401.35**
EPSON RX80 (P)	£195.00 + VAT =	**£224.25**
EPSON RX80 F T PLUS (P)	£225.00 + VAT =	**£258.75**
EPSON FX80 (P)	£324.00 + VAT =	**£372.60**
EPSON RX100 F T (P)	£339.96 + VAT =	**£390.95**
EPSON FX100 F T (P)	£439.00 + VAT =	**£504.85**
Seikosha GP100A (P)	£129.90 + VAT =	**£149.39**
Seikosha GP50A (P)	£79.90 + VAT =	**£91.89**
Seikosha GP50S (Spectrum)	£79.90 + VAT =	**£91.89**
Seikosha GP500A (P)	£139.90 + VAT =	**£160.89**
Seikosha GP550A (P)	£179.90 + VAT =	**£206.89**
Seikosha GP700A Colour (P)	£279.90 + VAT =	**£321.89**
Shinwa CT80 (P)	£175.00 + VAT =	**£201.25**

(P)=Parallel-Centronics (S)=Serial RS232

Smith Corona range of printers Now in Stock — Phone or write for details

INSTANT CREDIT Up to 36 months to pay
All items over £150 available on our easy credit terms.
Written details available on request.

SUPERDISKS

LONDON'S LOWEST PRICES ON FLOPPY DISKS

Prices per box of ten ex VAT

	SSDD 40TR	DSDD 40TR	SS96TPI 80TR	DS96TPI 80TR
BASF 5¼"	**£10.95**	**£18.20**	**£19.80**	**£22.50**
3M 5¼"	**£13.55**	**£19.50**	**£20.05**	**£24.00**
VERBATIM 5¼"	**£15.50**	**£23.50**	**£22.50**	**£30.50**
DYSAN 5¼"	**£16.80**	**£24.90**	**£24.90**	**£32.00**
TDK 5¼"	**£17.50**	**£25.50**	—	**£33.00**
BASF 3½"	**£34.90**	—	—	—

Add 70p for P&P per box of 10 disks

CASH & CARRY COMPUTERS
53-59 High Street,
Croydon, Surrey CR0 1QD.

12" MONITORS — GREEN SCREEN		
Sanyo 2112 Med Res	£65.00 + VAT =	**£74.75**
Sanyo 8112 High Res	£88.00 + VAT =	**£101.20**
14" MONITORS — COLOUR		
Commodore 1701 Composite/Sound	£173.00 + VAT =	**£198.95**
Fidelity CM14 RGB/Comp/Sound	£179.00 + VAT =	**£205.85**
Microvitec 1431MS Norm Res RGB	£173.00 + VAT =	**£198.95**
Microvitec 1431MZ for ZX Spectrum	£199.00 + VAT =	**£228.85**
Microvitec 1451MS Med Res RGB	£229.00 + VAT =	**£263.35**
Microvitec 1451DQ for Sinclair QL	£234.74 + VAT =	**£269.95**
Microvitec 1441MS High Res RGB	£379.00 + VAT =	**£435.85**
Sanyo 3125 Norm Res RGB	£173.00 + VAT =	**£198.95**
Sanyo 3117 Med Res RGB	£285.00 + VAT =	**£327.75**
Sanyo 3115 High Res RGB	£399.00 + VAT =	**£458.85**
Commodore		
Plus 4 NEW 64K Computer	£243.43 + VAT =	**£279.95**
C16 Starter pack inc. cassette deck	£113.00 + VAT =	**£129.95**
C2N Cassette	£32.61 + VAT =	**£37.50**
DPS1101 Daisywheel Printer (by Juki)	£309.95 + VAT =	**£356.44**
801 Tractor Printer	£165.17 + VAT =	**£189.95**
802 Friction Tractor Printer	£260.83 + VAT =	**£299.95**
1520 Colour Printer Plotter	£60.83 + VAT =	**£69.95**
1701 Colour Monitor	£173.00 + VAT =	**£199.00**
Amstrad		
Amstrad CPC464 Green Monitor	£192.00 + VAT =	**£220.80**
Amstrad CPC464 Colour Monitor	£289.00 + VAT =	**£332.35**
SANYO MBC 555 Business Computer		
128K including Wordstar, Calcstar, Infostar	£795.00 + VAT =	**£914.25**
BBC		
BBC Model B	£339.09 + VAT =	**£389.95**
Model B inc Disk I F	£399.96 + VAT =	**£459.95**
Cumana 1x100K DD CSX100	£126.00 + VAT =	**£144.95**
Cumana 1x200K DD CSX200	£191.26 + VAT =	**£219.95**
Cumana 2x100K DD inc PSU	£321.70 + VAT =	**£369.95**
Cumana 2x200K DD inc PSU	£347.78 + VAT =	**£399.95**
Cumana 2x400K DD inc PSU	£434.74 + VAT =	**£499.95**
All above Cumana Disk Drives include Cable, Manual + form. disk.		
Sinclair		
NEW Spectrum 48K PLUS inc. 6 Free Programs	£147.78 + VAT =	**£169.95**
Spectrum 48K + 6 Free Games (worth £56)	£106.91 + VAT =	**£122.95**
Microdrive + Interface 1 + 4 Free Programs	£82.60 + VAT =	**£95.00**
16K-48K Upgrade	£21.70 + VAT =	**£24.95**

BUSINESS SOFTWARE

We have a wide range of business software at our normal discount prices. All prices ex VAT. Add 70p for P&P per order.

Wordstar	**£195**
Open Access	**£360**
Lotus 123	**£295**
Symphony	**£490**
Multimate	**£240**
D Base II	**£280**
DMS Delta	**£395**
Friday	**£135**
Framework	**£345**

Please state computer format required when ordering.

Mail Order + Export + Trade Hot Line Phone 01-686 6362

Delivery by Securicor (3 day) please add £5.00 + VAT per item.
Delivery by T.N.T. (overnight) please add £9.50 + VAT per item.

Send off the coupon or order by 'phone quoting your Access, Barclaycard No. 'Phone 01-686 6362. Immediate despatch on receipt of order or cheque clearance.

Or you can Telex your order on: 946240 Attn 19001335

We accept official orders from PLC's, Government Departments and Educational establishments.

These prices correct until superceeded by next advertisement.

To: Cash & Carry Computers, 53-59 High Street, Croydon, Surrey CR0 1QD.

Please supply _____

_____

I enclose my cheque for £_____ including delivery by Securicor/T.N.T.*

or charge my Access/Barclaycard No. _____

Name _____ Signature _____

Address _____

_____ YC 12

*Please Delete

(continued from page 155)

This is 10 full lines of zeroes exactly. Edit this and change it to line 2, edit this and change it to line 3 and so on until you have lines 1 to 9 in this way — each line having 320 characters. Now type:

```
POKE 16511,114
POKE 16512,11
POKE 16510,0
```

Do not return to the listing when typing these Pokes as this will cause a crash but type them one after the other until finished and then you can look at the listing. You should have one Rem-statement of 2816 characters including the Rem and Newline characters, more than enough to hold the code.

Enter the machine code in the hex dump using any hex loader, the start address is 16514 and the finish is 19314. Save this on tape a few times when finished. Now enter the Basic lines 10 to 100. Press Rand Newline as if you do not do this the mutants do not move randomly for some unknown reason and will probably refuse to fall into the holes, then Run. If the game crashes you have to type in a hex checker program and check all the code.

One more thing to note — never type in the line number of the line immediately after the Rem as this will cause line 0 to be listed again and again by the computer due to a bug in the Rom. Therefore type in line 10 of the Basic program before you erase the hex loader.

If you master the game too quickly there are two Pokes you can enter to make the game harder.

Poking 18750 will cause the oxygen to decrease at a different rate — it is presently set at 3. Poking with 0 will make the oxygen stay at 6000.

Poking 18899 will change the speed of the game — this is initially set to 6.

The hex codes between 16608 and 16668 are data bytes and change during the running of the program and need not be 00.

Hex loader.

```
  99 REM HEX LOADER
 100 PRINT "START ADDRESS"
 110 INPUT S
 120 PRINT "FINISH ADDRESS"
 130 INPUT F
 140 FOR N=S TO F STEP 8
 150 LET T=0
 160 PRINT N;" - ";
 170 INPUT A$
 180 PRINT A$;" = ";
 190 INPUT TOT
 200 PRINT TOT
 210 LET Z=0
 220 FOR K=1 TO LEN A$ STEP 2
 230 LET C=(CODE A$(K)-28)*16+CO
DE A$(K+1)-28
 240 LET T=T+C
 250 POKE N+Z,C
 260 LET Z=Z+1
 270 NEXT K
 280 IF TOT=T THEN GO TO 310
 290 PRINT "ERROR - PLEASE INPUT
 AGAIN"
 300 GO TO 150
 310 NEXT N
```

Hex dump.

```
16514 - E5D52A3240545D29 = 816
16522 - 2919292929219222 = 298
16530 - 407CD1E1C980ADAE = 1298
16538 - ACAD8088A8B4B7AA = 1358
16546 - 949C9C9C9C9C9C80 = 1212
16554 - B4BDBEACAAB394A2 = 1390
16562 - 9C9C9C8088808080 = 1108
16570 - B5B1A5BEAAB780B8 = 1379
16578 - A8B4B7AA949C9C9C = 1317
16586 - 9C9C9C80B2AAB394 = 1271
16594 - 9C8080808080ACA6B2 = 1164
16602 - AA8054B5AAB70000 = 1013
16610 - 0000000000000000 = 0
16618 - 0000000000000000 = 0
16626 - 0000000000000000 = 0
16634 - 0000000000000000 = 0
16642 - 0000000000000000 = 0
16650 - 0000000000000000 = 0
16658 - 0000000000000000 = 0
16666 - 0000002101001415 = 75
16674 - 280A7DC8216F7CCE = 847
16682 - 00671BF39C0019ED = 788
16690 - 5B0C4019C9C579C8 = 914
16698 - 6F2005E61F831805 = 569
16706 - E61F4F7B915FC1C8 = 1059
16714 - 792005CB712003C9 = 710
16722 - 14C9150C9CD1D41EB = 977
16730 - 606901102 7CD7B41 = 650
16738 - 01E803CD7B410164 = 730
16746 - 00CD7B41010A00CD = 509
16754 - 7B410101 00CD7B41 = 580
16762 - C93E98C5003CED42 = 979
16770 - 30FB09EB77EB13C9 = 1117
16778 - 2A0C4011D7021911 = 394
16786 - 3740EB012000EDB0 = 996
16794 - 012000 13EDB002100 = 498
16802 - 0022E2402 1E440036 = 703
16810 - 0321E7403601217 0 = 531
16818 - 1722E540111A1601 = 416
16826 - 7017CD5641111B17 = 556
16834 - CD1D413AE440C59C = 1003
16842 - 77ED48E040110C16 = 770
16850 - CD5641 0E162A0C40 = 510
16858 - 0620233500 10FB23 = 429
16866 - 0D20F52A0C401143 = 492
16874 - 00190E0405203680 = 263
16882 - 2310FB1185001900D = 490
16890 - 20F221E8400 61836 = 687
16898 - 002310FB21E84036 = 685
16906 - 011102001 9E5CD62 = 609
16914 - 40E601280123 3601 = 425
16922 - E111030019350118 = 358
16930 - 230603E5CD8240E6 = 902
16938 - 0128012336 01E119 = 382
16946 - 10F10502C50 10600 = 469
16954 - E5E5C600ED427EED = 1328
16962 - 4246E1FE01201F80 = 807
16970 - FE022819E5230106 = 692
16978 - 00C600ED427EED42 = 930
16986 - 86FE02E12808CD82 = 998
16994 - 40E601280123 3601 = 426
17002 - E119E5E5C 10600C6 = 913
17010 - 00ED427EED4286FE = 1120
17018 - 02E12816E523C600 = 751
17026 - ED427EED42 86E1FE = 1345
17034 - 022808CD8240E601 = 680
17042 - 2801233601E119E5 = 610
17050 - E5C8C600ED427E03 = 670
17058 - ED4246E1FE012 01D = 914
17065 - 80FE022819E50106 = 685
17074 - 00C600ED427EED42 = 930
17082 - 86FE02E12807CD82 = 997
17090 - 40E601280123 3601 = 426
17098 - E119C105C2364228 = 804
17105 - 0C4011440019 11E6 = 435
17114 - 400E040506C5D5E5 = 733
17122 - EB7EEBFE01202B78 = 1046
17130 - FE05281CFE012814 = 643
17138 - CD8240E503F5CD82 = 1212
17146 - 40E80147F1804F06 = 820
17154 - 0009180401040009 = 61
17162 - 0605362D112100 19 = 186
17170 - 10F8E1110500 19D1 = 745
17178 - 13C110C1D5118700 = 786
17186 - 19D10D20E6110015 = 499
17194 - CD1D4105 20368023 = 654
17202 - 10FB21E7407EFE05 = 980
17210 - 38023E05C5034721 = 430
17218 - E9401100010E00C5 = 526
17226 - D5CD8240E507D54F = 1125
17234 - CD37417323723 3E5 = 853
17242 - CD1D417EE1FE2D28 = 989
17250 - 04C6001801137D1C1 = 684
17258 - CB18C578FE052807 = 851
17266 - 0E08CD3741180311 = 526
17274 - 0005C110CB211141 = 533
17282 - 51C13E05 9047FE00 = 813
17290 - 2805C600CB1A10FA = 739
17298 - 7221E7407EFE0716 = 851
17306 - FA1EFA3006FE0630 = 692
17314 - 0818 17CD8240E607 = 691
17322 - 5FCD8240E507578B = 1005
17330 - 20083CFE08360 23E = 482
17338 - 0057141C21F94006 = 487
17346 - 087AB820043640 18 = 492
17354 - 0A7BB820043640 18 = 495
17362 - 0235002310EB0608 = 356
17370 - 210141CD8240E603 = 731
17378 - 772310F7110F14ED = 706
17386 - 63124 1CD1D417EFE = 845
17394 - 2D211441 20043E01 = 262
17402 - 18023E007721E740 = 535
17410 - 7EFE05380 23E05C6 = 708
17418 - 0347C5160037CB1A = 877
17426 - 10FBC13E0 8B947FE = 999
17434 - 0028 06C600CB1A10 = 489
17442 - FA21E84072D30E49 = 975
17450 - 21E84048 0E00235E = 542
17458 - 2356 23CB18E5D5C9 = 1022
17466 - 38 0DC1C1E10C79FE = 1082
17474 - 0820 2C03E000914CD = 784
17482 - 1D417EFE00C2E044 = 960
17490 - 21F940060 00097EE6 = 717
17498 - 3FFE02380 3C33C44 = 701
17506 - FE01CA72447E3C77 = 944
17514 - C1D1D5C514C35D48 = 1205
17522 - 2115410 97E3C77FE = 687
17530 - 3CC2 9F44C1D1D5C5 = 1293
17538 - CD1D41368021F940 = 827
17546 - 0600097EFE4033004 = 511
17554 - 3E401802 3E80 77C1 = 654
17562 - D115C38245211441 = 791
17570 - CB56CB3C442A1241 = 744
17578 - C1D1D5C5C5001515 = 1052
17586 - ED52023C44210941 = 748
17594 - 0600097E3C77FE05 = 580
17602 - C23C44C1D1D5C5CD = 1339
17610 - 1D41368021F94006 = 628
17618 - 00097EE6C0C602 77 = 876
17626 - C1D114C38246210 1 = 699
17634 - 41060009 7EC1D1D5 = 821
17642 - C5E5FE02F5284DFE = 1298
17650 - 032844F1D5F515CD = 1038
17658 - 1D417EFE2DD17AD1 = 1059
17666 - 28434248052A1241 = 378
17674 - A7ED42CA4745D5F5 = 1270
17682 - 14CD1D417EFE2DD1 = 953
17690 - 7AD1282942485042A = 599
17698 - 1241A7ED42CA4745 = 895
17706 - FE00F5280 5CD9645 = 968
17714 - 180DCDCB45180 8CD = 751
17722 - 7C45180 3CD5645FE = 850
17730 - 04C1C3484547E1C2 = 1023
17738 - 594578C1D1D5C5CD = 1295
17746 - 1845FE04CA5D4577 = 835
17754 - C35D45C1D1C5D506 = 1192
17762 - 0003EC4615211141 = 637
17770 - 41047ECB0F10FC30 = 729
17778 - 063E020D0046C93E = 606
17786 - 04C9142A12410 800 = 548
17794 - ED52280AD5CD1D41 = 881
17802 - 7EFE2DD120033E03 = 734
17810 - C93E04C97BFE0238 = 903
17818 - 2111DD514CD1D417E = 720
17826 - FE00D12018211141 = 634
17834 - 41047EC80F10FC38 = 737
17842 - 09CD8240E601FE01 = 894
17850 - 28033E04C93E01CD = 578
17858 - 0046D514CD0046D1 = 787
17866 - C97BFE1E30211CD5 = 930
17874 - 14CD1D417EFE00D1 = 908
17882 - 2018211141410 47E = 366
17890 - CB0F10FC3809CD8E = 886
17898 - 40E601FE0128033E = 655
17906 - 04C93E00CD0046D5 = 755
17914 - 14CD0046D1C947D5 = 969
17922 - CD1D417ED1FE3828 = 984
17930 - 0AFE0D2806FE8D28 = 758
17938 - 02780 93E04C9C5FE = 1041
17946 - 02D22746CD8240E6 = 950
```

(continued on next page)

(continued from previous page)

```
17954 - 01C602180SCDB240 = = = = 529
17962 - E601C1E5672E04C5 = = = = 1003
17970 - D57CFE03E52808FE = = = = 1130
17978 - 01280EFE00280FCD = = = = 559
17986 - 6645180DCD7C4518 = = = = 630
17994 - 08CD9645180308CD = = = = 857
18002 - 45FE04E120112470 = = = = 751
18010 - FE043802250002DD1 = = = = 608
18018 - C120CCE13E04C9E1 = = = = 1146
18026 - C1E1C9C1E1C5D5EB = = = = 1682
18034 - 211141174E4104C80F = = = = 528
18042 - 10FCF53004062D18 = = = = 640
18050 - 0220600CD1D4170F1 = = = = 660
18058 - D1C1C5D547CCD1D41 = = = = 1182
18066 - 563E089F5F7AFE2D = = = = 817
18074 - 2004C8F818002CB58 = = = = 900
18082 - 78431002180 4CB0F = = = = 451
18090 - 18F8211141770D1C1 = = = = 908
18098 - E12B2B7323723E66 = = = = 839
18106 - C5D514CD1D417E06 = = = = 864
18114 - 00FE82CAEA46FE83 = = = = 1275
18122 - CAEA46FE00201821 = = = = 852
18130 - F940097EE63FFE00 = = = = 995
18138 - 2010211541093600 = = = = 230
18146 - 21094109360018002 = = = = 1496
18154 - 388021F940097EC8 = = = = 1556
18162 - 7F200CC5772004C6 = = = = 535
18170 - 3818050560D1802006 = = = = 537
18178 - 8DD1D5CD1D4170 2A = = = = 1016
18186 - 12410C500D1ED52C1 = = = = 1002
18194 - D5C5C023C44C1D1E1 = = = = 1355
18202 - 3E014C9CDB802ED58 = = = = 984
18210 - 12410D5E514CD1D411 = = = = 844
18218 - 7EFE00E1D1CA0B49 = = = = 1100
18226 - CB55CA4947CB6DCA = = = = 1448
18234 - 8447CB5DCA8F47CB = = = = 1156
18242 - 4DCA2345C3C24B7B = = = = 1970
18250 - 211441CB4EC2574 7 = = = = 1511 7
18258 - CBCEC3C248FE01CA = = = = 1327
18266 - 0B49CB46CA6E47D5 = = = = 1353
18274 - 1410CCD1D417EFE00 = = = = 727
18282 - D1CA0B49D5141DCD = = = = 962
18290 - 1D417ED1FE82CA0B = = = = 1056 5
18298 - 49FE83CA0B491DC3 = = = = 956
18306 - C24578211441CB4E = = = = 1225 55
18314 - CA9247C8E3C3C248 = = = = 1045
18322 - FE1ECA0B49CB46CA = = = = 1600
18330 - A947D5141CCD1D41 = = = = 1086 6
18338 - 7EFEE00D1CA0B49D5 = = = = 1014
18346 - 1410CCD1D417ED1FE = = = = 1014 4
18354 - 82CA0B49FE83CA0B = = = = 1014 4
18362 - 491CC3C248211441 = = = = 680
18370 - CB46CAC54715C3C9 = = = = 1155 5
18378 - 48D5141CD1D417ED1 = = = = 939
18386 - FE38CA1A48FE0DCA = = = = 1079
18394 - 1A48FE8DCA1A4821 = = = = 826
18402 - 1441140B4ECAEE47 = = = = 897 4
18410 - 1DC3EF4710 7BFEFFE = = = = 1194
18418 - CA0B49CD1D417EFE0 = = = = 1556
18426 - 00CA0B49FE83CA10 = = = = 867
18434 - 48FE82CAFE1548C30B = = = = 957
18442 - 49385C3C30B49368B = = = = 721
18450 - C30B49385C30B49 = = = = 745
18458 - 1521144410B6C3C2 = = = = 1029 55
18466 - 48D5141CD1D417ED1 = = = = 939
18474 - FE2DCA3348141C3D2 = = = = 1022 55
18482 - 487EFE0ADA0B49FBA = = = = 1008
18490 - 1ED20B49 7AFE14CBA = = = = 1092
18498 - 0B49211441C845C2 = = = = 569
18506 - 0B49CB4EC2558461C1 = = = = 744 3
18514 - C3584861DC5CD1D411 = = = = 994 3
18522 - 7ED1FE2DCA0B49D5 = = = = 1113 3
18530 - 1CCCD1D417EFE2DD1 = = = = 1167 3
18538 - CA0B49BC61DCCD1D41 = = = = 1140 3
18546 - 7EFFE2DD1CA0B49 14 = = = = 1140 3
18554 - D51CCD1D417ED1FEE = = = = 1122 3
18562 - 3C2580AF8828806FE0 = = = = 1167 3
18570 - 3C32802187CD51DCCA = = = = 1167 3
18578 - 1D41CD17EFE802880A = = = = 1167 3
18586 - FE82CA0B49CD1CCD41 = = = = 1167 3
18594 - 1857CD1D417EFE880 = = = = 1167 3
18602 - 2880AF8828806FE883 = = = = 1167 3
18610 - 2880A1828806FE883 = = = = 1167 3
18618 - 2AA1828806FE883 = = = = 1167 3
18626 - 1111441E8CB462004 = = = = 1167 3
18634 - 3E0018C0221441E8 = = = = 1167 3
18642 - E1EBEDB0221441E8 = = = = 1167 3
18650 - 2A0CC0B4E2004061 = = = = 1167 3
18658 - 1800B0E1E1E1E1E1 = = = = 1167 3
18666 - CD1D4170 2A1441E8 = = = = 1167 3
18674 - FE00CA0B49CD1D41 = = = = 1167 3
18682 - 3E0018C0221441E8 = = = = 1167 3
18690 - 2AE2E4C0221441E8 = = = = 1167 3
18698 - 2AE2E4C0221441E8 = = = = 1167 3
18706 - 2AE2E4C0221441E8 = = = = 1167 3
18714 - 2AE2E4C0221441E8 = = = = 1167 3
18722 - 2AE2E4C0221441E8 = = = = 1167 3
18730 - 2AE2E4C0221441E8 = = = = 1167 3
18738 - 2AE2E4C0221441E8 = = = = 1167 3
18746 - 2AE2E4C0221441E8 = = = = 1167 3
18754 - 2AE2E4C0221441E8 = = = = 1167 3
18762 - 2AE2E4C0221441E8 = = = = 1167 3
18770 - 2AE2E4C0221441E8 = = = = 1167 3
18778 - 2AE2E4C0221441E8 = = = = 1167 3
18786 - 2AE2E4C0221441E8 = = = = 1167 3
18794 - 2AE2E4C0221441E8 = = = = 1167 3
18802 - 2AE2E4C0221441E8 = = = = 1167 3
18810 - 2AE2E4C0221441E8 = = = = 1167 3
18818 - 2AE2E4C0221441E8 = = = = 1167 3
18826 - 2AE2E4C0221441E8 = = = = 1167 3
18834 - 2AE2E4C0221441E8 = = = = 1167 3
18842 - 2AE2E4C0221441E8 = = = = 1167 3
18850 - CD2A44FE01CA5549 = = = = 1130
18858 - CDD2495CDE44AFE01 = = = = 1250
18866 - CA5548CDDC49CDCD = = = = 1267
18874 - 49CDDCD49CD1748CD = = = = 1178
18882 - D2495CD88C2CB7DC2 = = = = 1446
18890 - 0E495CB41CC20E49C9 = = = = 1095
18898 - 0606C0EFF0D20FD10 = = = = 1094
18906 - F9C9ED5B12410D5144 = = = = 1022
18914 - CD1D417EFE00D120 = = = = 1144
18922 - 0D14ED5312411536 = = = = 1144
18930 - 3BCD1D41360021E8E = = = = 1144
18938 - 40460E0021E9405E = = = = 1144
18946 - 2356623CB08E5C5D5 = = = = 1144
18954 - 3B0CED1C1E10C79FE = = = = 1144
18962 - 3820EC21F8407 0C9 = = = = 1144
18970 - 21F9400C0009 7E47A = = = = 1144
18978 - E63F4FFE02DA0C4FA = = = = 1144
18986 - 14E5CD1D417EE1FE = = = = 1144
18994 - 0020186470D1D5CD = = = = 1144
19002 - 1D41360D1C1E114 = = = = 1144
19010 - 2B72235E5C5D5C3C4 = = = = 1144
19018 - 4ACB787920150B70 = = = = 1144
19026 - C25D4AFE03DA8C4FA = = = = 1144
19034 - C37F4AFE08DA8D4FA = = = = 1144
19042 - C37F4AFE0DDA8D4FA = = = = 1144
19050 - C37F4A78E6C0CB7FA = = = = 1144
19058 - C2784A0600C37C4AE = = = = 1144
19066 - 0640C38C4AD1C1CB = = = = 1144
19074 - B8C5D5CD1D413600 = = = = 1144
19082 - 21F9400500097ECB = = = = 1144
19090 - 7FC2A74AC877C2A1 = = = = 1144
19098 - 4A0105000C3AA4A01 = = = = 1144
19106 - 0A00C3AA4A011400 = = = = 1144
19114 - 2AE2400922AE24044 = = = = 1144
19122 - 4D41101 7CD5541C3 = = = = 1144
19130 - 0C4A78E6C077D1C1 = = = = 1144
19138 - C5D5C06000217F94000 = = = = 1144
19146 - 46CD1D41CB7020008 = = = = 1144
19154 - CB7820083E3618006 = = = = 1144
19162 - 3E0D1802 3E8D77C3 = = = = 1144
19170 - 0C4A21144 1CB55200 = = = = 1144
19178 - 01C9ED5B12410B96 = = = = 1144
19186 - D5CD1D41360 0D1417EE = = = = 1144
19194 - ED5312410D1D417EE = = = = 1144
19202 - 3638FE38CA1448FE = = = = 1144
19210 - 0DCA1448FE8DCA14 = = = = 1144
19218 - 48C093E01C921E640 = = = = 1144
19226 - 4500E0023EE2356243 = = = = 1144
19234 - CB08E5C5D5380BD1 = = = = 1144
19242 - D1E10C79FE08C21E = = = = 1144
19250 - 4BC921F940060009 = = = = 1144
19258 - 7EEE63FFE01C22948 = = = = 1144
19266 - 2115410 97EFE2DDA = = = = 1144
19274 - 2948FE3DD25448CD = = = = 1144
19282 - 1D417EFE80D25E45 = = = = 1144
19290 - C8801802D6077C3 = = = = 1144
19298 - 2945215410936000 = = = = 1144
19306 - 210941093600C329 = = = = 1144
19314 - 4B = 75
```


University Software

UNISTAT

STATISTICAL PACKAGE

MULTIVARIATE REGRESSION: Main output consists of estimated coefficients, t-stats, standard errors, R^2, corrected R^2, standard error of regression, F stat, and Durbin-Watson stat. Further output options: multiple correlation matrix, var-covar matrix, ANOVA of regression, residuals, plot of residuals, interpolation. Data options: Log/ln option for each variable, no-constant regression, choice of dependent variable, selection of independent variables, auto-omission of linearly dependent variables.

ANALYSIS OF VARIANCE, SCATTER DIAGRAMS AND TIME SERIES PLOTS: One-way and two-way (without interaction) ANOVA tables, scatter diagrams of paired data and time series plots with auto-scaling.

STATISTICAL TESTS, CORRELATION COEFFICIENTS AND PROBABILITY DISTRIBUTIONS: Basic stats on each column of data (size, sum, mean, variance, std. dev.). Chi-square (contingency table), t (one sample, two sample, paired), F, Mann-Whitney U, and Wilcoxon signed rank tests. Pearson's, Spearman's rank and Kendall's rank corr. coefs. Chi-square, t, F, binomial, Poisson and normal (std., non-std.) distributions. Results of tests and corr. coefs are displayed with significance levels.

DESCRIPTIVE STATISTICS, FREQUENCY DISTRIBUTIONS AND HISTOGRAMS: Analysis of raw data or data with frequency counts. Raw data sorted and grouped. Choice of lower bounds and class intervals. Absolute, cumulative and relative frequencies. Histograms with up to 200 classes. Output displays sum, mean, mean deviation, median, variance, std. dev., 3rd and 4th moments, skewness, kurtosis, range, etc.

All programs are datafile compatible with Matrix Operations program in UNIMAX package. Data matrix capacity examples (columns by rows): **CBM-64;** 2x1250, 5x700, 10x380, **BBC-B;** 2x750, 5x400, 10x200, **48K Spectrum;** 2x1800, 5x900, 10x500. **CBM-64** (disk/cass): **£85, BBC-B** (disk/cass): **£85, 48K Spectrum** (mdvcart/cass): **£60**

UNIMAX

LINEAR PROGRAMMING PACKAGE

LINEAR PROGRAMMING: A powerful and instructive optimisation program capable of handling all sorts of linear programming problems (min/max, any combination of $<=$, $=$, $>=$ constraints and $x_i>=0$, $x_i<=0$, $-\alpha<x_i<\alpha$ sign constraints). Primal, canonical, dual and their solutions are displayed in standard mathematical form. Unbounded problem and no feasible solution prompts. Edit option for all inputs. Capacity examples (variables by constraints): **CBM-64;** 10x35, 25x30, 40x25, **BBC-B;** 10x25, 20x20, **48K Spectrum;** 10x45, 25x35, 50x25.

MATRIX OPERATIONS: Inversion, transposition, determinant, pre- and post-multiplication, scalar multiplication, addition and subtraction of matrices and vectors. Any output can in turn be used as the input of the next operation without re-typing. Matrices can be saved or loaded at any stage. Datafile compatible with **UNISTAT** package. Capacities: **CBM-64;** 35x35, **BBC-B;** 25x25, **48K Spectrum;** 45x45.

CBM-64 (disk/cass): **£60, BBC-B** (disk/cass): **£60, 48K Spectrum** (mdvcart/cass): **£45.**

ALSO AVAILABLE FOR 48K SPECTRUM
INTRODUCTION TO ECONOMICS SET: £25
ECONOMIC GEOGRAPHY: £9.95 • BIBLIOFILE: £9.95
POLYNOMIALS: £6.95 • INTEGRATION: £6.95

To: **UNISOFT LIMITED**
(Dept. E) 29 ST PETER'S STREET, LONDON N1 8JP.
TEL: 01-359 0978

Prices include VAT and delivery within the UK. For orders from Europe add £1.50, outside Europe £3.00 per item for airmail post. Dealers enquiries welcome.

COMMODORE 64, BBC-B, 48K SPECTRUM
✻ Comprehensive user manual ✻ Full data handling facilities (display, print, change, save, load)
✻ All results can be printed out ✻

EXPAND YOUR HOME COMPUTER AND YOUR IMAGINATION TO THE LIMIT

Take just about any kind of software and think how the keyboard complicates things and limits you.

But once you've started with Touchmaster, anything's possible—and a lot easier.

Experience the expanding range of Touchware—Arcade Games, Graphics packages, early education programs, Synthesiser, Board Games. Or write your own programs. Either way they all take on a new dimension with Touchmaster.

Touchmaster's unique technology allows the kind of accuracy of control and flexibility of application which simply aren't possible with other pads at a comparable price—or even if you pay six times the price.

Touchmaster has both serial and parallel ports, so you can use it with just about every computer available—including your next one.

Buy Touchmaster and, with it, you'll find everything you need to start using it immediately—including a full graphics software package, all necessary connections for your existing home computer and a complete set of instructions.

Complete and post the coupon for more details. Or phone Teledata on 01-200 0200.

Now anyone can master the home computer

TOUCHMASTER

Touchmaster Limited, PO Box 3,
Port Talbot, West Glamorgan SA13 1WH

Detailed information, please,
on Touchmaster and its Touchware.

Name _____

Address _____

_____

_____ Post Code _____

YC/12/84



COMMODORE 64 £9.50
SPECTRUM £7.95
BBC MICRO £9.50



SPECTRUM £6.95
COMMODORE 64 £7.95



48k SPECTRUM £6.95



48k SPECTRUM £

BUG-BYTE

The original software hou

BUG-BYTE LTD Mulberry House, Canning Place, Liverpool L1 8JB Tel: 051-709

The problems of looking after your Micro...



As well as providing the solution to many a problem, Micro's however do present more than a few of their own.
Like how do you prevent it gathering dust when not in use, stop it from getting kicked when Mum's cleaning the lounge, divert the dog from showing it his affections, or even ensure it at least "arrives" safely when Dad decides to take it down to the local
We at P.A.S. realising these needs, have now developed a range of three superbly made protective cases designed specifically for Micro's. Each case is constructed from Solid Resin Fibreboard has a fully protective foam lining a carrying handle internal retaining strap, a double snap-fastening lid and a price that defies even Micro logic.

Prices apply to U.K. only.

PAS COMPUTER PRODUCTS LIMITED
UNIT 18, CENTRAL TRADING ESTATE,
STAINES, MIDDLESEX TW18 4UX.
Telephone Staines (STD 0784) 62781

Please help, I am a long suffering Micro owner and wish to purchase ..... case/s (tick appropriate box)

HC/1 HC/2 HC/A

I enclose cheque/P.O. to the value of .....

NAME .....

ADDRESS .....

.....

Please allow 21 days for delivery. Trade enquiries welcome.

CASE HC/1 Takes Micro's – ZX81, ZX Spectrum, Oric 1, CGL M5. **CASE HC/2** Takes Micro's – VIC20, BBC 'B', Commodore 64, Texas TI/99, Oric 1, Dragon 32, Colour Genie, Sharp MZ700, Acorn Electron, Lynx, Tandy Colour, Atari 600XL, Acorn Atom. **CASE HC/A** Can be adapted to take any of the above computers and various accessories such as Tape Recorder, printer etc.

---

on·off re·set switch for spectrum

- No more crashing from worn power supply socket
- Does not affect expansion port and use of interfaces
- Just pushes into position does not affect spectrum or power supply lead.
- No need to remove once in position.
- Ergonomically designed – no more fumbling with power supply leads.
- Positive rocker action prevents accidental operation.
- Ideal for re-setting rom cartridge games – saves time when changing microdrive cartridges.

£4.95

I enclose a cheque/postal order for £_____payable to TEC Publications, 24 Victoria Road, Bromsgrove, Worcs.

c

Name _____

Address _____

_____

Dealer Enquiries Welcome. Telephone (0527) 74567

HALLÅ SKANDINAVIEN!!!

Du som bor i Skandinavien och söker bra program till din hemdator.

KONTAKTA OSS!!!

Vi har det mesta som finns i denna tidning till ***samma*** låga priser som gäller i England. Dessutom får vi in alla nyheter ***samtidigt*** som de släpps i England.

SVENSKA MASKINKODSPROGRAM

Ja, nu släpper vi även en svensk serie maskinkodsprogram.
Missa inte vår jättesuccé ***"SPELDORADO"***

OBS!!! Vid katalogbeställning v.g. medsänd 5:– Skr i frimärken för portot.

SWESCOT

Box 213
121 02 Johanneshov
Sverige
08/39 27 00 – 08/81 18 01

Commodore classic now available
for all ATARI machines

Attack of the Mutant Camels



Llamasoft
AWESOME GAMES SOFTWARE

ATARI
PRICE £7.50

PLUS THE USUAL AWESOME COMMODORE RANGE

LLAMASOFT SOFTWARE, 49 MOUNT PLEASANT, TADLEY, HANTS, ENGLAND.

NOW 3RD GREAT YEAR!

HIRE

SPECTRUM 2X81 and COMMODORE 64 TAPES

LIFE MEMBERSHIP £5·00 TAPE HIRE FROM 50P INCLUDING VAT

FREE ILLUSTRATED QUARTERLY MAGAZINE WITH TIPS, NEWS, REVIEWS DISCOUNT OFFERS

OVER 4,000 DELIGHTED MEMBERS!

HUGE RANGE!
ADVENTURE GAMES
ARCADE and SIMULATION GAMES
BUSINESS and PRACTICAL PROGRAMS
UTILITIES
M/C COMPILERS
EDUCATIONAL
FROM OVER 60 TOP SUPPLIERS

SPECIAL OFFER! YOUR FIRST TWO TAPES FREE

IF YOU JOIN FROM THIS ISSUE or send 9"x6" sae for free details. Directors ALEC FRY, ARPS FRSA and ERNA FRY, BA

■ The first true software library to be set up in the world—and still the largest ■ Unrivalled tape stock, as you'd expect from our head start ■ Run on a 16-bit micro with **10 million bytes** of program and data on Winchester! aided by six less able but more friendly mere humans. ■ Often imitated (sometimes almost to the letter—flattery indeed!) but never equalled ■ Friendly, helpful service—at the end of a phone if needed ■ **Free** membership of our Discount Club: pounds off peripherals and top-of-the-chart tapes ■ Any loading problems (rare!) automatically credited ■ Shop now open (next to Post Office) for rental and discount sales of tapes and peripherals ■ Branches throughout the world ■ No complicated schemes, no commitment to quantity ■ New tapes arriving all the time ■ Printed, illustrated magazine "Computerchat" packs in more than any mere typed newsletter ■ Keenest-ever rates ■ ACCESS holders can join by telephone on 0730 892732 ■ **NO RIVAL can offer all this....**

To: **SOFTWARE LIBRARY**, Farnham Road, West Liss, Hants GU33 6JU.

NAME.....Machine.....

ADDRESS.....

.....

THE ORIGINAL SOFTWARE LIBRARY!

Special offer from this issue: LIFE MEMBERSHIP £5 (normally £9.50). Overseas (Europe only) £8, or join local branch in W. Germany, France, Holland, Belgium, Scandinavia, South Africa, Ireland—send Int. Reply Coupon and we'll forward your enquiry.

Access

YC

COMPUTER LINK

CONNECTORS IDC

	Card Edge	(Transition) PCB	2 Row Socket
10-way	£1.20	£0.85	£0.80
14-way	–	–	£0.90
16-way	£1.60	£1.20	£1.00
20-way	£1.90	£1.35	£1.20
26-way	£2.40	£1.60	£1.45
34-way	£3.10	£1.95	£1.60
40-way	£3.40	£2.00	£1.85
50-way	£3.85	£2.25	£2.00
60-way	£4.80	£2.60	£2.25

IDC SHROUDED HEADERS WITH EJECTING LOCKING ARMS

	Straight	Right Angle
10-way	.85	.90
14-way	£1.00	£1.20
16-way	£1.25	£1.45
20-way	£1.40	£1.60
26-way	£1.70	£1.95
34-way	£2.00	£2.30
40-way	£2.15	£2.45
50-way	£2.30	£2.65
60-way	£2.45	£2.85

IDC D CONNECTORS

	Male	Female
9-way	£2.70	£3.20
15-way	£3.20	£3.70
25-way	£3.80	£4.45
37-way	£5.90	£6.80

IDC AMPHENOL (Centronics)

36-way plug	£4.95
36-way socket	£5.95

PRINTER LEADS

ALL 1 METRE LENGTH

BBC	£9.95
BBC serial	£8.95
AMSTRAD	£16.75
MEMOTECH	£12.75
EINSTEIN	£12.75
IBM PCC	£15.95
SPECTRUM interface 1 to RS 232	£9.75
SPECTRUm interface 1 to Centronics	£10.75
CENTRONICS to Centronics	£15.20
DRAGON	£9.95

COMPUTER LEADS

Dual disk drive 1m	£10.25
Single disk drive 1m	£7.25
7 pin DIN plug to 2x3.5mm 1x2.5m Jack plugs	£2.25
5 Pin DIN plug to 2x35mm 1x2.5mm Jack plugs	£2.20
6 Pin DIN Plug to 6 Pin DIN Plug	£1.95
2x3.5mm Jack plugs to 2x3.5mm Jack plugs to	£1.25
7 Pin DIN plug to 5 pin DIN plug	£1.95
7 Pin DIN Plug to 3 pin DIN plug and 2.5mm Jack plug	£2.25
7 Pin DIN plug to 7 Pin DIN plug	£2.25
5 Pin Domino Plug to 5 pin Domino plug	£1.95
Phono Plug to Coaxial TV Aerial plug	95p

D CONNECTORS

Solder Bucket	Male	Female
9-way	.75	£1.00
15-way	.95	£1.50
25-way	£1.50	£1.90
37-way	£2.40	£3.25
HOODS .95		

DIP HEADERS

Pins	
14	90p
16	£1.00
24	£1.40
28	£3.95
40	£2.15

RIBBON CABLE (Price per ft)

	Grey	Rainbow
9-way	.13	.24
10-way	.15	.28
14-way	.18	.32
15-way	.20	.36
16-way	.22	.40
20-way	.30	.50
24-way	.36	.60
25-way	.40	.65
26-way	.45	.70
34-way	.60	.80
37-way	.65	.85
50-way	.70	.90
50-way	.95	£1.25
60-way	£1.10	£1.40
64-way	£1.15	£1.50

TELEPHONE CONNS

Surface master jack socket	£3.75
Surface extn socket	£2.50
Dual outlet adaptor	£4.25
Line jack cord 3mtr	£1.85
BT jack plug	48p
4 core cable per metre	15p

All surface units shuttered BT approved.

EDGE CONNECTORS

2x23-way (ZX81)	£1.85
2x28-way (Spectrum)	£2.10
2x6-way VIC20/64	£1.20
2x12-way	£1.60

DOUBLE SIDED PLUG BOARDS

ZX81 23-way	£1.25
Spectrum 28-way	£1.50

MONITOR LEADS

BBC 6-pin to start plug	£4.95
BNC plug to phono plug	£2.95
QL to colour monitor	£4.95
QL to mono monitor	£1.25

BBC JOYSTICK DELUXE JOYSTICK for BBC MICRO. Fits directly into BBC Micro analogue port

£12.95

SPECTRUM EXTENSION LEADS

6 inch extension calbe M to F	£10.50
6 inch M to 2 F's	£14.75
12 inch extension cable M to F	£10.75

Other convigurations made to order
Write or phone for quote

CUSTOM ASSEMBLIES

ANY COMBINATION OF IDC & RIBBON CABLE LEADS MADE TO ORDER

TRADE ENQUIRIES WELCOME

Please add 15% VAT *Free p&p C.W.O. or use*

COMPUTER LINK: Dept YC12. PO Box 1. Ware. Herts.
Telephone: 0920 5285

star ATTRACTION



£189.95 + VAT = £218

120 CPS ● BI-DIRECTIONAL LOGIC SEEKING ● FRICTION TRACTOR AND ROLL HOLDER STANDARD ● DOWNLOADABLE CHARACTERS ● ULTR HIGH RESOLUTION ● 80 COLS ● IBM PC VERSION NOW AVAILABLE

GEMINI-10X

FIDELITY

12 MHZ VIDEO BANDWIDTH
RGB AND COMPOSITE VIDEO
MEDIUM RESOLUTION

£169.95 + VAT = £195.44

14 INCH COLOUR MON
Also available in TV/Monitor version £195.95 + VAT = £225

LOOK!

NEW LOWER PRICES ON EPSON, STAR & BROTHE

DAISYWHEEL PRINTERS

BROTHER HR 15	CALL FOR BEST PRIC
EPSON DX 100	£369.95 + VAT = £425.4
JUKI 6100	£325.00 + VAT = £373.7
DAISYSTEP 2000	£225.00 + VAT = £258.7

DOT MATRIX PRINTERS

COSMOS JP80	£169.00 + VAT = £194.3
EPSON RX 80	£198.95 + VAT = £228.7
EPSON RX 80 F/T	£228.95 + VAT = £263.2
EPSON RX 100	£384.95 + VAT = £442.6
EPSON FX 80	£319.95 + VAT = £367.9
EPSON FX 100	£498.95 + VAT = £573.7
STAR GEMINI-10X	£189.95 + VAT = £218.4
STAR DELTA 10	£319.95 + VAT = £367.9
STAR RADIX 10	£498.95 + VAT = £573.7

THERMAL MATRIX PRINTERS

STAR STX 80	£129.95 + VAT = £149.4
BROTHER HR 5	CALL FOR BEST PRIC
BROTHER EP 44	CALL FOR BEST PRIC

Cables – Paper – Ribbons – Sheet Feeders
Tractor Feeds – Interfaces – *Call for Best Prices*

CREDIT CARD HOT LINE
01-482 1711

Access VISA

Please add £10 + VAT for delivery
Post your cheques/P.O's to:

DATASTAR SYSTEMS UK

UNICOM HOUSE 182 ROYAL COLLEGE STREE
LONDON NW1 9NN
Telex 295931 UNICOM G
TAX-FREE EXPORT & DEALER ENQUIRIES WELCOM
MONDAY-FRIDAY 9-6 SATURDAY & SUNDAY 10-

Personal callers welcome. We are situated by the junction of Camden Road by the railway bridge.



SWAZILAND WAS HIT by a cyclone about six months ago. Floods destroyed many of the country's bridges and washed away sections of the rail network. Houses were levelled and the telephone system was widely disrupted. With foreign aid Swaziland has recovered but the incident emphasised the importance of management and communications in dealing with natural disasters.

It was difficult to know in the aftermath of the cyclone where equipment was situated, what the current stock levels were at remote clinics, how much stock had been damaged, how many people had been injured and the nature of their injuries.

Apart from disaster relief, Swaziland has many health care and agricultural problems. Tuberculosis is still a common disease. Organised attempts are being made to identify and treat people with TB using modern anti-tuberculosis drugs such as Rifampicin.

Sent to the capital

If a case is suspected when someone is seen at a rural clinic or a district hospital they are sent to the capital for confirmation of the diagnosis. Treatment is started at the central hospital and the patient returns to the community. He or she will need a regular supply of Rifampicin for about two years.

It is in the nature of things that people move, complete their treatment, change their names, die from one or another cause and generally do all the things that complicate the lives of planners and managers.

On the one hand the Health Service administration aims to deliver supplies of the drug to the dispersed rural clinics so that nobody should have to walk more than five kilometres to collect their monthly supply. On the other, it is clearly important in any country, let alone Swaziland which is just emerging from being very poor, that expensive drugs like Rifampicin are not wasted because they are allowed to go out of date or because there is too much in one clinic and not enough in another.

The country is about the size of Wales and in computing terms I have heard it described as about equivalent to a medium-sized company such as Boots the Chemists. Systems analysis is about defining the limits of one or more tasks — a system — and then investigating the input to the system, the manipulation of data that is required and the outputs that will provide the right answers at the right time for the users.

A stock control system might allow more efficient ordering and rotation of drugs. In Swaziland, nurses act as primary care workers, diagnosing and treating common illnesses, stitching wounds, carrying out vaccinations and child development surveillance, and dispensing medicines and contraceptives.

Supported by specialists

These skills can be supported by specialist physicians and surgeons working in district and central hospitals. In a country where skilled health care staff are few and far between it is arguable, for both disaster relief and ordinary health care, that communications systems may be a better investment, at least in the short term, than just trying to increase the numbers of doctors working in the country.

Alan Williams of Computer Analysts and Programmers U.K. Ltd (CAP) is a keen sailor and he had an idea that it should be possible to use maritime satellite communications techniques to improve communications between different parts of countries where the terrain



UTING YCLONES

John Dawson describes how computers help in the aftermath of disasters.



prohibits normal telephone or short wave radio links.

The links should be either internal to the country, joining remote sites to a focal point, probably in the capital; or external, joining sites in the country to remote databases and experts in other countries.

Additionally, a mobile satellite communications terminal could be driven to the site of a major disaster, or could be airlifted and dropped in to provide voice and data links so that supplies can be directed to the right place in the right quantities, reducing waste and increasing the rescue agencies speed of response.

DoI financed pilot study

The Department of Industry financed a pilot study into the feasibility of CAP's project. A Land Rover was equipped with a Saturn ship earth station — SES —, a 10 Megabyte hard disc computer with an ordinary dot matrix printer, a video camera and a digitiser to convert each picture into digital numbers that could be transmitted down a standard 75/1200 or 300/300 baud modem, and last, but wholly essential, a British Telecom telephone.

Mounted on the back of the Land Rover, the dish aerial and its mounting weighed enough for the springs to require strengthening. The horizontal and vertical angles controlling the direction in which the dish faces were set manually using a cheap dashboard-mounted compass and the final alignment was done using the received signal strength readings from the satellite terminal. Bearings and azimuth readings were checked as Inmarsat dictates using a teleprinter terminal.

Inmarsat is an organisation that owns and operates a number of geostationary satellites used principally for marine navigation and communications. The satellites that we were using hang over the South Atlantic and Indian Oceans about 22,000 miles above the Earth's surface. The conditions under which Inmarsat operates permits the use of the satellites by land-based stations for humanitarian purposes.

Sharper than a ship

The motion of the Land Rover over rough surfaces is much sharper than a ship and the servo mechanisms holding the dish aerial on a steady bearing couldn't control the sudden accelerations. Power consumption in the test vehicle was probably higher than would be necessary in a production model.

CAP used a standard petrol-driven 230 volt 13 amp generator to run the satellite tracking electronics, the microcomputer and all the peripheral devices. Consequently, for both these reasons, the vehicle had to be stationary to receive or make calls.

Using the telephone we dialled through the satellite to one of the Packet Switch Stream — PSS — computers in the U.K. The PSS network is operated by British Telecom and provides a cheap and efficient method of exchanging information between computers.

A number of computers are scattered around the United Kingdom in the main population centres such as London, Birmingham, Leeds, Cambridge and so on. You can obtain a Network User Identity or NUI from the Post Office and can then access the PAD — Packet Assembler/Disassembler.

After entering your NUI you are asked for the address of the computer you wish to contact. The remote computer may be in the U.K.

(continued on page 167)

BIGGER, BOULDER, More BEAUTIFUL

AMERICAN NO 1.



86 LEVELS

JOYSTICK

BOULDER dash

commodore 64





CASSETTE 8·95 DISK 10·95

I wish to pay by cash/cheque/Postal Order/Access
To ACCESS:-
I authorise you to debit my Access Account with the amount of £
My ACCESS No. is

Name (as on Access card)
Cardholder's address
Signature

State Soft Ltd,
Business & Technology Centre,
Bessemer Drive, Stevenage,
Hertfordshire SG1 2DY.
Phone (0438) 316561.

Statesoft

Really Something E

(continued from page 165)

or it may be located just about anywhere else in the world. At first I was puzzled by a delay of about half a second before characters appeared on the computer screen but then I realised that it was simply the distance that was responsible — 22,000 miles up to the satellite, the same down to the Goonhilly earth station in Cornwall, to London, and then the return journey — about 88,000 miles in all, just under half a second at the speed of light in a vacuum.

From London it was easy to get into Data Mail in Switzerland and Colleague at Latham, close to New York. Information retrieval and communications in the Swazi uplands seemed to have been revolutionised overnight.

But was that really true? Certainly the equipment performed without fault despite the rough terrain over which it was carried. We learned that you need two channels open simultaneously for a sensible debate of medical problems, data can be exchanged on the first and the second must be a voice link so that the data can be discussed as it is presented.

Scope for development

Many ideas sprang out of the pilot study, for example there seems to be scope for the development of culture specific icons to help people with no previous training to use computers more easily. We give drugs according to the time of day in the United Kingdom but in a country where clocks are quite rare it makes very good sense to use pictures or ideograms of a rising sun, a midday sun, a setting sun and the moon to set the time at which doses must be given.

Conversely, I have thought for some time that selling inappropriate high technology to developing countries should be a serious crime. Nothing drains resources more quickly than the running costs and training requirements of a complex piece of high-tech equipment. While I have no doubt that computers and other equipment can benefit developing countries — that is only true provided they are used in the right way.

It's correct, for example, that a satellite communications terminal can cost less than a modest medical and nursing library and can give access to very large quantities of information. The Colleague searching software can track down material in a fraction of a second that a skilled human librarian might take hours to find. Keeping an electronic library up to date is comparatively easy and need not concern the remote user at all.

But the content of Northern hemisphere databases is aimed almost exclusively at Northern hemisphere users. That is not surprising for the object of a database owner is to collect together information that may be profitably distributed.

Information that reflects the needs of doctors scientists and other professionals and technologists in the Northern hemisphere may well be wholly inappropriate for health care workers engineers, managers and agriculturalist working in developing Southern hemisphere countries.

The information that I obtained from Colleague's American textbooks of neurosurgery was interesting but not particularly relevant to the immediate needs that we encountered. The technological aspects of medicine, as opposed to medical science, are all important in isolated communities and developing countries.

We have more than enough knowledge to put right much of the world's ill health; what is lacking is the management and practical application of that knowledge. The construction of practical, technologically oriented databases offering relevant information seem to be one of the keys to the success of the information revolution in the third world.

The management and scientific problems facing Swaziland exist in varying degree throughout the developing countries. A straight transfer of developed country science and technology is likely to be an unsatisfactory and superficial answer.

The sensitive development of relevant databases and the application of the best and most appropriate technology might allow Swaziland and other third world countries to escape some of the pitfalls we keep encountering.

Of course, the application of the same techniques with the same management skill might be expected to have a similar effect in other more developed countries as well. ■



Advicewise and pricewise, you'll find it hard to beat Streetwise.

Sinclair QL and Spectrum+ · Robotics · Software · Communications · Peripherals · Accessories · The lot

At Streetwise you know where you stand. If a product's worth buying, we make sure we stock it. So you get what you want everytime, without the hassle of waiting for your order.

You can buy the complete Sinclair range over the counter – including the new QL, Spectrum, Spectrum +, and the spectacular Wren Executive System. And as part of our enormous range of peripherals we've made a big feature of communications and viewdata.

Our demo facilities let you try before you buy so you can match up a modem to your micro, let a robot run around, or check out items from the vast range on offer –

Sinclair QL · Spectrum · Spectrum + Wren Executive System · Movit self-assembly robots · Software · Viewdata and communications · Printers · Monitors · Interfaces · Joysticks · Light rifles · Data recorders · Keyboards · Microdrives · Accessories · The lot.

Streetwise

MICROS

Lion House, 227 Tottenham Court Road, London W1.

EXPORT

ALL MAKES
OF
MICROCOMPUTERS
PRINTERS
PERIPHERALS
AND
SOFTWARE
SUPPLIED AT
DISCOUNT PRICES

MICROGOLD

UNICOM HOUSE
182 ROYAL COLLEGE STREET
LONDON NW1 9NN

Telex: 295931 UNICOM G Tel: 01-482 1711

ATTRACTIVE ADD-ONS!

ECONO BUFFER 48 kB

DON'T KEEP WAITING FOR PRINTOUTS

- copy function
- space compression
- single space mode
- page numbering
- QL version available!

RS 232 version: 135.90 centronics version: 139.90

UNIVERSAL EPROM-PROGRAMMER

INCL. SOFTWARE

For 2716, 2732, 2764, 27128, 2532 eproms

- already connected to e.g. CBM 64, VIC-20, ZX81, Apple, Junior, TRS 80, Acorn Atom, OSIxP, PET, SWTPC, Exorciser, Nascom, Ixxdy, Maxboard, Amicos, Sym, DAI, AIM, Explorer, Heathkit, ABC

42.45

EPROM ERASER

- erases 4 eproms simultaneously
- mounted in a solid case

30.45

MONITOR, ZENITH

- 12 inch non-glare screen 74.95
- OPTION: tilt base 5.95

COMMODORE:

- **PARALLEL PRINTER INTERFACE** 39.95 for every standard printer
- 16 kB high speed buffer option 12.95

CBM-64

- **80 COLUMN/GRAFIC-CARD** 77.5
- **COMMUNICATION INTERFACE** 109.-

VIC-20

- **16 kB RAMPACK** incl. 2 slots motherboard 39.9
- **32 kB RAMPACK** switchable 39.9
- **64 kB RAMPACK** switchable and software 63.9
- **40/80 COLUMNCARD** 61.5

CBM-64 & VIC-20

- **MOTHERBOARD** 2 slot 8.9
- **MOTHERBOARD** 5 slot switchable, buffered 26.5
- **EPROMCARD** 8.9

HOUSE CONTROL for every micro **HOUSE CONTROL**

SHOW YOUR FAMILY, YOUR COMPUTER CAN DO MORE discover those unlimited possibilities ALSO FOR COMMODOR

- **RELAY BOX** 20.95 switches everything on/off
- **SERVO SYSTEM** FROM 10.45 the "muscles" of your computer
- **POWER BOX** 20.95 switches mains on/off
- **INFRA-RED SYSTEM** 39.95 invisible beam, distance 75 ft

House Control

zero ELECTRONICS

149 KINGSTREET GT. YARMOUTH NR30 2 PA TEL :(0493)-84202

- All prices include VAT
- Supplier to schools, universities and government departments
- All products guaranteed
- Send for free details + order form
- Money refunded (less P&P), if goods returned in good condition within 10 days

Dealer inquiries invited

DIS/ASSEMBLER MONITOR



Martin Lightfoot expands the programming potential of your CBM-64.

THIS PROGRAM is a complete machine-code programming tool for the Commodore 64. It contains a machine-code monitor which allows the easy manipulation of memory, a disassembler which translates machine-code programs into the more comprehensible assembley language format, and an editor/assembler which together allow assembly language programs to be developed and translated into machine code.

Monitor: Anybody who owns or used to own a Commodore Pet should recognise the style of this machine-code monitor as it is based on the TIM monitor which used to come as standard on the Pet but was dropped on the Vic-20 and CBM-64. It provides the user with the following seven commands:

M XXXX YYYY — displays on the screen the contents of memory between the given hex addresses.

F XXXX YYYY ZZ — fills memory between the given hex addresses with the hex byte 22.

T XXXX YYYY ZZZZ — moves memory between the hex addresses XXXX and YYYY to new address starting at ZZZZ.

G XXXX — executes a machine-code program starting at XXXX hex.

X — return to menu.

L or L"prog name" — loads previously saved machine-code program back into memory at address from where it was saved.'

S"prog name" XXXX YYYY — saves memory between given hex addresses to tape.

Note — if no program name is required in the Save command, then the quotation marks must still be present, but left empty.

All numbers must be in hex and of the length shown. Spaces must be inserted between all hex numbers and command letters, except between the S or L command and the quotation marks. A space must be inserted after the second quotation mark in an S command before the start address of the save.

To edit the memory, just list the memory to the screen using the M command as previously described. Then move the cursor up to the required position on the screen and edit the data.

Note that all numbers must be in hex and two digits long, i.e., leading zeros may have to be added. When you have finished editing the memory pressing Return will Poke the new data into memory.

When displaying memory on screen using the M command, the Return key can be pressed to return to command mode.

All errors or mistakes in the syntax of commands will be indicated by a question mark at the beginning of the offending line.

Disassembler: The disassembler, option three on the menu, is capable of providing assembly language translations of machine-code programs in memory in the standard format.

To use the disassembler, you are required to input a start address. This can be in either decimal or hexadecimal, in which case a dollar sign must precede the hex number.

Disassemble to printer

You are given the option of disassembling to the screen or printer. To disassemble to the printer, you must type Y to the question output to printer? To disassemble to the screen, you simply press Return.

After every 20 machine-code instructions disassembled, you have to press Space to disassemble the next 20 instructions, or any other key to return to the menu.

The disassembler can be used to plough through the 64's Rom or it can be used to disassemble code that you have already written.

The occurrence of ??? indicators means that you are attempting to disassemble an area of memory that does not contain a machine-code program, or you have chosen a start address that is not the first byte of a machine-code instruction.

If the latter is the case, then the disassembler will eventually synchronise itself within the program in memory.

Editor: The editor is simply a means of entering your assembly language programs into the computer.

The editor works by changing the Basic pointers to point to a free area of memory, then you enter your assembly language program as you would a Basic program. This means you give each instruction a line number — only one instruction per line — and you insert and delete lines in the normal way. You can also Load and Save programs to tape or disc using the normal Basic commands. To get a listing of the program on printer use:

OPEN4,4:CMD4: LIST then after printing

(continued on next page)

```
10000 POKE55,0:POKE56,100:CLR:POKE808,237
10004 FORI=0TO13:POKE740+I,PEEK(43+I):NEXT
10005 OPEN1,0:DIM NB(13),SY$(30),SY(30),ER$(13),BK$(74)
10010 T1$="-E   E% GE%  E% ,E   E% 0E   E% ?$  )$J I$J )$J #$   $J O$   $J "
10020 T1$=T1$+"L    :C F:C >:C .:    :C 2:    :C M#   #K H#K >#K /#   #K Q#   #K "
10030 T1$=T1$+" R   TRS 9 X TRS &R   TRS ZRY  R  B@A B@A V@U B@A '@  B@A 3@M B@A "
10040 T1$=T1$+"64  647 =48 647 +4   47 14   47 5N  5N; CND 5N; (N   N; PN   N;"
10050 T2$="8:   22 810  55 9;   33 87   66 5:  222 C10 555 9;   33 87   66 "
10060 T2$=T2$+"8:   22 810 555 9;   33 87   66 8:   22 810 <55 9;   33 87   65 "
10070 T2$=T2$+" :   222 8 8 555 9;  334 878  6  1:1 222 818 555 9;  334 878 667 "
10080 T2$=T2$+"1:   222 818 555 9;   33 87   66 1:   222 818 555 9;   33 87   66"
10090 T3$="ADCANDASLBCCBCSBEQBITBMIBNEBPLBRKBVCBVSCLCCLDCLICLVCMPCPXCPYDECDEXDEY
10100 T3$=T3$+"EORINCINXINYJMPJSRLDALDXLDYLSRNOPORAPHAPHPPLAPLPROLRORRTIRTSSBC
10110 T3$=T3$+"SECSEDSEISTASTXSTYTAXTAYTSXTXATXSTYA
10120 HT$="0123456789ABCDEF"
10130 DEFFNDEC(X)=X-48+(X>57)*7
10140 FORI=1TO13:READNB(I):NEXTI
10150 DATA 0,1,1,1,1,2,2,2,0,1,1,1,2
10160 FORI=1TO56:READA:T4$=T4$+CHR$(A):NEXT
10170 DATA 8,8,5,1,1,1,2,1,1,1,1,1,1,1,1,8,3,3,4,1,1,8,4,1,1,2,1,8,5,5,5,1
10180 DATA 8,1,1,1,1,5,5,1,1,8,1,1,1,1,7,3,3,1,1,1,1,1,1
10190 FORI=1TO56:READA:T5$=T5$+CHR$(A):NEXT
10192 DATA 97,33,6,144,176,240,36,48,208,16,0,80,112,24,216,88,184,193,224,192
10194 DATA 198,202,136,65,230,232,200,76,32,161,162,160,70,234,1,72,8,104,40
10196 DATA 38,102,64,96,225,56,248,120,129,134,132,170,168,186,138,154,152
10200 FORI=0TO74:READBK$(I):NEXT
10205 DATA END,FOR,NEXT,DATA,INPUT#,INPUT,DIM,READ,LET,GOTO,RUN,IF,RESTORE,GOSUB
10210 DATA RETURN,REM,STOP,ON,WAIT,LOAD,SAVE,VERIFY,DEF,POKE,PRINT#,PRINT,CONT
10215 DATA LIST,CLR,CMD,SYS,OPEN,CLOSE,GET,NEW,TAB(,TO,FN,SPC(,THEN,NOT
10220 DATA STEP,+,-,*,/,↑,AND,OR,>,=,<,SGN,INT,ABS,USR,FRE,POS,SQR,RND,LOG,EXP
10225 DATA COS,SIN,TAN,ATN,PEEK,LEN,STR$,VAL,ASC,CHR$,LEFT$,RIGHT$,MID$
10230 IFPEEK(736)=167THEN10400
10240 FORI=755TO761:READA:POKEI,A:NEXT
10250 DATA 83,89,83,55,48,48,13
10260 FORI=25610TO25638:READA:POKEI,A:NEXT
10270 DATA 160,0,165,2,145,251,230,251,208,2,230,252,165,251,197
10280 DATA 253,208,240,165,252,197,254,208,234,165,2,145,253,96
10290 FORI=25639TO25671:READA:POKEI,A:NEXT
10300 DATA 160,0,177,251,145,253,230,251,208,2,230,252,230,253,208,2
10310 DATA 230,254,165,251,205,52,3,208,233,165,252,205,53,3,208,226,96
10320 FORI=25672TO25716:READA:POKEI,A:NEXT
10330 DATA 169,32,162,1,160,1,32,186,255,165,2,162,167,160,2,32,189,255,96
10340 DATA 32,72,100,166,253,164,254,169,251,32,216,255,96
10350 DATA 32,72,100,169,0,162,255,160,255,32,213,255,96
10352 FORI=25717TO25755:READA:POKEI,A:NEXT
10354 DATA 165,197,201,4,208,17,162,0,189,243,2,157,119,2,232,224,7,208
10356 DATA 245,169,7,133,198,76,49,234,120,169,117,141,20,3
10358 DATA 169,100,141,21,3,88,96
10360 FORI=700TO736:READA:POKEI,A:NEXT
10370 DATA 165,46,201,100,144,22,165,45,141,200,100,165,46,141,201,100
10380 DATA 162,0,189,228,2,149,43,232,224,14,208,246
10390 DATA 32,94,166,32,142,166,76,174,167
10395 POKE25800,3:POKE25801,101:POKE25856,0:POKE25857,0:POKE25858,0
10396 :
```

```
10400 REM *** ASSEMBLER ERROR MESSAGES ***
10410 ER$(0)="ADDRESSING MODE
      NOT AVAILABLE WITH THISMNEMONIC"
10415 ER$(1)="INVALID HEX NUMBER"
10420 ER$(2)="OUT OF LABEL SPACE"
10430 ER$(3)="LABEL NOT ALPHA-NUMERIC"
10440 ER$(4)="NO SUCH MNEMONIC"
10450 ER$(5)="UNDEFINED LABEL"
10460 ER$(6)="BRANCH OUT OF RANGE"
10470 ER$(7)="SINGLE BYTE OUT OF RANGE"
10475 ER$(8)="LABEL MORE THAN 6 CHARS"
10480 ER$(9)="LABEL DEFINED TWICE"
10485 ER$(10)="SYNTAX"
10490 ER$(11)="NO ASSEMBLY LANGUAGE PROGRAM"
10495 ER$(12)="ILLEGAL QUANTITY"
10496 ER$(13)="DIVISION BY ZERO"
10499 :
10500 POKE53280,0:POKE53281,0:PRINTCHR$(14)CHR$(8)
      NA=25857:DV=3:FR=FRE(0)
10510 PRINT"■■■"TAB(12)"■■ENU OF ΠPTIONS"
      :PRINTTAB(12)"■■■■■■■■■■■■■■■"
10520 PRINT"■■"TAB(8)"■1)....□ONITOR"
10530 PRINT"■"TAB(10)"■2)....□■SSEMBLER"
10540 PRINT"■"TAB(12)"■3)....□"ISASSEMBLER"
10550 PRINT"■"TAB(14)"■4)....□ROGRAM ¯DITOR"
10560 PRINT"■■■"TAB(5)"■■RESS KEY 1 - 4 TO CONTINUE..."
10570 POKE198,0
10580 GETIN$:IFIN$<"1"ORIN$)"4"THEN10580
10590 PRINTCHR$(142)
10600 ONVAL(IN$)GOTO13000,20000,11800,15000
10610 :
11000 REM *** CONVERT DECIMAL TO HEX ***
11010 H$=""
11020 HI=INT(H/256):LO=H-HI*256:IFHI=0ANDFL=0THEN11050
11030 A=HI/16:HI=HI-INT(A)*16
11040 H$=H$+MID$(HT$,A+1,1)+MID$(HT$,HI+1,1)
11050 A=LO/16:LO=LO-INT(A)*16
11060 H$=H$+MID$(HT$,A+1,1)+MID$(HT$,LO+1,1)
11070 RETURN
11080 :
11100 REM *** CONVERT HEX TO DECIMAL ***
11110 H=0:ER=0
11120 FORI=1TOLEN(H$):HH=FNDEC
      (ASC(MID$(H$,I,1))):H=H*16+HH
11130 IFHH>15ORHH<0THENER=1
11140 NEXT
11150 IFH>65535THENER=1
11160 RETURN
11170 :
11799 REM *** DISASSEMBLER ***
11800 REM *** INPUT START ADDRESS ***
11810 INPUT"□■START ADDRESS";AD$
11820 IFAD$=""THEN11810
11830 IFLEFT$(AD$,1)="$"THEN11860
11840 AD=VAL(AD$):IFAD<10RAD>65535THEN11810
11850 GOTO11900
11860 H$=RIGHT$(AD$,LEN(AD$)-1)
11870 GOSUB11100
11880 IFER=1THENER=0:GOTO11810
11890 AD=H
11900 INPUT"OUTPUT TO PRINTER■■■■■■";FL$
11910 IFFL$<>"N"ANDFL$<>"Y"THENPRINT"□□":GOTO11900
11920 IFFL$="Y"THENOPEN4,4:ER=1
12000 PRINT"□":FORI=1TO20:PE=PEEK(AD):
      IFPE=255THENAM=9:MN$="???":GOTO12040
12005 FR=FRE(0)
12010 P1=ASC(MID$(T1$,PE+1,1))-34:
      IFP1<0THENAM=9:MN$="???":GOTO12040
12020 MN$=MID$(T3$,P1*3-2,3)
12030 AM=ASC(MID$(T2$,PE+1,1))-47
12040 H=PE:GOSUB11000
12050 BY$=H$+" "
12060 IFNB(AM)=0THENBY$=BY$+"      ":GOTO12200
12070 IFNB(AM)=2THEN12170
12080 H=PEEK(AD+1):GOSUB11000
12090 BY$=BY$+H$+"   "
12100 IFAM=1THEN12120
12110 GOTO12190
12120 H1=PEEK(AD+1)
12130 IFH1<128THENH=AD+H1+2:GOTO12150
12140 H=AD-(256-H1)+2
12150 GOSUB11000
12160 GOTO12190
12170 FL=1:H=PEEK(AD+1)+256*PEEK(AD+2):GOSUB11000:FL=0
12180 BY$=BY$+RIGHT$(H$,2)+" "+LEFT$(H$,2)
12190 H$="$"+H$
12200 ONAMGOTO12500,12550,12600,12650,12700,12600,
      12650,12700,12220,12600,12750
12210 ON14-AMGOTO12850,12800
12220 FL=1:H=AD:GOSUB11000:FL=0
12230 PRINT"□"H$SPC(3)"■"BY$"    ■"MN$
12240 IFPR=1THENPRINT#4,H$SPC(5)BY$"    "MN$
12250 AD=AD+NB(AM)+1
12260 IFAD>65535THENFL=1:I=20
12270 NEXTI
12280 PRINT"■■PRESS ■ SPACE ■■ TO CONTINUE
      . . .";:POKE198,0:FR=FRE(0)
12290 GETIN$:IFIN$=""THEN12290
12300 IFIN$<>" "THEN12320
12310 IFFL=0THEN12000
12320 FL=0:PR=0:CLOSE4:GOTO10500
12490 :
12500 REM *** ACCUMULATOR ***
12510 MN$=MN$+" A"
12520 GOTO12220
```

(listing continued on page 17

(continued from previous page)

PRINT# 4:CLOSE4

When you have entered your program you simply press f1 which, by using an interrupt, returns you to the menu by resetting the basic pointers to point to the assembler program which automatically Runs.

If, while typing in your assembly language program, you press Run/Stop and Restore simultaneously, the interrupt will be turned off, and pressing f1 will not return you to the menu. If this is the case then you will have to type SYS700 to get back to the menu.

Make sure you type the Sys call correctly as the program could crash resulting in you having to switch the machine off and on again to regain control.

The editor gives you 6909 bytes to enter your assembly language programs which should be more than enough for most programs. If you find this limiting, you will have to type your programs in more than one part i.e., assemble one part, enter the next part using the editor, and assemble this second part directly after the first.

Two pass assembler

Assembler: The assembler incorporated in this program is a full two pass assembler, which allows the use of labels, variables and comments to make the assembly language program more understandable. It accepts all the standard assembler mnemonics in their standard formats.

The use of Labels enables a program to be directed to a named instruction without the need to calculate branches or jump addresses. For example, the instruction

```
BNE LABEL1
```

instructs the assembler to branch to the instruction with label name Label1. Elsewhere in the program, there should be an instruction preceded with this label name. For example:

```
.LABEL1 LDA # $FF
```

When a label is defined, it must be preceded with a full stop to tell the assembler that it is a label and not an instruction. The label can be any alpha-numeric characters — letters and numbers — and up to a maximum length of six characters. It should always be separated from the instruction with a space. There must be no space between the full stop and the label name.

Comments can be added

Variables can be defined as in a Basic program, for example:

```
LABEL1 = 49152
LOOP1 = $FFFF
LABEL2 = LOOP1 - LABEL1
LOOP2 = LABEL1/256
```

The same rules apply to the variable name as those for the labels, except that no full stop is required. A total of 30 variables and labels are allowed in any one assembly language program. If you need more, then change the arrays SY$ and SY in line 10005, and the 30 in line 20310.

Comments can be added to the end of an assembly language instruction by separating them with a semi-colon. Anything that appears after the semi-colon will be totally ignored during assembly.

The assembler also provides a simple expression evaluator for the addition, subtraction, multiplication and division of two numbers, labels or variables. For example:

```
LDA LABEL + 256
LOOP = LABEL/4096
STA CONST*10
TEMP = NEXT - FIRST
SYMBOL = $FFFF/256
```

The assembler provides six "directives" which do not appear in the machine-code program, but modify the manner of assem

- ORG [address] — this directive m appear at the beginning of every assem language program. It tells the assem where to place in memory the assemb machine-code program. More than ORG directive can appear in a sir assembly language program if diffe sections of the program are to be pla in entirely different areas of memory.
- PRT — following this directive outpu the assembled program is diverted f the screen to the printer.
- SYM — this indicates that the syr table containing all the values of varia and labels used in the assembly langu program, are to be appended to the lis of the assembled program.
- END — when this directive encountered in a program, assemb terminated. It does not have to be the line in a program.
- BYT — this directive allows a serie one byte values to be specified in a s line. The values will be entered dir into memory when the prograr assembled. Both decimal and numbers are allowed, but hex num must be preceded by a dollar sign.
- TXT — this directive allows a stri characters to be placed into memory characters must be enclosed w quotation marks after the TXT dire The ASCII values of each characte POKEd into memory.

The following areas of memory are av for your machine-code programs.

DECIMAL	HEX
679 → 767	($02A7) → 02FF)
32768 → 40960	(8000 → A000)
49152 → 53248	(6000 → D000)

Multiple Combat Scenarios
Full Aerobatics
3-D Graphics

F-15 STRIKE EAGLE

U.S. GOLD
All American Soft

MicroProse Software

64 ATARI

F-15 Strike Eagle features superb 3-D graphics, F-15 manoeuvreability, computer assisted targetting including modern fighter Heads Up Display, airborne radar, air to air missiles, surface to air missile defence, ground target bombing, full aerobatics, and multiple combat scenarios.

DISK/CASSETTE £14.95





SOLO FLIGHT: Take off with this user friendly flight simulator which includes 3-D graphics, full cockpit instrumentation, dual VORs, ILS, 21 different airports and real life challenges from weather and mechanical emergencies. **DISK/CASSETTE £14.95**

SPITFIRE ACE: Save London during the Blitz in your RAF Spitfire! Outstanding out-of-the-cockpit 3-D graphics; 14 different combat senarios. **DISK £12.95, CASSETTE £9.95**

NATO COMMANDER: *Defend Europe in an accelerated real-time war situation!* Full scrolling battle map, includes infantry, armour, helicopters, airforces and tactical nuclear weapons. **DISK £12.95, CASSETTE £9.95**

U.S. Gold is stocked by all leading computer stores including:

Boots / John Menzies WHSMITH WILDINGS WOOLWOR

U.S. Gold Limited, Unit 10, The Parkway Industrial Centre, Heneage Street, Birmingham B7 4LY. Telephone: 021-359 3020. Telex: 33

This week – it's
Wally Week!



Wally Week is here – starring in Mikro-Gen's great new game

Automania

Meet Wally Week – the incomparably incompetent hero of Automania. Help him climb the ladders and jump the gaps whilst rebuilding ten cars – and avoiding a hailstorm of nuts and bolts, an avalanche of tyres, and a Tidy Robot which clears everything up – including the car poor Wally is rebuilding. And if you can do it, start again at a harder level – it soon gets very difficult . . . .

Ten screens ★ Superb graphics ★ Great animation!
It's all on Automania, starring Wally Week

Automania ONLY £6.95

For 48K Spectrum

Just part of Mikro-Gen's great range – look out for Laserwarp (and see if you can win £100 for the month's highest score), Genesis II, Paradroids, Drakmaze, and lots more at Co-op, Boots, W H Smiths, Menzies and other leading retailers, or order direct (plus 40p post & packing) from:

PHONE YOUR VISA/ACCESS NUMBER

MIKRO-GEN

44 The Broadway, Bracknell, Berks RG12 1AG Tel: 0344 427317

(continued from page 170)

```
12550 REM *** IMMEDIATE ***
12560 MN$=MN$+" #"+H$
12570 GOTO12220
12600 REM *** ZERO PAGE/ABSOLUTE/RELATIVE ***
12610 MN$=MN$+" "+H$
12620 GOTO12220
12650 REM *** ZERO PAGE,X/ABSOLUTE,X ***
12660 MN$=MN$+" "+H$+",X"
12670 GOTO12220
12700 REM *** ZERO PAGE,Y/ABSOLUTE,Y ***
12710 MN$=MN$+" "+H$+",Y"
12720 GOTO12220
12750 REM *** (INDIRECT,X) ***
12760 MN$=MN$+" ("+H$+",X)"
12770 GOTO12220
12800 REM *** (INDIRECT),Y ***
12810 MN$=MN$+" ("+H$+"),Y"
12820 GOTO12220
12850 REM *** (INDIRECT) ***
12860 MN$=MN$+" ("+H$+")"
12870 GOTO12220
12900 :
12999 REM *** MACHINE CODE MONITOR ***
13000 PRINT"□"
13010 FR=FRE(0):PRINT"#":INPUT#1,CO$
13020 IFCO$=""THEN13010
13030 C$=LEFT$(CO$,1)
13040 IFC$="X"THEN10500
13050 IFC$="M"THEN13200
13060 IFC$="."THEN13400
13070 IFC$="F"ORC$="T"THEN13500
13080 IFC$="L"THEN13700
13090 IFC$="S"THEN13800
13100 IFC$="G"THEN14000
13150 PRINT:PRINT"■?":ER=0:GOTO13010
13160 :
13199 REM *** DISPLAY MEMORY ON SCREEN ***
13200 IFLEN(CO$)<11THEN13150
13210 CO$=RIGHT$(CO$,9)
13220 H$=LEFT$(CO$,4):GOSUB11100:IFER=1THEN13150
13230 A1=H
13240 H$=RIGHT$(CO$,4):GOSUB11100:IFER=1THEN13150
13250 A2=H
13260 IFA2<A1THEN13150
13270 PRINT:PRINT:FORI=A1TOA2STEP8
13280 FL=1:H=I:GOSUB11000:FL=0:PRINT"□"H$"▲";:J=0
13290 H=PEEK(I+J):GOSUB11000:PRINT" "H$;
13295 GETIN$:IFIN$=CHR$(13)THENJ=7:I=A2
13300 J=J+1:IFJ<8THEN13290
13305 FR=FRE(0)
13310 PRINT:NEXT
13320 GOTO13010
13330 :
13399 REM *** MEMORY MODIFY ROUTINE ***
13400 IFLEN(CO$)<29THEN13150
13410 H$=MID$(CO$,2,4):GOSUB11100:IFER=1THEN13150
13420 AD=H
13430 FORI=6TO27STEP3:IFMID$(CO$,I,1)<>" "THENER=1:I=27
13440 NEXT
13450 IFER=1THEN13150
13460 CO$=RIGHT$(CO$,23)
13470 FORG=1TO23STEP3:H$=MID$(CO$,G,2)
      :GOSUB11100:IFER=1THEN13150
13480 POKEAD,H:AD=AD+1:NEXT
13490 GOTO13010
13494 :
13499 REM *** MEMORY FILL AND MOVE ROUTINES ***
13500 IFC$="T"THEN13510
13502 IFLEN(CO$)<14THEN13150
13505 D=2:GOTO13520
13510 IFLEN(CO$)<16THEN13150
13515 D=4
13520 IFMID$(CO$,2,1)<>" "ORMID$(CO$,7,1)<>" "ORMID$
      (CO$,12,1)<>" "THEN13150
13530 H$=MID$(CO$,3,4):GOSUB11100:IFER=1THEN13150
13540 A1=H:H$=MID$(CO$,8,4):GOSUB11100:IFER=1THEN13150
13550 A2=H:H$=RIGHT$(CO$,D):GOSUB11100:IFER=1THEN13150
13560 IFC$="T"THEN13620
13565 :
13569 REM *** FILL MEMORY ***
13570 IFA2<A1THEN13150
13580 IFA1=A2THENPOKEA1,H:GOTO13010
13590 POKE252,A1/256:POKE251,A1-256*PEEK(252)
13600 POKE254,A2/256:POKE253,A2-256*PEEK(254)
13610 POKE2,H:SYS(25510):GOTO13010
13615 :
13619 REM *** MOVE MEMORY ***
13620 IFA2<=A1OR(A2-A2AND)<=A1)THEN13150
13630 POKE252,A1/256:POKE251,A1-256*PEEK(252)
13640 A2=A2+1:POKE821,A2/256:POKE820,A2-256*PEEK(821)
13650 POKE254,H/256:POKE253,H-256*PEEK(254)
13660 SYS(25639):GOTO13010
13670 :
13700 REM *** LOAD MEMORY FROM TAPE ***
13710 NA$="":IFCO$="L"THEN13720
13720 GOSUB13900:IFER=1THEN13150
13730 POKE2,LEN(NA$):SYS(25704)
13740 H=PEEK(829)+256*PEEK(830):GOSUB11000:SA$=H$
13750 H=PEEK(831)+256*PEEK(832):GOSUB11000:EA$=H$
13760 PRINT:PRINT"CODE LOCATED AT "SA$" TO "EA$
13770 GOTO13010
13780 :
13800 REM *** SAVE MEMORY TO TAPE ***
13810 NA$="":GOSUB13900:IFER=1THEN13150
13820 CO$=RIGHT$(CO$,LEN(CO$)-LEN(NA$)-1)
13830 IFLEN(CO$)<10THEN13150
13840 H$=MID$(CO$,2,4):GOSUB11100:IFER=1THEN13150
13850 SA=H:H$=RIGHT$(CO$,4):GOSUB11100:IFER=1THEN13150
13860 EA=H:IFEA<=SATHEN13150
13870 POKE252,SA/256:POKE251,SA-256*PEEK(252)
13880 POKE254,EA/256:POKE253,EA-256*PEEK(254)
13890 POKE2,LEN(NA$):PRINT SYS(25691):GOTO13010
13895 :
13899 REM *** GET FILE NAME FROM CO$ ***
13900 IFMID$(CO$,2,1)<>CHR$(34:THENER=1:RETURN
13910 CO$=RIGHT$(CO$,LEN(CO$)-2):FL=0
13920 ER=1:FORI=1TOLEN(CO$)
13930 IFMID$(CO$,I,1)=CHR$(34)THENI=LEN(CO$):ER=0:GOTO13950
13940 NA$=NA$+MID$(CO$,I,1)
13950 NEXT:IFFL=1THENRETURN
13960 IFLEN(NA$)>16THENER=1
13965 IFER=1OPNA$="":THENRETURN
13970 FORI=1TOLEN(NA$):POKE678+I,ASC(MID$(NA$,I,1)):NEXT
13980 RETURN
13990 :
13999 REM *** EXECUTE MACHINE CODE PROGRAM ***
14000 IFLEN(CO$)<6THEN13150
14010 H$=RIGHT$(CO$,4):GOSUB11100:IFER=1THEN13150
14020 SYS(H):GOTO13010
14999 :
15000 REM *** PROGRAM EDITOR ***
15010 PRINT"□■EDITOR■ - 'F1' TO RETURN TO MENU"
15020 POKE43,1:POKE44,101
15030 POKE45,PEEK(25800):POKE46,PEEK(25801)
15040 POKE55,0:POKE56,128
15050 CLR
15060 PRINT"■"FRE(0)"BYTES FREE":SYS(25743)
15070 END
15080 :
20000 REM *** PERFORM PASS ONE ASSEMBLY ***
20005 PRINT"□PASS ONE ASSEMBLY■":SV=1:AD=0:PA=1
20010 FR=FRE(0):GOSUB21100
20012 IFPEEK(25800)+256*PEEK(25801)=25859THENER=11:GOTO23500
20015 IFNA=0THEN23000
20016 PRINTLN;C$:BY=0:IFOP$=""THEN20010
20017 IFAD>65535THENER=12:GOTO23500
20018 IFOP$="SYM"THEN20010
20019 IFOP$="PRT"THENDV=4:GOTO20010
20020 IFOP$="END"THEN23000
20022 IFLEFT$(OP$,1)="."ANDLEN(OP$)>1THENGOSUB20200
20025 IFLEFT$(OP$,3)="ORG"THENGOSUB20500:GOTO20010
20030 IFLEFT$(OP$,3)="TXT"THENGOSUB20600:GOTO20010
20035 IFLEFT$(OP$,3)="BYT"THENGOSUB20700:GOTO20010
20040 IFVA=1THEN20100
20045 MN$=LEFT$(OP$,3):GOSUB21500
20050 GOSUB21300:IFAM=6ORAM=7ORAM=8THENGOSUB22100
      :GOSUB21700
20060 AD=AD+NB(AM)+1
20070 GOTO20010
20080 :
20100 REM *** ADD VARIABLE TO SYMBOL TABLE ***
20110 GOSUB20300
20120 GOSUB21000:GOSUB22115
20130 SY(SV)=BY
20140 SV=SV+1:GOTO20010
20150 :
20200 REM *** ADD SYMBOLIC ADDRESS TO SYMBOL TABLE ***
20210 OP$=RIGHT$(OP$,LEN(OP$)-1)
20220 GOSUB20300:GOSUB21000
20230 SY(SV)=AD:SV=SV+1
20240 RETURN
20250 :
20300 REM *** REMOVE LABEL NAME ***
20310 IFSV>30THENER=2:GOTO23500
20320 FORI=1TOLEN(OP$)
20330 A$=MID$(OP$,I,1)
20340 IFA$=" "ORA$="="THENI=LEN(OP$):GOTO20370
20350 IF(ASC(A$)<48ORASC(A$)>90)OR(ASC(A$)>57ANDASC(A$)
      <65)THENER=3:GOTO23500
20360 SY$(SV)=SY$(SV)+A$
20370 NEXT
20375 IFLEN(SY$(SV))>6THENER=8:GOTO23500
20380 IFSV=1THEN20420
20390 EK=0:FORI=1TOSV-1:IFSY$(SV)=SY$(I)THENER=1:I=SV-1
20400 NEXT
20410 IFER=1THENER=9:GOTO23500
20420 OP$=RIGHT$(OP$,LEN(OP$)-LEN(SY$(SV)))
20430 RETURN
20440 :
20500 REM *** DEAL WITH ORG DIRECTIVE ***
20510 OP$=RIGHT$(OP$,LEN(OP$)-3):GOSUB21000
20515 GOSUB22115
20520 HD=BY:RETURN
20530 :
20600 REM *** DEAL WITH TXT DIRECTIVE ***
20610 NA$="":OP$=RIGHT$(OP$,LEN(OP$)-3):GOSUB21000
20620 IFLEFT$(OP$,1)<>CHR$(34)ORRIGHT$(OP$,1)
      <>CHR$(34)THENER=10:GOTO23500
20630 CO$=RIGHT$(OP$,LEN(OP$)-1)
20640 FL=1:GOSUB13220:FL=0
20650 IFPA=1THENAD=AD+LEN(NA$):RETURN
20660 H=AD:GOSUB11000:AD$=H$:GOSUB23400
20665 IFNA$=""THENRETURN
20670 FORI=1TOLEN(NA$):H=ASC(MID$(NA$,I,1)):IFA=255THENA=13
20675 POKEAD,A:AD=AD+1:NEXT
20680 RETURN
20690 :
20700 REM *** DEAL WITH BYT DIRECTIVE ***
20710 CO=0:OP$=RIGHT$(OP$,LEN(OP$)-3):GOSUB21000
20715 IFOP$=""THENER=10:GOTO23500
20720 FORI=1TOLEN(OP$)
20730 A$=MID$(OP$,I,1):IFA$=","THENCO=CO+1:GOTO20750
20735 IFA$="$"THEN20750
20740 IF(ASC(A$)<48ORASC(A$)>70)OR(ASC(A$)>57ANDASC(A$)
      <65)THENER=10:I=LEN(OP$)
20750 NEXT:IFA$=","THENER=10
20760 IFER=10THEN23500
20770 IFPA=1THENAD=AD+CO+1:RETURN
20774 :
20775 REM *** PASS TWO 'BYT' ***
20776 FL=1:H=AD:GOSUB11000:AD$=H$:FL=0:GOSUB23400
20780 FORJ=1TOLEN(OP$)
20790 A$=MID$(OP$,J,1)
20800 IFA$=","THEN20830
20810 N$=N$+A$
20820 NEXT
20830 IFLEFT$(N$,1)="$"THEN20860
20840 N=VAL(N$):IFN>255THENER=12:GOTO23500
20845 IFN=0ANDN$<>"0"THENER=10:GOTO23500
20850 GOTO20880
20860 H$=RIGHT$(N$,LEN(N$)-1):GOSUB11100:IFER=1THEN23500
20870 IFN>255THENER=12:GOTO23500
20880 POKEAD,N:AD=AD+1:N$="":IFJ=LEN(OP$)+1THENRETURN
20890 NEXT
20900 :
21000 REM *** REMOVE LEADING SPACES ***
21010 G=LEN(OP$):FORI=1TOG
21020 A$=LEFT$(OP$,1):IFA$=" "ORA$="="THENOP$=RIGHT$
      (OP$,LEN(OP$)-1):GOTO21040
21030 I=G
21040 NEXT
21050 RETURN
21060 :
21100 REM *** GET NEXT LINE OF ASSEMBLY PROGRAM ***
21110 SA=NA
21120 LN=PEEK(SA+2)+256*PEEK(SA+3)
21130 NA=PEEK(SA)+256*PEEK(SA+1):IFNA=0THENRETURN
21140 OP$="":VA=0:SC=0:SM=0
21150 FORI=SA+4TONA-2:A=PEEK(I)
21160 IFA=59THENSC=1:GOTO21180
21161 IFA=34THENSM=1-SM:GOTO21180
21165 IFA=178ANDSC=0THENVA=1
21170 IFA>127ANDSM=0THENOP$=OP$+BK$(A-128):GOTO21190
21180 OP$=OP$+CHR$(A)
21190 NEXT:C$=OP$:IFSC=1THENSC=0:GOSUB23800
21200 G=LEN(OP$):FORI=1TOG
21210 IFRIGHT$(OP$,1)=" "THENOP$=LEFT$(OP$,
      LEN(OP$)-1):GOTO21230
21220 I=G
21230 NEXT
21240 RETURN
21250 :
21300 REM *** IDENTIFY ADDRESSING MODE ***
21310 IFMN$=OP$THENAM=9:RETURN
21315 X=0:Y=0:OP$=RIGHT$(OP$,LEN(OP$)-3):GOSUB21000
21320 A$=RIGHT$(MN$,1):IFLEFT$(MN$,1)="B"ANDA$<>
      "T"ANDA$<>"K"THENAM=10:RETURN
21330 IFOP$="A"THENAM=1:RETURN
21340 IFLEFT$(OP$,1)<>"("THEN21390
21350 IFRIGHT$(OP$,3)=",X)"THENAM=11:X=1:Y=3:RETURN
21360 IFRIGHT$(OP$,3)="),Y"THENAM=12:X=1:Y=3:RETURN
21370 IFRIGHT$(OP$,1)=")"THENAM=13:X=1:Y=1
21375 IFAM=13ANDMN$<>"JMP"THENER=0:GOTO23500
21376 IFAM=13THENRETURN
21380 ER=10:GOTO23500
21390 IFLEFT$(OP$,1)="#"THENAM=2:X=1:Y=0:RETURN
21400 IFRIGHT$(OP$,2)=",X"THENAM=7:X=0:Y=2:RETURN
21410 IFRIGHT$(OP$,2)=",Y"THENAM=8:X=0:Y=2:RETURN
21420 AM=6:RETURN
21430 :
21500 REM *** CHECK VALID MNEMONIC ***
21510 T=0:FORI=1TOLEN(T3$)STEP3
21520 IFMID$(T3$,I,3)=MN$THENT=I:I=LEN(T3$)
21530 NEXT
21540 IFT=0THENER=4:GOTO23500
21550 RETURN
21560 :
21600 REM *** REMOVE BRACKETS ETC ***
21610 OP$=LEFT$(OP$,LEN(OP$)-Y)
21620 OP$=RIGHT$(OP$,LEN(OP$)-X)
21630 X=0:Y=0:RETURN
21640 :
21700 REM *** CHANGE FROM ABSOLUTE TO ZERO PAGE ***
21705 IFMN$="JMP"ORMN$="JSR"THENRETURN
21710 IFBY<256THENAM=AM-3
21720 RETURN
21730 :
21800 REM *** CHECK VALID LABEL ***
21810 EP=1:FORI=1TOSV
21820 IFOP$=SY$(I)THENER=0:BY=SY(I):I=SV
21830 NEXT
21835 IFEP=1ANDPA=1THENBY=32768:RETURN
21840 IFER=1THENER=5:GOTO23500
21850 RETURN
21860 :
22000 REM *** FIND OPCODE FOR MNEMONIC ***
22010 F1=(T+2)/3*16+F*8:OP=0
22020 IFASC(MID$(T4$,P1,1))=1THENOP=ASC(MID$(T5$,P1,1))
      :RETURN
22030 FORI=ASC(MID$(T5$,P1,1))+1TO255STEP4
22040 IFASC(MID$(T1$,I,1))=P1+34THENM=ASC(MID$
      (T2$,I,1))-47:F=F+1
22050 IFM=AMTHENOP=I-1:I=255:GOTO22070
22060 IFF=ASC(MID$(T4$,P1,1))THENI=255
22070 NEXT
22080 IFOP=0ANDMN$<>"BRK"THENER=0:GOTO23500
22090 RETURN
22095 :
22100 REM *** CONVERT OPERAND IN LABEL FORM OR
      HEX TO DECIMAL ***
22110 GOSUB21600:IFOP$=""THENER=10:GOTO23500
22115 GOTO24000
22120 IFLEFT$(OP$,1)="$"THEN22150
22130 BY=VAL(OP$):IFBY=0ANDOP$<>"0"THENGOSUB21800
22140 IFBY>65535THENER=12:GOTO23500
22145 RETURN
22150 H$=RIGHT$(OP$,LEN(OP$)-1):IFH$=""THENER=10:GOTO23500
22155 GOSUB11100:IFER=1THEN23500
22160 BY=H
22170 RETURN
22180 :
22200 REM *** REMOVE LABEL BEFORE PASS TWO ***
22210 G=LEN(OP$):FORI=1TOG
22220 IFLEFT$(OP$,1)<>" "THENOP$=RIGHT$(OP$,
      LEN(OP$)-1):GOTO22240
22230 I=G
22240 NEXT
22250 GOSUB21000
22260 RETURN
22270 :
22300 REM *** RELATIVE ADDRESSING ROUTINE ***
22310 GOSUB22100
22320 OS=AD+2-BY
22330 IFOS>128OROS<-127THENER=6:GOTO23500
22340 IFSGN(OS)=1THENOS=256-OS
22350 BY=ABS(OS):GOTO23150
22360 :
23000 REM *** PERFORM PASS TWO ASSEMBLY ***
23002 PRINT"□PASS TWO ASSEMBLY"
23005 NA=25857:AD=0:OPEN4,DV:PA=2
23007 PRINT#4:PRINT#4,"ADD.  DATA    SOURCE CODE"
23010 FR=FRE(0):GOSUB21100:IFNA=0THEN23600
23020 BY=0:BY$="          ":AD$="    "
23025 IFOP$=""THENGOSUB23400:GOTO23010
23030 IFVA=1THENGOSUB23400:GOTO23010
23035 IFLEFT$(OP$,1)="."THENGOSUB22200
23040 A$=LEFT$(OP$,3)
23050 IFA$="ORG"THENGOSUB23400:GOSUB20500:GOTO23010
23060 IFA$="PRT"THENGOSUB23400:GOTO23010
23070 IFA$="SYM"THENLT=1:GOSUB23400:GOTO23010
23080 IFA$="END"THENPRINTTAB(13)LN;OP$:GOTO23600
23090 IFA$="TXT"THENGOSUB20600:GOTO23010
23095 IFA$="BYT"THENGOSUB20700:GOTO23010
23100 MN$=LEFT$(OP$,3):GOSUB21500
23110 GOSUB21300:IFAM=9THEN23150
23115 IFAM=1THEN23150
23116 IFAM=10THEN22300
23120 GOSUB22100
23130 IFAM=6ORAM=7ORAM=8THENGOSUB21700
23140 IFBY>255ANDNB(AM)=1THENER=7:GOTO23500
23150 GOSUB22000
23160 D1=INT(BY/256):D2=BY-256*D1
23170 H=OP:GOSUB11000:BY$=H$:POKEAD,OP
23180 FL=1:H=AD:GOSUB11000:AD$=H$:FL=0
23190 IFNB(AM)=0THENBY$=BY$+"    ":GOTO23220
23200 H=D2:GOSUB11000:BY$=BY$+H$:POKEAD+1,D2:IFNB(AM)=
      1THENBY$=BY$+"  ":GOTO2322
0
23210 H=D1:GOSUB11000:BY$=BY$+H$:POKEAD+2,D1
23220 GOSUB23400
23230 AD=AD+NB(AM)+1
23240 GOTO23010
23250 :
23400 REM *** OUTPUT ASSEMBLED PROGRAM ***
23410 PRINT#4,AD$"  ";BY$" "LN;C$
23420 RETURN
23430 :
23500 REM *** OUTPUT ERROR MESSAGES ***
23505 IFER<>11ANDPA=2ANDLEFT$(C$,3)<>"BYT"
      THENPRINTTAB(13)LN;C$
23506 IFER=1ANDHD<65535THENER=12
23510 PRINT"■■":PRINT"?"ER$(ER)," ERROR"
23515 IFER<>11THENPRINT" IN";LN;
23517 PRINT
23520 PRINT"ASSEMBLY TERMINATED"
23530 PRINT"PRESS SPACE":POKE198,0
23540 GETIN$:IFIN$<>" "THEN23540
23550 PRINT"□":RUN
23560 :
23600 REM *** ASSEMBLY COMPLETE ***
23610 IFLT=1THENGOSUB23700
23620 CLOSE4
23630 PRINT"■■ASSEMBLY COMPLETE"
23640 GOTO23530
23650 :
23700 REM *** OUTPUT SYMBOL TABLE ***
23705 PRINT#4:PRINT#4
23707 IFSV=1THEN23750
23710 FORI=1TOSV-1:H=SV(I):GOSUB11000:SY$=SY$(I)+LEFT$
      ("      ",6-LEN(SY$(I)))
23720 PRINT#4,SY$,H$
23730 NEXTI
23740 PRINT#4
23750 PRINT#4,"TOTAL NUMBER OF SYMBOLS -";SV-1
23760 RETURN
23770 :
23800 REM *** REMOVE COMMENTS FROM ASSEMBLY
      PROGRAM LINE ***
23810 A$="":FORI=1TOLEN(OP$)
23820 IFMID$(OP$,I,1)=";"THENI=LEN(OP$):GOTO23840
23830 A$=A$+MID$(OP$,I,1)
23840 NEXT
23850 OP$=A$:RETURN
23860 :
24000 REM *** CHECK IF OPERAND CONTAINS +-*/ ***
24010 CO=0:FOPI=1TOLEN(OP$):A=ASC(MID$(OP$,I,1))
24020 IFA=43ORA=45ORA=42ORA=47THENCO=CO+1:
      IFCO=1THENFL=I
24030 NEXT
24040 IFCO=0THEN22120
24050 IFCO>1THENER=10:GOTO23500
24060 :
24100 REM *** EVALUATE EXPRESSION ***
24110 LA$=OP$:OP$=LEFT$(OP$,FL-1):GOSUB21200
24120 GOSUB22120
24130 A1=BY
24140 OP$=RIGHT$(LA$,LEN(LA$)-FL+1):FL=0
24145 S$=LEFT$(OP$,1):OP$=RIGHT$(OP$,LEN(OP$)-1)
      :GOSUB21000
24150 GOSUB22120
24160 A2=BY
24170 IFS$="+"THEN24300
24180 IFS$="-"THEN24400
24190 IFS$="/"THEN24500
24200 IFS$="*"THEN24600
24210 STOP
24300 REM *** ADD EXPRESSION ***
24310 BY=A1+A2
24320 IFBY>65535THENER=12:GOTO23500
24330 RETURN
24340 :
24400 REM *** SUBTRACT EXPRESSION ***
24410 BY=A1-A2
24420 IFBY<0THENER=12:GOTO23500
24430 RETURN
24440 :
24500 REM *** DIVIDE EXPRESSION ***
24510 IFA2=0THENER=13:GOTO23500
24520 BY=INT(A1/A2)
24530 RETURN
24540 :
24600 REM *** MULTIPLY EXPRESSION ***
24610 BY=A1*A2
24620 IFBY>65535THENER=12:GOTO23500
24630 RETURN
24640 :
```

dk'tronics now give you instant control o

ORIC!

£14.95

The new Dual Port Interface gives you joystick facility on your Oric 1 or Atmos.

The interface has two 9 Din 'D' sockets which allow any Atari type of joysticks to be fitted.
The interface simulates 2 important memory locations which can be read from Basic or Machine Code, these locations return the value corresponding to the position of the joystick.
Now you can really improve your games skill and enjoy your software to the

The **DK TRONICS Dual Port** is only **£14.95** plus £1.25 post and pac

It is available direct or from good computer shops.

dk'tronics

dK Tronics Ltd., Saffron Walden, Essex. CB11 3AQ.



OASIS SOFTWARE

9a Alexandra Parade, Weston-super-Mare, Avon BS23 1QT Telephone: (0934) 419921.

Every product carries a lifetime guarantee.

All prices include comprehensive manuals VAT and P&P

OASIS SOFTWARE

TWO HIGH POWERED GRAPHICS DEVELOPMENT SYSTEMS FOR THE SPECTRUM 48K.

White Lightning is a complete games writing system comprising a high level, Forth based, multi-tasking games writing language and a powerful Sprite Generator Program. No knowledge of machine code is required and the final machine code game, which can run independently of White Lightning, can be marketed with no restrictions whatsoever. Also, with the standard tape version, programs can even be written in a combination of Forth and BASIC.

Up to 255 sprites, each with its own user defined dimensions, can be scrolled, spun, reflected, enlarged or inverted with amazing speed and smoothness. Sprites can even stretch across several screens so scrolling landscapes are easy to achieve. Sinclair's own sound and graphics commands such as CIRCLE, DRAW and BEEP are fully supported.

MULTI-TASKING Without doubt White Lightning's most innovative feature is its use of interrupts to effectively run two programs at once. This means that while one program smoothly scrolls a landscape in the background, a second can animate the characters.

SPRITE DESIGN White Lightning comes complete with a separate 20k program for developing sprites used in the main system. Not only can you use this to design your own sprites from scratch, it also comes complete with 168 pre-defined characters covering games like Asteroids, Pac-Man, Assault Course, Defender, Space Invaders, City Bomber, Lunar Lander, Frogger, Centipede, Donkey Kong and many, many more. These characters are ready to use or can be enhanced. And sprites can be saved to tape between editing sessions before being finally loaded into the main program.

Machine Lightning is an advanced games writing utility which includes a full Macro Assembler, a Monitor/Disassembler, a Sprite Generator Program and the object code for the White Lightning graphics routines which have almost 100 documented entry points in 3k of code. The comprehensive manual explains how to use two copies of the object code to run machine code routines concurrently using the Z80 interrupts. Games written using Machine Lightning can be marketed with no restrictions.

THE MACRO ASSEMBLER This is arguably the most comprehensive assembler yet available for the Spectrum 48k. It supports Macros, conditional assembly and a full screen editor, and occupies 16k of memory.

THE MONITOR/DISASSEMBLER As well as all the usual monitor features, Spectre-Mac allows up to 10 breakpoints in ROM or RAM, has front panel display and single stepping.

THE SPRITE GENERATOR This is the same Sprite Designer/Editor supplied with White Lightning and can be used to design up to 255 sprites, up to a maximum of 12k.

AND... LOOK OUT FOR THE LIGHTNING **COMMODORE** SERIES

Basic Lightning, White Lightning and Machine Lightning, all available on tape or disk.

Ask your local stockist for details, contact us direct or watch out for our advertisements.

Available from Boots John Menzies and all good software suppliers.

SYC

Please send me the following Lightning System Pack(s)

White Lightning £14.95 ☐

White Lightning (Microdrive) £19.95 ☐

White Lightning (Microdrive Upgrade)* £5.00 ☐

Machine Lightning £19.95 ☐

Name _____

Address _____

YOU MARVELLED AT BEACH-HEAD...

NOW ACCESS PRESENT THEIR LATEST MASTER PIECE

RAID OVER MOSCOW

The Soviets launch a nuclear strike against major cities in the United States and Canada. With our own nuclear arsenal dismantled, in accordance with the Salt IV Arms Agreement, the Soviets believe their treachery will lead to total world domination. Our only hope is our space station equipped with stealth bombers, which can fly undetected in Soviet airspace.

As squadron leader, you must lead your commandos on a virtual suicide mission, knock out the Soviet launch sites, and then proceed into the city of Moscow. Armed with only the weapons you can carry, you must seek and destroy the Soviet defence centre to stop the attack! Top multi-screen action!

Commodore 64

The most breathtaking 3-D graphics yet seen on the Commodore 64!

Gripping arcade action

Multiple scrolling screens



NOW AVAILABLE FOR 48K SPECTRUM £7.95

THE FIRST 64 GAME TO REACH No.1 IN THE CHARTS

Available on CASSETTE £9.95 DISK £12.95

Available on **CASSETTE £9.95** **DISK £12.95**

U.S. GOLD

All American Software

U.S. Gold is stocked by all leading computer stores including:
BOOTS WH SMITH JOHN MENZIES
WILDINGS WOOLWORTH

Dealers! For information on how to become a U.S. Gold Stockist write to: CentreSoft, Unit 10, The Parkway Industrial Centre, Heneage Street, Birmingham B7 4LY. Telephone: 021-359 3020. Telex: 337268.

R J Ely with a program which takes advantage of the QL's multi-tasking facility.

QL SPOOLER



PROGRAMS WRITTEN in machine code are able to take full advantage of the multi-tasking facilities provided by QDOS. Several machine-code programs may be loaded into memory and executed in parallel with each other while Basic is still available to the user.

The example shown here is a print spooler, you can use it to print a file while continuing to use the machine for development.

As well as executing faster than programs written in Basic, machine-code programs are usually smaller. Although this may not seem so important on a machine with over 90K bytes of user memory, remember that the smaller a program is, the faster it loads. Another reason that machine-code programs load faster is that Basic programs require considerable checking and pre-processing during loading.

QDOS provides many system calls that allow the machine-code programmer access to most of the facilities available from Basic as well as many that cannot be used from Basic at all. So that the calls do not change every time a new version of the QL Rom is made, they are all accessed either through traps or via vectors:

Traps use the 68000 Trap instructions. There are 16 of these instructions written

TRAP # 0, TRAP # 1, . . . TRAP # 15

Each trap instruction causes a call to the trap routine whose address is contained in the trap vector. The trap vectors occupy addresses 128 to 191 in the Rom, each vector contains a 32 bit pointer to the corresponding trap routine. The trap routines are similar to subroutines except that the status register is pushed as well as the program counter when they are called.

They return using the RTE instruction instead of the RTS instruction. QDOS uses traps 0 to 3 for system calls; the caller uses register DO to specify which function is requested while additional information is provided in other registers. Most I/O is performed using these trap routines.

System routines that need not be executed in supervisor mode may be called using their vectors in the low part of Rom. Each of these vectors contains the 16 bit address of the sub-routine in question — all of these routines are in the first 32K bytes of memory. For instance, the vector for the "print error message" routine is CC hex — or $CC — so to call this routine the following sequence may be used:

```
MOVEA.W @W# $CC,A2 read vector from
                   address $CC into A2
JSR (A2) call the subroutine
         that A2 points to
```

The @L# prefix is the syntax for absolute word addressing in the assembler used in this example. In some assemblers absolute addressing is assumed if you specify an absolute origin using the Org directive. As Sinclair undertakes not to change the positions of these vectors, it doesn't matter if the actual addresses of the vectored subroutines are different for different versions of the QL Rom.

Machine-code programs for the QL are loaded and run using the Exec command — see QL manual, keywords. Such programs should be position independent or should, when loaded, relocate any part of themselves that is not. This isn't as bad as it sounds since the 68000 was designed to make position independent code easy to write and quick to execute.

The idea is that you assemble your code — preferably using an assembler — in any area of memory that you have reserved for the purpose. The code is then saved in a Microdrive file using the Sexec command — QL manual, keywords — and can be run using the Exec command. QDOS assumes that the program starts at the first byte of the file. It is a convention — which you may ignore — that bytes 8 to n+9 of the code contain the ASCII program name preceded by n, the number of characters in the name.

To reserve an area of memory from Basic you should use the RESPR command — this is not in the QL manual but you can see an example in one of the Boot programs on the bundled software cassettes — for example,

```
a = RESPR(1024)
```

will reserve 1024 bytes and return the address of the reserved area in a. Memory thus reserved is only freed when the machine is re-booted

When a machine-code program, often called job in the documentation, is run using the Ex command, the program is entered with A pointing to the start of the job. A4 holds a offset to the job's data area and A5 is an offs to the top of the stack. Two zero words will on the top of the stack.

The print spooler in the example go through the following steps:

- Prompt the user for the name of the file be spooled and read the reply from th console. If they type * exit from the job
- Try to open the file specified, if the ope fails, print an error message and return step 1.
- As no further dialogue is required, clos the console channel and release Basic s that the user may continue with oth tasks.
- Read a line from the file, if it is the end the file exit from the job — after closir the file and the print channel of course.
- Print the line on the printer and loop to

Note that all this could be done using th Copy_N command, the difference is that yo would then have to wait for the printing finish before you could use the computer fo anything else.

If your printer has auto line feed, you shou omit lines 104 and 105.

This listing was prepared using our ow assembler. It is available for £20 (inc. post an packing) from: QCODE, 42 Swinburne Roa Abingdon, Oxon.

If you have one of the other assembler currently available for the QL, you shou make the following alterations to listing 1:

- Replace " = " in lines 33 to 41 with "EQU
- Omit the prefix "@W = " in line 76
- User underscore instead of "." in QDO symbols such as IO.OPEN

If you don't have an assembler, listing provides a Basic program to create the spool shown above. When you run this program, will generate the code in memory and save it t "mdv1_spooler_code". You should have cassette in mdv1 of course. The @W# prefix not mandatory in the latest version (1.04) of th QCode assembler.

(listings on page 179



Skooldaze – the game that has everything – excitement, drama, comedy, tragedy, catapults . . . join our hero on a madcap romp with your favourite characters – the wicked headmaster, the nutty professor, the ancient history master (the history's quite old, too!) and, not forgetting the swot and the school bully.
Speech bubbles, amazing animation, great graphics.

£5.95

Skyran
patrol t
betwe
skyscrape
make the city a
place to live. 3
you've neve
before, showing
Spectrum is really ca
of with th
progra

£

Whe
in February the CRASH magazine rev
thought this was one of the most ad
games ever. At a rough guess I'd say the
addicted to this

£

All for the 48K Spectrum.
Available from all good computer shops.
or direct from: **MICROSPHERE COMPUTER SERVICES LTD,**
72 Rosebery Road, London N10 2LA

Listing 1.

```
 1 0000      *       SPOOLER     copyright (c) 1984  R.J.ELY
 2 0000      *
 3 0000      *       To invoke the spooler type:-
 4 0000      *       EXEC_W MDV1_SPOOLER_CODE
 5 0000      *       the spooler will then run and prompt for a file name
 6 0000      *       Enter the filename, eg
 7 0000      *       FILE>mdv1_spooler_list
 8 0000      *       if the file cannot be found SPOOLER will prompt again.
 9 0000      *       When a valid filename is entered SPOOLER will release
10 0000      *       the BASIC interpreter to continue with other work,and
11 0000      *       continue to list the specified file to the device
12 0000      *       specified at OUTFILE (eg a printer).
13 0000      *
14 0000      *       When the job starts
15 0000      *
16 0000      *       A6 = start of job area (assembler location counter 0)
17 0000      *       A6 + A4 = start of jobs data area
18 0000      *       A6 + A5 = top of data area, also top of stack
19 0000      *       A7 = top of stack -4, ie there are 2 zero words on the
20 0000      *            stack
21 0000      *
22 0000      D.SPACE=256      This tells the QCODE assembler how much data
23 0000      *                space is to be allocated for the job.
24 0000      *
25 0000 600E         BRA.S   START                entry point from EXEC
26 0002              DS.B    6-*                  make location counter 6
27 0006 4AFB         DC.W    $4AFB                flag for QDOS - standard
28 0008      *                                    format job.
29 0008 0753         DC.B    7,'SPOOLER'          job name
        504F
        4F4C
        4552
30 0010      *
31 0010      *       define some QDOS constants
32 0010      *
33 0010      IO.OPEN=1        open a channel
34 0010      IO.CLOSE=2       close a channel
35 0010      IO.FLINE=2       fetch a line of characters (lf) terminator
36 0010      IO.FSTRG=3       fetch a string of bytes
37 0010      IO.SSTRG=7       send a string
38 0010      MT.FRJOB=5       force remove job from transient program area
39 0010      MT.RELJB=9       release a job
40 0010      UT.ERR=$CC       print error message
41 0010      ERR.BO=-5        buffer overflow
42 0010      *
43 0010 D9CE START   ADDA.L  A6,A4                A4 points to data area
44 0012 7001         MOVEQ   #IO.OPEN,D0          set up to open channel
45 0014 72FF         MOVEQ   #-1,D1               job ID,-1 means current
46 0016 7602         MOVEQ   #2,D3                2 means open new file
47 0018 41FA         LEA     CONS,A0              address of channel name
        00B0
48 001C 4E42         TRAP    #2                   open channel
49 001E 2888         MOVE.L  A0,(A4)              save console channel ID
50 0020      *                                    Now channel ID is in A0
51 0020 2054 LOOP    MOVE.L  (A4),A0
52 0022 7007         MOVEQ   #IO.SSTRG,D0         set up to send string
53 0024 7405         MOVEQ   #5,D2                number of bytes to send
54 0026 76FF         MOVEQ   #-1,D3               indefinite timeout
55 0028 43FA         LEA     PROMPT,A1            point to buffer
        00A6
56 002C 4E43         TRAP    #3                   send to output
57 002E      *
58 002E 7002         MOVEQ   #IO.FLINE,D0         set up to fetch a line
59 0030 7450         MOVEQ   #80,D2               max length to fetch
60 0032 43EC         LEA     $10(A4),A1           address to store input
        0010
61 0036 4E43         TRAP    #3
62 0038 0C2C         CMPI.B  #'*',$10(A4)         just exit if they type *
        002A
        0010
63 003E 6700         BEQ.L   EXIT1
        007E
64 0042 5341         SUBQ    #1,D1                dont count <lf>
65 0044 3941         MOVE    D1,$E(A4)            length of input string
        000E
66 0048      *
67 0048 7001         MOVEQ   #IO.OPEN,D0          set up to open input file
68 004A 72FF         MOVEQ   #-1,D1
69 004C 7601         MOVEQ   #1,D3                old (shared) file
70 004E 41EC         LEA     $E(A4),A0
        000E
71 0052 4E42         TRAP    #2                   open input file
72 0054 4A40         TST     D0                   check for errors
73 0056 670A         BEQ.S   INOK
74 0058 2054         MOVEA.L (A4),A0              console channel ID
75 005A      *                                    error code is in D0
76 005A 3478         MOVEA.W @WUT.ERR,A2          call error printer
        00CC
77 005E 4E92         JSR     (A2)
78 0060 60BE         BRA.S   LOOP
79 0062      *
80 0062 2948 INOK    MOVE.L  A0,4(A4)             channel ID of input
        0004
81 0066 7009         MOVEQ   #MT.RELJB,D0         release basic
82 0068 7200         MOVEQ   #0,D1                basic job ID is 0
83 006A 4E41         TRAP    #1
84 006C      *
85 006C 7002         MOVEQ   #IO.CLOSE,D0         close console
86 006E 2054         MOVEA.L (A4),A0
87 0070 4E42         TRAP    #2
88 0072      *
89 0072 7001         MOVEQ   #IO.OPEN,D0          open output channel
90 0074 72FF         MOVEQ   #-1,D1
91 0076 7602         MOVEQ   #2,D3
92 0078 41FA         LEA     OUTFILE,A0           output channel name
        005C
93 007C 4E42         TRAP    #2
94 007E 2888         MOVE.L  A0,(A4)              save output channel ID
95 0080      *
96 0080 7002 PLOOP   MOVEQ   #IO.FLINE,D0         set up to read input
97 0082 7451         MOVEQ   #81,D2               max length allow 80 + lf
98 0084 76FF         MOVEQ   #-1,D3               timeout
99 0086 43EC         LEA     $10(A4),A1           buffer address
        0010
100 008A 206C        MOVEA.L 4(A4),A0             ID
        0004
101 008E 4E43        TRAP    #3
102 0090 0C40        CMPI    #ERR.BO,D0           check for buffer overflow
        FFFB
103 0094 6608        BNE.S   BOK
104 0096 5241        ADDQ    #1,D1                if so insert linefeed
105 0098 12FC        MOVE.B  #10,(A1)+
        000A
106 009C 4240        CLR     D0
107 009E 4A40 BOK    TST     D0
108 00A0 6614        BNE.S   EXIT
109 00A2 5241        ADDQ    #1,D1                add a carriage return
110 00A4 12FC        MOVE.B  #13,(A1)+            (some printers need it!)
        000D
111 00A8 3401        MOVE    D1,D2                length
112 00AA 7007        MOVEQ   #IO.SSTRG,D0
113 00AC 2054        MOVEA.L (A4),A0              output ID
114 00AE 43EC        LEA     $10(A4),A1
        0010
115 00B2 4E43        TRAP    #3
116 00B4 60CA        BRA.S   PLOOP
117 00B6      *
118 00B6 7002 EXIT   MOVEQ   #IO.CLOSE,D0        close input and output
119 00B8 206C        MOVEA.L 4(A4),A0
        0004
120 00BC 4E42        TRAP    #2
121 00BE 7002 EXIT1  MOVEQ   #IO.CLOSE,D0
122 00C0 2054        MOVEA.L (A4),A0
123 00C2 4E42        TRAP    #2
124 00C4      *
125 00C4 7005        MOVEQ   #MT.FRJOB,D0         exit current job
126 00C6 72FF        MOVEQ   #-1,D1               job ID, -1 means current
127 00C8 4E41        TRAP    #1
128 00CA      *
129 00CA 0004 CONS   DC.W    4
130 00CC 434F        DC.B    "CON_"
        4E5F
131 00D0      *
132 00D0 4649 PROMPT DC.B    "FILE>"
        4C45
        3EFF
133 00D6      *
134 00D6      *OUTFILE DC.W   16                   output device name is 16 bytes
135 00D8      *        DC.B   'SCR_448x60a32x16'
136 00D6      *
137 00D6 0004 OUTFILE DC.W   4          use this OUTFILE instead to send output
138 00D8 5345        DC.B   'SER1'      to a serial printer.
        5231
139 00DC      *
140 00DC      *EOF
D.SPACE =00000100   IO.OPEN =00000001   IO.CLOSE=00000002   IO.FLINE=00000002
IO.FSTRG=00000003   IO.SSTRG=00000007   MT.FRJOB=00000005   MT.RELJB=00000009
UT.ERR  =000000CC   ERR.BO  =FFFFFFFB   START   =00000010   LOOP    =00000020
INOK    =00000062   PLOOP   =00000080   BOK     =0000009E   EXIT    =000000B6
EXIT1   =000000BE   CONS    =000000CA   PROMPT  =000000D0   OUTFILE =000000D6
```

Listing 2.

```
100 REMark basic program to generate mdv1_spooler_code
110 a=RESPR(1024):REMark reserve 1024 bytes of memory for code
120 RESTORE :i=0
130 REPeat rlin
140  READ a$,c:j=1:sum=0:IF a$="END":EXIT rlin
150  REPeat byte
160   b=16*(CODE(a$(j))-48-7*(a$(j)>"9"))+CODE(a$(j+1))-48-7*
     (a$(j+1)>"9")
170   POKE a+i,b:j=j+2:i=i+1:sum=sum+b
180   IF j>=LEN(a$):EXIT byte
190  END REPeat byte
200  PRINT sum
210 END REPeat rlin
215 DELETE MDV1_SPOOLER_CODE
220 SEXEC "mdv1_spooler_code",a,i,256
230 DATA "600E000000004AFB0753504F4F4C4552",1
240 DATA "D9CE700172FF760241FA00B04E422888",2
250 DATA "20547007740576FF43FA00A64E437002",3
260 DATA "745043EC00104E430C2C002A00106700",4
270 DATA "007E53413941000E700172FF760141EC",5
280 DATA "000E4E424A40670A2054347800CC4E92",6
290 DATA "60BE2948000470097200 4E4170022054",7
300 DATA "4E42700172FF760241FA005C4E422888",8
310 DATA "7002745176FF43EC0010206C00044E43",9
320 DATA "0C40FFFB6608524112FC000A42404A40",10
330 DATA "6614524112FC000D340170072054 43EC",11
340 DATA "00104E4360CA7002206C00044E427002",12
350 DATA "20544E42700572FF4E410004434F4E5F",13
360 DATA "46494C453DFF000453455231",14
370 DATA "END",1
```

VIC-2?

Are you only using 1/10th of your VIC-20?

Several million sales made VIC-20 the world's most popular micro.
Yet neither experienced nor first-time users find VIC-20 easy.
Now a new book changes that: **Programming The VIC**
is the only book dealing with all aspects of VIC programming and peripherals.
It is ideal for both learning and reference. You need never open any other VIC book!

Written by Raeto West, author of the standard book on earlier Commodore computers. (Reviewers wrote: 'A superb reference', 'Comprehensive . . . readable . . . lucid . . . a pleasure', 'The only adequate ML guide', 'Unquestionably the most comprehensive and accurate reference', 'Hatts off to Raeto Collin West who has given us this masterpiece').

- **COMPLETE COVERAGE** of the VIC-20 computer system — essential for the level of computer literacy sought after today.
- **17 CHAPTERS** introduce topics in sequence, whilst clear chapter headings make individual queries easy to answer.
- **BEST VALUE FOR MONEY** of probably any computer book. An excellent gift
- **ERROR-FREE PROGRAM EXAMPLES** kept short where possible for faster entry
- **CONTENTS INCLUDE THIS AND MUCH MORE:**

1 **INTRODUCTION AND OVERVIEW.** Aims and plan of the book; conventions, notes, acknowledgements.
2 **GETTING TO KNOW VIC-20.** Roundup of VIC's background, keyboard, ports, peripherals; introductory BASIC.
3 **VOCABULARY OF VIC BASIC.** Syntax, with reasons; alphabetic reference to all keywords, descriptions, examples, notes; error messages.
4 **EFFECTIVE BASIC PROGRAMMING.** How to become fluent; designing, writing, debugging; problems — I/O, strings, accuracy &c; algorithms, many good examples — diet, games, solver, &c.
5 **VIC-20 ARCHITECTURE.** Hardware concepts; memory maps; RAM and ROM expansion, modification; Restore, reset, program recovery, VIC, VIA; international; commercial hardware, software.
6 **BEYOND VIC BASIC.** BASIC operation and consequences detailed; programming, disabling keys; utilities: reconfigure memory, move screen, UNLIST, OLD, DUMP Variables, SORT, load/save blocks, &c; BASIC extensions.
7 **STARTING MACHINE LANGUAGE.** Examples to start; full description of chip — SR, stack, flags, opcodes, addressing, &c; eight problem types; ML, BASIC monitors.
8 **VIC-SPECIFIC MACHINE LANGUAGE.** 'Kernal', full examples; BASIC ROM, eg USR, calculations, running BASIC from ML, clock; new, enhanced commands; vectors; NMI, IRQ interrupts; background programs.
9 **MIXING BASIC WITH MACHINE LANGUAGE.** How to incorporate ML with BASIC; loaders; relocation.
10 **VOCABULARY OF THE 6502 CHIP.** Alphabetical examples, notes, full details on all opcodes, ADC through TYA; VIC-specific hints.
11 **VIC-20 ROM GUIDE.** Detailed RAM, ROM and I/O memory map of VIC-20; 64 and CBM equivalents; labels; explanations.
12 **GRAPHICS.** Inbuilt & user-defined characters; fat ML plot routines; large, small lettering; smooth scrolling; split-screen; editors; multicolour; unexpd hi-res; motion; &c.
13 **SOUND.** BASIC and ML tones and noise; music theory; harmony; overcoming limitations; SuperExpander; interrupt-driven music.
14 **TAPE.** Program LOAD/SAVE commands, full notes; files; blocks; addresses over $8000; hardware notes; advanced programming; how to read/write any standard tape; security.
15 **DISK.** Introduction; directory, channel 15, &c; sequential, relative, other data files; full disk commands; utilities; hardware; data storage; direct access; ML.
16 **GAMES PORT.** Reading and using joysticks, paddles, lightpens, other devices with BASIC, ML, interrupts; other uses; hardware.
17 **MAJOR PERIPHERALS.** How to use CBM and other printers, plotters, modems, interfaces; serial and RS232 interfaces.
APPENDICES. 6502 reference charts; program conversion between machines; characters; every BASIC/screen combination.

- JOINT PUBLICATION by Level Ltd (Computer Publications) in UK, Compute!/ABC in USA. Programming The Vic. 608 page 7½'' × 9'' large format paperback. UK ISBN 0 9507650 1 5. Price in UK and Rueope £15.90 each. From dealers and bookstores, or order now direct (48-hour turnround, GPO delivery) from our distributors:

Send orders and make cheques payable to:
Biblios Ltd, Star Road, Partridge Green,
HORSHAM, W. Sussex RH13 8LD.
Tel: 0403-710971.

Send ..... copy/ies Programming The VIC at £15.90 each (includes all post, packing)
I enclose a cheque/P.O. for £.....

NAME: _____

ADDRESS: _____

_____

_____

_____

Still available: 'Programming Th PET/CBM' £14.9 from the same address.
Available soon: 'Programming The Commodore 64'. (March 1985; when the 64 becomes the biggest-selling computer!)

RESPONSE FRAME

Do you have a problem? Your manual is incomprehensible or you just cannot get the hang of that programming trick you tried — whatever it is, Tim Hartnell will do his best to answer your queries. Please include only one question per letter and mark them "Response Frame".

SOUND ADVICE

I am the proud owner of an Amstrad 64. I am currently trying to write a *Space Invaders* type program. The thing that bothers me is that I can't really make head nor tail of the Envelope command. Although I can do simple things like Bleeping with

```
PRINT CHR$(7)
```

I am totally at sea with more difficult things. Is there a simple way to get "laser fire" effects that I can use in my program without just experimenting with random parameters?

Janus y'Hadouzi,
London SE15.

I AGREE THAT the Envelope can be pretty hard to master. Perhaps the best way to discover good sounds is to create a program which generates the sound parameters at random, makes the sound, and most importantly, then prints the relevant parameters on the screen so you can make a note of the ones which sound effective.

You'll find you can try out many, many sounds very easily with such a program. To start you off, try including this in a program:

```
ENT -2,6,-1,2,2,5,1
```

The following line in your program should be

```
SOUND 2,196,497,13,0,2
```

This will show you how much you can produce in the sound department with your Amstrad and should fit your *Space Invaders* program.

80K SPECTRUM?

I am hoping to get a 48K ZX Spectrum. Before I decide to get one, I would like to know if it is possible to upgrade the memory with 80K with a 32K Ram pack.

Stephen Peters,
Stoney Middleton.

YOU CAN UPGRADE a 16K Spectrum to 80K with a memory expansion kit from East London Robotics, but as far as I can determine, it is not possible to upgrade a 48K machine to 80K.

FASTER ELECTRON

I own an Acorn Electron and am very pleased with it, but I find it most frustrating when — after typing out games written for the BBC Micro — to find that they are very slow. This, of course, very much limits the attraction of the game. I've found that even games by software houses which are written in machine code for the BBC — such as A&F's *Chuckie Egg* — run at a snail's pace. Is there any way in which I can speed up games with such things as a special Poke, or a short assembler routine?

Neil Smith,
Finchfield,
Wolverhampton.

THERE ARE A NUMBER of ways you can speed programs up. Remove as many spaces from the listings as possible, and use multi-statement lines where possible. Resident integer variables — such as A% — run more quickly than any other variables, so use these if you can. It appears that, especially in shorter programs, Gotos and Gosubs run more quickly than procedures.

Put frequently called Gosubs as close to the start of the listing as you can. As a general rule, low-resolution screen modes — 4,5 and 6 — tend to run more quickly than 0 through to 3, so try the effect of modifying the mode.

SCREEN EFFECT

I have written a number of useful programs for my own use, and have incorporated various Screen$ to look at while the main program is loading. However, after loading the Screen$, and the main program has started loading, the computer prints up "program: name" right in the middle of my carefully-drawn Screen$, ruining the whole effect. I cannot predict where this line is going to be printed. Is there any way of preventing the computer from printing the program name when it starts to load?

Ian Philpot,
Tonbridge,
Kent.

THE EASIEST WAY to do this is to leave the top line of your Screen$ blank, and ensure the Ink and Paper colours are finally set to the same colour. You then end with a Print At 0,0; which will put the "program: name" message — invisibly — on the top line. If you would prefer to use the bottom part of the screen, rather than the top line, you can use Poke 23659,0 to make the bottom lines available, and use Print At 24,0;. If you do this, you need to make Poke 23659,2 the first line of your main program, or else your main program will crash.

HALL OF FAME

I have recently been developing a Hall of Fame for a game I am programming, but I cannot seem to get it to work. I have tried various different ways, yet still I have had no luck. Could you please put me out of my suspense and tell me how I could do it?

C Jones,
Appley Bridge.

I WAS SURPRISED to discover that it was not as simple to do this as I had thought when first reading your letter. After quite a bit of experimenting I came up with the following. It will work as listed on the Spectrum or QL, and on most other machines by deleting the comma and second 10 in the A$ Dim statement.

If you run this, you'll see scores being generated at random, with a random letter for the name of the winner. You'll also see the table being constantly updated.

```
10  DIM A$(10,10):DIM B(10)
20  FOR J = 1 TO 10
30  A$(J) = "Z"
40  NEXT J
50  SCORE = INT(RND*100) + 1
60  N$ = CHR$(64 + INT(RND*26))
70  GO SUB 160
80  CLS
90  PRINT "SCORE IS ";SCORE
100 PRINT
110 FOR J = 1 TO 10
120 PRINT A$(J),B(J)
130 NEXT J
140 FOR T = 1 TO 300:NEXT T
150 GO TO 50
160 FLAG = 0
170 FOR J = 10 TO 1 STEP -1
180 IF SCORE>B(J) THEN
    FLAG = J
190 NEXT J
200 IF FLAG = 0 THEN RETurn
210 FOR J = 10 TO FLAG STEP -1
220 B(J = B(J - 1)
230 A$(J) = A$(J - 1)
240 NEXT J
250 B(FLAG) = SCORE
260 A$(FLAG) = N$
270 RETurn
```

COPYRIGHT ROM?

We are writing a program for the Spectrum which we wish to sell. Its main function is performed by Calls to the Rom. A lot of commercially-available programs also do this. However we would like to know if it infringes Sinclair's copyright on the Rom.

C Stockley,
Dorset.

USING THE Rom in this way comes well within the "normal use" of a computer. There are no copyright problems.

DRAGON FORTH

I own a Dragon 32, and have lots of games for it. I recently started machine code programming, but have encountered a problem. A lot of my games run automatically on loading, but nowhere in any machine code books can I find details of how to do this. Secondly, I am looking for a Forth compiler for the Dragon. There are several on the market, but I don't know which is the best value for money. Can you recommend one?

David Kelsey,
Saxby-on-Humber,
Grimsby.

ACCORDING TO the Dragon Data magazine *Dragon World* there is no easy way to achieve an auto-run on the Dragon. In regard to the Forth question, I read a very good review of the Forth from Oasis Software. *The Dragon Dungeon* praised the Forth from Oasis quite highly. It comes with a 58-page booklet, and allows you to use Dragon graphics and sound. Of special interest is a demonstration program which shows the dramatic speed difference between Forth and Basic.

INPUT PROBLEM

I am presently writing an adventure program and have encountered a problem, which involves the input of commands into the program. For example if I wanted to go to the north with a commercial adventure I would just type in Go North and the computer would know what to do. I am looking for a subroutine that is connected to the word — that is, move north to a new location.

Matthew Norman,
Oldbury Warley.

THE ROUTINE you include in your letter is messy. It is also unnecessary. If you insist your player start a direction command with "Go" you only need to check the fourth letter of the input to see what direction the person wishes to move. You could simply use the following — assuming that you have already checked to see that the first two letters of the input are "Go", and assuming the input string is A$:

```
IF A$(4) = "N" THEN GOSUB ....
IF A$(4) = "S" THEN GOSUB ....
IF A$(4) = "E" THEN GOSUB ....
IF A$(4) = "W" THEN GOSUB ....
```

ZX-81 INPUT

I know it is easy on the Spectrum to direct the computer to put an input anywhere on the screen. However, I have a ZX-81, and I would like to be able to do this on my computer.

Robert Geeson,
Edinburgh.

THIS PROGRAM, from Michael Erichson allows you to make an input anywhere on the screen:

```
10  PRINT "QUESTION?";
20  LET A$ = " "
30  FOR N = 1 TO 32
40  IF INKEY$ = " " THEN GOTO
    40
50  IF CODE INKEY$ = 118 THEN
    GOTO 120
60  LET A$ = A$ + INKEY$
70  IF INKEY$<>"" THEN GOTO
    70
100 PRINT A$(N);
110 NEXT N
120 CLS
130 PRINT A$
140 PRINT LEN A$
```

MC FOR THE ORIC

After reading *Your Computer* for several months now, I have noticed that quite a few Spectrum owners want to start programming in machine code. I am an Oric owner in the same position, but I cannot find any books specifically for the Oric. Could you tell me about any books for beginners?

D Edwards,
Tiverton, Devon.

GRANADA PUBLISHING have three Oric books which should be helpful to you. These are: *Oric and Atmos Machine Code* (Ian Sinclair - £6.95), *The Oric 1 — and how to get the most out of it* (Ian Sinclair - £5.95), and *The Oric Programmer* (S M Gree and Mike James, £6.95).

BEYOND

CHALLENGING SOFTWARE



Please send me **SPY** vs **SPY**			
for my Commodore 64 (£9.95)	CASSETTE ☐	QTY	
Commodore 64 (£11.95)	DISK ☐	TOTAL	

I enclose Postal Order/Cheque payable to **Beyond**, or charge my credit card

ORDER HOTLINE
0858 34567
ENQUIRIES
01-837 2899

Card Number _____
Access Visa (delete as necessary)

Name _____

Address _____

Postcode _____

Signed _____

Please send me details of the **Beyond** Club ☐

Based on the SPY vs SPY characters created by Antonio Prohias and the property of E.C. Publications Inc and used by permission. Licensed from First Star Software Inc.

BEYOND Competition House, Farndon Road, Market Harborough, Leicestershire LE19 9NR.

SOFTWARE FILE

Software File gives you the opportunity to have your programs, ideas and discoveries published. We will accept contributions for any home computer provided they are submitted to *Your Computer* exclusively. Please double-check your programs and specify the memory they require before sending them, preferably on cassette. We pay between £6 and £36 for contributions published.

Chambers

M Bristow,
Alderney,
Channel Islands.

SPECTRUM

YOU PLAY the part of Spiteful Sorcerer Sly's apprentice. He has locked you in the cellar of his tower full of mysterious rooms and chambers. To test your intelligence he has given you the task of finding your way out through an exit on the fifth floor. But not only this, you must also collect one of each of the valuable objects left in the rooms, or he may cast a spell on you. Just to make it more difficult, Sorcerer Sly has put a few hazards on the way!

Press M to see your position on the map at any time during the game, but be warned you can see the maps only a limited number of times. Press I to see what items you have collected so far.

Press 0 if you want to unlock an invisible door. But remember, if you press it at the wrong time, you will fall through the floor — creating a trap door. Press cursor keys (5-8) to move through the maze.

To reach the level above you, you must reach one of the exits on the outside walls. You may find it useful to collect a lantern, a cross and a magic key to help you on your way!

Program notes.

10 Sets up variables.
20 Constructing maze.
25 Loop for number of levels.
30-90 Draw room which you are in.
95 Moves man to centre of room.
96 Sees if you have come across an object or a hazard.
97 Sees if you have come across vanishing room.
98 Sees if you have come across a vampire bat.
100-140 Waits for you to press a key a responds accordingly.
150-170 moves man out of door.
180-190 checks to see if you have got c of maze.
200-290 End of game and an assessme of your intelligence.
300-380 Reacting to you trying to g through an invisible door.
400-490 Draws map — if you have any le
500-590 tells you what type of object hazard you've come across.
700-710 Lists the items you are carrying
800-850 Vanishing room.
900-940 Vampire bats.
9000 Reads and Pokes Data for us defined graphics.
9010-9060 Data for graphics.
9090 Reads Data for objects and hazard
9100-9200 Data for objects and hazards.
9210-9300 Asks you to wait while maze constructed.
9999 Saves and Verifies a copy Chambers.

Simply type in the main program and Save copy of it by Entering Goto 9999. Then r wind tape and press play to Verify it.

```
  10 CLEAR : RANDOMIZE : GO SUB
9000: LET life=5: DIM p$(704): D
IM j(5): DIM k(5): DIM i$(20,9):
 LET nv=1: LET x=5: LET y=5: DIM
 x(5,11,11): DIM y(5,11,11): DIM
 p(5,11,11): DIM t(5,11,11)
  20 FOR l=1 TO 5: LET k(l)=ABS
(8-l): BORDER l: FOR m=1 TO 11:
FOR n=1 TO 11: LET x(l,m,n)=INT
(RND*2): LET y(l,m,n)=INT (RND*2
): LET p(l,m,n)=INT (RND*8): LET
 t(l,m,n)=(RND>.6)*INT (RND*17+1
): NEXT n: NEXT m: NEXT l
  25 FOR l=1 TO 5
  30 LET xs=0: LET ys=6: LET ky=
1: LET kx=0: LET a$="6": BRIGHT
1
  40 BORDER p(l,x,y): PAPER p(l,
x,y): CLS : INK 9: PRINT #0;AT 1
,1;"Level ";l
  50 DRAW 255,0: DRAW 0,175: DRA
W -255,0: DRAW 0,-175: DRAW 30,2
4: PLOT 255,0: DRAW -30,24: PLOT
 255,175: DRAW -30,-24: PLOT 0,1
75: DRAW 30,-24: FOR n=3 TO 18:
PRINT AT n,4;"[redacted]": NEXT n
  55 IF t(l,x,y)>1 THEN PRINT OV
ER 1;AT 10,15;CHR$ (145+t(l,x,y)
)
  60 IF y(l,x,y)=1 THEN PLOT 88,
152: DRAW -16,16: DRAW 112,0: DR
AW -16,-16: FOR n=1 TO 3: PRINT
AT n,11;"[redacted]": NEXT n
  70 IF y(l,x,y+1)=1 THEN PLOT 8
8,23: DRAW -16,-16: DRAW 112,0:
DRAW -16,16: FOR n=17 TO 20: PRI
NT AT n,11;"[redacted]": NEXT n
  80 IF x(l,x,y)=1 THEN PLOT 31,
56: DRAW -24,-16: DRAW 0,96: DRA
W 24,-16: FOR n=7 TO 14: PRINT A
T n,1;"[redacted]"  NEXT n
  90 IF x(l,x+1,y)=1 THEN PLOT 2
24,56: DRAW 24,-16: DRAW 0,96: D
RAW -24,-16: FOR n=7 TO 14: PRIN
T AT n,27;"[redacted]": NEXT n
  95 LET ys=ys-ky: LET xs=xs-kx:
 PRINT AT 10-ys-ky,15-xs-kx;"[redacted]";
AT 10-ys,15-xs; OVER 1;"B": BEEP
 .01,-5: IF ys<>0 OR xs<>0 THEN
GO TO 95
  96 IF (t(l,x,y)>0 AND l>1) OR
t(l,x,y)>1 THEN GO SUB 500: IF t
(l,x,y)=1 THEN LET l=l-1: GO TO
30
  97 IF t(l,x,y)=16 THEN GO SUB
800
  98 IF t(l,x,y)=17 THEN GO SUB
900: IF life=0 THEN PRINT AT 18,
0;#0;AT 0,0;"Sorry, you have bee
n wounded toomany times.  You ar
e dead!": GO TO 260
 100 LET a$=INKEY$
 110 LET kx=(a$="8" AND x(l,x+1,
y)=1)-(a$="5" AND x(l,x,y)=1): L
ET ky=(a$="6" AND y(l,x,y+1)=1)-
(a$="7" AND y(l,x,y)=1)
 120 IF a$="0" THEN GO TO 300
 130 IF a$="m" THEN GO TO 400
 135 IF a$="i" THEN GO TO 700
 140 IF (kx=0 AND ky=0) THEN GO
```





```
TO 100
 150 LET ys=0: LET xs=0
 160 LET xs=xs+kx: LET ys=ys+ky:
 PRINT AT 10+ys-ky,15+xs-kx;"[redacted]";
AT 10+ys,15+xs; OVER 1;"B"
 170 BEEP .01,-5: IF 8-ABS ys>0
AND 13-ABS xs>0 THEN GO TO 160
 180 LET x=x+kx: LET y=y+ky: IF
x>0 AND x<11 AND y>0 AND y<11 TH
EN GO TO 40
 190 PRINT #0; FLASH 1;AT 0,0;"
You have found one of the exits
 Press a key for next level.";AT
 1,12;("to get out of maze," AND
 l=5): PAUSE 0: LET x=5: LET y=5
: NEXT l
 200 CLS : PRINT AT 1,10;"WELL D
ONE"'"You have managed to escape
 from the fifth level alive."
 210 LET c=1: PRINT AT 4,0: FOR
n=2 TO 14: IF i$(n)<>t$(n) THEN
PRINT AT 4,0;"But you did not ha
ve all the     items required by
the sorcerer.  You remain an app
rentice until      next time!": L
ET c=0
 220 NEXT n
 230 IF c=1 THEN PRINT AT 4,0;"Y
ou have got all the items. The s
orcerer is pleased with you,  a
nd has made you his partner."
 240 PRINT #0;AT 0,0;"Would You
like to see the items you found"
  (Y/N)"
 245 LET a$=INKEY$
 250 IF a$="y" THEN CLS : PRINT
AT 1,5;"You are carrying:-": FOR
 n=2 TO 14: PRINT AT n,10;CHR$ (
145+n);" - ";i$(n): NEXT n
 255 IF a$<>"y" AND a$<>"n" THEN
 GO TO 245
 260 PRINT OVER 1;"          Anothe
r go ? (Y/N)"
 270 LET a$=INKEY$: IF a$="y" TH
EN RUN
 280 IF a$<>"n" THEN GO TO 270
 290 STOP
 300 IF i$(14)<>t$(14) THEN PRIN
T #0;AT 0,0;"No key?-Secret door
s stay locked";("You decompose o
n the floor" AND l=1);("You fall
 through the floor" AND l>1): LE
T t(l,x,y)=1: PAUSE 0: GO TO (l<
>1)*86+10
 310 PRINT #0;AT 0,0; FLASH 1;"
   Open the secret door...     U
sing cursor keys (5-8)          "
 320 LET a$=INKEY$
 330 IF a$="5" THEN LET x(l,x,y)
=1
 340 IF a$="8" THEN LET x(l,x+1,
y)=1
 350 IF a$="7" THEN LET y(l,x,y)
=1
 360 IF a$="6" THEN LET y(l,x,y+
1)=1
 370 IF a$<>"5" AND a$<>"6" AND
a$<>"7" AND a$<>"8" THEN GO TO 3
20
 380 PRINT #0;AT 1,0;"The key ru
sts as the door opens.": LET i$(
14)="rusty key": GO TO 60
 400 IF k(l)=0 THEN PRINT #0;AT
0 0;"   You have run out of maps
    ": GO TO 100
 405 INK l+1: PAPER 0: BORDER l-1
: PAPER 0: BORDER 0: INK 7: CLS : DRAW 168,0
: DRAW 0,168: DRAW -168,0: DRAW
0,-168: FOR n=1 TO 15: PRINT AT
n,21; INK 4;CHR$ (145+n);"-";t$(
n): NEXT n: PRINT AT 18,24;"B-Yo
u!";AT 0,0; PAPER 6; INK 0;"You
have ";k(l);" map";("s" AND k(l)
<>1);" left on level ";l
 410 PRINT INK 0;AT 2*y,2*x-1;"B
"
 430 FOR m=0 TO 10: PLOT 16*m+4,
4: DRAW 0,160: PLOT 4,16*m+4: DR
AW 160,0: NEXT m:
 440 FOR n=1 TO 11: FOR m=1 TO 1
1: IF m<11 THEN PLOT 16*m,160-16
*n: DRAW OVER y(l,m,n);-6,0
 445 IF t(l,n,m)>0 AND m<11 AND
n<11 AND (t(l,n,m)<>1 OR l<>1) T
```

(continued on page 185)

The Key To Success!

Now, with the new Stonechip Spectrum Keyboard, the user has no worry of damaging the Spectrum itself as improved designing enables it to fit the case perfectly.

Assembling the case is simple as it consists of two halves, the top half containing the keyboard, with a small printed circuit board, attached by ribbon cable, plugging into the rear of the Spectrum. The lower half fits precisely around the Spectrum, thus preventing any risk of damaging through movement.

Your Sinclair guarantee need not be invalidated since the Spectrum does not require removal from its case.



THE MAIN FEATURES OF THE KEYBOARD ARE:

- ☐ No modifications to Spectrum necessary as it connects via rear port.
- ☐ Full-length space bar.
- ☐ Built-in 'Echo' amplifier and tape interface.
- ☐ RESET keys remove the need to disconnect power supply lead.
- ☐ Single key 'DELETE'.
- ☐ Single key 'Extended Mode' selection (ie one key replaces the CAPS SHIFT and SYMBOL SHIFT function).
- ☐ Fully compatible with Interface 1 and most peripherals.

BASIC KEYBOARD ONLY – NOW AVAILABLE AT £39.95

STONECHIP ELECTRONICS

Stonechip Electronics, Unit 9, The Brook Industrial Estate, Deadbrook Lane, Aldershot, Hants. Telephone: (0252) 333361

Extender unit available to use with Interface 2 and Kempston Joystick Interface. £2.50.

£59·95

DEALER ENQUIRIES WELCOME
Delivery approximately 28 days

To: Stonechip Electronics, Unit 9, The Brook Industrial Estate, Deadbrook Lane, Aldershot, Hants. Telephone: (0252) 333361

Please forward me the following products:

.....

.....

All prices are inclusive of VAT, Post & Packing for U.K. deliveries (overseas add 15%)

Name .....

Address .....

.....

Please debit my Access Card Number

I enclose Cheque/PO for £

(continued from page 183)

```
HEN PRINT INK 0;AT 2*m,2*n-1;CHR
$ (145+t(l,n,m))
 450 IF n<11 THEN PLOT 16*m-12,1
76-16*n: DRAW OVER x(l,m,n);0,-8
 460 NEXT m: NEXT n
 470 INK 9: FOR m=4 TO 164: OVER
 1: PLOT 4,m: DRAW 160,0
 480 IF INKEY$="" THEN NEXT m: G
O TO 470
 490 OVER 0: PAUSE 0: GO TO 40
 500 FOR n=9 TO 11: PRINT AT n,1
4;"      ": NEXT n
 530 FOR n=15 TO 1 STEP -1: BEEP
 .01,n: NEXT n
 540 LET t=t(l,x,y): PRINT AT 10
,15;CHR$ (145+t);#0;AT 0,0;"You
have come across a ";t$(t): IF t
>1 AND i$(t)=t$(t) AND t<16 THEN
 PRINT #0;AT 1,0;"But it breaks
up in your hands!!"
 550 IF t=1 THEN FOR n=7 TO 13:
PRINT AT n,12;"          ": NEXT n:
 PLOT 96,119: DRAW 55,0: DRAW 0,
-55: DRAW -55,0: DRAW 0,55: DRAW
 54,-54: DRAW -54,0: DRAW 54,54:
 FOR n=8 TO 12: PRINT BRIGHT 0;A
T n,13; INK p(l-1,x,y);"      ":
NEXT n: PRINT #0;"You fall into
the chamber below.": PAUSE 0
 560 IF t=15 THEN PRINT #0;AT 1,
0;("It is evaporated by the lant
ern!" AND i$(6)=t$(6)): IF i$(6)
<>t$(6) THEN PRINT #0;AT 1,0;"It
 absorbes all your possessions":
 PRINT AT 0,0; OVER 1; PAPER 5;
INK 1; FLASH 1;p$: DIM i$(20,9):
 590 LET i$(t)=(t$(t) AND t>1 AN
D t<16): LET t(l,x,y)=(t(l,x,y)=
1)+(t(l,x,y) AND t(l,x,y)>15): R
ETURN
 700 CLS : PRINT AT 1,5;"You are
 carrying:-": FOR n=2 TO 14: IF
i$(n)=t$(n) OR i$(n)="rusty key"
 THEN PRINT AT n,10;CHR$ (145+n)
;" - a ";i$(n)
 710 NEXT n: PAUSE 0: GO TO 30
 800 PRINT AT 0,0; PAPER 7; INK
0; OVER 1; FLASH 1;p$
 810 LET t=0: FOR n=1 TO 14: IF
i$(n)=t$(n) THEN LET t=n
 820 NEXT n
 830 IF i$(6)=t$(6) THEN LET t=6
 840 IF t>1 THEN PRINT #0;AT 1,0
;"room.You've lost your ";i$(t):
 LET i$(t)="  ": PAUSE 0: RETURN

 850 PRINT #0;AT 1,0;"room. Luck
ily nothing vanished.": PAUSE 0:
 RETURN
 900 PRINT #0;AT 1,0;"Bat.  Pres
s a key to attack it.": PAUSE 0:
 PRINT #0;AT 0,0;"
                "

 910 FOR m=0 TO 7: PRINT AT 10,1
5;"S";AT 10,15;("0" AND m/2=INT
(m/2)): BORDER m: FOR n=20 TO 1
STEP -1: BEEP .005,n+m: NEXT n:
NEXT m
 920 IF i$(10)=t$(10) THEN PRINT
 AT 10,15;" ";#0;AT 0,0;"You hav
e killed the vampire bat with yo
ur cross.": LET t(l,x,y)=0: RETU
RN
 930 LET life=life-1: IF life>0
THEN PRINT #0;AT 0,0;"You are wo
unded.  You have ";life;" ";"
life";(CHR$ 8+"v" AND life<>1);"e
";("s" AND life<>1);" left. Esca
pe while you can": RETURN
 940 RETURN
9000 RESTORE 9000: FOR n=USR "a"
 TO USR "s"+7: READ a: POKE n,a:
 NEXT n
9010 DATA 153,102,102,153,153,10
2,102,153
9015 DATA 48,176,152,116,20,112,
136,134,255,129,189,189,189,189,
129,255
9020 DATA 1,2,4,8,208,160,208,12
8,32,48,240,104,40,4,2,1,127,119
,119,65,119,54,54,28,56,56,68,13
0,130,130,68,56
9030 DATA 16,56,124,254,68,68,68
,124,0,120,127,121,121,127,120,1
20,14,49,65,66,140,48,112,96,0,6
0,126,255,189,66,60,0
9040 DATA 24,24,126,126,24,24,24
,24,0,126,132,132,66,66,33,126,3
,5,10,84,40,112,232,64
9050 DATA 3,7,6,6,16,32,64,128,0
0,64,160,191,165,68,0,0,0,146,84
,0,198,0,64,146,0
9060 DATA 0,0,0,0,0,0,0,0,3,110,
126,56,112,96,224,128
9090 DIM t$(20,9): RESTORE 9100:
 FOR n=1 TO 17: READ a$: LET t$(
n)=a$: NEXT n
9100 DATA "trap door","sword","h
atchet","shield","gold ring","la
ntern","drink","whip","gold coin
","cross","scroll"
9200 DATA "dagger","spear","magi
c key","blue mist","vanishing","
vampire"
9210 CLS
9220 PRINT AT 10,5;"Please wait
while the";AT 11,5;"sorcerer prp
ares your";AT 12,5;"task.  -Good
 luck.  "
9300 RETURN
9999 SAVE "Chambers" LINE 10: PR
INT AT 10,10;"V E R I F Y": VERI
FY "": RUN
```

Bug Eater

S Shirley,
Aglestone,
Leicestershire.

CBM-64

BUG EATER RUNS on a CBM-64 with joystick in port two. It uses sprites, user-defined characters and limited sound. In writing this program I have explored most features of the CBM-64 and also learnt some useful programming techniques.

- The use of For-Next loops instead of if there loops in order to increase speed.
- The need to minimise the number of Peeks, Pokes and If-Thens in the main loop because they are so flawless.
- The use of integer variables instead of numbers in order to increase speed.
- The use of boolean arithmetic to replace If-Then statements. If should be noted that though this saves space it also slows things down.
- Never use Def FN as this is really slow.
- The importance of efficient program structure in terms of executive time.

If you think the program is initially slow then kill line 132 which serves as a speed control. To make the clumps of grass a bit more of a challenge then change the following line:

(continued on page 189)

```
5 PRINT"■":GOSUB 9000:DIM P(300)
10 GOSUB 7000
100 REM*******MAIN PROGRAM**************
120 FOR F=F% TO Z%
130 FOR W=G% TO C%
132 FOR X=G%TO(D%-LE):NEXT
140 A=PEEK(AA):H=H+F%+((H>G%)*H%):T=H-L-((H-L<G%)*G%):IF A<>B% THEN B=A
150 P(H)=S+FN F2(B):S=P(H):C=PEEK(P(H)):POKE P(H),B:POKE P(T),I%
160 IF C=I% THEN 250
170 IF C=J% THEN SC=SC+Y%:L=L+LL:PRINT"■=£££££££SCORE"SC:GOTO 250
180 GOTO 1000
250 NEXT
270 R=RND(F%)*R%+R%:IF PEEK(R)=I% THEN POKE R,J%:POKE R+NN,T%
280 NEXT
290 GOTO 4000
1000 REM******LOOSE A LIFE**************
1023 POKE 54276,0:IF C=0 THEN 1505
1027 POKE 54277,26:POKE 54278,12:POKE 54273,244:POKE 54272,103:POKE 54276,129
1030 PRINT"■":POKE 53280,0:POKE 53281,0:LI=LI-1:IF LI=0 THEN 5000
1070 GOSUB2000:POKE 53280,CO:POKE 53281,CO:S=1440:FOR I=1 TO 300:P(I)=1065:NEXT
1100 POKE54277,17:POKE 54278,32:POKE 54273,10:POKE 54272,60:GOTO 250
1505 TT=T:POKE 54277,26:POKE 54278,12:POKE 54273,1:POKE 54272,233:POKE 54276,33
1510 POKE P(TT),32:TT=TT+1
1530 IF TT>300 THEN TT=TT-300
1540 IF INT(TT)=H THEN 1030
1550 GOTO 1510
2000 REM********BORDER*******************
2025 SYS49160:POKE V+21,0:POKE 1441,32
2030 FORI=1024TO1063:POKEI,28:POKEI+54272,3:POKEI+960,28:POKEI+55232,3:NEXT
2050 FOR I=1024 TO 1984 STEP 40
2060 POKE I,27:POKE I+54272,3:POKE I+39,27:POKE I+54311,3:NEXT
2090 FOR I=1 TO LE*4
2100 R=INT(RND(1)*1024)+1024:IFPEEK(R)=32THENPOKER,0:POKER+54272,7:GOTO 2120
2110 GOTO 2100
2120 NEXT
2130 PRINT"■=£££££££SCORE"SC"■£££££££LIVES"LI
2140 POKE 2023,58:POKE 1063,59:POKE 1984,60
2150 FOR I=0 TO LE
2160 POKEV+23,PEEK(V+23)OR2^I:POKE2040+I,13:POKEV+39+I,5
2170 POKEV+2*I,RND(1)*231+24:POKEV+1+2*I,RND(1)*131+50:POKEV+21,PEEK(V+21)OR2^I
2180 NEXT
2190 RETURN
4000 REM**********LEVELS***************
4030 POKE V+21,0:PRINT "■":LL=LL+.5:LE=LE+1:IF LE>7 THEN LE=7:LV=LV+1
4040 FF=(LE+LV)/5:F1=FF-INT(FF)
4050 IF F1=0 THEN LI=LI+1
4060 CO=INT(RND(1)*16):IFCO=15ORCO=0ORCO=3ORCO=5ORCO=7ORCO=13THEN 4060
4065 IFCO=1ORCO=8ORCO=14ORCO=10ORCO=4ORCO=12THEN 4060
4070 POKE 53280,CO:POKE 53281,CO
4080 L=1:H=1:T=2:P(0)=1440:P(1)=1441:P(2)=1442:S=1440:0=0:GOSUB 2000:GOTO 120
5000 REM*********HIGH SCORE**************
5010 POKE V+21,0
5030 PRINT"■YOUR SCORE IS ";SC:IF SC<H(5) THEN 5500
5050 INPUT"■YOUR NAME ";IN$:IF IN$=""OR LEN(IN$)>10 THEN PRINT"■■■":GOTO 5050
5060 H(5)=SC:H$(5)=IN$
5062 FOR I=1 TO 4
5064 IF H(I)=>H(I+1) THEN 5070
5065 P=H(I):H(I)=H(I+1):H(I+1)=P:P$=H$(I):H$(I)=H$(I+1):H$(I+1)=P$:Y=1
5070 NEXT
5075 IF Y=1 THEN Y=0:GOTO 5062
5500 PRINT"■■■■"TAB(10)"CURRENT TOP RATINGS":PRINTTAB(10)"------- --- -------■"
5510 FORI=1TO5:PRINTTAB(7);"■";I;TAB(14);"■";H$(I);TAB(28);"■";H(I):PRINT"■":NEXT
5520 PRINT"■■■■■■■■■■■■■■■■■HIT A KEY■■■■":GET XX$:IF XX$="" THEN 5520
5530 GOTO 10
6000 REM******TITLE PAGE***************
6030 PRINT"■  ■■■ ■ ■ ■■■ ■■■ ■■■ ■■■ ■■■ ■■■"
6040 PRINT"  ■ ■ ■ ■   ■   ■ ■   ■ ■   ■ ■"
6050 PRINT"  ■■■ ■ ■ ■   ■■■ ■■■   ■   ■■■ ■■■■"
6060 PRINT"  ■ ■ ■ ■ ■ ■   ■ ■   ■ ■   ■ ■"
6070 PRINT"  ■■■ ■■■ ■■■ ■■■ ■ ■   ■   ■■■ ■   ■"
6080 PRINT"■■■■■■■■■■■■■■■■■
```

SERVICE LINK

Unit 16, Dinsdale Rd, Croft Ind. Estate, Bronborough, Merseyside. Tel: 051-334 9473. Or contact us for your requirements on prestel, contact Chris on MBX 516 451 312 or 244 311 580 or Roy on 1035 4028.

COMPUTERS
Acorn Electron & 5 programmes – £155
Acorn BBC Model B – £329.00
Acorn BBC Model B + DFS – £389
Commodore '64 starter pack (incl. Computer datarecorder & joystick & 4 programmes) – £199
Commodore SX64 (incl. 'Future Finance', 'Easy Script', 'Easy Stock', – worth £225) – £694
Dragon 64 – £130
Oric 1 incl. 4 programmes – £69
Oric Atmos – £86
Sinclair Spectrum 48K – £103
Sinclair QL – £333
Spectravideo SV318 starter pack (incl. Datarecorder + 4 programmes) – £179.00

DISC DRIVES FOR BBC – PACE OR CUMANA
Single Drives
Pace PSD1 (40 Track 100K) £104
Pace PSD2 (40 Track 200K) £134
Pace PSD3 (40/80 Track 400K) £155
Pace PSD3 (80 Track 400K) £147
Pace PSD5 (40/80 Track 200K) £137

Dual Drives
PDD 1 (40 Track 200K) £199
PDD2 (40 Track 400K) £255
PDD3 (40/80 Track 800K) £299
PDD4 (80 Track 800K) £279
PDD5 (40/80 Track 400K) £266
All drives include formatting disc + one blank disc.

FOR COMMODORE
1541/1542 – £177
Atari 1050 – £157

MONITORS (COLOUR)
Tatung 1231 Med Res RGB – £189
Tatung 1491 TV Monitor RGB – £205
Commodore 1701 PAL £177
Microvitec 1431 Std Res RGB £177
Microvitec 1451 Med Res RGB £275
Microvitec 1431 MZ (Spectrum Monitor) £205
Microvitec 1441 High Res RGB £409
Microvitec 1451 MQ (QL Monitor) £239
Microvitec 1431 AP PAL/RGB £209
Tatung TM01/RGB £195

MONITORS (MONOCHROME)
Sanyo CD2112 (Green) £65
AVT (Green/Amber) £73
Zenith (Green) £73

Daisywheel
Smith Corona TP1 RS232 – £174
Daisystep 2000 – £209
Juki 6100 – £319
Brother HR15 – £399

DOT MATRIX
Seikosha GP100 Mark 2 – £148
Commodore MPS 801 – £177
Commodore MPS 802 – £265
Epson RX80 – £199
Epson RX80 FT – £229
Epson FX80 – £324

Discs (5yr Guarantee)
Boxes of 10
SSDD 40 Track – £15
DSDD 40 Track – £17

Data Recorders
Decca DRC 1401 – £23
Commodore C2N – £34
CBM Vic 20/64 Recorder – £26
Atari 1010 – £31
Acorn Datarecorder – £30

Joysticks & Interface (Atari Plug)
Big Shot – £7.00
Trigger Command – £7.00
Quickshot 2 – £8.00
Arcade – £13.00
Zipstick (BBC) – £10.00
BBC Joystick Interface – £11.00
Kempston Interface – £8.00
Ram Turbo – £18.00
Comcon – £17.00
Fullerbox – £20.00

LIGHT PENS
CBM 64 – £24
Vic 20 – £24
BBC – £24
BBC (RH Electronics) – £39
Spectrum (DK Tronics) – £16

SOUND & SPEECH
BBC Acorn Speech – £45
BBC Cheetah Sweet Talker – £21
BBC Jamar Speakeasy – £27
CBM '64 Currah – £25
Jamar Speakeasy – £27
Datel Converter – £22
Vic 20 Jamar Speakeasy – £27
Oric Atmos Jamar Speakeasy – £27
Spectrum Currah – £25
Spectrum Fuller Master Unit – £40
Spectrum Datel Vox Box £30
Spectrum Datel Games Ace £15

Keyboards
Spectrum Low Profile – £38
Fuller FDS – £38

MODEMS
BBC/Acorn Prestel Receiver – £86
BBC/OEL Tele Mod 2 – £86 (incl. Rom Software)
CBM '64/OEL Tele Mod 2 + Prestel Interface – £118.00
Spectrum VTX 5000 – £79

All prices add 15% VAT
P + P Securicor Delivery
£9.00 – Monitors
£6.00 – Printers
£4.00 – Computers
£2.00 $ All Else

We accept Government + M.O.D. Orders and official company orders.

I WISH TO ORDER THE FOLLOWING.....

.....

.....

.....

ACCESS/BARCLAYCARD No. .....

SIGNATURE .....

NAME .....

ADDRESS .....

.....

REGISTERED No: 1722750 YC12

BETA BASIC 1.8

ENHANCED BASIC FOR SPECTRUM 48K
FOR GRAPHICS – STRUCTURED PROGRAMMING – DATA HANDLING

Release 1.8 is more powerful than ever! We don't have space to do this program justice – if you can't believe the ad, send us a large S.A.E. for further information.

Features: Commands are single-entry keywords in graphics mode. Syntax is checked on entry. Fully compatible with Spectrum Basic. Microdrive compatible. Comprehensive manual.
NOTE: Release 1.0 is still available for 16/48K Spectrum at £11.00.

ALTER screens colours (general or specific)
AUTO line numbering
BREAK out of code loops
CLOCK digital clock
CURSOR CONTROL CODES allow strings to have complex shapes
DEF KEY user definable keys
DELETE a block of lines
DO-LOOP structure
DPOKE double poke
EDIT specified line
ELSE (used with IF...THEN)
EXIT leave DO LOOP
FILL enclosed area with specified ink or paper
GET wait for keypress
JOIN two program lines
KEY$ a string
KEYWORDS new keywords on/off
LIST/LLIST line TO line
USED (used with GOTO, GOSUB)
ON ERROR trap errors (with LINE, STAT and ERROR)
PLOT a string (may contain cursor control codes)
POKE a string
POP Basic's stack
PROC, DEF PROC, END PROC (for named procedures)
RENUM versatile renumber
ROLL all or part of screen in any direction by specified number of pixels, with or without attributes
SCROLL like ROLL, but without wrap round
SORT arrays (very fast)
SPLIT program lines
TRACE program execution
UNTIL used with DO or LOOP
USING used with PRINT
WHILE used with DO or LOOP
XOS, YOS move PLOT origin
XRG, YRG change PLOT scale

FUNCTIONS

AND (bit-by-bit)
BIN$ decimal to binary
CHAR$ number to 2 characters
COSE fast cosine
DEC hexadecimal to decimal
DPEEK double PEEK
FILLED filled area
HEX$ decimal to hexadecimal
INSTRING string search
MEM free memory
MEMORY$ all of memory as a string
MOD modules
NUMBER 2 characters to number
OR (bit-by-bit)
RNDM fast RND
SCRN$ recognises user graphics
SINE fast sine
STRING$ repeats strings
TIME$ current time
USING$ formats numbers
XOR (bit-by-bit)

Only £11.00 inclusive! (Upgrade price for Release 1.0 owners is £4.00. This includes a 12-page supplement to your manual. Please quote date of purchase. If you did not purchase from us, state supplier and return original cassette.)

Please send me:
Beta Basic, Release 1.8. Payment of £11.00 is enclosed.
(or £11.50 for foreign orders). Cheques payable to BETASOFT.

I don't believe it! Please send me full details of Beta Basic 1.8. I enclose a stamped addressed envelope.

NAME: .....

ADDRESS .....

.....

BETASOFT
92 OXFORD ROAD, MOSELEY,
BIRMINGHAM B13 9SQ.

Spectre

ENFIELD HOUSE
SWARDESTON
NORWICH
NORFOLK



ELECTRONICS

£ 9.95

DIGITAL CIRCUIT DESIGNER. Electronics allows you to draw your circuit diagram on screen using standard symbols for logic gates, transistors, resistors, capacitors, diacs, triacs, diodes, etc, etc... Symbols can be rotated, wiring interconnected or crossed over as required. Once complete the computer will 'power up' your circuit - high voltage levels turn red, low levels turn green. Circuits can be de-activated, modified and re-activated until they function as required, all without touching a soldering iron! Part completed circuits may be saved for future work and displays can be sent to the printer. All components are fully interactive i.e. they can change the state of sections previously activated in the sequence - even oscillators can be seen oscillating. Warning is given of short-circuits. (57 defined graphics are employed)

LINNET



£ 14.95

LINEAR NETWORK ANALYSER. Characteristics of complete networks, including sub-circuits, are entered. The computer performs either time or frequency domain analyses, presenting the output data in any of a choice of forms, both graphical and written. The program detects the presence of a printer and, if connected, can produce detailed graphical displays by printing lengthways along the paper. Happily deals with highly complex networks - the instruction book provides numerous examples using transistors, I.C.s, bandpass filters, op amps, etc, etc... An invaluable tool for both professional and amateur designers.

48K SPECTRUM

FUN WITH SPEECH 64!

Speech Synthesiser for the Commodore 64

SPEECH 64 for the Commodore 64 is ready to talk immediately on power-up, has an infinite vocabulary and extra BASIC commands. Retailing at only **£29.95**, ***SPEECH 64***'s advanced features will give you, your family and friends lots more fun with your computer! Its sister unit μSPEECH — for the Sinclair Spectrum — is a smash hit in the UK and over 10 other countries, and has been awarded the CTA 'Product of the Year' accolade.

SPEECH 64 is easy to use! It needs no software to be loaded, it does not steal RAM from the BASIC operating system, or stop arcade style action.

With extended BASIC commands like SAY and its Text to Speech facility ***SPEECH 64*** can be programmed in plain English, just like this:

SAY "to say anything you want"

You can choose from two different voices, each with programmable intonation, and other commands control the voicing of keys as they are pressed — a useful educational aid for young children.

SPEECH 64 comes complete with full documentation and two free full colour posters. Watch out for ***SPEECH 64*** as it appears in retail outlets nationwide — or use the order form below, at no extra cost.

CURRAH

Computor Components Ltd

To: SPEECH 64 Offer, P.O. Box 1, Gateshead, Tyne & Wear, NE8 1AJ

Please Supply ..... **SPEECH 64** unit(s) at £29.95 each incl. VAT & P&P

YC/12/84

Name (please print) .....

Address (please print) .....

..... Postcode .....

I enclose a cheque/PO payable to 'SPEECH 64 Offer' value £ .....

or debit my Access/BarclayCard No. ☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

Signed (credit card orders not accepted unless signed) .....

Credit Card Hotline 091 - 482 4683 Please allow 28 days for delivery. Offer valid UK only

POWERSOFTWARE IS HERE...



CAT WALK
Ever wished you were a cat ? .... Then unhinge yourself with this bizarre new game for 48K Spectrum

BILLY BLUEBOTTLE
An amazingly original multi level arcade type game for 48k Spectrum



ELECTRON JOYSTICK INTERFACE
Simply the best on the market

''WIN''
A GOLD SOVEREIGN

special introductory offer
you may find
a gold sovereign
in one of these games

10 gold sovereigns must be won

POWER SOFTWARE

FRANTIC FINGERS
A games control utility for the B.B.C. Micro

BOUNCING BERTY / ESKIMO CAPERS
Introducing our special high class budget series for 16/48K Spectrum

Interrupting all games programmers ... '' Send us your Games !! '' ...

post orders to: Powersoftware, Thinking about moving home because my local dealer's us
Available from all red hot dealers or Powersoftware.
12 Hagley Road, Stourbridge, West Midlands DY8 1PS
Cheques or Postal Orders made payable to Powersoftware

Billy Bluebottle	£ 5.95
Cat Walk	£ 5.95
Electron Joystick Interface	£24.95
Frantic Fingers	£ 3.99
Bouncing Berty/Eskimo Capers	£ 3.50
Cheque/Postal Order Total Value	

Name .....
Address .....

Delivery 30 days.

Cat Walk, Billy Bluebottle, Bouncing Berty, Eskimo Capers, Incorporate English, French, & German instructions.

* Reg. in England N

(continued from page 185)

```
10200 DATA 255,240,3,255,240,3,255,240,
      3,255,240,3,255,240,0,255,192,0
```

In order to minimise the number of Pokes I use a small piece of machine code which fills the colour screen before the main loop begins. The data for this piece of relocatable machine code is in line 10000 — check it before running. Between running the program and the title screen appearing is a short delay while the character set is redefined and the sprite data set up. You get a bonus life every five levels.

Graveyard-20

R W Silverside,
Whickham,
Newcastle upon Tyne.

THE AIM OF the game is to collect the sets of keys which are scattered around the graveyard. Every time you get all the sets of keys on the screen, the screen is reset with one more key.

As you move around the grid you destroy the squares which you step on, returning to one of these spaces will result in your destruction, as will stepping off the side of the grid. By pressing the space-bar the row which you are in is reprinted, and this can only be done if you have more than 200 points because it decreases your score by 200.

Destroys the bibles

This action also destroys all bibles in the row you are in. Every five screens cleared will result in another ghost appearing. The ghosts can reach a maximum of four. The skull and cross bones scattered everywhere must be avoided and if one of these is hit you will be destroyed. Also, all the sets of keys must be collected before 30 seconds have elapsed — the time is shown in middle of top line. If this is not achieved, you will again be destroyed.

Your score is in the top left-hand corner of the screen, and the number below this is the highest score. When the game ends, the opening screen is printed out again and the program runs again after about 10 seconds. Occasionally, when a new game should start, the program stops running and prints an error message. The program can be restarted by typing Run Stop-Restore and running the program again.

```
10 POKE36879,28:POKE36878,8:PRINT"■"
20 PRINTSPC(110)"■■■
```

TWO GREATS FOR THE SINCLAIR QL





Tim Hartnell's QL Games Compendium

From Tim Hartnell (the author, PCW magazine called 'Mr Sinclair'), comes this major games book for the QL . . .

Not only does it contain listings for more than 20 complete games, but the detailed instructions and ideas will help you develop your own games, whilst improving your programming as you do so. There is even a complete chapter to teach you how to create moving graphics games on your QL!

The Programs include:

ELIZA — in which your QL acts as a psychiatrist and talks to you.

QTHELLO — challenge your QL to a round of Reversi/Othello.

MAGICIAN'S MAZE — high adventure exploring ruins after gold.

DETECTIVE Q — solve the murder; different each time it runs.

STOCKBROKER — a challenging simulation puts thousands in your control as you work towards getting a million.

TRYST WITH MEPHISTOPHELES — nearly 20K of challenging adventure.

QL RACER — real-time moving graphics, in a game few will win.

Exploring the Sinclair QL An Introduction to SuperBASIC

Here's your chance to explore the potential of SuperBASIC, the sophisticated language supplied with the Sinclair QL.

Designed to help you write better, clearer program Sinclair SuperBASIC is a state-of-the-art programm language, a language which keeps pace with the hardware innovations of the computer.

Andrew Nelson, author of several popular compute books, explains all the important concepts, key wo commands and statements of SuperBASIC. In this book, he explains that many of the programming sk you have from the Spectrum can be directly transferred to the QL, and show how — as you lear the new words in the QL's vocabulary — your programs can gradually be made more complex a sophisticated, by incorporating the new command and statements.

Interface Publications, Department QYC
9-11 Kensington High Street, London W8 5NP.

Please send me the following books.
I enclose a total of £_____

- ☐ **Tim Hartnell's QL Games Compendium** — Tim Hartnell, ISBN 0 947695 04 4 — £5.95
- ☐ **Exploring the Sinclair QL — An Introduction to SuperBASIC** — Andrew Nelson, ISBN 0 907563 84 8 — £4.95
- ☐ **Mastering Machine Code on your ZX Spectrum** — Toni Baker — £9.95
- ☐ **Spectrum Machine Code Made Easy, Volume One for beginners** — James Walsh — £5.95
- ☐ **Spectrum Machine Code Made Easy, Volume Two for advanced programmers** — Paul Holmes — £5.95
- ☐ **The Spectrum Machine Code Reference Guide** — Richard Ross-Langley — £4.95
- ☐ **Creating Adventures on your ZX Spectrum** — Peter Shaw and James Mortleman — £4.95
- ☐ **Putting Your Spectrum to Work (including 15 major programs, a word processor and spread-sheet calculations)** — Chris Callender — £4.95
- ☐ **Creating Arcade Games on the ZX Spectrum** — Daniel Haywood — £3.95
- ☐ **Programming Your ZX Spectrum** — Hartnell/Jones — £6.95
- ☐ **60 Games and Applications for the ZX Spectrum** — David Harwood — £4.95
- ☐ **Beyond Simple BASIC — Delving Deeper into your ZX Spectrum** — Dilwyn Jones — £7.95
- ☐ **Instant Spectrum Programming (tape and book)** — Tim Hartnell — £4.95
- ☐ **20 Simple Electronic Projects for the Spectrum** — Stephen Adams — £6.45

Interface Publications, Department QYC
9-11 Kensington High Street, London W8 5NP.

Name .....

Address .....

.....

.....

(TRADE ONLY. Interface Publications are distributed exclusively in Eire by WHS Distributors. Export trade handled by Interface Pub

INTERFACE PUBLICATIONS

We're the experts!

(continued from page 189)

```
260 FOR n=70 TO 382 STEP 80:PLOT 0,n,4:DRAW 638,n,4:NE
XT n
270 REM ***start game***
280 PLOT b,a,2:PLOT d,c,3
281 SOUND 1,2500,10,3,0,0,1:SOUND 2,2400,10,3,0,0,1
290 REM ***check player one***
300 IF INKEY(59)=0 THEN e=1:f=0
310 IF INKEY(71)=0 THEN e=-1:f=0
320 IF INKEY(60)=0 THEN e=0:f=1
330 IF INKEY(69)=0 THEN e=0:f=-1
360 REM ***check player one***
370 IF INKEY(26)=0 THEN g=1:h=0
380 IF INKEY(30)=0 THEN g=-1:h=0
390 IF INKEY(28)=0 THEN g=0:h=1
400 IF INKEY(29)=0 THEN g=0:h=-1
410 a=a+2*e:b=b+4*f:c=c+2*g:d=d+4*h
420 REM ***check crashes***
430 ti=ti-1:IF ti=0 THEN GOSUB 520
440 LOCATE 10,1:PRINT ti
450 x=TEST (b,a)
460 y=TEST (d,c)
470 IF x=4 OR y=4 THEN 510
480 IF x<>0 AND y<>0 THEN 520
490 IF x<>0 THEN 550
500 IF y<>0 THEN 590
510 GOTO 280
520 GOSUB 620
530 MODE 1:PRINT "Hard luck contestants.You both crash
ed!"
540 GOTO 830
550 GOSUB 620
560 MODE 1:PRINT "Well done Red bike."
570 PRINT "May the blue rider rest in peace."
580 GOTO 830
590 GOSUB 620:MODE 1:PRINT "Well done Blue bike."

600 PRINT "May the Red Rider rest in peace."
610 GOTO 830
620 DI:CLS:SOUND 1,1000,50,15,0,0.1:SOUND 2,2000,50,15
,0,0,1:FOR n=1 TO 100:NEXT:EI
630 RETURN
640 REM ***INSTRUCTIONS***
650 PRINT TAB (15);"LIGHT BIKES"
660 INK 2,2,10
670 SPEED INK 50,50
680 INK 3,0
690 PEN 3
700 RESTORE 890:PRINT:PRINT"Welcome contestants to the
 most deadly  "
710 PRINT"game of all time.Each of you will be in "
720 PRINT"control of a light bike.One will be of  "
730 PRINT"the colour blue (beta class 7 model),   "
740 PRINT"and the other will be of the colour red "
750 PRINT"(zepha class 15 model).Your objective is"
760 PRINT"to kill of the opponent by trapping him "
770 PRINT"with your laser traces.Good luck,you'll "
780 PRINT"need it!!!"
790 INK 3,15
800 LOCATE 10,24:PEN 2:PRINT "Press any key to play":P
EN 3
810 IF INKEY$="" THEN GOSUB 860:GOTO 810
820 RETURN
830 IF INKEY$<>" " THEN 830
840 SOUND 1,100,50:SOUND 2,90,50:SOUND 4,110,50
850 GOTO 70
860 READ note:IF note=0 THEN RESTORE 890:v=3
870 SOUND 1,note,50,v:SOUND 2,note+2,50,v:SOUND 4,note
+4,50,v
880 RETURN
890 DATA 716,758,851,956
900 DATA 716,758,851,956
910 DATA 716,758,851,956
920 DATA 478,478,478,0
930 GOTO 60
```

Alien Wars

A Smith,
Luton,
Bedfordshire.

ATARI

ALIEN WARS is a shoot-'em-up game using player/missile graphics. Aliens come straight down the screen or zig-zag bouncing off the sides. They also drop bombs. You must shoot them before they reach the bottom of the screen or the Aliens are safe. If 20 aliens survive, the game is over. You also have five lives and colliding with an alien or a bomb loses a life.

The data lines in the program are a machine-code routine so the program should be CSaved before running.

```
10 REM **** ALIEN WARS ****
20 REM **** ATARI BASIC ***
30 REM **** BY A.SMITH ****
40 REM **** 20/4/84 *******
100 T=1:HISCORE=100:GRAPHICS 6
110 GUN=102:F=0:SA=0:LV=5:SCORE=0
140 GOSUB 10085
150 POKE 53278,2
180 IF T THEN T=0:GOSUB 10000:GOSUB 30000
200 GOSUB 20000
220 GOSUB 9000:GOSUB 9500
500 REM **** MAIN LOOP ****
1000 IF VP>180 THEN GOSUB 9000:SA=SA+1:POKE 656,2:POKE 657,37:? SA
1005 IF UP>180 THEN GOSUB 9500:SA=SA+1:POKE 656,2:POKE 657,37:? SA
1030 VP=VP+VM:HP=HP+HM:POKE 1782,VP:POKE 1781,UP
1040 XP=XP+XM:UP=UP+UM:POKE 53250,XP:POKE 53249,HP
1070 IF XP>190 OR XP<51 THEN XM=-XM
1090 SOUND 2,VP,10,6
1170 IF HP>190 OR HP<51 THEN HM=-HM
1180 IF PEEK(53260)>0 THEN POKE 1781,40:POKE 1782,40:UP=40:VP=40:GOSUB 5000
1190 SOUND 1,UP,10,6
2000 ST=STICK(0)
2010 IF ST=15 THEN 2040
2020 IF ST=11 THEN IF GUN>52 THEN GUN=GUN-3:POKE 53248,GUN
2030 IF ST=7 THEN IF GUN<196 THEN GUN=GUN+3:POKE 53248,GUN
2040 IF F THEN GOSUB 3000:GOTO 2200
2050 IF STRIG(0)=0 THEN F=1:POKE 53251,GUN:MSL=170:POKE 1783,MSL:VOL=16
2200 LBM=BM2:BM2=BM2+4:LB=BM1:BM1=BM1+4:COLOR 1:PLOT BX2,BM2:PLOT BX1,BM1:COLOR
0:PLOT BX2,LBM:PLOT BX1,LB
2300 IF BM2>79 THEN COLOR 0:PLOT BX2,BM2:BM2=VP/2-15:BX2=XP-40:IF PEEK(53252)=1
THEN GOSUB 5000
2500 IF BM1>79 THEN COLOR 0:PLOT BX1,BM1:BM1=UP/2-15:BX1=HP-40:IF PEEK(53252)=1
THEN GOSUB 5000
2600 GOTO 1000
2999 REM **** MOVE MISSILE ****
3000 MSL=MSL-8:VOL=VOL-1:POKE 1783,MSL
3010 SOUND 0,50-VOL,0,VOL
3030 IF MSL<50 THEN F=0:POKE 53251,0:SOUND 0,0,0,0
3050 IF PEEK(53263)=0 THEN RETURN
3060 F=0:POKE 53251,0
3070 W=PEEK(53263)
3075 COLOR 0
3078 PLOT BX1,BM1:PLOT BX2,BM2
3080 IF W=2 THEN BN=INT(UP/20)*10:GOSUB 9500
3090 IF W=4 THEN BN=INT(VP/20)*10:GOSUB 9000
3095 SCORE=SCORE+BN:POKE 656,1:POKE 657,11:? SCORE
3100 POKE 53278,5
3200 FOR GBH=1 TO 200 STEP 10:POKE 712,52:SOUND 0,GBH,12,15:POKE 712,234:NEXT GB
H
3220 POKE 712,0
3400 SOUND 0,0,0,0
3500 RETURN
5000 REM **** GUN EXPLODES ****
5005 POKE 53278,2
5008 SOUND 1,0,0,0:SOUND 2,0,0,0
5010 LV=LV-1:POKE 656,1:POKE 657,37:?;LV
5020 FOR GBH=200 TO 20 STEP -40
5030 FOR N=GBH-10 TO GBH+10
5040 SOUND 0,N,8,15
5045 POKE 704,PEEK(20)
5050 NEXT N:NEXT GBH
5060 SOUND 0,0,0,0
5070 POKE 704,238
5075 COLOR 0:PLOT BX1,BM1:PLOT BX2,BM2
5080 GOSUB 9000:GOSUB 9500
5090 IF LV=0 THEN GOTO 6000
5100 RETURN
6000 REM **** GAME OVER ****
6010 POKE 656,3:? "        G A M E  O V E R";
6020 IF SCORE>=HISCORE THEN HISCORE=SCORE:POKE 656,2:POKE 657,11:? HISCORE
6030 SOUND 1,255,10,8:SOUND 2,254,10,8:SOUND 0,0,0,0
6040 COLOR 0
6050 PLOT BX1,BM1:PLOT BX2,BM2
6060 FOR D=0 TO 200:NEXT D
6070 IF STRIG(0)=1 THEN 6070
6080 GOTO 110
8000 REM **** ANGLES FOR ALIENS ****
8010 IF SA>19 THEN GOTO 6000
8030 N=INT(RND(0)*138+54)
8040 D=INT(RND(0)*3)
8050 IF D=0 THEN M=-6
8060 IF D=1 THEN M=6
8070 IF D=2 THEN M=0
8080 A=INT(RND(0)*3)+3
8090 COLOR 0:PLOT BX2,BM2:PLOT BX1,BM1
8095 POKE 53278,2
8100 RETURN
9000 REM **** ANGLES FOR ALIENS ****
9010 GOSUB 8000
9030 XP=N:XM=M:VM=A:VP=36
9150 BM2=VP/2-15:BX2=XP-40
9160 POKE 706,(INT(RND(0)*15+1)*16)+10
9200 RETURN
9500 REM **** ANGLES FOR ALIENS ****
9520 GOSUB 8000
9530 HP=N:HM=M:UM=A:UP=36
9650 BM1=UP/2-15:BX1=HP-40
9660 POKE 705,(INT(RND(0)*15+1)*16)+10
9700 RETURN
10000 REM **** BACKGROUND ****
10010 COLOR 1
10020 SETCOLOR 2,0,0
10030 PLOT 0,79:DRAWTO 0,0
10040 DRAWTO 159,0:DRAWTO 159,79
10050 RETURN
10085 ? CHR$(125):POKE 752,1
10090 POKE 656,1:POKE 657,0:? "SCORE    ";SCORE;:POKE 657,23:? "LIVES
";LV
10100 POKE 656,2:POKE 657,0:? "HI SCORE ";HISCORE;:POKE 657,23:? "SAFE ALIENS
 ";SA
10200 RETURN
20000 REM **** PM COLOURS ****
20010 POKE 704,222:POKE 707,14
20020 POKE 1780,176
20030 POKE 53249,GUN
20050 POKE 53257,1:POKE 53258,1
21050 RETURN
30000 REM **** PM VERT POSITIONING **
30010 FOR I=1536 TO 1706:READ A:POKE I,A:NEXT I
30020 FOR I=1774 TO 1787:POKE I,0:NEXT I
30030 PM=PEEK(106)-32:P=256*PM
30040 FOR I=P+1024 TO P+2048:POKE I,0:NEXT I
30050 RESTORE 31400:FOR I=P+1025 TO P+1034:READ A:POKE I,A:NEXT I:POKE 1784,10
30060 RESTORE 31200:FOR I=P+1281 TO P+1290:READ A:POKE I,A:NEXT I:POKE 1785,10
30070 RESTORE 31200:FOR I=P+1537 TO P+1546:READ A:POKE I,A:NEXT I:POKE 1786,10
30080 RESTORE 31300:FOR I=P+1793 TO P+1800:READ A:POKE I,A:NEXT I:POKE 1787,10
30090 POKE 559,62:POKE 623,1:POKE 1788,PM+4:POKE 53277,3:POKE 54279,PM:X=USR(169
6):RETURN
31010 DATA 162,3,189,244,6,240,89,56,221,240,6,240,83,141,254,6,136,141
```

(continued on next page)

(continued from previous page)

```
31020 DATA 255,6,142,253,6,24,169,0,109,253,6,24,109,252,6,133,204,133
31030 DATA 206,189,240,6,133,203,173,254,6,133,205,189,248,6,170,232,46,25
31040 DATA 6,144,16,168,177,203,145,205,169,0,145,203,136,202,208,244,76,87
31050 DATA 6,160,0,177,203,145,205,169,0,145,203,200,202,208,244,174,253,6
31060 DATA 173,254,6,157,240,6,189,236,6,240,48,133,203,24,138,141,253,6
31070 DATA 109,253,6,133,204,24,173,253,6,109,252,6,133,206,189,240,6,133
31080 DATA 205,189,248,6,170,160,0,177,203,145,205,200,202,208,248,174,253,6
31090 DATA 169,0,157,236,6,202,48,3,76,2,6,76,98,228,0,0,104,169
31100 DATA 7,162,6,160,0,32,92,228,96
31200 DATA 129,153,189,189,219,255,255,189,165,165
31300 DATA 0,36,36,36,36,36,0,0
31400 DATA 36,36,60,60,126,126,255,24,60,126
```

Shade Copy

I J Abbott,
Doncaster,
South Yorkshire.

SPECTRUM

SHADE COPY IS a routine for the 16/48K Spectrum connected to a Sinclair ZX or Alphacom 32 printer. It has two advantages over the Spectrum Copy command. First, it allows you to copy all — including the bottom two lines — or any part of the screen. Secondly, it provides three modes of operation, namely normal, inverse and shaded copy.

Instead of transferring ink or paper dots from the screen to the printer, the shading routine looks at the affecting Ink and Paper attributes — not the Bright or Flash attributes — and converts the dots into one of eight shading patterns corresponding to their colours before sending to the printer.

The parameters for the routine are specified in the same command as the USR call rather than being Poked in separately. The routine can be activated by a command such as: Randomise mode Or first And depth <>USR copy where Mode, First and Depth are numeric expressions and Copy is the address of the routine. Randomise whould be replaced by "Let dummy=" if your program uses the RND function.

The syntax of the command may be distinctly meaningless, but as far as the Spectrum is concerned, it is a perfectly valid expression and gets through the syntax check satisfactorily. If the sub-expressions Mode, First or Depth contain any comparison or logical operators then they may need to be enclosed in parentheses.

Since the operators Or, And and <> are in increasing order of priority, the value of Mode, First and Depth have been placed on the calculator stack by the time the USR Copy is reached.

The routine reads these values off the calculator stack. Mode can take the following values:

0 : normal mode
1 : inverse mode
2 : shaded mode

First can take values in the range 0 to 191 and specifies the first line of pixels to be handled, zero being top line of the display. Depth specifies the number of pixel lines to be handled.

To get the routine into the machine, type in the longer-than-average hex loader program which is fairly fool-proof and quite fun to use — as hex loaders go — and should speed up the task of entering the data. Alternatively, a shorter loader program could be used. If you typed it in, save it as it may be useful for entering other hex dumps in the same fairly common format.

Now run the loader program and enter the hex and the checksums. The program will then save the code so have a tape ready. Although the code was entered at address 32289 — for the benefit of 16K owners; how come you bought a printer before a RAM expansion? — in fact the code is fully relocatable and will load and work at any address above RAMtop — 48K owners breathe a sigh of relief. The routine is 311 bytes long and uses the printer buffer as a work area.

The colour demo program shows the shading patterns used to represent colours and the screen$demo program dumps a screen$ file in each mode for comparison.



COLOUR DEMO PROGRAM>

```
  10 INK 0: PAPER 7: BRIGHT 0: F
LASH 0: CLEAR 32288: OVER 0: INV
ERSE 0: RESTORE
  20 LET COPY=32289: PRINT "LOAD
 SHADE COPY": LOAD "SHADE COPY"C
ODE COPY: CLS
  30 FOR C=0 TO 6 STEP 2
  40 FOR I=1 TO 5
  50 PRINT PAPER C, PAPER C+1,
  60 NEXT I
  65 PLOT 0,175-20*C: DRAW 255,0
  70 NEXT C
  75 PLOT 0,175: DRAW 0,-159: DR
AW 255,0: DRAW 0,159: PLOT 128,1
6: DRAW 0,159
  80 FOR I=2 TO 17 STEP 5
  90 READ A$
 100 PRINT AT I,4;A$
 110 READ A$
 120 PRINT AT I,20;A$
 130 NEXT I
 140 DATA " BLACK  "," BLUE  ",
"  RED   ","MAGENTA "," GREEN  "
,"  CYAN  "," YELLOW "," WHITE
"
 150 RANDOMIZE 2 OR 0 AND 160<>U
SR COPY
```

SCREEN$ DEMO PROGRAM>

```
  10 CLEAR 32288
  20 LET copy=32289
  30 LOAD "SHADE COPY"CODE copy
  40 LOAD ""SCREEN$
```

Mode 0: Normal

```
  50 LPRINT ""Mode 0: Normal""
  60 RANDOMIZE 0 OR 0 AND 192<>U
SR copy
  70 LPRINT ""Mode 1: Inverse""
  80 RANDOMIZE 1 OR 0 AND 192<>U
SR copy
  90 LPRINT ""Mode 2: Shade Cop
y"
 100 RANDOMIZE 2 OR 0 AND 192<>U
SR copy
```

HEX LOADER PROGRAM>

```
  10 INVERSE 0: CLEAR 32288
  20 PRINT AT 21,0;
  30 LET start=32289
  40 LET length=311
  50 LET end=start+length
  60 LET o$=""
  70 LET n=start
  80 POKE 23692,255: PRINT n;"
";
  90 LET d=0: LET m=n: LET t=0
 100 IF m=end THEN GO TO 2000
 110 GO SUB 1000: LET b=16*h
 120 GO SUB 1000: LET b=b+h
 130 POKE m,b: LET t=t+b: LET m=
m+1: LET d=d+1
 140 IF d<>8 AND m<>end THEN GO
TO 110
 150 INPUT "Checksum:";cs
 160 IF cs=t THEN PRINT " = ";cs
: LET n=m: GO TO 80
 170 PRINT #0; FLASH 1;"CHECKSUM
 WRONG. RE-ENTER LINE"
 180 BEEP 1,-20: LET l=24-PEEK 2
3689: PRINT AT l,8,,AT l,8;: INP
UT ;: GO TO 90
1000 POKE 23658,8
1010 LET n$=INKEY$: IF n$=o$ THE
N GO TO 1010
1020 LET o$=n$: LET k=CODE n$: I
F k<32 OR k>96 THEN GO TO 1010
1030 IF k<48 THEN GO TO 1080
1040 IF k<58 THEN LET h=k-48: GO
 TO 1070
1050 IF k<65 OR k>70 THEN GO TO
1060
1060 LET h=k-55
1070 PRINT n$;: BEEP .01,10: RET
URN
1080 PRINT INVERSE 1;n$;CHR$ 8;:
 BEEP .5,-10: GO TO 1010
2000 CLS : PRINT "O.K. Saving as
:-""";"SAVE ""SHADE COPY""CODE ";s
tart;",";length
2010 PAUSE 1: PAUSE 50
2020 SAVE "SHADE COPY"CODE start
,length
```

Mode 2: Shade Copy



HEX DATA>

```
32289 : 2A635C010F0009ED = 495
```

(continued on page 197)

MEMOTECH MTX500

OVER £35.00 WORTH OF FREE SOFTWARE

The Ultimate. Only £199.

MEMOTECH MTX500 MAJOR FEATURES

STANDARD I/O PORTS
- Variable rate cassette port (up to 2400 baud)
- Two joystick ports using Atari configuration
- Centronics-type parallel printer port
- ROM cartridge port
- Uncommitted parallel input/output port
- Internal ROM board port
- Hi-Fi output port
- 4-channel sound through TV speaker
- PAL composite video colour Monitor port

THE RS232 COMMUNICATIONS BOARD (required for disc expansions)
- Two independent RS232 ports
- 60-way Disc Drive Bus supporting up to four 5.25 and/or 8 inch floppy disc drives, plus instant access Memotech Silicon Discs, and Hard Discs with capacities up to 32 Megabytes

USER RAM
- Optionally expandable to 512K in increments of 64, 128, or 256K

24K OF ROM which includes:
- MTX BASIC
- Noddy, a simple, text-handling language
- A powerful Assembler/Dissassembler – sections of machine code can be created and run by calling the Assembler from within BASIC
- The sophisticated Front Panel, which displays the contents of all registers (including the F flag register) and pointers during program execution
- All four languages can be used interactively with each other, and with the user

ROM EXPANSIONS
- MTX NewWord, a 32K word processing package
- Hisoft PASCAL, written specially for the MTX Series

THE KEYBOARD
- Full size, 79-key, full-stroke professional quality keyboard incorporating:
- Main Block with typewriter-style layout
- A separate 12-key numeric/editor keypad
- Eight programmable function keys (16 with shift)

HI-RES GRAPHICS MODE
- 256 × 192 pixel resolution plus
- 32 × 24 Text in 16 foreground and background colours
- All 16 colours (i.e. 15 colours plus transparent) are available on the screen together
- 32 user-definable easily controllable sprites
- 128 separate GENPAT statements providing a huge range of user-defined characters

TEXT MODE
- Text resolution is 40 × 24 characters plus
- 128 user-defined characters
- Eight user-definable virtual screens or "windows" (available in all modes)

For further information, please contact:

MEMOTECH

MEMOTECH LIMITED STATION LANE INDUSTRIAL ESTATE
WITNEY OXON OX8 6BX
TELEPHONE: (0993) 2977 TELEX: 83372 MEMTEC G

They came from out of the desert to the lost city of Antescher and discovere the HORROR of the ANTS...

ANT ATTACK 3D



The Walled City of Antescher has rested for a thousand, thousand years in the midst of the Great Desert inhabited by only the deadly Ants who have made it their home.

Then one day He and She arrive to play their games through the wind-swept streets, ousting the Ants from their exclusive occupation.

But the City seems to have a presence, a huge brooding entity which hangs over the buildings and in some mysterious way controls the destiny of those below ...

ANT ATTACK 3D

Turbo load Commodore 64 £8.95

available from

QUICKSILVA

Quicksilva Mail Order, P.O. Box 6, Wimborne, Dorset BA21 7PY. Tel. (0202) 891744

Selected titles available at:
WHSMITH · Boots · WOOLWORTH · John Menzies
and leading multiple retailers and specialist computer stores.

A prophecy is about to be fulfilled. The Dead will rise again to eat the flesh of the living...

Zombie Zombie

From the authors of ANT ATTACK, Sandy White and Angela.



Softsolid 3D* from SPACEMAN
*Patent pending

48K Spectrum £6.95

All titles available from

QUICKSILVA

Quicksilva Mail Order, P.O. Box 6, Wimborne, Dorset BA21 7PY.
Telephone (0202) 891744.

WARNING: These programs are sold according to QUICKSILVA Ltd's terms of trade and conditions of sale, copies of which are available on request.

WHSMITH Boots WOOLWORTH John Menzies and leading multiple retailers and specialist computer stores.

FIRST AID

for your 64

Computers, like people, are fallible. They need the right combination of code and care to perform effectively in the business or the home. And that requires first hand knowledge from you to create a healthy operating environment for your Commodore 64.

Knowledge about machine language, about the lesser known qualities of the 64, about the disc drives, graphics, and about the tricks and tips to keep your 64 on line. That's why First Publishing has now launched in the UK a series of high quality books and software packages to provide a complete health care kit for your 64. Commodore 64 users throughout Europe have already found it a tonic. We think you will, too.

For a brochure on all the Commodore 64 books and software packages available from First Publishing, please fill in the coupon and send to: Amanda York, First Publishing, Unit 20B, Horseshoe Road, Horseshoe Park, Pangbourne, Berkshire.

Name _____

Address _____

_____

Or ring *Amanda York* at (07357) 5244 or Calco Software at 01-546 7256. YC/1

1st
FIRST PUBLISHING LTD

(continued from page 192)

```
32297 : 5B655CB7ED52D5C2 = 1193
32305 : 8B28CDA22D78B728 = 934
32313 : 03FBCF0AC5CDA22D = 1060
32321 : FEC030F578B720F1 = 1315
32329 : 414FC578CDB122E3 = 1104
32337 : 7C070767E6E06F7C = 930
32345 : E603F65867E5CDA2 = 1268
32353 : 2DFE0330D40878B7 = 873
32361 : 20CFD1E1C1E32265 = 1228
32369 : 5CE141B0CADA0EF3 = 1235
32377 : 7AFE5B28BC3E04D3 = 972
32385 : FBDD21205BEBC5D5 = 1273
32393 : E5010120795B77E20 = 725
32401 : 030F0F0FE60711FF = 557
32409 : FF284D3D1EDD2848 = 796
32417 : 3D1E5528433D16EE = 604
32425 : 283E3D1144AA2838 = 514
32433 : 3D1E00283333D1688 = 401
32441 : 282E53182B21005B = 360
32449 : C1C53E0890E60F47 = 920
32457 : CDF40EE1C1D1247C = 1250
32465 : E607280510283C3DA = 751
32473 : 0E7DC6206F3F9FE6 = 932
32481 : F88467109 3C3DA0E = 1073
32489 : DD7200DD7340DD23 = 991
32497 : 2310890D20050620 = 292
32505 : E11891D1EBC1D5C5 = 1441
32513 : E5012000110058ED = 607
32521 : B0084F083E019138 = 535
32529 : 11280218A6210058 = 375
32537 : 06207E2F772310FA = 631
32545 : 189BC1C5DD21205B = 946
32553 : CB402804DD21605B = 752
32561 : 21005B480620DD56 = 541
32569 : 00DD5E20CB492808 = 671
32577 : CB0ACB0ACB0BCB0B = 854
32585 : 7EA2577E2FA3B277 = 1008
32593 : 23DD2310E118BC = 744
```

Vic commands.

```
10 PRINT"J VIC BASIC EXTENSION"
20 PRINT"    B.PARSONS. 1984"
30 PRINT"PLEASE WAIT...WORKING
40 REM*****************
50 REM RESET MEMTOP
60 XX=0
70 READA$:IFA$<>"END"THENXX=XX+1:GOTO70
80 RESTORE
90 A=PEEK(55)+256*PEEK(56):A=A-XX:POKE55,A AND255:POKE56,A/256:C=A+1:I=C:TL=0
100 REM*****************
110 REM LOAD BASIC WEDGE
120 READD:IFD<>-1THENPOKEI,D:I=I+1:TL=TL+D:GOTO120
130 IFTL<>13892THENPRINT"DATA INCORRECT. CHECK LINES 330 TO 440":STOP
140 POKEC+7,(C+15)AND255:POKEC+8,(C+15)/256
150 POKEC+16,(C+21)AND255:POKEC+17,(C+21)/256
160 POKEC+19,(C+28)AND255:POKEC+20,(C+28)/256
170 REM*****************
180 REM SET UP CMD LIST/JMP ADDRESSES
190 POKE 251,177:POKE 252,2:POKE 253,225:POKE 254,2
200 REM*****************
210 REM READ CMD,POKE ROUTINE INTO MEMORY
220 Z=0
230 READ A$:IFA$="END"THEN 280
240 FORB=1TO4:POKE 688+Z*4+B,ASC(MID$(A$,B,1)):NEXT
250 POKE 737+Z*2,I AND 255:POKE 738+Z*2,I/256:Z=Z+1
260 READA:IFA<>-1THEN POKE I,A:I=I+1:GOTO260
270 GOTO230
280 POKE 682,Z*4+1:REM NO.CMDS.
290 REM*****************
300 REM RUN ROUTINE/"NEW" PROGRAM
310 PRINT"SYS"C":NEW":POKE631,13:POKE632,13:POKE198,2:END
320 REM*****************
330 REM WEDGE ROUTINE
340 DATA169,7,133,127,162,5,189,15,27,149,132,202,16,248,96,76,21,27,76,28,27
350 :
360 DATA56,233,48,56,233,208,96,201,58,240,12,201,64,208,8,165,123,201,3,16,4
370 :
380 DATA169,64,56,96,162,0,32,115,0,157,161,2,201,44,240,7,232,224,8,208,241
390 :
400 DATA24,96,160,0,162,0,140,169,2,177,251,221,161,2,208,9,200,232,224,4,208
410 :
420 DATA243,56,176,14,173,169,2,24,105,4,168,204,170,2,48,223,24,96,173,169
430 :
440 DATA2,74,168,177,253,141,171,2,200,177,253,141,172,2,108,171,2,-1
1000 REM*****************
1010 REM PLACE M/C ROUTINES HERE.....START EACH ROUTINE WITH COMMAND NAME
1020 REM END EACH ROUTINE WITH DATA 76,121,0,-1
1030 DATAPLOT,32,253,206,32,158,215,224,22,48,5,162,14,108,0,3,138,72,32,253,206
,32
1040 DATA158,215,224,22,48,5,162,14,108,0,3,104,168,24,32,240,255,32,253,206,32,
164,202
1050 DATA76,121,0,-1
1060 :
1070 DATACOLOUR,32,253,206,32,158,215,224,8,48,3,76,72,210,138,72,32,253,206,32,
158,215
1080 DATA224,16,48,4,104,76,72,210,138,72,32,253,206,32,158,215,224,16,48,5,104
1090 DATA104,76,72,210,169,15,45,14,144,141,14,144,138,10,10,10,10,13,14,144,141
1100 DATA14,144,169,15,45,15,144,141,15,144,104,10,10,10,10,13,15,144,141,15,144
1110 DATA169,248,45,15,144,141,15,144,104,13,15,144,141,15,144,76,121,0,-1
1120 :
1130 DATADOKE,32,253,206,32,138,205,32,247,215,165,20,133,87,165,21,133,88,32,25
3,206,32
1140 DATA138,205,32,247,215,160,0,165,20,145,87,200,165,21,145,87,76,121,0,-1
1150 :
1160 DATASOUND,32,253,206,32,158,215,224,0,208,15,142,10,144,142,11,144,142,12,1
44,142,13
1170 DATA144,76,121,0,224,5,48,3,76,72,210,138,72,32,253,206,32,158,215,138,168
1180 DATA104,170,202,152,157,10,144,76,121,0,-1
1190 :
1200 DATAVOLUME,32,253,206,32,158,215,224,16,48,3,76,72,210,169,240,45,14,144,14
,14,144
1210 DATA138,13,14,144,141,14,144,76,121,0,-1
1990 REM*****************
2000 DATAEND
```

New commands

B D Parsons,
Saughall,
Chester.

VIC-20

THE PROGRAM is a Basic enhancement program which adds new commands to Vic Basic. It is designed to enable users to add their own commands easily following a few simple rules.

The program may be used with any memory configuration and calculates the amount of memory it requires, lowering the "top of memory" pointers accordingly. The machine-code program is then Poked into memory and the Basic program News itself, leaving the New commands ready to be used from within any program typed or loaded into the computer. The new commands may not be used in the direct mode.

Five extra commands are shown included with the program as examples.

Within the Basic program using the new commands, each command must be prefixed with a.

e.g. — @PLOT, @SOUND, etc.

Below is the syntax for each of the example commands shown. Please note the commas are essential.

- @PLOT,X,Y,"STATEMENT" will print "statement" at character position X along line number Y down from top of screen.
- @COLOUR,BO,SC,AUX will set the Vic colours as below:

BO:—value 0-7 sets border colour
SC:—value 0-15 sets screen colour
AUX:—value 0-15 sets auxiliary colour — used in multicolour mode.

- @DOKE,ADD,NO. will poke a double-byte number i.e., 0-65536 into a two-byte address.
- @SOUND,VOICE,VALUE will cause the voice chosen — 1 to 41 — to sound a note chosen by value — 128 to 255 — see Vic Computer Guide page 135 for value.

The note will continue until a value of less than 128 is chosen or until the volume is turned off — see below. To turn off all sound use the following:

@SOUND,0

- @VOLUME,VALUE will set the volume of sound played. Where value is in range — 0-off to 15-maximum.

Machine-code programs supporting commands must be relocatable i.e., they must work when poked into any memory location.

The name of the command must be the first data statement, being a maximum of eight letters and a minimum of four — note only the first four letters are checked so don't use any commands with the same first four letters.

Each machine-code routine must end with — JMP £0079 i.e., DATA 76,121,0,−1. The −1 being used by the Basic wedge program to detect the end of the routine.

Program breakdown.

LINES 50-90 Calculate approximately how many bytes are required by the machine-code routines, lower top of memory pointers accordingly and calculate start address.

LINES 100-160 Poke M/C wedge program into memory from start address.

LINES 140-160 Modify M/C program according to start address.

LINES 180-190 Set up pointers in zero page for command list and start address.

LINES 200-280 Read the command names and place these in a list starting at address 737, then poke the routine into memory following the wedge program. Also calculate the number of commands and store.

LINES 290-310 Run the wedge program and New the Basic program. The number shown on the screen is the top of memory pointer + 1.

LINES 320-440 Contain the M/C wedge program.

LINES 1000-1210 Contain sample Basic extension routines. To enter extra commands place your own routines after line 1210 and before line 1990.

Colour mix

Jason Rider,
Butterton,
Staffordshire.

DRAGON

AS THE DRAGON can only have four colours when working in the high-resolution modes I have made this program so that the four col-

(continued on next page)

(continued from previous page)

ours of Mode 3 can be mixed to make a further 71 colours in each colour mode — green and buff.

When loaded using CLoad"colour" the computer first asks you to choose the colour resolution — green or buff.

Next you are asked how many colours you would like to mix — either two or three. After this you are asked where abouts you want to start your colouring. You enter the co-ordinates of the top left-hand corner of the area to be coloured. Now the bottom right hand set of co-ordinates are to be entered.

Lastly, you have to enter the colours which you want to mix — the same colours but in a different order will give a different shade of colour.

Now your colour is painted on the screen where you wanted it.

The following keys can now be pressed:
B change the mode and colour to buff.
G change the mode and colour to green.
C will let you paint another area without clearing the other painted areas out of memory.
A will let you have another go — all previous painted areas will be cleared out of memory.

```
10 PMODE 3:SCREEN 1,1:PCLS
20 REM COLOUR MIX BY JASON RIDER
30 Y=-1
40 CLS:PRINT:PRINT"       DRAGON COLOUR MIX"
50 PRINT:PRINT" CHOOSE COLOUR RESOLUTION....."
60 PRINT
70 PRINT"1.GREEN."
80 PRINT"2.BUFF."
90 INPUT A
100 PRINT:PRINT" HOW MANY COLOURS  (2/3)"
110 INPUT R
120 IF R<>3 AND R<>2 THEN 100
130 PRINT:PRINT" WHERE DO YOU WANT THE COLOURING TO START"
140 INPUT G:INPUT H
150 PRINT:PRINT" WHERE DO YOU WANT THE COLOURING TO FINISH"
160 INPUT N:INPUT M
170 IF A=1 THEN GOTO 200
180 IF A=2 THEN GOTO 320
190 GOTO 90
200 CLS
210 PRINT
220 PRINT" CHOOSE ";R;" COLOURS TO MIX"
230 PRINT
240 PRINT"1.GREEN"
250 PRINT"2.YELLOW"
260 PRINT"3.BLUE"
270 PRINT"4.RED"
280 INPUT B
290 INPUT C
300 IF R=3 THEN INPUT D
310 GOTO 430
320 CLS
330 PRINT
340 PRINT" CHOOSE ";R;" COLOURS TO MIX"
350 PRINT
360 PRINT"1.BUFF"
370 PRINT"2.CYAN"
380 PRINT"3.MAGENTA"
390 PRINT"4.ORANGE"
400 INPUT B
410 INPUT C
420 IF R=3 THEN INPUT D
430 IF A=1 THEN PMODE 3:SCREEN 1,0
440 IF A=2 THEN PMODE 3:SCREEN 1,1
450 FOR J=H TO M
460 Y=Y+1
470 IF Y=R THEN Y=0
480 FOR K=G+Y TO N STEP 4
490 PSET(K,J,B):PSET(K+1,J,C):IF R=3 THEN PSET(K+2,J,D)
500 NEXT K
510 NEXT J
520 A$=INKEY$:IF A$=""THEN 520
530 IF A$="B" THEN SCREEN 1,1
540 IF A$="G" THEN SCREEN 1,0
550 IF A$="A" THEN RUN
560 IF A$="C" THEN 20
570 GOTO 520
```

Windows

Richard Shergold,
Selsey,
West Sussex.

QL

THIS PROGRAM for the QL starts at line 32500 so that it can be put at the end of a program and called when needed. It allows QL owners to design their own windows using cursor control and text input. This puts an end to any trial and error methods of window design that many QL users are used to. To operate the program type Windows.

After entering the window number you require you may move the window around by using the cursor keys — Ctrl+cursor key gives extra zip.

You can also adjust the size of your window by using the Alt key with the cursor keys. To see exactly how big the window is with regards to character size you may enter text by pressing F1.

F2 will allow you to change window numbers and Esc will allow you to return to your original program and use your designed window.

```
32500 DEFine PROCedure windows
32501 PAPER 1:INK 7:PAPER£0,0:INK£0,7
32502 CLS:CLS£0
32503 INPUT£0,"WIDTH? :",wid:INPUT£0,"HEIGHT? :",height
32504 a=100:b=100
32505 INPUT£0,"Window no :",win
32506 IF win<3 THEN GO TO 32505
32507 CLS£0
32508 OPEN£win,scr
32509 IF wid+a>480 THEN LET a=480-wid
32510 IF a<0 THEN LET a=0
32511 IF b<16 THEN LET b=16
32512 IF b+height>216 THEN b=216-height
32513 WINDOW£win, wid,height,a,b
32514 AT£0,0,0:PRINT£0;"       ";:INK£0,7:PRINT£0;"Window£";win;" ";wid;" ";heigh
t;" ";a;" ";b;"  ":INK£0,4:PRINT£0:PRINT£0\"CURSORS=MOVE    F2=CHANGE    ALT=SIZ
E"\"CTRL=ZIP        F1=TEXT      ESC=QUIT"
32515 BORDER£win,1,7
32516 z=CODE(INKEY$(-1))
32517 SELect ON z
32518 =200 : a=a+1
32519 =232:text
32520 =192 : a=a-1
32521 =208:b=b-1
32522 =216:b=b+1
32523 =201:wid=wid+1
32524 =193:wid=wid-1
32525 =209:height=height+1
32526 =217:height=height-1
32527 =236 :windows
32528 =202:a=a+10
32529 =194:a=a-10
32530 =210:b=b-10
32531 =218:b=b+10
32532 =27:END DEFine windows
32533 END SELect
32534 CLS£2
```

(continued on page 201)

Make things happen with Memoco.





200 in 1 Electronic Lab Kit.

An ideal Introduction To Electronics.

Includes all parts to make 200 projects. Such as Radio: Rain Detector: Burglar Alarm.

Covers projects using Transistors: Integrated Circuits: Seven Segment Displays Light Sensitive Circuits and many more.

All components built into fitted workcase. With cover. Comprehensive Manual. Completely safe.

Normal Price £34.00
Our price _____ **£24.95**

Range Doubler Multitester. 43 Ranges.

50,000 Ohms per Volt DC. 10,000 Ohms per Volt AC. 4.25" Colour coded mirrored display. Giving accurate reading without parellex error.

Normal Price £27.00
Our Price _____ **£15.45**

Memoco Electron Robotic Arm

12 Axis of movement. Arm raise and lower. 360 degree rotation left or right. 90 degree Elbow movement left or right. 90 degree wrist movement either side of centre. 360 degree wrist rotation in either direction. Claw open and close.

Fitted with motor control circuit. Switched from 5 volt TTL. Controlled by computer. Separate motor driver power supply.

Digital Version _____ **£89.95**
With position feedback _____ **£119.95**

BBC B Interface card _____ **£49.00**
Spectrum interface card _____ **£49.00**
Commodore 64 interface card **£49.00**

Computer Compatible Tape Recorders

Commodore 64 and Vic 20 ____ **£28.75**	Acorn Electron ____ **£30.00**
BBC B. ____ **£22.95**	ZX81 and Spectrum ____ **£22.95**

ALL ABOVE DEVICES SUPPLIED WITH LEADS

ALL PRICES ARE INCLUSIVE OF VAT, POSTAGE AND PACKAGING.

MEMOCO ELECTRON

VISA Access

15 WINDSOR STREET,
MELTON MOWBRAY, LEICS.
TELEPHONE: (0664) 63544

NEW CONSOLE £47.50

TROLLEYS FROM £44.80

THE REDHATCH CONSOLE SYSTEM

The engineered accommodation for micro and peripherals for home educational office and industrial environment. Console complete with power plug and cable. Internal 4 way socket and illuminated central switch.

FULLY LOCKABLE SECURITY COVER ALSO AVAILABLE £48

Prices include VAT. P&P extra at cost.
Write or ring for details

REDHATCH LTD, WAKERLEY STATION, OAKHAM, LEICS. (057-287-549)

SOFTWARE FOR YOUR MICRO

HUGE SAVINGS ON POPULAR GAMES

SPECTRUM 48K

LORDS OF MIDNIGHT	4.75
AQUARIUS	4.75
SPECTRES	4.75
CAVENFIGHTER	4.75
MANIC MINER	4.75
BIRDS AND THE BEES	4.75
ARCTURUS	4.75
THE TRAIN GAME	4.75
WHEELIE	4.75
LES FLICS	4.75
1994	4.75
MOON BUGGY	4.75
SHEER PANIC	4.75
STAR WARRIOR	4.75
FIREBIRDS	4.75
REPULSAR	4.75
MEGAPEDE	4.75
OSTRON	4.75
ROBON	4.75
MONSTERS IN HELL	4.75
MICROBOT	4.75
POTTY PLANTER	4.75
CRASH	4.75
MUSHROOM ALLEY	4.75
PENGY	4.75

COMMODORE 64

MANIC MINER	5.50
BOZOS NIGHT OUT	5.50
CRAZY BALLOONS	5.50
DINKY DOO	5.50
ARCADIA	5.50
STAR COMMANDO	5.50
SUPER GRIDDER	5.50
TALES OF ARABIAN NIGHT	5.50
HOUSE OF USER	5.50
SUPER SKRAMBLE	5.50
PLUMB CRAZY	5.50
UGH	5.50
ZOIDS	5.50
SCUBA DIVE	5.50
BANANA DRAMA	5.50

VIC 20

PINBALL WIZARD	4.95
GRIDDER	4.95
ASTEROIDS	4.95
WACKY WAITERS	4.95
ARCADIA	4.95
PANIC	4.95

Orders £12 or over P&P free. Orders under £12 P&P £0.20.

Please make cheques or postal orders payable to:

SARASOFT, 29 CHESTERFIELD DRIVE, BURTON JOYCE, NOTTINGHAM.

Further titles available, send S.A.E. for details

software that's hard to beat...

MSX
AMSTRAD
48K SPECTRUM

TASWORD TWO

The Word Processor ✸

"If you have been looking for a word processor, then look no further."
CRASH June 1984

"The number of on-screen prompts, together with the excellent manual, make it ideal – even for an absolute beginner."
PERSONAL COMPUTER WORLD September 1983

"Without doubt, the best utility I have reviewed for the Spectrum."
HOME COMPUTING WEEKLY April 1984

TASWORD TWO ZX 48K Spectrum £13.90

TASWORD MSX

The Word Processor

The Tasman Word Processor for MSX microcomputers.
All the features of the Spectrum version.

TASWORD MSX MSX Computers £13.90

TASCOPY

The Screen Copier

Screen copy software for ZX Interface 1. Print high resolution screen copies (in a choice of two sizes), and also large "shaded" copies with different dot densities for the various screen colours. Tascopy supports all eight pin dot matrix printers with Epson type control codes. e.g. Epson RX-80 and FX-80, Shinwa CP-80, Mannesmann Tally MT-80, Star DMP-510/515, Brother HR5.

TASCOPY ZX Spectrum £9.90



TASWORD 464

The Word Processor

The Amstrad implementation of Tasword Two plus many extra features.

TASWORD 464 Amstrad CPC 464 £19.95

TASMERGE

The Mail Merger

Transfer data from MASTERFILE to TASWORD TWO! Letters and forms typed on TASWORD TWO can be printed with addresses and data taken from MASTERFILE. The mail merge facility allows, for example, multiple copies of a letter to be printed, each containing a different name and address taken from your MASTERFILE data. To use TASMERGE you must have one or more microdrives as well as TASWORD TWO and MASTERFILE by Campbell Systems. (version 9 or later).

TASMERGE ZX 48K Spectrum £10.90

TASPRINT

The Style Writer

A must for dot-matrix printer owners! Print your program output and listings in a choice of five impressive print styles. TASPRINT utilises the graphics capabilities of dot-matrix printers to form, with a double pass of the printhead, output in a range of five fonts varying from the futuristic DATARUN to the hand-writing style of PALACE SCRIPT. TASPRINT drives all dot-matrix printers with bit image graphics capabilities and can be used to print TASWORD text files. TASPRINT gives your output originality and style!

TASPRINT ZX 48K Spectrum £9.90
TASPRINT Amstrad CPC 464 £9.90

TASWIDE

The Screen Stretcher

With this machine code utility you can write your own Basic programs that will, with normal PRINT statements, print onto the screen in the compact lettering used by TASWORD TWO. With TASWIDE you can double the information shown on the screen!

TASWIDE ZX 48K Spectrum £5.50

TASMAN PRINTER INTERFACE

Plug into your Spectrum and drive any printer fitted with the Centronics standard parallel interface. Supplied complete with ribbon cable and driving software. The user changeable interface software makes it easy to send control codes to your printer using the method so successfully pioneered with TASWORD TWO. The cassette also contains fast machine code high resolution full width SCREEN COPY SOFTWARE for Epson, Mannesmann Tally, Seikosha, Shinwa, Star, and Tandy Colour Graphic (in colour!) printers. Compatible with microdrives and ZX Interface 1.

PRICE £39.90

TASMAN SOFTWARE
All prices include VAT and post and packaging.
Telephone Access Orders: Leeds (0532) 438301

✸ Available from larger branches of Boots

Tasman SOFTWARE
Springfield House, Hyde Terrace, Leeds LS2 9LN. Tel: (0532) 438301

If you do not want to cut this magazine just write your order and post to:
TASMAN SOFTWARE, dept. EC11, Springfield House, Hyde Terrace, Leeds LS2 9LN.
I enclose a cheque/P.O. made payable to Tasman Software Ltd. OR charge my ACCESS number

NAME _____

ADDRESS _____

_____

VISA _____

COMPUTER	ITEM	PRICE
		£
		£
		£

Ouside Europe add £1 for each item airmail £ _____ TOTAL £ _____

Send me the FREE Tasman brochure describing your products. tick here: ☐
I would like to know more about your programs for:
ZX Spectrum ☐ MSX ☐ Amstrad CPC 464 ☐

(continued from page 198)

```
32535 GO TO 32509
32536 DEFine PROCedure text
32537 CURSOR£win,0,0
32538 CLS£0:INPUT£0,"ENTER TEXT ";u$:PRINT £win,u$
32539 PAUSE 200:CLS£0
32540 END DEFine
```

Find

Alan Wagstaff,
Skeeby, Richmond,
North Yorkshire.

LINEFIND locates any specified string in a Basic program and prints the numbers of all lines containing the string. It will not locate Basic keywoards. It responds to the command

*LINE str

The listed program points the vector UseRV at &C00 and assembles the machine code there. To place it at a different address, change lines 150 and 1020.

If your micro is equipped with Basic 1 — most are — then you can save yourself a lot of typing. Change line 510 to read simply

510JSR&98F9

then omit lines 1040 to 1440 inclusive. If you aren't sure which Basic you have then enter

PRINT?&8015

If the answer is 49 then you have Basic 1.

Having entered the listing, Save it then Run it. The code can now be tested by entering

*LINE LDA

The numbers of all lines containing LDA should appear on the screen. If not, check your listing. Pressing Break at any time will disconnect the code. Reconnect it by entering the contents of line 1020 as a direct command. It can be useful to put this command on to a user defined key.

As long as the machine code is undisturbed, and the vector is pointing at it, the

*LINE str

command can be used with any Basic program you load into the micro.

```
LIST
   10GOTO80
   20       *** LINEFIND ***
   30
   40       A WAGSTAFF  1984
   50
   60  use the command   *LINE str
   70
   80P=&70
   90S=&72
  100PR=&74
  110ST=&75
  120T=&76
  130F=&77
  140FORPASS%=0TO2 STEP2
  150P%=&C00
  160[OPT PASS%
  170STX S          store string
  180STY S+1        address in S/S+1
  190LDA#3
  200TAX            prog pointer=3
  210LSR A
  220STA P
  230LSR A
  240STA PR
  250STA F          pull flag down
  260LDA&18         page+1 into P/P+1
  270STA P+1
  280.a
  290LDY#0
  300LDA(P),Y       get prog byte
  310CMP#255        end of program ?
  320BNE b          if not, goto b
  330JSR&FFE7       else newline
  340RTS            and finish
  350.b
  360INY
  370INY
  380LDA(P),Y       get line length
  390PHA            and store it
  400.c
  410LDY PR         string pointer
  420LDA(S),Y       get string char
  430CMP#13         end of string ?
  440BNE d          if not, goto d
  450LDY#0
  460LDA(P),Y       get line no. msb
  470STA&2B
  480INY
  490LDA(P),Y       get line no. lsb
  500STA&2A
  510OPT FNCODE     print line no.
  520JMP g          goto g
  530.d
  540STA ST         store str char
  550TXA
  560TAY            prog pointer
  570.e
  580LDA(P),Y       get prog byte
  590CMP#13         end of prog line ?
  600BEQ g          if so, goto g
  610INY            step pointer on
  620CMP ST         prog char=str char ?
  630BEQ f          if so, goto f
  640LDA F          get flag
  650BEQ m          if down, goto m
  660DEY            step pointer back
  670LDA#0
  680STA F          pull flag down
  690.m
  700TYA
  710PHA            store prog pointer
  720LDY#0
  730STY PR         reset str pointer
  740LDA(S),Y       get 1st str char
  750STA ST         and store it
  760PLA
  770TAY            retrieve prog pointer
  780BNE e          goto e
  790.f
  800STA F          put flag up
  810TYA
  820TAX            store prog pointer
  830INC PR         step str pointer on
  840JMP c          goto c
  850.g
  860LDX#3          reset prog pointer
  870LDA#0
  880STA PR         reset str pointer
  890PLA            get line length
  900CLC
  910ADC P
  920STA P
  930LDA#0
  940ADC P+1        add to prog address
  950STA P+1        for next line
  960JMP a          goto a
  970.M
  980]
  990NEXT
 1000FORF%=M TO M+9:READ ?F%:NEXT
 1010DATA1,10,100,232,16,0,0,0,3,39
 1020?&200=0:?&201=&C
 1030END
 1040DEF FNCODE
 1050[OPT PASS%
 1060LDY#4
 1070.h
 1080LDA#0
 1090STA&3F,Y
 1100SEC
 1110.i
 1120LDA&2A        get line no. lsb
 1130SBC M,Y
 1140STA T
 1150LDA&2B        get line no. msb
 1160SBC M+5,Y
 1170BCC j
 1180STA&2B
 1190LDA T
 1200STA&2A        convert
 1210LDA#0         line
 1220ADC&3F,Y      number
 1230STA&3F,Y      into
 1240SEC           decimal
 1250BNE i
 1260.j
 1270DEY
 1280BPL h
 1290LDY#5
 1300.k
 1310DEY
 1320BEQ l
 1330LDA&3F,Y
 1340BEQ k
 1350.l
 1360LDA&3F,Y
 1370ORA#&30
 1380JSR&FFEE      and print it
 1390DEY
 1400BPL l
 1410LDA#32        followed by
 1420JSR&FFEE      a space
 1430]
 1440=PASS%
```

Sprite control

Martin Wicks,
Southampton.

C64

THIS SIMPLE BASIC program solves the problem of linking together a simple sprite program and a read-joystick routine.

The program also incorporates several user functions which allows the user to alter the screen image. Here are the keys and their functions:

Key	Function
I	Puts sprite in front of data
B	Puts sprite behind data
H	Puts sprite into hi-res mode
M	Puts sprite into multi-colour mode
X	Expands sprite in X Direction
Y	Expands sprite in Y Direction
U	Unexpands sprite in Y direction
V	Unexpands sprite in X direction
O	Turns sprite off
S	Turns sprite on

(continued on page 204)

```
 0 CLR
 1 A=5:B=5:C=1
 2 X=100:Y=100
 5 POKE650,PEEK(650)OR128
10 V=53248
11 POKEV+39,7
20 POKEV+21,1
30 POKEV+32,B
40 POKEV+33,C
```

(listing continued on page 204)

Games for the Commodore 64

COUNTRY QUEST

At last, an Adventure game with a difference. No longer do you have to deal with Elves or Goblins, or rush out before lunch to save a space station. This adventure is set on a 20th Century farm. You can of course practice a bit of wanton violence on the characters that wander around, but the main task is to search for the hidden wealth, of the eccentric farmer, who died just before you arrived at your holiday cottage.

At LEAST 200 LOCATIONS
SEVERAL INDEPENDANT CHARACTERS
ORIGINAL THEME
AN ABSOLUTE MUST AT ONLY
£5.50

MERLIN

An action packed game with you taking the part of MERLIN the greatest wizard of all time, magnificent MERLIN.

All the eveil ones have joined forces to exterminate you, but you have many tricks up your sleeve, foxing them with your spells, magic power, lst but not least a cauldron of potent potions. Witches, goblins, hellwasps among others do their worst to you. MERLINs reviews have been most complimentary and at £6.90, it must be a bargain.

P.C.N. REVIEW GAVE IT 4 STARS.
HIGH SPEED ANIMATED ACTION
HI SCORE TABLE
11 SPRITES AND SPLIT SCREEN COLOURS

We are still retailing our Spectrum compiler, which has been very popular with so many Spectrum owners. It will convert your BASIC program into a machine code-program. Machine code will enable your program to run up to twenty times faster than normal BASIC. There are two versions on the one cassette, for the 16K and for the 48K. This cassette is now selling at £6.00 only. P&P included.

Wye Valley SOFTWARE

Dealer enquiries welcomed.

Parton House, Kinnersley, Herefordshire.
Telephone 05446 202

MICRO ANSWERS

70-71 Wilton Road, Victoria, SW1
(Three minutes walk from Victoria Station)

* All popular Home Computers including BBC, Spectrum, Commodore, Oric, Amstrad etc.
* Software (over 1500 popular titles)
* Accessories (Printers, Disk Drives, Monitors, Joysticks etc., etc.)

*** SPECIAL OFFERS ***

BBC 'A'	**£249.00**
MEMOTECH (MTX 512)	**£249.00**
ATARI 400	**£ 79.00**
ATARI 800	**£149.00**
DRAGON 32	**£129.00**
APPLE IIe + DISK DRIVE + CONTROLLER	**£749.00**
CABLE MONITORS	**£150.00**

Bargain prices on selected software

All offers subject to availability, prices inclusive of V.A.T.

(HURRY! LIMITED STOCK!)

Open Monday-Saturday 10am to 6.30pm
Telephone 01-630 5995

TRIONIC

Your *Local* Home Computer Centre

Best Shop in Town for Software, Books, Mags, Peripherals and Accessories.

We sell and support: Amstrad, Atari, BBC, Commodore C16, CBM 64, CBM Plus 4, Electron Spectrum 48K, Sony Hit-Bit (MSX).

We are one of the Largest Stockists of Games, Business and Educational Software and Utilities for all Popular Home Computers.

Amstrad CPC464 Green Monitor	£239
Amstrad CPC464 Colour Monitor	£349
Commodore C16 Starter Pack	£139
Commodore 64	£199
Commodore 64 Trionic Pack	£249
Commodore 64 Business Pack	£629
BBC Model B Micro	£399
Acorn Electron	£199
Spectrum 48K	£129
Sony Hit Bit MSX Computer	£299

We also stock a large range of Printers, Monitors and Disk Drives to suit all applications.

OPEN 10am-8pm Mon-Sat. Tel: 01-861 0036

TRIONIC LIMITED 144 Station Road, Harrow, Middlesex

WONGO
BOMB
WONGO...bounce along the great wall of China to dishes dazzling bombs avoiding arrows and gremlins
BBC...£7.95 ELECTRON...£7.95
WARP
WARP 1...strategical space adventure
Space...the final frontier...
Your task...to seek out old spaceship Captain, explore new galaxies and boldly go where no man has gone before BBC...£7.95 ELECTRON...£7.95
ULTRON
ULTRON...Super fast...
game...enemy...
...and...
...before reaching...
BBC...£7.95 ELECTRON £7.95
Merry Xmas
SANTA
MERRY XMAS
SANTA
Hi-res full colour arcade action as Santa delivers presents on Xmas Eve...avoid hostile snow men flying snowballs, slippery roofs, icicles etc. whilst devouring as much cake, pudding, and sherry as possible on the way - but be careful Santa doesn't get tipsy who knows what might happen SPECTRUM £5.95
ELECTRON £7.95
BBC...£7.95
AVAILABLE FOR
48K SPECTRUM
BBC & ELECTRON
Mail Order:
Send cheque or P.O. payable to 'ICON' or quote your credit card no.
Selected titles available from: John Menzies, Co-op, Harrods, Wildings, Granada and most good computer shops.
Dealers contact: Centresoft, Express, Tiger, Drakes, R&R.
ICON
SOFTWARE
65 HIGH STREET, GOSFORTH, TYNE & WEAR, NE3 4AA
TEL: (091) 2846966

(continued from page 201)

P Changes screen background colour
Q Changes screen border colour
C Changes sprite colour
R Jumps to system cold start
W Clears the screen
E Ends Program
A Changes sprite multi-colour 0
D Changes sprite multi-colour 1

To get the full effect of the sprite priority, List the program before running.

I have also included four different sets of sprite data which have been saved after the initial program. These are to show the full effect of the sprite multi-colour because you cannot see the multi colour on a simple square sprite. The sprite data should be inserted at about line 5000, at the end of the initial program, and the following alteration should be made:

70 FOR N = 0 to 62; Read Q; POKE 12288 + N,Q:NEXT

When you use the multi-colour change function, the border and background colours must be altered when the multi-colour change is made.

The actual program uses the joystick in port 1 to move the sprite, and the user functions may only be used when the sprite is in a stationary position.

Finally, here is a program listing description:

0 clears variables.
1-2 sets up variables.
5 puts a repeat on all keys.
10 sets up Vic chip.
11 sets up sprite 0 colour.
20 turns on sprite 0.
30-50 sets up character border and background colours.
60 Pokes sprite 0 pixel data.
70 positions sprite 0 pixel data.
95 positions sprite 0 on screen.
96-99 sets up screen limit for sprite.
130-200 sets up read joystick routine.
300-390 user functions.
1000 returns to 95.
5000 sprite data should be inserted here and the given changes made.

(listing continued from page 201)

```
50 POKE646,5
60 POKE2040,192
70 FORN=0TO62:POKE12288+N,255:NEXT
95 POKEV,X:POKEV+1,Y
96 IFY<50THENY=Y+5
97 IFY>230THENY=Y-5
98 IFX<25THENX=X+5
99 IFX>250THENX=X-5
130 Q=PEEK(56321)
140 IFQ=254THENY=Y-5
150 IFQ=246THENY=Y-5:X=X+5
160 IFQ=247THENX=X+5
170 IFQ=245THENX=X+5:Y=Y+5
180 IFQ=253THENY=Y+5
190 IFQ=249THENX=X-5:Y=Y+5
195 IFQ=251THENX=X-5
200 IFQ=250THENX=X-5:Y=Y-5
300 REM**USER FUMCTIONS**
310 GETA$
320 IFA$="I"THENPOKEV+27,0
325 IFA$="B"THENPOKEV+27,1
330 IFA$="M"THENPOKEV+28,1
331 IFA$="A"THENPOKEV+28,1:POKEV+37,C+1
332 IFA$="D"THENPOKEV+28,1:POKEV+38,C+1
333 IFA$="H"THENPOKEV+28,0
335 IFA$="E"THENEND
340 IFA$="X"THENPOKE53277,PEEK(53277)OR(2↑0)
345 IFA$="Y"THENPOKE53271,PEEK(53271)OR(2↑0)
350 IFA$="U"THENPOKE53271,PEEK(53271)AND(255-2↑0)
352 IFA$="V"THENPOKE53277,PEEK(53277)AND(255-2↑0)
355 IFA$="O"THENPOKE53269,PEEK(53269)AND(255-2↑0)
360 IFA$="S"THENPOKE53269,PEEK(53269)OR(2↑0)
365 IFA$="P"THENC=C+1:POKE53281,C+1
370 IFA$="Q"THENB=B+1:POKE53280,B+1
375 IFA$="C"THENA=A+1:POKEV+39,A
385 IFA$="W"THENPRINT"□"
390 IFA$="R"THENSYS64738
1000 GOTO95
```

Proton pursuit

Steve Fletcher,
Hallowers,
Dronfield.

SPECTRUM

THIS PROGRAM is a very fast pursuit game for any Spectrum. The idea behind the game is original and in it you take on the roll of the nucleus of an atom who is free to move within the atom but must avoid the stationary electrons which are randomly scattered about.

The protons of the atom are attracted to the nucleus and therefore pursue you whereever you move. If a proton catches the nucleus the game ends, but to avoid being caught you must lure the protons into the stationary electrons. When all the protons have been eliminated you start a new atom with different protons. The game allows you to have 3 to 9 protons chasing you at a speed of 1-5 giving a possible of 30 different atoms!

A high score is kept which is initially 500. Control is up, down, left and right by the keys Q,A,O,P respectively. To set up the game type in listing 1 and save it on to tape using

SAVE "PROTON" LINE 220

Now type in listing 2 and run it. If any error is found in the data the program will tell you which line needs changing. When the data is all poked in correctly, save it with:

SAVE "PROTONCODE" CODE 27000,958

The game is now ready to play. To play it rewind the cassette and type Load" ".

Listing 1.

```
  5 REM ************************
 10 REM Proton Pursuit SEF© '84
 20 REM ************************
 25 LET sc=0: LET hi=500: LET a
$="Steve"
 30 RANDOMIZE : PAPER 6: BORDER
 6: INK 0: CLS
 40 PRINT AT 10,2;"Enter number
 of Protons(3-9)"
 50 LET d$=INKEY$: IF CODE d$>5
0 AND CODE d$<58 THEN GO TO 70
 60 GO TO 50
 70 LET a=CODE d$-48: FOR f=1 T
O (a*2) STEP 2: POKE f+28999,INT
 (RND*19)+1: POKE f+29000,INT (R
ND*29)+1: NEXT f
 80 CLS : PRINT AT 10,8;"Enter
speed (1-5)"
 90 LET d$=INKEY$: IF CODE d$>4
8 AND CODE d$<54 THEN LET b=CODE
 d$-48: GO TO 110
 100 GO TO 90
 110 FOR f=1 TO (a*2)+b STEP 2:
POKE f+29019,INT (RND*19)+1: POK
E f+29020,INT (RND*29)+1: NEXT f
 120 PAPER 0: INK 7: BORDER 2: C
LS
 130 POKE 27221,b
 135 POKE 23659,0: PRINT AT 22,3
1; INK 7; BRIGHT 1; PAPER 2;" St
eve Fletcher © 26/5/84  PROTON"
 140 RANDOMIZE USR 27741
 150 POKE 23659,2
 160 IF PEEK 23500<>255 THEN LET
 sc=sc+(30*a)+10-(20*b): GO TO 3
0
 165 PRINT AT 10,11; FLASH 1;" S
CORE ";sc;" "
 166 FOR f=0 TO 400: NEXT f
 170 IF sc<=hi THEN GO TO 190
 180 LET hi=sc: PAPER 5: BORDER
4: INK 7: CLS : PRINT AT 8,6; FL
ASH 1; PAPER 2;"* A NEW HIGH SCO
RE *": PRINT AT 12,5; PAPER 3;"E
nter your name please": INPUT a$
 190 PAPER 3: BORDER 2: INK 7: C
LS : RANDOMIZE USR 27150: PRINT
AT 8,8;"Today's highest ";AT 11,
8;a$;" ";hi
 200 FOR f=0 TO 300: LET sc=0: N
EXT f
 210 PAUSE 0: GO TO 30
 220 LOAD ""CODE : RUN
```

Listing 2.

```
  1 REM ** PROTON LISTING 2 **

  2 DEF FN x(a$)=16*(CODE a$-48
-(39 AND a$(1)>"9"))+CODE a$(2)-
48-(39 AND a$(2)>"9")
  3 LET a=27000
  4 FOR f=10 TO 150 STEP 10: RE
AD a$: LET t=VAL a$( TO 4): LET
a$=a$(5 TO )
  5 FOR b=0 TO 63
  6 LET z=FN x(a$(b*2+1 TO b*2+
2)): POKE a,z: LET a=a+1: LET t=
t-z: NEXT b: IF NOT t THEN NEXT
f: PRINT "Finished": STOP
  7 PRINT "Error in line ";f: S
TOP
 10 DATA "551121004006030c5cf22:
57efe1020051 1f5691615fe01200511f
```

(continued on page 207)

Just Arrived!

TWO OF YOUR ALL-TIME CINEMA & T.V. FAVOURITES

THE LEGENDARY

BRUCE LEE

64 ATARI

NOW ON 48k SPECTRUM £7.95



Your chance to relive the deadly skills and awesome power of the legendary Bruce Lee.

- **Twenty secret chambers.**
- **Dazzling graphics and animation.**
- **Unique multiple player options.**

Disk and Cassette **£14.95**

64 ATARI

Danger, Intrigue, Suspense! You'll need all your wits and skill when you take on the ruthless J.R. and face the many hidden enemies in the search for oil that is...

The DALLAS Quest™



- **A unique graphic adventure.**
- **Choose your level of difficulty.**
- **Scores of colourful scenes.**

Disk only **£14.95**

Two more quality products from Datasoft Software. Datasoft

★ ★ ★



This diagonally scrolling maze game features superb 3D graphics brilliant sound effects and requires 100% concentration to successfully manoeuvre your helicopter through unknown hazards in order to complete Zaga Mission and live to play another day — Commodore 64 — £7.95

Also available on Disk at £9.95

TRADE ENQUIRIES: ANIROG SOFTWARE LTD. 29 WEST HILL DARTFORD KENT (0322) 92513/
MAIL ORDER: 8 HIGH STREET HORLEY SURREY 24 HOUR CREDIT CARD SALES HORLEY (02934) 608
PAYMENT BY CHEQUE P.O. ACCESS/VISA 50p POSTAGE & PACKAGING

(continued from page 204)

```
a59180cc12310e811000719c110dec9e
5080081a77132410fae118e8003e30110
65a328369ed5387"
  20 DATA "7186593e0c11e669328c8
9ad539069cd78693e1011f6693283b9e
d5387693e8111fe69328c69ed539069c
d7869c900003078fcfc783000003c66c
38181c3663c8142"
  30 DATA "50213c3c3c3c428110101
038ff3810100c1e3f3f1e0c0000114d6
aad53536a11a0022100580620cd356ae
51977e12310f60514111f00cd356a197
72310f8c9d5ed5b"
  40 DATA "6034536a1a7713f57bfe5
32003114d5aed53535af1d1c9b9b2aba
49d96516a02606d2e6ded5b566a1afe1
03009fe08300c210040180c210050d51
01805210048d603"
  50 DATA "5315d5fe002807112000 4
71910fdd1131a472310fded5b586a060
81a77241310fa2a566a5e23563a8f5c2
1005843d51120001910fdd15a1600197
7c921565a1afe63"
```

```
  60 DATA "6695280dfe00c8732372e
5d5cd5a6ad1e1131318e7cd0e6a21e66
922586a1148713e03328f5ccdb26a21f
66922586a118c713e05328f5ccdb26a2
1ee6922586a1160"
  70 DATA "73716ded53566a3e07328
f5ccd5a6ac90000dd21606ddd7e00dd7
702dd7e01dd77033edfdbfee602200cd
d7e01fe01c83ddd770118393edfdbfee
601200cdd7e01fe"
  80 DATA "72151ec83cdd7701182 53
efbdbfee601200cdd7e00fe01c83ddd7
700181136fddbfee601c0dd7e00fe14c
83cdd7700113075ed53586a11626ded5
3566a3e07328f5c"
  90 DATA "7144cd5a6acd906b11ee6
9ed53586a11606ded53566acd5a6ac92
10058ed5b606d43d51120001910fdd15
a1600197efe07c83eff32546fc921487
17efe632871fe00"
  100 DATA "5395c822586a113075ed5
3586a3e07328f5ce5cd5a6ae17e573a6
06dba2806300335180134237e573a616
dba2806300335180134 2b22586a11e66
9ed53586a3e0332"
```

```
  110 DATA "59978f5ccd2b6ce5cd5a6
ae1d5e5cd4a6ce1d13a556ffe6320171
13075ed53586a3e07328f5ce5cd5a6ae
13663af32556f23231686e55e2356210
05843d51120001 9"
  120 DATA "739310fdd15a1600197ee
1fe05c03e6332556fc9563a606dbac02
3563a618dbac03eff32546fc9af32546
f110a0fed53606dcdcb6a0664c5cd086
bcda56cc110f63a"
  130 DATA "7177556a3c47c5cd086bc
da56cc13a546ffeff28362148717efe0
02857fe6320042323 6f310dfcdad69c
dae6b18d20802c50614c5060010fec11
0f8c110f2c92148"
  140 DATA "705571af0664772310fcc
921606d22566a21de5d22586acd5a8a0
603c50600c506003e3ad3fe3edfd3fe1
0f6c110f0c110ea18cc21b86f22566a1
1e669ed53586acd"
  150 DATA "7229fc6c181d110101ed5
3b86fd5cd5a8ad1147afe1f280218ef1
6011c7bfe15c618e60514c5cdadd69c11
0f9212e6d22586acdfc6c18a3003c7ef
fffffff7e3c0000"
```

Paint routine

S Linnik,
Nuneaton,
Warwickshire.

ORIC

THIS MACHINE-CODE paint routine is for the Oric 1 or Atmos 16 or 48K. It will fill any outline given a point inside it, in Ink or Paper.

The initial point is set from Basic using the Curset, Curmov, or Draw instructions. This is followed by a Call to the routine.

Whether the outline is "painted" in Ink or Paper depends on the value of a memory location whose address is printed in line 70 of the machine-code loader. If this location contains a 0 then an Ink paint will result, if 255 then Paper.

The FB value of the above graphic instructions can be used to set this location. A 0 will set it to 0, and a 1 to 255. This means that the type of paint used will be opposite to that of the point plotted. The address can also be Poked with the desired value in which case the FB value must be 2 or 3. These values leave the location unaffected.

Screen attributes are not altered by painting and are treated as a row of six set points.

The routine can be relocated in memory by altering the value of the variable HI in line 20. This is the highest address used by the machine-code routine. The value given will place the program at the top of user memory in Hires mode on the 48K machine. For 16K machines the values in lines 10 and 20 should be altered as shown in the listing.

The program uses a stack whose size is set by variable ST in line 30. With the value given, the program uses 1,328 bytes of memory. 16K machine owners might like to save memory by reducing this value — using a value of 85 will save 0.5K bytes.

```
 10 SI=0       'for 16K machines use SI=32768
 20 HI=38900   'for 16K machines use HI=6132
 30 ST=255     'stack size (255 is maximum)
 35 :
 40 CA=HI-510:PRINT "call program with CALL ";CA:PRINT
 50 PRINT "to CSAVE program as data block use    addre
sses A";
 60 PRINT HEX$(CA-23);",E";HEX$(HI)
 70 PRINT:PRINT "POKE address for INK/PAPER paint=";CA
-23
 75 :
 80 PRINT:PRINT "checking data..."
 90 FOR LI=0 TO 37:CS=0:FOR BY=0 TO 13
 100 READ V:CS=CS+V:NEXT BY
 110 READ CV:IF CV<256 THEN GOTO 130
 120 IF CS=CV THEN NEXT LI:GOTO 140
 130 PRINT "checksum error in line ";1010+10*LI:END
 140 PRINT "checksum ok... type L to load program"
 150 GET A$:IF A$<>"L" THEN END
 155 :
 160 RESTORE:PRINT:PRINT "loading..."
 170 FOR LI=CA-7 TO CA+497 STEP 14:FOR BY=0 TO 13
 180 READ V:POKE LI+BY,V
 190 NEXT BY:READ V:NEXT LI
 200 FOR BY=1 TO 12:READ V:A=CA+V
 210 DOKE A,DEEK (A)+HI-38900:NEXT BY
 220 DOKE CA-8,CA-42-ST:DOKE CA-10,CA-42-2*ST:DOKE CA-
12,CA-42-3*ST
 230 DOKE CA-14,48920-SI:DOKE CA-16,41176-SI:DOKE CA-1
8,40920-SI
 240 DOKE CA-23,256*ST
 250 PRINT "HIMEM set to ";HI-560-3*ST:HIMEM (HI-560-3
*ST):END
 255 :
 1010 DATA 1,32,16,8,4,2,1,120,32,229,151,32,2,150,780
 1020 DATA 32,229,151,88,96,173,229,2,201,2,176,6,73,2
55,1713
 1030 DATA 170,232,134,20,173,25,2,162,255,56,233,6,23
2,176,1876
 1040 DATA 251,105,6,168,185,240,149,133,1,138,24,101,
25,133,1659
 1050 DATA 2,169,0,101,26,168,174,26,2,240,13,169,40,2
4,1154
 1060 DATA 101,2,133,2,144,1,200,202,208,243,162,0,134
,12,1544
 1070 DATA 134,13,134,19,166,2,165,1,32,184,150,164,13
,196,1373
 1080 DATA 12,208,1,96,177,33,133,10,177,35,133,11,177
,31,1234
 1090 DATA 133,9,41,128,133,15,16,26,165,10,56,233,40,
133,1138
 1100 DATA 10,176,2,198,11,200,196,21,208,2,160,0,132,
13,1329
 1110 DATA 6,9,70,9,16,6,177,31,9,128,145,31,162,0,799
 1120 DATA 134,6,134,14,232,32,213,150,162,255,32,213,
150,165,1892
 1130 DATA 14,208,16,165,6,240,23,133,11,165,5,133,10,
165,1294
 1140 DATA 4,133,9,16,221,164,6,240,7,165,4,166,5,32,1
172
 1150 DATA 184,150,184,80,150,132,16,164,12,145,31,138
,145,33,1564
 1160 DATA 165,16,145,35,200,196,21,208,2,160,0,132,12
,196,1488
 1170 DATA 13,208,2,104,104,96,134,17,162,0,134,18,134
,7,1133
 1180 DATA 134,8,165,15,240,4,230,7,208,2,230,8,165,11
,1427
 1190 DATA 133,3,165,10,133,2,165,9,133,1,165,3,197,28
,1147
 1200 DATA 176,7,166,2,228,27,176,1,96,197,30,144,7,16
6,1423
 1210 DATA 2,228,29,144,1,96,160,40,177,2,168,69,20,37
,1173
 1220 DATA 1,240,7,165,19,208,2,104,104,96,152,41,96,2
40,1475
 1230 DATA 250,162,0,160,0,177,2,168,41,96,208,4,169,1
,1438
 1240 DATA 208,12,152,69,20,37,1,208,5,164,7,240,1,232
,1356
 1250 DATA 133,7,160,80,177,2,168,41,96,208,4,169,1,20
8,1454
 1260 DATA 13,152,69,20,37,1,208,6,164,8,240,2,232,232
,1384
 1270 DATA 133,8,138,240,74,224,3,240,51,165,2,164,15,
240,1697
 1280 DATA 14,224,2,240,41,56,233,40,170,165,3,233,0,2
08,1629
 1290 DATA 12,224,1,240,27,24,105,40,170,165,3,105,0,1
68,1284
 1300 DATA 165,6,240,25,165,4,197,1,208,8,228,5,208,4,
1464
 1310 DATA 196,6,240,19,165,1,166,2,164,3,230,14,76,18
4,1466
 1320 DATA 150,165,1,133,4,134,5,132,6,165,18,208,8,23
0,1359
 1330 DATA 18,165,17,133,19,16,8,160,40,165,1,81,2,145
,970
 1340 DATA 2,165,1,166,17,48,13,74,144,25,169,32,230,2
,1088
 1350 DATA 208,19,230,3,208,15,10,201,33,144,10,169,1,
166,1417
 1360 DATA 2,208,2,198,3.198,2,133,1,76,245,150,162,36
,1416
 1370 DATA 181,0,188,203,149,157,203,149,148,0.202,208
,243,96,2127
 1380 DATA 2.5,8,40,86.153,158,189,426,493,500.503,1,1
,2565
```

The Illustrator is imminent .....

Now you can add graphics to your
Quill Written Adventure.
For use in conjunction with
The Quill Adventure Writing System on the
48K Spectrum.

Please rush me an order form and full details of
The Illustrator for the 48K Spectrum.
I enclose a stamped addressed envelope.

Name .....

Address .....

.....

.....YC1

Send to;

GILSOFT
30 Hawthorn Road
Barry
South Glamorgan
CF6 8LE

Educational Software LCL

BBC Micro
ZX Spectrum
Commodore 64
Electron
unexpanded Vic
ZX81
Apple
PET
Dragon (book only)
All software for the above computers.

MICRO ENGLISH (BBC, Electron). Complete English Language self-tuition and revision course, to O-Level, of 24 programs. Includes "speak-and-spell" (no extras). £24.50.
MICRO MATHS 24 program revision or self-tuition course to O-Level. £24.50 (except ZX81 £12.00).
BRAINTEASERS (BBC, Electron, CBM 64, Spectrum, Dragon, Vic) Book of IQ tests & puzzle programs. £3.95.
ANIMATED ARITHMETIC Teaches using moving colour pictures (not words) Ages 3-8. £6.50 (disc £7.50).
MASTER MATHS (Apple, Pet and CBM 64 only). 50 program O-Level course or teacher's aid, amazing graphics. £90.
"... the programming standard is high". TIMES EDUCATIONAL SUPPLEMENT

Immediate dispatch Micro Maths, Micro English and Master Maths.
Phone or send orders or requests for free catalogue (200 programs) to:
World leaders in educational software
(distributors in 24 countries.)

LCL
26 Avondale Ave.
Staines, Middx.
Tel: 0784 58771
24 hrs. Orders

ACCESS VISA

GENEROUS TRADE DISCOUNTS

***AS SEEN ON* TV**

DOT MATRIX

EPSON RX80 **£219** inc VAT



EPSON RX80 F/T **£255** inc VAT

Epson RX80	£190.43	VAT	£219
Epson RX80 F/T	£221.74	VAT	£255
Epson FX80	£329.57	VAT	£379
Epson FX100	£511.30	VAT	£588
KDC FT 5001	£203.48	VAT	£234
Mannesmann Tally MT80	£195.65	VAT	£225
Canon PW1080A	£277.39	VAT	£319
Star Delta 10 (With Serial/Parallel 8k Buffer)	£317.39	VAT	£365
RS232 Interfaces from	£26.09	VAT	£30
Printer cables from	£10.43	VAT	£12

DAISYWHEEL



JUKI 6100 **£375** inc VAT

JUKI 6100	£326.09	VAT	£375
Daisystep 2000	£216.52	VAT	£249

PROCESSORS

BBC Model B + Recorder	£320.87	VAT	£369*
BBC 'B' with DFS	£399.13	VAT	£459
Amstrad CPC464	£139.13	VAT	£160
6v power + UHF	£24.35	VAT	£28
ISL 8088 IBM Comp	£1173.91	VAT	£1350
DEC 11/23 + 40 MB	£6086.96	VAT	£7000
DEC 11/73 + 170 MB	£10434.78	VAT	£12000

PHONE FOR QUOTATION ON BESPOKE ACCOUNTING SOFTWARE INVOICING/LEDGERS/PAYROLL

* While stocks last

colour MONITORS



MICROVITEC 1451/QL Medium Res. **£255** inc VAT

Amstrad CTM640	£146.96	VAT	£169
Microvitec 1431	£169.57	VAT	£195
1431 (RGB/PAL AUDIO)	£195.65	VAT	£225
Kaga Vision Ex	£186.96	VAT	£215
JVC 1302.1 (QL BBC)	£169.57	VAT	£195
Microvitec 1451 QL	£221.74	VAT	£255
Microvitec 1451	£239.13	VAT	£275
1451 (RGB/PAL AUDIO)	£295.65	VAT	£340
Kaga Vision II	£234.78	VAT	£270
JVC 1302.2 (QL BBC)	£220.00	VAT	£253
Microvitec 1441	£433.91	VAT	£499
Kaga Vision III	£321.74	VAT	£370

mono MONITORS

Amstrad GT64	£60.00	VAT	£69
Sanyo DM2112 (15MHz)	£65.22	VAT	£75
Sanyo DM8112CX (18MHz)	£86.10	VAT	£99
ISL 18 (18MHz)	£53.91	VAT	£62
ISL 20 (swivel 80 col)	£63.48	VAT	£73
Teco with Zoom	£91.30	VAT	£105

microFAST
The Experts
57 Hoxton Square London N1
01-729-1778
Prices are for cash and carry sale and are correct at time of going to press in September




1 800XL 64K COMPUTER £169

2 800 48K COMPUTER £69

3 1010 PROGRAM RECORDER £34

4 1050 127K DISK DRIVE £199

5 1020 4 COLOUR PRINTER £99


6 LETTER QUALITY PRINTER £249

7 TOUCH TABLET PEN + CART £49

8 TRAK BALL £19.95

9 SUPER CONTROLLER £14.95

ATARI XL

THE NEW ATARI 64K 800XL £169

EVERYTHING YOU WANT FROM A HOME COMPUTER

1. **ATARI 64K 800XL - £169:** The Atari 800XL has many facilities and includes such advanced specifications that you will be amazed by its performance. At the new retail price of only £169 for a full specification 64K computer with a proper full stroke keyboard, we believe that the 800XL cannot be beaten. Just look at the following specifications:-
   COLOUR CAPABILITIES: 16 colours and 16 intensities giving 256 different colours (all of the 256 colours can be displayed at the same time).
   OPERATING SYSTEM: 24K ROM including Atari Basic programming language and a self diagnostic test program.
   KEYBOARD: Full stroke design with 62 keys including help key and 4 special function keys, international character set and 29 graphics keys.
   SOUND: 4 independent sound synthesisers each capable of producing music across a 3½ octave range or a wide variety of special sound effects. (Additional programming can achieve an octave range of up to nine octaves!)
   DISPLAY: 11 graphic modes and 5 text modes. Up to 320×192 resolution. Maximum text display 24 lines by 40 columns.
   SPECIAL ATARI INTEGRATED CIRCUITS: GTIA for graphics display, Pokey for sound and controller ports, Antic for screen control and I/O (Input/Output).
   CPU: 6502C microprocessor - 0.50 microsecond cycle and a clock speed of 1.79 MHz.
   EXTENDED GRAPHICS FUNCTIONS: High resolution graphics. Multi-coloured character set. Software screen switching. Multiple redifined character sets. Player missile (sprite) graphics. Fine screen scrolling. Changeable colour registers. Smooth character movement. Simple colour animation facilities.
   PROGRAMMING FEATURES: Built in Atari Basic programming language supporting peek, poke and USR plus at least 8 other languages available. The help key will provide additional information and menu screens with certain software. Full on-screen editing is available as well as syntax checking on entry.
   INPUT/OUTPUT: External processor bus for expansion with memory and peripherals. Composite video monitor output. Peripheral port for direct connection to Atari standard peripherals. Software cartridge slot is included as well as 2 joystick controller ports.
   SOFTWARE: Over 1,500 items of software are available including self teaching programs with unique voice over. The range of programs includes Education, Home Management & Programming aids. There is also APX (Atari Program Exchange) and of course Atari's famous entertainment software now at only £9.95. In addition there is a host of support and help available from specialist Atari magazines like Antic and Analog and from over 75 Atari books/manuals.
2. **ATARI 800 48K COMPUTER - £69:** We have a limited number of the Mk1 model 800 computer with 48K. The price is £69 (as a games machine) or £99 with the Basic Programmer Kit (Basic cartridge & 2 manuals). Both come with a full 12 months guarantee.
3. **ATARI 1010 PROGRAM RECORDER - £34:** For low cost storage and retrieval capability. Data transmission 600 baud. Storage capability 100K bytes on a sixty minute cassette. Track configuration four track, two channels (digital and audio). Auto record/playback/pause control/unique soundthrough facility. Also included is built in accidental erasure prevention and automatic shutoff after each program as well as a 3 digit tape counter.
4. **ATARI 1050 DUAL DENSITY DISK DRIVE - £199:** 5¼" disks holding 127K randomly accessible bytes provide both expansion and flexibility for your 400/800 or XL system with new 'helpful' DOS 3. All customers who purchase a Disk Drive from Silica Shop will be automatically given a FREE set of 100 programs on 3 Disks recorded on both sides.
5. **ATARI 1020 COLOUR PRINTER - £99:** Printer and Plotter with four colour graphic print capability. 40 column width printing at 10 characters per second. Can print 5, 10 and 20 characters per inch. 64 character sizes. Prints text in 4 directions. Choice of line types.
6. **ATARI 1027 LETTER QUALITY PRINTER - £249:** For word processing letters in professional type. Print speed of 20 chars per second.
7. **ATARI TOUCH TABLET - £49:** Enables you to draw and paint pictures on your T.V. screen, with the touch of a stylus.
8. **ATARI TRAK BALL CONTROLLER - £19.95:** Enables cursor movement in any direction and adds arcade realism to your games.
9. **ATARI SUPER CONTROLLER - £9.95:** The ultimate joystick with double fire button to give you a greater competitive edge in your games.

SILICA SHOP ARE THE No1 ATARI SPECIALIST

Silica Shop are now firmly established as the No 1 Atari retail/mail order and wholesale specialist in the U.K. We already offer our service to over 120,000 customers, 10,000 of whom have purchased Atari Home Computers. Because we specialise (and with a turnover of £1.5 million), we are able to keep prices low by bulk purchases. Ring one of our 45 staff and we will be glad to be of service to you. Complete the coupon below and we will send you our Atari pack with price list and colour catalogue:

EXTENDED TWO YEAR GUARANTEE: We are an Atari Service Centre, able to service and repair Atari equipment and have added a 12 month guarantee to the year offered by Atari, giving you a full 2 year guarantee on your computer if you buy it from us.

SPECIALIST SUPPORT: Our technical staff are always available on the telephone to help and advise you. We endeavour to hold stocks of every Atari compatible item available in the U.K. and we stock over 75 Atari books and manuals.

AFTER SALES SERVICE: Your name will automatically be added to our mailing list and you will receive price lists, newsletters and details of new releases and developments as well as special offers which are exclusive to Silica Atari Computer Owners.

LOW PRICES: Our prices are extremely competitive and we will normally match any lower price offered by our competitors.

FREE COMPUTER OWNERS CLUB: This is open to all Atari computer owners irrespective of where you purchased your equipment. Membership is FREE and entitles you to receive bulletins giving details of new releases and developments. Send now for your FREE information pack, price list & colour catalogue.

PAYMENT: We accept cash, cheques, postal orders and all Credit Cards. We also offer credit facilities over 1, 2 or 3 years, please write for a written quotation.

NEXT DAY DELIVERY - FREE: All goods despatched from Silica Shop are normally sent by first class post or parcel post FREE OF CHARGE. As a special introductory offer for a limited period only we will be sending all Computers and Disk Drives by a next day delivery service at our expense.

So fill in the coupon below with a literature enquiry or order and begin to experience a specialist Atari service that is second to none.

SILICA SHOP LTD, 1-4 The Mews, Hatherley Road, Sidcup, Kent, DA14 4DX Tel: 01-309 1111

ORDER NOW-OR SEND FOR A FREE COLOUR BROCHURE

To: SILICA SHOP LTD, Dept YC 1284, 1-4 The Mews, Hatherley Road, Sidcup, Kent, DA14 4DX Telephone: 01-309 1111

LITERATURE REQUEST:

☐ Please send me your FREE colour brochures and 16 page price list on Atari Computers.

☐ I own a ..... Videogame ☐ I own a ..... Computer

Mr/Mrs/Ms: ..... Initials: ..... Surname .....

Address: .....

.....

..... Postcode: .....

ORDER REQUEST:

Please send me:

☐ 800XL 64K Computer	£169	☐ 1020 4 Colour Printer	£99
☐ 800 48K Computer	£99	☐ Letter Quality Printer	£249
☐ 1010 Program Recorder	£34	☐ Touch Tablet + Cartridge	£49
☐ 1050 127K Disk Drive	£199	☐ Trak Ball	£19.95
		☐ Super Controller	£9.95

☐ I enclose Cheque/P.O. payable to Silica Shop Limited for the following amount £.....

☐ CREDIT CARD - Please debit my Access/Barclaycard/Visa/American Express/Diners Club

Card Number .....

SPECIAL OFFER! Deduct £1 per cassette when ordering 2 or more.

AT LAST ... SUPERIOR SOFTWARE FOR THE COMMODORE 64 COMPUTER

COMMODORE 64





SMUGGLER £7.95

A fast-action arcade-style game. Your aim is to catch the falling barrels and throw them into the ship. Twelve separate screens with fascinating graphics including kangaroos, octopuses, penguins, birds, biplanes, fork-lift trucks, conveyor belts, lifts and walkways. The high-score table can be saved and loaded from tape, and the program includes a demonstration mode. (JOYSTICKS ONLY)

●●●*NEW RELEASE*●●●



MR. WIZ £7.95

From the author of Percy Penguin, Mr. Wiz is a superb arcade-type multi-scene game. Guide Mr. Wiz around the garden to eat the cherries whilst avoiding the evil gremlins. The gremlins can be killed by dropping apples on them or by throwing the crystal ball. Extra points can be gained by eating the magic mushroom, but beware ... this is the home of the gremlins and makes them permanently furious!

(KEYBOARD OR JOYSTICKS)

●●●*NEW RELEASE*●●●

"MR. WIZ" IS ALSO AVAILABLE FOR THE B.B.C. MICRO AND ACORN ELECTRON, AND "WORLD GEOGRAPHY" IS AVAILABLE FOR THE ACORN ELECTRON. ALL CASSETTES ARE £7.95 INCLUDING VAT AND P.&P.

WORLD GEOGRAPHY £7.95

Two excellent educational programs which make learning geographical facts enjoyable and stimulating. WORLD GEOGRAPHY covers 166 countries pinpointing each on an accurate high-resolution screen map of the world. The countries are divided into 8 categories of difficulty, and the program tests your knowledge of capitals and populations. U.K. GEOGRAPHY tests your knowledge of the towns, counties, mountain ranges and islands in the United Kingdom. You can choose whether to attempt to name the places as they are indicated on the high-resolution map of the British Isles, or to find the location of places given by the program. Two enthralling and informative programs.

●●●*NEW RELEASE*●●●

U.K. GEOGRAPHY £7.95

WE PAY UP TO 20% ROYALTIES FOR HIGH QUALITY COMMODORE 64 PROGRAMS

SUPERIOR SOFTWARE LTD.
Dept. YC12, Regent House,
Skinner Lane, Leeds 7
Tel: 0532 459453

Access

OUR GUARANTEE

(1) All our software is available before we advertise.
(2) All our software is despatched within 48 hours by first-class post.
(3) In the unlikely event that any of our software fails to load, return your cassette to us and we will immediately send a replacement.

THE INCREDIBLE

Micro Speech Module

Speakeasy

JUST £29·95

AVAILABLE AT YOUR LOCAL spectrum STORE

* *UNLIMITED VOCABULARY*
* *CLEAR AUDIBLE SPEECH*
* *COMPACT, STURDY & BUILT TO LAST*
* *USER FRIENDLY*
* *COMPREHENSIVE MANUAL INCLUDED*
* *SELF CONTAINED SPEAKER*
* *FULLY GUARANTEED FOR ONE YEAR*
* *POWERED FROM HOST COMPUTER*
* *VERSATILE! - the standard SPEAKEASY module can be programmed to speak in any language, for example ENGLISH, GERMAN, NORWEGIAN etc..... THE SCOPE OF THIS PRODUCT IS ONLY LIMITED BY YOUR IMAGINATION!*

* *COMPATIBLE with most popular micros. The standard module can be connected to virtually any computer via our large range of interface cables.*

INTERFACE CABLES CURRENTLY AVAILABLE		
**CBM 64*	**BBC*	**AMSTRAD CPC464*
**VIC 20*	**ORIC/ATMOS*	**MSX RANGE*
**CBM PLUS 4*	**CBM 16*	**CBM 116*
**DRAGON 32/64*	**MEMOTECH 500/512*	**SHARP MZ 700*

REMEMBER!... If you change your computer, you only need to change the interface cable!

PLEASE STATE INTERFACE LEAD REQUIRED

Access

NEW

A FANTASTIC NEW ADVENTURE GAME BASED ON THE POSSIBILITY OF A NUCLEAR WAR. WE'VE GIVEN YOU ALL THE INFORMATION YOU NEED. THE REST IS UP TO YOU. I WILL SURVIVE..... BUT WILL YOU?

I Will Survive!

ONLY £5·95

SPECTRUM
48k ADVENTURE GAME

OUT SOON!

SO YOU SURVIVED THE WAR..... CAN YOU NOW SURVIVE THE PEACE ?..... AGAINST THE BACK-GROUND OF POST WORLD WAR THREE BRITAIN STRUGLE FOR SURVIVAL IN A NEW, STRANGE AND ALIEN ENVIRONMENT.

THE SURVIVOR

AZTEC SOFTWARE

AZTEC SOFTWARE LIMITED, 17A STATION ROAD, MIRFIELD, WEST YORKSHIRE. TELEPHONE: (0924) 492826

campbell systems for spectrum 48k

Can YOUR Database Handle This?

With MYRMIDON'S *Micro-Print* © up to 51 columns!

PROFESSIONAL FILE MANAGEMENT, DATA RETRIEVAL AND PRESENTATION
ANY ADDRESS LISTS, INVENTORY, CUSTOMER OR PERSONNEL RECORDS...

MASTERFILE *can!*



Microdrive commands included; 32, 42 or 51 characters per line!; 26 fields per record; Unrestricted number of records; 36 user defined Display/Print formats; Fast search & sort facilities; Around 32K of RAM available for data!

Now with MF-PRINT and MASTERFILE version 09, you can format your data for a full width printer!

Works with most popular printer interfaces. Fully variable report widths (over 100 columns) and lengths. Powerful numeric editing and column totals. Almost no reduction in space available for data.

Many more products available. Send SAE for details!

MASTERFILE version 09	£15.00
MF-PRINT	£ 6.95
MASTERFILE with MF-PRINT	£19.95

All programs mailed 1st class by return.
Prices include VAT and postage within Europe.
New Address: Campbell Systems
(Dept.YC) 57 Trap's Hill, Loughton,
Essex. IG10 1TD. England 01-508 5058

CS

Computers for Export

Sinclair
Oric
Commodore
Atari
Amstrad
Epson
Coleco

BBC
Sanyo
Microvitec
Apple
Apricot
MSX

Plus Printers, Disc Drives, Memory Expansion, Software

Quantity discounts available

No tax charge for equipment shipped abroad
Write for our price list or call our answer phone
01-686 6362

**Galaset Ltd, 30 Bayford Road,
Littlehampton, West Sussex,
England. Telex 946240 Attn: 19001335**

MAIL ORDER PROTECTION SCHEME

If you order goods from Mail Order advertisements in this magazine and pay by post in advance of delivery, *Your Computer* will consider you for compensation if the Advertiser should become insolvent or bankrupt, provided that:

(1) You have not received the goods or had your money returned; and
(2) You write to the Publisher of of *Your Computer* summarising the situation not earlier than 28 days from the day you sent your order and not later than two months from that day.

Please do not wait until the last moment to inform us. When you write, we will tell you how to make your claims and what evidence of payment is required.

We guarantee to meet claims from readers made in accordance with the above procedure as soon as possible after the Advertiser has been declared bankrupt or insolvent.

This guarantee covers only advance payment sent in direct response to an advertisement in this magazine not, for example, payment made in response to catalogues etc., received as a result of answering such advertisements. Classified advertisements are excluded.

All orders for goods supplied through the On Line system will be fulfilled by Empire Stores Ltd., at 18 Canal Road, Bradford, West Yorkshire. This scheme is available to any applicant under the age of 19. For current interest rate please ask at your local NatWest branch.



If you use computers at work or at home, Practical Computing magazine is essential reading. Every month it takes a long hard look at the most important issues in computing. It's informative, very useful and immensely readable.

It reviews both hardware and software, discusses the latest innovations and helps you get the most out of all the popular computers.

It's always entertaining, never dull. And it's at your newsagent now.

Practical Computing
At work. At hon

Educational Software For The Spectrum.



Educational tapes for infants right through to "O" level students.
Programs are designed so that they can be used many times, and include help facilities and explanations where appropriate.
Cassettes are packaged in full colour presentation boxes which include a helpful leaflet.
Two new tapes available in November–HIGHWAY CODE and "O" LEVEL PHYSICS.

Rose Software
148 Widney Lane, Solihull, West Midlands
B91 3LH. Tel: 021 - 705 2895

cut

Please send me.....
£6.95 each (Includes P&P)
I enclose cheque/P.O. for £.....
Please send me a FREE brochure ☐
Name.....
Address.....
.....

only £6.95 ea (Includes P&P)

BLABY COMPUTER GAMES

SPECTRUM DRAGON 32 ATARI VIC 20

GAMES FROM £1.99

HUBERT — Jump for your life, can Hubert change the pyramid colours.
Spectrum 48K m/c £1.99

TRON — You've seen the film, no try your skill against your partner, can you stay the pace on your light cycle?
Spectrum 48K m/c £1.99

WHIRLWIND — SPECTRUM 48K

CHALLENGE — SPECTRUM 48K

KILLER KONG — Featuring five screens of arcade action. Elevators — Kong — Mario — Barrels — Hamburgers — and even Mario's girlfriend.
Spectrum 48K m/c £1.99

BARMY BURGERS — Baps, Bugers, Cheese and Lettuce — they are all here, all you have to do is to put them all together. It sounds easy doesn't it, but not when you're being chased by a fried egg and sausages.
Spectrum 48K m/c £1.99

GOTCHA — After escaping from the local nick, Ernie is soon back up to his old tricks again.
Spectrum 48K m/c £1.99

THE CRISP FACTORY — SPECTRUM 48K

ICICLE WORKS — SPECTRUM 48K

PERILOUS PIT — Deep underground in the crystal mines roams the dreaded Orbis and his cronies, who are hell bent on stopping the attempts of Boris the miner to fill his truck full of crystals — 4 screens.
Dragon 32 £1.99

BOMBS AWAY BASIL — Sir Basil is trying to defuse the bombs before he is attacked by his only known fear, SPIDERS. Yes, the truth is finally out and, the cunning natives place Spiders near the bombs they plant.
Dragon 32 £1.99

DARTS — Open a couple of cans of beer, sit back, and get all the excitement of an evening in the local.
Dragon 32 £1.99

BORIS THE BOLD — Urgent telegram for Boris, Stop. Please come home, Stop. Beware ofthe patrollers, lasers and bombs, Stop. Please grab a few dimands on your way, Stop.
Dragon 32 £1.99

THE BELL — You have probably read the novel or seen the film — now you can play the game. Rescue Esmeralda from the bell tower. 14 screens of danger for you to challenge.
Dragon 32 £1.99

MCDOUGALS LAST STAND —

GUIDO — Guido is a small ravenous Rabbit who's sole aim in life is to fill his little tummy full of the farmers best carrots. Can you help him in his ravenous rampage? One small tip — watch out for the bouncing balls, this farmer is as crafty as that darn Rabbit.
Spectrum 48K m/c £1.99

ANDROID ATTACK — A nuclear reactors has malfunctioned and is in danger of melting down. The only way it can be saved is by sending in a brave volunteer to release the water reservoir manually — congratulations, you've got the job! Except that the andoids have other ideas.
Atari 16K £1.00

GOBBLER/LASER BLAST — Run around the maze eating the oxygen pills but watch out for the galactic guard of these oxygen pills who will destroy you if he catches you.
Blast the last few laser implacements left on the planet Genymed it's either them or you!
Vic 20 unex £1.99

MORBID MANSION — Ten rooms in this old Mansion must be negotiated before you come face to face with the dreaded Morbid. You are alone then suddenly the clock gets to 12! 10 screens arcade adventure.
Dragon 32 £3.99

BUG ATTACK — It was a nice peaceful afternoon in the garden then suddenly all hell let loose, there were BUGS everywhere all I had to combat these fiends were 3 cans of anti Bug Power.
Vic 20 unex £1.99

Send sae for full list.
Any of these games are obtainable direct from the company or shortly from Your Computer, Video Shop or where you see the Slush Puppie sign.
Please add 50p Post & Packing.

BLABY COMPUTER GAMES, DEPT YC, LUTTERWORTH ROAD, BLABY, LEICESTER.
TELEPHONE 0533 773641 TELEX 342629 JRHHG

The Key to Spectrum Machine Code Success.

Picturesque's MACHINE CODE SYSTEM is used and recommended by professional software writers, yet the excellent documentation and the friendly, easy-to-use programs have been highly recommended for beginners.

You will only buy one Machine Code System, so buy the best, the one the professionals use.

NEW IMPROVED PROGRAMS — MICRODRIVE COMPATIBLE

ASSEMBLER

Completely self-contained with its own line editor, giving an easy-to-read 40 column tabulated listing. Auto line numbering, line renumbering and auto tabulation make this one of the fastest and easiest Assemblers to use. 5-character label names. Decimal, Hex or ASCII constants. SAVE/LOAD/VERIFY both the listing and Machine Code to cassette/MICRODRIVE/NETWORK. Assemble from cassette or Microdrive into memory for very large programs. Customise to most Centronics printer Interfaces, or RS232 (with Interface 1) for 80 column printout. FAST ASSEMBLY — 1k of code in 7 seconds. Assembler Directives:— ORG, END, DEFB, DEFW, DEFM, EQU, DEFL. (Microdrive and Centronics facilities only operate with 48K machines.)

£8.50
INCL. VAT & P&P.

MONITOR

The ideal tool to help the beginner get started, yet it contains all the commands for the experienced programmer to run and de-bug machine code programs. Inspect and alter memory contents in Hex or ASCII. Breakpoints and full Register display. NOW WITH SINGLE STEPPING through RAM or ROM. Disassemble any part of memory, RAM or ROM. Dec-Hex-Dec number converter. Printer output to ZX printer or via RS232 (with Interface 1) or customise to most Centronics printer Interfaces. General memory management commands include Hex dump, Insert, Delete, Fill and Move. Can reside in memory with the Assembler (48K machines only) to give a complete Machine Code programming system.

£7.50
INCL. VAT & P&P.

Programs supplied on cassette with option to Save onto Microdrive (cartridge not supplied.)

Existing owners can obtain the new programs by returning the **cassette only** to Picturesque, along with a cheque/PO. for **£1.50 per program** (inc. VAT & P&P). New cassettes will be supplied by return of post.

Available from the "SPECTRUM" chain of stores, branches of John Menzies and all good computer shops, or by mail order by sending cheque/PO to:
PICTURESQUE, 6 Corkscrew Hill, West Wickham, Kent, BR4 9BB. Send SAE for details.

PICTURESQUE
PICTURESQUE
PICTURESQUE
PICTURESQUE

At Last, Games That Are Different!

POP QUIZ 85
AND
THE SHOWBIZ QUIZ

Pop Quiz 85:-
For one to four players Pop Quiz contains three interactive games including "Name That Record" with over 40 tunes. A must for every Christmas stocking. Available for Commodore 64 and Sinclair Spectrum 48k. Price £5.95 inc.

The Showbiz Quiz:-
For one to four players. A game to test your knowledge of TV and film personalities. Full use of colour, sound. A game for all the family. 48k Spectrum. Only £5.95 inc.

Dealer enquiries welcome.

Independant Software
Gold Star House, 198-200 Queenswood Drive, Leeds LS6 3ND.

LOGICOPY

Cassette Duplication
Full Colour Laminated Inlay Cards
Cassette Labels
Blank Cassettes
Artwork for all purposes

A range of competitively priced services to the software trade with no compromise on quality.

LOGICOPY
GOLD STAR HOUSE
198/200, Queenswood Drive
Leeds, Yorkshire.
LS6 3ND.
Tel (0532) 788758.

ONLY £129.95 INC. VAT & POSTAGE

How much would you expect to pay for a dual 128K fast access storage system for your Spectrum that included Centronics and RS232 interfaces and free word processing software as standard?

Chances are it's a lot more than £129.95. But this is what will buy you the incredible Rotronics Wafadrive unit. There are no extras – this price includes VAT and postage.

A fast reliable dual-drive storage system

Integrated System

The Wafadrive is a complete system which contains the micro interface, two 128K drives, RS232 and Centronics ports, all in one attractively-styled, compact unit. There is a minimum of connecting leads and no extra boxes to clutter the desk top. Like the majority of professional systems, the units are dual drive. This offers the optimum balance between system flexibility and cost. Built-in serial and parallel interfaces allow the direct connection of just about any popular printer.

Fast and Reliable

The Wafadrive achieves very fast loading and saving, but not at the expense of reliability. Extensive research and the use of high grade materials ensure that the Wafadrive will give years of dependable operation. Data integrity is on a par with floppy disk. The fully interchangeable wafers are available in three sizes – 128K, 64K and 16K. Low capacity wafers give faster access. They are therefore most suitable for program development applications. The high capacity wafers are suitable for more general data storage. Loading rate is well over ten times as fast as cassette!

Software

Armed with the comprehensive user manual, blank wafer and word processor supplied, you can use your Wafadrive straight away. There is also a rapidly growing range of software to enable the programmer and games player to exploit the Wafadrive system to the full.

Wafadrive for the 16/48K Spectrum is available now. Versions for other popular home computers are under development.

Send a 16p stamp for a full colour brochure and information on software and accessories.

FOR USE WITH THE SINCLAIR SPECTRUM

Please send me (enter as appropriate):

___	ROTRONICS Spectrum Wafadrive(s) @ £129.95 each	___
___	16K wafer(s) @ £3.45 each	___
___	64K wafer(s) @ £3.65 each	___
___	128K wafer(s) @ £3.95 each	___
___	Heathrow/Nightflite II (48K: Hewson) @ £14.95 each	___
___	Space Wars/Seiddab Attack/Luna Attack (48K:Hewson) @ £14.95 each	___
___	Bear Bovver/Wong's Loopy Laundry/ World Cup (48K:Artic) @ £9.95 each	___
___	Starbike (48K:Softek) @ £7.95 each	___
___	The Artist – graphic utility (48K:Softek) @ £9.95 each	___
___	ZAP machine code development package (48K:Hewson) @ £19.95 each	___
___	RS232 lead @ £9.95 each	___
___	Centronics lead @ £9.95 each	___
All prices include VAT and P&P		TOTAL £ ___

☐ I enclose a cheque/PO* made payable to SMT

☐ debit my Access/Barclay card* account no.

(*delete as applicable)

Signature:

Name:

Address:

YC/12/84

Send to (no stamp required): **SMT, FREEPOST, Greens Norton, Towcester, Northants, NN12 8BR**

Please allow 28 days for delivery.

Access VISA

SMT

GOODBYTE

SPECTRUM

GAME	RRP	OUR PRICE
SHERLOCK HOLMES	14.95	10.50
KOKOTONI WILF	5.95	4.75
DUES EX MACHINA	15.00	10.75
UNDERWORLDE	9.95	6.65
KNIGHT LORE	9.95	6.95
DARK STAR	7.95	5.95
SABREWULF	9.95	6.95
THE GREAT SPACE RACE	14.95	10.95
DALEY THOMPSON DECATHLON	6·90	5·25
BEACHEAD	7·95	5·99
WHITE LIGHTNING	14·95	10·50
HOBBIT**	14·95	9·99
MUGSY	6·95	5·50
LORDS OF MIDNIGHT	9·95	6·99
PSYTRON	7·95	5·99
CODENAME MAT	6·95	4·99
JET SET WILLY	5·95	4·50
FRANK N. STEIN	5·95	4·50
TORNADO LOW LEVEL	5·95	4·60
TRASHMAN	5·95	4·40
FIGHTER PILOT	7·95	5·99
NIGHT GUNNER	6·95	5·25
WORLD CUP	6·95	5·99
CLASSIC ADVENTURE	6·95	5·50
VALHALLA	14·95	9·99
FOOTBALL MANAGER	6·95	5·25
H.U.R.G	14·95	9·99
MONTY MOLE	6·95	5·50
FULL THROTTLE	6·95	5·75
MATCHPOINT	7·95	5·99
DANGER MOUSE	6.95	4.99
FOREST AT WORLDS END	5.50	3.99
TILER	5.50	3.99
AVALON	7.95	5.50
HERO	7.95	5.50
ZENJI	7.95	5.50
RIVER RAID	7.95	5.50
ENDURO	7.95	5.50
HAMPSTEAD	9.95	6.95
PSYTRAXX	7.95	5.50
STAR BIKE	6.95	4.99
GIANTS REVENGE	6.95	4.99
SCRABBLE	15.95	11.99
EDDIE KIDD JUMP CHALLENGE	6.95	4.99
COMBAT LYNX	7.95	5.50
TWIN KINGDOM VALLEY	7·95	5·50
TRAVEL WITH TRASHMAN	5·95	4·75
PSYWARRIOR	9·95	6·99
DOOM DARKS REVENGE	9·95	6·99
HAVOC	7·95	5·95
POLTERGEIST	5·95	4·50
BACKPACKER GUIDE TO THE UNIVERSE	7·50	5·25
QUASIMODOS REVENGE(HUNCHBACK II)	6·90	4·.90
STRIP POKER	7·95	5·99
SOLO FLIGHT	9·95	7·25
F-15 STRIKE EAGLE	9·95	7·25

COMMODORE 64

GAME	RRP	OUR PRICE
SUICIDE EXPRESS	7·95	6·50
GHOSTBUSTERS	10.95	8·50
ACTIVISION ALL OTHER TITLES	9·95	7·50
JET SET WILLY	7·90	5·75
ZIM SALA BIM	9·95	6·99
STRIP POKER	9·95	7·25
BLACK HAWK	7·95	5·50
PSYTRON 64	7·95	5·50
ASTEC	8·95	7·25
ANKH	8·95	7·25
MR ROBOT	8·95	7·25
HOBBIT**	14·95	9·99
TALES OF ARABIAN NIGHTS	7·00	5·50
DALEY THOMPSON DECATHLON	7·95	6·50
BEACH HEAD	9·95	7·75
DECATHLON	9·99	7·95
PIT FALL I	9·99	7·50
MONTY MOLE	7·95	6·50
SOLO FLIGHT	14·95	11·00
TRASHMAN 64	7·95	6·50
VALHALLA	14·95	10·99
DEATH STAR INTERCEPTOR	9·95	8·50
PITFALL II	9·95	7·50
RIVER RAID	9·95	7·50
HERO	9·95	7·50
DALLAS QUEST(DISC ONLY)	14·95	12·00
BRUCE LEE	9·95	7·50
NATO COMMANDER	9·95	7·25
SPITFIRE ACE	9·95	7·95
F15 STRIKE EAGLE	14·95	11·00
EDDIE KIDD JUMP CHALLENGE	7·95	5·50
COMBAT LYNX	8·95	7·25
STUNT BIKE	6·90	4·99
MY CHESS 11	8·95	7·25
BATTLE FOR MIDWAY	9·95	7·50
HAVOC	9·95	7·95
ANCIPITAL	7·50	5·50
QUASIMODOS REVENGE	7·90	5·90
TORNADO LOW LEVEL	7·90	5·90
JONY AND THE JIMPYS	6·90	5·25
KOKO KONI WILF	6·90	5·25
ZAXXON	9·95	7·25
BLUE MAX	9·95	7·25
FORT APOCALYPSE	9·95	7·25
SENTINEL	9·95	7·25
SUMMER GAMES	14·95	10·50

SPECIAL OFFER

	OUR PRICE
SPECTRUM 48K	129·95
SOFTWARE PACKAGE WORTH	56·00
KEMPSTON TYPE INTERFACE	14·95
QUICKSHOT II JOYSTICK	11·95
TOTAL VALUE	212·85
OUR PRICE	£145·00

(This offer is not included in the 10% discount for orders over £50)

BBC GAMES

GAME	RRP	OUR PRICE
OLD FATHER TIME	9·50	7·50
CITY DEFENCE	7·50	5·95
MUSIC SYNTHESISER	9·50	7·50
TWIN KINGDOM VALLEY	9·50	7·50
HULK	7·95	6·50
AVIATOR	14·95	11·00
BLAGGER	7·95	6·95
JCB DIGGER	9·95	8·50
HOBBIT	14·95	9·99
VOODOO CASTLE	9·95	8·50
CHARTBUSTER	9·95	7·50
ELITE	14·95	10·50

ELECTRON GAMES

GAME	RRP	OUR PRICE
MICRO OLYMPICS	5·95	4·75
TWIN KINGDOM VALLEY	9·50	7·50
HULK	7·95	6·50
ALL ACORNSOFT	9·20	7·50
CHUCKIE EGG	7·90	6·50
BLAGGER	7·95	6·50

ALL PRICES INCLUDE P&P

QUICKSHOT II ONLY £8.99

PLEASE NOTE IF YOUR ORDER EXCEEDS £50 YOU GET 10% FURTHER DISCOUNT

SEND CHEQUES/P.O. TO
GOODBYTE
94 LEATHER LANE, LONDON EC1

PLEASE STATE WHICH MICRO

THE MICRO WORKSHOP

MICRO COMPUTER SPECIALISTS

(Spectrum Group Member)

Software and hardware over the counter for Sinclair Spectrum, ZX-81, BBC,. Vic-20, CBM-64, Memotech, Amstrad, etc.

* COMPUTERS
* JOYSTICKS
* KEYBOARDS
* TAPES
* RAMPACKS
* BOOKS
* DISCS
* LIGHT PENS
* COMPONENTS *

Business/Serious Programs available

Located directly opposite Epsom Main Line Station. Visit us or ring for friendly service. See and try before you buy.

Overseas/Export orders welcome

12 STATION APPROACH
EPSOM, SURREY.
EPSOM 21533

SPECTRUM 48K/DRAGON 32/COMMODORE 64/ACORN ELECTRON/BBC B

SCISOFT

TOP OF THE CLASS IN EDUCATION

WRITTEN AND APPROVED BY TEACHERS TESTED IN SCHOOLS

Played space invaders too long? Come down to earth with Scisoft.

INTERMEDIATE PACKS

French, German, Geography, Science, Maths Plus, Electronics — £7.95

SENIOR PACKS

Maths I, Maths II, Physics, Chemistry, Biology, Computer Studies — £7.95

Makes learning more fun!

Helps you pass you 'O' Levels

FREE REVISION NO

Intermediate Maths I/Intermediate Maths II – £6.95 ea.
Junior programs – Star Reader, Astro Maths, Wizard Box, Jungle Maths – £5 ea.

SEND FOR FREE CATALOGUE NO – INCLUDES MANY SPECIAL OFF

All programs are available for Spectrum 48K and most other com

Also available by Cheque/P.O. fror

Selected titles available from major branches of John Menzies, WHSMITH and all good Computer Stores

Retailers contact:
Micro Dealer UK, Tiger, Alpha, E. J. Arnold, Proteus, Calisto, Wyndup Records, Leisuresoft, Soloman & Peres, PSL

SCISOFT Limite
5 Minster Gardens, Newthorpe, Ea
Nottingham NG16 2AT.

HISOFT

PASCAL £29·95

A powerful and virtually full implementation of Standard Pascal. A valuable educational and development tool in an incredibly small size (19K) for such a complete language compiler, compiles directly to Z80 code which executes very quickly, typically at least 40 times faster than the BASIC equivalent. INTEGERs, REALs, CHARs, ARRAYs, SETs, RECORDs, POINTERs, IF . . . THEN . . . ELSE, CASE . . . OF, WHILE . . . DO, REPEAT . . . UNTIL, FOR . . . DO, fully recursive procedures and functions, value and variable parameters etc. etc. So much that you will not believe it. You MUST write for details.

DEVPAC £19·95

An excellent, fast (4000 lines per minute) assembler coupled with a powerful disassembler/debugger. So many features that we cannot possibly do the package justice here – conditional assembly, assembly from tape, macros, secreen and line editing, full arithmetic, front panel debugger with disassembler, single step, multiple breakpoints, modify, list and move memory etc. Everything you need AND fully relocatable so that it works on ALL MSX machines with more than 16K memory.

HISOFT
180 High Street North
Dunstable, Beds. LU6 1AT
Tel: (0582) 696421

HISOFT

MSX

SOFTWARE

All prices, UK delivered, relate to MSX versions. Our software is available for many other Z80 machines e.g. Amstrad CPC 464, ZX Spectrum, Memotech, SHARP MZ700, NewBrain, CP/M etc. Please write for details.

REPRINTS

a ready made sales aid





If you are interested in a particular article or advertisement in this publication why not take advantage of our reprint service. We offer an excellent, reasonably priced service. For further details and a quotation

Ring Michael Rogers on 01-661 3457

PAINTBOX

Superb Graphics — without expensive hardware!

PAINTBOX is a must for every owner of a 48K Spectrum.

It will give you the ability to produce stunning graphics on your micro — simply.

With PAINTBOX there's no need for expensive hardware — why pay up to £150 for hardware when you can produce incredible picture and graphics with one cassette-based software package?

If you haven't seen PAINTBOX demonstrated you're in for a pleasant surprise!

For instance, PAINTBOX will enable you to draw practically anything on your screen and save it either as SCREEN$ or as a machine code memory file to use in your BASIC or MC programs.

You wield enormous power over the graphics capability of your SPECTRUM — including the definition, storage and use of up to 84 UDG's — 4 times more than normal! A brief description of facilities are as follows:

UDG DRAWING BOARD for defining up to 4 Banks of UDG's including ROTATE, MIRROR, INVERSE etc.

UDG EDITOR for storing up to 84 UDG's for use in screen planning or in your other programs.

PRECISION PLOTTER. A high-resolution drawing board which allows you to draw anything on the screen. Facilities like CIRCLE, FILL, ARC, PLOT, DRAW, ERASE, OVER, DRAW RADIALLY, INK, BRIGHT etc are included and easy to use!

SCREEN PLANNER gives you the best of both worlds! The combined use of PRECISION PLOTTER and your Banks of UDG's for highly detailed and precise screen graphics.

The program is complete with DEMO on side two of the cassette and a 28 page instruction booklet.

PAINTBOX can be used with Joysticks and is Sinclair Microdrive compatible.

SCREEN MACHINE

Instant Machine Code for graphics and text

SCREEN MACHINE is a completely professional graphics utility to use with Paintbox (or any other graphics hardware or software).

It will allow you to manipulate your screen graphics and text in ways which will make your programs better and more memory efficient. For instance:

If you have produced a screen-full of superb graphics you can enlarge, reduce, recolour, flip screen, relocate your graphics to another part of the screen, superimpose one screen on another and perform all sorts of other wonders!

Then you can take your results and put them through a series of memory compression routines to allow you to save enormous

amounts of memory. Such items like compressing with or without attributes, savin thirds of the screen and multiple combination of both are possible.

Never has machine code storage of graphics been simpler because SCREEN MACHINE automatically creates re-callable multiple screen files with a location catalogue so that you can add them to your programs!

SCREEN MACHINE also allows the user to program UDG's or text directly into machine code, so if your programs use a lot of text instructions or menus SCREEN MACHINE is going to save fantastic amounts of memory!

SCREEN MACHINE is a major graphics toolkit for the 48K SPECTRUM. It is completel menu-driven, Sinclair Microdrive compatible, and comes with instruction book and an unbelievable DEMO on side 2 of the cassette.

ADVENTURE PLANNER

A must for the adventure game fan

If you're an Adventure Game nut, Print 'n' Plotter's new ADVENTURE PLANNER is exactly what you have been looking for!

It's a 50 page, BIG SIZE (16¾" x 11¾") pad with a complete 'mapping' system with over 150 locations on each sheet . . . created to hel you solve Adventure Games.

It's the best way to beat the 'system' and is obviously for use with any make of computer.

ADVENTURE PLANNER will also assist yo in planning Adventure Games for programming — a helpful pad to keep by you computer at all times.

IMPROVE PROGRAMS.



ADVENTURE PLANNER is published with instructions for use, examples, hints and tips on how to play and win the game faster.

ADVENTURE PLANNER is a high quality pad, board-backed and fly-leaf cover . . . economically priced too!

ZX SPECTRUM JOTTER

Pre-planning your screen made easy . . . and precise!

Print 'n' Plotter JOTTERS have become a household word for the Sinclair enthusiast.

Despite various imitations our original ZX SPECTRUM JOTTER is still the one people prefer!

Of course it could be because it is professionally produced . . . the quality is superb.

And the fact that it is BIG SIZE A3 (16½" x 11¾") is a distinct advantage when working in high-resolution.

It's also 100 pages thick. 50 pages of PLOT grids showing each numbered pixel co-ordinate and 50 pages of PRINT grids showing every character and graphic character position and INPUT lines.

Each page also contains 24 UDG planning grids (2400 per pad).

Consider also the fact that it is printed on Artist's Detail paper . . . thick enough to take any writing, drawing or colouring, yet thin enough to overlay onto a drawing and trace-off.

For pre-planning graphics, text, tabulation or anything to produce 'on screen', a Print 'n' Plotter JOTTER won't be beaten.

The complete package comes with a set of coloured pens, a Pixel ruler and a handy corrugated storage tray.

If you use PAINTBOX, SCREEN MACHINE or any other graphics utility . . . you'll do things better with the ORIGINAL Print 'n' Plotter JOTTER!

KEYBOARD OVERLAYS

The simple answer to "Which key?"

Print 'n' Plotter KEYBOARD OVERLAYS for the standard ZX Spectrum keyboard are the economic answer to "Which key does what?"

If you program, or buy commercially-produced software, sooner or later you'll be faced with a mind-boggling mass of keys that perform different functions.

Let's face it, the Spectrum keyboard is complicated enough so why not take the easy way to remember . . .

. . . lay over the keyboard a Print 'n' Plotter OVERLAY and write the function underneath . . . it's child's play!

Print 'n' Plotter KEYBOARD OVERLAYS come in packs of ten. Punched to fit your Spectrum. Priced to suit your pocket!

ZX PRINTER PAPER

High quality. Cheaper Price!

Print 'n' Plotter have gained a good reputation for the most reliable and high quality PRINTER PAPER for your ZX PRINTER.

Now it's even better because we've reduced the price!

So if you want ZX PRINTER PAPER that gives good, clear print . . . and you want it a little cheaper . . . send today for quick delivery!

ORDER NOW OR ASK YOUR LOCAL COMPUTER SHOP!
CREDIT CARD
24hr ANSAPHONE ORDERS
01-660 7231

(Phone 01-403 6644 for Dealer and other enquiries)

Post to: Dept Y10 Print 'n' Plotter Products Ltd 19 Borough High Street, London SE1 9SE Please send me the following:

.....	PAINTBOX SOFTWARE	@ £ 8.25
.....	SCREEN MACHINE	@ £ 8.25
.....	ADVENTURE PLANNER	@ £ 4.50
.....	SPECTRUM JOTTER PADS	@ £ 9.00
.....	KEYBOARD OVERLAYS	@ £ 2.95
.....	5 ROLLS ZX PRINTER PAPER	@ £12.00
.....	10 ROLLS ZX PRINTER PAPER	@ £23.00

☐ Please tick this box for Paintbox Microdrive instructions

All prices include VAT and U.K. postage

Overseas orders add 25% on quoted prices for additional handling

☐ I enclose remittance in full

☐ Please bill my ACCESS/BARCLAYCARD/VISA/ MASTERCARD No:

Name: _____

Address: _____

_____

_____

_____

Print 'n' Plotter Products

YC/12/84

FOX YOUR SPECTRUM

WITH THE

ULTIMATE IN JOYSTICK INTERFACES

"IS VERY CLEVER AND PROVIDES THE EASIEST INTERFACE ON THE MARKET TO USE"

SINCLAIR USER FEBRUARY 1984

- ★ Complete compatability with all programs.
- ★ In-built memory to store up to 16 different keysets at one time.
- ★ Battery back-up so no loss of memory after power off (battery recharged during use so no replacements are required).
- ★ Full casing.
- ★ Full through port for further expansion.
- ★ Proven compatability with the Microdrive.
- ★ Built in pseudo ROM facility with room for personal tool kit.
- ★ Compatible with all Atari type joysticks.
- ★ Compatible with Quickshot II Rapid Fire.
- ★ One switch only for simplicity of use.

ONLY **£28.95**

NO NEED TO REPROGRAM FOR EACH GAME JUST FLICK THE RESET SWITCH AND SELECT A NEW GAME KEYSET FROM THE MENU. IT'S SO SIMPLE, NO TAPES TO LOAD, NO LEADS, IT'S ALL IN ITS MEMORY!!

SPECIAL OFFER

OR BUY THE INTERFACE ABOVE WITH THE

QUICKSHOT I JOYSTICK ONLY £34.95 OR QUICKSHOT II £36.95

SPECTRUM UPGRADES

(ISSUE 2 AND 3)

16K to 48K

THE KIT REVEIWED AS *"THE EASIEST TO FIT"*

SINCLAIR ANNUAL

Full instruction supplied with this simply inserted kit, a high quality kit at a LOW! LOW! price.
(Please state issue 2 or 3 when ordering).

ONLY **£23.00** INCL.

NEW! NEW! NEW! SPECTRUM KEYBOARD

THE CHEETAH 68FX1, AN ALL NEW VERY HIGH QUALITY PRODUCT WITH

- ★ Full size querty keyboard ★
- ★ Numeric pad ★
- ★ Compatible with Microdrive ★
- ★ Accepts Interface 1 and Interface 2 (without modification) ★
- ★ Simple to fit ★
- ★ Sixty eight keys ★

REVIEWED IN WHAT MICRO NOVEMBER. OVERALL RATING 9 OUT OF 10.

A SUPERB NEW KEYBOARD ONLY £59.95 INCLUSIVE

SEND NOW TO:

FOX ELECTRONICS LTD
FOX HOUSE
35 MARTHAM ROAD
HEMSBY
GREAT YARMOUTH
NORFOLK NR29 4NQ
TEL: 0493 732420
24hr Answerphone Service

VISA Access

PLEASE SEND ME
INTERFACE
QUICKSHOT I + INTERFACE
QUICKSHOT II + INTERFACE
UPGRADE
KEYBOARD

Name .....

Address .....

.....

.....

Barclaycard/Access Number

DOWNSWAY

Operates with Turbo-Loaded Programs

NEW!

CBM 64/VIC 20 CASSETTE INTERFACE

SPECTRUM PROGRAMMABLE JOYSTICK INTERFACE

NEW!

THE ULTIMATE in computer hardware

ORIC 1/ATMOS PROGRAMMABLE JOYSTICK INTERFACE

COMMODORE 64 CENTRONICS PRINTER INTERFACE

NEW!

VIC 20 16K SWITCHABLE CARTRIDGE

VIC 20
SPECTRUM
ORIC1/ATMOS
COMMODORE 64

For full details and FREE 'Can of Worms' poster, send a large S.A.E. to:
DOWNSWAY ELECTRONICS (U.K.) LTD., Depot Road, Epsom, Surrey KT17 4RJ
Tel: Epsom (03727) 27222, Tlx: 877837 Merit G. Access/Visa cards welcome.

Now that you've outgrown your toys, graduate–

THOUGHTS & CROSSES

37 MARKET STREET, HECKMONDWIKE, WEST YORKS.

Telephone 0924-402337

Access Visa order 0924-409753

ALL PRICES INCLUDE VAT AND DELIVERY

COMPUTERS

BBC B.....£399
(Free software £50 + Free)
BBC B with DFS.....£469
Electron.....£189
Spectrum 48K.....£125
(Free software worth £57)
Memotech 512.....£275
Commodore 64.....£189
Amstrad (green).....£239
Amstrad (colour).....£349
Apple IIe with Disk Drives 2 & Controller.....£985

PRINTERS

Canon PW1080A NLQ.....£305
Canon PW1080A NLQ + QL RS232 Interface.....£350
Canon PW1156A NLQ.....£380
Canon RS232 Interface.....£80
Epson RX80.....£269
Epson RX80FT.....£299
Epson FX80.....£389
Epson FX100.....£520
Brother HR5.....£155
Brother EP44.....£235
Juki 6100.....£375
NEC PC8023.....£210
Shinwa CP80 Serial.....£215
Shinwa CPA80 RS232.....£235
Shinwa RS232 + 2K buffer.....£54
Commodore 1520 p/p.....£95
Commodore MPS801.....£210
Alphacom 32.....£69
MCP 40.....£119
Riteman A1.....£249
Riteman RS232 Interface.....£39
Epson RS232 Interface.....£29
Epson RS232 with 2K buffer£65

DISK DRIVES

Sinclair Microdrive.....£45
Sinclair Interface 1.....£45

Pace or Cumana

All with separate PS
100K S/S 40T.....£149
200K D/S 40T.....£173
400K D/S 40T.....£215

Double Drives

200K S/S 40T.....£295
400K D/S 40T.....£329
800K D/S 80T.....£417
800K D/S 40/80T.....£478
3" 200K D/S.....£125
Commodore 154210
Torch Disk Pack with free software.....£800
Memotech Single inc free software.....£410
Memotech Double inc free software.....£800
6502 2nd processor.....£195
Z80 2nd processor inc free software.....£295

Wabash or 3M Disks

5¼" or 8"
S/S S/D 40 track.....£17
D/S S/D 40 track.....£20
D/S D/D 40 track.....£22
D/S D/D 80 track.....£28
3" Maxwell.....£4.50
3½" Hewlett Packard.....£4.50
Further discounts for quantity.
50+ 10% discount.
100+ 15% discount.

MONITORS

Microvitec 1431MS (std).....£199
Microvitec 1451MS (med).....£290
Microvitec 2031 20".....£299
Microvitec 1451MZ.....£245
Microvitec QL (med).....£275
Philips 80 Green 20MHZ.....£78
Commodore 1701.....£210
Fidelity.....£210

JOYSTICKS & INTERFACES

Quickshot II.....£11
Sure Shot.....£15
Stak: BBC Dragon, Spectrum or Commodore
Pro Ace.....£9
Zip Stick.....£12
Kempston 5000.....£11.50
Cambrdige Joystick.....£29
+ interface and program
Kempston Interface.....£11.50
DK Tronics Programmable....£22
DK Tronics Dual Part.....£12
Shure Shot Interface.....£20
First Byte Interface.....£24

BBC

Electron Plus 1.....£65
The Key (disk).....£11.50
Replica 2 (disk).....£10.50
Replica 2 (3" disk).....£13
Grafkey.....£8
Grafdisk.....£11.50
Beta-Base (disk).....£22
Beta-Base (3" disk).....£22
Wordwise.....£40
Disk Doctor.....£30
Gremlin.....£30
Caretaker.....£32
B.C.P.L.....£95
Acorn Speech Rom.....£54
View.....£65

P.V.C. COVERS

BBC.....£3.99
Microvitec 14".....£4.80
Acorn Electron.....£2.99
BBC Cassette Rec.....£2.90
Spectrum.....£1.99
VIC 20/64.....£2.99
Epson FX80.....£4.80
Epson RX80.....£4.30
Apple.....£4.50
Apple + Monitor.....£5.75
Seikosha 80.....£3.50
Seikosha 100.....£3.75

RIBBONS

Epson MX/FX/RX80.....£6
Epson MX/FX100.....£15
Seikosha GP.....£4.50
Microline.....£2.30
Anodex.....£12.50
MPS801.....£6.50
NEC 8023.....£7
Canon PW1080.....£11
Canon PW1156.....£11
Epson 100 Refill.....£3.30

LEADS

BBC to Parallel Printer.....£10
BBC to Serial Printer.....£10
Memotech Printer Lead.....£10
Dragon to Parallel Printer£13.50
Commodore to Parallel Printer.....£13.50
Oric to Parallel Printer.....£13.50
Pet to Parallel Printer.....£13.50
Atari to Parallel Printer.....£13.50
7pin DIN to DIN & jack.....£2.40
7pin DIN to 3 jacks.....£2.40
5pin DIN to 5pin DIN & jack.....£2.40
5pin DIN to 3 jacks.....£2.40
Sinclair 48K cassette lead.£1.80
RGB monitor (6pin DIN).....£3.20
The Plug suppressor and RFI filter.....£16
Spectrum on/off switch.....£3.99

SPECTRUM

Spectrum Amplifier.....£10
Light Pen.....£18
Keyboard.....£45
Microdrive Car.....£4.50

COMMODORE 64

Title	Company	RRP	Our price
Kryssta of Zorg	PSS	7.95	7.15
Nikolchyps	PSS	7.95	7.15
China Miner	Interceptor	7.00	6.30
Heroes of Karn	Interceptor	7.00	6.30
Tokan of Ghall	Interceptor	7.00	6.30
Aquanaut	Interceptor	7.00	6.30
International soccer	Commodore	9.95	8.95
Blagger	Alligata	7.95	7.15
Dambat in Dizyssa	Alligata	7.95	7.15
Aztec Tomb	Alligata	7.95	7.15
Voodoo Castle	Adventura	9.95	8.95
The Pyramid	Fantasy	6.50	5.85
Super Dogfight	Terminal	7.95	7.15
Revenge Mutant Camels	Llama	7.50	6.75
Attack Mutant Camels	Llama	7.50	6.75
Lasar Zone	Llama	7.50	6.75
Purple Turtles	Quicksilver	7.95	7.15
Boogy Boo	Quicksilver	7.95	7.15
Aquaplane	Quicksilver	7.95	7.15
3D Time Trek	Anirog	7.95	7.15
Indian Attack	Anirog	6.90	6.20
Zodiac	Anirog	7.95	7.15
Galaxy	Anirog	7.95	7.15
Cosmic Commando	Anirog	6.90	6.20
Hexpert	Anirog	7.95	7.15
Moon Buggy	Anirog	7.95	7.15
Flight Path 737	Anirog	7.95	7.15
Kong	Anirog	7.95	7.15
Hunchback	Ocean	6.90	6.20
Chinese Juggler	Ocean	6.90	6.20
Mazlace	DKT	6.95	6.25
Cosmic Convoy	Taskset	6.90	6.20
Super Pipeline	Taskset	6.90	6.20
Gyropod	Taskset	6.90	6.20
Forbidden Forest	Cosmi	8.95	8.00
Fire Ant	Mogul	7.95	7.15
Transylvanian Tower	Shepherd	6.50	5.85
Ship of the Line	Shepherd	6.50	5.85
Hustler	Bubblebus	6.99	6.30
Widows Revenge	Bubblebus	5.99	5.35
Exterminator	Bubblebus	5.99	5.35
Bumping Buggies	Bubblebus	6.99	6.30
Kick off	Bubblebus	6.99	6.30
3D Speed Duel	DKT	6.95	6.25
Johnny Reb	Lothlorien	6.95	6.25
Twin Kingdom Valley	Bugbyte	7.50	6.75
Quasar	Voyager	5.99	5.35
Attair 4	Voyager	5.99	5.35
Cosmic Cruiser	Imagine	6.50	4.95
Pedro	Imagine	5.50	4.95
Arcadia	Imagine	5.50	4.95
Armaggedon	Ocean	6.90	6.20
Rollerball	Ocean	6.90	6.20
Scuba Dive	Durrell	6.95	6.25
Megahawk	Big G	6.95	6.25
Fab Wanda	Games	7.95	7.15
Pilot 64	Abbex	7.50	6.75
Manic Miner	S/Proj	7.95	7.15
Horace goes Skiing	Mikrouse	5.95	5.35
Zyclopin	Big G	6.95	6.25
Attac Challenge	Cosmu	8.95	8.00
Megawarz	Paramount	7.50	6.75
Brands	Alligata	7.95	7.15
Mr Wimpy	Ocean	6.90	6.20
Omega Run	CRL	7.95	7.15
Derby Day	CRL	7.95	7.15
Grandmaster	Audiogenic	17.95	16.00
Clowns	Commodore	9.99	8.99
Jupiter Landing	Commodore	9.99	8.99
Lazerian	Commodore	9.99	8.99
Sea Wolf	Commodore	9.99	8.99
Omega Race	Commodore	9.99	8.99
Le Mans	Commodore	9.99	8.99
Pinball Spectacular	Commodore	9.99	8.99
The Hobbit	MIHouse	14.95	13.00
Word Power	Sulsio	9.95	8.95
First Steps	Mirrorsoft	8.95	8.00
Ultisworth 64	Quicksilver	14.95	13.00
Colossus Chess	CDS	9.95	8.95
Adventure Quest	Level 9	9.90	8.90
Colossal Adventure	Level 9	9.90	8.90
Lords of Time	Level 9	9.90	8.90
Dungeon Adventure	Level 9	9.90	8.90
Snowball	Level 9	9.90	8.90
Space Pilot	Aming	7.95	7.15
Physics	Ivan Berg	9.99	8.99
English Language	Ivan Berg	9.99	8.99
Biology	Ivan Berg	9.99	8.99
History 20th cent.	Ivan Berg	9.99	8.99
Maths I	Ivan Berg	9.99	8.99
Maths II	Ivan Berg	9.99	8.99
Geography	Ivan Berg	9.99	8.99
Chemistry	Ivan Berg	9.99	8.99
High Flyers	Commodore	11.95	10.75
Tank Atak	Supersoft	8.95	8.00
Crazy Kong	Supersoft	7.95	7.15
3D Gloopar	Supersoft	8.95	8.00
Skis	Supersoft	9.95	8.00
Metrobitz	PSS	7.95	7.15
Dictator 64	DKT	6.95	5.35
Dinky Doo	S/W Proj	7.95	7.15
Valhalla	Mowisoft	14.95	13.00
Splat	Incentive	6.50	5.85
Simons Basic	Commodore	50.00	45.00
Easy Calc	Commodore	75.00	67.50
Easy File	Commodore	50.00	45.00
Practicalc	CSA	39.95	32.00
Practifile	CSA	39.95	32.00
Transact	Dialogue	30.00	25.00
Invoifax	Dialogue	30.00	25.00
DFM Database	Dialogue	24.00	20.00
Son of Blagger	Alligta	7.95	7.15
Bathtime	PSS	7.95	7.15
Egbert	Games wlc	7.95	7.15
Outback	Paramount	7.50	6.75
Star Trooper	MIHouse	7.95	7.15
Slinky	Cosmi	8.95	8.00
Beach Head	Access	9.95	8.95
Arabian Nights	Interceptor	6.95	6.25
Space Pilot	Anirog	7.95	7.15
Sheep in Space	Llamsoft	7.50	6.75
The Boss	Peaksoft	8.95	8.00
Quest for Quintana Roo	Sunrise	8.95	8.00
Roderverture	Sunrise	8.95	8.00
Caesar the Cat	Mirrorsoft	8.95	8.00
Solo Flight	Microprise	14.95	13.00
Who Dares Wins	DKT	6.95	6.25
Loco	Alligata	7.95	7.15
Zodiac	Interceptor	7.00	6.30
Hulk	Adv Int.	9.95	8.95
Acos +	Mirhouse	8.95	8.00
House of Usher	Anirog	7.95	7.15
World Wizard	Bubblebus	7.00	6.30
Gilligans Gold	Ocean	6.90	6.20
Trashman	New Gen	7.95	7.15
Road Roller	Knight	7.95	7.15
Scope	DJH	17.95	16.00
The Quill	Gilsoft	14.95	13.00
Quickle Egg	A & F	7.95	7.15
Splat	Incentive	6.50	5.85
Star Trooper	MIHouse	8.95	8.25
Oracles Cave	Doric	7.95	7.15
Machine Code Tutor	New Gen	14.95	13.00
Strip Poker	US Gold	9.95	8.95
Mypic Mansion	US Gold	8.95	8.00
Monty Mole	Gremlin	7.95	7.15
Evil Dead		6.99	6.30
Beam Rider	Activision	9.99	8.99
Pitfall	Activision	9.99	8.99
Decathlon	Activision	9.99	8.99
Hero	Activision	9.99	8.99
Potty Pigeon	Gremlin	7.95	7.15
Android 2	Vortex	6.90	6.20
Fred	Gisilver	7.95	7.15
Traffic	Gisilver	7.95	7.15
Mission I	Project Vol	8.95	8.00
Football manager	Addictive	7.95	7.15
Flip Flop	Statesoft	8.95	8.00
Astro Chase	Statesoft	8.95	8.00
Micro Olympics	Database	5.95	5.35
Jeepers Creepers	Softek	5.95	5.35
Revelation	Softek	5.95	5.35
Pitfall	Activision	9.95	8.95
Pitfall II	Activision	9.95	8.95
River Raid	Activision	9.95	8.95
Toy Bizarre	Activision	9.95	8.95
Zenji	Activision	9.95	8.95
The Sorcerer of Claymore Castle	Ad. Int'national	9.95	8.95
Charbuster	Alligata	9.95	8.95
Rocket Rodger	Alligata	7.95	7.15
PO Puzz	Aming	7.95	7.15
Las Vegas	Anirog	7.95	7.15
Gumshoe	A & F	7.95	7.15
Ankh	Beyond	8.95	8.05
Aztec	Beyond	8.95	8.05
Mr Robot	Beyond	8.95	8.05
Peyton	Beyond	8.95	8.05
Java Jim	Creative Sparks	7.95	7.15
Wing Commander	Creative Sparks	7.95	7.15
Harold	Dynavision	9.95	8.95
Bible	Elite	6.95	6.25
Booty	Firebird	7.95	7.15
Return to Eden	Level 9	9.90	8.90
Erik The Viking	Level 9	9.95	8.95
Turbo Racer	Limbic	7.95	7.15
Archipelas	Lismasoft	7.50	6.75
Zim Zala Bim	Melbourne		
Jinn Genie	House	9.95	8.95
American Football	Micromega	6.95	6.25
Games Creator	Mind Games	9.99	9.99
Cliff Hanger	Mirrorsoft	12.95	11.65
Stunt Bike	New Generation	0.00	0.00
Daly Thompson's Decathlon	Ocean	6.90	6.20
High Noon	Ocean	7.90	7.10
Jonny & The Jimpys	Ocean	6.90	6.20
Battle for Midway	PSS	9.95	8.95
Magic Micro Mission	Quicksilva	7.95	7.15
Summer Games	Quicksilva	14.95	13.50
Steel Rat			
Saves the World	Shards	9.95	8.95
Death Star Interceptor	System 3	9.95	8.95
Archipelago	Talent	7.95	7.15
Kalah	Talent	7.95	7.15
West	Talent	9.95	8.95
Panorama	Talent	17.95	16.00
Lazy Jones	Terminal	7.95	7.15
Gyo Vadis	The Edge	9.95	8.95
Fire Quest	The Edge	9.95	8.95
NATO Commander	US Gold	9.95	8.95
Snooke	US Gold	9.95	8.95
Zaxxon	US Gold	9.95	8.95
Fort Apocalypse	US Gold	9.95	8.95
Dnet 5	US Gold	9.95	8.95
Spitfire Ace	US Gold	9.95	8.95
Flak	US Gold	9.95	8.95
Bruce Lee	US Gold	9.95	8.95
Beach Head	US Gold	9.95	8.95
Falcon Patrol 2	Virgin Games	7.95	7.15

SPECTRUM

Title	Company	RRP	Our price
Aquaplane	Gisilver	6.95	6.25
3 D Ant Attack	Gisilver	6.95	6.25
The Snowman	Gisilver	6.95	6.25
Fred	Gisilver	6.95	6.25
Games Designer	Gisilver	14.95	13.00
Chess II	Artic	9.95	8.95
Invaders	Artic	4.95	4.50
Golden Apple	Artic	6.95	6.25
Chess Tutor	Artic	6.95	6.25
Forth	Artic	14.95	12.00
Bear Bower	Artic	6.95	6.25
Mr Wong's Laundry	Artic	6.95	6.25
Snooker	Artic	5.95	5.35
World Cup Soccer	Artic	6.95	6.25
Halls of Things	Crystal	7.50	6.75
Rommels Revenge	Crystal	6.50	5.85
Invasion of Body	Crystal	6.50	5.85
Dungeon Master	Crystal	7.50	6.75
Collectors Pack	Dimslair	6.95	6.25
Vu File	Psion	9.95	8.00
Vu Calc	Psion	9.95	8.00
Vu 3D	Psion	9.95	8.95
Backgammon	Psion	9.95	8.95
Club Record Cont	ICL	9.95	9.25
Flight Simulation	Psion	7.95	7.15
Small Bus a/c	Sinclair	12.95	11.90
Cyrus IS Chess	I.S.	9.95	8.95
Scrabble	Sinclair	15.95	14.00
Chequered Flag	Psion	6.95	6.25
Horace goes skiing	Psion	5.95	5.35
Learn to Read	S/MacMillan	9.95	8.95
Learn to Read 3	S/MacMillan	9.95	8.95
Learn to Read 3	S/MacMillan	9.95	8.95
Learn to Read 4	S/MacMillan	9.95	8.95
Learn to Read 5	S/MacMillan	9.95	8.95
Cargo	S/MacMillan	9.95	8.95
Glider	S/MacMillan	9.95	8.95
Survival	S/MacMillan	9.95	8.95
Early Punctuation	Sinclair	7.95	7.15
Speech Marks	Sinclair	7.95	7.15
The Apostrophe	Sinclair	7.95	7.15
Capital Letters	Sinclair	7.95	7.15
Alphabet Games	Sinclair	7.95	7.15
Castle Spellerous	Sinclair	7.95	7.15
Micro Prolog	Sinclair	24.95	22.00
Jet Pac	Ultimate	5.50	4.95
Lunar Jetman	Ultimate	5.50	4.95
Atic Atac	Ultimate	5.50	4.95
Travis Am	Ultimate	5.50	4.95
Sabre Wolf	Ultimate	9.95	8.95
Pionners	Imagine	5.50	4.95
Pedro	Imagine	5.50	4.50
Jumping Jack	Imagine	5.50	4.95
Alchemist	Imagine	5.50	4.95
Cosmic Cruiser	Imagine	5.50	4.95
Birds & Bees	Bug Byte	5.95	5.35
Mr Wimpy	Ocean	5.90	5.30
Eskimo Eddie	Ocean	5.90	5.30
Royal Birkdale	Ocean	5.90	5.30
Digger Dan	Ocean	5.90	5.30
Pogo	Ocean	5.90	5.30
Hunchback	Ocean	5.90	5.30
Moon Alert	Ocean	5.90	5.30
Kong	Ocean	5.90	5.30
Cavalon	Ocean	5.90	5.30
Chinese Juggler	Ocean	5.90	5.30
Fighter Pilot	Digital	7.95	7.15
Night Gunner	Digital	6.95	6.25
3D Death Chase	Digital	6.95	6.25
Code name Mat	Micromega	6.95	6.25
Haunted Hedges	Micromega	6.95	6.25
Spyder	Incentive	5.50	4.95
Mountains of Ket	Incentive	5.50	4.95
1984	Incentive	5.50	4.95
Millionaire	Incentive	5.50	4.95
Temple of Vran	Incentive	5.50	4.95
Meteoroids	DKT	4.95	4.50
Dictator	DKT	4.95	4.50
Mazlacs	DKT	6.95	6.25
Speed Duel	DKT	6.95	6.25
Jet Set Willy	S/Proj	5.95	5.35
Tribble Trouble	S/Proj	5.95	5.35
Manic Miner	S/Proj	5.95	5.35
The Pyramid	Fantasy	5.50	4.95
Doomsday Castle	Fantasy	5.50	4.95
Beauty & Egg Snatch	Fantasy	5.50	4.95
Classic Adventure	MIHouse	6.95	6.25
4D Tanor Dektil	MIHouse	6.95	6.25
Mugsy	MIHouse	6.95	6.25
Adersoft Forth	MIHouse	14.95	13.00
Melbourne Draw	MIHouse	6.95	6.00
Hurg	MIHouse	14.95	13.00
Hobbit	MIHouse	14.95	13.00
Blade Alley	P.S.S.	5.95	5.35
M. Coder II	P.S.S.	9.95	8.95
Electro Storm	P.S.S.	5.95	5.35
Las Flics	P.S.S.	6.95	6.25
3D Seiddb Attack	Hewson	5.95	5.35
Heathrow	Hewson	7.95	7.15
Nightflite II	Hewson	7.95	6.95
3D Lunar Attack	Hewson	7.95	7.15
Fantasia Diamond	Hewson	7.95	7.15
3D Space Ware	Hewson	5.95	5.35
Superalgy	Shepherd	6.50	5.85
Ship of the Line	Shepherd	6.50	5.85
Invincible Island	Shepherd	6.50	5.85
Urban Upstart	Shepherd	6.50	5.85
Transylvanian Tower	Shepherd	6.50	5.85
Ugh	Softek	5.95	5.35
Confrontation	Lothlorien	7.95	7.15
Special Operations	Lothlorien	5.95	5.35
Johnny Reb	Lothlorien	6.50	5.85
Paras	Lothlorien	6.95	6.25
Micro Mouse	Lothlorien	5.95	4.95
Tyrant of Athena	Lothlorien	6.50	4.95
Dreadnoughts	Lothlorien	6.95	6.95
Olympics	CRL	5.95	5.35
Derby Day	CRL	5.95	5.35
Omega Run	CRL	5.95	5.35
Stargazer Secrets	CRL	5.95	5.35
Fifth	CRL	5.95	5.35
Great Detective	CRL	5.95	5.35
Scuba Dive	Durrell	5.95	5.35
Jungle Trouble	Durrell	5.95	5.35
Harrier Attack	Durrell	6.95	6.25
Skool	Gilsoft	6.95	6.25
Blue Thunder	R Wilcox	5.95	5.35
Android Two	Vortex	5.95	5.35
T.L.L.	Vortex	5.95	5.35
Superchess 3	C.P.	9.95	8.00
Wheelie	Microsphere	5.95	5.35
Train Game	Microsphere	5.95	5.35
Countabout	Longman	7.90	7.10
3D Tunnel	New Gen	5.95	5.35
Trashman	New Gen	5.95	5.35
Jack & Beanstalk	Thor	5.95	5.35
Football Manager	Addictive	6.95	6.25
Krakatoa	Abbex	6.95	5.95
Chuckie Egg	A & F	6.90	6.25
Oracles Cave	Doric	7.95	7.15
The Forest	Phipps	9.95	8.95
Snooker	Visions	8.95	8.00
Taswide	Tasman	5.50	4.95
Tasword 2	Tasman	13.90	12.50
Hunter Killer	Protek	7.95	7.15
Airliner	Protek	5.95	5.35
Spectrum Monitor	Picturesque	7.50	6.75
Ed Assembler	Picturesque	8.50	7.65
HiSoft Pascal	HiSoft	25.00	22.00
Dev Pack 3	HiSoft	14.00	12.50
Valhalla	Legend	14.95	13.00
Snowball	Level 9	9.90	8.90
Dungeon Adventure	Level 9	9.90	8.90
Colossal Adventure	Level 9	9.90	8.90
Adventure Quest	Level 9	9.90	8.90
Lords of Time	Level 9	9.90	8.90
1st Steps Mr Men	Mirrorsoft	8.95	8.00
Psytrap	Beyond	7.95	7.15
Lords of Midnight	Beyond	9.95	8.95
Word Spell	Griffin	9.95	8.95
DFM Database	Dialogue	14.95	13.00
The Quill	Gilsoft	14.95	13.00
Megadodo	Megadodo	5.50	4.95
Hewzat	Wyvern	5.50	4.95
As Astra	Gargoyle	5.95	5.35
Idol	Idol	9.95	8.95
Olympics 84 is a Database	Storm	14.95	13.00
Palmbox	P. Plotter	8.25	7.40
Screen Machine	P. Plotter	8.25	7.40
Quest of Holy Grail	Dream	5.95	5.35
Dungeon Builder	Dream	9.95	8.95
Incredible Hulk	Adventure	9.95	8.95
Pinball Wizard	CP	5.95	5.35
Bridge Player	CP	8.95	8.00
Inferno	Shepherd	6.50	5.85
War of Worlds	CRL	7.95	7.15
Privateer	Lothlorien	4.50	4.05
Antics	Bug Byte	6.95	6.25
Worse Things/Sea	Silversoft	5.95	5.35
Micro Olympics	DB	5.95	5.35
Match Point	Sinclair	7.95	7.15
Odessey of Hope	Martech	5.95	5.35
Factory Breakout	Pinpoint	5.50	4.95
Death Chess 5000	Artic	6.95	6.25
Spanish Tutor A	Koomes	9.95	8.95
Spanish Tutor B	Koomes	9.95	8.95
Full Throttle	Micromega	6.95	6.25
M/loC Code Tutor	New Gen	14.95	13.00
Air Traffic Control	Microgen	9.95	8.95
City of Chdollah	Goldstar	9.95	8.95
Omnicalc 2	Microsphere	14.95	13.00
Gatecrasher	Quicksilver	8.95	6.25
Stop the Express	Sinclair	6.95	6.25
Enduro	Activision	9.95	8.95
Zenji	Activision	9.95	8.95
H.E.R.O.	Activision	9.95	8.95
River Raid	Activision	9.95	8.95
Masterfile	Campbell		
Book Buster	Compusound	5.95	5.35
Stagecoach	Creative Sparks	6.95	6.25
Blizzard Pass	Creative Sparks	6.95	6.25
Delta Wing	Creative Sparks	6.95	6.25
Great Detective	CRL	5.95	5.35
Bank Stec	Design	0.00	0.00
Quest of the Holy Grail	Dream	5.95	5.35
Dungeon Builder	Dream	9.95	8.95
Kokotoni Will	Elite	5.95	5.35
Avalon	Hewson Con.	7.95	7.15
Ultrakit	Hisoft	9.45	8.95
Hamstead	Melbourne H.	9.95	8.95
Sherlock	Melbourne H.	14.95	13.50
Kentilla	Micromega	6.95	6.25
Braxx Bluff	Micromega	6.95	6.25
Pyjamarama	Mikro-Gen	6.95	6.25
Auto Mania	Mikro-Gen	6.95	6.25
American Football	Mind Games	9.99	8.99
Quick Thinking	Mirrorsoft	6.95	6.25
Gilligans Gold	Ocean	5.90	5.35
Zombie Zombie	Quicksilva	6.95	6.25
Mega Fruit	Thor	5.95	5.35
Underwride	Ultimate	9.95	8.95
Knight Lore	Ultimate	9.95	8.95
Kung Fu	Bug Byte	6.95	6.25
Tornado	Bug Byte	5.95	5.35
Tir Na Nog	Gargoyle	9.95	8.95
Steve Davis Snooker	CDS	7.95	7.15
Astro Nut	Software Proj.	5.95	5.35
Erik The Viking	Mosaic	9.95	8.95
Jasper	Micromega	6.95	6.25
Eddie Kidds Jump	Martech	6.95	6.25
Combat Lynx	Martech	8.95	8.95
Travel with Trashman	New Gen.	5.95	5.35
Danger Mouse Double Trouble	Creative	6.95	6.25
Danger Mouse Black Forest	Creative	6.95	6.25
Ghost Busters	Activision	0.00	0.00

NEW

White Lightening	Oasis	14.95	13.00
Beta Basic 1.8	Beta	11.50	9.50
Red Riding Hood	Arrow	9.95	8.95
Enormous Turnip	Arrow	9.95	8.95
The Magic Shop	Arrow	9.95	8.95
Mr Mac's Day	Arrow	9.95	8.95
Nine Current Buns	Arrow	9.95	8.95
Five Little Ducks	Arrow	9.95	8.95
Goldilocks	Arrow	9.95	8.95
Supercode II	CP	9.95	8.95
Extended Basic	CP	9.95	8.95
Zeus Assembler	Sinclair	12.95	11.50
Mustasm	Sinclair	9.95	8.95
Test Match	CRL	5.95	5.35
3D Tank Duel	Realtime	5.95	5.35
Mugsy	MIhouse	6.95	6.25
Spec Mac Man	Oasis	14.95	13.00
Daley Thompsons Dec	Ocean	6.90	6.20
Project Volcano	Mission	7.95	7.15
Mind Games	Oasis	14.95	13.00
The Snowman	Arcade	5.95	5.35
3D Tank Duel	Realtime	5.95	5.35
Star Trader	Bug Byte	6.95	6.25
Driller Tanks	Sinclair	5.95	5.35
Black Tower	Dollarsoft	6.49	5.83
Monty Mole	Gremlin	5.95	5.35
Giants Revenge	Thor	5.95	5.35
Olympicon		5.95	5.35
Eye of Bain	Artic	6.95	6.25
Frank 'n Stein	PSS	5.95	5.35

Range of programs available for MTX, BBC, Electron and Amstrad

Please order stating (1) Programs required; (2) Computer; (3) Amount enclosed; (4) Name & Address.

All prices include, packing & VAT. Overseas orders welcome.

SINCLAIR
ORIC, COMMODORE
ACORN, MEMOTECH, ETC

MICRO-X PORT

We export Microcomputers and Peripherals to all Countries Any make. Any Quantities BIG DISCOUNTS

send for comprehensive price list to:

Dept L
MICRO-X LTD
765-767 HARROW ROAD, LONDON NW10 5NY
TELEPHONE 01-968 6622 TELEX 915866 MICROX G.

build your own PC computer.



DELVEX PC board **£99.95** + VAT, (inc. full techhical manuals)

Manuals only £10.00 (refundable against purchase of a Delvex PC board)

Are you frustrated with the limitations of your machine? Would you like a computer that has more options available than any other micro in the world?

Are you ready for some real computing?

Then graduate to an IBM PC compatible!

"But a PC costs thousands – how can I possibly afford to graduate?"

Simple, Delvex provides the answer:

"YOU BUILD IT YOURSELF"

Order before Christmas and **SAVE £20** Special Introductory Offer **£79-95 +VAT**

The Delvex PC board allows anyone to build his own IBM-compatible micro in easy stages. Assemble it from our high quality, double sided printed circuit board, and expand it at your own leisure. For instance, you can add up to 1Mb RAM, add a floppy disk, colour monitor or even a 10Mb Hard disk. The choice is yours, and the options are endless.

GRADUATE NOW! and take advantage of our special Christmas offer.

P.S. Our Christmas present to you. Vouchers worth £100! When we get your Christmas order we will send you Vouchers worth £100 redeemable against future purchases of Delvex P.C. components.

To: Delvex Ltd., Pipers Road, Park Farms Ind. Estate, Redditch Worcs.

Please supply: Qty.
☐ Manuals only
☐ PC Board & Manuals
☐ Special Xmas Offer (PC Board & Manuals)

Price each
£11.50 (£10+£1.50 VAT)
£114.94 (£99.95 +£14.99 VAT)
£91.94 (£79.95 + £11.99 VAT)

I enclose cheque for £

Name

Address

YC1

Cheques & P.O.'s to be made payable to Delvex Ltd.

DELVEX

Delvex Limited Pipers Road, Park Farm Industrial Estate, Redditch, Worcestershire. Telephone: Redditch (0527) 27816

IBM is a Registered Trade Mark of International Business Machines.
Delvex Ltd. reserve the right to alter specifications without prior notice.

Amazing how played out some thing

s become.

Will you think the same of your micro in 6 months' time?

Remember the days when every record player was gifted with a needle instead of a stylus. 45's were "in," 78's were "out."

Before the days of hi-fi and laser discs. When a graphic equaliser was a breakthrough on the football pitch instead of in music technology.

Look at a record player now and it's a museum piece.

It's like that with micros too. The machine you thought would give endless hours of fun and interest often becomes a five minute wonder. Played out within months. Or so you thought.

But imagine communicating with other micro users on a nationwide mainframe system. Updating yourself daily with the very latest computer news and reviews. Paging a special Bulletin Board. Feasting from ™Prestel's vast menu. Even downloading a choice of software *absolutely free.*

In fact, imagine 30,000 pages at your fingertips and you've imagined what it's like to be on line with the Micronet 800 system.

For Just £13 a quarter (and, for most of you, a local telephone call whenever you want to connect up) you could subscribe to the Micronet system.

The only extra you need to connect up is a modem unit. Which is a small enough outlay for what it buys.

Micronet's features are almost limitless and constantly updating so why not see it in action at John Lewis stores, selected W. H. Smith shops and Spectrum UK dealers.

Or fill in the coupon for our brochure.

You'll find you won't want to play on anything else.

Please send me the full facts about Micronet 800.

Name _____

Make/Model of Micro _____

Address _____

_____

_____

Telephone _____

MICRONET 800, Durrant House, 8 Herbal Hill, London EC1R 5EJ. Telephone 01-278 3143. YC/12/84

MICRONET 800, Durrant House, 8 Herbal Hill, London EC1R 5EJ. Telephone 01-278 3143.

™Prestel and the Prestel symbol are trademarks of British Telecommunications.

Making the most of your micro.

FEATURES				
4 "SOUND" VOICES				✧
MAX 256 COLOURS ON SCREEN AT ONE TIME				✧
DIAGNOSTIC "SELF TEST"				✧
CASSETTE "SOUND TRACK" CAPABILITIES				✧
64K RAM			✧	✧
PROGRAMMABLE JOY STICK PORTS			✧	✧
SPRITES			✧	✧
CARTRIDGE SLOT			✧	✧
MONITOR SOCKET		✧	✧	✧
BUILT-IN "BASIC"	✧	✧	✧	✧
COMMUNICATIONS CAPABILITIES	✧	✧	✧	✧
REAL KEYBOARD	✧	✧	✧	✧
	SINCLAIR SPECTRUM PLUS	ACORN ELECTRON	COMMODORE 64	ATARI 800XL



AT £169, LOOK HOW THE ATARI 800XL COCKS A SNOOK AT THE COMPETITION.

AT LAST, SERIOUS HOME COMPUTERS ARE UP AGAINST SERIOUS COMPETITION. THE ATARI 800XL OFFERS EVERYTHING COMPETITORS IN OUR PRICE RANGE OFFER. AND, AS YOU CAN SEE ON THE LEFT, A GREAT DEAL MORE. PLUS SOFTWARE PRICES THAT START AT LESS THAN £10.

ATARI 800XL

FOR FURTHER DETAILS CONTACT YOUR NEAREST ATARI DEALER: ARGOS, BOOTS, CARREFOUR, CO-OP, CURRYS, DIXONS, GRANADA, LASKYS, LEWIS'S, LITTLEWOODS, MAKRO, RUMBELOWS, SILICA SHOP, SPECTRUM, VALLANCES, WIGFALLS, WOOLWORTHS AND ALL OTHER COMPUTER SHOPS.

Don't blame the equipment- it's most likely the mains!

In a perfect world, with a perfect power supply you'd have a right to expect perfect results from your computer, word processor, VDU or other electronically controlled equipment. Sadly, this is not always the case, due to mains borne interference. Even a dedicated line is only a partial solution because interference is generated by other equipment being used around you, typewriters, copiers, fluorescent lights and even the office 'fridge.

Galatrek do have an answer —



Apricot Sirius 1
Registered Products

the Ferro-Resonant Line Conditioner.

Simply plug it into the mains and your unit into the socket provided. Spikes, transients and other mains borne interference are now trapped in its circuits and voltage surges or dips are also catered for, as the output is highly stabilised. It also protects itself and the equipment against overload and gives system isolation. If you specify when ordering, it can be used as a step down or step up voltage supply.

You've nearly arrived at your perfect world — for as little as £145 + VAT.

The Galatrek Filter Plug, whilst only rated to carry 2 amperes of current, is designed to protect micros, minis and word processors from interference and surges. The transverse and common mode attenuation circuits are very effective for these low powered units. Easily fitted, it simply replaces your existing 3 pin plug.

Price £19.95+ VAT.

Send for details or cash with order.

Master Distributor and Dealer applications invited.

GALATREK INTERNATIONAL

Galatrek International Ltd.
Scotland Street, Llanrwst, Gwynedd, LL26 0AL, North Wales.
Telephone: Llanrwst (0492) 640311 Telex: 617114 A/B GALAHU

YC/12/84

Ring for sample Printout, Full Spec and latest Price

PRINTER BARGAINS

STAR DP 8480 (RS232) 197 ... £187.00 INC VAT
STAR GEMINI 10X ..... £235.00 INC VAT
STAR GEMINI 15X ..... £380.00 INC VAT
STAR DELTA 10 ..... £358.00 INC VAT
JUKI 6100 ..... £380.00 INC VAT
CANON PW1080A ..... £320.00 INC VAT
Securicor delivery £8.00

CJE Micros BBC Printer Packs for Star, Canon & Juki Printers.
Include 1. the Printer. 2. Delivery by Securicor.
3. Cable to the BBC 1-3 Meters.
4. Screen Dump Program (M/C Source).
5. Text Dump Program.
6. Function Key Set Up Program, for use with word wise.
7. Function Key Label Printing Program for use with above.
8. View Printer Driver.
9. 100 Sheets of Paper.
10. A Mains Plug with a 3 amp plug.
11. Booklet giving details of using the Printer with a BBC.

PRINTER PACK PRICE .....Printer Price + £20.00

CJE Printer Packs for other Micros include — Printer Cable, Paper, Mains Plug & Delivery.

BBC Model B.....£399.00
BBC Model B + DI £469.00
ELECTRON.....£199.00

Phone Credit card orders welcome

CJE MICROCOMPUTERS
Dept YC, 78 Brighton Rd, Worthing, West Sussex.
(0903) 213900

SUBSCRIBE TO BRITISH & AMERICAN

Computer magazines. Reach each month up-to-date information, New Products, Programming and understand more about computers.

BRITISH Magazines: Computer Answers-Input-Micro Decision-Personal Computer World-Personal Computer Games-Radio Electronics World-Sinclair Programmes-Sinclair Users-Your Computer-What Micro-Etc.

AMERICAN Magazines: Byte-Compute-Computers & Electronics-Creative Computing-Micro Computer-Micro Systems-Popular Computing-Small Business Computers-VIDEO Magazine, Etc.

Also NEW Books from all Publishers.

Service to all countries throughout the world.

Please write for prices.

Computer Magazines and Books
Haulsterm Ltd. 500 Chesham House, 150 Regent Street, London W1
Tel 01-778 8746 01-439 6288

For home or business the IBM compatible

Advance 86a

16 Bit Micro-Computer

Under £350*

For the home user start with Model A with its massive 144K RAM and outstanding typewriter style keyboard that fits within the base unit for portability and storage.
Note the large return key and position of the numeric keyboard. Fast retrieval from storage and fast action on games is achieved by the use of the Intel 8086 True 16-bit micro-processor running at 4.77 MHz.
The Advance 86 runs IBM PC software.

Specification

CPU Type	True 16-bit 8086 running at 4.77 MHz.
RAM	128K or 256K with parity plus 16K video
Languages Included	Basic
Type of Keyboard	Full 84 keys tactile
Keyboard Facilities	10 programmable keys
Character Set	256 in ROM
Method of Display	TV, RGB, Comp/Sync colour or monochrome monitor
Display Facilities	Full screen handling, 4 screen paged
Text	80 x 25 or 40 x 25
Graphics Resolution	320 x 200 or 640 x 200
Colours Available	16
Graphics Facilities	Scroll, reverse image
Cassette Recorder	Audio
Interfaces Included	Cassette port, light pen, joystick, Centronics
Sound	Built-in speaker
Operating System	Built-in ROM
Printers	Any using Centronics parallel interface
Comments	Hardware and software compatible with IBM PC Upgradeable to Model B Provision for 8087 Arithmetic Processor
Warranty	12 months

Benchmarks

The standard Benchmarks were run using Advance Basic, which is the equivalent of Microsoft GWBasic and Basica on the IBM PC.

Machine	BM1	BM2	BM3	BM4	BM5	BM6	BM7	BM8	Av.
Advance 86 — 8086	0.8	3.3	7.3	7.4	8:1	14.6	23.9	26.0	11.4
ACT Apricot — 8086	1.6	5.2	10.6	11.0	12.4	22.9	35.4	34.4	16.7
IBM PC — 8088	1.2	4.8	11.7	12.2	13.4	23.3	37.4	30.0	16.8



The business user can upgrade to Model B by adding the Advance Expansion box containing 2 × 5.25″ disc drives providing 720K storage at £740 + VAT.
The Advance 86 Model B offers the business micro-computer buyer an IBM compatible disk-based system with twin drives, with Perfect Writer/Speller, Calc and Filer Software (MS/DOS) included for only £1086.95 + VAT.

Advance 86 Models A & B are designed and marketed by Advanced Technology UK Ltd. Made by Ferranti in Oldham. Delivery within 30 days from receipt of payment. 128K memory expansion £108.70 + VAT.

Advance Technology UK Ltd.
8A Hornsey Street, London N7 8ZHB
Tel: 01-609 0061 for leaflet:

On site warranty for 12 months by National Advanced Systems (part of National Semiconductor) one of the largest companies in the U.S.A. for Model B.
*Ex VAT.

To Advance Technology UK Ltd., 8A Hornsey Street, London N7 8HB

☐ Please send Model 86A, Micro-Computer & Keyboard I enclose £399 including VAT
☐ Please send Model 86B which includes Model 86A plus Expansion Box & Software. I enclose £1250 inc. VAT.
☐ Please send 128K Memory Expansion £125 inc. VAT. Cheque/Barclaycard/Access No. _____

Name _____ Company _____
Address _____ Address _____

YCI

Mirage

SOFTWARE & DISTRIBUTION

9 Rossini Street
Seaforth
Liverpool
L21 4NS
Tel: 051-920 9713

PROGRAMMERS

WE ARE LOOKING FOR TOP QUALITY PROGRAMMES TO MARKET IN THE UK AND ABROAD. THE PROGRAMMES MUST BE OF TOP QUALITY AND IN MACHINE CODE WITH GOOD GRAPHICS AND SOUNDS AND ORIGINAL CONCEPT. WE ARE LOOKING FOR PROGRAMMERS TO CARRY OUT WORK ON NEW MACHINES SUCH AS THE C.B.M/16 AMSTRAD AND M.S.X. WE CAN SUPPLY THESE MACHINES TO CARRY OUT WORK FOR MIRAGE. WE ARE ALSO OFFERING £500 PRIZE FOR THE BEST PROGRAMME RECEIVED BY THE END OF FEBRUARY 1985 WHICH WE WILL DECIDE TO MARKET. WE OFFER AN OUT RIGHT PAYMENT OR 10% PLUS PAYMENT OR 20% ROYALTIES. FOR MORE INFORMATION CONTACT THE SOFTWARE MANAGER HE WILL BE GLAD TO LISTEN TO ANY QUESTIONS YOU MAY HAVE.

SOFTWARE HOUSES

WE ARE LOOKING FOR TOP SELLING PROGRAMMES TO DISTRIBUTE TO OUR WIDE RANGE OF OUTLETS THROUGHOUT THE UK AND GIVE YOU A VERY FAST SERVICE TO HELP WITH YOUR SALES AND TO MAKE THE MOST OF YOUR PRODUCTS. SEND A SAMPLE COPY OF YOUR PRODUCTS WITH RATES AND TERMS FOR A FAST ASSESMENT. FOR MORE INFORMATION CONTACT THE SALES MANAGER HE WILL BE GLAD TO HELP AND ASSIST YOU.

DEALERS AND DISTRIBUTERS

DEALERS WE HAVE THE BEST SELLERS FROM THE BEST PRODUCERS; WE ALSO OFFER VERY GOOD RATES AND TERMS TO HELP YOU AND US TO ACHIEVE THE BEST SALES AND SERVICE. FOR MORE INFORMATION CONTACT THE SALES MANAGER.

DISTRIBUTERS HAVE YOU GOT THE MIRAGE RANGE ON YOUR SHELVES, IF NOT THEN CONTACT THE SALES OFFICE FOR SAMPLES AND RATES.

SALES MANAGER
T.C. SAPHIER

SOFTWARE MANAGER
C.A. SAPHIER

It's easy to complain about advertisements. But which ones?

Every week millions of advertisements appear in print, on posters or in the cinema.

Most of them comply with the rules contained in the British Code of Advertising Practice.

But some of them break the rules and warrant your complaints.

If you're not sure about which ones they are, however, drop us a line and we'll send you an abridged copy of the Advertising Code.

Then, if an advertisement bothers you, you'll be justified in bothering us.

The Advertising Standards Authority.
If an advertisement is wrong, we're here to put it right.

ASA Ltd, Dept 2 Brook House, Torrington Place, London WC1E 7HN

This space is donated in the interests of high standards of advertising.

COMMODORE 64

BRING YOUR 64 TO LIFE WITH.....

LIGHTNING LOAD

★CONVERTS ALMOST ALL YOUR FAVOURITE SOFTWARE & GAMES INTO A SUPERFAST LOADING VERSION
★YOUR CASSETTE PROGRAMS WILL INDEPENDENTLY LOAD FASTER THAN THE COMMODORE DISC DRIVE!!
★LIGHTNING LOAD HAS SOPHISTICATED FEATURES WHICH LEAVE OUR COMPETITORS LIGHT YEARS BEHIND
★COLOUR & SOUND ARE USED IN SPECTACULAR & UNIQUE WAYS TO ENHANCE THE PROGRAM
★100% MACHINE CODE, FLEXIBLE MENU SYSTEM ALLOWS SAVING OF MORE THAN 48K CONTINUOUS RAM
★THIS AMAZING PROGRAM IS NOW ON SPECIAL OFFER ~~£7.95~~ NOW £6.95 incl P&P

★ ★ ★ ★ ★ ★ ★

COPYCAT

THE ULTIMATE BACK-UP TAPE COPIER

★MAKES BACK-UP COPIES OF ALMOST ALL SOFTWARE
★SPECTACULAR MULTICOLOURED LOAD AND SAVE
★WIZARD AUDIO SOUND EFFECTS
★CASSETTE MAGIC SENSE
★100% MACHINE CODE TAPE COPIER WITH FULL INSTRUCTIONS
★CAN YOU FIND A BETTER COPIER? — WE CAN'T!
★SUPERB VALUE AT £5.95 incl. P&P

DISPATCH OF THESE PROFESSIONAL PROGRAMS WITHIN 24 HOURS!
CHEQUES/P.O.'s TO:

WIZARD SOFTWARE (Dept. YC)
59 THE MARLES, EXMOUTH, DEVON EX8 4NE

ADDER

ADDER ADDER

for Advanced Computer Books and Software



● SPECTRUM ADVANCED USER GUIDE
— by A C Dickens, M D Plumbley and I. Whewell, this book is an essential supplement to the manuals provided with the components of the ZX Spectrum system. Both software and hardware aspects of the Spectrum system are covered including: a complete BASIC reference section, detailed screen maps, microdrives, Interfaces 1 and 2, the network, ROM modules, joysticks, a full Z80 reference section, detailed ROM routines with many practical examples of their usage — in short, every Spectrum owner's dream come true!
ISBN 0 947929 02 9, 232 pages, **£7.95**

● QL ADVANCED USER GUIDE
— by A C Dickens, this book is the authoritative guide to the Sinclair QL System. It provides a complete introduction to QDOS, covering multi-tasking, transient programs, resident procedures, heaps and stacks, traps and utilities, 68008 assembler programming plus much more. All of these features are illustrated by practical examples, and the powerful QDOS Experimentor program allows many facilities to be tried out from BASIC. All of the programs from the book are available on a microdrive cartridge which can be purchased with the book.
ISBN 0 947929 00 2, 352 pages, **£12.95** (book)
£9.95 (+ VAT) microdrive cartridge)

● BBC BASIC ROM USER GUIDE
— by M D Plumbley, this book contains a detailed description of the BASIC ROM as used in the BBC Microcomputer and Acorn Electron. BBC BASIC 1, BBC BASIC 2 and Electron BASIC are all covered in considerable detail. Extensive reference sections cover the ROM routines and error recovery, allowing sophisticated features to be added to BASIC programs. Many examples are provided (available on cassette) allowing 'Bad programs' to be salvaged, new commands to be added, procedures to be overlayed plus much more!
ISBN 0 947929 04 5, 360 pages, **£9.95** (book)
£5.95 (+ VAT) (cassette)

● ORIC ADVANCED USER GUIDE
— by L Whewell, written for the ORIC 1 and ATMOS computers, this guide is an essential supplement to the manual provided with the machine. The book contains a **COMPLETE** COMMENTED ROM DISASSEMBLY plus lots of information on the disc system, sound chip, 6502, ULA, BASIC variable storage, intercepting interrupts and a complete circuit diagram.
ISBN 0 947929 01 0, approx 290 pages, **£8.95** available end Sept '84



● ELECTRON ADVANCED USER GUIDE
— by A C Dickens and M A Holmes, this guide describes the facilities of the Acorn Electron in the detail required by the serious programmer, and acts as a supplement to the 'Acorn Electron User Guide'. Both the hardware and the software aspects of the Acorn Electron System are covered, including *FX/OSBYTE calls, paged ROM software, using events and interrupts, programming the ULA, interfacing to the expansion bus, a complete memory map and a full circuit diagram.
ISBN 0 907876 17 X, 256 pages, **£9.95**

Order from: Adder Publishing, PO Box 148, Cambridge CB1 2EQ

Item	Cost
[ ] Spectrum Advanced User Guide (book)	£7.95 (no VAT)
[ ] QL Advanced User Guide (book)	£12.95 (no VAT)
[ ] QL Advanced User Guide (microdrive)	£11.44 (inc. VAT)
[ ] BASIC ROM User Guide (book)	£9.95 (no VAT)
[ ] BASIC ROM User Guide (cassette)	£6.84 (inc. VAT)
[ ] ORIC Advance User Guide (book)	£8.95 (no VAT)
[ ] Acorn Electron Advanced User Guide (book)	£9.95 (no VAT)

Please add £1.50 P&P/book

I enclose my cheque/PO for £.....
NAME.....
ADDRESS.....
.....
.....
.....
Dealer enquiries welcome

ADDER

ALL PRICES CORRECT AT TIME OF GOING TO PRESS BUT SUBJECT TO CHANGE

What's New For Christmas? See For Yourself

The Christmas ZX MICROFAIR

GO ON A SHOPPING SPREE FOR ALL YOUR
NEW SPECTRUM AND QL GOODIES!
— MANY AT SPECIAL SHOW PRICES —



TWO FANTASTIC DAYS

17th and 18th NOVEMBER 1984

AT ALEXANDRA PALACE, WOOD GREEN, LONDON N2

ADMISSION ONLY £1.50(Adults) £1.00(Kids)

Come along on Saturday or Sunday 17th and 18th November the Show that shows you everything for Sinclair Computer enthusiasts!

Why spend weeks looking for Christmas presents . . . one day the Christmas ZX MICROFAIR will take care of everything!

And you'll have a fantastic day out . . . meeting friendly people . having fun . . . full of Christmas cheer!

Send now for reduced price advance tickets — and don't forget to note the date!

EXHIBITORS!

JOIN THE RUSH . . . CALL
MIKE JOHNSTON
OR MOIRA ON
01-801 9172 FOR FULL DETAILS
OF STAND AVAILABILITY . . .
DO IT *NOW!*

SEND FOR REDUCED PRICE ADVANCE TICKETS NOW AND BE FIRST IN THE QUEUE!

14th ZX MICROFAI
ALEXANDRA PALACE,
WOOD GREEN, LONDON N22
SATURDAY AND SUNDAY
17th and 18th NOVEMBER 1
Saturday 10.00am to 6.00p
Sunday 10.00am to 5.00p

Post to: Mike Johnston, ZX MICROFAIR, Dept YC, 71 Park Lane,
Tottenham, London N17 OHG. Tel: 01-801 9172.

Please send me ADVANCE TICKETS for the Special Christmas ZX MICROFAIR.

I require the following:— ..... Adult tickets @ **£1.25.** ..... Children's tickets @ **£0.80p**
for Saturday/Sunday (Delete as applicable)

I enclose cheque/P.O. made payable to ZX MICROFAIR for the full amount (please include cheque card number on the back of cheques) and I also enclose a STAMPED SELF-ADDRESSED ENVELOPE for return post.

Name:.....

Address:.....

.....

HOT FROM

SEGA®

THE ARCADE WINNERS

released
NOW

TAPPER™

SIDE-SPLITTING, SODA-SLINGING LAUGHS AND SPILLS!

THE OFFICIAL HOME VERSION OF BALLY MIDWAY'S ARCADE HIT

Belly-busting Soda Fountain Fun, including:

- *Mad-capped, soda-starved, clammering cowboys, sports fans, punks and space creatures*
- *Plus a head-spinning Soda Bandit Bonus Round Awesome color-packed action graphics Just try to keep your cool as hot-headed, crazy customers blitz your bar for another cold one.*

U.S. Gold is stocked by
Boots, John Menzies, WILDINGS
WOOLWORTH, WHSMITH,
Rumbelows
and Spectrum Shops

Bally/MIDWAY
TAPPER™
NEW!
OFFICIAL ARCADE GAME

Bally/MIDWAY
Up'n Down
OFFICIAL SEGA ARCADE

BUCK ROGERS
PLANET OF ZOOM
OFFICIAL SEGA ARCADE

Congo Bongo
OFFICIAL SEGA ARCADE

ZAXXON™
OFFICIAL SEGA ARCADE

Bally/MIDWAY
SPY HUNTER
NEW!
OFFICIAL SEGA ARCADE

64
COMMODO
CASSETT
9·95
DISK
12·95

SPECTRUM
CASSETT
7·95

U.S. GOLD
At American Software

Exclusive manufacturers for
SEGA and Bally MIDWAY

For release schedule and trade details contact:
Centre Soft, Unit 10, The Parkway Industrial Centre, Heneage Street, Birmingham B7 4LY. Telephone: 021-359 3020. Telex: 337268

Ask an expert why the Electron's the best micro in its class.

Most schoolchildren will tell you that one computer prevails in British classrooms today. Acorn's BBC Micro.

With a hint of pride, they'll also tell you that they're fluent in the computer language which Acorn developed for the BBC Micro. It's called BBC Basic.

And if you ask their advice on choosing a home computer for around £200, they're likely to tell you that there's really only one sensible choice.

The £199 Acorn Electron.

Like its £399 stablemate, but unlike any other micro, the Electron speaks BBC Basic. Which means that children can easily carry on with their computer studies at home. And their parents can quickly start catching up, because BBC Basic is such a simple language to learn.



However, language isn't the only thing whic the Electron outstanding among every other mi price range.

A powerful choice.

The Electron is a 64K microcomputer whi 32K of RAM, combined with another 32K ROM.

This simply means that it has more power t people ever need from a home computer.

Nevertheless, it has been designed to help y the fullest use of its power.

For example, its graphics have the highest r ution of any home computer bar none.

This is because Acorn specially designed t chip that controls the graphics. And it's among t most advanced chips of its kind.

Indeed, it delivers twic as many characters across th screen as the Electron's neare rival.

It expands into a syste

With the Electron, ev newcomers have been surp how quickly they can find into the complex world of c

Where many compu keyboards which are conf clumsy to operate, it has a just like an ordinary elect typewriter's.

And for issuing ma mands, there are single e Instead of literally spelli command, letter by letter, you just pu relevant key and it's issued.

There's also a built-in loudspea gives high quality sound.

And what is perhaps most exci is that the Electron has the capacity grow with your knowledge and ambition.

With Acorn's Plus 1 expansi module, it can link up with a prin sticks and fast-load cartridge soft including View and Viewsheet cessing and spread sheet progra

With the Plus 3 module, which will soon be available, you'll have a disc drive system and will be able to enjoy all the speed and convenience of 3.5 inch discs.

But let's not get carried away too quickly. You can start using and enjoying your Electron as soon as you get it home.

All you need is your television set and a cassette recorder.

The speed of a business micro.

Some home computers respond pretty slowly to your commands. After you've pressed the keys, they leave you twiddling your thumbs for more than a mere few seconds.



The plodders, however, are a very long way behind the Electron.

In fact, on processing speed, a recent bench test survey ranked the Electron up with such high fliers as the IBM PC and the Apple III. Both are machines which cost well over £1,000.

It's an astonishing accolade when the Electron makes no greater claim than to be a micro which is designed to become part of the family.

Your starter for free.

With your Electron, you'll receive a free introductory cassette.

It will give you a taste of the exceptional colour graphics. It will show you how the Electron can play and notate music.

And when it's given you some new ideas about home accounting, it will challenge yo to a few games and even spend few seconds doing your whole family's biorhythms for you.

But remember, although i holds 15 programs, the cassette wi only give you a glimpse of the Electron's full potential.

Because the potential is as infinite as your own imaginatior

No shortage of software.

Although the Electron is still a relative newcomer to the market, the range of software available for it is considerable.

Besides plenty of games, there are many educational programs for children of all ages, from playschoc to A Level.

There's a great deal to keep adults occupied, too. From money management to helpful domestic programs, even a range of foreign language programs, teaching the basics of French, German, Italian and Spanish.



And of course, with its simplicity and flexibility, the Electron could soon be processing programs created and written by none othe than yourself.

You can find the Acorn Electron with its full complement of accessories and software at local Acorn dealers and major high street stores.

For the address of your nearest supplier, ring 0933 79300.

The Acorn Electron

SPECTRA IMPORTS
STOP PRESS

The cold weather must have affected our sanity. Our bank managers and accountants have turned their back on us, at selling these items at such ridicuously low prices. We have been warned that these prices will make us bankrupt. But we are willing to take the gamble and have this once in a lifetime sale in November and December. As all items listed below must be sold before January 1st 1985.

COMPARE THESE UNBEATABLE PRICES:

COMMODORE VIC 20	£59.95 CASH	COMMODORE 64	£99.95 CASH
SPECTRUM 48K	£59.95 CASH	BBC MODEL B	£315.00 CASH

BRAND NEW COLOUR MONITOR 14"	£115.00 CASH
RECONDITIONED COLOUR TV/MONITOR 17"	£49.95 CASH
BRAND NEW MONOCROME MONITORS	£35.95 CASH

COMPUTER AND VIDEO GAMES

SPECTRUM	(OUR PRICE)
747	5.95
AIRLINER	3.95
ATICATAC	3.50
ARCADIA	2.99
ANTICS	4.99
ALCHEMIST	2.99
AUTOMANIA	5.99
BLACK CRYSTAL	4.99
BIRDS & BEES	2.99
BEAKY & EGG SNATCHERS	3.99
CODE NAME MAT	3.99
FIGHTER PILOT	3.99
FOOTBALL MANAGER	2.99
FOREST	4.99
FULL THROTTLE	4.50
FACTORY BREAKOUT	3.99
HARRIER ATTACK	2.99
HEATHROW A.T.C	3.99
HOBBIT	8.99
HUNCHBACK	3.99
HULK	6.99
JET PACK	2.99
JET SET WILLIE	2.99
JOHNNY REB	2.99

SPECTRUM	(OUR PRICE)
JACK & BEANSTALK	2.99
LORDS OF MIDNIGHT	6.99
MISSION 7	4.99
MANIAC MINER	2.99
MICRO OLYMPICS	2.99
MOON BUGGY	2.99
MATCH POINT	4.99
MUGSY	3.99
MR WIMPY	2.99
NIGHT FLIGHT	3.98
NIGHT GUNNER	2.99
PSYTRON	5.99
POOL	2.99
PYRAMID	2.50
PEDRO	2.99
STAR TRADER	3.99
SABRE WOLF	6.99
SCUBA DIVE	2.99
SPLAT	2.99
TITANIC	4.99
TIMEGATE	3.99
TRASHMAN	3.99
VALHALA	8.99
WAR OF THE WORLDS	6.99

COMMODORE	(OUR PRICE)
ARCADIA	2.99
AZTEC CHALLENGE	6.99
ARABIA NIGHTS	5.99
BEACH HEAD	6.99
BEAM RIDER	7.99
BLACK HAWK	7.99
CHINA MINER	3.99
EGBERT	3.99
FALCON PATROL	3.99
FOOTBALL MANAGER	4.99
FLIGHT PATH 737	4.99
HOBBIT	8.99
HUNCHBACK	2.99
HUSTLER	3.99
INTERNATIONAL SOCCER	5.99
KICK OFF	3.99
MANIAC MINER	2.99
PYRAMID	2.99
PITFALL	7.99
PILOT 64	5.99
SPACE PILOT	4.99
SOLO FLIGHT	8.99
SNOW BALL	6.99
TALES OF ARABIA	3.99

BBC	(OUR PRICE)
AVIATOR	10.25
BRAINSTORM	4.50
BLAGGER	4.50
BUG	4.50
COLDITZ ADVENTURE	4.99
CRAZY PAINER	4.25
CHESS	4.99
DANGER UXB	4.99
3 DEEP SPACE	4.99
FLAK	5.99
FORTRESS	5.99
FLIGHT SIMULATOR	4.99
FELIX	4.99
GARGOYLE	4.99
GENERATORS	4.25
HUNCHBACK	4.99
LOST IN SPACE	4.99
MUSIC PROCESSOR	9.50
OWZAT	4.99
PEDRO	2.99
PSYCO	4.99
TIME TREK	4.50
VOODOO CASTLE	4.50
WIZZARD	4.50

FINANCE FACILITIES

BBC MODEL B	DEPOSIT £145	10 MONTHLY PAYMENTS	@ £18.50p
COMMODORE 64	.. £50	.. ..	@ £ 6.50p
COMMODORE VIC 20	.. £30	.. ..	@ £ 4.00p
SPECTRUM 48K	.. £30	.. ..	@ £ 4.00p
NEW COLOUR MONITOR	.. £60	.. ..	@ £ 6.50p
RECON. COL. MONITOR	.. £49.95	NO FINANCE AVAILABLE	
NEW MONO MONITOR	.. £35.95	NO FINANCE AVAILABLE	

Orders to:

SPECTRA IMPORTS (UK)
ARCADE CENTRE
1st FLOOR OFFICES
SCOTLAND RD, NELSON
LANCS. TEL: 0282 69866

PLEASE SEND ME .....

AT £.....CASH OR £.....DEPOSITE

I ENCLOSE MY CHEQUE/PO/CASH FOR £.....

NAME.....

ADDRESS .....

.....

.....

PLEASE ALLOW 28 DAYS DELIVERY. POSTAGE & PACKAGE:
CASSETTE 25p P/P OTHER ITEMS £5.00.
N.B. ALL FINANCE ARRANGED BY OUR OWN COMPANY.

You bought a computer to cultivate your child's mind.

Make sure it's bearing fruit, not growing vegetables.



When it comes to developing a child's learning skills the computer's potential is endless. Unfortunately, the search for software that makes the most of that potential has been endless too.

That is until Spinnaker created their remarkable Learning Tree Series, a unique software range that introduces the one thing missing from most educational programs – fun!

At Spinnaker educators and games programmers write our software. It's a team effort that uses the understanding of how a child learns in a 'fun' way that makes children simply forget they're learning at all.

So successful is the Spinnaker formula that worldwide more parents buy more Spinnaker programs than any other home educational software.

And now, here in Britain, Spinnaker comes to the rescue of parents saddened by the mindless 'shoot to kill' software syllabus.

If you're looking for software that truly cultivates young minds look out for Spinnaker Learning Tree Series.

We're proud to say Spinnaker is one software house actually giving computer games a good name.

ALPHABET ZOO
A zany two-in-one game that teaches children how to understand the relationship between letters and sounds, how to spell and how to have fun doing it.

FRACTION FEVER
An infectiously exciting encounter with the friendly fraction but with a big difference. This contribution to the third 'R' has all the pace and style of arcade game action and graphics.

AEGEAN VOYAGE
What better introduction to the timeless characters and domains of Greek Mythology. This voyage of discovery leaves your child free to enjoy mind challenging tasks because the imagination is well and truly captured.

KINDERCOMP
In one delightful program fun learning games that e young child will enjoy. Kindercomp helps devel child's reading readiness fundamental counting sk

KIDS ON KEYS
A three game program th cleverly combines simpl 'computer literacy' with learning tasks. Children l identify numbers, letters words through a sound a image reward.

ALF IN THE COLOUR CAVES
You'll have to be clever t Alf on his exciting journ through the colour caves wriggle, squoosh and zig him through the shapes t colour room at the bott

Available from selected W.H.Smith, Claude Gill, Blackwells and all good software outlets. Most Spinnaker software is available for Commodore 64, Sinclair Spectrum 48K, Acorn Electron and BBC-B micros.

For further information contact Susan Hough,
W.H.S. Distributors, St. John's House, East Street, Leicester LE1 6NE Telephone: (0533) 551196.

SPINNAKER™
We make learning fun.

REWRITE HISTORY THIS WEEKEND

All action strategy games from SSI- -the world's No.1 war game company

At last here is your chance to see how you shape up as a General in a real battle! The pages of history record the triumphs and failures as Eisenhower, Montgomery, Rommel and Von Rundstedt battled in Europe and North Africa. But with a clear thinking strategist like yourself in command perhaps the historians would have had a different story to write!

U.S. Gold is proud to present four of the best strategy games by Strategic Simulations Incorporated:

KNIGHTS OF THE DESERT pitches the British Forces of Montgomery against the might of Rommel and his Panzer Divisions in the classic North African campaign of 1941.

BATTLE FOR NORMANDY commences on 'D-Day' June 6th 1944 and relives the Allied Forces attempt to smash Hitler's Atlantic Wall.

TIGERS IN THE SNOW reconstructs the legendary Battle of the Bulge as in December 1944 the Panzer Divisions of Von Rundstedt try one last gamble in a desperate attempt to halt Eisenhower's advancing Allied lines.

Who will be the victor and who the vanquished?

Only you have the answers!

And if you're looking for strategy with arcade action then COMBAT LEADER will test all your wits, depth of thought and reflexes in this toughest of battle challenges!

64 ATARI

Spectrum versions available soon!







£14.95 disk & cassette

THE ULTIMATE IN AMERICAN SOFTWARE FOR YOU ON U.S. GOLD

U.S. Gold is stocked by all leading computer stores including:

BOOTS WHSMITH JOHN MENZIES WILDINGS WOOLWORTH

U.S. GOLD All American Software

DEALERS! For information on how to become a U.S. Gold Stockist write to: CentreSoft Ltd., Unit 10, The Parkway Industrial Centre, Heneage Street, Birmingham B7 4LY. Telephone: 021-359 3020.

SSI

STRATEGIC SIMULATIONS INC.



Work your way through the most challenging track and field events. As you gain experience and confidence you begin to excel in the four exciting events: 100 metre sprint, 110 metre hurdles, long jump and pole vault.

Here's your chance to be part of the winning team. Pit yourself against the clock and beat the record.

Sports Hero includes:

- ★ Multi level competition
- ★ Spectacular graphics
- ★ Smooth animation
- ★ Real time action

Can you surpass your personal best!



cassette software
guaranteed
welcome.

me your free catalogue.

SOFTWARE

- Sports Hero 48K £6.95
- Sherlock 48K £14.95
- Hampstead 48K £9.95
- Rugsy 48K £6.95
- Penetrator 48K £6.95
- The Hobbit 48K £14.95
- 48K £14.95
- Classic Adventure 48K £6.95
- Draw 48K £8.95
- FORTH 48K £14.95
- Lancelot 16K & 48K £5.95

ORE 64 SOFTWARE

- Castle of Terror £9.95
- Commodore 64 Sherlock £14.95
- Commodore 64 Hampstead £9.95
- Commodore 64 The Hobbit £14.95
- Bin Sala Bim £9.95
- Commodore 64 Classic Adventure £6.95
- Commodore 64 Hungry Horace £5.95
- Commodore 64 Horace Goes Skiing £5.95
- Commodore 64 FORTH £14.95
- A.C.O.S.+ £8.95
- Commodore 64 Penetrator £7.95

£ .....

Please add 80p for post & pack £ 80

TOTAL £ .....

nclose my ☐ cheque
☐ money order for £ .....

Please debit my Access card No .....

.....

Expiry Date .....

Signature .....

Name .....

Address .....

.....

.....

..... Postcode .....

ccess Orders can be
elephoned through on our
24-hour ansafone (0235) 83 5001.

YC12a

GSH

DANGER MOUSE

BRITAIN'S NUMBER ONE CARTOON CHARACTER ON COMPUTER GAMES FROM CREATIVE SPARKS

DANGER MOUSE
IN DOUBLE TROUBLE

The evil Baron Silas Greenback has built an android Danger Mouse which must be destroyed and there is not a moment to lose. Guide Danger Mouse and Penfold through the deep jungle to the layer of the Baron and then halt the loading sequence before it's too late.
Can you help Danger Mouse save the world?
Fast loading cassette (C-64 version).

WIN

A Rolls Royce and helicopter trip to meet Cosgrove Hall the creators of Danger Mouse. Each pack contains full details.

DANGER MOUSE
IN THE BLACK FOREST CHATEAU

This adventure program is no piece of cake!
As Danger Mouse, the World's Greatest Secret Agent, you will need all your wits about you to track down the fiendish PI-beam operator....and will develop a range of useful skills as you go.

- *for early adventurers of any age*
- *no typing skills required*
- *lots of superb graphics*

"The graphics...are stunning on the Spectrum and even better on the C64"
Computer and Video Games (Nov '84)



TWO GREAT NEW GAMES FOR THE C-64 AND SPECTRUM 48K

CREATIVE SPARKS

Available from All good computer software stockists.

Send me (tick as required)

- ☐ **DM IN DOUBLE TROUBLE** TNCC221 (SPECTRUM) **£6.95**
- ☐ **DM IN DOUBLE TROUBLE** TNCE223 (C64) **£7.95**
- ☐ **DM IN THE BLACK FOREST CHATEAU** TNCC231 (SPECTRUM) **£6.95**
- ☐ **DM IN THE BLACK FOREST CHATEAU** TNCE233 (C64) **£7.95**
- ☐ My local stockist's address
- ☐ Your full list of games

	£ : p
Game/s at £6.95/£7.95 each	
+ single P&P sum	: 30p
Total to send	£ : p

Method of payment
By cheque or PO (no cash) made payable to **TECS**

or

☐ By Access ☐ Barclaycard

Enter card no.

Sign below:

Credit card sales: UK buyers only.
Response within 21 days.

Creative Sparks,
Department MO,
296 Farnborough Road,
Farnborough, Hampshire, GU14 7NF.
Telephone: (0252) 518364.

Name

Address

YC1

MICROPOWERMICROPOWERM

SUPER-FAST LOADING TIME

commodore 64 electron

B.B.C. MICRO

BUMBLE BEE

A FANTASTIC NEW PROGRAM
FROM BRITAIN'S LEADING SOFTWARE HOUSE!

Fly the bee around the grid avoiding the toadstools. Spin the turnstiles to evade the spiders, or coax them into the fireballs. Collect all the pollen to slide back the exit doors to advance to the next insect ridden level.

£6.95 (BBC version £7.95)

Commodore Disk price £9.95

COMMODORE 64 VERSION



MICRO POWER

MICRO POWER LTD.,
NORTHWOOD HOUSE, NORTH STREET,
LEEDS LS7 2AA TEL: (0532) 458800

SELECTIVE BRANCHES OF BOOTS, CO-OP, MENZIES, W. H. SMITH, WOOLWORTHS AND ALL GOOD DEALERS

AUTHORS! WE PAY 20% ROYALTIES!

WATCH OUT FOR OUR NEW PACKAGING AND CATALOGUE

MICROPOWERMICROP

MEMORIES ALL BE MADE

CUMANA'S DUAL DISK DRIVE for the BBC microcomputer

- High quality 5¼ inch Japanese dual disk drive
- Cabinet finished in hard wearing BBC beige
- Independent power supply
- 12 months warranty
- Fully assembled and tested

Cumana are the market leaders for disk drives, all our drives are fully guaranteed for 12 months and are approved for electrical safety by the D.M.E.E. and are used extensively in G.L.C. and I.L.E.A. establishments.

Cumana was the first independent disk drive supplier and now is Europe's market leader. Our products have been proven in the schools, universities and homes throughout Europe.



ALL 80 TRACK 5¼" DRIVES ARE SWITCHABLE TO 40 TRACK MODE

CS RANGE

The Single 'CS' range of disk drives all have an independent power supply, with mains lead and moulded plug. They are supplied with formatting diskette, 2-drive connecting cable and comprehensive user manual. Upgrading your system is simple, with Cumana's design in enabling a second disk drive to be added without any modification to your BBC micro computer. All 80 track models are switchable to 40 track models.

CS100 40 Track single sided (100K)	**£159.95**
CS200D 40 Track double sided (200K)	**£203.95**
CS200 80 Track single sided (200K)	**£192.95**
CS400 80 Track double sided (400K)	**£219.95**

*CSX RANGE

A Single disk drive range that excludes the power connector. The 'CSX' range takes power from the BBC micro computer but, comes complete with all the extras of the CS range.

CSX100 40 Track single sided (100K)	**£119.95**
CSX200D 40 Track double sided (200K)	**£165.95**
CSX200 80 Track single sided (200K)	**£159.95**
CSX400 80 Track double sided (400K)	**£189.95**

CSE RANGE

The Cumana 'CSE' range of disk drives all come with an independent power supply and are supplied with all the accessories and benefits of their counterparts. They can be used to upgrade a system, with 2-drive connector cable – supplied with the 'CS' or 'CSX' range – enabling them to be added as a second drive by simply plugging in and switching on.

CS100E 40 Track single sided (100K)	**£149.95**
CS200ED 40 Track double sided (200K)	**£192.95**
CS200E 80 Track single sided (200K)	**£180.95**
CS400E 80 Track double sided (400K)	**£208.95**

DUAL SWITCHABLE RANGE

The ultimate in disk drives, the 'CD/S' range of disk drives all have independent power supplies, with mains lead and moulded plugs. All supplied with a formatting disk, drive connecting cable and comprehensive user manual; the design enables either drive to be switched independently between 40/80 track modes.

CD200 2 x 40 Track single sided (200K)	**£284.95**
CD400/S 2 x 80 Track single sided (400K)	**£359.95**
CD800/S 2 x 80 Track double sided (800K)	**£414.95**

SHOULD LIKE THESE



Cumana's design includes an independent power supply* – complete with mains power supply lead and insulated plug. Each disk drive comes with a comprehensive user guide and formatting disk.

Send now for further details of the Cumana range, or see them at our distributors and at selected branches of W.H. Smith, Lasky's, Greens, Curry's and Spectrum UK.

Cumana's range of disk drives is also compatible with Spectrum, Dragon, Oric, Tandy models I, III and 4 and Video Genie:



3½ INCH DRIVES

Cumana 3½" drives offer the same quality and reliability as their 5¼" counterparts with the added bonus of taking up less hardware space. Available in both single and dual formats they come complete with user guide and hard diskette.

CSX351 40 Track single sided (100K)	**£139.95**
CSX354 80 Track double sided (400K)	**£199.95**
CDX351 2 x 40 Track single sided (200K)	**£256.95**
CDX354 2 x 80 Double sided (800K)	**£383.95**

CUMANA®

ALL PRICES INCLUSIVE OF VAT.

Cumana Ltd., Pines Trading Estate,
Broad Street, Guildford, Surrey. England GU3 3BH.
Telephone: Guildford (0483) 503121. Telex: 859380. Fax No. 503326

YOUR LOCAL DISTRIBUTOR

Available from the following retail outlets:
W. H. Smith, John Lewis Partnership, Greens Leisure, Laskys, Spectrum UK.

Addons Ltd. (Southampton)
0703 34775/6

Audio & Computer Centre (Jersey)
0534-74000

Eltec (Bradford) 0274-722512

Gwent Computers (South Wales)
0633-841760

HCCS Associates (Gateshead)
0632-821924

Hugh Symons (Bournemouth)
0202-26535

J. S. Simnett Computers
(South London) 01-541 1495

Kingdom Design (Belfast)
0232-643720

Lightning (Harrow)
01-969 5255

Microage Distribution
(North London) 01-205 7688

Micro Express (Leicestershire)
0533 375757

Microworld (Edinburgh)
031-228 1111

National Micro Centre (Stockport)
061-429 8080

North Amber P.L.C. (Surrey)
01-391 2066

Thompson Cook (Birmingham)
021-328 3895

+ National Dealer Network.

CUMANA®
The best name in memory

AFGHAN ATTACK

A 96K PURE TEXT MACHINE CODE ADVENTURE FOR THE 48K SPECTRUM (IN TWO PARTS)

A large build up of Soviet troops is forming on the South Eastern Pakistan border, with probable hostile intentions. Troops and supplies travel the fragile Eastern Kabul road through unoccupied territory. Your role is to disrupt these troop movements, harass supplies and prevent the Soviets from attaining their objectives. You have British Paratroopers; ground to air missiles for attacking their airfield and destroying helicopters; plus rebel guerillas to lay ambush on troops and convoys.

Please send me ..... copy(ies) of 'AFGHAN ATTACK' at £9.95 each. I enclose a cheque/P.O. made payable to 'Southern Software' to the value of .....

Name .....

Address .....

.....

.....

.....

SOUTHERN SOFTWARE, 6 The Hillway, Fareham, Hants. PO16 8BL.

IT'S HERE!

FOR THE Commodore 64



"Absorbing and realistic – Highly recommended"

– Sunday Times, February 1984

"Completely fantastic – I want one!"

– Charlie Nicholas, Arsenal striker in Big K, April 1984

"Having chosen your players the match highlights are then displayed in very good animated 3-D Graphics. ...There are many other excellent features in this game in fact the attention to detail is outstanding (5 out of 5)."

Popular Computing Weekly – 16 August 1984

£7·95

Some outstanding features of the game

• Matches in 3D graphics • Transfer market • Promotion and relegation • F.A. Cup matches • Injury problems • Full league tables • Four Divisions • Pick your own team for each match • As many seasons as you like • Managerial rating • 7 skill levels • Save game facility • Financial manipulations • 4 divisions and customising feature • You can even be sacked!

Available from computer software stockists nationwide, including Boots & WHSMITH John Menzies

Prices: BBC Model B £7·95
Spectrum 48K £6·95
ZX81 16K £5·95

(N.B. 3D GRAPHICS ARE NOT INCLUDED IN THE ZX81 VERSION)
Overseas orders add £1·50

To order by mail (p&p free) send cheques or postal orders to:

Addictive Games

7A Richmond Hill, BOURNEMOUTH, BH2 6HE

ALSO FOR BBC 32K SPECTRUM 48K & ZX81 16K

The BBC Micro is only 16" lon
But it stretches indefinitely.

It stretches into schools where BBC Basic and the Econet networking system have helped make it Britain's numb



It's down at the doctor's, helping run the practice thanks to an ingenious program designed by two GPs.



You



It can take you to the theatre using its Prestel and Teletext adaptors. While helping out at the lab with its scientific monitoring interface. It has e





educational computer. It's making life easier in the office, and has grown into the country's top micro for small business



on TV, the star of a series of computer literacy programmes. Its colour graphics and new Bitstik make it welcome in design stu



working in space, tracking a satellite it also helped design. Meanwhile, back on Earth at 49 Acacia Avenue, Kingsmead, Middlesex

The BBC Microcomputer System. The world's be
And still growing.

The BBC Microcomputer System is designed, produced and distributed by Acorn Computers Ltd.

HATS OFF TO ME

M

☐ Please send me your free catalogue.

Please send me:

BBC BOOKS

- ☐ BBC Hardware Projects £8.95
- ☐ Building Blocks for BBC Games £6.95
- ☐ BBC Software Projects £6.95
- ☐ Guide to BBC ROMs £9.95

SPECTRUM BOOKS

- ☐ Spectrum Software Projects £6.95
- ☐ Spectrum Machine Language for the Absolute Beginner £5.95
- ☐ Advanced Spectrum Machine Language £6.95
- ☐ The Complete Spectrum ROM Disassembly £9.95
- ☐ Super Charge your Spectrum £5.95

COMMODORE 64 BOOKS

- ☐ Supercharge Your Commodore 64 ..... £5.95
- ☐ Commodore 64 Games Book 2 ..... £6.95
- ☐ Commodore 64 Software Projects £6.95
- ☐ Commodore 64 Games Book £5.95
- ☐ Commodore 64 Sound & Graphics £5.95
- ☐ Commodore 64 Machine Language for the Absolute Beginner £6.95

MSX BOOKS

- ☐ The Complete MSX Programmers Guide £14.95
- ☐ MSX Games Book £5.95
- ☐ MSX Exposed £7.95

COMMODORE 16 BOOKS

- ☐ Commodore 16 Games Book £5.95

I enclose my cheque/money order for £

Please debit my Access Card No. Expiry Date

Signature

Name

Address

Postcode YC12c

Orders to:
Melbourne House Publishers
39 Milton Trading Estate
Abingdon, Oxon OX14 4TD

Correspondence to:
Church Yard
Tring
Hertfordshire HP23 5LU

All Melbourne House cassette software is unconditionally guaranteed against malfunction.

Trade enquiries welcome.

£

£ +p/p .80

Total

£

All prices include VAT where applicable.
Please add 80p for post and pack.

Access orders can be telephoned through on our 24-hour ansafone (0235) 83 5001.

GSH

BOURNE HOUSE!



BBC Hardware Projects is the ABC of BBC interfacing for the enthusiast or student. Add a whole new dimension to electronic projects by interfacing your BBC micro with other equipment. Includes an indepth explanation of the BBC's hardware operation, backed up with circuit diagrams and a detailed run down on how each component functions. The definitive sourcebook for all BBC owners who want to fully utilise the BBC micro in their own electronic hobbies and projects.

Spectrum Software Projects will enable you to create useful programs and learn more about programming. It gives you program ideas, discusses the overall set-up and an outline of the various procedures. You write the programs, and Software Projects tells you how to test them or offers hints and clues on how to do it. Create six useful programs, ranging from information management to business programs and games.

Supercharge Your Commodore 64 gives your Commodore the power of machine language. Without any additional effort, you can overcome the limitations of BASIC. Not only will your programs look better, run faster, and have more spectacular graphics and sound, but you will also be able to develop them in a fraction of the time. Whether you are a beginner or an experienced programmer, Supercharge Your Commodore 64 is a book you cannot be without.

The Complete MSX Programmers Guide will be invaluable for all MSX users from novice to advanced. It's four sections are: a comprehensive self-paced guide for the beginner; a section devoted to advanced programming techniques; a detailed explanation of both BASIC and machine language, and a complete guide to the MSX Operating System.
The Complete MSX Programmers Guide is the reference book that will answer all your questions.

Commodore 16 Games Book. Take on a great challenge!
This new release for your Commodore 16 will test your reflexes, your nerve, your logic, your strategy and your intelligence — with educational games, simulation games, gambling games and much more!
With the unique CHEXSUM verification program you can make sure your games are bug free.
All these games explore to the fullest the extended graphics and sound facilities of the new, easier to use BASIC.
Program structures are outlined and key variables are given so that you can learn how to modify and extend these games for more fun-packed action!

MIND GAMES

AMERICAN FOOTBALL

A fast & furious graphics strategic simulation

£9.99
FREE RULE BOOK

FOR THE SPECTRUM 48K, CBM 64

OTHER GREAT MIND GAMES:

Starring The Overlords of the Universe
The candidate (you) have to get to the Chamber of Creation. It's a laugh a minute, since it's 2,000 light years away on the most horrible planet in the Universe ... and your starship doesn't work either!

A full feature adventure starring well known nasty aliens the Zarps. Can you play the hero and stop their plans to blow up the earth.

Starring The Zurgs
After a desperate space battle only one fleet of heroes remain to prevent the invasion of earth. The future of humanity lies with you!

Argus Press Software Group

For mail order, write with cheque/P.O./card No. to:
Mind Games, Argus Press Software Group, No.1 Golden Square, London W1A 3AB

ABACKUS ELECTRONIC SUPPLIES

PROTEK
BRITISH TELECOM APPROVED
ACOUSTIC COUPLER £59.95

ACOUSTIC COUPLER TO COMPUTER INTERFACE PACKS
Including software & lead
SPECTRUM (48K) £24.95
BBC (B) £14.95
CBM 64 ..... £14.95

SPECTRUM
Micro drive £49.95
Interface 1 for micro drive £49.95
Micro drive cartridges £4.95
User port extension lead £9.95
User port edge connector £2.99
User port edge connector board double sided £2.25

TRACKBALL
For BBC type systems. Large heavy body, includes genuine billiard ball control £29.99

CBM 64 & VIC 20
Cassette recorder interface with 3 jacks £14.95
Tape port connector 12 way £2.99
User port connector 24 way £3.49

VIC 20
RF modulator £17.95

COMPUTER TO RECORDER LEADS
BBC, ORIC 1, ATMOS } 7 Pin din to 3 jacks .. £2.99
BBC, ORIC 1, ATMOS } 7 Pin din to 5 pin din & 1 jack £2.99
SPECTRUM 2 jacks to 2 jacks .. £2.25
SPECTRUM 2 jacks to 5 pin din . £2.99
DRAGON 5 pin din to 3 jacks ... £2.99
DRAGON 5 pin din to 5 pin din & 1 jack £2.99



LIGHTPENS
Top quality pens plus first-class programme
BBC £24.95
SPECTRUM £19.95
CBM 64 ..... £19.95
DRAGON £19.95

PRINTER LEADS
BBC (serial) 1m £10.95
BBC (parallel)1m £11.95
AMSTRAD (parallel) 1m £13.95
ORIC (parallel) 1m £11.95
ATMOS (parallel) 1m £11.95
DRAGON (parallel) 1m £11.95

JOYSTICKS
BBC self centering £12.95

BBC (pair) analogue £18.95
BBC (pair) self centering £19.95
Quickshot 1 ..... £9.95
Quickshot 2 ..... £10.95
Converted for DRAGON 32
Quickshot 1 ..... £12.95
Quickshot 2 ..... £14.95

JOYSTICK INTERFACES
BBC £11.95
SPECTRUM £11.95
SPECTRUM (programmable) .. £22.95
ELECTRON plus tape £24.95
ORIC 1 & ATMOS £14.95

3M DISKETTES
5¼" 48tpi box of 10
SS DD £19.95
DS DD £25.95

JOYSTICK RAPID FIRE ADAPTER
Plug-in unit between computer & joystick
Set speed £6.95

Variable speed £7.95

JOYSTICK EXTENSION LEADS
9 pin "D" type 3m £4.95
DRAGON 5 pin din type 2m £3.95

JOYSTICK CABLE SPLITTER
To give two joystick inputs into one port
9 pin "D" type £4.95
BBC "D" type £5.49

DISKETTE LIBRARY BOX
Holds 10 5¼" disks £3.95

DISK DRIVE HEAD CLEANING KITS
Suitable for single or double-sided disk drives 5¼" (dry system) with 5 spare cleaning disks permitting up to 150 cleaning operations £14.95
5¼" (wet system) with 5 spare cleaning disks & fluid £16.95

QUALITY AMPEX CASSETTES
Box of 10 C12 ..... £6.49
Box of 10 C15 ..... £6.49

DISK DRIVE LEADS
BBC to single disk drive 1m £8.95
BBC to dual disk drive 1m £11.69
SPECTRUM interface 1 to micro drive 8" £5.95

DISK DRIVE POWER LEADS
Supply from BBC power supply to standard disk drive connector
Single drive £3.99
Dual drive £4.99

AERIAL LEAD
Phono plug to TV coax plug £1.99

ABACKUS
ELECTRONIC SUPPLIES

ORDERING INFORMATION
All prices include postage and packaging (UK only) for normal delivery. All items are quality products and include a full year guarantee. Products are stocked and normally despatched within 10 days. All cheques, PO's made payable to "ABACKUS ELECTRONIC SUPPLIES". 51 KENILWORTH DRIVE, OADBY INDUSTRIAL ESTATE, OADBY, LEICESTER LE2 5LU.
Telephone: (0533) 710489

Self Adhesive Cassette & Disk Labels

★ 24 HOUR SERVICE FROM STOCK
★ AVAILABLE WHITE OR TINTED
★ 48 HOUR SERVICE ON PRINTED LABELS

CASSETTE LABELS ON A4 SHEETS - White only, suitable for small-offset printing or photocopying: 100 labels - £3.50, 200 - £6.00, 300 - £8.25, 500 - £12.00, 1000 - £21.85

CASSETTE LABELS IN ROLLS - Complete with tractor feed backing paper for over-printing by computer printer. Available white or tinted blue, pink, green, orange, grey or yellow. Minimum order 500 labels.

WHITE: 500 - £14.66, 1000 - £20.70, 2000 - £31.05
TINTED: 500 - £16.90, 1000 - £24.15, 2000 - £37.95

DISK LABELS - Available in 127 & 95 mm width for conventional floppy disk (36mm deep), or 71 x 69mm for the MSX style compact floppy disk. These labels are all on tractor feed backing paper with a range of tints as above.

WHITE, 95mm: 500 - £12.75, 1000 - £17.75, 2000 - £20.56
TINTED, 95mm: 500 - £15.20, 1000 - £24.65, 2000 - £34.36
WHITE, 127mm & Compact disk: 500 - £15.55, 1000 - £22.05, 2000 - £25.70
TINTED, 127mm & Compact disk: 500 - £21.35, 1000 - £31.05, 2000 - £43.65

All Prices include VAT and postage/ packing
Excellent discounts for large quantities
Please send stamp for printing price lists and sample labels

Industrial Process

UNIT A4
SMEED-DEAN CENTRE
EUROLINK INDUSTRIAL ESTATE
SITTINGBOURNE
KENT ME10 3RN
Sittingbourne (0795) 28425

Self Adhesive Computer Labels — Superfast



REMEMBER

MICROPOWERMICROPOWERMICROPOWERMICROPOWERM

A FANTASTIC NEW PROGRAM FROM
BRITAIN'S LEADING SOFTWARE HOUSE

SUPER-FAST LOADING TIME

STOCK CAR

commodore 64
electron
B.B.C. MICRO

Skid round hairpin bends, cutting up the competition and rebounding off the barriers. A one or two player racing game featuring 6 different circuits, oil patches, selectable number of laps and variable skid.



COMMODORE 64 VERSION

£6.95 (BBC version £7.95)
BBC and Commodore
Disk price £9.95

WATCH OUT FOR OUR NEW PACKAGING AND CATALOGUE

MICRO POWER

MICRO POWER LTD.,
NORTHWOOD HOUSE, NORTH STREET,
LEEDS LS7 2AA TEL: (0532) 458800

SELECTIVE BRANCHES OF BOOTS, CO-OP, MENZIES, W. H. SMITH, WOOLWORTHS AND ALL GOOD DEALERS.

AUTHORS! WE PAY 20% ROYALTIES!

MICROPOWERMICROPOWERM

Every computer needs

CHATTERBOX II

"Listen creep, I am the leader....."

For **ZX81**
SPECTRUM
BBC
TRS 80
APPLE
NASCOM
VIC/PET/64
(Please state)

NEW! EXCLUSIVE! **PITCH CONTROL**

£39 COMPLETE OR £33 (DIY KIT)

CHATTERBOX II™ can say anything!

Genuine phoneme synthesis - not just recorded speech - hence unlimited vocabulary. Programmable pitch for more natural intonation (exclusive to Wm Stuart Systems)- solid tone cabinet for quality sound - integral beep/music amplifier. **PLUS** expansion socket for BIG EARS voice recognition system. Full instructions technical notes and software supplied with this outstanding educational unit.

DEALER ENQUIRIES WELCOME

As seen on BBC TV "Computer Programme"

BIG EARS

SPEECH INPUT FOR ANY COMPUTER

Hugely successful Speech Recognition System. Complete with microphone, software and full instructions.

ONLY £49

BUILT TESTED & GUARANTEED

PLEASE STATE COMPUTER: UK101, SPECTRUM, ATOM, NASCOM2, Vic 20, Micron, ZX80/81, PET, TRS80, MZ80K, APPLE II, BBC MICRO CBM 64

ZX81/SPECTRUM

NEW! **VIBRATO CONTROL**

MUSIC SYNTHESISER (Stereo) +16 LINE CONTROL PORT

Play 3-part music, sound effects, drums etc. Full control of attack, decay and frequency. Input/Output lines provide control and monitor facility for Home Security, Robot Control, Model Railway etc. etc. Works with or without 16K RAM.

Full instructions/software included. Add keyboard to make a live performance polyphonic synthesiser! Note: up to 3 units can be used simultaneously; giving 9 music channels & 48 I/0 lines

AMAZING VALUE AT ONLY
£19.50 (KIT)
£25.50 (BUILT)

SOFTWARE

THE COMPOSER
Synthesiser Music Programme. Enter & play 3 part harmony. Includes demonstrations. (Spectrum/ZX81) **recommended £7**

TALKING HANGMAN
For Chatterbox! The classic game claims its victims with a dry vocal accompaniment (Spectrum) **£6**

ZX ARP/DRUMSEQ
Fascinating synthesiser demonstrations. Generates automatic sequences and plays from keyboard. Some weird effects (Spectrum) **£6**

CHROMACODE??????
Can you defuse the bomb by cracking the secret combination before time runs out? With Chatterbox voice output (Spectrum) **£6**

COLOUR MODULATOR

RGB in, PAL/UHF out (not for ZX)

KIT £16
BUILT £22

Please add VAT at 15% to prices.
Barclay/Access orders accepted by telephone

All enquiries S.A.E. please

WILLIAM STUART SYSTEMS Ltd
Quarley Down House
Cholderton
Nr. Salisbury
Wiltshire. SP4 ODZ
Tel: 098 064 235

BARCLAYCARD VISA



Newnes latest Computer
GUIDANCE SYSTEMS

BASIC in Business
Arnold Handley

NEW

Written by a businessman for Businessmen, BASIC in Business teaches you the BASIC commands and shows you them in use in real-life programs. It offers the quickest way to get your computer earning its keep and for you to break in to off-the-shelf software packages and adapting them to your actual needs.

May 1984 272pp £8.95

Artificial Intelligence in BASIC
Mike James

NEW

Recent sophisticated, low-cost computers have enlarged Artificial Intelligence from an academic study to a fascinating hobby for the micro owner. Mike James presents some of the central ideas of the subject and illustrates them with programs that can be readily adapted for any BASIC home computer.

June 1984 128pp £6.95

LISP for Micros
Steve Oakey

NEW

Assuming that the reader can program in BASIC or in Pascal, LISP for Micros develops his/her programming skill to the point of understanding and using the advanced facilities of LISP. It describes normal iterative methods, recursion of the LISP interpreter and includes special sections on BBC LISP and Supersoft LISP.

August 1984 192pp £7.95

Beginner's Guide to Information Technology
Garry Marshall

NEW

Information Technology results from developments in computer and telecommunications technology and its applications include automatic cash dispensing, computer-aided learning, Ceefax and Prestel. The Beginner's Guide to Information Technology is written for all those who are confused by this modern technology and who wish to understand its essentials with the minimum of fuss.

September 1984 144pp £4.95

Beginner's Guide to Microcomputing
E A Parr

NEW

For owners or would be owners of home computers, here is an essential purchase. Beginner's Guide to Microcomputing gives a broad view of available methods and applications, and considers computers, computer peripherals and BASIC programming. Includes numerous diagrams and photographs.

October 1984 208pp £4.95

Beginner's Guide to Microcomputer Languages
Michael Duck

NEW

Recent improvements in microcomputer memories have led to the availability to the home user of several different programming languages. The Beginner's Guide to Microcomputer Languages presents six of the most popular – BASIC, Pascal, COMAL, FORTH, PROLOG and LOGO – each chapter being written by an author experienced in teaching that language.

October 1984 176pp £4.95

About to be launched

Programming the Electron

Anyone who wishes to make full use of the sophisticated features of the Acorn Electron microcomputer needs this book. It covers topics from starting up the machine through general programming practice and specific features of Electron BASIC to assembly language programming, file handling and interfacing peripherals.

November 1984 224pp approx £8.95 approx

LOGO for Micros
Martin Lesser

LOGO is more than a children friendly language for early educational purposes. LOGO is available on an increasing number of micros and LOGO for Micros describes the language and its potential and sets it in a general computing context. The book does not require access to a computer running LOGO to give the reader a reasonable understanding of the language.

January 1985 160pp approx £7.95

Questions and Answers on Computers
Steve A Money

Many of the queries that you have about computers are dealt with in the familiar Q&A format. The items covered vary from specific points – "what is the difference between a procedure and a subroutine" – to more general discussions on the principles of programming and on the applications of computers.

February 1985 128pp approx £2.95 approx

Servicing Personal Computers
Michael Tooley

This book is one of very few to cater for the professional computer technician, student or enthusiast who is concerned to maintain, service or repair micros. Silicon technology is very reliable but faults do occur, as well as in commonly used peripherals such as disk and tape drives, printers and monitors. Servicing Personal Computers includes advice on setting up and equipping a workshop and contains a valuable reference section.

January 1985 272pp approx £14.95 approx

Sinclair QL in Business
Arnold Handley

No previous knowledge of computing is assumed in this no nonsense guide to getting the best from the Sinclair QL and its associated software.

January 1985 160pp approx £6.95approx

Better BASIC
A J Quillinan

All self-taught BASIC programmers will widen the range of problems that they can tackle readily by mastering the more systematic methods described in Better BASIC. Many examples are given and the book can serve as a useful reference work for experienced programmers searching for a particular type of routine.

February 1985 160pp approx £7.50 approx

Also of interest...
A Butterworth Scientific Journal...

microprocessors and microsystems

Published in February, March, April, May, June, August, September, October, November and December. Annual subscription £80.00 (establishments); £20.00 (individuals). For further details contact Anne Browne, Butterworth Scientific Ltd, PO Box 63, Westbury House, Bury Street, Guildford, Surrey GU2 5BH.

ORDER NOW – from your local bookseller
In case of difficulty send cash with order to the address below

Send for our FREE catalogue giving details of all our computer books.

Newnes Technical Books
Borough Green, Sevenoaks, Kent TN15 8PH

REMEMBER



ELEPHANT NEVER FORGETS

Get the best from your computer with ELEPHANT disks. Certified 100% error-free and problem-free, and with quality maintained for at least 12 million passes, ELEPHANT disks are guaranteed to meet or exceed every industry standard and are compatible with virtually every computer on the market.

Look for the ELEPHANT sign at your local Dealers – or in case of difficulty, phone or write direct to Dennison Manufacturing Co. Ltd.

Dennison

Dennison Manufacturing Co. Ltd.
Colonial Way, Watford, Herts WD2 4JY, Tel: Watford (0923) 41244, Telex: 923321
France: Soroclass, 8, Rue Montgolfier - 93115, Rosny-Sous-Bois, Tel: 16 (1) 855-73-70
Germany: Marcom Computerzubehoer GmbH, Podbielskistr. 321, 3000 Hannover 1, Telex: 923818
Other Countries: Dennison International Company, 4006 Erkrath 1, Matthias-Claudius-Strasse 9, Telex: 858 6600

THE NEW

HANTAREX BOXER

◇ *Hantarex, the name behind the screens in over 90% of professional video games machines, has come out into the open with its new BOXER range of monitors for personal computers.*

◇ *First in the range is the BOXER 12" high resolution monochrome monitor. The elegantly styled cabinet houses a black screen with an etched faceplate for minimal reflection and features a green 80 column display for clear easy viewing.*

◇ *The compact, portable BOXER is compatible with most personal computers and is unbeatable value at £99.50 inc. VAT, and has 12 months guarantee.*

£99.50

INC VAT.

See the new BOXER Monitors on Stand 228 at the COMPEC '84 Show, Olympia from 13-16 November.

Further information and illustrated leaflet available from:

HANTAREX ®

HANTAREX (UK) LTD.,
Unit 2,
Lower Sydenham Trading Estate,
Kangley Bridge Road,
London SE26 5BA.
Tel: 01-778 1414.

ONLY THE BEST BECOME A....

FIGHTER PILOT

NOW ON COMMODORE 64

The Chart Topping Flight Simulation Now On CBM 64.

48K SPECTRUM

BY D.K.MARSHALL

A SPECTACULAR FLIGHT SIMULATION OF THE WORLD'S MOST EXCITING JET FIGHTER WITH STUNNING 3D COCKPIT VIEW AND THE MOST REALISTIC 3D AIR-TO-AIR COMBAT EVER SEEN ON THE SPECTRUM!

The SUPREME SIMULATION.. it leaves the rest at the runway threshold!

SPECTRUM
£7.95
COMMODORE 64
CASSETTE DISK
£9.95 £14.95
inc. VAT & p. & p.
Joystick Compatible

OTHER AMAZING FEATURES
- ★ Landing and take off from 4 runways plus steering on the ground.
- ★ Fully Aerobatic Performance
- ★ Airfield attack by the enemy
- ★ Cross winds, Turbulence and landing in fog
- ★ 4 Pilot ratings, 8 Beacons, ground features and map
- ★ Artificial horizon, radar and flight computer.
- ★ ILS, Flaps, U/C and system failures
- ★ 100% machine code with complete instructions and pilot notes.

"Definitely the best simulation for the Spectrum..."
- Crash Micro

TT RACER
£7.95
48K Spectrum



The supreme motorcycle racing simulation for the spectrum. TT Racer puts you on the hot seat, racing for the finishing line. You'll need to be a top rider to take the winning flag as only the fastest win!



TOMAHAWK
£7.95
48K Spectrum

From the author of Fighter Pilot ... the first authentic helicopter simulation for the ZX Spectrum. Climb into the hot seat of the meanest deadliest combat helicopter ever to rule the skies!



NIGHT GUNNER
£6.95
48K Spectrum
Joystick Compatible *

The air battle where only aces survive - with enemy fighters attacking from all directions, guns blazing, explosive 3D ground attack sorties - and there's **still** the flight home.

WIZARDS OF COMPUTER GAMES SOFTWARE

DIGITAL INTEGRATION

Watchmoor Trade Centre,
Watchmoor Road, Camberley,
Surrey GU15 3AJ

COMMODORE 64

Fighter Pilot	Disk	☐ £14.95
Fighter Pilot	Cassette	☐ £9.95

SPECTRUM

Night Gunner	48K	☐ £6.95
Fighter Pilot	48K	☐ £7.95
Tomahawk	48K	**Coming soon**
TT Racer	48K	

VAT and p. & p. inclusive within UK
(Overseas inc. 55p. per cassette)

Cheques payable to Digital Integration Ltd

I enclose a cheque/P.O. for_____Total

Name_____

Address_____

Or debit my Access Account No.

Please send to Digital Integration, Dept
Watchmoor Trade Centre, Watchmoor Road, Camberley, Surrey GU15 3AJ.

Access Tele Sales (0276) 684959

Trade and Export enquiries welcome. Lifetime Guarantee.

SAGA 1 EMPEROR



Sheer Elegance

AVAILABLE NOW

THE KEYBOARD FOR ZX SPECTRUM COMPUTERS

- **EASY FITTING**
- **PLEASURE TO USE**
- **LONG LASTING**

The Saga 1 Emperor, equipped with 67 keys, is a carefully designed replacement keyboard incorporating many special functions for the popular Spectrum Computer. For business or pleasure, the Emperor will make your computing time more productive and enjoyable. The SAGA 1 Emperor will enable you to use the Spectrum as a powerful programming tool easier and faster.

The style is easy:- for your benefit, the SAGA 1 Emperor has been designed to ensure that available Spectrum Peripherals will fit in the usual manner.

The assembly of the keyboard is simple — and fast. No soldering required, so that within just 5 minutes you can replace your current ZX Spectrum with the new SAGA 1 Emperor.

AND ALL THIS FOR JUST £54.95 (inc. VAT)

SAGA P.C.!
Your very own Personal Carrier, partitioned to neatly accommodate your Spectrum, Saga 1 Emperor and peripherals; Tape Recorder, Power Supply, Cables, manuals and cassettes. Of solid and attractive construction the P.C. is ideal for storing and transporting your computer accessories. The case uses a strong double stitched and bound Black Calf Vinyl with a tough thick ABS inner compartment, leather buckles and a strong handle. Only **£26.95** (inc. VAT).

DUSTCOVER
Another top quality product, this expertly produced long-lasting bound and sewn dustcover has been specifically designed for the SAGA 1 Emperor, which will keep everything looking neat and dust free. Only **£4.95** (inc. VAT).

SOUNDBOOST
Hear that keyboard click with a SAGA SOUNDBOOST
The SAGA SOUNDBOOST is a tiny electronic circuit which considerably enhances the sound volume and quality of the Spectrum sound output. Adjustable from a whisper to a roar, the SOUNDBOOST provides added realism and excitement for games players and security for programmers (Hear that Keyboard Click!). No cutting, no soldering — just connect.
Only **£9.50** (inc VAT).

FLEXICABLE
Developed to relieve your Spectrum from the pressure of life, to fit your Spectrum and your add-ons taking the load with ease. By popular demand we now have two versions of the 9 inch FLEXICABLE available to suit your needs.
Male-Female FLEXICABLE — £12.45
Female-Female FLEXICABLE — £9.50
Convertor PCB — £2.95

THE COLLECTION

The latest addition to our product range is The Collection, providing you with three money saving action packed specials containing quality products — an ideal gift.

COLLECTION 1 — SAVE £10.00!!

r.r.p	**£53.85**
Our special price	**£43.85**
includes: Saga Personal Carrier	**£26.95**
Soundboost	**£9.50**
Dustcover	**£4.95**
Flexicable (M-F)	**£12.45**

COLLECTION 2 — SAVE £20.00!!

r.r.p	**£108.80**
Our special price	**£88.80**
Collection 1	**£53.85**
Saga 1 Emperor	**£54.95**

COLLECTION 3 — SAVE £30.00!!

r.r.p	**£238.75**
Our special price	**£208.75**
Collection 2	**£108.80**
48K Sinclair ZX Spectrum	**£129.95**

DISTRIBUTOR & TRADE ENQUIRIES CALL NOW ON WOKING (04862) 22922

Please write to: SAGA Systems Limited, Dept. Woodham Road, Woking, Surrey
Telephone Woking (04862) 69527/22922 or Telex 859298
All prices include VAT
P&P free for Sound Boost and Flexicable.
P&P £1.25 for SAGA 1 Emperor U.K.
£4.00 for SAGA 1 Emperor Europe
£15.00 for SAGA 1 Emperor U.A.E.

Please send me
Name _____
Address _____
_____
The following SAGA PRODUCTS _____
_____
Total amount enclosed £ _____
Please make CHEQUES/P.O. Payable to SAGA Systems Ltd.

SSL

Britain's biggest selling computer magazine has put on 26% more weight

ABC



(It must be all those chips.)

It's hardly surprising that the ABC figures for January – June 1984 show yet another leap in circulation for Your Computer, to 154,334.

The fact is that more people find it more to their taste than any other computer magazine.

Not that all these extra readers are going to cost our advertisers any more. Because Your Computer's cost-per-thousand has actually fallen to just £5.05.

For more details contact Shobhan Gajjar on 01-661 3127 and he'll explain why other home computer magazines could well have had their chips.

YOUR COMPUTER
ELECTRICAL-ELECTRONIC PRESS
A DIVISION OF BUSINESS PRESS INTERNATIONAL LTD

The new Mitsubish

For those in the know

Anyone conversant with home computers will know precisely why MSX was worth waiting for.

The sheer proliferation of computer and software systems flooding the market loudly underlined the need for a unified standard.

So the major companies jointly developed a single computer and software system. The result – MSX – the format that will be standard for all time.

And those in the know will not be surprised that Mitsubishi are in the vanguard of the MSX movement. For, with the F-series, Mitsubishi offers everything that MSX is and more.

GRAPHICS

Maximum resolution of 256 x 192 pixels with all 16 colours available on the screen at the same time. 32 sprites in two sizes and two magnifications allowing easy creation of '3D' graphics. 255 pre-defined characters all of which can be used as straight text or easily mixed with graphics.



JOYSTICK AND CASSETTE PORTS



EXPANSION BUS | PRINTER PORT | MONITOR OUTPORT

SOUND

Three independent channels which can be output through the TV loudspeakers at any volume, individually or simultaneously, at any of the available 8 octaves. All three channels can use the 'noise' generator for stunning sound effects.

KEYBOARD

73 moving keys, ergonomically designed for many hours of fatigue free use. Large cursor control keys which are excellent for both programme editing and game playing. 5 function keys giving 10 pre-defined functions which can easily be redefined from 'BASIC' using the 'KEY' command.

BASIC

MSX BASIC is possibly the most comprehensive version of the original language. There is a complete set of commands for creating graphics and sounds, manipulating text and moving sprites. In addition to this there are 'built-in' interrupt routines for detecting sprite collisions, function key selections and joy-stick fire buttons.

EXPANSION

The Mitsubishi 64k ML-F80 and 32k ML-F48 are both equipped with 2 cartridge ports, 2 joy-stick ports and a centronics compatible parallel interface. It is through these devices that the MSX system can be expanded for use with disc-drives, printers, serial interfaces, modems and other peripherals.

SOFTWARE ON CASSETTE

The MSX system can load and save data onto cassette at 1200 or 2400 baud and unlike certain other home computers, the Mitsubishi F-series can be used with a normal domestic tape recorder for this purpose.

When you put all of these features together, with the knowledge that Mitsubishi is the largest manufacturer of Mainframe computers in Japan, those in the know will immediately recognise the true potential of the Mitsubishi F-series.

hi MSX Computers

For those who aren't

The Mitsubishi MSX family computer is everything you wanted to know about computers, but didn't know who to ask.

It's friendly, it's fun and so simple, a grown man can use it. Yet so versatile even his computer-versed children would be hard-stretched to over-tax it.

It operates with any colour TV set. Just plug it in, and the full power of the computer is instantly at your fingertips.

FOR FATHER

The Mitsubishi MSX can do many things, from keeping a simple check on the bank balance to running a complete business with customer account files, stock control programmes and word processing. It is just as much at home keeping control of your record or stamp collection or playing 'strategy' games such as chess, othello or contract bridge.

FOR MOTHER

There is the opportunity to store recipes and other household information or keeping record of the children's progress at school. Household accounts can also be recorded so that savings can be planned for holidays and other seasonal expenses.

FOR THE CHILDREN

There is education, particularly computer education. In a world where computer literacy is now of foremost importance, MSX offers a broad base of educational software. With simple programmes for the very young through to complex programmes for older students like language learning.

Also, the graphics system of the Mitsubishi computer ensures that the MSX versions of your favourite games are reproduced with incredible speed and accuracy.

Undoubtedly, MSX is the format for the future, and will become the byword for computer education and entertainment.

And you can be secure in the knowledge that regardless of future developments, any investments made in MSX hardware, software and peripherals today will always be compatable with the Mitsubishi F-series.

So if you've waited until now to buy a computer, you couldn't have timed it more perfectly. Get to know one today.

MITSUBISHI COMPUTERS

Mitsubishi Electric (UK) Ltd., Hertford Place, Denham Way, Rickmansworth, Herts WD3 2BJ. Tel: 0923 770000.

SPECIFICATIONS

CPU:
Z80A (3.6 MHz)
Memory:
ROM: 32 KB
RAM: 64 KB (F80)
RAM: 32 KB (F48)
Video Ram: 16 KB
Screen Displays:
*Text Mode:
40 columns x24 lines
*Graphics:
256 x 192 pixels
Colours: 16 (15+transparent)
Sprites: 32
Output: RF, Composite Video
Keyboard:
73 moving-key keyboard
5 function keys
Cursor control keys
Special keys for screen editing
Sound:
8 octaves
3 channels for sound or 'noise'
Output by TV sound or External Audio Amplifier
Cassette Interface:
1200-2400 baud
Motor controlled by CPU
Parallel Interface:
Centronics
Joy-Stick:
2 x 9 pin connectors
Rom-Cartridge:
2 x 50 pin connector

*Subject to Scan of Monitor



ML-F80

ML-F48

MSX

ARE YOU THE HOME COMPUTER RETAILER OF THE YEAR? 1984

micro business

Websters SOFTWARE

HOME COMPUTER RETAILER OF THE YEAR AWARD

Micro Business, the monthly journal for computer dealers, and Websters Software are organising a major competition to find the Home Computer Retailer of the Year.

If you have an established, imaginative or particularly successful approach to home computer retailing, you could become the Micro Business Websters Software Retailer of the Year.

1st Prize £1,000 ◇ 2nd Prize £500 ◇ 3rd Prize £250

This easy to enter competition is open to all home computer/ software dealers. To enter telephone 01-661 3687 to receive your entry form.

Electrical Electronic Press, Marketing Department, Quadrant House,

The Quadrant, SUTTON, Surrey SM2 5AS.

Phone now for your entry form.

ADULT PARTY GAMES

SPECTRUM 16/48k

STRIP POKER

Classic adult party game for 2-10 players, who may lose a lot more than their stake! Fully featured 5-Card Poker game (basic rules supplied) with that little bit extra!

£6.95 (cassette)

Fully inclusive mail order price

RISQUÉ

New on-screen board game for 2-4 very, very good friends. Revealing after-dinner frolics, fun, dares, risks and forfeits!

£7.95 (cassette)

Fully inclusive mail order price

Send cheque/PO/MO payable to:

PR SOFTWARE
7 Ashley Road, Poole, Dorset BH14 9BS

---

48 K SPECTRUM **Mah Jong**

THE FASCINATING AND TIMELESS ORIENTAL GAME OF THE FOUR WINDS. CAN BE USED AS A GAME AND OR TUTOR WITH SAVE GAME FEATURE. SUPERB GRAPHICS. EXPERIENCE THE CHALLENGE OF FAST AND COMPETATIVE PLAY. A COMPREHENSIVE INSTRUCTION BOOK IS INCLUDED WITH EACH PACKAGE. THIS IS THE MOST COMPREHENSIVE VERSION WE HAVE EVER SEEN FOR A MICRO COMPUTER ' '

£9-95

16 48 K SPECTRUM **YAHTZEE**

AN EXCITING GAME OF CHANCE FOR 1-4 PLAYERS.

£5-95

16 48 K SPECTRUM **PENTOMINOES**

THE JIGSAW WITH A SUBTLE DIFFERENCE ! !

£5-95

Spectre

ENFIELD HOUSE, SWARDESTON
NORWICH, NORFOLK.

ALSO AVAILABLE
48K DIGITAL CIRCUIT DESIGNER £ 9 95
48K A.C. NETWORK ANALYSER £ 14 95
48K MULTI FUNCTION MATHS AID £ 6 95
48K PERSONAL DIETARY ADVISOR £ 6 95
48K INVESTMENT MONITOR £ 6 95

ANSWER BACK
SENIOR AND JUNIOR
QUIZZES
GENERAL KNOWLEDGE

THE ULTIMATE CHALLENGE
BBC (32K)•ELECTRON

Juniors (Ages 6 to 11)
-defeat the mythical dragon and save the princess of KOSMOS Castle. . .

Seniors (Ages 12 and Over)
-pit your wits against the KOSMOS robot and destroy the Alien invaders. . .

But be warned, in your endeavours you will learn vast amounts of fascinating facts on an enormous variety of subjects. The ANSWER BACK quizzes provide an incredible adventure in education by allowing successful challengers to participate in the compelling games.

Each program comes complete with 15 enormous quizzes providing a total of 750 questions and 3000 optional answers. But that is only the start, you can also create and save an unlimited number of quizzes of your own design.

FEATURES INCLUDE

☐ Multiple choice answers ☐ True or False? ☐ Find the missing letters ☐ "Pass" facility ☐ Immediate correction of errors ☐ Timer option ☐ Performance summary ☐ Re-run of questions passed or incorrectly answered ☐ Full facilities for creating and saving an unlimited number of new quizzes

Available from your computer store or by mail order Price £10.95

Other educational titles include...
'The French Mistress'
'The German Master'
'The Spanish Tutor'

KOSMOS SOFTWARE LTD,1 Pilgrims Close, Harlington, DUNSTABLE, Beds. LU5 6LX
Please supply the following programs for the BBC/ELECTRON computer
ANSWER BACK Junior Quiz @ £10.95 ☐
ANSWER BACK Senior Quiz @ £10.95 ☐

Mr/Mrs/Miss . . . . . .
Address . . . . . .
. . . . . .
. . . . . Postcode . . . . . .

KOSMOS
S·O·F·T·W·A·R·E

KOSMOS SOFTWARE LIMITED
1 Pilgrims Close, Harlington
DUNSTABLE, Beds. LU5 6LX
Tel. (05255) 3942

YOUR COMPUTER CLASSIFIED

01-661 3036

Contact: Lucy O'Sullivan

ADVERTISEMENT RATES

Lineage: 50p per word
(Min 20 words)
Box No: £4.00 extra
Linage advertisements are prepayable and the order form published in this section should be completed and returned with remittance. Credit Card facilities are available.

Display — rates per scc (Min. 2scc)

One insertion	:	£9.00
Three insertions	:	£8.70
Six insertions	:	£8.50
Twelve insertions	:	£8.00

Display advertisers should preferably reserve space by phone.

Copy Date

Closing date for Classified advertisements is the 26th Nov. for the Jan. edition.

Post to
Your Computer, Classified Department, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Britain's Biggest Selling Home Computer Magazine

AMSTRAD/Atmos/Oric 1 Software Club has an excellent selection of software. Send SAE for details. 26 Beechley Drive, Cardiff CF5 3SN. 515

SPECTRUM CHESS

Dare you face The Turk

The original Turk was an eighteenth century automation, a life-size mechanical figure resplendent in Turkish costume and seated behind a wooden cabinet on which a chess board and pieces were placed.

OCP now offer you the twentieth century equivalent of that Turk — a chess-playing computer program. **The Turk challenges you to a game of chess!**

MANY OPTIONS INCLUDE:

- 6 Levels of Difficulty
- Demonstration Mode
- Board Editor
- Games Printout Facility
- Blitz Chess Against the Clock
- Two Player Mode
- Unfinished Games can be Stored
- Recommended Move

FULL INSTRUCTIONS PROVIDED

CHESS THE TURK
ONLY £8.95
Post order to
Oxford Computer Publishing,
P.O. Box 99, Oxford.
134/4

THE TRIAL OF ARNOLD BLACKWOOD
A New adventure of intrigue for the **AMSTRAD 64**
(also available for DRAGON 32) £5.50 inc. (state micro)
NEMESIS
10 Carlow Road, Ringstead, Kettering, Northants NN14 4DW.

ORIGINAL programs urgently needed Oric and Commodore 64. Educational or Games. Cash payment or royalties. Professional ethics strictly adhered too. Send your program for consideration. Knight Products (UK) Ltd., 71 Colne Road, Earby, Lancashire BB8 6XL. 257

MICRODRIVE TRANSFER TAPE

At last **MAJORITY** of your software can be transferred to Microdrive, even auto-start commercially made games **WILL** run as intended.

* The **NEW 007 MD** cassette enables you to transfer the Headerless programs as well.

* Includes an intelligent Header Reader which tells **YOU** if any special actions required.

* Does **NOT** require an additional Help tape.

* Semi-Automatic. Fully automatic systems have proved limited.

How it works: Copies Code to the Microdrive using its push-button copier. **YOU** make a few very easy changes to the Basic loader part. Save it to Microdrive, and magic, **INSTANT SUCCESS.**

007 MD IS JUST £5.95
(Europe + 50p Other areas + £1.50)

SPECIAL OFFER: Membership of the **MICRODRIVE EXCHANGE** Newsletter club plus 007 MD for just £10. (Or on cartridge for £15).

ZX-GUARANTEED (Dept YC)
29 Chadderton Drive, Unsworth, Bury, Lancs. BL9 8NL
Tel: 061-766 5712

SPECTRUM 48K

MAKE HOME VIDEOS . . . on ordinary C10 cassettes, WITH YOUR OWN TUNES. Post them to friends who have 48K Spectrums.

Full animation and editing of every sequence including tunes . . . you get it RIGHT. Order Cassette 'MCA', £7.00 incl. Also Morse Code reading programs for Spectrum 2 ZX81. SAE for details.

PINEHURST DATA STUDIOS
69 Pinehurst Park, W. Moors, Wimborne, Dorset BH22 0BP

TECTEL ROBOTICS

CONTROL BOARDS FOR HOME COMPUTERS

ORIC
ORIC DUUBRY £24
1 of 16 channel controller
ORIC ADC £34
Superfast 8 channel analog — digital scanner, 8 bit resolution.
ORIC I/O port £39
16 programmable channels
ORIC PRINTER £95
26 col, matrix, graphics double sized print, ink & ribbons.

ZX81
ZX81 DUUBRY £22.50
1 of 16 channel controller
SX81 ADC £34
Superfast 8 channel analog — digital scanner, 8 bit resolution.
ZX81 I/O port £34
16 programmable channels
ZX81 HI-RESOLUTION GRAPHICS £28
stunning results.

ITEXT SOFTWARE a new range of educational programs.

TODDLERS (pre school)
LEARN your ALPHABET
LEARN to COUNT
LEARN your COLOURS
LEARN your SHAPES
ABOUT the HOUSE
ABOUT the KITCHEN
ABOUT CLOTHES
£3.95 each

MUMS & DADS
ITEXT cookbook (English)
ITEXT cookbook (Chinese)
ITEXT cookbook (Italian)
ITEXT cookbook (Indian)
ITEXT Wine & Beer Making
ITEXT Cookbook Desserts
ITEXT Cookbook Confection
£5.65 each

Send cheque or Postal Order to:

TECTEL
Telford Opportunities Centre, Halesfield 14, Telford, Shropshire.
Tel. 0952-581738

P&P £1.50 for control boards £1 for tapes

A BBC B 'WORD PROCESSOR'
80 columns, editing, justification, saving, printing, inc. instructions) suit Microline, Epsom or equivalent
Cassette £6.95 40 Track Disk £8.95
Send cheque/PO to: **CONE SOFTWARE**
11a Highview Rd, Sidcup, Kent DA14 4EX

PROM SERVICES

ANALOGUE CONVERTERS for ZX81 and SPECTRUMS

8 bit 8 channel input	£23.95
8 bit 3 channel output	£26.95
12 bit 8 channel input	£57.95
3 slot motherboard	£16.95

23/28 way edge cards 75p, connectors £2.50.

SAE for details of these and many other interfaces.

EPROM SERVICES
3 Wedgewood Drive,
Leeds LS8 1EF.
Tel. (0532) 667183

DUST COVERS. Quality anti-static material. Spectrum £1.50, DK Tronic, Commodore, BBC Dragon £2.50 inc. p&p also available for printers cassetted disc drives etc. Computa Covers, 17 Lichfield St, Wolverhampton, West Midlands. 407

Program writers read on...

Is your program good enough to publish? Software required for all popular home computers. Submit your work in confidence to:-

NOVUS SOFTWARE Ref. YC1
798 Pershore Road,
Birmingham, B29 7NG.

QL PROGRAMMERS

A MAJOR SOFTWARE COMPANY IS LOOKING FOR HIGH QUALITY QL SOFTWARE.
IF YOU HAVE A PROGRAM READY OR UNDER PREPARATION, OR IF YOU FEEL YOU ARE COMPETENT TO WRITE ONE, CONTACT US IMMEDIATELY.
TERMS: ROYALTIES/OUTRIGHT PURCHASE/EMPLOYMENT.
TEL **DIGITAL PRECISION** 01-527 5493

TAPE COPIERS

Unique machine code programs to allow security back-up copies of the majority of protected software.
Available for:

COMMODORE 64	£5.95	ORIC 1	£5.95
VIC 20 (cassette)	£5.95	ATARI (cassette)	£5.95
SPECTRUM	£5.95	BBC (Handles Locked Files and Mixed Baud Rate)	£5.95
ELECTRON	£5.95		

ALL WITH FULL INSTRUCTIONS

HIGH SPEED BACK-UP

commodore

COMMODORE 64 owners, at last the long wait is over – **FASTBACK** converts your software to **TURBO LOAD** – creates fast loading copies of most programs (single and multi-part) that run independently of the utility. For example 'The Hobbit' loads in 150 seconds with **FASTBACK**.
Supplied on tape with full instructions.
ONLY **£9.95**

AMSTRAD

SPEEDMASTER is here. Allows choice of save speed. Creates fast loading copies of all software tested.
ONLY **£7.95**

TAPE TO DISK TRANSFER UTILITIES

Transfer games etc. to disk. Supplied on tape with full instructions for:—

BBC	£9.95
ATARI (All models)	£9.95

COMMODORE 64 NEW IMPROVED VERSION — **DISCO** — Still only **£9.95**
No user knowledge required.
We guarantee this is the best available.
All prices include VAT, Post & Packing. Cheques, P.O. or Phone your Card Number to:

EVESHAM MICRO CENTRE

Bridge St, Evesham, Worcestershire
Tel: 0386 49641
NEW SHOP NOW OPEN – Micro Centre, 1756 Pershore Rd, Cotteridge, Birmingham Tel: 021-458 4564
TRADE AND OVERSEAS ORDERS WELCOME

SUPER BREAKER BACK-UP BOARD

For the COMMODORE 64 and VIC-20. When a second CBM cassette unit is connected to the board it will make back-up copies of cassette software including turbo/fast loaders, basic and/or machine code. Priced at £9.50 plus 50p p.p. UK (Europe add £1.00), elsewhere add £2.00). An optional RESET SWITCH can also be fitted for only £2.00 extra, inclusive.

1541 DISK MANAGEMENT

This 20 function disk management utility includes features like disk back-up, protext/unprotect programs, edit track and sector, enhanced and normal disk commands. Five programs on one disk at only £8.75.

1541 PRG/SEQ UTILITY

Multi-part programs which includes unscratch a prg/seq files, a single prg/seq file copier, program start and end addresses and view bam. All this on one disk for just £5.95.

Both programs are supplied with a comprehensive booklet and sent by first class post, all inclusive. (Europe +75p, elsewhere + £1.50). Cheques/PO, or stamp for details, to:

CLARK KENT SOFTWARE
15 BAMBURG CLOSE,
DANESHOLME, CORBY,
NORTHANTS, NN18 9PA.

totally confused?
made comparisons?
nearly compromised?
come to
northern
computers
completely committed!



BBC · Electron · Sinclair · VIC64
Dragon · Printers · Disk Drives
Plenty of Software
Books/Games · Help & Advice
Secondhand Computers

Churchfield Rd
FRODSHAM Ches.
WA6 6RD

northern computers

Telephone:
FRODSHAM
0928 35110 10 Lines

THE computer centre of the NORTH

CONTRACT BRIDGE

SPECTRUM 48K and COMMODORE 64

Complete Contract Bridge single-handed against your Spectrum or Commodore 64. Random hands. Unsurpassed bidding and play. Full scoring. Unlike others, this takes the game seriously. Did you know our major rival cannot even play as declarer?!! Here you play exactly as you would with friends.....if you want. Otherwise, choose amazing options not in lesser programs:

- Define your own hands
- Display everyone's cards
- Make computer bid or play for you
- Lay down a hand
- Re-bid or replay any hand
- Change sides
- Bid all four hands yourself
- Play all the cards yourself

It must be good to offer so much. Why settle for less? Send or phone today.
£9.95 (cheque or Barclaycard or Access) fully inclusive. Only available direct from us, by return.

CONTRACT BRIDGE – the definitive name on the definitive game.

VISA

HIGHLIGHT SOFTWARE
3 Nether Court, Halstead, Essex CO9 2HE. Tel. (0787) 475714

Access

COMMODORE 64

R.B.S.
(Rapid Backup System)
Convert your single and multipart tape programs to turbo-load, faster than the Commodore disc drive. Each converted program will load independently of R.B.S. No pokes, no Sys. Calls, No User Knowledge required. Load "The Hobbit" in 120 secs. for personal use only. Cassette £7.50 inc.

Hypersave — 64
A versatile and flexible fast-loading utility. 8 additional basic commands. Save/Load/Verify up to 48K continuous RAM at Hyperspeed. Cassette £7.50 inc.

Backup — Deluxe
A powerful and user friendly security backup utility. Load/save all program parts continuously. Incorporates a sophisticated header-reader. For personal use only. Cassette £3.50 inc.

Pro — Sprite
Sprite library. Design, manipulate, catalogue multi and single colour sprites. Create data, Joystick control. Packed with features. 100% machine code. Cassette £7.50 inc. Complete with your first Sprite library.

Special Discount: Any two programs £9.99. All four £19.00 plus free! secrets! I/O guide with every order.

Cheque/P.O. or SAE to:

DOSOFT
2 OAKMOOR AVENUE
BLACKPOOL FY2 0EE

FAST DESPATCH GUARANTEED

AMSTRAD COMPUTER DUST COVERS

Either in one or two piece from matching proofed anti-static nylon. Piped in green with Amstrad CPC 464 printed on keyboard **£6.95**
State 1 or 2 piece, for colour or mono

Toning covers now available for Amstrad printer **£3.50.**
Both for **£9.95.**

BBD COVERS,
39 Manse Ave.,
Wrightington WN6 9RP

The Publishers take all reasonable care to ensure that classified advertisements are genuine, but readers must satisfy themselves that they will be obtaining what they require before entering into transactions, particularly if they involve large sums of money.

BLANK CASSETTES

Rely on the professionals for guaranteed top quality computer/audio cassettes at great value budget prices. Packed in boxes of 10, complete with labels, inlay cards and library case.

Prices include VAT, post & packing

Length	Box Price (10)	Qty.	Value
5 mins (c.5)	£4.35		
10 mins (c.10)	£4.40		
12 mins (c.12)	£4.45		
15 mins (c.15)	£4.50		
30 mins (c.30)	£4.70		
60 mins (c.60)	£5.30		
90 mins (c.90)	£7.00		

£ _____

Cheque Postal Order enclosed for

TRADE ENQUIRIES WELCOME. GET BEST TERMS, SERVICE & PRODUCT, BUY DIRECT FROM MANUFACTURERS OF **PROFESSIONAL** BRAND CASSETTES.

NAME .....

ADDRESS .....

.....

PROFESSIONAL MAGNETICS LTD
(Dept. CCO), Cassette House, 329 Hunslet Road, Leeds LS10 3YY
FREEPOST Tel: (0532) 706066

QUICKBEAM SOFTWARE

presents

DICKIE DIVER
Daring Dickie Diver, Dives Deep to the Depths of the Dark Dingy Domain of the Deadly Demons. Will our hero, Dashing Dickie, Drown, or will he Dice with Death and Dodge the Demons. Discover the Undersea World of Dickie Diver. Swim through the Massive Cavern and collect the Oysters with which you have to buy your air. But beware of the Acid Plants and the Thingumies which thrive in the Dark Dingy Domain. A pure machine code arcade game for 1/2 players. Joystick/Keyboard options (Spectrum).....**£5.95**

TERROR CASTLE
Dare you attempt this Adventure. Have you the nerve to set foot in Terror Castle. This spine chilling adventure is not for those of a nervous disposition or for people who are scared of things that go bump in the night.
Warning: Do not leave this game on grandma's chair. (Dragon 32, BBC Electron, Spectrum)
.....**£5.95**

THE SHRUNKEN SCIENTISTS'
Can you imagine being only one inch tall, mole hills are like mountains, puddles are like lakes and every insect is a monster. Due to a scientific mishap this has happened to you. Your task, to get to the antidote. But how will you do it? A tough and addictive adventure that will not be solved in a day. (Dragon 32, BBC).**£5.95**

SUPER DRAUGHTS
A version of the classic game with 10 levels, making it suitable for the beginner to the expert. (Spectrum, Commodore 64)
.....**£5.95**

TOMBSTONE AND COD CREEK
Two classic games for the whole family. Many hours of entertainment for 1 to 4 players. Excellent value. (Dragon 32) **£5.95**
.....**£5.95**

DUPLICAS
The Dragon 32 cassette copier. This copier will even make backups of the latest *Dongle software. "Of the numerous back-up programs I have Duplicas outperforms* them all" D.M. of Warrington. (Dragon 32).....**£7.95**

Make cheques/PO payable to:
QUICKBEAM SOFTWARE
67 Old Nazeing Road, Broxbourne, Herts EN10 6RN.

SPECTRUM tape copier. Copies almost all available software. Send £3.00 to J. G. Palmer, 24 Big Green, Warmington, P'boro', PE8 6TU. 500

SPECTRUM tape copier. This is the best tape to tape copier available. Better than Kopykat, 007, Lerm, etc. Send £6 to J. Greenwood, 94 Somerton Road, Breightmet, Bolton BL2 6LN, Lancs. 503

Remploy Metal Furniture— can you keep your computer on anything less?

For further information on our computer work station and display/storage module, please write to: Cass Richards, Remploy Metal Furniture, Neath Abbey Road, Neath, West Glamorgan, SA10 7BL. Telephone 0639 3812, Telex 48229.

Remploy

TAPE COPIER 6 (new)
MICRODRIVE 1 (plus disc/waferdrive transfer)
Make your essential BACK-UP copies with our second generation copier TC6. It copes with the vast majority of programs, with new UNIQUE advanced features. 48K Spectrum only. Makes your old copier redundant!

* Deals with fast loaders + converts them to normal speed for drive transfer.
* LOADS in program parts CONTINUOUSLY even when there is no sound gap, short tone leaders, false beaders, etc, making the process simple and effective. User friendly.
* Copes with v. long programs (say 65000 + bytes).
* Extra features. e.g. integral header reader, pause, delete, abort, repeat copies, FULL manual.
* M Drive this extra option GENUINELY copies BASIC, M CODE + arrays onto MICRODRIVE, alters program names, etc.
* Updates for old customers £3 (£3.50 with M drive) old tape and SAE.

TC6 £5.00 (with M drive option £6.00)

MICRODRIVE ONE (MD1)
48K Spectrum owners with m drive can NOW transfer the MAJORITY of their programs (inc headerless, long programs, + those with LOW addresses say 16384).

TC6 transfers the bytes, but MD1 has 5 programs to help you do the conversions to get them running + 2 "CAT" housekeeping programs.

The manual has examples exercises and we believe this widely acclaimed program (together with TC6) gives you an unrivalled opportunity for you to fully utilise your m. drive. Try it and see for yourself.

MD1 (MD1X for disc or Waferdrive owners) costs a mere £6.50.

ALL PRODUCTS CARRY OUR MONEY BACK GUARANTEE
OVERSEAS customers: add £1 Europe. £2 others for each product. Please send SAE for enquiries.
LERM, DEPT YC, 10 BRUNSWICK GDNS, CORBY, NORTHANTS.

RETAILERS

For fast speedy distribution service contact Drake Distribution on 0752 500951/2

We can offer you:
- 24-hour delivery in UK
- The Best Discounts
- Starter packs available
- *All the latest software*
- Personal weekly delivery service throughout the UK
- Export enquiries welcome
- 48-Hour delivery can be arranged

As retailers ourselves we know the titles that sell — Phone or write for a price list now.

DRAKE DISTRIBUTION
Unit 45, Enterprise Plymouth,
Somerset Place, Plymouth PL3 4BB

DISKount PRICES

5¼" SS/DD Diskettes	£1.50
3½" SS/SD Diskettes	£4.50
2000 Sheets (11"x3½") Listing Paper (11"x9")	£16.00

CASSETTES: C15 50p
C20 60p C30 70p
(Case/Labels Inclusive)

* 1 Year Guarantee
* p&p free: Delivery 7 days
* Further discounts available
* We supply schools & colleges

Cheques/P.O.'s to:
C & S Computer Services
144 Sutcliffe Avenue, Grimsby
Sth Humbs. DN33 1AP.

AMSTRAD & SHARP

Business, Utility, Games and Educational Software by Post. *Same day despatch.* SAE for catalogue for Amstrad, Sharp MZ-700 or Sharp MZ-80A/MZ-80K.
DCS (YC), 38 South Parade, Bramhall, Stockport, SK7 3BJ.

Spectrum Repairs

£16.95 inclusive of labour, parts, p&p etc. ZX81 for £11. Fast reliable service. (Av. repair 24 hrs) by qualified engineers. Send computer only to:
HS COMPUTER SERVICES
2 The Orchard, Warton, Preston, Lancs. PR4 1BE. Tel. 0772 632686 or 634897

SHARP SOFTWARE

Superb new and original home, business and utility programs for the MZ-700 and MZ-711. Also local private tuition in programming from beginner to business level. For complete details (specify programs/tuition) send SAE to: Maysoft (DMB), 50 Thompson Avenue, Colchester, Essex CO3 4HW.

By Order of the Liquidator, C.J. Chambers Esq., F.C.A.
of Arthur Young McClelland Moores + Co.

Re: **Imagine Software Ltd.**

Turner and Sons, (est. 1810),

Will sell by public tender in individual lots.

Excellent range of modern commercial + home computers and ancillary equipment.

Briefly:
Fifteen 'Sage' II and IV Micro Processors: 'Alpha Micro' 1042E Computer: 'Televideo' 'Ambassador Ann Arbor', 'Sirius', 'Apple Macintosh and Lisa, 'Kode' 'Dragon', 'Atari' 'Commodore', 'Acorn', BBC and Sinclair computers.

'Mannesmann' and 'Apple' printers: disc drives: approx. twenty eight VDU screens: approx. twenty portable colour television sets: 'Atari' model MX/505B11 tape deck: cassette decks: transformers: Joysticks: extensive literature etc.

Office equipment includes executive desks and arm chairs: Typewriters, Typists Chairs, etc.
On view, Monday and Tuesday, 10th and 11th December 1984, from 10am to 4pm at Silkhouse Court, 11th Floor, Tithebarn Street, Liverpool L2 2LE.

Further details and catalogues from auctioneers offices, 28/36 Roscoe Street, Liverpool L1 9DW. Tel. 051 709 4005, also from the Liquidators Offices, Silkhouse Court, Tithebarn Street, Liverpool L2 2LE.

TAPE COPIER 6 (new)
MICRODRIVE 1 (plus disc/waferdrive transfer)

Make your essential BACK-UP copies with our second generation copier TC6. It copes with the vast majority of programs, with new UNIQUE advanced features. 48K Spectrum only. Makes your old copier redundant!

* Deals with fast loaders + converts them to normal speed for drive transfer.
* LOADS in program parts CONTINUOUSLY — even when there is no sound gap, short tone leaders, false headers, etc, making the process simple and effective. User friendly.
* Copes with v. long programs (say 65000+ bytes).
* Extra features. e.g. integral header reader, pause, delete, abort, repeat copies, FULL manual.
* M/Drive — this extra option GENUINELY copies BASIC, M/CODE + arrays onto MICRODRIVE, alters program names, etc.
* Updates for old customers £3 (£3.50 with M/drive) old tape and SAE.

TC6 £5.00 (with M/drive option £6.00)

MICRODRIVE ONE (MD1)

48K Spectrum owners with m/drive can NOW transfer the MAJORITY of their programs (inc headerless, long programs, + those with LOW addresses — say 16384).

TC6 transfers the bytes, but MD1 has 5 programs to help you do the conversions to get them running + 2 "CAT" housekeeping programs.

The manual has examples/exercises and we believe this widely acclaimed program (together with TC6) gives you an unrivalled opportunity for you to fully utilise your m/drive. Try it and see for yourself.

MD1 (MD1X for disc or Waferdrive owners) costs a mere £6.50.

ALL PRODUCTS CARRY OUR MONEY BACK GUARANTEE

OVERSEAS customers: add £1 Europe. £2 others for each product. Please send SAE for enquiries.

LERM, DEPT YC, 10 BRUNSWICK GDNS, CORBY, NORTHANTS.

ARITHMETIC (5-15 years), for any Spectrum, £3.50, cheque/PO, G. Blake, 74 New Mill Lane, Mansfield Woodhouse, Notts. 512

MERCURY software library. Large stocks for Spectrum/Commodore 64. Competitions! Exclusive pokes and software! Swap tapes, membership ony £5 and free joining hire. 506

TEN programs. Tape header reader. Three copiers. Write own copiers. ROM routinbs given. Examine auto-run programs. Tape to microdrive. Examples Jetpac Hobbit working. Plus more. £4.99. Mr. W. J. Woolhouse, (Dept YC) 11 Worcester Rd., Colchester, Essex. 509

VIC-20 Super Mastermind type game. Brilliant colour and sound presentation. £3.95. Spencer Barwin, 4 Mulberry Close, Gidea Park, Romford, Essex. 490

ZELLAD presents a character and sprite designer for the Memotech computers. Extremely easy to use. £5 (inc. p&p). Cheque/PO to: Zellad, 6 Highview Road, Endon, Stoke-on-Trent, ST9 9HT. 489

HOME ACCOUNTS. Put your house in order! Probably the best home use for your computer! Comprehensive coverage of bank accounts, credit cards, HP, etc. Inbuilt accuracy check for all transactions. Project cashflow for any period ahead. Available for CBM 64 or VIC-20 £7.50 or free details from: DISCUS SOFTWARE, FREEPOST, Windmill Hill, Brixham TQ5 9BR. Tel: 08045 55532. 477

ATARI 400/600/800/XL

Cartridge Backup System

Backup 8/16K cartridge to tape and disc. 400/800 with 48K ram. De luxe version has gold edge blades on cartridge simulator.

Cartridge to tape & disc.....£15.00
de luxe £20.00
Spare simulator board.....£12.00
de luxe £17.00

XL Cartridge Backup

600 XL £25.00
800 XL £30.00
Specify Tape or Disk

Tape Duplicator

Duplicate almost any single or multistage tape. BASIC program, 48K ram recommended.

Tape Duplicator.....£6.00

Fast Loader

Reduce tape loading time of almost all of your single multistage tapes by up to 49%.

Fast Loader.....£6.00

600 XL Memory Upgrade

Upgrade your 16K to 64K. Complete kit with full instructions.

Memory Upgrade.....£75.00

Services

Listing and prom blowing services also available. Send for details.

Send large SAE for further details on any/all of the above and new products. All prices are inclusive of p&p. Utilities are for 400/800/XL/800XL unless otherwise specified.

S. Terrell
17 Cock Close Road, Yaxley, Peterborough PE7 3HJ

BORED with your games? Want new programs? Join our swap club. Write for info. I.S.U.C., PO Box 1238, Dublin 1, Ireland. 476

AMPLIFY your Spectrums sound using your music centre. £5.50 (ready made). Post free. J. Bradley, 28a Park Road, Chesterfield, Derbyshire. 475

ELIVADER 48K Spectrum arcade game. High resolution graphics, excellent sound effects. £3.50 inc. p&p. Send cheque/PO to: S. Steel, 54 Elm Street, Borrowash, Derby. 474

VIC TAPE BACKUP will backup most Vic-20 programs, in BASIC, machine-code, or both. Detailed instructions are printed on the card inlay. VIC Tape Backup is easy to use, with prompting by colour and by sound — when the colours change and the tone sounds, the copier is ready! Load errors are signalled, so poor originals can be tried again. Works with all memory configurations — one machine-language program allows automatically for memory differences! Send crossed cheque/PO for £7.95 to: **Level Software Ltd, PO Box 55, Shirley, SOLIHULL B90 4SL. Tel: 021-643 6728.**

SPECTRUM KOPYKAT

Simply the best. Copying any 16/48K Spectrum program is as easy as LOADing & SAVEing your own programs. Even unstoppable programs can now be backed-up onto a fresh tape. Only £4.95.

IT CAN EVEN COPY ITSELF

NEW

MICRODRIVE KOPYKAT

Transfer your cassette based software onto the ZX Microdrive RELOCATES programs, Stops & reveals programs ESSENTIAL for M/D transfer. Only £4.95.

Both with FREE Header Reader Despatched by Return of Post.

MEDSOFT
PO Box 84, Basingstoke, Hants

Very short but powerful programs
Strongly recommended by educational authorities

EDUCARE'S 50
Book of fifty programs for primary education

Spectrum ZX81 (1K) £5.95 BBC Micro/ Electron £7.95

EDUCARE 139a Sloane St., London SW1X 9AY.

COMMODORE 64 — AMSTRAD — MSX OWNERS

MIDLAND COMPUTER LIBRARY

1 All the latest titles on cassette, disc and cartridge
2 Hire your first two games absolutely free.
3 Life membership £6.00.
4 Hire charge from only £1 inc. p&p for full 7 days.
5 No limit to the amount of games you can hire.
6 All games originals with full documentation.
7 Games, Business and Educational software.
8 Return of post service guaranteed.
9 Lowest new hard and software prices in the UK.
10 Join now on money back guarantee.

Send cheque or postal order for £6 with your two selections or large SAE for further details to:

MIDLAND COMPUTER LIBRARY
The first and largest Commodore 64 library in the world
31 Evenlode Close, Lodge Park
Redditch B98 7NA
Telephone 0527 23584

SPECIAL AGENT
DE-LUXE SPECTRUM COPIER

A multi-purpose yet extremely easy to use tape copier. Ideal for the experienced or absolute beginner.

****** 5 STAR RATINGS ******

1. Copies multipart programs all in one loading.
2. Copies Basic, M/Code and even the Headerless programs upto 51K.
3. Cannot be fooled by weird names or false Headers. (Other copiers would crash).
4. Can remove Autostart from Basic.
5. You can determine Pauses between sections if desired.

Once you've experienced this super DE-LUXE silk smooth copier, you'll never want to use any other.

£5.95

O/seas, Europe +50p
Others +£1.50
(Order as SPECIAL AGENT)

KERR, 24/25 High Street
King's Lynn, Norfolk, PE30 1BP

BANISH LOADing PROBLEMS

We are now the exclusive sellers of the ELINCA Tapeloader. Can only be obtained from us.

It is now available for the following computers:

Spectrum, ZX81, Oric-1, Atmos, BBC, Electron Dragon & Atom and still only **£14.99 inclusive. Post free.**

Please state Computer

We also sell the ELINCA Loudmouth. A Spectrum sound amplifier for only **£12.99 inclusive. Post free.**

CELINA Software

Business Help Series for the SPECTRUM

FILECAB The only program you will ever need for that filing job. **£15.00 incl.**

STOCK Keeps tabs on all your stock, with a running total of cash value of all stock. Add and remove stock at will. **£15.00 incl.**

PRODCOST Ever wondered how to calculate the selling price of an item, this program does just that taking into account your overheads and how much profit you want to make. **£15.00 incl.**

For details send SAE to:
Celina
86 Moor View Road, Sheffield S8 0HJ.

COMPUTER COMMUNICATION (UK) LTD.
wish all our customers
MERRY CHRISTMAS

Spectrum		CBM 64	
Jet Set Willy	£5.35	Beach Head	£7.99
Match Point	£6.90	Tales of Arabian Nights	£6.30
Beach Head	£7.00	Gilligans Gold	£6.30
Lords of Midnight	£8.95	Hunch Back	£6.70
Full Throttle	£6.30	Daley's Decathlon	£6.75
Daley's Decathlon	£6.30	Gyropods	£6.20
Sabre Wulf	£7.99	Snooker	£8.10
Blue Thunder	£5.35	Decathlon (Activision)	£9.00
Jack & the Beanstalk	£5.35	Blue Thunder	£6.30

SAE list Software etc. State Micro. Orders on 0276 33852
9 Martins Close, Blackwater, Camberley, Surrey GU17 0AH.

The Jet Set Willy editor Mk. II now available. Giving total editing facilities including sprites. 100% machine code program. Will totally redesign Jet Set Willy. £3.50 incl. p&p. Send cheques or postal orders to: SOFTTRICKS, 1 Rowan Place, Dundee, DD3 0PH. 0382 88232. Dealer enquires welcome.

Microdrive Transfer Listings available for:- Sherlock Holmes, The Hulk, Lords of Midnight, Full Throttle, Chequered Flag, 3-D Tank Duel, Tornado Low Level and Scrabble. Listings 50p each or 8 for £3.00. Enclose s.a.e. to:
Mr Alexander, 24 White Cross Road, Hereford, HR4 0DG

Quickshot II joysticks £8.50
Microdrive cartridges £4.40 Spectrum 48K £117.50 Spectrum plus £167.50 Sinclair QL £375 Alphacomm 32 Printers £75.00.
COMPUTEC
135-137 Glasgow Rd., Glasgow G69 6TA

COMMODORE 64
SOFTWARE HIRE
*** 100's Titles * Games**
***Utilities * Educational**
Life membership only £5
Cheque/RO to:
CENTRAL SOFTWARE LIBRARY
164 Moorgate, Retford, Notts. DN22

AMSTRAD
PRIDE

ZEDIS Editor and Disassembler for the Z80. Includes full instructions for disassembling ROMs. £6.95. **SYCLONE** — "Dramatically cut loading time". **DUPLICATE** software at up to **4 TIMES** original record speed, with added facilities of removing/adding protection. Over **18** new facilities in all, including enhanced **CAT** and **LOAD**, are offered with this very useful program. **LIST YOUR "WELCOME TAPE"** £6.95
PRIDE UTILITIES
7 Chalton Hts., Chalton, Luton Beds. LU4 9UF.

TOP PROGRAMS — TOP DISCOUNTS
AMSTRAD:
£5.95 Alien Break In, Atom Smasher, Flight Path 737, Ghouls, House of Usher, Johnny Reb, Space Pilot, Star Avenger. £6.95 Gems of Stradus, Hold Fast, Steve Davis Snooker. £7.95 Chess, Code Name Matt, Harrier Attack, Manic Miner, Roland in Caves/on Ropes, Star Commando.
DRAGON:
£5.95 Back Track, Hunchback, Zaksson. £6.95 Chuckie Egg, Dungeon Raid, Manic Miner, Touchstone. £7.95 Tim Loves Cricket, Hareraiser Prelude. £8.95 Buzzard Bait, Ring of Darkness, Return of Ring
ORIC — All ATMOS compatible:
£4.95 Arena 3000, Skramble. £5.95 Acherons Rage, Digger, Dracula's Revenge, Flight 401, Galaxions, Harrier Attack, Ice Giant, Mined Out, Mr Wimpy, Scuba Dive, Spooky Mansion, Two Gun Turtle, Velnors Lair. £6.95 Classic Racing, Rat Splat, Space Shuttle, Xenon 1, Zorgons Revenge, Defence Force, Ultima Zone.
American Football (Spec, CBM64, Amstrad) only £8.50
Prices incl p&p (Europe + 50p, Others + £1.00)
Ch/PO to: **O J SOFTWARE**
(sae for list, state machine)
273 Mossy Lea Road, Wrightington, Wigan, Lancs, WN6 9RN.

The Learning Process
For you and your family to enjoy at **CHRISTMAS**. A 48K Spectrum program for babies and toddlers.
TURNTAKING £5.95
SMILE TEDDY BRICKS WINDMILL FLOWER ENGINE
high resolution graphics & melodic sound effects.
38 Homedale House, 3 Brunswick Rd Sutton, Surrey SM1 4DG
Series 1 Learning to play
CHILD DEVELOPMENT

EASYSPRITE 64
for the Commodore 64 is an interrupt-driven, machine code utility which enables the Basic programmer to realise the full potential of the 64's eight sprites. Simply set min. and max. X and Y co-ordinates, speed, bounce, wrap, animation etc. for each sprite and EASYSPRITE will do the rest, independent of program control! Complete with fully listable, five-screen arcade game demonstrating the power of EASYSPRITE. Also demo routines and full instructions. Only £5.95.
Cheque/PO to:
MARATHON SOFTWARE
48 Netherlands Avenue, Odsal, Bradford, West Yorkshire.

SPECTRUM ZX81 £25 KEYBOARDS £25
Cased keyboard. High quality keys spacebar. Extra shift key. Full Sinclair legend keytops. Computer and power supply fit inside case. Simple no fuss fitting. Accepts Atari type joysticks. No interface needed. Full sized qwerty layout. Keys fully guaranteed.
7-14 days delivery.
Phone for Free Leaflet.
Tel. 0602 474973

CRAZYHORSE SOFTWARE
presents
DISC-O-TECH
- 180 Sec Backup
- Read Errors
- 14 Sec Formatter
- Create Errors
- Multi Format Copier
- Disc Interrogater
- Superior File Utility
- Backup Your Disc Library Easily
- Errors 20 21 22 23 27 29 ID1 ID2 (Beware of inferior imitations)
- Force errors to any track or sector Edit sectors in HEX ASCII Assembler Write protect Unprotect Repair Copy file Scratch DOS commands and more
- NO HEAD BANGING ON ERROR OR BACKUP

User friendly documentated instructions. Free: Disc/64 Monitor Examine Modify Write to RAM Read ROM (First 100 orders only) Also available magnificent 7-Fast Backup, Fast Format Filecopy, Disc/Tape, Tape/Disc Disc/TURBO Tape/Disc £19.95 inc.
SAVE MONEY BOTH ONLY £29.95 inc.
23 Firtree Close, Little Sandhurst, Camberley, Surrey GU17 8HU
MAIL ORDER ONLY
£19.95 inc p&p

AMSTRAD CPC464 AMSCOPY
Make backup copies of all your tape based software. Only £4.95. Includes FREE tape header reader and also "de-protector" — allows you to see protected programs!

Ultratec (Computing) Floor B
93 Mount road, High Barnes
Sunderland. (Tel. 0783-283550)
Trade and overseas orders welcome
(Overseas please add £1.50)

AMSTRAD
100% M.C. backup utility. Offers fast/slow saving of all tested programs plus unique protect/unmask option, reads protected programs. Send cheque/PO for £6.95 to **MONTANA SOFTWARE, Y.E. Co., Duffryn Hs., Newport, Gwent.**

SUNARO

Ghostbusters	Spect	8.50
Quo Vadis	Spect	8.45
Sherlock	Spect	12.75
Beach Head	Spect	6.75
Combat Lynx	Spect	7.60
Ghostbusters	CBM64	9.75
Fire Quest	CBM64	8.75
Nato Commander	CBM64	8.75
Summer Games	CBM64	13.25
Chartbuster	CBM64	8.75
Elite	BBC	13.25
Chartbuster	BBC	8.75
Manic Miner	BBC	6.95
Flightpath 737	Amstd	6.95
Manic Miner	Amstd	7.85
Steve Davis Snooker	Amstd	6.95
Solo Flight	Atari	13.25
Beach Head	Atari	8.75

Postage & VAT included
Cheque/PO with order to:
SUNARO SOFTWARE (YC2)
PO BOX 78 MACCLESFIELD
CHESHIRE SK10 3PF

MULTIPLY your income/profits NOW with the breakthrough ENTREPRENEUR ASSOCIATION. Discover new, lasting success. Act today! and send for full, free details: ENTREPRENEUR ASSOCIATION, Dept A4, 9 Cork Street, Mayfair, London W1.
473

48K Spectrum Adventure!
MEGALITH MAN
You are the Megalith Man, sent out to find all of the 12 megalithic sites of the HUGE landscape. You have no idea where they are, but you can make investigations and pick up useful items along the way. BUT BEWARE!!
SPEC:
2,500 LOCATIONS. 13 Different types of character. 7 Different items to help you. Cassette saving routine. Simple! single key operation.
PRICE: £5.95.
Send Cheque or PO payable to:
GOLTEK PUBLICATIONS (YC)
PO Box 177, W-ton, WV11 2PE

New Releases
of computer software for the CBM64 BBC, Spectrum, Atari, new list every to weeks. Also software for the Ti99/4A, Dragon, Electron, Lynx, Sharp MZ700, Tandy, Vic 20, ZX81. Please state computer business and games software.
M. J. SEAWARD
St. Olafs Road, Stratton, Nr. Bude, Cornwall.

ELECTRON Christmas tape. 8 exciting Christmas games to delight and entertain. £3.50 SAE, Cheques/PO's to A. Bull, 42 Cross Green, Upton, Chester.
470

COMMODORE 64 discopier discatal copies error protected discs. Other features 52K buffer 100% M/C copies. Multi part files, 1 or 2 drives. £6.95. I. Beevis, 13 Leicester Road, Maidstone, Kent ME15 7QA.
467

*** BACK-UP-SYSTEM FOR ***
***CBM-64 & VIC-20 ***
The BACK-UP BOARD is the latest, fastest, and most unique way to back-up your tape programs. With this board you can connect a second CBM tape deck to your computer. You can copy a program on the second deck while it loads from the first. You can back-up m/code, turbo loaders, data files etc. This system will back-up programs that your tape based copier has failed to do.
BACK-UP BOARD for CBM-64 & VIC-20
£10 inc p&p.
TRIGSOFT (Halifax)
46 Ripon Street, Parkinson Lane, Halifax, West Yorkshire HX1 3UG.

SINCLAIR SERVICE CENTRE
We have the spares for all repairs to: Spectrum: ZX-81: Printer and RAM Pack. You pay £10.00 plus parts and return postage. All units repaired to original Standard using genuine Sinclair Spares by our H.N.C. qualified staff. Also available Spectrum Memory Update 16K–48K by post £28.50 inclusive.
QUANTUM, 33 City Arcade, Coventry or Phone Coventry (0203) 24632.

CBM 64
BLACK OUT AND TURTLE TRIALS
Two brand new and exciting games for the Commodore 64. Only £5.99. Send cheques and PO's to:
T. Scallon Software
82 Sorbus Close,
Salford M6 5AR.

SPECTRUM DATA-SAVE
If you own a 16/48K Spectrum you cannot afford to be without this program. DATA-SAVE ensures that you produce top quality BACK-UP copies of ALL types of programs and data files with ABSOLUTE SIMPLICITY. Advanced features include: Continuous Loading, Saving and Verifying of single and MULTIPART programs. MENU DRIVEN with comprehensive on-screen information. Plus FREE CHARACTER GENERATOR Programs. Send cheque/PO for £6.00 to: GREEN BANK SOFTWARE, 2A, CURZON PARK SOUTH, CHESTER, CHESHIRE CH4 8AB.

48K SPECTRUM 3000 BAUD
Simply prefix any of the cassette commands, within Basic programs or as direct commands, and let your Spectrum do the rest. Included is a double speed header reader. Editing is facilitated by a short 'Beep' on any syntax errors; in addition to the flashing.
Supplied on cassette with full instructions
Send £4.50 (inc. p&p) to:
DAVID ROBERTS
41 Baring Road, London SE12 0JP

AMSTRAD CPL464 synthesiser program. Mult 1 mode. Only £3.50. Send cheques to: J. Fawbert, 70 Park Avenue, Shoreham, W. Sussex BN4 6PG.
471

SUPERIOR SPECTRUM TAPE COPIER
The **NEW 007 SPY** in the **ONLY** copier capable of copying even a full 48K Headerless program.
- Copies multipart programs all in one loading, automatically.
- Copies programs from 1 to 65279 bytes long. (Can yours)?
- Copies Headerless files up to a full 48K. (No other copier can).
- Copies **ALL** types, Basic, Code, Screen, Arrays, Headerless.
- Guaranteed easiest to use.

007 SPY IS JUST £3.95
(Europe + 50p Other areas + £1.50)
(Please order as 007N)
ZX-GUARANTEED (Dept YC)
29 Chadderton Drive, Unsworth, Bury, Lancs. BL9 8NL.
Tel: 061-766 5712

IMPROVE YOUR PROSPECTS
with skills that employers want – learn the easy way with modern home study courses from Ideal Schools.
MODERN ELECTRONICS
Train for success in the fastest ever growing industrial sector.
COMPUTER PROGRAMMING
The demand for Programmers is increasing constantly – don't miss out!
For free booklet write today to
IDEAL
IDEAL SCHOOLS (Ref. YC5) 60 St. Enoch Sq Glasgow G1 UK. Tel: 041-248 5200

SCRIBE a WORD PROCESSOR for ORIC ATMOS
Mail shot facilities: Tabs; word wrap or ragged; full edit; printer controls; etc.: All in one M/C prog. Up to 10xA4 full page capability. Text can be saved/loaded etc.
£7.80 inc.
F.P.S. 1 Fairoak Close, Petts Wood, Kent, BR5 1AW.

LYNX 48K & 96K
Quality software for your LYNX
RALLY BRITAIN — navigation game £5.95 (inc.). COCONUTS — animated word game £4.99 (inc.). DATAL — a sophisticated data storage and retrieval program. *Easy to use, fast, flexible and very friendly.* User manual includes Address Book, and Home Accounts. *A must for all LYNX owners at £19.55 + 45p p&p.* Send cheques/PO to:
ORIGINATION
Dept Y, 2-3 Forge Row, Nr. Soudley, Cinderford, Glos GL14 2UF.
or please send SAE for further details.

TURN MACHINE-CODE INTO BASIC
Turn Machine-Code into Basic? Yes you **CAN**. Long machine-code progs are nearly all, all or part Basic.
MY STOP-REVEAL TAPE WILL:
- **STOP** virtually **ANY** Spectrum programs, Basic, Code and even Headerless programs, protected or not, & **LIST.**
- **REVEAL** hidden Basic in machine code programs. (Could be clues in Adventure games).
- **LISTs** actual machine-code on your video.

Now you can **STOP, LIST, MODIFY, STUDY** most Spectrum programs at your leisure. Even 48K programs.
Includes: a **DISASSEMBLER, HEADER READER** and **SECRETS OF TRADE** pages explaining how professionals hide programs, and How to reveal them.
All for the price of one game!
Post £5.95 free
(Europe + 50p Elsewhere + £1.50)
392
KERR, 24/25 HIGH STREET, KING'S LYNN, PE30 1BP

48K SPECTRUM ASSEMBLER & DEBUGGER

Easy to use, no new editors or monitors to learn, Menus to ASSEMBLE DIS-ASSEMBLE, TEST, SAVE, LOAD, DELETE. Microdrive and printer supported. Use assembler like BASIC, Testing — SINGLE STEP, TRACE, VIDEO GAMES TRACE, BREAKPOINT, NON-STOP CALLS, HISTORY. Dynamic displays — this and next instruction with addresses, current and last register value, stack contents, flags, selected memory bytes, all in hex and decimal. Special CONVERSATIONAL ASSEMBLY INSTRUCTION INPUT/EXECUTION with full displays, a unique testing and machine code learning aid. Cassette £9.95, Microdrive cartridge £13.95 with demonstrations.

ROYBOT Dept. YC, 45 Hullbridge Road, Rayleigh, Essex SS6 9NL. Send SAE for details.

! NEW VERSION !

TAPE TO MICRODRIVE

Would you like to transfer your Spectrum programs from

① MICRODRIVE TO MICRODRIVE ③ TAPE TO TAPE
② TAPE TO MICRODRIVE ④ MICRODRIVE TO TAPE

MICRODRIVE TO TAPE

TRANS-EXPRESS

TRANS-EXPRESS is the most comprehensive package of four m/c utilities for transferring Spectrum programs. They are user-friendly, simple to use, reliable & very efficient.

They will enable you to transfer any kind of programs up to the full 48.0K length. TAPE TO M/DRIVE will also automatically, if necessary, modify, restructure and relocate both BASIC and M/C to run from m'drives.

You can buy any of the 4 programs for £5.50 or TAPE TO M/DRIVE AND M/DRIVE TO M/DRIVE together for £7.50, or all the 4 programs on a tape for £9.95 or on a m'drive cartridge for £14.95.

MICRODRIVE TO MICRODRIVE

Please send me a copy of TRANS-EXPRESS ①②③④ Please tick where applicable I enclose cheque/PO for ..... (Please add £1.00 for orders outside UK) YC

Name .....

Address 215

ROMANTIC ROBOT 113 Melrose Ave, London NW2

AMSTRAD TAPE COPIER

CHOICE OF SAVE SPEEDS
PRODUCES UNPROTECTED COPIES OF ALL PROGRAMS TESTED
ONLY £7.50
REDBEARD COMPUTERS 45 REGENT PLACE, BIRMINGHAM 1.

VIC-20/CBM-64 Software Hire Free membership. Titles from 60p per week. Send 2 x 17p stamps for your hire kit to: VSH (YC), 242 Ransom Rd, Mapperley, Nottingham. Please state which machine.

COMPUTER ASSISTED LEARNING

INFO-STREAM™ offers over 200 QUALITY EDUCATIONAL CASSETTES and DISKS for the Spectrum, BBC, Electron & CBM64, with SPECIAL OFFERS for the VIC-20 & ZX81.
Our new range covers VIDEO CASSETTES and BOOKS on BASIC, Assembly Language and Advanced Programming, together with introductions to Forth, Lisp, Logo & Pascal.
Send 23p SAE for FREE INFORMATION PACK to: INFO-STREAM (Dept. YC4), 36A Chase Green Avenue, Enfield, Middlesex, EN2 8EB. Export enquiries welcome.

WHAT PRICE SUCCESS FOR YOUR CHILD? SPECTRUM/BBC

Carefully constructed programs, designed by teachers, to motivate and explain those difficult but essential concepts.

CHEMISTRY
1. Formula-Package
Good Software Guide: "Simple, well thought out and well presented, it succeeds admirably in its intention"
2. Reactions
Micronet: "Well designed and executed"
3. Titration Package
PCW: "Excellent teaching aid"
NEW
4. Write Equations
Everything you need to know about writing Chemical Equations
5. MOLE: Chemistry Calculations
6. Periodic Table
Prints table! Explanations and educational game
PRIMARY
7. Countdown
5 superb programs: Numeracy skills, money, recognition, money, and association

All available for Spectrum 48K for £5.50 per program
Formula package also BBC B — Cassette: £8.50

CLOUD 9 software **CLOUD 9 SOFTWARE** Dept. YC6, 4 Dolvin Road, Tavistock PL19 9EA. 379

MUSICAL software. Play the guitar, reading music, rhythm synthesiser. £5 each. 48K Spectrum. SAE for details. Scott Massie, No. 1, Bungalow, Firlands, Burghfield Common, Berks. 464

SPECTRUM adult game "forfeits" two games in one for 2, 4, 6 players. Hours of exciting fun. Send £6.50 to N. Pearn. Over 18's only 462

Z80 ASSEMBLER

Specially written for **AMSTRAD CPC 464**
By the author of BEEBUG'S 'EXMON'

* FULL SCREEN EDITOR with block commands and string search
* DISASSEMBLER & HEX DUMP
* Allows freely mixed BASIC/Machine Code (similar to BBC BASIC)
* Professional 80 column listing with page numbering and titles
* IF/ELSE/ENDIF with nesting allowed
* Printer option
* Symbol table dump option
* Colour output
* Super fast — approx 3,000 lines/min.
* Comprehensive instruction manual

SPECIAL INTRODUCTORY OFFER
£11.60 (inc. p&p)
add £1 for overseas orders
— Trade Enquiries Welcome —
ARNOR LTD.
P.O. Box 619, London SE25 6JH.

DISKount PRICES

Diskettes each	10+	20+
5" DD/SS £1.50	1.40	1.35

Printer Paper (CBM/BBC etc.) (11" x 9") Sheets 1000 £10.00, 2000 £16.00.
Computer cassettes (not audio) C15 50p C20 60p C30 70p (Case/Labels inclusive)

* Ideal for BBC, Commodore etc.
* 1 Year Guarantee
* P&P Free: Delivery Available
* Further Discounts Available
* We Supply Schools & Colleges

Cheques/PO's to:
C & S Computer Services
144 Sutcliffe Avenue, Grimsby, Sth. Humbs. DN33 1AP.

SELL IT WITH YOUR COMPUTER

CLASSIFIED ORDER FORM

Classified Rates

Linage: 50p per word (Min 20 words) — prepayable

Linage advertisers should complete the form provided in BLOCK CAPITALS. Phone number counts as 2 words. Name and address to be paid for if used in advertisement. Box Number if required is £4.00 extra.

Display — rates per scc (Min 2scc)

One insertion	:	£9.00
Three insertions	:	£8.70
Six insertions	:	£8.50
Twelve insertions	:	£8.00

Display advertisers should provide separate copy and preferably reserve space by phone (01-661 3036).

Method of Payment

Cheques etc, should be made payable to Business Press International Ltd, and crossed. I enclose herewith cheque/PO for

£.....

Please debit my Access/Visa Barclay Card/American Express/Diners Club Int/ /as below

BARCLAYCARD VISA DINERS CLUB INTERNATIONAL

SIGNATURE

Post to:

Cut out the order form and return together with your remittance to: Classified Department, Your Computer, Room H211, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS. (01) 661 3036

Please insert the following advertisement in Your Computer Classified Section

					LINAGE
					£10.00
					£12.50
					£15.00
					£17.50
					£20.00
					£22.50
					£25.00

No. of insertions required ☐ Box No. required YES/NO

NAME *(Please include initials)*.....

ADDRESS.....

.....

.....

Payment by credit card please state address card is registered

Daytime tel. no .....

THIS FORM SHOULD BE RETURNED BY 26th NOV. FOR JAN. ISSUE PUBLICATION

Company Registered Number: 151537 (England) Registered Office: Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Hot lines

Acorn Computer
Telephone: Cambridge 0223-245200

Atari
Telephone: Slough 0753-24561

Amstrad
Telephone: Brentwood 0277 228888

Camputers
Telephone: Cambridge 0223-315063

Commodore CBM
Telephone: Slough 0753-74111

Sharp
Telephone: Manchester 061-2052333

Sinclair
Telephone: Cambridge 0276-685311

Tandy Corporation
Telephone: Birmingham 021-5566101

Toshiba
Telephone: Camberley 0276 62222

DATEBASE

Local, national and international micro events are updated here. To publicise your event, phone Paul Bond on 01-661 3472.

Hi-Technology and Computers in Education Exhibtion

Deals with everything from humble BBCs to big DECs and their application in education. Takes place at the Barbican from 23-26 January. Details from Computer Marketplace 01-930 1612.

East Midlands Computer Show

From November 27 until December 2 at the East Midlands Conference Centre, Nottingham. For more details telephone Central Exhibitions on 0827 896474.



Andy Andrews and John Wise — respectively chairman and managing director, Dennison Manufacturing Co. Ltd., and sales and marketing manager, Dennison Computer Supplies Division — in last minute, top level consultation prior to introducing the range of Elephant Memory Systems floppy discs to users in UK.

Electron and BBC Micro User Show

Everything for the Electron and BBC Micro user, in this exhibition at Alexandra Palace, London. From December 6 to December 9 at the New Horticultural Hall, London. Telephone Database Publications on 061 456 8383.

INDEX OF ADVERTISERS

A
Abackus Electronics 253
Acorn Computers 26/27/33/236/237/248/249
Activision 68
Adder Publishing 233
Addictive Games 247
Advance Technology 231
Advanced Memory Systems 21
Adventure Writer 117
Amstrad 138/139
Anirog 100/206
Argus Press 130/252
Atari International 228/229
Axis 44-47
Aztec Software 211
B
BSF CSL 151
Beebug 4
Betasoft *186*
Beyond Software 182
Blaby Computers 215
British Telecom (Firebird) 30/31
Bugbyte 160
C
CJE 230
Cambridge Micro Electronics 144
Campbell Systems 212
Cobolt Systems 54
Codewriter 99
Commodore 16-19/35/37
Compusound 144
Computer Link *163*
Computermate 56
Corgi Books 14
Country Computers 223/225
Creative Sparks 20/70/242
Cumana 244/245
Currah Computers 187
D
DACC 4
DK Tronics 124/125/174/BC
Datastar 80/163
Datel 43
Dennison 253/255/257
Digital Integration 259
Downsway 223
Durrell Software 12/13
F
First Publishing 196
Flexiwords 133
Fox Electronics 222
Frel 80
Frontrunner K-tel 23/25
G
Galaset *10/212*
Galatrek 230
Gilsoft 208
Goodbye 218
H
Hanatrex 258
Haulsterm 230
Hewson Consultants 94
Hisoft 146/219
I
ICS 20
Ibico 79
Icon Software 203
Industrial Process 253
Innelec 75
Interface 190
Intertext 233
J
Jetsoft 20
John Wiley 81
K
K Soft 4
Kempston Micro 6
Kosmos *265*
L
LCL 208
LTS 58
Leasalink Viewdata 111
Leisure Genius IBC
Level 9 24
Level Software 180
Linkword 120
Llamasoft 162
Logicop 216
Longmans 87
M
Mail Order Protection Scheme *212*
Melbourne House 102/136/241/250/251
Memoco 199
Memorex 8/9
Memotech 193
Micro Answers 202
Micro X 225
Microbusiness 264
Microbyte 10
Microfast *208*
Microgold 168
Micronet 800 226/227
Micropower 7/36/152/243/254
Microsphere 178
Microware 120
Mikrogen 172
Miles Better Software 144
Mirage 232
Mitsubishi 262/263
Modular Resources 112
N
National Software Library 58
National Westminster Bank *213*
New Generation 108
Newnes Technical Books 256
O
Oasis Software 62/175
Ocean Publishing IFC
P
PAS 161
PSs 11
Phimag 147
Picturesque *216*
Practical Computing 214
Praybourne 133
Print n' Plotter *220/221*
Profisoft 114
Protek 96/118/142
Psion 140/141
Q
Quicksilva 104/105/194/195
R
R & R Software 52
Rainbow Electronics 133
Ram Electronics 106
Redhatch *199*
Rexel 34
Richard Wilcox 5
Romac 32
Rose Software 215
Rotronics 60
S
SMT 217
Saga Systems 260
Sarasoft 199
Sci-soft 218
Selec Software 108
Service Link 186
Silica Shop 209
Sinclair Research 28/29
Softcentre 150
Software Library 163
Southern Software 246
Spectadraw 120
Spectra Imports 238
Spectre 186/265
Spinnaker 239
Starbyte 10
Statesoft *166*
Stonechip 184
Streetwise 168
Superior Software 210
Swanley 58
Swescot 161
Sybex 22
T
TEC 161
Tasman Software 200
Tektonic 265
The Microworkshop 218
Thoughts & Crosses 224
Toshiba 123
Touchmaster 71/153/159
Tremiver 78
Trionic 202
U
US Gold 15/154/171/176/205/235/240
University Software 158
V
Visionstore 156
Vortex 42
W
Walker Computers 108
Walters Computer Systems *188*
William Stuart 255
Wintersoft 134
Wizard 233
Worldwide Computers 132
Wye Valley Software 202
Y
Your Computer ABC Figures 261
Z
ZX Microfair 234
Zero *168*

Ingenious...









Computer games for people who hate computer games.

Give your joystick a rest, and your brain a chance with these family favourites.

Software by...

Leisure Genius™

3 Montagu Row, London W1H 1AB

NOW AVAILABLE AT Boots WHSMITH AND AT OTHER LEADING STORES.

SCRABBLE® trade mark and copyright licensed by Scrabble Schutzrechte und Handels GmbH (a J. W. Spear & Sons PLC associated company).
CLUEDO® trade mark and copyright licensed by Waddingtons Games Ltd. MASTERMIND® trade mark and copyright licensed by Invicta Plastics Ltd.
KENSINGTON™ trade mark and copyright licensed by Whale Toys Ltd. LEISURE GENIUS® is a registered trade mark of Winchester Holdings Ltd.

Amstrad Speech Synthesiser Speaks for itself

The interface comprises a speech synthesizer and a powerful stereo amplifier. The speech synthesizer uses the popular SLO/256 speech chip and has an almost infinite vocabulary. It is supplied with a text to speech converter for ease of speech output creation. Everything you wish to be spoken is entered in normal English, without special control codes or characters, it is therefore extremely easy to use. The voicing of the words is completely user transparent and the computer can carry on its normal running of a program while the speech chip is talking. The speech output from the SLO/256 is mono and directed to both speakers.

To utilise the Amstrad stereo output on the back of the computer the interface has a built in stereo amplifier, this gives all sound output a totally new dimension and greatly improves the sound quality and volume over the computer's internal speaker. The interface is supplied with two 4" two watt high quality speakers.

Price: **£39.95** plus £1.25 to cover postage and packaging

£39·95

Available direct or from good computer outlets.

Send S.A.E. for full details plus instruction booklet.

dk'tronics

dKTronics Ltd., Saffron Walden, Essex. CB11 3AQ.
Tel: (0799) 26350 Telex: 817812 DKTRON G